

Full wwPDB X-ray Structure Validation Report (i)

Aug 22, 2023 - 10:14 AM EDT

PDB ID	:	2QW4
Title	:	Human NR4A1 ligand-binding domain
Authors	:	Min, J.R.; Schuetz, A.; Loppnau, P.; Weigelt, J.; Sundstrom, M.; Arrowsmith,
		C.H.; Edwards, A.M.; Bochkarev, A.; Plotnikov, A.N.; Structural Genomics
		Consortium (SGC)
Deposited on	:	2007-08-09
Resolution	:	2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.35
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R _{free}	130704	3140 (2.80-2.80)
Clashscore	141614	3569(2.80-2.80)
Ramachandran outliers	138981	3498 (2.80-2.80)
Sidechain outliers	138945	3500 (2.80-2.80)
RSRZ outliers	127900	3078 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of c	hain		
1	А	273	% 58%	22%	••	16%
1	В	273	56%	23%	5%	16%
1	С	273	% 61%	19%	••	17%
1	D	273	54%	27%	•	17%



2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 7147 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
1	Λ	220	Total	С	Ν	Ο	\mathbf{S}	0	0	0
	A	230	1781	1145	307	323	6	0		
1	В	230	Total	С	Ν	Ο	S	0	0	0
	D	230	1793	1155	307	324	$\overline{7}$	0	0	0
1	C	0 997	Total	С	Ν	0	S	0	0	0
	U	221	1777	1149	302	319	7	0	0	0
1	П	227	Total	С	Ν	Ο	S	0	0	0
I D	227	1786	1152	305	322	$\overline{7}$	0	0	0	

• Molecule 1 is a protein called Orphan nuclear receptor NR4A1.

There are 84 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	-5	MET	-	expression tag	UNP P22736
А	-4	GLY	-	expression tag	UNP P22736
А	-3	SER	-	expression tag	UNP P22736
А	-2	SER	-	expression tag	UNP P22736
А	-1	HIS	-	expression tag	UNP P22736
А	0	HIS	-	expression tag	UNP P22736
А	1	HIS	-	expression tag	UNP P22736
А	2	HIS	-	expression tag	UNP P22736
А	3	HIS	-	expression tag	UNP P22736
А	4	HIS	-	expression tag	UNP P22736
А	5	SER	-	expression tag	UNP P22736
А	6	SER	-	expression tag	UNP P22736
А	7	GLY	-	expression tag	UNP P22736
А	8	LEU	-	expression tag	UNP P22736
А	9	VAL	-	expression tag	UNP P22736
А	10	PRO	-	expression tag	UNP P22736
А	11	ARG	-	expression tag	UNP P22736
A	12	GLY	-	expression tag	UNP P22736
А	13	SER	-	expression tag	UNP P22736
А	14	HIS	-	expression tag	UNP P22736
А	15	MET	-	expression tag	UNP P22736



2Q	W	4
<u>–</u> Q	v v	т

Continued from previous page								
Chain	Residue	Modelled	Actual	Comment	Reference			
В	-5	MET	-	expression tag	UNP P22736			
В	-4	GLY	-	expression tag	UNP P22736			
В	-3	SER	-	expression tag	UNP P22736			
В	-2	SER	-	expression tag	UNP P22736			
В	-1	HIS	-	expression tag	UNP P22736			
В	0	HIS	-	expression tag	UNP P22736			
В	1	HIS	-	expression tag	UNP P22736			
В	2	HIS	-	expression tag	UNP P22736			
В	3	HIS	-	expression tag	UNP P22736			
В	4	HIS	-	expression tag	UNP P22736			
В	5	SER	-	expression tag	UNP P22736			
В	6	SER	-	expression tag	UNP P22736			
В	7	GLY	-	expression tag	UNP P22736			
В	8	LEU	-	expression tag	UNP P22736			
В	9	VAL	-	expression tag	UNP P22736			
В	10	PRO	-	expression tag	UNP P22736			
В	11	ARG	-	expression tag	UNP P22736			
В	12	GLY	-	expression tag	UNP P22736			
В	13	SER	-	expression tag	UNP P22736			
В	14	HIS	-	expression tag	UNP P22736			
В	15	MET	-	expression tag	UNP P22736			
С	-5	MET	-	expression tag	UNP P22736			
С	-4	GLY	-	expression tag	UNP P22736			
С	-3	SER	-	expression tag	UNP P22736			
С	-2	SER	-	expression tag	UNP P22736			
С	-1	HIS	-	expression tag	UNP P22736			
С	0	HIS	-	expression tag	UNP P22736			
С	1	HIS	-	expression tag	UNP P22736			
С	2	HIS	-	expression tag	UNP P22736			
С	3	HIS	-	expression tag	UNP P22736			
С	4	HIS	-	expression tag	UNP P22736			
С	5	SER	-	expression tag	UNP P22736			
С	6	SER	-	expression tag	UNP P22736			
С	7	GLY	-	expression tag	UNP P22736			
С	8	LEU	-	expression tag	UNP P22736			
С	9	VAL	-	expression tag	UNP P22736			
С	10	PRO	-	expression tag	UNP P22736			
С	11	ARG	-	expression tag	UNP P22736			
С	12	GLY	-	expression tag	UNP P22736			
С	13	SER	-	expression tag	UNP P22736			
С	14	HIS	-	expression tag	UNP P22736			
С	15	MET	-	expression tag	UNP P22736			

 α · · 1 0 .



2QW4

Chain	Decidue	Medelled	Astual	Commont	Defenence
Chain	Residue	wodened	Actual	Comment	Reference
D	-5	MET	-	expression tag	UNP P22736
D	-4	GLY	-	expression tag	UNP P22736
D	-3	SER	-	expression tag	UNP P22736
D	-2	SER	-	expression tag	UNP P22736
D	-1	HIS	-	expression tag	UNP P22736
D	0	HIS	-	expression tag	UNP P22736
D	1	HIS	-	expression tag	UNP P22736
D	2	HIS	-	expression tag	UNP P22736
D	3	HIS	-	expression tag	UNP P22736
D	4	HIS	-	expression tag	UNP P22736
D	5	SER	-	expression tag	UNP P22736
D	6	SER	-	expression tag	UNP P22736
D	7	GLY	-	expression tag	UNP P22736
D	8	LEU	-	expression tag	UNP P22736
D	9	VAL	-	expression tag	UNP P22736
D	10	PRO	-	expression tag	UNP P22736
D	11	ARG	-	expression tag	UNP P22736
D	12	GLY	-	expression tag	UNP P22736
D	13	SER	-	expression tag	UNP P22736
D	14	HIS	-	expression tag	UNP P22736
D	15	MET	-	expression tag	UNP P22736

• Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	4	Total O 4 4	0	0
2	В	2	Total O 2 2	0	0
2	С	2	Total O 2 2	0	0
2	D	2	Total O 2 2	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Orphan nuclear receptor NR4A1



• Molecule 1: Orphan nuclear receptor NR4A1





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants	89.53Å 96.36Å 144.85Å	Deperitor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Bosolution (Å)	48.17 - 2.80	Depositor
Resolution (A)	48.18 - 2.80	EDS
% Data completeness	98.5 (48.17-2.80)	Depositor
(in resolution range)	98.5(48.18-2.80)	EDS
R_{merge}	(Not available)	Depositor
R _{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.89 (at 2.81 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R R.	0.230 , 0.292	Depositor
II, II, <i>free</i>	0.227 , 0.294	DCC
R_{free} test set	1566 reflections (5.06%)	wwPDB-VP
Wilson B-factor $(Å^2)$	72.4	Xtriage
Anisotropy	0.131	Xtriage
Bulk solvent $k_{sol}(e/A^3)$, $B_{sol}(A^2)$	0.33 , 68.5	EDS
L-test for $twinning^2$	$ < L >=0.49, < L^2>=0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	7147	wwPDB-VP
Average B, all atoms $(Å^2)$	55.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.82% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol C	Chain	Bond lengths		Bond angles		
	Unain	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.76	5/1816~(0.3%)	0.93	5/2457~(0.2%)	
1	В	0.78	2/1829~(0.1%)	0.89	2/2475~(0.1%)	
1	С	0.73	2/1814~(0.1%)	0.79	1/2455~(0.0%)	
1	D	0.63	0/1822	0.73	1/2465~(0.0%)	
All	All	0.73	9/7281~(0.1%)	0.84	9/9852~(0.1%)	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	А	0	1
1	В	0	1
1	С	0	1
All	All	0	3

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\operatorname{Observed}(\operatorname{\AA})$	$\mathrm{Ideal}(\mathrm{\AA})$
1	В	217	PRO	N-CA	11.82	1.67	1.47
1	А	217	PRO	CA-CB	-8.18	1.37	1.53
1	А	191	ARG	CZ-NH2	-7.26	1.23	1.33
1	С	74	GLN	CB-CG	7.17	1.71	1.52
1	А	217	PRO	CA-C	-6.39	1.40	1.52
1	В	217	PRO	CA-CB	6.14	1.65	1.53
1	А	203	CYS	CB-SG	-5.85	1.72	1.81
1	А	191	ARG	NE-CZ	-5.65	1.25	1.33
1	С	203	CYS	CB-SG	-5.37	1.73	1.81

All (9) bond angle outliers are listed below:



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$\mathbf{Ideal}(^{o})$
1	В	217	PRO	N-CA-CB	18.06	124.97	103.30
1	А	191	ARG	NE-CZ-NH2	-18.02	111.29	120.30
1	А	191	ARG	NE-CZ-NH1	15.52	128.06	120.30
1	А	217	PRO	N-CA-C	-6.64	94.83	112.10
1	А	220	CYS	N-CA-C	6.32	128.06	111.00
1	В	217	PRO	N-CA-C	-5.57	97.61	112.10
1	D	131	LEU	CA-CB-CG	-5.49	102.67	115.30
1	С	131	LEU	CA-CB-CG	-5.29	103.14	115.30
1	А	217	PRO	N-CA-CB	5.05	109.36	103.30

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	А	219	SER	Peptide
1	В	50	LYS	Peptide
1	С	30	PRO	Peptide

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	1781	0	1805	45	0
1	В	1793	0	1821	53	0
1	С	1777	0	1819	30	0
1	D	1786	0	1827	40	0
2	А	4	0	0	0	0
2	В	2	0	0	0	0
2	С	2	0	0	0	0
2	D	2	0	0	0	0
All	All	7147	0	7272	167	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (167) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.



Atom_1	Atom_2	Interatomic	Clash		
Atom-1	Atom-2	distance (Å)	overlap (Å)		
1:C:117:ILE:HD12	1:C:235:CYS:SG	1.91	1.10		
1:B:221:LEU:H	1:B:221:LEU:HD23	1.20	1.05		
1:C:184:ARG:HH12	1:C:232:ARG:HH12	1.05	1.02		
1:B:146:ARG:HH11	1:B:146:ARG:HG2	1.26	0.98		
1:B:223:ARG:HH11	1:B:223:ARG:HG3	1.37	0.90		
1:B:91:GLU:OE2	1:B:91:GLU:HA	1.73	0.87		
1:D:161:SER:OG	1:D:227:LYS:HE3	1.76	0.86		
1:B:140:HIS:HD2	1:B:142:LEU:H	1.25	0.82		
1:B:168:ASP:OD1	1:B:170:PRO:HD2	1.82	0.78		
1:A:191:ARG:HD3	1:A:191:ARG:H	1.46	0.78		
1:B:131:LEU:HD22	1:B:152:ILE:HD11	1.67	0.74		
1:A:140:HIS:HD2	1:A:142:LEU:H	1.36	0.73		
1:A:246:LYS:HE3	1:A:258:ASP:OD1	1.89	0.72		
1:B:221:LEU:HD23	1:B:221:LEU:N	2.03	0.71		
1:B:146:ARG:HG2	1:B:146:ARG:NH1	1.96	0.70		
1:B:192:ARG:HH21	1:B:192:ARG:HG3	1.55	0.70		
1:C:117:ILE:CD1	1:C:235:CYS:SG	2.75	0.70		
1:C:184:ARG:HH12	1:C:232:ARG:NH1	1.86	0.69		
1:B:221:LEU:H	1:B:221:LEU:CD2	2.00	0.68		
1:C:184:ARG:NH1	1:C:232:ARG:HH12	1.87	0.68		
1:A:219:SER:HA	1:A:221:LEU:H	1.59	0.67		
1:D:161:SER:OG	1:D:227:LYS:CE	2.43	0.66		
1:C:140:HIS:CD2	1:C:142:LEU:H	2.15	0.66		
1:A:220:CYS:H	1:A:223:ARG:NH2	1.94	0.65		
1:D:82:SER:O	1:D:86:ILE:HD13	1.96	0.65		
1:D:38:VAL:HG22	1:D:170:PRO:HA	1.79	0.65		
1:D:86:ILE:HD11	1:D:119:ARG:HD3	1.78	0.64		
1:B:192:ARG:HG3	1:B:192:ARG:NH2	2.10	0.64		
1:A:51:LEU:HD13	1:A:53:TYR:HE1	1.64	0.63		
1:D:67:GLU:H	1:D:67:GLU:CD	1.99	0.63		
1:C:140:HIS:HD2	1:C:142:LEU:H	1.45	0.62		
1:A:72:VAL:HG12	1:A:76:TYR:CE2	2.34	0.62		
1:A:222:SER:HA	1:A:225:LEU:HB2	1.81	0.62		
1:A:226:GLY:O	1:A:229:PRO:HD2	2.00	0.62		
1:A:84:GLU:HG2	1:A:88:LYS:HE3	1.81	0.61		
1:A:191:ARG:NH2	1:A:191:ARG:HB2	2.16	0.61		
1:C:117:ILE:HD12	1:C:235:CYS:HG	1.65	0.61		
1:A:131:LEU:HD22	1:A:152:ILE:HD11	1.84	0.60		
1:A:206:GLU:O	1:A:209:ALA:HB3	2.02	0.60		
1:D:191:ARG:O	1:D:195:GLU:HB2	2.01	0.60		
1:B:46:PRO:HG3	1:B:134:CYS:O	2.02	0.59		
1:B:209:ALA:C	1:B:211:VAL:H	2.06	0.59		



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:219:SER:HA	1:A:221:LEU:N	2.16	0.59
1:A:96:PHE:CE2	1:A:104:GLN:HG2	2.38	0.59
1:A:191:ARG:HH21	1:A:191:ARG:N	2.01	0.58
1:D:189:GLU:HB3	1:D:191:ARG:HH22	1.68	0.58
1:B:209:ALA:O	1:B:211:VAL:N	2.34	0.58
1:C:187:LEU:O	1:C:190:PRO:HD3	2.05	0.57
1:A:158:PHE:O	1:A:161:SER:HB3	2.04	0.57
1:A:191:ARG:NH2	1:A:191:ARG:CB	2.67	0.57
1:B:223:ARG:HH11	1:B:223:ARG:CG	2.15	0.57
1:C:168:ASP:OD1	1:C:170:PRO:HD2	2.04	0.57
1:C:124:SER:O	1:C:126:PRO:HD3	2.05	0.57
1:A:220:CYS:H	1:A:223:ARG:HH21	1.53	0.56
1:B:192:ARG:HH21	1:B:192:ARG:CG	2.19	0.56
1:D:170:PRO:O	1:D:173:ALA:HB3	2.06	0.56
1:A:233:THR:O	1:A:236:THR:HB	2.05	0.56
1:D:140:HIS:CD2	1:D:142:LEU:H	2.24	0.55
1:D:97:ALA:HA	1:D:104:GLN:NE2	2.21	0.55
1:C:79:LEU:HD23	1:C:257:ILE:HG21	1.89	0.55
1:A:191:ARG:H	1:A:191:ARG:HH21	1.55	0.55
1:A:90:ALA:HA	1:A:93:ILE:HD12	1.88	0.55
1:D:165:LEU:HB3	1:D:167:VAL:HG23	1.88	0.54
1:A:191:ARG:HH21	1:A:191:ARG:CB	2.21	0.53
1:B:146:ARG:HH11	1:B:146:ARG:CG	2.11	0.53
1:D:226:GLY:O	1:D:229:PRO:HD2	2.09	0.53
1:B:91:GLU:OE2	1:B:91:GLU:CA	2.48	0.53
1:B:97:ALA:HA	1:B:104:GLN:HE22	1.74	0.53
1:D:99:LEU:HD21	1:D:193:VAL:HG22	1.91	0.53
1:A:258:ASP:O	1:A:262:MET:HG2	2.10	0.52
1:B:140:HIS:CD2	1:B:142:LEU:H	2.15	0.52
1:B:82:SER:O	1:B:86:ILE:HG13	2.09	0.52
1:D:187:LEU:HD13	1:D:193:VAL:HG21	1.92	0.52
1:A:60:VAL:HG12	1:A:60:VAL:O	2.09	0.51
1:A:60:VAL:O	1:A:62:PRO:HD3	2.09	0.51
1:B:228:LEU:N	1:B:229:PRO:HD2	2.26	0.51
1:D:131:LEU:HD22	1:D:152:ILE:HD11	1.93	0.51
1:A:106:LEU:HD23	1:A:187:LEU:HD23	1.91	0.51
1:B:47:SER:OG	1:B:49:ALA:HB3	2.10	0.51
1:D:162:LEU:O	1:D:165:LEU:HB2	2.11	0.51
1:B:141:ARG:HB3	1:B:141:ARG:NH1	2.26	0.50
1:A:63:HIS:HD2	1:A:146:ARG:HH21	1.60	0.50
1:B:108:LEU:HD13	1:B:180:LEU:HD11	1.93	0.50



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:D:161:SER:HG	1:D:227:LYS:HE3	1.72	0.50
1:B:97:ALA:HA	1:B:104:GLN:NE2	2.26	0.50
1:C:72:VAL:HG12	1:C:251:VAL:HG22	1.92	0.50
1:D:140:HIS:HD2	1:D:142:LEU:H	1.59	0.50
1:B:63:HIS:HB3	1:B:146:ARG:HH21	1.75	0.50
1:A:72:VAL:HG12	1:A:76:TYR:HE2	1.78	0.49
1:B:227:LYS:HA	1:B:227:LYS:HE2	1.93	0.49
1:C:123:ARG:NH2	1:C:134:CYS:HB3	2.27	0.48
1:D:198:ASN:O	1:D:201:ALA:HB3	2.13	0.48
1:C:50:LYS:HA	1:C:50:LYS:HE3	1.95	0.48
1:C:131:LEU:HD22	1:C:152:ILE:HD11	1.94	0.48
1:A:219:SER:HB2	1:A:222:SER:H	1.78	0.47
1:B:67:GLU:H	1:B:67:GLU:CD	2.13	0.47
1:A:114:GLU:HG2	1:A:235:CYS:SG	2.55	0.47
1:D:95:GLY:O	1:D:98:GLU:HB2	2.15	0.47
1:A:160:ARG:CZ	1:A:160:ARG:HB2	2.45	0.47
1:B:74:GLN:O	1:B:78:LEU:HD22	2.15	0.47
1:C:131:LEU:HD13	1:C:144:CYS:SG	2.54	0.47
1:B:147:GLY:O	1:B:241:ARG:NH1	2.48	0.46
1:B:121:ALA:HA	1:B:159:SER:HB2	1.97	0.46
1:C:199:ARG:O	1:C:203:CYS:HB3	2.15	0.46
1:B:33:LEU:HD23	1:B:203:CYS:SG	2.55	0.46
1:C:154:SER:HB3	1:C:234:LEU:CD1	2.45	0.46
1:D:208:VAL:HG21	1:D:221:LEU:HD22	1.97	0.46
1:B:132:ILE:HG12	1:B:138:VAL:HG22	1.97	0.46
1:D:33:LEU:O	1:D:37:LEU:N	2.38	0.46
1:D:189:GLU:CB	1:D:191:ARG:HH22	2.29	0.46
1:C:241:ARG:HD2	1:C:241:ARG:O	2.16	0.45
1:C:228:LEU:HB2	1:C:229:PRO:HD3	1.98	0.45
1:D:47:SER:H	1:D:50:LYS:HD2	1.82	0.45
1:A:140:HIS:CD2	1:A:142:LEU:H	2.26	0.45
1:A:247:LEU:C	1:A:249:ASP:N	2.69	0.45
1:B:61:LEU:HD13	1:D:225:LEU:HD11	1.98	0.45
1:C:226:GLY:O	1:C:229:PRO:HD2	2.17	0.45
1:A:200:ILE:O	1:A:203:CYS:HB3	2.17	0.45
1:B:117:ILE:HD13	1:B:234:LEU:HB3	1.99	0.45
1:B:99:LEU:HD23	1:B:192:ARG:NH2	2.32	0.44
1:C:151:TRP:O	1:C:154:SER:HB2	2.18	0.44
1:D:169:VAL:HB	1:D:170:PRO:HD3	1.98	0.44
1:A:63:HIS:CD2	1:A:146:ARG:NH2	2.85	0.44
1:B:53:TYR:O	1:B:55:LYS:N	2.50	0.44



		Interatomic	Clash		
Atom-1	Atom-2	distance (Å)	overlap (Å)		
1:D:69:ALA:HB1	1:D:251:VAL:HG13	1.99	0.44		
1:B:123:ARG:HG3	1:B:132:ILE:HB	1.99	0.43		
1:B:242:ILE:O	1:B:243:PHE:C	2.56	0.43		
1:A:165:LEU:HD12	1:A:165:LEU:HA	1.94	0.43		
1:B:50:LYS:HA	1:B:50:LYS:HD3	1.61	0.43		
1:C:229:PRO:O	1:C:233:THR:HG23	2.19	0.43		
1:A:104:GLN:O	1:A:108:LEU:HB2	2.18	0.43		
1:C:202:SER:HA	1:C:205:LYS:HB2	2.01	0.43		
1:D:204:LEU:HG	1:D:221:LEU:HD11	2.01	0.43		
1:D:251:VAL:HA	1:D:252:PRO:HD3	1.91	0.43		
1:C:34:LEU:HD11	1:C:170:PRO:HB3	1.99	0.43		
1:C:256:ILE:H	1:C:256:ILE:HG13	1.67	0.43		
1:D:32:ASN:HB3	1:D:33:LEU:H	1.63	0.42		
1:B:88:LYS:O	1:B:91:GLU:HB3	2.19	0.42		
1:D:48:THR:HA	1:D:51:LEU:HG	2.00	0.42		
1:B:243:PHE:HD1	1:B:261:PHE:HZ	1.67	0.42		
1:D:74:GLN:O	1:D:78:LEU:HB2	2.19	0.42		
1:B:108:LEU:HD12	1:B:108:LEU:HA	1.75	0.42		
1:A:122:TYR:O	1:A:163:HIS:HE1	2.02	0.42		
1:B:229:PRO:O	1:B:232:ARG:N	2.44	0.42		
1:C:168:ASP:CG	1:C:170:PRO:HD2	2.40	0.42		
1:A:227:LYS:HA	1:A:227:LYS:HE2	2.01	0.41		
1:B:93:ILE:HA	1:B:94:PRO:HD2	1.90	0.41		
1:D:151:TRP:CE2	1:D:155:ILE:HD11	2.55	0.41		
1:D:184:ARG:H	1:D:187:LEU:HD12	1.85	0.41		
1:B:175:LEU:HD23	1:B:175:LEU:HA	1.68	0.41		
1:B:229:PRO:O	1:B:232:ARG:HB2	2.20	0.41		
1:C:253:PRO:HG2	1:C:258:ASP:OD2	2.21	0.41		
1:B:141:ARG:HH11	1:B:141:ARG:CB	2.34	0.41		
1:A:89:TRP:CZ2	1:A:93:ILE:HD11	2.56	0.41		
1:A:161:SER:OG	1:A:227:LYS:NZ	2.54	0.41		
1:D:124:SER:C	1:D:125:LYS:HG2	2.41	0.41		
1:B:141:ARG:NH1	1:B:141:ARG:CB	2.84	0.41		
1:B:254:PRO:HA	1:B:255:PRO:HD2	1.81	0.41		
1:B:77:ASP:O	1:B:78:LEU:C	2.58	0.41		
1:D:249:ASP:O	1:D:250:LEU:C	2.59	0.41		
1:D:53:TYR:CE1	1:D:138:VAL:HG21	2.56	0.40		
1:D:190:PRO:O	1:D:193:VAL:HB	2.21	0.40		
1:A:63:HIS:HD2	1:A:146:ARG:NH2	2.19	0.40		
1:D:241:ARG:O	1:D:245:LEU:HG	2.20	0.40		
1:A:36:SER:HB2	1:A:94:PRO:HG2	2.04	0.40		



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:51:LEU:HD13	1:A:53:TYR:CE1	2.50	0.40
1:C:151:TRP:O	1:C:154:SER:N	2.55	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentil		es	
1	А	226/273~(83%)	204 (90%)	17 (8%)	5 (2%)		6	22	
1	В	226/273~(83%)	201 (89%)	15 (7%)	10 (4%)		2	8	
1	С	223/273~(82%)	190 (85%)	27 (12%)	6 (3%)		5	17	
1	D	223/273~(82%)	205 (92%)	12 (5%)	6 (3%)		5	17	
All	All	898/1092 (82%)	800 (89%)	71 (8%)	27 (3%)		4	15	

All (27) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	49	ALA
1	А	212	ALA
1	А	250	LEU
1	В	211	VAL
1	С	31	ALA
1	С	141	ARG
1	D	250	LEU
1	В	210	ALA
1	В	219	SER
1	D	49	ALA
1	D	150	ASP
1	В	250	LEU
1	С	50	LYS



\mathbf{Mol}	Chain	Res	Type
1	С	262	MET
1	С	263	ASP
1	D	210	ALA
1	В	43	ASP
1	В	263	ASP
1	С	52	ASP
1	D	57	GLN
1	А	67	GLU
1	А	220	CYS
1	В	49	ALA
1	В	54	SER
1	В	224	LEU
1	В	255	PRO
1	D	38	VAL

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perc	entiles
1	А	193/235~(82%)	172~(89%)	21 (11%)	6	19
1	В	195/235~(83%)	172~(88%)	23~(12%)	5	16
1	С	195/235~(83%)	171 (88%)	24 (12%)	4	15
1	D	197/235~(84%)	175 (89%)	22 (11%)	6	18
All	All	780/940~(83%)	690 (88%)	90 (12%)	5	17

All (90) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	36	SER
1	А	50	LYS
1	А	51	LEU
1	А	61	LEU
1	А	67	GLU
1	А	79	LEU
1	А	80	SER



Mol	Chain	Res	Type
1	А	88	LYS
1	А	91	GLU
1	А	103	ASP
1	А	114	GLU
1	А	123	ARG
1	А	125	LYS
1	А	128	GLU
1	А	146	ARG
1	А	154	SER
1	А	175	LEU
1	А	191	ARG
1	А	206	GLU
1	А	232	ARG
1	А	241	ARG
1	В	32	ASN
1	В	39	ARG
1	В	48	THR
1	В	57	GLN
1	В	64	PHE
1	В	67	GLU
1	В	78	LEU
1	В	80	SER
1	В	91	GLU
1	В	100	SER
1	В	108	LEU
1	В	113	LEU
1	В	139	LEU
1	В	146	ARG
1	В	163	HIS
1	В	165	LEU
1	В	175	LEU
1	В	192	ARG
1	В	221	LEU
1	В	223	ARG
1	В	232	ARG
1	В	241	ARG
1	В	256	ILE
1	С	36	SER
1	С	50	LYS
1	С	74	GLN
1	С	78	LEU
1	С	82	SER



Mol	Chain	Res	Type
1	С	98	GLU
1	С	99	LEU
1	С	139	LEU
1	С	150	ASP
1	С	160	ARG
1	С	164	SER
1	С	166	LEU
1	С	191	ARG
1	С	196	LEU
1	С	203	CYS
1	С	205	LYS
1	С	220	CYS
1	С	221	LEU
1	С	224	LEU
1	С	232	ARG
1	С	241	ARG
1	С	246	LYS
1	С	256	ILE
1	С	262	MET
1	D	34	LEU
1	D	50	LYS
1	D	59	LEU
1	D	64	PHE
1	D	66	LYS
1	D	67	GLU
1	D	68	ASP
1	D	99	LEU
1	D	106	LEU
1	D	108	LEU
1	D	113	LEU
1	D	131	LEU
1	D	139	LEU
1	D	164	SER
1	D	175	LEU
1	D	176	SER
1	D	182	THR
1	D	183	ASP
1	D	191	ARG
1	D	224	LEU
1	D	234	LEU
1	D	256	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14)



such sidechains are listed below:

Mol	Chain	\mathbf{Res}	Type
1	А	32	ASN
1	А	63	HIS
1	А	140	HIS
1	В	104	GLN
1	В	140	HIS
1	С	57	GLN
1	С	63	HIS
1	С	74	GLN
1	С	140	HIS
1	С	188	GLN
1	С	240	GLN
1	D	140	HIS
1	D	163	HIS
1	D	188	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

There are no ligands in this entry.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	230/273~(84%)	0.01	3 (1%) 77 72	30, 52, 72, 77	0
1	В	230/273~(84%)	0.07	4 (1%) 70 63	31, 51, 65, 74	0
1	С	227/273~(83%)	0.08	2 (0%) 84 80	38, 54, 72, 81	0
1	D	227/273~(83%)	0.14	5 (2%) 62 52	46, 62, 81, 85	0
All	All	914/1092~(83%)	0.08	14 (1%) 73 68	30, 54, 77, 85	0

All (14) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	В	63	HIS	4.0
1	В	62	PRO	3.7
1	В	217	PRO	3.4
1	D	64	PHE	3.4
1	D	63	HIS	3.2
1	В	61	LEU	3.1
1	А	48	THR	3.1
1	D	35	THR	2.5
1	D	199	ARG	2.3
1	А	217	PRO	2.3
1	D	191	ARG	2.2
1	А	47	SER	2.2
1	С	134	CYS	2.1
1	С	63	HIS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

There are no ligands in this entry.

6.5 Other polymers (i)

There are no such residues in this entry.

