



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 14, 2024 – 02:55 am GMT

PDB ID : 6QX4  
Title : Structure of the Bacillus anthracis Sap S-layer assembly domain  
Authors : Remaut, H.; Fioravanti, A.  
Deposited on : 2019-03-07  
Resolution : 3.27 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.27 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1177 (3.32-3.24)
Clashscore	141614	1044 (3.30-3.26)
Ramachandran outliers	138981	1026 (3.30-3.26)
Sidechain outliers	138945	1025 (3.30-3.26)
RSRZ outliers	127900	1141 (3.32-3.24)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	606	 77% 18% 2% 3% 2%
1	B	606	 77% 19% 2% 3% 2%
2	C	129	 2% 68% 22% 8% 2%
2	E	129	 1% 66% 25% 8% 2%
3	D	134	 68% 22% 8% 2%

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
3	H	134	 <p>A horizontal bar chart representing the quality of chain. The bar is divided into four segments: a small red segment at the beginning labeled '4%', a large green segment labeled '65%', a yellow segment labeled '25%', and a small grey segment at the end labeled '8%'.</p>

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 12567 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called S-layer protein sap.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	585	Total	C	N	O	S	0	0	0
			4379	2757	719	900	3			
1	B	593	Total	C	N	O	S	0	0	0
			4438	2792	729	914	3			

There are 14 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	215	MET	-	initiating methionine	UNP P49051
A	815	HIS	-	expression tag	UNP P49051
A	816	HIS	-	expression tag	UNP P49051
A	817	HIS	-	expression tag	UNP P49051
A	818	HIS	-	expression tag	UNP P49051
A	819	HIS	-	expression tag	UNP P49051
A	820	HIS	-	expression tag	UNP P49051
B	215	MET	-	initiating methionine	UNP P49051
B	815	HIS	-	expression tag	UNP P49051
B	816	HIS	-	expression tag	UNP P49051
B	817	HIS	-	expression tag	UNP P49051
B	818	HIS	-	expression tag	UNP P49051
B	819	HIS	-	expression tag	UNP P49051
B	820	HIS	-	expression tag	UNP P49051

- Molecule 2 is a protein called Nanobody NbAF683.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	C	119	Total	C	N	O	S	0	0	0
			905	565	159	176	5			
2	E	119	Total	C	N	O	S	0	0	0
			905	565	159	176	5			

- Molecule 3 is a protein called Nanobody NbAF694.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	D	123	Total	C	N	O	S	0	0	0
			956	604	161	187	4			
3	H	123	Total	C	N	O	S	0	0	0
			956	604	161	187	4			


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	9	Total	O	0	0
			9	9		
4	B	12	Total	O	0	0
			12	12		
4	C	1	Total	O	0	0
			1	1		
4	D	3	Total	O	0	0
			3	3		
4	E	3	Total	O	0	0
			3	3		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: S-layer protein sap




- Molecule 1: S-layer protein sap




- Molecule 2: Nanobody NbAF683




• Molecule 2: Nanobody NbAF683



• Molecule 3: Nanobody NbAF694



• Molecule 3: Nanobody NbAF694



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	74.23Å 79.91Å 81.23Å 88.66° 82.00° 85.59°	Depositor
Resolution (Å)	35.00 – 3.27 80.43 – 3.27	Depositor EDS
% Data completeness (in resolution range)	93.6 (35.00-3.27) 93.5 (80.43-3.27)	Depositor EDS
$R_{merge}$	0.21	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.08 (at 3.26Å)	Xtrriage
Refinement program	BUSTER 2.10.3	Depositor
R, $R_{free}$	0.173 , 0.218 0.179 , 0.239	Depositor DCC
$R_{free}$ test set	1316 reflections (4.94%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	67.2	Xtrriage
Anisotropy	0.029	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 83.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	0.036 for -h,-l,-k	Xtrriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	12567	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	76.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.60% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.49	0/4416	0.78	0/5973
1	B	0.50	0/4477	0.78	0/6056
2	C	0.52	0/924	0.75	0/1250
2	E	0.52	0/924	0.75	0/1250
3	D	0.52	0/981	0.73	0/1332
3	H	0.48	0/981	0.71	0/1332
All	All	0.50	0/12703	0.77	0/17193

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4379	0	4546	69	0
1	B	4438	0	4605	57	0
2	C	905	0	871	17	0
2	E	905	0	871	13	0
3	D	956	0	906	19	0
3	H	956	0	906	27	0
4	A	9	0	0	0	0
4	B	12	0	0	0	0
4	C	1	0	0	0	0
4	D	3	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	E	3	0	0	0	0
All	All	12567	0	12705	194	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (194) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:H:5:VAL:HG13	3:H:116:GLN:NE2	1.61	1.16
1:A:473:ASP:OD1	1:A:477:LYS:HB3	1.51	1.08
1:A:711:LEU:HB2	1:A:792:GLN:NE2	1.87	0.88
3:H:5:VAL:CG1	3:H:116:GLN:NE2	2.39	0.86
1:A:474:SER:O	1:A:475:LYS:HB2	1.74	0.85
1:A:330:VAL:HG21	2:C:108:TYR:CE1	2.11	0.85
1:A:473:ASP:CG	1:A:477:LYS:HB3	1.97	0.84
1:A:330:VAL:CG2	2:C:108:TYR:HE1	1.91	0.84
1:A:234:GLU:HG2	1:A:235:LYS:H	1.45	0.80
1:A:473:ASP:OD1	1:A:477:LYS:CB	2.29	0.78
1:A:330:VAL:CG2	2:C:108:TYR:CE1	2.67	0.77
3:H:5:VAL:HG13	3:H:116:GLN:HE21	1.46	0.77
1:B:689:LEU:HB2	1:B:694:ILE:HD11	1.67	0.76
1:A:711:LEU:HB2	1:A:792:GLN:HE21	1.51	0.75
1:B:464:LYS:HG3	1:B:487:GLU:HG2	1.69	0.74
3:H:5:VAL:HG13	3:H:116:GLN:HE22	1.50	0.74
3:H:37:VAL:HG23	3:H:47:TRP:HA	1.71	0.73
3:H:5:VAL:CG1	3:H:116:GLN:HE22	2.00	0.73
2:C:63:VAL:HG13	2:C:67:PHE:HB2	1.70	0.72
3:D:101:TYR:H	3:D:108:GLN:HE22	1.38	0.70
1:A:221:THR:HG22	1:A:328:GLU:HB2	1.74	0.70
1:A:523:GLN:NE2	1:A:523:GLN:H	1.89	0.70
2:C:70:SER:OG	2:C:79:TYR:HB2	1.92	0.68
1:A:387:VAL:HG11	1:A:426:LEU:HD23	1.74	0.67
3:H:101:TYR:H	3:H:108:GLN:HE22	1.42	0.67
1:B:640:GLU:HB2	1:B:689:LEU:HD11	1.78	0.66
1:A:523:GLN:H	1:A:523:GLN:HE21	1.40	0.66
1:B:512:THR:HG21	1:B:627:LEU:HD21	1.78	0.65
3:D:38:ARG:NH1	3:D:93:TYR:OH	2.28	0.65
3:H:19:ARG:NH2	3:H:79:TYR:CD1	2.64	0.65
1:A:612:TYR:CZ	1:A:706:PRO:HD3	2.31	0.65
3:H:47:TRP:CD2	3:H:107:GLY:HA2	2.32	0.65

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:621:ALA:HB2	1:A:672:THR:HG22	1.76	0.64
1:A:330:VAL:HG23	2:C:108:TYR:HE1	1.61	0.64
1:B:643:GLU:HB2	1:B:688:VAL:HB	1.80	0.64
1:B:506:LEU:HD12	1:B:589:LEU:HD11	1.80	0.64
3:H:33:PRO:HG2	3:H:103:ARG:HG2	1.79	0.63
1:A:234:GLU:HG2	1:A:235:LYS:N	2.12	0.63
1:A:499:LEU:HD21	1:A:587:LEU:HB2	1.82	0.62
1:A:532:VAL:HG22	1:A:576:ALA:HB2	1.81	0.62
1:B:713:VAL:HG21	1:B:785:VAL:HG21	1.82	0.62
1:A:220:VAL:HG22	1:A:224:LYS:HB3	1.81	0.62
1:A:275:ALA:HB3	1:A:278:GLN:HG3	1.80	0.61
2:C:61:ASP:HA	2:C:64:LYS:HD2	1.82	0.61
1:B:442:SER:HB2	1:B:450:VAL:HG23	1.81	0.61
1:B:763:VAL:HG22	1:B:774:GLY:HA3	1.81	0.61
1:A:443:LEU:HB2	1:A:466:PRO:HG2	1.80	0.61
1:B:499:LEU:HD21	1:B:587:LEU:HB2	1.81	0.61
1:A:442:SER:HB2	1:A:450:VAL:HG23	1.82	0.61
1:B:220:VAL:HG22	1:B:224:LYS:HB3	1.82	0.60
1:B:221:THR:HG22	1:B:328:GLU:HB2	1.82	0.60
1:B:650:ASN:HD22	1:B:653:GLY:HA3	1.66	0.60
1:A:725:PRO:HB3	1:A:772:ALA:HA	1.84	0.60
1:A:752:SER:OG	1:A:784:THR:HG22	2.02	0.60
1:B:416:GLU:HA	1:B:459:VAL:CG1	2.33	0.59
1:A:689:LEU:HB2	1:A:694:ILE:HD11	1.85	0.59
3:D:67:PHE:HA	3:D:81:GLN:O	2.03	0.58
3:H:34:MET:HB3	3:H:78:LEU:HD22	1.85	0.58
3:D:47:TRP:CD2	3:D:107:GLY:HA2	2.37	0.58
1:A:353:LEU:HB3	1:A:382:ALA:HB2	1.86	0.58
2:E:48:VAL:HG13	2:E:63:VAL:HG21	1.86	0.58
3:D:100:LYS:HD2	3:D:110:GLU:HB3	1.84	0.57
3:D:38:ARG:HD3	3:D:93:TYR:CE2	2.39	0.57
3:D:37:VAL:HG23	3:D:47:TRP:HA	1.87	0.57
1:B:553:TYR:HD2	1:B:574:LEU:HD22	1.68	0.56
1:B:353:LEU:HB3	1:B:382:ALA:HB2	1.87	0.56
2:E:63:VAL:HG13	2:E:67:PHE:HB2	1.86	0.56
1:A:464:LYS:HG3	1:A:487:GLU:HG2	1.88	0.56
2:C:22:CYS:HB3	2:C:78:VAL:HG12	1.88	0.56
1:A:506:LEU:HD12	1:A:589:LEU:HD11	1.88	0.55
1:A:532:VAL:HB	1:A:553:TYR:CD2	2.41	0.55
1:B:495:LYS:HD2	1:B:523:GLN:HA	1.87	0.55
1:B:535:LYS:HD3	1:B:537:LEU:HD21	1.88	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:573:VAL:HG22	1:B:586:THR:HG22	1.89	0.55
1:A:515:LYS:HG2	1:A:559:VAL:HG22	1.89	0.55
1:A:643:GLU:HB2	1:A:688:VAL:HB	1.89	0.54
1:A:573:VAL:HG22	1:A:586:THR:HG22	1.90	0.54
1:A:611:LYS:HE3	1:A:675:GLN:HA	1.89	0.54
2:C:36:TRP:CD1	2:C:80:LEU:HB2	2.43	0.54
1:A:784:THR:OG1	1:A:793:LYS:HD2	2.08	0.53
3:D:38:ARG:HG2	3:D:48:VAL:CG2	2.37	0.53
3:H:90:THR:HG23	3:H:121:THR:HA	1.90	0.53
1:A:473:ASP:OD1	1:A:477:LYS:CA	2.57	0.53
2:E:90:THR:HG23	2:E:116:THR:HA	1.91	0.53
1:A:646:VAL:HA	1:A:684:LYS:O	2.09	0.53
1:B:468:LYS:HG3	1:B:483:THR:HG22	1.90	0.53
2:C:90:THR:HG23	2:C:116:THR:HA	1.92	0.52
1:A:649:THR:HA	1:A:657:ASP:HA	1.91	0.52
1:B:424:VAL:HG21	1:B:469:VAL:HG11	1.91	0.52
1:B:277:LYS:HA	1:B:294:VAL:O	2.10	0.52
1:A:473:ASP:OD2	1:A:477:LYS:HB3	2.10	0.51
1:A:473:ASP:O	1:A:475:LYS:N	2.43	0.51
1:A:241:ILE:HD12	1:A:284:VAL:HG22	1.93	0.51
3:D:90:THR:HG23	3:D:121:THR:HA	1.92	0.51
2:E:60:ALA:HB3	2:E:63:VAL:HB	1.93	0.51
1:A:494:MET:HE1	1:A:583:ALA:H	1.76	0.50
1:A:621:ALA:HA	1:A:671:ILE:O	2.11	0.50
1:B:245:ASN:O	1:B:249:ASN:HA	2.11	0.50
1:A:233:VAL:O	1:A:259:LEU:HD21	2.12	0.50
1:A:577:LYS:HD2	1:A:582:GLU:HB2	1.93	0.50
2:E:9:GLY:HA2	2:E:18:LEU:HD21	1.94	0.49
2:E:59:TYR:HB2	2:E:64:LYS:HG3	1.94	0.49
1:A:713:VAL:HG21	1:A:785:VAL:HG21	1.95	0.49
3:D:47:TRP:CE2	3:D:107:GLY:HA2	2.48	0.49
1:B:241:ILE:HD12	1:B:284:VAL:HG22	1.93	0.49
1:B:621:ALA:HB2	1:B:672:THR:CG2	2.42	0.49
3:H:100:LYS:HD2	3:H:110:GLU:HB3	1.94	0.49
1:A:387:VAL:HG22	1:A:434:THR:HG23	1.93	0.49
1:A:473:ASP:O	1:A:474:SER:C	2.52	0.48
3:H:19:ARG:NH2	3:H:79:TYR:CG	2.81	0.48
3:H:47:TRP:CE2	3:H:107:GLY:HA2	2.48	0.48
1:B:255:LYS:HB3	1:B:269:GLU:HB3	1.94	0.48
1:B:364:VAL:HG22	1:B:374:GLU:HG3	1.94	0.48
3:D:101:TYR:H	3:D:108:GLN:NE2	2.07	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:D:38:ARG:HG2	3:D:48:VAL:HG23	1.95	0.48
1:B:642:ALA:HB2	1:B:689:LEU:HD12	1.95	0.48
1:A:663:VAL:HG13	1:A:673:VAL:HA	1.96	0.48
2:C:60:ALA:HB3	2:C:63:VAL:HB	1.96	0.48
2:C:40:ALA:HB3	2:C:43:LYS:HB2	1.96	0.47
2:E:20:LEU:HD12	2:E:80:LEU:HD23	1.96	0.47
3:H:24:ALA:HB1	3:H:27:PHE:CE1	2.49	0.47
1:B:784:THR:CG2	1:B:793:LYS:HD2	2.44	0.47
2:C:48:VAL:HG13	2:C:63:VAL:HG21	1.95	0.47
1:B:776:THR:HG23	1:B:777:SER:N	2.29	0.47
3:H:100:LYS:HG2	3:H:112:HIS:CE1	2.49	0.47
1:A:473:ASP:OD1	1:A:477:LYS:N	2.47	0.47
1:A:535:LYS:HD3	1:A:537:LEU:HD21	1.97	0.47
1:B:711:LEU:HD12	1:B:792:GLN:HB2	1.97	0.47
3:H:8:GLY:HA3	3:H:20:LEU:HA	1.96	0.47
3:H:30:SER:HA	3:H:73:ASN:HD22	1.80	0.47
1:B:232:ALA:HB1	1:B:263:LYS:HB2	1.96	0.46
3:D:34:MET:HB3	3:D:78:LEU:HD22	1.96	0.46
1:B:318:GLN:HB3	2:E:102:GLY:HA2	1.96	0.46
1:B:716:THR:CG2	1:B:738:SER:HB3	2.45	0.46
1:A:424:VAL:HG21	1:A:469:VAL:HG11	1.98	0.46
2:C:20:LEU:HB2	2:C:80:LEU:HB3	1.96	0.46
3:D:52:ASN:HB3	3:D:56:THR:H	1.81	0.46
3:H:19:ARG:NH2	3:H:79:TYR:CE1	2.84	0.46
1:A:216:SER:N	3:D:104:THR:HG1	2.14	0.46
1:A:752:SER:OG	1:A:784:THR:CG2	2.63	0.46
1:B:218:LYS:NZ	1:B:228:LYS:HE2	2.31	0.46
1:B:507:SER:HB2	1:B:634:LEU:HB3	1.98	0.46
1:B:575:THR:HG23	1:B:584:LYS:HG2	1.97	0.45
3:H:72:ASP:HB2	3:H:79:TYR:HE2	1.82	0.45
1:B:515:LYS:HG2	1:B:559:VAL:HG22	1.97	0.45
1:B:621:ALA:HB2	1:B:672:THR:HG22	1.99	0.45
2:E:36:TRP:CD1	2:E:80:LEU:HB2	2.52	0.45
1:B:414:VAL:HG11	1:B:457:VAL:HG11	1.99	0.45
2:E:22:CYS:HB3	2:E:78:VAL:HG12	1.99	0.45
2:C:4:LEU:HD23	2:C:4:LEU:HA	1.86	0.45
1:B:577:LYS:HD2	1:B:582:GLU:HB2	1.99	0.45
1:A:241:ILE:HG12	1:A:257:VAL:HG21	1.98	0.44
1:A:416:GLU:HA	1:A:459:VAL:CG1	2.47	0.44
1:A:495:LYS:HD2	1:A:523:GLN:HA	1.97	0.44
1:B:231:LYS:HD2	3:H:100:LYS:HB3	2.00	0.44

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:792:GLN:HE21	1:B:792:GLN:HB3	1.69	0.44
3:H:48:VAL:HG22	3:H:63:VAL:HG11	2.00	0.44
1:B:443:LEU:HB2	1:B:466:PRO:HG2	1.98	0.44
1:B:646:VAL:HG21	1:B:663:VAL:HG11	2.00	0.44
1:A:364:VAL:HG22	1:A:374:GLU:HG3	1.99	0.44
1:B:715:PHE:HD2	1:B:736:ILE:HD12	1.82	0.44
3:D:33:PRO:HG2	3:D:103:ARG:HG2	2.00	0.44
3:H:67:PHE:HA	3:H:81:GLN:O	2.18	0.44
1:B:665:VAL:HG22	1:B:671:ILE:HG12	1.99	0.44
3:H:52:ASN:HB3	3:H:56:THR:H	1.82	0.44
3:D:1:GLN:O	3:D:26:GLY:HA3	2.17	0.43
1:A:532:VAL:HA	1:A:575:THR:O	2.18	0.43
2:E:40:ALA:HB3	2:E:43:LYS:HB2	2.00	0.43
3:H:101:TYR:H	3:H:108:GLN:NE2	2.14	0.42
1:B:241:ILE:HG12	1:B:257:VAL:HG21	2.01	0.42
1:A:520:VAL:HG11	1:A:530:ALA:HB3	2.02	0.42
1:A:289:LYS:HE2	3:D:107:GLY:HA3	2.01	0.42
1:A:232:ALA:HB1	1:A:263:LYS:HB2	2.01	0.42
1:B:689:LEU:C	1:B:691:GLY:H	2.23	0.42
1:B:233:VAL:HG11	1:B:236:LEU:HD13	2.01	0.42
1:B:748:LYS:HE3	1:B:748:LYS:HB3	1.87	0.42
1:A:397:GLU:HA	1:A:419:ASN:O	2.20	0.42
2:E:20:LEU:HB2	2:E:80:LEU:HB3	2.02	0.41
3:H:116:GLN:H	3:H:116:GLN:HG3	1.35	0.41
1:B:331:SER:HA	1:B:332:PRO:HD3	1.94	0.41
1:A:253:LEU:HB3	1:A:271:TYR:HB2	2.02	0.41
1:A:553:TYR:OH	1:A:556:LYS:HA	2.21	0.41
1:B:627:LEU:HD22	1:B:635:VAL:HG11	2.02	0.41
2:C:89:ASP:HB2	2:C:117:VAL:HG21	2.01	0.41
1:A:450:VAL:HG22	1:A:457:VAL:HG13	2.03	0.41
1:B:424:VAL:HG12	1:B:426:LEU:CD1	2.51	0.41
1:B:756:PHE:HA	1:B:779:TYR:O	2.20	0.41
3:D:53:SER:HA	3:D:71:ARG:HH21	1.86	0.41
1:A:475:LYS:C	1:A:477:LYS:H	2.25	0.41
1:B:553:TYR:HE1	1:B:555:ASN:O	2.04	0.41
2:C:51:ILE:HG21	2:C:71:ARG:HB2	2.03	0.40
1:A:711:LEU:CB	1:A:792:GLN:NE2	2.74	0.40
2:E:70:SER:HB2	2:E:79:TYR:HB2	2.04	0.40
1:B:535:LYS:HE2	1:B:543:GLU:HG3	2.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	579/606 (96%)	532 (92%)	43 (7%)	4 (1%)	22	56
1	B	591/606 (98%)	528 (89%)	60 (10%)	3 (0%)	29	62
2	C	117/129 (91%)	110 (94%)	4 (3%)	3 (3%)	5	28
2	E	117/129 (91%)	110 (94%)	3 (3%)	4 (3%)	3	22
3	D	121/134 (90%)	115 (95%)	4 (3%)	2 (2%)	9	37
3	H	121/134 (90%)	115 (95%)	6 (5%)	0	100	100
All	All	1646/1738 (95%)	1510 (92%)	120 (7%)	16 (1%)	15	48

All (16) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	475	LYS
1	B	722	GLU
2	C	103	TRP
2	E	103	TRP
1	A	722	GLU
3	D	8	GLY
1	A	563	ALA
1	A	641	ALA
1	B	563	ALA
1	B	660	ASP
2	C	102	GLY
2	E	32	ASN
3	D	9	GLY
2	E	41	PRO
2	E	102	GLY
2	C	41	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	483/500 (97%)	451 (93%)	32 (7%)	16	46
1	B	489/500 (98%)	454 (93%)	35 (7%)	14	41
2	C	94/103 (91%)	86 (92%)	8 (8%)	10	35
2	E	94/103 (91%)	82 (87%)	12 (13%)	4	18
3	D	101/111 (91%)	94 (93%)	7 (7%)	15	44
3	H	101/111 (91%)	93 (92%)	8 (8%)	12	37
All	All	1362/1428 (95%)	1260 (92%)	102 (8%)	13	39

All (102) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	223	GLN
1	A	249	ASN
1	A	250	ASP
1	A	253	LEU
1	A	262	ASP
1	A	272	SER
1	A	346	ASN
1	A	381	SER
1	A	392	ASN
1	A	412	ASN
1	A	424	VAL
1	A	457	VAL
1	A	459	VAL
1	A	478	GLU
1	A	484	VAL
1	A	487	GLU
1	A	523	GLN
1	A	554	VAL
1	A	600	PHE
1	A	603	ARG
1	A	606	GLU
1	A	618	GLN

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	648	THR
1	A	650	ASN
1	A	660	ASP
1	A	689	LEU
1	A	767	ASN
1	A	776	THR
1	A	777	SER
1	A	780	VAL
1	A	792	GLN
1	A	797	ASP
1	B	249	ASN
1	B	250	ASP
1	B	253	LEU
1	B	262	ASP
1	B	272	SER
1	B	298	GLU
1	B	301	THR
1	B	329	VAL
1	B	330	VAL
1	B	360	THR
1	B	392	ASN
1	B	424	VAL
1	B	478	GLU
1	B	484	VAL
1	B	487	GLU
1	B	512	THR
1	B	523	GLN
1	B	553	TYR
1	B	575	THR
1	B	600	PHE
1	B	603	ARG
1	B	606	GLU
1	B	618	GLN
1	B	648	THR
1	B	657	ASP
1	B	663	VAL
1	B	672	THR
1	B	675	GLN
1	B	767	ASN
1	B	776	THR
1	B	777	SER
1	B	780	VAL

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	B	792	GLN
1	B	795	GLU
1	B	797	ASP
2	C	19	ARG
2	C	25	SER
2	C	33	ASP
2	C	61	ASP
2	C	63	VAL
2	C	66	ARG
2	C	70	SER
2	C	106	TYR
3	D	1	GLN
3	D	12	VAL
3	D	35	SER
3	D	50	ASP
3	D	70	SER
3	D	71	ARG
3	D	76	ASN
2	E	1	GLN
2	E	7	SER
2	E	11	LEU
2	E	12	VAL
2	E	17	SER
2	E	21	SER
2	E	33	ASP
2	E	61	ASP
2	E	63	VAL
2	E	66	ARG
2	E	106	TYR
2	E	111	GLN
3	H	5	VAL
3	H	12	VAL
3	H	48	VAL
3	H	50	ASP
3	H	53	SER
3	H	70	SER
3	H	71	ARG
3	H	116	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (27) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	444	ASN
1	A	523	GLN
1	A	662	GLN
1	A	753	ASN
1	A	762	ASN
1	A	767	ASN
1	A	792	GLN
1	B	399	ASN
1	B	444	ASN
1	B	523	GLN
1	B	569	ASN
1	B	650	ASN
1	B	753	ASN
1	B	767	ASN
1	B	792	GLN
2	C	1	GLN
2	C	3	GLN
3	D	73	ASN
3	D	108	GLN
3	D	112	HIS
2	E	1	GLN
2	E	111	GLN
3	H	73	ASN
3	H	76	ASN
3	H	108	GLN
3	H	112	HIS
3	H	116	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	585/606 (96%)	-0.13	0 <span style="border: 1px solid blue; padding: 2px;">100</span> <span style="border: 1px solid blue; padding: 2px;">100</span>	33, 79, 116, 144	0
1	B	593/606 (97%)	-0.11	2 (0%) <span style="border: 1px solid blue; padding: 2px;">94</span> <span style="border: 1px solid blue; padding: 2px;">94</span>	33, 77, 124, 165	0
2	C	119/129 (92%)	0.06	2 (1%) <span style="border: 1px solid blue; padding: 2px;">70</span> <span style="border: 1px solid blue; padding: 2px;">67</span>	31, 71, 126, 176	0
2	E	119/129 (92%)	-0.07	1 (0%) <span style="border: 1px solid blue; padding: 2px;">86</span> <span style="border: 1px solid blue; padding: 2px;">86</span>	34, 62, 93, 138	0
3	D	123/134 (91%)	-0.08	0 <span style="border: 1px solid blue; padding: 2px;">100</span> <span style="border: 1px solid blue; padding: 2px;">100</span>	29, 52, 80, 113	0
3	H	123/134 (91%)	0.24	5 (4%) <span style="border: 1px solid red; padding: 2px;">37</span> <span style="border: 1px solid red; padding: 2px;">35</span>	47, 80, 128, 164	0
All	All	1662/1738 (95%)	-0.08	10 (0%) <span style="border: 1px solid blue; padding: 2px;">89</span> <span style="border: 1px solid blue; padding: 2px;">90</span>	29, 74, 120, 176	0

All (10) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	359	THR	3.8
2	C	10	GLY	2.7
1	B	506	LEU	2.5
2	E	72	ASP	2.3
3	H	122	VAL	2.2
3	H	82	MET	2.1
3	H	1	GLN	2.1
2	C	119	SER	2.1
3	H	24	ALA	2.0
3	H	121	THR	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

There are no ligands in this entry.

### 6.5 Other polymers [i](#)

There are no such residues in this entry.