

# wwPDB NMR Structure Validation Summary Report (i)

Sep 2, 2024 - 05:18 pm BST

PDB ID : 8R1X BMRB ID : 34874

Title : Solution structure and chemical shift assignments for HMG-D Y12F mutant

complexed to a 14:12 dA2 bulge DNA

Authors: Yang, J.C.; Hill, G.R.; Neuhaus, D.

Deposited on : 2023-11-02

This is a wwPDB NMR Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
https://www.wwpdb.org/validation/2017/NMRValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity: 4.02b-467

Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)

wwPDB-RCI : v 1n 11 5 13 A (Berjanski et al., 2005)

PANAV : Wang et al. (2010)

 $\begin{array}{ccc} wwPDB\text{-ShiftChecker} &:& v1.2\\ BMRB \ Restraints \ Analysis &:& v1.2 \end{array}$ 

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.38.2

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $SOLUTION\ NMR$ 

The overall completeness of chemical shifts assignment is 59%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive $(\# \mathrm{Entries})$	${ m NMR~archive} \ (\#{ m Entries})$		
Clashscore	210492	14027		
Ramachandran outliers	207382	12486		
Sidechain outliers	206894	12463		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

Mol	Chain	Length	Quality of chain				
1	A	112		57%	5% •	35%	
2	В	14	14%		79%		7%
3	С	12	17%		83%		



# 2 Ensemble composition and analysis (i)

This entry contains 20 models. Model 5 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues					
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model		
1 A:5-A:74 (70)		0.59	5		

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 2 clusters and 2 single-model clusters were found.

Cluster number	Models
1	2, 3, 4, 5, 7, 11, 12, 13, 14, 15, 16, 18, 19
2	1, 6, 8, 9, 10
Single-model clusters	17; 20



# 3 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 2000 atoms, of which 886 are hydrogens and 0 are deuteriums.

• Molecule 1 is a protein called High mobility group protein D.

Mol	Chain	Residues	Atoms					Trace	
1	Λ	79	Total	С	Н	N	О	S	0
1	A	(3	1176	367	590	108	109	2	U

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	12	PHE	TYR	engineered mutation	UNP Q05783

• Molecule 2 is a DNA chain called DNA (5'-D(\*CP\*GP\*AP\*TP\*AP\*TP\*AP\*AP\*GP\*AP\*GP\*CP\*C)-3').

Mol	Chain	Residues	Atoms					Trace	
9	D	1.4	Total	С	Н	N	О	Р	0
	D	14	444	137	159	55	80	13	U

• Molecule 3 is a DNA chain called DNA (5'-D(\*GP\*GP\*CP\*TP\*CP\*AP\*AP\*TP\*AP\*TP\* CP\*G)-3').

Mol	Chain	Residues	Atoms				Trace		
9	С	19	Total	С	Н	N	О	Р	0
)		12	380	117	137	45	70	11	U




# 4 Residue-property plots (i)

#### 4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.


• Molecule 1: High mobility group protein D



# 4.2 Residue scores for the representative (medoid) model from the NMR ensemble

The representative model is number 5. Colouring as in section 4.1 above.

• Molecule 1: High mobility group protein D





● Molecule 2: DNA (5'-D(\*CP\*GP\*AP\*TP\*AP\*TP\*AP\*AP\*GP\*AP\*GP\*CP\*C)-3')

Chain B: 21% 71% 7%

● Molecule 3: DNA (5'-D(\*GP\*GP\*CP\*TP\*CP\*AP\*AP\*TP\*AP\*TP\*CP\*G)-3')

Chain C: 17% 75% 8%



#### Refinement protocol and experimental data overview (i) 5



The models were refined using the following method: molecular dynamics.

Of the 60 calculated structures, 20 were deposited, based on the following criterion: structures with the lowest energy.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
X-PLOR NIH	structure calculation	2.28
Amber	refinement	11

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	working_cs.cif
Number of chemical shift lists	1
Total number of shifts	1096
Number of shifts mapped to atoms	930
Number of unparsed shifts	0
Number of shifts with mapping errors	166
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	59%



# 6 Model quality (i)

## 6.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the (average) root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	В	Sond lengths	Bond angles		
Wioi Chain		RMSZ	#Z>5	RMSZ	#Z>5	
1	A	$0.72 \pm 0.01$	$0\pm0/574~(~0.0\pm~0.0\%)$	$1.06 \pm 0.03$	$1\pm1/766~(~0.2\pm~0.1\%)$	
2	В	$1.61 \pm 0.02$	$0\pm0/320~(~0.0\pm~0.0\%)$	$2.41 \pm 0.02$	$29\pm1/492$ ( $5.8\pm$ $0.2\%$ )	
3	С	$1.63 \pm 0.01$	$0\pm0/272~(~0.0\pm~0.0\%)$	$2.35 \pm 0.02$	$21\pm1/418~(~5.1\pm~0.3\%)$	
All	All	1.26	0/23320 ( 0.0%)	1.90	1023/33520 ( 3.1%)	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	Chirality	Planarity
1	A	$0.0\pm0.0$	$0.2 \pm 0.4$
2	В	$0.0 \pm 0.0$	$1.5 \pm 0.6$
3	С	$0.0\pm0.0$	$0.8 \pm 0.9$
All	All	0	52

There are no bond-length outliers.

5 of 71 unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoma	Z	$Observed(^{o})$	$Ideal(^{o})$	Mod	dels
MIOI	Chain	nes	Type	Atoms		Observed(')	Ideal(*)	Worst	Total
2	В	9	DA	N1-C6-N6	-10.49	112.31	118.60	15	20
2	В	8	DA	N1-C6-N6	-9.59	112.85	118.60	14	20
3	С	20	DA	N1-C6-N6	-9.18	113.09	118.60	3	20
2	В	5	DA	N1-C6-N6	-8.85	113.29	118.60	7	20
3	С	23	DA	N1-C6-N6	-8.74	113.36	118.60	5	20

There are no chirality outliers.

5 of 12 unique planar outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.



Mol	Chain	Res	Type	Group	Models (Total)
2	В	11	DA	Sidechain	20
3	С	19	DC	Sidechain	7
2	В	10	DG	Sidechain	6
1	A	63	TYR	Sidechain	5
3	С	20	DA	Sidechain	5

### 6.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	563	568	568	0±1
2	В	285	159	159	0±0
All	All	21820	17280	17280	7

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 0.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
Atom-1	Atom-2	Clash(A)	Distance(A)	Worst	Total
1:A:43:TRP:CZ2	1:A:49:LYS:HE2	0.46	2.46	13	1
1:A:8:PRO:HD3	1:A:63:TYR:CG	0.44	2.47	3	3
1:A:60:LYS:HE2	2:B:11:DA:O4'	0.43	2.13	3	3

## 6.3 Torsion angles (i)

### 6.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	A	69/112 (62%)	66±1 (95±2%)	3±1 (5±2%)	0±1 (0±1%)	32	76
All	All	1380/2240 (62%)	1310 (95%)	64 (5%)	6 (0%)	32	76



All 2 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	32	VAL	4
1	A	7	ARG	2

#### 6.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perc	entiles
1	A	56/88 (64%)	50±2 (89±3%)	6±2 (11±3%)	7	51
All	All	1120/1760 (64%)	995 (89%)	125 (11%)	7	51

5 of 22 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	27	ASN	18
1	A	14	LEU	14
1	A	17	ASN	12
1	A	6	LYS	11
1	A	49	LYS	9

#### 6.3.3 RNA (i)

There are no RNA molecules in this entry.

## 6.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.5 Carbohydrates (i)

There are no oligosaccharides in this entry.



## 6.6 Ligand geometry (i)

There are no ligands in this entry.

## 6.7 Other polymers (i)

There are no such molecules in this entry.

## 6.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



# 7 Chemical shift validation (i)

The completeness of assignment taking into account all chemical shift lists is 59% for the well-defined parts and 60% for the entire structure.

#### 7.1 Chemical shift list 1

File name: working cs.cif

Chemical shift list name: starch\_output

#### 7.1.1 Bookkeeping (i)

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1096
Number of shifts mapped to atoms	930
Number of unparsed shifts	0
Number of shifts with mapping errors	166
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	3

The following assigned chemical shifts were not mapped to the molecules present in the coordinate file.

• No matching atom found in the structure. First 5 (of 166) occurrences are reported below.

T:-4 ID	Cl :	D	Т	A 4	Shift Data		
List ID	Chain	Res	Type	Atom	Value	Uncertainty	Ambiguity
1	A	1	MET	HE1	1.375	0.02	1
1	A	1	MET	HE2	1.375	0.02	1
1	A	1	MET	HE3	1.375	0.02	1
1	A	1	MET	CE	15.618	0.10	1
1	A	75	GLY	Н	8.011	0.02	1
1	A	75	GLY	HA2	3.399	0.02	2
1	A	75	GLY	HA3	3.254	0.02	2
1	A	75	GLY	CA	45.741	0.10	1
1	A	75	GLY	N	108.622	0.10	1
1	A	76	SER	Н	8.296	0.02	1
1	A	76	SER	HA	4.555	0.02	1
1	A	76	SER	HB2	3.937	0.02	2
1	A	76	SER	HB3	3.937	0.02	2
1	A	76	SER	CA	58.839	0.10	1



Continued from previous page...

List ID         Chain         Res         Type         Atom         Value         Uncertainty         Ambiguit           1         A         76         SER         CB         64.309         0.10         1           1         A         76         SER         N         116.173         0.10         1           1         A         77         SER         H         8.497         0.02         1           1         A         77         SER         HA         4.507         0.02         1           1         A         77         SER         HB2         3.928         0.02         2           1         A         77         SER         HB3         3.928         0.02         2           1         A         77         SER         HB3         3.928         0.02         2           1         A         77         SER         CB         64.254         0.10         1           1         A         77         SER         CB         64.254         0.10         1           1         A         78         ALA         HB         8.243         0.02         1	T' A ID				A .		Shift Data	1
1         A         76         SER         N         116.173         0.10         1           1         A         77         SER         H         8.497         0.02         1           1         A         77         SER         HA         4.507         0.02         1           1         A         77         SER         HB2         3.928         0.02         2           1         A         77         SER         HB3         3.928         0.02         2           1         A         77         SER         CB         59.057         0.10         1           1         A         77         SER         CB         64.254         0.10         1           1         A         77         SER         CB         64.254         0.10         1           1         A         78         ALA         H         8.243         0.02         1           1         A         78         ALA         HB1         1.396         0.02         1           1         A         78         ALA         HB2         1.396         0.02         1           1	List ID	Chain	Res	Type	Atom	Value	Uncertainty	Ambiguity
1         A         77         SER         H         8.497         0.02         1           1         A         77         SER         HA         4.507         0.02         1           1         A         77         SER         HB2         3.928         0.02         2           1         A         77         SER         HB3         3.928         0.02         2           1         A         77         SER         CA         59.057         0.10         1           1         A         77         SER         CB         64.254         0.10         1           1         A         77         SER         N         118.285         0.10         1           1         A         78         ALA         H         8.243         0.02         1           1         A         78         ALA         HB1         1.396         0.02         1           1         A         78         ALA         HB2         1.396         0.02         1           1         A         78         ALA         HB3         1.396         0.02         1           1	1	A	76		CB	64.309	0.10	1
1         A         77         SER         HA         4.507         0.02         1           1         A         77         SER         HB2         3.928         0.02         2           1         A         77         SER         HB3         3.928         0.02         2           1         A         77         SER         CB         59.057         0.10         1           1         A         77         SER         CB         64.254         0.10         1           1         A         77         SER         N         118.285         0.10         1           1         A         78         ALA         H         8.243         0.02         1           1         A         78         ALA         HA         4.327         0.02         1           1         A         78         ALA         HB1         1.396         0.02         1           1         A         78         ALA         HB2         1.396         0.02         1           1         A         78         ALA         HB3         1.396         0.02         1           1	1	A	76	SER	N	116.173	0.10	1
1         A         77         SER         HB2         3.928         0.02         2           1         A         77         SER         HB3         3.928         0.02         2           1         A         77         SER         CA         59.057         0.10         1           1         A         77         SER         CB         64.254         0.10         1           1         A         77         SER         N         118.285         0.10         1           1         A         78         ALA         H         8.243         0.02         1           1         A         78         ALA         HA         4.327         0.02         1           1         A         78         ALA         HB1         1.396         0.02         1           1         A         78         ALA         HB2         1.396         0.02         1           1         A         78         ALA         HB3         1.396         0.02         1           1         A         78         ALA         CB         19.652         0.10         1           1	1	A	77	SER	Н	8.497	0.02	1
1         A         77         SER         HB3         3.928         0.02         2           1         A         77         SER         CA         59.057         0.10         1           1         A         77         SER         CB         64.254         0.10         1           1         A         77         SER         N         118.285         0.10         1           1         A         78         ALA         H         8.243         0.02         1           1         A         78         ALA         HA         4.327         0.02         1           1         A         78         ALA         HA         4.327         0.02         1           1         A         78         ALA         HB1         1.396         0.02         1           1         A         78         ALA         HB2         1.396         0.02         1           1         A         78         ALA         HB3         1.396         0.02         1           1         A         78         ALA         CB         19.652         0.10         1           1	1	A	77	SER	HA	4.507	0.02	1
1         A         77         SER         CA         59.057         0.10         1           1         A         77         SER         CB         64.254         0.10         1           1         A         77         SER         N         118.285         0.10         1           1         A         78         ALA         H         8.243         0.02         1           1         A         78         ALA         HA         4.327         0.02         1           1         A         78         ALA         HA         4.327         0.02         1           1         A         78         ALA         HB1         1.396         0.02         1           1         A         78         ALA         HB2         1.396         0.02         1           1         A         78         ALA         HB3         1.396         0.02         1           1         A         78         ALA         HB3         1.396         0.02         1           1         A         78         ALA         CB         19.652         0.10         1           1	1	A	77		HB2	3.928	0.02	
1         A         77         SER         CB         64.254         0.10         1           1         A         77         SER         N         118.285         0.10         1           1         A         78         ALA         H         8.243         0.02         1           1         A         78         ALA         HA         4.327         0.02         1           1         A         78         ALA         HB1         1.396         0.02         1           1         A         78         ALA         HB2         1.396         0.02         1           1         A         78         ALA         HB3         1.396         0.02         1           1         A         78         ALA         HB3         1.396         0.02         1           1         A         78         ALA         HB3         1.396         0.02         1           1         A         78         ALA         CB         19.652         0.10         1           1         A         78         ALA         N         125.47         0.10         1           1	1	A	77	SER	HB3	3.928	0.02	2
1         A         77         SER         N         118.285         0.10         1           1         A         78         ALA         H         8.243         0.02         1           1         A         78         ALA         HA         4.327         0.02         1           1         A         78         ALA         HB1         1.396         0.02         1           1         A         78         ALA         HB2         1.396         0.02         1           1         A         78         ALA         HB2         1.396         0.02         1           1         A         78         ALA         HB2         1.396         0.02         1           1         A         78         ALA         HB3         1.396         0.02         1           1         A         78         ALA         HB3         1.396         0.02         1           1         A         78         ALA         CB         19.652         0.10         1           1         A         79         ALA         H         8.184         0.02         1           1	1	A	77	SER	CA	59.057	0.10	1
1         A         78         ALA         H         8.243         0.02         1           1         A         78         ALA         HA         4.327         0.02         1           1         A         78         ALA         HB1         1.396         0.02         1           1         A         78         ALA         HB2         1.396         0.02         1           1         A         78         ALA         HB3         1.396         0.02         1           1         A         78         ALA         CB         19.652         0.10         1           1         A         78         ALA         N         125.47         0.10         1           1         A         79         ALA         HA         4.293         0.02         1           1	1	A	77	SER	CB	64.254	0.10	1
1         A         78         ALA         HA         4.327         0.02         1           1         A         78         ALA         HB1         1.396         0.02         1           1         A         78         ALA         HB2         1.396         0.02         1           1         A         78         ALA         HB3         1.396         0.02         1           1         A         78         ALA         HB3         1.396         0.02         1           1         A         78         ALA         HB3         1.396         0.02         1           1         A         78         ALA         CA         53.087         0.10         1           1         A         78         ALA         CB         19.652         0.10         1           1         A         78         ALA         N         125.47         0.10         1           1         A         79         ALA         HA         4.293         0.02         1           1         A         79         ALA         HB1         1.401         0.02         1           1	1	A	77	SER	N	118.285	0.10	1
1         A         78         ALA         HB1         1.396         0.02         1           1         A         78         ALA         HB2         1.396         0.02         1           1         A         78         ALA         HB3         1.396         0.02         1           1         A         78         ALA         CA         53.087         0.10         1           1         A         78         ALA         CB         19.652         0.10         1           1         A         78         ALA         N         125.47         0.10         1           1         A         79         ALA         H         8.184         0.02         1           1         A         79         ALA         HA         4.293         0.02         1           1         A         79         ALA         HB1         1.401         0.02         1           1         A         79         ALA         HB2         1.401         0.02         1           1         A         79         ALA         HB3         1.401         0.02         1           1	1	A	78	ALA	Н	8.243	0.02	1
1         A         78         ALA         HB2         1.396         0.02         1           1         A         78         ALA         HB3         1.396         0.02         1           1         A         78         ALA         CA         53.087         0.10         1           1         A         78         ALA         CB         19.652         0.10         1           1         A         78         ALA         N         125.47         0.10         1           1         A         79         ALA         H         8.184         0.02         1           1         A         79         ALA         HA         4.293         0.02         1           1         A         79         ALA         HB1         1.401         0.02         1           1         A         79         ALA         HB2         1.401         0.02         1           1         A         79         ALA         HB3         1.401         0.02         1           1         A         79         ALA         CB         19.47         0.10         1           1	1	A	78	ALA	HA	4.327	0.02	1
1         A         78         ALA         HB3         1.396         0.02         1           1         A         78         ALA         CA         53.087         0.10         1           1         A         78         ALA         CB         19.652         0.10         1           1         A         78         ALA         N         125.47         0.10         1           1         A         79         ALA         H         8.184         0.02         1           1         A         79         ALA         HA         4.293         0.02         1           1         A         79         ALA         HB1         1.401         0.02         1           1         A         79         ALA         HB2         1.401         0.02         1           1         A         79         ALA         HB3         1.401         0.02         1           1         A         79         ALA         CA         53.069         0.10         1           1         A         79         ALA         CB         19.47         0.10         1           1	1	A	78	ALA	HB1	1.396	0.02	1
1         A         78         ALA         CA         53.087         0.10         1           1         A         78         ALA         CB         19.652         0.10         1           1         A         78         ALA         N         125.47         0.10         1           1         A         79         ALA         H         8.184         0.02         1           1         A         79         ALA         HA         4.293         0.02         1           1         A         79         ALA         HB1         1.401         0.02         1           1         A         79         ALA         HB2         1.401         0.02         1           1         A         79         ALA         HB3         1.401         0.02         1           1         A         79         ALA         HB3         1.401         0.02         1           1         A         79         ALA         CA         53.069         0.10         1           1         A         79         ALA         CB         19.47         0.10         1           1	1	A	78		HB2	1.396	0.02	1
1       A       78       ALA       CB       19.652       0.10       1         1       A       78       ALA       N       125.47       0.10       1         1       A       79       ALA       H       8.184       0.02       1         1       A       79       ALA       HA       4.293       0.02       1         1       A       79       ALA       HB1       1.401       0.02       1         1       A       79       ALA       HB2       1.401       0.02       1         1       A       79       ALA       HB3       1.401       0.02       1         1       A       79       ALA       HB3       1.401       0.02       1         1       A       79       ALA       CA       53.069       0.10       1         1       A       79       ALA       CB       19.47       0.10       1         1       A       79       ALA       N       122.089       0.10       1         1       A       80       ASN       H       8.306       0.02       1         1       A	1	A	78	ALA	HB3	1.396	0.02	1
1       A       78       ALA       N       125.47       0.10       1         1       A       79       ALA       H       8.184       0.02       1         1       A       79       ALA       HA       4.293       0.02       1         1       A       79       ALA       HB1       1.401       0.02       1         1       A       79       ALA       HB2       1.401       0.02       1         1       A       79       ALA       HB3       1.401       0.02       1         1       A       79       ALA       CA       53.069       0.10       1         1       A       79       ALA       CB       19.47       0.10       1         1       A       79       ALA       N       122.089       0.10       1         1       A       80       ASN       H       8.306       0.02       1         1       A       80       ASN       HA       4.724       0.02       1	1	A	78	ALA	CA	53.087	0.10	1
1       A       79       ALA       H       8.184       0.02       1         1       A       79       ALA       HA       4.293       0.02       1         1       A       79       ALA       HB1       1.401       0.02       1         1       A       79       ALA       HB2       1.401       0.02       1         1       A       79       ALA       HB3       1.401       0.02       1         1       A       79       ALA       CA       53.069       0.10       1         1       A       79       ALA       CB       19.47       0.10       1         1       A       79       ALA       N       122.089       0.10       1         1       A       80       ASN       H       8.306       0.02       1         1       A       80       ASN       HA       4.724       0.02       1	1	A	78	ALA	СВ	19.652	0.10	1
1       A       79       ALA       HA       4.293       0.02       1         1       A       79       ALA       HB1       1.401       0.02       1         1       A       79       ALA       HB2       1.401       0.02       1         1       A       79       ALA       HB3       1.401       0.02       1         1       A       79       ALA       CA       53.069       0.10       1         1       A       79       ALA       CB       19.47       0.10       1         1       A       79       ALA       N       122.089       0.10       1         1       A       80       ASN       H       8.306       0.02       1         1       A       80       ASN       HA       4.724       0.02       1	1	A	78	ALA	N	125.47	0.10	1
1       A       79       ALA       HB1       1.401       0.02       1         1       A       79       ALA       HB2       1.401       0.02       1         1       A       79       ALA       HB3       1.401       0.02       1         1       A       79       ALA       CA       53.069       0.10       1         1       A       79       ALA       CB       19.47       0.10       1         1       A       79       ALA       N       122.089       0.10       1         1       A       80       ASN       H       8.306       0.02       1         1       A       80       ASN       HA       4.724       0.02       1	1	A	79	ALA	Н	8.184	0.02	1
1       A       79       ALA       HB2       1.401       0.02       1         1       A       79       ALA       HB3       1.401       0.02       1         1       A       79       ALA       CA       53.069       0.10       1         1       A       79       ALA       CB       19.47       0.10       1         1       A       79       ALA       N       122.089       0.10       1         1       A       80       ASN       H       8.306       0.02       1         1       A       80       ASN       HA       4.724       0.02       1	1	A	79	ALA	HA	4.293	0.02	1
1     A     79     ALA     HB3     1.401     0.02     1       1     A     79     ALA     CA     53.069     0.10     1       1     A     79     ALA     CB     19.47     0.10     1       1     A     79     ALA     N     122.089     0.10     1       1     A     80     ASN     H     8.306     0.02     1       1     A     80     ASN     HA     4.724     0.02     1	1	A	79	ALA	HB1	1.401	0.02	1
1     A     79     ALA     CA     53.069     0.10     1       1     A     79     ALA     CB     19.47     0.10     1       1     A     79     ALA     N     122.089     0.10     1       1     A     80     ASN     H     8.306     0.02     1       1     A     80     ASN     HA     4.724     0.02     1	1	A	79	ALA	HB2	1.401	0.02	1
1     A     79     ALA     CB     19.47     0.10     1       1     A     79     ALA     N     122.089     0.10     1       1     A     80     ASN     H     8.306     0.02     1       1     A     80     ASN     HA     4.724     0.02     1	1	A	79	ALA	HB3	1.401	0.02	1
1     A     79     ALA     N     122.089     0.10     1       1     A     80     ASN     H     8.306     0.02     1       1     A     80     ASN     HA     4.724     0.02     1	1	A	79	ALA	CA	53.069	0.10	1
1 A 80 ASN H 8.306 0.02 1 1 A 80 ASN HA 4.724 0.02 1	1	A	79	ALA	СВ	19.47	0.10	1
1 A 80 ASN HA 4.724 0.02 1	1	A	79	ALA	N	122.089	0.10	1
	1	A	80	ASN	Н	8.306	0.02	1
1 A 80 ASN HB2 2.837 0.02 2	1	A	80	ASN	HA	4.724	0.02	1
	1	A	80	ASN	HB2	2.837	0.02	2
1 A 80 ASN HB3 2.837 0.02 2	1	A	80	ASN	HB3	2.837	0.02	2
1 A 80 ASN HD21 7.637 0.02 1	1	A	80		HD21	7.637	0.02	1
1 A 80 ASN HD22 6.948 0.02 1	1	A	80	ASN	HD22	6.948	0.02	1
1 A 80 ASN CA 53.642 0.10 1	1	A	80	ASN	CA	53.642	0.10	1
1 A 80 ASN CB 39.338 0.10 1	1	A	80	ASN	СВ	39.338	0.10	1
1 A 80 ASN N 116.879 0.10 1	1	A	80		N	116.879	0.10	1
1 A 80 ASN ND2 112.16 0.10 1	1	A	80	ASN	ND2	112.16	0.10	1
1 A 87 ARG HA 4.307 0.02 1	1	A	87	ARG	HA	4.307	0.02	1
1 A 87 ARG HB2 1.787 0.02 2	1	A	87			1.787	0.02	
1 A 87 ARG HB3 1.787 0.02 2	1	A	87	ARG	HB3	1.787	0.02	2
1 A 87 ARG CA 56.542 0.10 1	1	A	87	ARG		56.542	0.10	
1 A 87 ARG CB 31.426 0.10 1	1	A	87	ARG	СВ	31.426	0.10	1
1 A 88 ALA H 8.374 0.02 1	1	A	88	ALA	Н	8.374	0.02	1



 $Continued\ from\ previous\ page...$ 

			page	A .		Shift Data	1
List ID	Chain	Res	Type	Atom	Value	Uncertainty	Ambiguity
1	A	88	ALA	HA	4.301	0.02	1
1	A	88	ALA	HB1	1.37	0.02	1
1	A	88	ALA	HB2	1.37	0.02	1
1	A	88	ALA	HB3	1.37	0.02	1
1	A	88	ALA	CA	52.824	0.10	1
1	A	88	ALA	СВ	19.846	0.10	1
1	A	88	ALA	N	125.461	0.10	1
1	A	90	PRO	HA	4.427	0.02	1
1	A	90	PRO	HB2	1.909	0.02	2
1	A	90	PRO	HB3	2.318	0.02	2
1	A	90	PRO	HD2	3.853	0.02	2
1	A	90	PRO	HD3	3.655	0.02	2
1	A	90	PRO	HG2	2.046	0.02	2
1	A	90	PRO	HG3	2.046	0.02	2
1	A	90	PRO	CA	63.367	0.10	1
1	A	90	PRO	СВ	32.52	0.10	1
1	A	90	PRO	CD	51.07	0.10	1
1	A	90	PRO	CG	27.9	0.10	1
1	A	91	ALA	Н	8.443	0.02	1
1	A	91	ALA	HA	4.307	0.02	1
1	A	91	ALA	HB1	1.397	0.02	1
1	A	91	ALA	HB2	1.397	0.02	1
1	A	91	ALA	HB3	1.397	0.02	1
1	A	91	ALA	СВ	19.935	0.10	1
1	A	91	ALA	N	124.573	0.10	1
1	A	94	VAL	HA	4.102	0.02	1
1	A	94	VAL	НВ	2.048	0.02	1
1	A	94	VAL	HG11	0.934	0.02	2
1	A	94	VAL	HG12	0.934	0.02	2
1	A	94	VAL	HG13	0.934	0.02	2
1	A	94	VAL	HG21	0.937	0.02	2
1	A	94	VAL	HG22	0.937	0.02	2
1	A	94	VAL	HG23	0.937	0.02	2
1	A	94	VAL	CA	62.347	0.10	1
1	A	94	VAL	СВ	33.158	0.10	1
1	A	94	VAL	CG1	21.637	0.10	2
1	A	94	VAL	CG2	21.0	0.10	2
1	A	95	ALA	Н	8.398	0.02	1
1	A	95	ALA	HA	4.307	0.02	1
1	A	95	ALA	HB1	1.364	0.02	1
1	A	95	ALA	HB2	1.364	0.02	1



Continued from previous page...

T:at ID				A 4		Shift Data	1
List ID	Chain	Res	Type	Atom	Value	Uncertainty	Ambiguity
1	A	95	ALA	HB3	1.364	0.02	1
1	A	95	ALA	СВ	19.669	0.10	1
1	A	95	ALA	N	127.81	0.10	1
1	A	98	SER	HA	4.445	0.02	1
1	A	98	SER	HB2	3.866	0.02	2
1	A	98	SER	HB3	3.866	0.02	2
1	A	98	SER	CA	58.826	0.10	1
1	A	98	SER	СВ	64.372	0.10	1
1	A	99	LYS	Н	8.37	0.02	1
1	A	99	LYS	HA	4.329	0.02	1
1	A	99	LYS	HB2	1.845	0.02	2
1	A	99	LYS	HB3	1.742	0.02	2
1	A	99	LYS	HD2	1.678	0.02	2
1	A	99	LYS	HD3	1.678	0.02	2
1	A	99	LYS	HE2	3.189	0.02	2
1	A	99	LYS	HE3	3.189	0.02	2
1	A	99	LYS	HG2	1.477	0.02	2
1	A	99	LYS	HG3	1.477	0.02	2
1	A	99	LYS	CA	56.93	0.10	1
1	A	99	LYS	СВ	33.561	0.10	1
1	A	99	LYS	CD	27.718	0.10	1
1	A	99	LYS	CE	43.946	0.10	1
1	A	99	LYS	N	122.773	0.10	1
1	A	102	GLU	CA	57.472	0.10	1
1	A	102	GLU	СВ	30.286	0.10	1
1	A	103	SER	Н	8.089	0.02	1
1	A	103	SER	CA	58.483	0.10	1
1	A	103	SER	СВ	64.5	0.10	1
1	A	103	SER	N	114.51	0.10	1
1	A	104	ASP	Н	8.329	0.02	1
1	A	104	ASP	N	122.285	0.10	1
1	A	109	ASP	CA	54.82	0.10	1
1	A	109	ASP	СВ	41.692	0.10	1
1	A	110	GLU	Н	8.39	0.02	1
1	A	110	GLU	CA	56.815	0.10	1
1	A	110	GLU	СВ	30.504	0.10	1
1	A	110	GLU	N	121.073	0.10	1
1	A	111	SER	Н	8.316	0.02	1
1	A	111	SER	CA	59.058	0.10	1
1	A	111	SER	СВ	64.474	0.10	1
1	A	111	SER	N	117.273	0.10	1
	1		l	l	l	Continued on	



 $Continued\ from\ previous\ page...$ 

				<b>A</b> 4		Shift Data	ı
List ID	Chain	Res	Type	Atom	Value	Uncertainty	Ambiguity
1	A	112	GLU	Н	8.056	0.02	1
1	A	112	GLU	N	127.478	0.10	1
1	A	1	MET	H1'	5.757	0.02	1
1	A	1	MET	H2'	1.911	0.02	2
1	A	1	MET	H3'	4.715	0.02	1
1	A	1	MET	H4'	4.07	0.02	1
1	A	1	MET	H41	7.006	0.02	2
1	A	1	MET	H42	8.105	0.02	2
1	A	1	MET	Н5	5.903	0.02	1
1	A	1	MET	H5'	3.997	0.02	2
1	A	1	MET	Н6	7.625	0.02	1
1	A	14	LEU	H1'	6.252	0.02	1
1	A	14	LEU	H2'	2.265	0.02	2
1	A	14	LEU	H3'	4.556	0.02	1
1	A	14	LEU	H4'	4.047	0.02	1
1	A	14	LEU	Н5	5.74	0.02	1
1	A	14	LEU	H5'	4.145	0.02	2
1	A	14	LEU	Н6	7.648	0.02	1
1	A	15	TRP	H1'	5.72	0.02	1
1	A	15	TRP	H2'	2.528	0.02	2
1	A	15	TRP	H3'	4.826	0.02	1
1	A	15	TRP	H4'	4.189	0.02	1
1	A	15	TRP	Н8	7.863	0.02	1
1	A	26	GLU	H1'	6.158	0.02	1
1	A	26	GLU	H2'1	2.358	0.02	2
1	A	26	GLU	H2'2	2.605	0.02	2
1	A	26	GLU	H3'1	4.682	0.02	1
1	A	26	GLU	H4'	4.184	0.02	1
1	A	26	GLU	Н8	7.94	0.02	1

## 7.1.2 Chemical shift referencing (i)

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction $\pm$ precision, $ppm$	Suggested action
$^{13}\mathrm{C}_{\alpha}$	88	$-0.54 \pm 0.12$	Should be checked
$^{13}C_{\beta}$	83	$-0.22 \pm 0.08$	None needed ( $< 0.5 \text{ ppm}$ )
<sup>13</sup> C′	0		None (insufficient data)
$^{15}N$	83	$-0.56 \pm 0.33$	None needed (imprecise)



#### 7.1.3 Completeness of resonance assignments (i)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 59%, i.e. 885 atoms were assigned a chemical shift out of a possible 1489. 0 out of 7 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	$^{1}\mathrm{H}$	$^{13}\mathbf{C}$	$^{15}{ m N}$
Backbone	$275/348 \ (79\%)$	141/141 (100%)	68/140 (49%)	66/67 (99%)
Sidechain	$395/562 \ (70\%)$	280/359 (78%)	112/172 (65%)	3/31 (10%)
Aromatic	64/65 (98%)	32/32 (100%)	29/30 (97%)	3/3 (100%)
Sugar	105/312 (34%)	105/182 (58%)	0/130 (0%)	0/0 (%)
Base	46/202 (23%)	46/124 (37%)	0/46 (0%)	0/32 (0%)
Overall	885/1489 (59%)	$604/838 \ (72\%)$	209/518 (40%)	72/133 (54%)

#### 7.1.4 Statistically unusual chemical shifts (i)

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.


List Id	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	49	LYS	HE2	1.54	1.95 - 3.88	-7.1
1	A	49	LYS	HE3	1.83	1.92 - 3.89	-5.5
1	A	51	GLU	HG3	1.11	1.20 - 3.30	-5.4

### 7.1.5 Random Coil Index (RCI) plots (i)

The image below reports random coil index values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition. If well-defined core and ill-defined regions are not identified then it is shown as gray bars.

Random coil index (RCI) for chain A:







# 8 NMR restraints analysis (i)

## 8.1 Conformationally restricting restraints (i)

The following table provides the summary of experimentally observed NMR restraints in different categories. Restraints are classified into different categories based on the sequence separation of the atoms involved.

Description	Value
Total distance restraints	1414
Intra-residue ( $ i-j =0$ )	524
Sequential ( i-j =1)	345
Medium range ( $ i-j >1$ and $ i-j <5$ )	235
Long range ( i-j ≥5)	136
Inter-chain	86
Hydrogen bond restraints	88
Disulfide bond restraints	0
Total dihedral-angle restraints	617
Number of unmapped restraints	80
Number of restraints per residue	14.7
Number of long range restraints per residue <sup>1</sup>	1.0

<sup>&</sup>lt;sup>1</sup>Long range hydrogen bonds and disulfide bonds are counted as long range restraints while calculating the number of long range restraints per residue

## 8.2 Residual restraint violations (i)

This section provides the overview of the restraint violations analysis. The violations are binned as small, medium and large violations based on its absolute value. Average number of violations per model is calculated by dividing the total number of violations in each bin by the size of the ensemble.

### 8.2.1 Average number of distance violations per model (i)

Distance violations less than 0.1 Å are not included in the calculation.

Bins (Å)	Average number of violations per model	Max (Å)
0.1-0.2 (Small)	12.9	0.2
0.2-0.5 (Medium)	1.6	0.48
>0.5 (Large)	1.1	21.65



## 8.2.2 Average number of dihedral-angle violations per model (i)

Dihedral-angle violations less than  $1^\circ$  are not included in the calculation.

$\operatorname{Bins}\ (^{\circ})$	Average number of violations per model	$\mathbf{Max}$ (°)
1.0-10.0 (Small)	43.3	10.0
10.0-20.0 (Medium)	4.7	19.97
>20.0 (Large)	1.2	28.91



# 9 Distance violation analysis (i)

## 9.1 Summary of distance violations (i)


The following table shows the summary of distance violations in different restraint categories based on the sequence separation of the atoms involved. Each category is further sub-divided into three sub-categories based on the atoms involved. Violations less than 0.1~Å are not included in the statistics.

Dantuninta tema	C	<b>%</b> <sup>1</sup>	Vic	olated <sup>5</sup>	3	Consis	Consistently V		
Restraints type	Count	70	Count	$\%^2$	$ \%^1$	Count	$ \%^2 $	$\%^1$	
Intra-residue ( i-j =0)	524	37.1	2	0.4	0.1	0	0.0	0.0	
Backbone-Backbone	128	9.1	0	0.0	0.0	0	0.0	0.0	
Backbone-Sidechain	292	20.7	2	0.7	0.1	0	0.0	0.0	
Sidechain-Sidechain	104	7.4	0	0.0	0.0	0	0.0	0.0	
Sequential ( i-j =1)	345	24.4	16	4.6	1.1	2	0.6	0.1	
Backbone-Backbone	114	8.1	8	7.0	0.6	1	0.9	0.1	
Backbone-Sidechain	179	12.7	4	2.2	0.3	0	0.0	0.0	
Sidechain-Sidechain	52	3.7	4	7.7	0.3	1	1.9	0.1	
Medium range ( $ i-j >1 \&  i-j <5$ )	235	16.6	14	6.0	1.0	1	0.4	0.1	
Backbone-Backbone	115	8.1	12	10.4	0.8	1	0.9	0.1	
Backbone-Sidechain	84	5.9	1	1.2	0.1	0	0.0	0.0	
Sidechain-Sidechain	36	2.5	1	2.8	0.1	0	0.0	0.0	
Long range ( $ i-j  \ge 5$ )	136	9.6	6	4.4	0.4	2	1.5	0.1	
Backbone-Backbone	2	0.1	1	50.0	0.1	0	0.0	0.0	
Backbone-Sidechain	45	3.2	5	11.1	0.4	2	4.4	0.1	
Sidechain-Sidechain	89	6.3	0	0.0	0.0	0	0.0	0.0	
Inter-chain	86	6.1	2	2.3	0.1	1	1.2	0.1	
Backbone-Backbone	16	1.1	0	0.0	0.0	0	0.0	0.0	
Backbone-Sidechain	48	3.4	2	4.2	0.1	1	2.1	0.1	
Sidechain-Sidechain	22	1.6	0	0.0	0.0	0	0.0	0.0	
Hydrogen bond	88	6.2	4	4.5	0.3	0	0.0	0.0	
Disulfide bond	0	0.0	0	0.0	0.0	0	0.0	0.0	
Total	1414	100.0	44	3.1	3.1	6	0.4	0.4	
Backbone-Backbone	375	26.5	21	5.6	1.5	2	0.5	0.1	
Backbone-Sidechain	682	48.2	18	2.6	1.3	3	0.4	0.2	
Sidechain-Sidechain	357	25.2	5	1.4	0.4	1	0.3	0.1	

<sup>&</sup>lt;sup>1</sup> percentage calculated with respect to the total number of distance restraints, <sup>2</sup> percentage calculated with respect to the number of restraints in a particular restraint category, <sup>3</sup> violated in at least one model, <sup>4</sup> violated in all the models



#### 9.1.1 Bar chart: Distribution of distance restraints and violations (i)



Violated and consistently violated restraints are shown using different hatch patterns in their respective categories. The hydrogen bonds and disulfied bonds are counted in their appropriate category on the x-axis

### 9.2 Distance violation statistics for each model (i)

The following table provides the distance violation statistics for each model in the ensemble. Violations less than 0.1~Å are not included in the statistics.

Model ID		Nun	nber o	f viola	ations	5	Mean (Å)	Max (Å)	$SD^6$ (Å)	Median (Å)
Wiodei 1D	$IR^1$	$SQ^2$	$MR^3$	$LR^4$	$IC^5$	Total	Mean (A)	Max (A)	$SD^*(A)$	Median (A)
1	0	5	6	2	1	14	1.61	20.56	5.26	0.14
2	1	6	9	2	1	19	1.16	19.53	4.33	0.14
3	1	5	7	3	2	18	1.23	19.6	4.46	0.12
4	1	8	8	3	1	21	1.1	20.42	4.32	0.12
5	1	6	9	3	1	20	1.22	21.65	4.69	0.12
6	1	7	7	3	1	19	1.19	19.94	4.42	0.13
7	1	6	9	3	1	20	1.18	20.64	4.47	0.12
8	1	7	6	2	1	17	1.3	19.91	4.65	0.13
9	0	8	6	3	2	19	1.17	19.81	4.39	0.11
10	0	7	6	3	1	17	1.25	18.94	4.42	0.14




Continued from previous page...

Model ID		Nun	nber o	f viola	ations	3	Mean (Å)	Max (Å)	${ m SD}^6$ (Å)	Median (Å)
Model 1D	$IR^1$	$SQ^2$	$MR^3$	$LR^4$	$IC^5$	Total	Mean (A)	Max (A)	SD (A)	Median (A)
11	2	7	9	3	1	22	1.03	19.73	4.08	0.13
12	1	6	4	2	1	14	1.55	19.78	5.06	0.14
13	1	5	13	2	1	22	1.05	20.23	4.18	0.13
14	0	4	5	3	1	13	1.63	19.28	5.1	0.13
15	1	6	3	3	1	14	1.54	19.02	4.85	0.13
16	1	4	11	2	1	19	1.15	19.25	4.27	0.13
17	2	5	5	2	1	15	1.55	20.75	5.13	0.14
18	2	6	7	4	1	20	1.15	20.05	4.34	0.12
19	1	6	7	3	2	19	1.21	20.57	4.56	0.12
20	0	6	8	4	1	19	1.22	20.39	4.52	0.13

 $<sup>^1</sup>$ Intra-residue restraints,  $^2$ Sequential restraints,  $^3$ Medium range restraints,  $^4$ Long range restraints,  $^5$ Inter-chain restraints,  $^6$ Standard deviation

#### 9.2.1 Bar graph: Distance Violation statistics for each model (i)



The mean(dot),median(x) and the standard deviation are shown in blue with respect to the y axis on the right



#### 9.3 Distance violation statistics for the ensemble (i)


Violation analysis may find that some restraints are violated in few models and some are violated in most of models. The following table provides this information as number of violated restraints for a given fraction of the ensemble. In total, 1286(IR:522, SQ:329, MR:221, LR:130, IC:84) restraints are not violated in the ensemble.

Nu	$\overline{\mathbf{mber}}$	of vio	lated	restra	Fraction of the ensemble		
$IR^1$	$SQ^2$	$MR^3$	$LR^4$	$IC^5$	Total	Count <sup>6</sup>	%
0	2	1	2	0	5	1	5.0
0	2	2	0	0	4	2	10.0
0	3	2	0	1	6	3	15.0
0	2	0	0	0	2	4	20.0
1	0	0	1	0	2	5	25.0
0	1	1	0	0	2	6	30.0
0	0	0	0	0	0	7	35.0
0	0	1	1	0	2	8	40.0
0	1	0	0	0	1	9	45.0
0	1	1	0	0	2	10	50.0
0	0	0	0	0	0	11	55.0
0	0	1	0	0	1	12	60.0
1	0	1	0	0	2	13	65.0
0	1	1	0	0	2	14	70.0
0	0	0	0	0	0	15	75.0
0	0	1	0	0	1	16	80.0
0	0	0	0	0	0	17	85.0
0	1	1	0	0	2	18	90.0
0	0	0	0	0	0	19	95.0
0	2	1	2	1	6	20	100.0

 $<sup>^1</sup>$ Intra-residue restraints,  $^2$ Sequential restraints,  $^3$ Medium range restraints,  $^4$ Long range restraints,  $^5$ Inter-chain restraints,  $^6$  Number of models with violations



#### 9.3.1 Bar graph: Distance violation statistics for the ensemble (i)




## 9.4 Most violated distance restraints in the ensemble (i)

## 9.4.1 Histogram: Distribution of mean distance violations (i)

The following histogram shows the distribution of the average value of the violation. The average is calculated for each restraint that is violated in more than one model over all the violated models in the ensemble





#### 9.4.2 Table: Most violated distance restraints (i)

The following table provides the mean and the standard deviation of the violations for the 10 worst performing restraints, sorted by number of violated models and the mean violation value. The Key (restraint list ID, restraint ID) is the unique identifier for a given restraint. Rows with same key represent combinatorial or ambiguous restraints and are counted as a single restraint.

Key	Atom-1	Atom-2	$\mathbf{Models}^1$	Mean (Å)	$SD^1$ (Å)	Median (Å)
(2,150)	3:25:C:DC:H6	1:26:A:GLU:H	20	20.0	0.65	19.92
(1,987)	2:11:B:DA:H2	2:12:B:DG:H8	20	0.31	0.02	0.31
(1,525)	1:46:A:MET:H	1:47:A:LYS:H	20	0.2	0.06	0.2
(1,117)	1:12:A:PHE:HZ	1:43:A:TRP:HA	20	0.15	0.02	0.15
(1,583)	1:51:A:GLU:HA	1:54:A:ALA:H	20	0.15	0.02	0.15
(1,90)	1:11:A:ALA:HA	1:43:A:TRP:HH2	20	0.14	0.02	0.15
(1,834)	1:73:A:ASN:HA	1:74:A:GLY:H	18	0.16	0.03	0.15
(1,109)	1:12:A:PHE:HA	1:15:A:TRP:H	18	0.12	0.01	0.12
(1,458)	1:41:A:GLU:HA	1:44:A:ARG:H	16	0.12	0.02	0.12
(1,938)	2:5:B:DA:H8	2:6:B:DT:H6	14	0.12	0.01	0.12


<sup>&</sup>lt;sup>1</sup>Number of violated models, <sup>2</sup>Standard deviation



#### 9.5 All violated distance restraints (i)

#### 9.5.1 Histogram: Distribution of distance violations (i)

The following histogram shows the distribution of the absolute value of the violation for all violated restraints in the ensemble.



#### 9.5.2 Table : All distance violations (i)

The following table provides the 10 worst performing restraints, sorted by the violation value. The Key (restraint list ID, restraint ID) is the unique identifier for a given restraint. Rows with same key represent combinatorial or ambiguous restraints and are counted as a single restraint.

Key	Atom-1	Atom-2	Model ID	Violation (Å)
(2,150)	3:25:C:DC:H6	1:26:A:GLU:H	5	21.65
(2,150)	3:25:C:DC:H6	1:26:A:GLU:H	17	20.75
(2,150)	3:25:C:DC:H6	1:26:A:GLU:H	7	20.64
(2,150)	3:25:C:DC:H6	1:26:A:GLU:H	19	20.57
(2,150)	3:25:C:DC:H6	1:26:A:GLU:H	1	20.56
(2,150)	3:25:C:DC:H6	1:26:A:GLU:H	4	20.42
(2,150)	3:25:C:DC:H6	1:26:A:GLU:H	20	20.39
(2,150)	3:25:C:DC:H6	1:26:A:GLU:H	13	20.23
(2,150)	3:25:C:DC:H6	1:26:A:GLU:H	18	20.05
(2,150)	3:25:C:DC:H6	1:26:A:GLU:H	6	19.94



# 10 Dihedral-angle violation analysis (i)

## 10.1 Summary of dihedral-angle violations (i)


The following table provides the summary of dihedral-angle violations in different dihedral-angle types. Violations less than  $1^{\circ}$  are not included in the calculation.

A male true	Count	$\%^{1}$	Vie	olated	$\lfloor^3$	Consis	tentl	$y Violated^4$
Angle type	Count	70	Count	$\%^2$	$\%^{1}$	Count $ \%^2 $		$\%^1$
NU2	21	3.4	6	28.6	1.0	1	4.8	0.2
OMEGA	72	11.7	58	80.6	9.4	7	9.7	1.1
DELTA	21	3.4	0	0.0	0.0	0	0.0	0.0
NU4	21	3.4	11	52.4	1.8	1	4.8	0.2
NU1	21	3.4	2	9.5	0.3	0	0.0	0.0
ALPHA	18	2.9	0	0.0	0.0	0	0.0	0.0
BETA	20	3.2	2	10.0	0.3	0	0.0	0.0
UNNAMED	324	52.5	0	0.0	0.0	0	0.0	0.0
NU0	21	3.4	0	0.0	0.0	0	0.0	0.0
NU3	21	3.4	11	52.4	1.8	2	9.5	0.3
GAMMA	20	3.2	0	0.0	0.0	0	0.0	0.0
ZETA	18	2.9	0	0.0	0.0	0	0.0	0.0
EPSILON	19	3.1	1	5.3	0.2	0	0.0	0.0
Total	617	100.0	91	14.7	14.7	11	1.8	1.8

 $<sup>^1</sup>$  percentage calculated with respect to total number of dihedral-angle restraints,  $^2$  percentage calculated with respect to number of restraints in a particular dihedral-angle type,  $^3$  violated in at least one model,  $^4$  violated in all the models



#### 10.1.1 Bar chart: Distribution of dihedral-angles and violations (i)



Violated and consistently violated restraints are shown using different hatch patterns in their respective categories


## 10.2 Dihedral-angle violation statistics for each model (i)

The following table provides the dihedral-angle violation statistics for each model in the ensemble. Violations less than 1° are not included in the statistics.

Model ID		Number of violations Mean												Mann	
Model 1D	NU2	OMEGA	DELTA	NU4	NU1	ALPHA	BETA	UNNAMED	NU0	NU3	GAMMA	ZETA	EPSILON	Total	
1	4	34	0	6	2	0	0	0	0	8	0	0	0	54	5.26
2	4	37	0	5	0	0	1	0	0	7	0	0	0	54	4.24
3	4	30	0	7	1	0	0	0	0	6	0	0	1	49	4.66
4	4	35	0	5	1	0	0	0	0	5	0	0	0	50	4.25
5	5	31	0	7	0	0	0	0	0	6	0	0	0	49	4.38
6	4	32	0	6	2	0	0	0	0	6	0	0	0	50	4.83
7	2	32	0	7	0	0	1	0	0	6	0	0	0	48	3.37
8	5	32	0	5	1	0	0	0	0	5	0	0	1	49	4.43
9	5	30	0	6	2	0	0	0	0	7	0	0	1	51	6.82
10	5	32	0	5	1	0	0	0	0	6	0	0	0	49	4.97
11	2	31	0	6	1	0	1	0	0	4	0	0	0	45	4.09
12	3	37	0	4	0	0	0	0	0	6	0	0	0	50	4.01
13	4	28	0	6	0	0	0	0	0	6	0	0	0	44	4.29
14	3	35	0	5	0	0	0	0	0	4	0	0	0	47	4.0
15	4	36	0	6	1	0	1	0	0	7	0	0	0	55	3.9
16	2	37	0	3	0	0	0	0	0	4	0	0	0	46	3.48
17	5	33	0	6	2	0	1	0	0	5	0	0	0	52	5.3
18	2	33	0	5	0	0	1	0	0	4	0	0	0	45	3.1
19	4	33	0	7	1	0	0	0	0	5	0	0	0	50	4.93
20	4	37	0	5	0	0	0	0	0	6	0	0	1	53	4.25



#### 10.2.1 Bar graph: Dihedral violation statistics for each model (i)



The mean(dot), median(x) and the standard deviation are shown in blue with respect to the y axis on the right

## 10.3 Dihedral-angle violation statistics for the ensemble (i)

Violation analysis may find that some restraints are violated in very few models and some are violated in most of models. The following table provides this information as number of violated restraints for a given fraction of ensemble.

					Nu	mber of	violated restr	aints				
NU2	OMEGA	DELTA	NU4	NU1	ALPHA	BETA	UNNAMED	NU0	NU3	GAMMA	ZETA	EPSILON
0	3	0	0	0	0	1	0	0	2	0	0	0
0	1	0	1	0	0	0	0	0	1	0	0	0
1	5	0	0	0	0	0	0	0	1	0	0	0
0	3	0	3	0	0	0	0	0	1	0	0	1
0	3	0	1	0	0	1	0	0	0	0	0	0
0	3	0	0	1	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0	0	0	0
0	2	0	0	0	0	0	0	0	0	0	0	0
0	2	0	0	1	0	0	0	0	0	0	0	0
1	2	0	1	0	0	0	0	0	0	0	0	0
0	3	0	0	0	0	0	0	0	0	0	0	0
0	4	0	0	0	0	0	0	0	0	0	0	0
1	2	0	0	0	0	0	0	0	1	0	0	0
1	3	0	0	0	0	0	0	0	0	0	0	0
1	4	0	2	0	0	0	0	0	1	0	0	0




Continued from previous page...

		Number of violated restraints											
	NU2	OMEGA	DELTA	NU4	NU1	ALPHA	BETA	UNNAMED	NU0	NU3	GAMMA	ZETA	EPSILON
	0	3	0	1	0	0	0	0	0	1	0	0	0
ſ	0	1	0	1	0	0	0	0	0	0	0	0	0
ſ	0	1	0	0	0	0	0	0	0	1	0	0	0
Ī	0	6	0	0	0	0	0	0	0	0	0	0	0
	1	7	0	1	0	0	0	0	0	2	0	0	0

<sup>&</sup>lt;sup>1</sup> Number of models with violations

#### 10.3.1 Bar graph: Dihedral-angle Violation statistics for the ensemble (i)




## 10.4 Most violated dihedral-angle restraints in the ensemble (i)

#### 10.4.1 Histogram: Distribution of mean dihedral-angle violations (i)

The following histogram shows the distribution of the average value of the violation. The average is calculated for each restraint that is violated in more than one model over all the violated models in the ensemble





#### 10.4.2 Table: Most violated dihedral-angle restraints (i)

The following table provides the mean and the standard deviation of the violations for the 10 worst performing restraints, sorted by number of violated models and the mean violation value. The Key (restraint list ID, restraint ID) is the unique identifier for a given restraint.

Key	Atom-1	Atom-2	Atom-3	Atom-4	$\mathbf{Models}^1$	Mean	$\mathbf{SD}^2$	Median
(1,141)	2:6:B:DT:C2'	2:6:B:DT:C3'	2:6:B:DT:C4'	2:6:B:DT:O4'	20	20.01	4.48	20.17
(1,140)	2:6:B:DT:C1'	2:6:B:DT:C2'	2:6:B:DT:C3'	2:6:B:DT:C4'	20	15.95	5.19	16.26
(1,186)	3:18:C:DT:C2'	3:18:C:DT:C3'	3:18:C:DT:C4'	3:18:C:DT:O4'	20	9.83	4.64	9.33
(1,142)	2:6:B:DT:C3'	2:6:B:DT:C4'	2:6:B:DT:O4'	2:6:B:DT:C1'	20	7.86	2.06	8.06
(1,607)	1:63:A:TYR:CA	1:63:A:TYR:N	1:62:A:ASP:C	1:62:A:ASP:CA	20	3.44	0.28	3.47
(1,579)	1:35:A:VAL:CA	1:35:A:VAL:N	1:34:A:GLU:C	1:34:A:GLU:CA	20	2.82	0.47	2.76
(1,578)	1:34:A:GLU:CA	1:34:A:GLU:N	1:33:A:THR:C	1:33:A:THR:CA	20	2.36	0.6	2.29
(1,595)	1:51:A:GLU:CA	1:51:A:GLU:N	1:50:A:SER:C	1:50:A:SER:CA	20	2.31	0.44	2.25
(1,594)	1:50:A:SER:CA	1:50:A:SER:N	1:49:A:LYS:C	1:49:A:LYS:CA	20	2.28	0.77	2.3
(1,563)	1:19:A:ALA:CA	1:19:A:ALA:N	1:18:A:SER:C	1:18:A:SER:CA	20	1.85	0.33	1.82


<sup>&</sup>lt;sup>1</sup> Number of violated models, <sup>2</sup>Standard deviation, All angle values are in degree (°)

## 10.5 All violated dihedral-angle restraints (i)

### 10.5.1 Histogram: Distribution of violations (i)

The following histogram shows the distribution of the absolute value of the violation for all violated restraints in the ensemble.





#### 10.5.2 Table: All violated dihedral-angle restraints (i)

The following table provides the list of violations for the 10 worst performing restraints, sorted by the violation value. The Key (restraint list ID, restraint ID) is the unique identifier for a given restraint.

Key	Atom-1	Atom-2	Atom-3	Atom-4	Model ID	Violation (°)
(1,190)	3:19:C:DC:C1'	3:19:C:DC:C2'	3:19:C:DC:C3'	3:19:C:DC:C4'	9	28.91
(1,141)	2:6:B:DT:C2'	2:6:B:DT:C3'	2:6:B:DT:C4'	2:6:B:DT:O4'	9	26.75
(1,141)	2:6:B:DT:C2'	2:6:B:DT:C3'	2:6:B:DT:C4'	2:6:B:DT:O4'	17	25.92
(1,141)	2:6:B:DT:C2'	2:6:B:DT:C3'	2:6:B:DT:C4'	2:6:B:DT:O4'	1	25.49
(1,191)	3:19:C:DC:C2'	3:19:C:DC:C3'	3:19:C:DC:C4'	3:19:C:DC:O4'	9	24.52
(1,140)	2:6:B:DT:C1'	2:6:B:DT:C2'	2:6:B:DT:C3'	2:6:B:DT:C4'	9	24.4
(1,141)	2:6:B:DT:C2'	2:6:B:DT:C3'	2:6:B:DT:C4'	2:6:B:DT:O4'	3	24.21
(1,141)	2:6:B:DT:C2'	2:6:B:DT:C3'	2:6:B:DT:C4'	2:6:B:DT:O4'	4	23.85
(1,141)	2:6:B:DT:C2'	2:6:B:DT:C3'	2:6:B:DT:C4'	2:6:B:DT:O4'	19	23.81
(1,190)	3:19:C:DC:C1'	3:19:C:DC:C2'	3:19:C:DC:C3'	3:19:C:DC:C4'	1	23.59

