

Full wwPDB X-ray Structure Validation Report (i)

Oct 8, 2023 – 10:58 AM EDT

PDB ID	:	4R40
Title	:	Crystal Structure of TolB/Pal complex from Yersinia pestis.
Authors	:	Maltseva, N.; Kim, Y.; Osipiuk, J.; Anderson, W.F.; Joachimiak, A.; Center
		for Structural Genomics of Infectious Diseases (CSGID)
Deposited on	:	2014-08-18
Resolution	:	2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.35.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motric	Whole archive	Similar resolution
Wiethic	$(\# { m Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$
R_{free}	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain			
1	А	411	66%	30%		••
1	С	411	71%	249	%	••
2	В	141	68%	17%	•	12%
2	D	141	% 65%	20%		12%



2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 8156 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		Atoms				ZeroOcc	AltConf	Trace
1	Δ	406	Total	С	Ν	0	Se	0	2	0
1	1 A 400	400	3079	1941	533	599	6	0	2	0
1	С	405	Total	С	Ν	0	Se	0	1	0
	400	3063	1931	531	596	5	U			

• Molecule 1 is a protein called Protein TolB.

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	20	SER	-	expression tag	UNP Q8ZGZ1
А	21	ASN	-	expression tag	UNP Q8ZGZ1
А	22	ALA	-	expression tag	UNP Q8ZGZ1
С	20	SER	-	expression tag	UNP Q8ZGZ1
С	21	ASN	-	expression tag	UNP Q8ZGZ1
С	22	ALA	-	expression tag	UNP Q8ZGZ1

• Molecule 2 is a protein called Peptidoglycan-associated lipoprotein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	В	124	Total 967	C 604	N 172	0 188	${ m Se} { m 3}$	0	0	0
2	D	124	Total 967	C 604	N 172	O 188	${ m Se} 3$	0	0	0

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
В	28	SER	-	expression tag	UNP Q7CH55
В	29	ASN	-	expression tag	UNP Q7CH55
В	30	ALA	-	expression tag	UNP Q7CH55
D	28	SER	-	expression tag	UNP Q7CH55
D	29	ASN	-	expression tag	UNP Q7CH55
D	30	ALA	-	expression tag	UNP Q7CH55



 $\bullet\,$ Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O_4S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	В	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	С	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	D	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0

• Molecule 4 is FORMIC ACID (three-letter code: FMT) (formula: CH_2O_2).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 3 & 1 & 2 \end{array}$	0	0
4	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 3 & 1 & 2 \end{array}$	0	0

• Molecule 5 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	В	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 6 3 3 \end{array}$	0	0
5	В	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 6 3 3 \end{array}$	0	0
5	С	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 6 3 3 \end{array}$	0	0

• Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	А	14	Total O 14 14	0	0
6	В	7	Total O 7 7	0	0
6	С	12	Total O 12 12	0	0
6	D	3	Total O 3 3	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Protein TolB





• Molecule 2: Peptidoglycan-associated lipoprotein







4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	47.39Å 175.25Å 66.27Å	Deperitor
a, b, c, α , β , γ	90.00° 89.83° 90.00°	Depositor
$\mathbf{P}_{\text{assolution}}(\hat{\mathbf{A}})$	43.82 - 2.50	Depositor
Resolution (A)	43.82 - 2.50	EDS
% Data completeness	81.2 (43.82-2.50)	Depositor
(in resolution range)	80.8(43.82-2.50)	EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.15	Depositor
$< I/\sigma(I) > 1$	$1.32 (at 2.48 \text{\AA})$	Xtriage
Refinement program	PHENIX (phenix.refine: dev_1593)	Depositor
P. P.	0.170 , 0.214	Depositor
n, n_{free}	0.170 , 0.205	DCC
R_{free} test set	1550 reflections $(5.09%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	35.6	Xtriage
Anisotropy	0.442	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.32 , 25.0	EDS
L-test for twinning ²	$< L >=0.51, < L^2>=0.34$	Xtriage
Estimated twinning fraction	0.440 for h,-k,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	8156	wwPDB-VP
Average B, all atoms $(Å^2)$	45.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 6.37% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: FMT, GOL, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bo	nd lengths	Bond angles		
	Unain	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.44	3/3146~(0.1%)	0.54	4/4281~(0.1%)	
1	С	0.42	4/3130~(0.1%)	0.53	5/4259~(0.1%)	
2	В	0.40	1/980~(0.1%)	0.47	1/1313~(0.1%)	
2	D	0.33	0/980	0.42	0/1313	
All	All	0.42	8/8236~(0.1%)	0.51	10/11166~(0.1%)	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	D	0	1

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	С	243	PRO	N-CD	5.36	1.55	1.47
1	А	428	PRO	N-CD	5.31	1.55	1.47
1	С	80	PRO	N-CD	5.30	1.55	1.47
2	В	110	PRO	N-CD	5.29	1.55	1.47
1	А	201	PRO	N-CD	5.21	1.55	1.47
1	С	201	PRO	N-CD	5.17	1.55	1.47
1	А	380	PRO	N-CD	5.16	1.55	1.47
1	С	380	PRO	N-CD	5.06	1.54	1.47

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	А	423	PHE	C-N-CD	5.75	140.48	128.40



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	С	379	THR	C-N-CD	5.65	140.27	128.40
1	С	423	PHE	C-N-CD	5.63	140.22	128.40
1	А	427	SER	C-N-CD	5.55	140.06	128.40
2	В	109	THR	C-N-CD	5.49	139.92	128.40
1	А	379	THR	C-N-CD	5.46	139.87	128.40
1	А	200	GLU	C-N-CD	5.45	139.85	128.40
1	С	79	GLN	C-N-CD	5.45	139.85	128.40
1	С	200	GLU	C-N-CD	5.45	139.85	128.40
1	С	242	PHE	C-N-CD	5.30	139.53	128.40

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	D	162	ARG	Sidechain

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	3079	0	3020	85	0
1	С	3063	0	3002	80	0
2	В	967	0	943	21	0
2	D	967	0	943	23	0
3	А	5	0	0	0	0
3	В	5	0	0	0	0
3	С	5	0	0	0	0
3	D	5	0	0	0	0
4	А	3	0	1	0	0
4	В	3	0	1	0	0
5	В	12	0	16	1	0
5	С	6	0	8	0	0
6	А	14	0	0	0	0
6	В	7	0	0	0	0
6	C	12	0	0	0	0
6	D	3	0	0	0	0
All	All	8156	0	7934	201	0



The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (201) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom_1	Atom-2	Interatomic	Clash
Atom-1	Atom-2	distance $(Å)$	overlap (Å)
1:A:273[A]:MSE:HE3	1:A:278:GLY:HA2	1.56	0.88
2:D:105:ASP:HB2	2:D:158:PHE:CD1	2.15	0.80
1:C:422:LYS:HG3	1:C:423:PHE:HD2	1.48	0.79
1:A:277:SER:OG	1:A:279:GLN:HG3	1.84	0.78
1:C:365:THR:HG21	1:C:367:ALA:HB2	1.67	0.76
2:D:96:ASP:O	2:D:137:GLN:HG2	1.86	0.76
1:C:160:LYS:HD3	1:C:429:TYR:CE1	2.23	0.73
1:A:248:ALA:HB2	2:B:111:GLU:HG2	1.70	0.73
2:B:139:SER:HB3	5:B:203:GOL:H2	1.70	0.73
1:C:200:GLU:HG3	1:C:201:PRO:HD2	1.73	0.71
1:A:378:GLU:OE2	2:B:110:PRO:HD3	1.91	0.70
1:A:78:GLN:HE22	1:A:86:VAL:HA	1.57	0.69
1:A:422:LYS:HB3	1:A:423:PHE:CD2	2.27	0.69
1:C:38:GLY:HA2	1:C:71:ILE:HG22	1.75	0.68
1:C:365:THR:CG2	1:C:367:ALA:HB2	2.24	0.67
1:C:422:LYS:HE3	1:C:423:PHE:CE2	2.31	0.66
1:C:213:LYS:HG2	1:C:230:THR:HG22	1.77	0.66
2:D:136:ASP:N	2:D:136:ASP:OD1	2.28	0.66
1:A:243:PRO:O	1:A:244:ARG:HB2	1.97	0.64
1:C:25:ILE:HD11	1:C:188:ASP:HA	1.78	0.64
1:C:160:LYS:HD3	1:C:429:TYR:CZ	2.33	0.64
1:A:248:ALA:HB1	1:A:293:PRO:HD2	1.80	0.63
1:C:301:ASN:OD1	1:C:318:ASN:ND2	2.31	0.63
1:A:205:PRO:HD2	1:A:423:PHE:HB3	1.80	0.63
2:B:97:LYS:HG3	2:B:137:GLN:HA	1.81	0.63
1:C:213:LYS:HE3	1:C:230:THR:HG22	1.80	0.63
1:C:378:GLU:HG3	1:C:392:SER:HB2	1.80	0.63
1:A:422:LYS:HB3	1:A:423:PHE:HD2	1.64	0.62
1:A:379:THR:HG22	1:A:379:THR:O	2.00	0.62
1:A:336:ASN:HB2	2:B:109:THR:HG21	1.82	0.61
1:A:202:LEU:HD22	1:A:216:TYR:CE1	2.36	0.61
1:C:269:ASN:HB2	1:C:271:TYR:HE1	1.65	0.61
1:A:78:GLN:HE21	1:A:91:TRP:HE1	1.47	0.61
2:D:109:THR:O	2:D:113:ASN:ND2	2.33	0.61
2:D:149:ALA:N	2:D:161:ASN:OD1	2.34	0.61
1:C:150:ASP:OD2	1:C:164:ARG:NE	2.35	0.60
1:C:82:THR:HG22	1:C:85:GLU:HG3	1.83	0.59



	A L O	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:A:120:ASP:HB2	1:A:129:LEU:HD11	1.84	0.59
1:C:80:PRO:HG3	1:C:86:VAL:HG22	1.83	0.59
1:A:226:LEU:HD22	1:A:239:VAL:CG2	2.32	0.59
1:A:377:ASP:OD1	1:A:391:TYR:HE1	1.85	0.59
1:C:316:LYS:HB2	1:C:327:ILE:HD13	1.85	0.58
1:A:196:HIS:NE2	1:A:220:GLU:OE2	2.36	0.58
1:C:76:MSE:HE2	1:C:79:GLN:HG2	1.85	0.58
1:C:228:ILE:HG13	1:C:239:VAL:HG11	1.86	0.58
1:A:82:THR:HG23	1:A:84:ALA:H	1.67	0.58
1:C:76:MSE:CE	1:C:79:GLN:HG2	2.34	0.58
1:A:358:ILE:HB	1:A:372:THR:HG23	1.85	0.57
2:B:70:PHE:O	2:B:71:ASP:HB2	2.03	0.57
1:C:213:LYS:HE3	1:C:230:THR:CG2	2.35	0.57
1:A:80:PRO:HB3	1:A:85:GLU:HB2	1.87	0.56
1:A:118:LEU:HG	1:A:129:LEU:HD13	1.87	0.56
1:C:377:ASP:HA	1:C:392:SER:O	2.06	0.56
1:A:196:HIS:HD2	1:A:202:LEU:HD21	1.71	0.56
1:A:224:SER:OG	1:A:245:HIS:HA	2.06	0.56
1:C:80:PRO:HB2	1:C:85:GLU:HB2	1.88	0.56
2:B:75:ILE:HD11	2:B:124:VAL:HA	1.87	0.55
1:C:180:HIS:CE1	1:C:199:PRO:O	2.59	0.55
1:A:333:GLN:HG2	1:A:335:GLN:HE21	1.71	0.55
1:A:132:ASN:OD1	1:A:133:GLN:N	2.39	0.55
1:A:78:GLN:NE2	1:A:91:TRP:HE1	2.03	0.55
1:A:287:ARG:HB2	1:C:266:GLY:HA3	1.88	0.55
1:C:44:TRP:CH2	1:C:106:PRO:HG3	2.42	0.55
1:A:326:ARG:NE	1:A:328:THR:O	2.33	0.54
1:A:226:LEU:HD22	1:A:239:VAL:HG21	1.88	0.54
1:A:34:ALA:O	1:A:36:PRO:HD3	2.07	0.54
2:D:78:ASP:N	2:D:78:ASP:OD1	2.36	0.54
1:C:312:PRO:HD2	1:C:333:GLN:HG3	1.90	0.53
1:A:292:GLU:OE2	2:B:109:THR:OG1	2.22	0.53
1:C:290:ASN:HB3	1:C:304:TYR:CE1	2.43	0.53
2:D:100:VAL:HB	2:D:140:ILE:HG22	1.90	0.53
1:A:210:ASP:OD1	1:A:211:GLY:N	2.37	0.53
1:A:358:ILE:HB	1:A:372:THR:CG2	2.39	0.52
1:A:171:VAL:HG22	1:A:421:VAL:HG22	1.91	0.52
1:C:42:PHE:CD2	1:C:102:GLY:HA3	2.46	0.51
1:A:111:SER:OG	1:A:135:LYS:NZ	2.43	0.51
1:C:274:ASP:HB3	1:C:277:SER:OG	2.09	0.51
1:C:422:LYS:HE3	1:C:423:PHE:HE2	1.73	0.51



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:C:180:HIS:HE1	1:C:199:PRO:O	1.94	0.51
1:C:273:MSE:HE3	1:C:278:GLY:HA2	1.92	0.51
1:A:391:TYR:CE2	1:A:402:GLN:HB2	2.46	0.51
1:C:77:PRO:HD3	1:C:94:LEU:HD12	1.92	0.50
1:C:118:LEU:HD22	1:C:152:VAL:HG22	1.93	0.50
1:A:358:ILE:HG12	1:A:377:ASP:HB3	1.92	0.50
1:A:337:ALA:HB1	1:A:346:LEU:HD22	1.93	0.50
1:A:310:GLY:O	1:A:311:ARG:C	2.50	0.50
2:B:73:TYR:CZ	2:B:119:ARG:HD2	2.47	0.50
1:A:373:ASP:OD1	1:A:373:ASP:N	2.45	0.49
2:B:155:GLU:OE2	2:B:162:ARG:NH2	2.39	0.49
1:C:42:PHE:CD1	1:C:42:PHE:N	2.81	0.49
2:D:106:GLU:HA	2:D:145:LYS:HD2	1.93	0.49
1:A:243:PRO:O	1:A:244:ARG:CB	2.60	0.49
1:A:117:GLN:HE21	1:A:131:GLN:NE2	2.11	0.49
1:C:314:VAL:HB	1:C:328:THR:CG2	2.43	0.48
1:A:37:ILE:HG13	1:A:38:GLY:N	2.28	0.48
2:B:157:ALA:O	2:B:161:ASN:ND2	2.46	0.48
1:A:377:ASP:OD1	1:A:391:TYR:CE1	2.64	0.48
2:B:116:LEU:O	2:B:120:ARG:HG3	2.14	0.48
1:C:298:ASP:OD2	1:C:301:ASN:ND2	2.47	0.48
2:B:73:TYR:HB2	2:B:120:ARG:HG2	1.95	0.48
1:C:96:ILE:O	1:C:121:THR:OG1	2.27	0.48
1:C:165:THR:HG21	1:C:426:TRP:CD1	2.49	0.48
1:C:422:LYS:HG3	1:C:423:PHE:CD2	2.37	0.48
1:C:44:TRP:CG	1:C:50:PRO:HG3	2.49	0.47
1:C:42:PHE:N	1:C:42:PHE:HD1	2.11	0.47
1:A:62:LEU:HB3	1:A:68:PHE:HB2	1.95	0.47
2:D:104:ALA:O	2:D:145:LYS:HA	2.14	0.47
1:A:388:MSE:HG3	1:A:389:VAL:N	2.29	0.47
1:C:378:GLU:HG3	1:C:392:SER:CB	2.45	0.47
1:C:356:GLN:HE21	1:C:376:LEU:HD22	1.80	0.47
1:A:227:VAL:HG12	1:A:238:GLN:HA	1.95	0.47
1:C:292:GLU:N	1:C:293:PRO:CD	2.78	0.47
1:A:203:MSE:HB2	1:A:217:VAL:HG22	1.97	0.47
1:A:246:ASN:ND2	1:A:246:ASN:N	2.63	0.47
1:A:323:VAL:O	1:A:325:GLN:NE2	2.40	0.47
2:B:140:ILE:HG13	2:B:140:ILE:O	2.15	0.47
1:C:118:LEU:O	1:C:129:LEU:N	2.45	0.47
2:D:145:LYS:CG	2:D:146:GLU:OE1	2.63	0.47
1:A:253:PRO:HD2	1:A:299:SER:OG	2.15	0.46



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
2:D:106:GLU:HB2	2:D:158:PHE:HE1	1.80	0.46
1:C:314:VAL:HB	1:C:328:THR:HG23	1.97	0.46
2:D:145:LYS:HG2	2:D:146:GLU:OE1	2.15	0.46
1:C:26:GLU:HG2	1:C:415:PRO:HD3	1.98	0.46
1:C:248:ALA:HB1	1:C:293:PRO:HD2	1.97	0.46
2:D:154:ASP:O	2:D:158:PHE:N	2.33	0.46
1:A:304:TYR:OH	1:A:324:PRO:HB3	2.15	0.46
2:B:125:LYS:HE2	2:B:138:ILE:HB	1.98	0.46
1:C:244:ARG:HB2	1:C:245:HIS:H	1.58	0.45
1:A:147:THR:HA	1:A:164:ARG:HD3	1.99	0.45
2:B:150:VAL:HB	2:B:157:ALA:HA	1.99	0.45
1:C:183:ARG:HD3	1:C:192:GLN:HE21	1.82	0.45
1:C:422:LYS:HE3	1:C:423:PHE:CD2	2.52	0.45
1:A:270:LEU:H	1:A:284:THR:HB	1.82	0.45
2:B:154:ASP:OD1	2:B:154:ASP:N	2.47	0.45
1:C:204:SER:HB3	1:C:249:PRO:HD2	1.99	0.45
1:A:45:MSE:HG3	1:A:105:GLN:HG2	1.99	0.45
1:C:263:SER:OG	2:D:118:GLU:OE2	2.31	0.45
1:C:44:TRP:CH2	1:C:51:PRO:HD3	2.53	0.44
1:C:80:PRO:CB	1:C:85:GLU:HB2	2.46	0.44
1:C:249:PRO:HA	1:C:259:ALA:O	2.17	0.44
2:D:57:MSE:HE1	2:D:168:TYR:CZ	2.52	0.44
2:D:104:ALA:HA	2:D:120:ARG:HH12	1.82	0.44
1:C:105:GLN:HA	1:C:106:PRO:HD3	1.86	0.44
1:C:49:THR:HA	1:C:50:PRO:HD3	1.87	0.44
1:A:139:GLN:OE1	1:A:140:TRP:CZ3	2.70	0.44
2:D:154:ASP:H	2:D:157:ALA:HB3	1.82	0.44
1:A:24:ARG:HH22	1:A:57:ILE:HG12	1.83	0.44
2:D:100:VAL:HG11	2:D:124:VAL:HB	2.00	0.43
1:C:43:LYS:HG2	1:C:45:MSE:SE	2.68	0.43
1:C:77:PRO:HD3	1:C:94:LEU:CD1	2.48	0.43
1:C:118:LEU:HB3	1:C:130:ALA:H	1.83	0.43
1:C:300:GLN:HG2	1:C:318:ASN:ND2	2.33	0.43
1:A:181:GLU:HG2	1:A:197:ARG:HG2	2.00	0.43
1:A:282:GLN:NE2	1:A:284:THR:O	2.33	0.43
1:A:289:ASN:HB2	1:A:307:ASP:OD1	2.18	0.43
1:A:292:GLU:HG3	2:B:111:GLU:HB3	1.99	0.43
1:C:42:PHE:CE2	1:C:102:GLY:HA3	2.54	0.43
1:A:379:THR:HG21	1:A:423:PHE:HA	2.00	0.43
1:A:388:MSE:HE2	1:A:388:MSE:HB2	1.73	0.43
1:A:418:ASP:HB3	1:A:419:GLY:H	1.58	0.43



	ac pagem	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:59:GLY:O	1:A:70:PRO:HG2	2.19	0.43
1:C:290:ASN:ND2	1:C:306:SER:OG	2.52	0.43
2:D:106:GLU:HB2	2:D:158:PHE:CE1	2.54	0.42
1:A:291:THR:OG1	1:A:292:GLU:N	2.52	0.42
1:C:248:ALA:N	2:D:111:GLU:OE2	2.53	0.42
1:A:42:PHE:CE2	1:A:102:GLY:HA3	2.55	0.42
2:B:149:ALA:N	2:B:161:ASN:OD1	2.42	0.42
1:C:160:LYS:CD	1:C:429:TYR:CZ	3.02	0.42
1:C:226:LEU:HD11	1:C:249:PRO:HB3	2.01	0.42
1:A:202:LEU:HD22	1:A:216:TYR:HE1	1.79	0.42
1:A:273[A]:MSE:CE	1:A:278:GLY:HA2	2.40	0.42
1:A:226:LEU:HD23	1:A:227:VAL:N	2.34	0.42
1:A:111:SER:HA	1:A:137:THR:HA	2.02	0.42
1:A:166:ARG:HG3	1:A:430:LEU:HD11	2.02	0.42
1:A:78:GLN:HE22	1:A:87:THR:H	1.66	0.42
1:C:270:LEU:HD11	1:C:304:TYR:CG	2.54	0.42
1:C:363:LEU:HA	1:C:363:LEU:HD23	1.71	0.42
2:B:73:TYR:CB	2:B:120:ARG:HG2	2.49	0.41
1:C:61:ASP:OD1	1:C:187:TYR:OH	2.37	0.41
1:C:82:THR:HG23	1:C:84:ALA:H	1.85	0.41
1:A:247:GLY:O	1:A:260:PHE:HB2	2.20	0.41
1:A:34:ALA:HB3	1:A:69:ASN:HB2	2.02	0.41
2:B:131:LYS:HD3	2:B:131:LYS:HA	1.82	0.41
1:C:248:ALA:O	1:C:260:PHE:HA	2.20	0.41
1:C:165:THR:HG22	1:C:166:ARG:O	2.20	0.41
2:D:149:ALA:HB2	2:D:163:ARG:CZ	2.51	0.41
1:A:165:THR:HG21	1:A:384:PRO:HG3	2.03	0.41
2:D:90:LEU:HD13	2:D:133:VAL:HG11	2.02	0.41
2:D:105:ASP:OD2	2:D:162:ARG:NH2	2.54	0.41
1:A:277:SER:CB	1:A:279:GLN:HG3	2.51	0.41
1:A:307:ASP:OD1	1:A:307:ASP:N	2.54	0.41
1:C:100:VAL:HG22	1:C:118:LEU:HD13	2.02	0.41
1:C:166:ARG:HG3	1:C:186:ASP:HA	2.01	0.41
1:C:357:HIS:HA	1:C:377:ASP:OD2	2.21	0.41
1:A:107:SER:OG	1:A:108:ALA:N	2.53	0.40
1:A:196:HIS:CD2	1:A:202:LEU:HD21	2.53	0.40
1:A:252:SER:O	1:A:255:GLY:N	2.51	0.40
1:C:165:THR:HG23	1:C:427:SER:OG	2.21	0.40
1:A:169:TYR:OH	1:A:192:GLN:HG3	2.21	0.40
1:A:296:PHE:CZ	1:A:316:LYS:HD2	2.57	0.40
1:A:198:SER:HA	1:A:199:PRO:HD3	1.90	0.40

Continued from previous page...



There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	А	404/411~(98%)	394~(98%)	8 (2%)	2~(0%)	29 48
1	С	402/411~(98%)	395~(98%)	7 (2%)	0	100 100
2	В	122/141~(86%)	121 (99%)	1 (1%)	0	100 100
2	D	122/141~(86%)	117~(96%)	5~(4%)	0	100 100
All	All	1050/1104~(95%)	1027 (98%)	21 (2%)	2 (0%)	47 68

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	25	ILE
1	А	244	ARG

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	А	333/329~(101%)	316~(95%)	17 (5%)	24	45
1	С	330/329~(100%)	310~(94%)	20~(6%)	18	36
2	В	100/106~(94%)	95~(95%)	5(5%)	24	46
2	D	100/106~(94%)	92~(92%)	8 (8%)	12	23
All	All	863/870~(99%)	813 (94%)	50~(6%)	20	38



All (50)	residues	with	a non-rota	meric	sidechain	are li	sted	below:	
-------	-----	----------	------	------------	-------	-----------	--------	------	--------	--

Mol	Chain	Res	Type
1	А	24	ARG
1	А	97	ASP
1	А	107	SER
1	А	133	GLN
1	А	187	TYR
1	А	217	VAL
1	А	241	SER
1	А	246	ASN
1	А	257	LYS
1	А	258	LEU
1	А	265	SER
1	А	275	LEU
1	A	285	ASP
1	А	317	VAL
1	А	378	GLU
1	А	387	THR
1	А	427	SER
2	В	46	ASN
2	В	62	LYS
2	В	70	PHE
2	В	71	ASP
2	В	134	SER
1	С	24	ARG
1	С	135	LYS
1	С	154	GLU
1	С	155	LYS
1	С	166	ARG
1	С	202	LEU
1	С	203	MSE
1	C	237	ARG
1	C	239	VAL
1	С	241	SER
1	C	244	ARG
1	C	271	TYR
1	C	274	ASP
1	С	275	LEU
1	C	299	SER
1	С	378	GLU
1	C	382	ILE
1	С	393	SER
1	С	422	LYS
1	С	427	SER



Conti	Continueu from previous page									
Mol	Chain	Res	Type							
2	D	45	SER							
2	D	49	SER							
2	D	57	MSE							
2	D	74	ASP							
2	D	136	ASP							
2	D	146	GLU							
2	D	147	LYS							
2	D	162	ARG							

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	78	GLN
1	А	131	GLN
1	А	133	GLN
1	А	180	HIS
1	А	191	ASN
1	А	334	ASN
1	А	335	GLN
1	А	336	ASN
1	А	402	GLN
2	В	113	ASN
1	С	192	GLN
1	С	269	ASN
1	С	279	GLN
1	С	290	ASN
1	С	308	GLN
1	С	333	GLN
2	D	58	GLN
2	D	129	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

9 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Tune	Chain	Dec	Tiple	B	ond leng	$_{ m gths}$	E	Bond ang	gles
	Type	Unain	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2
5	GOL	С	501	-	5,5,5	0.36	0	$5,\!5,\!5$	0.28	0
3	SO4	В	204	-	4,4,4	0.36	0	$6,\!6,\!6$	0.15	0
4	FMT	А	502	-	2,2,2	0.88	0	$1,\!1,\!1$	0.26	0
3	SO4	D	201	-	4,4,4	0.14	0	$6,\!6,\!6$	0.17	0
3	SO4	А	501	-	4,4,4	0.14	0	$6,\!6,\!6$	0.05	0
4	FMT	В	201	-	2,2,2	0.70	0	$1,\!1,\!1$	0.20	0
5	GOL	В	203	-	5,5,5	0.38	0	$5,\!5,\!5$	0.22	0
5	GOL	В	202	-	5,5,5	0.35	0	$5,\!5,\!5$	0.26	0
3	SO4	С	502	-	4,4,4	0.14	0	$6,\!6,\!6$	0.07	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GOL	В	203	-	-	2/4/4/4	-
5	GOL	С	501	-	-	2/4/4/4	-
5	GOL	В	202	-	-	4/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (8) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
5	В	202	GOL	O1-C1-C2-C3
5	В	202	GOL	C1-C2-C3-O3
5	С	501	GOL	O1-C1-C2-C3
5	В	202	GOL	O1-C1-C2-O2
5	В	202	GOL	O2-C2-C3-O3
5	С	501	GOL	O1-C1-C2-O2
5	В	203	GOL	O1-C1-C2-O2
5	В	203	GOL	C1-C2-C3-O3

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	В	203	GOL	1	0

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$\langle RSRZ \rangle$	#RSRZ>2	$OWAB(Å^2)$	Q < 0.9
1	А	401/411 (97%)	-0.46	2 (0%) 91 91	27, 43, 64, 87	9(2%)
1	С	400/411~(97%)	-0.45	1 (0%) 94 94	28, 45, 64, 81	10 (2%)
2	В	121/141 (85%)	-0.51	0 100 100	30, 43, 66, 82	9~(7%)
2	D	121/141~(85%)	-0.45	1 (0%) 86 87	30, 44, 64, 70	7 (5%)
All	All	1043/1104 (94%)	-0.46	4 (0%) 92 93	27, 44, 64, 87	35~(3%)

All (4) RSRZ outliers are listed below:

Mol	Chain	\mathbf{Res}	Type	RSRZ
1	А	23	VAL	7.9
1	А	125	ALA	2.8
1	С	342	ASP	2.8
2	D	153	HIS	2.4

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.



Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathrm{\AA}^2)$	Q<0.9
5	GOL	В	202	6/6	0.94	0.13	32,49,51,54	0
3	SO4	С	502	5/5	0.95	0.14	43,54,58,63	5
4	FMT	А	502	3/3	0.96	0.15	58,58,60,63	0
3	SO4	D	201	5/5	0.96	0.23	17,25,29,31	5
5	GOL	В	203	6/6	0.96	0.14	22,47,56,57	0
5	GOL	С	501	6/6	0.96	0.08	44,46,50,51	0
3	SO4	А	501	5/5	0.97	0.08	73,79,85,94	0
4	FMT	В	201	3/3	0.98	0.10	42,42,49,54	0
3	SO4	В	204	5/5	1.00	0.10	23,29,35,37	0

6.5 Other polymers (i)

There are no such residues in this entry.

