



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 11, 2023 – 06:26 PM EDT

PDB ID : 7RCX  
Title : Crystal structure of *C. difficile* penicillin-binding protein 2 in apo form  
Authors : Sacco, M.; Chen, Y.  
Deposited on : 2021-07-08  
Resolution : 2.85 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtrriage (Phenix) : 1.13  
EDS : 2.35.1  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3168 (2.90-2.82)
Clashscore	141614	3438 (2.90-2.82)
Ramachandran outliers	138981	3348 (2.90-2.82)
Sidechain outliers	138945	3351 (2.90-2.82)
RSRZ outliers	127900	3103 (2.90-2.82)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	927	 7% 72% 15% 13%

## 2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 6377 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Penicillin-binding protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	811	6343	3994	1064	1267	18	0	0	0

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	S		
2	A	1	5	4	1	0	0
2	A	1	5	4	1	0	0
2	A	1	5	4	1	0	0

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 6 3 3	0	0

- Molecule 4 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total Zn 1 1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	12	Total O 12 12	0	0

### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Penicillin-binding protein



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	65.30Å 122.46Å 70.73Å 90.00° 103.40° 90.00°	Depositor
Resolution (Å)	48.86 – 2.85 48.81 – 2.85	Depositor EDS
% Data completeness (in resolution range)	91.7 (48.86-2.85) 91.7 (48.81-2.85)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.05 (at 2.86Å)	Xtrriage
Refinement program	REFMAC 5.8.0258	Depositor
R, $R_{free}$	0.208 , 0.272 0.216 , 0.275	Depositor DCC
$R_{free}$ test set	1136 reflections (4.89%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	57.7	Xtrriage
Anisotropy	0.279	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 49.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	6377	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	74.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.56% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, ZN, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.68	0/6446	0.79	0/8683

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6343	0	6318	116	0
2	A	15	0	0	0	0
3	A	6	0	8	0	0
4	A	1	0	0	0	0
5	A	12	0	0	4	0
All	All	6377	0	6326	116	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (116) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:160:LEU:O	1:A:165:ILE:HG12	1.48	1.12
1:A:160:LEU:HG	1:A:165:ILE:HD11	1.37	1.06
1:A:160:LEU:HG	1:A:165:ILE:CD1	1.87	1.03
1:A:149:ALA:HB1	1:A:191:ILE:HD11	1.01	0.98
1:A:166:LEU:HG	1:A:167:SER:H	1.25	0.98
1:A:149:ALA:CB	1:A:191:ILE:HD11	1.95	0.96
1:A:404:LYS:HA	1:A:419:ALA:HB1	1.49	0.94
1:A:149:ALA:HB1	1:A:191:ILE:CD1	1.97	0.90
1:A:160:LEU:O	1:A:165:ILE:CG1	2.20	0.89
1:A:262:TYR:H	1:A:262:TYR:HD1	1.26	0.83
1:A:188:TYR:H	1:A:188:TYR:HD1	1.27	0.82
1:A:565:PRO:HG3	5:A:1112:HOH:O	1.77	0.82
1:A:161:ILE:HG21	1:A:171:LYS:HE2	1.59	0.81
1:A:263:ASN:HB2	1:A:264:PRO:HD2	1.63	0.79
1:A:565:PRO:CG	5:A:1112:HOH:O	2.31	0.76
1:A:160:LEU:HG	1:A:165:ILE:CG1	2.16	0.75
1:A:166:LEU:HG	1:A:167:SER:N	2.00	0.75
1:A:351:ASP:N	1:A:351:ASP:OD1	2.20	0.75
1:A:401:VAL:HA	1:A:405:GLY:HA3	1.68	0.74
1:A:262:TYR:HB2	1:A:263:ASN:HD22	1.53	0.73
1:A:219:SER:HB3	1:A:222:GLU:HB2	1.71	0.72
1:A:160:LEU:C	1:A:165:ILE:HG13	2.09	0.72
1:A:160:LEU:CG	1:A:165:ILE:HD11	2.20	0.68
1:A:160:LEU:C	1:A:165:ILE:CG1	2.64	0.66
1:A:166:LEU:CG	1:A:167:SER:H	2.06	0.63
1:A:263:ASN:CB	1:A:264:PRO:HD2	2.28	0.63
1:A:228:ARG:NH2	1:A:241:ASP:OD1	2.30	0.63
1:A:250:VAL:HG22	1:A:267:ILE:HD11	1.81	0.63
1:A:160:LEU:HG	1:A:165:ILE:HG13	1.80	0.62
1:A:161:ILE:HG21	1:A:171:LYS:CE	2.29	0.61
1:A:160:LEU:CG	1:A:165:ILE:CD1	2.74	0.60
1:A:420:TYR:CE1	1:A:943:ASP:HB3	2.37	0.60
1:A:739:ARG:NH2	5:A:1102:HOH:O	2.34	0.59
1:A:420:TYR:HE1	1:A:943:ASP:HB3	1.71	0.56
1:A:404:LYS:HA	1:A:419:ALA:CB	2.32	0.55
1:A:188:TYR:CD1	1:A:188:TYR:N	2.73	0.55
1:A:183:ASN:HA	1:A:187:TYR:O	2.08	0.54
1:A:74:LEU:HD12	1:A:296:VAL:HG11	1.89	0.54
1:A:235:ILE:HG22	1:A:236:ASP:N	2.22	0.53
1:A:541:THR:HG23	1:A:545:LYS:HB3	1.91	0.53
1:A:566:ASP:OD1	1:A:566:ASP:N	2.32	0.53
1:A:188:TYR:HD1	1:A:188:TYR:N	2.00	0.53

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:777:VAL:HA	1:A:781:GLY:HA3	1.92	0.52
1:A:227:VAL:O	1:A:233:LEU:HD12	2.10	0.52
1:A:519:ILE:HD13	1:A:564:TRP:HB2	1.91	0.52
1:A:857:LEU:O	1:A:867:ARG:NH2	2.37	0.52
1:A:718:ILE:O	1:A:721:TYR:HB3	2.09	0.52
1:A:564:TRP:N	1:A:565:PRO:HD2	2.25	0.51
1:A:823:TYR:CE1	1:A:909:ILE:HA	2.46	0.50
1:A:58:GLY:O	1:A:347:LEU:HD22	2.12	0.50
1:A:191:ILE:HG13	1:A:198:PHE:HA	1.93	0.50
1:A:235:ILE:HG22	1:A:236:ASP:H	1.77	0.50
1:A:173:LEU:HD21	1:A:177:ARG:HB2	1.94	0.50
1:A:161:ILE:HA	1:A:165:ILE:HB	1.94	0.49
1:A:239:LEU:HD12	1:A:240:SER:H	1.77	0.49
1:A:518:VAL:HB	1:A:531:TRP:CE2	2.47	0.49
1:A:612:LEU:HD12	1:A:612:LEU:O	2.12	0.49
1:A:218:LEU:HD22	1:A:219:SER:H	1.78	0.48
1:A:225:GLU:O	1:A:228:ARG:HB3	2.13	0.48
1:A:431:ALA:HB1	1:A:933:ILE:HD11	1.95	0.48
1:A:397:GLN:OE1	1:A:409:LYS:N	2.46	0.48
1:A:177:ARG:N	1:A:177:ARG:HD2	2.29	0.48
1:A:172:ARG:CZ	1:A:172:ARG:HA	2.44	0.47
1:A:138:LYS:HD2	1:A:145:ASN:HA	1.96	0.47
1:A:607:SER:HB3	1:A:610:ASP:HB2	1.97	0.47
1:A:494:PHE:CZ	1:A:497:LEU:HD22	2.50	0.47
1:A:527:GLY:HA2	1:A:553:ILE:HD11	1.97	0.46
1:A:404:LYS:O	1:A:404:LYS:HG3	2.15	0.46
1:A:813:TYR:CE2	1:A:817:LYS:HD2	2.50	0.46
1:A:103:ILE:HD12	1:A:104:ASN:N	2.31	0.46
1:A:566:ASP:OD2	1:A:568:LYS:HG3	2.15	0.46
1:A:158:ASP:OD1	1:A:171:LYS:HD3	2.15	0.46
1:A:235:ILE:CG2	1:A:236:ASP:H	2.29	0.46
1:A:271:VAL:HG22	1:A:275:THR:HB	1.96	0.46
1:A:484:THR:O	1:A:714:THR:HG21	2.16	0.45
1:A:495:LYS:HG2	1:A:555:MET:HG3	1.99	0.45
1:A:565:PRO:HG2	5:A:1112:HOH:O	2.05	0.45
1:A:619:LEU:O	1:A:623:LEU:HG	2.16	0.45
1:A:271:VAL:CG2	1:A:275:THR:HB	2.46	0.44
1:A:154:TYR:O	1:A:158:ASP:OD1	2.36	0.44
1:A:792:ILE:HD11	1:A:962:LEU:CD1	2.48	0.43
1:A:138:LYS:HE3	1:A:198:PHE:CZ	2.52	0.43
1:A:235:ILE:CG2	1:A:236:ASP:N	2.82	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:115:ASP:OD2	1:A:245:ARG:NH2	2.48	0.43
1:A:262:TYR:CD1	1:A:262:TYR:N	2.74	0.43
1:A:178:LEU:C	1:A:178:LEU:HD13	2.39	0.43
1:A:412:PHE:CZ	1:A:957:GLY:HA3	2.53	0.43
1:A:518:VAL:HB	1:A:531:TRP:CD2	2.54	0.43
1:A:205:ARG:CD	1:A:217:LYS:HD3	2.49	0.43
1:A:494:PHE:CE2	1:A:497:LEU:HD22	2.54	0.42
1:A:792:ILE:HD11	1:A:962:LEU:HD11	2.01	0.42
1:A:263:ASN:CB	1:A:264:PRO:CD	2.95	0.42
1:A:410:SER:OG	1:A:411:LYS:N	2.53	0.42
1:A:299:TYR:CD1	1:A:450:PRO:HB2	2.54	0.42
1:A:588:LEU:O	1:A:717:GLN:NE2	2.53	0.42
1:A:82:ASN:OD1	1:A:82:ASN:N	2.53	0.41
1:A:368:ILE:HG22	1:A:369:GLU:N	2.35	0.41
1:A:493:SER:O	1:A:721:TYR:HE2	2.03	0.41
1:A:211:TYR:OH	1:A:252:ASP:OD1	2.38	0.41
1:A:950:LEU:N	1:A:951:PRO:CD	2.83	0.41
1:A:80:SER:HB2	1:A:83:ASP:CB	2.51	0.41
1:A:240:SER:O	1:A:243:ASP:N	2.53	0.41
1:A:131:ASP:O	1:A:134:ILE:HB	2.20	0.41
1:A:277:ALA:O	1:A:281:GLU:HG2	2.20	0.41
1:A:117:PHE:HA	1:A:118:PRO:HD3	1.88	0.41
1:A:148:ASN:HB3	1:A:151:GLU:HB2	2.02	0.41
1:A:564:TRP:N	1:A:565:PRO:CD	2.83	0.41
1:A:172:ARG:HA	1:A:172:ARG:NE	2.36	0.41
1:A:437:GLY:O	1:A:734:LEU:HA	2.21	0.41
1:A:452:LYS:O	1:A:457:ILE:HG12	2.21	0.41
1:A:806:LYS:HD2	1:A:913:LYS:HB2	2.03	0.41
1:A:497:LEU:HD11	1:A:583:ALA:HA	2.03	0.40
1:A:241:ASP:O	1:A:245:ARG:HB2	2.20	0.40
1:A:741:VAL:HG22	1:A:747:SER:HB2	2.04	0.40
1:A:86:LYS:HG3	1:A:94:ARG:HB2	2.04	0.40
1:A:193:VAL:HG13	1:A:194:SER:N	2.36	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	801/927 (86%)	736 (92%)	64 (8%)	1 (0%)	51 79

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	189	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	689/794 (87%)	674 (98%)	15 (2%)	52 79

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	66	ARG
1	A	82	ASN
1	A	172	ARG
1	A	187	TYR
1	A	188	TYR
1	A	255	LYS
1	A	257	LYS
1	A	262	TYR
1	A	267	ILE
1	A	286	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	341	LYS
1	A	348	ARG
1	A	351	ASP
1	A	411	LYS
1	A	423	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	263	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 1 is monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	SO4	A	1002	-	4,4,4	0.33	0	6,6,6	0.09	0
2	SO4	A	1001	-	4,4,4	0.67	0	6,6,6	0.11	0
3	GOL	A	1004	-	5,5,5	0.44	0	5,5,5	0.34	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	SO4	A	1003	-	4,4,4	0.64	0	6,6,6	0.08	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	A	1004	-	-	2/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	1004	GOL	O2-C2-C3-O3
3	A	1004	GOL	C1-C2-C3-O3

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	811/927 (87%)	0.39	64 (7%) <b>12</b>   <b>9</b>	30, 64, 141, 188	0

All (64) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	171	LYS	8.4
1	A	164	GLY	6.7
1	A	156	LEU	6.6
1	A	169	GLU	6.6
1	A	154	TYR	6.5
1	A	166	LEU	6.4
1	A	155	TYR	6.1
1	A	188	TYR	6.0
1	A	152	SER	5.9
1	A	165	ILE	4.9
1	A	182	LEU	4.8
1	A	174	ASP	4.7
1	A	168	GLN	4.7
1	A	153	PHE	4.6
1	A	142	GLY	4.4
1	A	181	LYS	4.4
1	A	170	ASP	4.3
1	A	138	LYS	4.2
1	A	187	TYR	4.2
1	A	123	ASN	4.1
1	A	150	LYS	4.1
1	A	176	THR	4.0
1	A	194	SER	4.0
1	A	173	LEU	3.9
1	A	178	LEU	3.9
1	A	128	TYR	3.7
1	A	147	TYR	3.7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	149	ALA	3.6
1	A	167	SER	3.6
1	A	196	TRP	3.5
1	A	160	LEU	3.5
1	A	192	LEU	3.4
1	A	157	VAL	3.4
1	A	126	TYR	3.4
1	A	189	PRO	3.3
1	A	368	ILE	3.2
1	A	158	ASP	3.2
1	A	139	SER	3.1
1	A	195	LYS	3.1
1	A	125	LYS	3.1
1	A	161	ILE	3.1
1	A	186	GLY	3.0
1	A	193	VAL	2.9
1	A	162	SER	2.8
1	A	127	TYR	2.8
1	A	260	SER	2.8
1	A	244	ALA	2.8
1	A	159	LYS	2.7
1	A	420	TYR	2.7
1	A	221	LYS	2.6
1	A	172	ARG	2.5
1	A	121	VAL	2.5
1	A	222	GLU	2.4
1	A	175	ALA	2.4
1	A	185	ASN	2.3
1	A	262	TYR	2.3
1	A	122	GLU	2.2
1	A	259	TYR	2.2
1	A	618	LEU	2.2
1	A	863	LYS	2.1
1	A	220	ALA	2.1
1	A	881	ARG	2.1
1	A	190	PRO	2.1
1	A	745	TYR	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	SO4	A	1002	5/5	0.81	0.18	107,111,120,122	0
3	GOL	A	1004	6/6	0.88	0.23	29,32,33,35	0
2	SO4	A	1003	5/5	0.91	0.35	123,127,133,136	0
2	SO4	A	1001	5/5	0.97	0.17	93,108,111,112	0
4	ZN	A	1005	1/1	0.98	0.14	59,59,59,59	0

### 6.5 Other polymers [i](#)

There are no such residues in this entry.