

# Full wwPDB X-ray Structure Validation Report (i)

#### Nov 5, 2023 – 12:11 PM EST

PDB ID	:	7RGB
Title	:	O2-, PLP-dependent desaturase Plu4 product-bound enzyme
Authors	:	Hoffarth, E.R.; Ryan, K.S.
Deposited on	:	2021-07-14
Resolution	:	2.50  Å(reported)
resolution	•	2.50 M(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
$\mathrm{EDS}$	:	2.36
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

## 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY\;DIFFRACTION$ 

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motric	Whole archive	Similar resolution
Wiethic	$(\# { m Entries})$	$(\# { m Entries},  { m resolution}  { m range}({ m \AA}))$
$R_{free}$	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	389	79%	16%	•••
1	В	389	3%	20%	• 5%
1	С	389	<sup>3%</sup> 79%	16%	••
1	D	389	72%	21%	• 5%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard



Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	BTB	В	401	-	-	Х	-
2	BTB	D	401	-	-	Х	-
4	4VI	А	403	-	-	-	Х
4	4VI	С	403	-	-	-	Х

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:



#### 7 RGB

## 2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 11783 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		Atoms					ZeroOcc	AltConf	Trace
1	Δ	379	Total	С	Ν	Ο	Р	S	0	0	0
1	Л	512	2898	1860	470	557	1	10	0	0	0
1	В	371	Total	С	Ν	Ο	Р	$\mathbf{S}$	0	0	0
1	D	371	2849	1826	462	550	1	10			U
1	С	372	Total	С	Ν	0	Р	S	0	0	0
			2898	1859	471	557	1	10	0	0	0
1	1 D	271	Total	С	Ν	0	Р	S	0	1	0
	3/1	2858	1832	464	551	1	10	0		U	

• Molecule 1 is a protein called Aminotran\_1\_2 domain-containing protein.

There are 32 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	382	LEU	-	expression tag	UNP A0A0C1MLE8
А	383	GLU	-	expression tag	UNP A0A0C1MLE8
А	384	HIS	-	expression tag	UNP A0A0C1MLE8
А	385	HIS	-	expression tag	UNP A0A0C1MLE8
А	386	HIS	-	expression tag	UNP A0A0C1MLE8
А	387	HIS	-	expression tag	UNP A0A0C1MLE8
А	388	HIS	-	expression tag	UNP A0A0C1MLE8
А	389	HIS	-	expression tag	UNP A0A0C1MLE8
В	382	LEU	-	expression tag	UNP A0A0C1MLE8
В	383	GLU	-	expression tag	UNP A0A0C1MLE8
В	384	HIS	-	expression tag	UNP A0A0C1MLE8
В	385	HIS	-	expression tag	UNP A0A0C1MLE8
В	386	HIS	-	expression tag	UNP A0A0C1MLE8
В	387	HIS	-	expression tag	UNP A0A0C1MLE8
В	388	HIS	-	expression tag	UNP A0A0C1MLE8
В	389	HIS	-	expression tag	UNP A0A0C1MLE8
C	382	LEU	-	expression tag	UNP A0A0C1MLE8
С	383	GLU	-	expression tag	UNP A0A0C1MLE8
C	384	HIS	_	expression tag	UNP A0A0C1MLE8
С	385	HIS	-	expression tag	UNP A0A0C1MLE8
C	386	HIS	-	expression tag	UNP A0A0C1MLE8
				Cor	ntinued on next page



Chain	Residue	Modelled	Actual	Comment	Reference
С	387	HIS	-	expression tag	UNP A0A0C1MLE8
С	388	HIS	-	expression tag	UNP A0A0C1MLE8
С	389	HIS	-	expression tag	UNP A0A0C1MLE8
D	382	LEU	-	expression tag	UNP A0A0C1MLE8
D	383	GLU	-	expression tag	UNP A0A0C1MLE8
D	384	HIS	-	expression tag	UNP A0A0C1MLE8
D	385	HIS	-	expression tag	UNP A0A0C1MLE8
D	386	HIS	-	expression tag	UNP A0A0C1MLE8
D	387	HIS	-	expression tag	UNP A0A0C1MLE8
D	388	HIS	-	expression tag	UNP A0A0C1MLE8
D	389	HIS	-	expression tag	UNP A0A0C1MLE8

• Molecule 2 is 2-[BIS-(2-HYDROXY-ETHYL)-AMINO]-2-HYDROXYMETHYL-PROPAN E-1,3-DIOL (three-letter code: BTB) (formula: C<sub>8</sub>H<sub>19</sub>NO<sub>5</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	1	Total         C         N         O           14         8         1         5	0	0
2	В	1	Total         C         N         O           14         8         1         5	0	0
2	С	1	Total C N O 14 8 1 5	0	0
2	D	1	Total C N O 14 8 1 5	0	0

• Molecule 3 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula:  $C_2H_6O_2$ ).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
3	С	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 4  2  2 \end{array}$	0	0
3	С	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
3	С	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 4  2  2 \end{array}$	0	0

• Molecule 4 is (2Z,4E)-5-carbamimidamido-2-iminopent-4-enoic acid (three-letter code: 4VI) (formula:  $C_6H_{10}N_4O_2$ ) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	1	Total         C         N         O           12         6         4         2	0	0
4	С	1	Total         C         N         O           12         6         4         2	0	0

• Molecule 5 is water.

		100014400	Atoms	LeroOcc	AltConf
5	А	60	Total O	0	0
5	B	39	Total O	0	0
0	D		32 32 Total O	0	0
5	С	60	$\begin{array}{ccc} 10tar & O \\ 60 & 60 \end{array}$	0	0
5	D	32	$\begin{array}{ccc} \text{Total} & \text{O} \\ 32 & 32 \end{array}$	0	0
5	C D	60 32	32         32           Total         O           60         60           Total         O           32         32	0	



## 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Aminotran\_1\_2 domain-containing protein





• Molecule 1: Aminotran\_1\_2 domain-containing protein





## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	76.37Å 72.19Å 139.63Å	Depositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $98.44^{\circ}$ $90.00^{\circ}$	Depositor
Bosolution (Å)	37.77 - 2.50	Depositor
Resolution (A)	37.77 - 2.50	EDS
% Data completeness	97.6 (37.77-2.50)	Depositor
(in resolution range)	97.6(37.77-2.50)	EDS
$R_{merge}$	0.26	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.72 (at 2.51 \text{\AA})$	Xtriage
Refinement program	PHENIX 1.14_3260	Depositor
P. P.	0.234 , $0.269$	Depositor
$n, n_{free}$	0.234 , $0.269$	DCC
$R_{free}$ test set	2577 reflections $(5.05%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	54.7	Xtriage
Anisotropy	0.370	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.30,46.8	EDS
L-test for twinning <sup>2</sup>	$ \langle L  \rangle = 0.45, \langle L^2 \rangle = 0.27$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	11783	wwPDB-VP
Average B, all atoms $(Å^2)$	67.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The analyses of the Patterson function reveals a significant off-origin peak that is 95.38 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.4209e-09. The detected translational NCS is most likely also responsible for the elevated intensity ratio.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality (i)

## 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: BTB, LLP, 4VI, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Chain		Bo	nd lengths	Bond angles	
Moi Chain	RMSZ	# Z  > 5	RMSZ	# Z  > 5	
1	А	0.35	0/2936	0.45	0/3996
1	В	0.51	1/2885~(0.0%)	0.58	1/3933~(0.0%)
1	С	0.44	2/2936~(0.1%)	0.47	0/3996
1	D	0.43	1/2894~(0.0%)	0.53	0/3944
All	All	0.44	4/11651~(0.0%)	0.51	1/15869~(0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	<b>#Planarity outliers</b>
1	А	0	1
1	С	0	1
All	All	0	2

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\operatorname{Ideal}(\operatorname{\AA})$
1	В	59	GLU	CD-OE2	-5.40	1.19	1.25
1	D	59	GLU	CD-OE2	-5.19	1.20	1.25
1	С	131	GLU	CD-OE1	-5.11	1.20	1.25
1	С	49	GLU	CD-OE2	-5.08	1.20	1.25

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Ζ	$Observed(^{o})$	$Ideal(^{o})$
1	В	46	TYR	CB-CA-C	6.02	122.44	110.40

There are no chirality outliers.



All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	А	219	LLP	Mainchain
1	С	329	LYS	Mainchain

#### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2898	0	2703	56	0
1	В	2849	0	2610	60	0
1	С	2898	0	2706	47	0
1	D	2858	0	2622	69	0
2	А	14	0	19	2	0
2	В	14	0	18	9	0
2	С	14	0	19	1	0
2	D	14	0	19	8	0
3	А	4	0	6	0	0
3	С	12	0	18	0	0
4	А	12	0	0	3	0
4	С	12	0	0	3	0
5	А	60	0	0	1	0
5	В	32	0	0	1	0
5	С	60	0	0	1	0
5	D	32	0	0	1	0
All	All	11783	0	10740	241	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (241) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:35:HIS:ND1	1:A:270:PHE:CD2	2.15	1.15
1:B:188:ARG:NH1	1:B:200:ASP:OD1	1.96	0.98
2:B:401:BTB:H61	2:B:401:BTB:H12	1.48	0.96
1:C:51:LYS:HE2	5:D:518:HOH:O	1.64	0.95



	lo do pagom	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:35:HIS:ND1	1:A:270:PHE:HD2	1.60	0.95
1:A:35:HIS:ND1	1:A:270:PHE:CE2	2.30	0.94
1:D:207:SER:OG	1:D:209:ILE:HG12	1.68	0.94
1:A:35:HIS:HD1	1:A:270:PHE:HE2	1.13	0.93
1:B:314:ILE:O	1:B:317:THR:OG1	1.88	0.92
2:B:401:BTB:H62	2:B:401:BTB:H31	1.53	0.91
1:A:69:LEU:HD22	1:A:264:VAL:HG13	1.49	0.90
1:A:34:GLU:O	1:A:37:VAL:HG22	1.71	0.90
1:A:35:HIS:CE1	1:A:270:PHE:HD2	1.91	0.89
1:C:219:LLP:NZ	4:C:403:4VI:O	2.06	0.88
1:B:134:LEU:HD22	1:B:165:MET:HE3	1.54	0.88
1:A:35:HIS:CE1	1:A:270:PHE:CD2	2.63	0.87
1:D:60:LYS:CE	2:D:401:BTB:O1	2.31	0.79
1:B:40:ILE:HD12	1:B:40:ILE:H	1.49	0.78
1:D:165:MET:HE1	1:D:173:LEU:HD22	1.66	0.77
1:D:314:ILE:O	1:D:317:THR:OG1	2.01	0.76
1:C:135:LYS:NZ	1:C:169:GLU:OE2	2.17	0.76
1:D:140:LEU:O	1:D:140:LEU:HD12	1.86	0.75
1:B:40:ILE:HD12	1:B:40:ILE:N	2.01	0.74
1:B:299:PHE:HB3	1:B:311:TRP:HB3	1.67	0.74
2:B:401:BTB:H31	2:B:401:BTB:C6	2.17	0.73
1:C:14:VAL:HA	1:C:17:LEU:HD12	1.70	0.73
1:D:371:LEU:O	1:D:375:VAL:HG23	1.89	0.72
1:A:354:ARG:NH1	4:A:403:4VI:O	2.21	0.72
1:D:312:ILE:HB	1:D:353:ILE:HG22	1.72	0.71
1:B:59:GLU:OE2	2:B:401:BTB:H42	1.90	0.71
1:D:59:GLU:HG2	1:D:83:VAL:HG21	1.73	0.71
1:D:299:PHE:HB3	1:D:311:TRP:HB3	1.71	0.71
1:B:312:ILE:HB	1:B:353:ILE:HG22	1.72	0.70
1:A:339:ARG:CZ	1:A:350:THR:HG22	2.22	0.70
1:D:163:LEU:HD23	1:D:163:LEU:C	2.12	0.69
1:B:87:ALA:HB3	1:B:219:LLP:H5'1	1.73	0.69
1:D:140:LEU:HD12	1:D:140:LEU:C	2.12	0.69
1:B:163:LEU:C	1:B:163:LEU:HD23	2.12	0.69
1:B:131:GLU:HG2	1:B:163:LEU:HD13	1.75	0.69
1:A:87:ALA:HB3	1:A:219:LLP:H5'1	1.75	0.67
1:A:112:PHE:CZ	4:A:403:4VI:CG	2.79	0.66
1:B:60:LYS:CE	2:B:401:BTB:O4	2.44	0.66
1:D:87:ALA:HB3	1:D:219:LLP:H5'1	1.77	0.66
1:C:87:ALA:HB3	1:C:219:LLP:H5'1	1.76	0.66
1:B:140:LEU:C	1:B:140:LEU:HD23	2.16	0.66



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:279:GLU:HG3	1:B:283:ARG:HD2	1.78	0.65
1:D:33:ASN:O	1:D:37:VAL:HG23	1.97	0.65
1:C:35:HIS:ND1	1:C:270:PHE:CD1	2.65	0.64
1:D:59:GLU:OE2	2:D:401:BTB:H12	1.96	0.64
1:B:131:GLU:OE1	1:B:161:THR:OG1	2.12	0.64
1:A:296:LEU:HG	1:A:314:ILE:HG22	1.80	0.64
1:B:379:LEU:N	1:B:379:LEU:HD23	2.13	0.62
1:D:164:GLU:OE1	1:D:305:CYS:HB2	1.99	0.62
1:A:273:ASP:N	1:A:273:ASP:OD2	2.31	0.62
1:B:37:VAL:HG12	1:B:41:ASN:ND2	2.15	0.62
1:D:320:ASP:OD1	1:D:323:SER:OG	2.18	0.62
1:D:23:PHE:HB3	1:D:355:VAL:HG13	1.82	0.62
1:A:34:GLU:O	1:A:37:VAL:CG2	2.46	0.61
1:B:134:LEU:HD11	1:B:154:LEU:HD22	1.83	0.61
1:D:83:VAL:HG11	1:D:257:LEU:HD21	1.82	0.60
1:B:165:MET:HE3	1:B:173:LEU:HD22	1.84	0.60
1:C:131:GLU:HG3	1:C:163:LEU:HD13	1.85	0.59
1:B:37:VAL:HG12	1:B:41:ASN:HD21	1.67	0.59
1:B:140:LEU:HD23	1:B:140:LEU:O	2.03	0.59
1:D:37:VAL:HG12	1:D:41:ASN:ND2	2.17	0.58
1:B:129:PHE:HZ	1:B:154:LEU:HD23	1.69	0.58
1:A:69:LEU:CD2	1:A:264:VAL:HG13	2.27	0.58
2:B:401:BTB:H12	2:B:401:BTB:C6	2.15	0.58
1:C:35:HIS:ND1	1:C:270:PHE:HD1	2.01	0.57
1:C:47:TRP:HZ2	1:D:32:ILE:HD11	1.67	0.57
1:D:134:LEU:HD22	1:D:165:MET:HE1	1.84	0.57
1:D:32:ILE:HG22	1:D:37:VAL:HG22	1.87	0.57
1:D:170:PHE:O	1:D:174:VAL:HG23	2.05	0.57
1:D:129:PHE:HB2	1:D:143:ILE:HD13	1.85	0.56
1:B:164:GLU:OE1	1:B:305:CYS:HB3	2.04	0.56
1:D:6:TYR:OH	1:D:15:GLU:OE1	2.13	0.56
1:B:53:HIS:HB2	1:B:58:MET:HE2	1.88	0.56
1:B:129:PHE:HB2	1:B:143:ILE:HD13	1.87	0.56
1:C:108:ILE:HA	1:C:129:PHE:HD1	1.70	0.56
1:A:339:ARG:NE	1:A:350:THR:HG22	2.19	0.56
1:B:40:ILE:H	1:B:40:ILE:CD1	2.17	0.56
1:C:32:ILE:HG23	1:C:36:TYR:HB2	1.88	0.56
1:B:83:VAL:HG11	1:B:257:LEU:HD21	1.87	0.55
1:C:15:GLU:OE2	1:C:329:LYS:NZ	2.39	0.55
1:A:14:VAL:HA	1:A:17:LEU:HD12	1.89	0.55
1:B:20:LEU:HB2	1:B:332:ASP:HB3	1.88	0.55



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:273:ASP:HA	1:A:277:LYS:HB2	1.87	0.55
1:A:219:LLP:O3	4:A:403:4VI:OXT	2.24	0.54
1:B:32:ILE:HG21	1:B:40:ILE:HD13	1.88	0.54
1:B:375:VAL:O	1:B:379:LEU:HG	2.07	0.54
1:C:204:LEU:O	1:C:207:SER:OG	2.24	0.54
1:C:69:LEU:HD22	1:C:264:VAL:HG13	1.89	0.54
1:B:23:PHE:HB3	1:B:355:VAL:HG13	1.89	0.53
2:D:401:BTB:C4	2:D:401:BTB:C6	2.85	0.53
1:A:339:ARG:CZ	1:A:350:THR:CG2	2.86	0.53
1:A:106:ALA:HB2	1:A:149:ILE:HG21	1.89	0.53
1:C:177:CYS:HB3	1:C:182:ILE:HB	1.89	0.53
1:B:206:GLN:OE1	1:B:206:GLN:HA	2.09	0.52
1:D:199:ASP:O	1:D:203:ILE:HG13	2.08	0.52
2:B:401:BTB:H72	2:B:401:BTB:O3	2.07	0.52
1:D:32:ILE:HD13	1:D:40:ILE:HG13	1.92	0.52
1:D:273:ASP:HA	1:D:277:LYS:HB2	1.91	0.52
1:D:379:LEU:N	1:D:379:LEU:HD23	2.25	0.52
1:D:188:ARG:NH1	1:D:200:ASP:OD1	2.42	0.52
1:A:32:ILE:HG23	1:A:36:TYR:HB2	1.92	0.52
1:A:193:TYR:HE1	1:A:280:VAL:HG21	1.75	0.52
1:B:59:GLU:HG2	1:B:83:VAL:HG21	1.92	0.52
1:B:65:GLN:HG2	1:B:261:LYS:HG3	1.92	0.52
1:D:60:LYS:CE	2:D:401:BTB:H82	2.40	0.52
1:C:83:VAL:HG11	1:C:257:LEU:HD21	1.92	0.52
1:B:199:ASP:O	1:B:203:ILE:HG13	2.10	0.51
1:D:129:PHE:HZ	1:D:154:LEU:HD23	1.75	0.51
1:D:331:HIS:O	1:D:332:ASP:HB2	2.11	0.51
2:B:401:BTB:C6	2:B:401:BTB:C3	2.85	0.51
1:D:134:LEU:HD11	1:D:154:LEU:HD22	1.93	0.51
1:D:37:VAL:HG12	1:D:41:ASN:HD21	1.74	0.51
1:C:112:PHE:CZ	4:C:403:4VI:CG	2.94	0.50
1:D:10:THR:O	1:D:14:VAL:HG23	2.12	0.50
1:C:108:ILE:HG23	1:C:111:ALA:HB2	1.94	0.50
1:D:59:GLU:OE2	2:D:401:BTB:C1	2.59	0.50
1:B:283:ARG:NH2	1:B:359:LYS:O	2.45	0.49
1:D:308:PRO:HB2	1:D:358:MET:HG2	1.94	0.49
1:B:53:HIS:HB2	1:B:58:MET:CE	2.43	0.49
1:B:114:ASN:HA	1:B:117:LEU:HB2	1.94	0.49
1:C:235:GLU:O	1:C:238:SER:OG	2.27	0.49
1:D:283:ARG:NH1	1:D:357:LEU:O	2.44	0.49
1:C:339:ARG:CZ	1:C:350:THR:HG22	2.43	0.49



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:C:118:LEU:HD21	1:D:248:ILE:HG12	1.95	0.49
1:A:149:ILE:HD12	1:A:182:ILE:HD12	1.93	0.48
1:B:10:THR:O	1:B:14:VAL:HG23	2.13	0.48
1:B:154:LEU:HD11	1:B:173:LEU:HD21	1.95	0.48
1:D:114:ASN:HA	1:D:117:LEU:HB2	1.95	0.48
1:C:137:GLU:HA	1:C:172:TYR:CE2	2.48	0.48
1:D:166:THR:HG1	1:D:169:GLU:CD	2.14	0.48
1:A:87:ALA:HB2	1:A:216:ASP:HB2	1.95	0.48
1:C:35:HIS:HD1	1:C:270:PHE:HE1	1.62	0.48
1:C:87:ALA:HB2	1:C:216:ASP:HB2	1.96	0.48
1:C:193:TYR:HE1	1:C:280:VAL:HG21	1.79	0.47
1:C:296:LEU:HG	1:C:314:ILE:HG22	1.96	0.47
1:B:131:GLU:CG	1:B:163:LEU:HD13	2.43	0.47
1:C:35:HIS:ND1	1:C:270:PHE:CE1	2.82	0.47
1:C:35:HIS:CE1	1:C:270:PHE:HD1	2.32	0.47
1:D:32:ILE:HG22	1:D:37:VAL:CG2	2.45	0.47
1:B:33:ASN:O	1:B:37:VAL:HG23	2.14	0.47
1:C:137:GLU:HA	1:C:172:TYR:HE2	1.80	0.47
1:C:91:ILE:HD13	1:C:115:LEU:HG	1.96	0.47
1:C:200:ASP:OD1	1:C:200:ASP:N	2.47	0.47
1:C:131:GLU:OE2	1:C:161:THR:HG21	2.15	0.47
1:D:59:GLU:HG2	1:D:83:VAL:CG2	2.44	0.47
1:D:65:GLN:HG2	1:D:261:LYS:HG3	1.97	0.47
1:A:56:PRO:O	1:A:60:LYS:HG3	2.15	0.47
1:A:91:ILE:HD13	1:A:115:LEU:HG	1.97	0.47
1:B:72:SER:HA	1:B:199:ASP:OD1	2.15	0.46
1:C:348:GLN:NE2	5:C:504:HOH:O	2.47	0.46
1:B:308:PRO:HB2	1:B:358:MET:HG2	1.97	0.46
2:A:401:BTB:H32	2:A:401:BTB:H72	1.65	0.46
2:B:401:BTB:H61	2:B:401:BTB:C1	2.33	0.46
1:A:339:ARG:NH2	1:A:350:THR:HG22	2.31	0.46
1:A:118:LEU:HD21	1:B:248:ILE:HG12	1.98	0.46
1:C:270:PHE:CD2	1:C:270:PHE:N	2.83	0.46
1:A:299:PHE:HB3	1:A:311:TRP:HB3	1.98	0.45
1:D:167:GLU:O	1:D:171:VAL:HG12	2.17	0.45
1:A:108:ILE:HG23	1:A:111:ALA:HB2	1.98	0.45
1:C:270:PHE:N	1:C:270:PHE:HD2	2.14	0.45
1:D:63:LYS:HE3	1:D:63:LYS:HB3	1.79	0.45
1:A:287:ILE:HD12	1:A:310:CYS:SG	2.55	0.45
1:D:166:THR:OG1	1:D:169:GLU:OE2	2.19	0.45
1:D:104:ARG:HD3	1:D:150:ASP:OD2	2.17	0.45



	A L C	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:B:170:PHE:O	1:B:174:VAL:HG23	2.17	0.45
1:B:140:LEU:C	1:B:140:LEU:CD2	2.85	0.45
1:A:112:PHE:HD2	1:A:114:ASN:OD1	1.99	0.45
1:A:339:ARG:NH2	1:A:350:THR:CG2	2.80	0.45
1:D:189:THR:HG23	1:D:216:ASP:HB3	1.99	0.45
1:B:163:LEU:HD23	1:B:163:LEU:O	2.16	0.44
1:B:212:VAL:HG22	1:B:233:TYR:HB3	1.99	0.44
1:C:47:TRP:CZ2	1:D:32:ILE:HD11	2.49	0.44
1:D:165:MET:CE	1:D:173:LEU:HD22	2.43	0.44
1:D:224:GLN:O	1:D:225:ASP:HB2	2.17	0.44
1:A:136:ASN:OD1	1:A:139:GLN:HB2	2.16	0.44
1:D:23:PHE:CB	1:D:355:VAL:HG13	2.47	0.44
1:D:140:LEU:C	1:D:140:LEU:CD1	2.85	0.44
1:D:155:VAL:HA	1:D:187:ASP:HB3	2.00	0.44
2:D:401:BTB:H52	2:D:401:BTB:H42	1.66	0.44
1:A:359:LYS:HA	1:A:359:LYS:HD3	1.79	0.44
1:A:200:ASP:N	1:A:200:ASP:OD1	2.49	0.44
1:A:348:GLN:NE2	5:A:507:HOH:O	2.51	0.44
2:C:401:BTB:H11	2:C:401:BTB:H72	1.76	0.44
1:B:163:LEU:C	1:B:163:LEU:CD2	2.86	0.43
1:A:137:GLU:HA	1:A:172:TYR:CE1	2.53	0.43
1:B:33:ASN:OD1	1:B:35:HIS:HB2	2.18	0.43
1:A:291:LEU:HD22	1:A:296:LEU:HD22	1.99	0.43
1:B:145:SER:HA	1:B:180:HIS:CD2	2.54	0.43
1:C:56:PRO:O	1:C:60:LYS:HG3	2.19	0.43
1:D:155:VAL:HG22	1:D:187:ASP:HB3	2.00	0.43
1:D:200:ASP:OD2	1:D:200:ASP:N	2.52	0.43
1:A:270:PHE:N	1:A:270:PHE:CD1	2.86	0.43
2:D:401:BTB:C4	2:D:401:BTB:H61	2.49	0.43
1:D:379:LEU:N	1:D:379:LEU:CD2	2.81	0.43
1:A:35:HIS:CG	1:A:270:PHE:CD2	3.02	0.42
1:D:226:LEU:HD22	1:D:259:LEU:HD23	2.01	0.42
1:C:299:PHE:HB3	1:C:311:TRP:HB3	2.01	0.42
1:D:69:LEU:HD22	1:D:264:VAL:HG13	2.02	0.42
2:A:401:BTB:H51	2:A:401:BTB:H81	1.29	0.42
1:C:70:ILE:HG13	1:C:72:SER:HB3	2.00	0.42
1:A:35:HIS:CE1	1:A:270:PHE:CE2	2.99	0.42
1:C:9:LEU:HD22	1:C:336:LEU:HD13	2.02	0.42
1:A:83:VAL:HG11	1:A:257:LEU:HD21	2.00	0.42
1:B:226:LEU:HD21	1:B:256:ALA:HA	2.01	0.42
1:B:273:ASP:HA	1:B:277:LYS:HB2	2.01	0.42



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:A:270:PHE:N	1:A:270:PHE:HD1	2.18	0.42
1:C:155:VAL:HG22	1:C:187:ASP:HB3	2.01	0.42
1:B:307:LEU:C	1:B:309:LEU:H	2.23	0.41
1:B:189:THR:HG23	1:B:216:ASP:HB3	2.02	0.41
1:A:106:ALA:HB3	1:A:152:LEU:HD12	2.02	0.41
1:C:13:GLU:OE2	4:C:403:4VI:N	2.53	0.41
1:D:163:LEU:HD23	1:D:163:LEU:O	2.20	0.41
1:A:51:LYS:HE2	5:B:513:HOH:O	2.21	0.41
1:B:331:HIS:O	1:B:332:ASP:HB2	2.19	0.41
1:A:188:ARG:HD3	1:A:191:ARG:NH2	2.35	0.41
1:C:359:LYS:HA	1:C:359:LYS:HD3	1.94	0.41
1:D:226:LEU:HD21	1:D:256:ALA:HA	2.02	0.41
1:A:135:LYS:NZ	1:A:164:GLU:O	2.53	0.41
1:B:166:THR:HG23	1:B:169:GLU:OE2	2.21	0.41
1:A:309:LEU:HD22	1:A:354:ARG:CZ	2.50	0.41
1:A:108:ILE:HA	1:A:129:PHE:HD2	1.84	0.41
1:B:324:PHE:CE2	1:B:328:LEU:HD11	2.55	0.41
1:D:277:LYS:O	1:D:280:VAL:HG12	2.21	0.41
1:A:35:HIS:CG	1:A:270:PHE:HD2	2.35	0.41
1:A:107:LEU:HD22	1:A:119:LEU:HD12	2.02	0.41
1:A:272:VAL:O	1:A:276:ILE:N	2.47	0.41
1:C:287:ILE:HD12	1:C:310:CYS:SG	2.61	0.41
1:A:186:LEU:HD12	1:A:186:LEU:HA	1.92	0.40
1:D:9:LEU:HD22	1:D:336:LEU:HG	2.03	0.40
1:D:188:ARG:NH2	1:D:191:ARG:HG3	2.36	0.40
2:D:401:BTB:H11	2:D:401:BTB:H71	1.48	0.40
1:C:17:LEU:HD22	1:D:55:ILE:HB	2.02	0.40
1:C:336:LEU:HD23	1:C:336:LEU:HA	1.85	0.40
1:D:185:LEU:HD12	1:D:212:VAL:HB	2.02	0.40
1:D:212:VAL:HG22	1:D:233:TYR:HB3	2.02	0.40
1:B:206:GLN:OE1	1:B:206:GLN:CA	2.70	0.40
1:C:159:ASN:HA	1:C:160:PRO:HA	1.92	0.40

There are no symmetry-related clashes.

#### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries



of similar resolution.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	367/389~(94%)	355~(97%)	12 (3%)	0	100	100
1	В	364/389~(94%)	354~(97%)	10 (3%)	0	100	100
1	С	367/389~(94%)	355~(97%)	12 (3%)	0	100	100
1	D	365/389~(94%)	352~(96%)	13~(4%)	0	100	100
All	All	1463/1556~(94%)	1416 (97%)	47(3%)	0	100	100

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

There are no Ramachandran outliers to report.

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	$\mathbf{ntiles}$
1	А	292/344~(85%)	286~(98%)	6 (2%)	53	78
1	В	281/344~(82%)	271~(96%)	10 (4%)	35	61
1	С	293/344~(85%)	287~(98%)	6 (2%)	55	79
1	D	282/344~(82%)	269~(95%)	13~(5%)	27	50
All	All	1148/1376 (83%)	1113 (97%)	35 (3%)	40	68

All (35) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	70	ILE
1	А	114	ASN
1	А	153	PHE
1	А	173	LEU
1	А	225	ASP
1	А	273	ASP
1	В	63	LYS
1	В	120	LYS



Mol	Chain	Res	Type
1	В	153	PHE
1	В	168	SER
1	В	175	GLU
1	В	200	ASP
1	В	233	TYR
1	В	252	SER
1	В	305	CYS
1	В	347	SER
1	С	114	ASN
1	С	127	SER
1	С	129	PHE
1	С	153	PHE
1	С	173	LEU
1	С	329	LYS
1	D	20	LEU
1	D	140	LEU
1	D	153	PHE
1	D	165	MET
1	D	168	SER
1	D	206	GLN
1	D	207	SER
1	D	233	TYR
1	D	243	LEU
1	D	273	ASP
1	D	305	CYS
1	D	323	SER
1	D	379	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	139	GLN
1	В	41	ASN
1	D	41	ASN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.



### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Tune	Chain	Dec	Tiple	Bo	ond leng	$_{\rm ths}$	B	ond ang	les
IVIOI	туре	Chain	nes	LINK	Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	LLP	D	219	1	23,24,25	2.62	5 (21%)	25,32,34	1.33	4 (16%)
1	LLP	А	219	1	23,24,25	2.65	7 (30%)	25,32,34	1.36	4 (16%)
1	LLP	С	219	1	23,24,25	2.63	7 (30%)	25,32,34	1.35	4 (16%)
1	LLP	В	219	1	23,24,25	2.60	5 (21%)	25,32,34	1.30	4 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	LLP	D	219	1	-	4/16/17/19	0/1/1/1
1	LLP	А	219	1	-	1/16/17/19	0/1/1/1
1	LLP	С	219	1	-	1/16/17/19	0/1/1/1
1	LLP	В	219	1	-	5/16/17/19	0/1/1/1

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
1	D	219	LLP	C4-C4'	8.05	1.61	1.46
1	В	219	LLP	C4-C4'	8.03	1.61	1.46
1	А	219	LLP	C4-C4'	8.03	1.61	1.46
1	С	219	LLP	C4-C4'	7.99	1.61	1.46
1	С	219	LLP	C4'-NZ	4.86	1.43	1.27
1	А	219	LLP	C4'-NZ	4.84	1.43	1.27
1	В	219	LLP	C4'-NZ	4.81	1.43	1.27
1	D	219	LLP	C4'-NZ	4.77	1.43	1.27
1	А	219	LLP	C4-C5	-4.39	1.36	1.42
1	С	219	LLP	C4-C5	-4.38	1.36	1.42
1	D	219	LLP	C4-C5	-4.37	1.36	1.42



Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	В	219	LLP	C4-C5	-4.33	1.36	1.42
1	С	219	LLP	C2'-C2	3.54	1.56	1.50
1	D	219	LLP	C2'-C2	3.52	1.56	1.50
1	А	219	LLP	C2'- $C2$	3.51	1.56	1.50
1	В	219	LLP	C2'-C2	3.38	1.56	1.50
1	А	219	LLP	C6-N1	3.10	1.41	1.34
1	С	219	LLP	C6-N1	3.07	1.40	1.34
1	D	219	LLP	C6-N1	3.07	1.40	1.34
1	В	219	LLP	C6-N1	2.98	1.40	1.34
1	С	219	LLP	C3-C2	2.09	1.43	1.40
1	А	219	LLP	C5'-C5	2.07	1.56	1.50
1	A	219	LLP	C3-C2	2.03	1.42	1.40
1	C	219	LLP	C5'-C5	2.01	1.56	1.50

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms		$Observed(^{o})$	$Ideal(^{o})$
1	D	219	LLP	CE-NZ-C4'	-3.29	108.80	118.90
1	В	219	LLP	C4-C4'-NZ	-3.27	109.29	124.31
1	С	219	LLP	CE-NZ-C4'	-3.20	109.07	118.90
1	D	219	LLP	C4-C4'-NZ	-3.13	109.96	124.31
1	В	219	LLP	CE-NZ-C4'	-2.99	109.70	118.90
1	А	219	LLP	CE-NZ-C4'	-2.99	109.72	118.90
1	С	219	LLP	C4-C4'-NZ	-2.80	111.45	124.31
1	А	219	LLP	C4-C4'-NZ	-2.75	111.69	124.31
1	С	219	LLP	C5-C6-N1	-2.49	119.67	123.82
1	А	219	LLP	C5-C6-N1	-2.47	119.70	123.82
1	В	219	LLP	C5-C6-N1	-2.40	119.81	123.82
1	D	219	LLP	C5-C6-N1	-2.40	119.82	123.82
1	А	219	LLP	C3-C4-C5	2.28	120.01	118.26
1	С	219	LLP	C3-C4-C5	2.23	119.97	118.26
1	D	219	LLP	C3-C4-C5	2.19	119.94	118.26
1	В	219	LLP	C3-C4-C5	2.08	119.85	118.26

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	В	219	LLP	C5'-OP4-P-OP2
1	В	219	LLP	C5'-OP4-P-OP3
1	D	219	LLP	C5'-OP4-P-OP3
1	А	219	LLP	CG-CD-CE-NZ



001000	naca jion	e proces	ouo pugo	•••
Mol	Chain	Res	Type	Atoms
1	В	219	LLP	CG-CD-CE-NZ
1	D	219	LLP	CG-CD-CE-NZ
1	В	219	LLP	C3-C4-C4'-NZ
1	D	219	LLP	C3-C4-C4'-NZ
1	С	219	LLP	CG-CD-CE-NZ
1	D	219	LLP	C5'-OP4-P-OP2
1	В	219	LLP	C5-C4-C4'-NZ

There are no ring outliers.

4 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	D	219	LLP	1	0
1	А	219	LLP	2	0
1	С	219	LLP	2	0
1	В	219	LLP	1	0

### 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry (i)

10 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Type Chain Res		Dec	og Link	Bo	Bond lengths			Bond angles		
	туре	Type Chain	nes		Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z >2	
3	EDO	А	402	-	3,3,3	0.46	0	$2,\!2,\!2$	0.36	0	
3	EDO	C	402	-	3,3,3	0.46	0	$2,\!2,\!2$	0.38	0	
4	4VI	А	403	-	10,11,11	2.65	4 (40%)	7,13,13	1.14	1 (14%)	
2	BTB	В	401	-	13,13,13	1.82	4 (30%)	7,16,16	1.25	2 (28%)	
2	BTB	С	401	-	13,13,13	0.55	0	7,16,16	0.54	0	
2	BTB	А	401	-	13,13,13	0.58	0	7,16,16	0.57	0	



Mal	Mol Type Chain		Dec	Link	Bo	Bond lengths			Bond angles		
WIOI	I Type Cham	nes	Counts		RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2		
3	EDO	С	404	-	3,3,3	0.48	0	2,2,2	0.27	0	
3	EDO	С	405	-	3,3,3	0.48	0	2,2,2	0.26	0	
4	4VI	C	403	-	10,11,11	2.13	4 (40%)	7,13,13	1.27	2 (28%)	
2	BTB	D	401	-	13,13,13	1.56	2 (15%)	7,16,16	0.89	0	

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	А	402	-	-	0/1/1/1	-
3	EDO	С	402	-	-	0/1/1/1	-
4	4VI	А	403	-	-	1/7/11/11	-
2	BTB	В	401	-	-	5/21/21/21	-
2	BTB	С	401	-	-	4/21/21/21	-
2	BTB	А	401	-	-	5/21/21/21	-
3	EDO	С	404	-	-	0/1/1/1	-
3	EDO	С	405	-	-	0/1/1/1	-
4	4VI	С	403	-	-	1/7/11/11	-
2	BTB	D	401	-	_	13/21/21/21	-

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	А	403	4VI	CZ-NE	6.32	1.45	1.37
4	С	403	4VI	CZ-NE	4.10	1.42	1.37
2	В	401	BTB	C3-C2	-3.34	1.48	1.53
4	А	403	4VI	CZ-NH1	3.26	1.45	1.32
2	D	401	BTB	C3-C2	-2.93	1.49	1.53
2	В	401	BTB	C1-C2	-2.83	1.49	1.53
4	С	403	4VI	OXT-C	-2.70	1.22	1.30
4	А	403	4VI	CB-CA	2.55	1.53	1.50
4	С	403	4VI	CZ-NH1	-2.51	1.22	1.32
2	D	401	BTB	C5-N	-2.48	1.44	1.48
2	В	401	BTB	C2-N	-2.43	1.43	1.48
2	В	401	BTB	C7-N	-2.42	1.44	1.48
4	С	403	4VI	CA-N	-2.19	1.22	1.27
4	А	403	4VI	CZ-NH2	-2.18	1.25	1.34

All (5) bond angle outliers are listed below:



Mol	Chain	Res	Type	Atoms	Ζ	$\mathbf{Observed}(^{o})$	$\operatorname{Ideal}(^{o})$
4	С	403	4VI	CG-CD-NE	-2.22	117.15	123.80
4	С	403	4VI	OXT-C-O	-2.20	118.58	123.61
2	В	401	BTB	O3-C3-C2	-2.18	105.46	111.44
2	В	401	BTB	O1-C1-C2	-2.01	105.94	111.44
4	А	403	4VI	OXT-C-O	-2.01	119.02	123.61

There are no chirality outliers.

Mol	Chain	Res	Type	Atoms
2	А	401	BTB	C1-C2-C4-O4
2	А	401	BTB	C3-C2-C4-O4
2	А	401	BTB	N-C2-C4-O4
2	А	401	BTB	C8-C7-N-C5
2	А	401	BTB	N-C7-C8-O8
2	В	401	BTB	C1-C2-C4-O4
2	В	401	BTB	C3-C2-C4-O4
2	В	401	BTB	N-C2-C4-O4
2	В	401	BTB	C6-C5-N-C2
2	В	401	BTB	N-C7-C8-O8
2	С	401	BTB	C1-C2-C3-O3
2	С	401	BTB	C4-C2-C3-O3
2	С	401	BTB	N-C2-C3-O3
2	С	401	BTB	C8-C7-N-C5
2	D	401	BTB	O1-C1-C2-C3
2	D	401	BTB	O1-C1-C2-C4
2	D	401	BTB	O1-C1-C2-N
2	D	401	BTB	C1-C2-C3-O3
2	D	401	BTB	C1-C2-N-C5
2	D	401	BTB	C1-C2-N-C7
2	D	401	BTB	C3-C2-N-C5
2	D	401	BTB	C3-C2-N-C7
2	D	401	BTB	C4-C2-N-C5
2	D	401	BTB	C4-C2-N-C7
2	D	401	BTB	N-C5-C6-O6
4	А	403	4VI	CA-CB-CG-CD
4	С	403	4VI	CA-CB-CG-CD
2	D	401	BTB	C4-C2-C3-O3
2	D	401	BTB	C1-C2-C4-O4

All (29) torsion outliers are listed below:

There are no ring outliers.

6 monomers are involved in 26 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	А	403	4VI	3	0
2	В	401	BTB	9	0
2	С	401	BTB	1	0
2	А	401	BTB	2	0
4	С	403	4VI	3	0
2	D	401	BTB	8	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and sufficient must be highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







## 5.7 Other polymers (i)

There are no such residues in this entry.

## 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



## 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	371/389~(95%)	-0.00	12 (3%) 47 51	41, 64, 88, 105	0
1	В	370/389~(95%)	0.21	12 (3%) 47 51	42, 74, 100, 112	0
1	С	371/389~(95%)	-0.01	10 (2%) 54 58	40, 61, 87, 113	0
1	D	370/389~(95%)	0.23	19 (5%) 28 29	38, 71, 95, 112	1 (0%)
All	All	1482/1556~(95%)	0.11	53 (3%) 42 46	38, 67, 94, 113	1 (0%)

All (53) RSRZ outliers are listed below:

Mol	Chain	$\mathbf{Res}$	Type	RSRZ	
1	В	85	PRO	4.0	
1	А	85	PRO	3.8	
1	D	84	CYS	3.6	
1	В	84	CYS	3.5	
1	D	86	THR	3.5	
1	В	251	CYS	3.5	
1	D	251	CYS	3.5	
1	А	86	THR	3.3	
1	А	305	CYS	3.1	
1	А	184	ILE	3.1	
1	С	85	PRO	3.0	
1	В	248	ILE	3.0	
1	D	252	SER	3.0	
1	А	89	ASN	3.0	
1	D	276	ILE	2.9	
1	D	295	GLY	2.9	
1	D	85	PRO	2.8	
1	С	89	ASN	2.8	
1	D	87	ALA	2.8	
1	С	86	THR	2.7	
1	D	248	ILE	2.7	



Mol	Chain	Res	Type	RSRZ
1	А	291	LEU	2.7
1	D	298	VAL	2.7
1	D	328	LEU	2.5
1	С	184	ILE	2.5
1	А	27	HIS	2.5
1	А	227	LYS	2.4
1	В	86	THR	2.4
1	В	179	ALA	2.4
1	В	252	SER	2.4
1	В	87	ALA	2.3
1	С	274	ALA	2.3
1	D	379	LEU	2.3
1	А	225	ASP	2.3
1	В	228	ILE	2.2
1	D	129	PHE	2.2
1	С	182	ILE	2.2
1	В	89	ASN	2.2
1	С	209	ILE	2.2
1	В	249	PHE	2.2
1	D	140	LEU	2.1
1	С	27	HIS	2.1
1	С	305	CYS	2.1
1	С	149	ILE	2.1
1	В	134	LEU	2.1
1	D	253	SER	2.1
1	D	179	ALA	2.1
1	D	83	VAL	2.1
1	A	226	LEU	2.1
1	A	296	LEU	2.1
1	А	182	ILE	2.0
1	D	134	LEU	2.0
1	D	378	ILE	2.0

Continued from previous page...

### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathrm{\AA}^2)$	Q<0.9
1	LLP	А	219	24/25	0.95	0.23	45,48,52,52	0



Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathrm{\AA}^2)$	Q<0.9
1	LLP	С	219	24/25	0.95	0.25	44,49,58,64	0
1	LLP	В	219	24/25	0.96	0.26	50, 56, 59, 61	0
1	LLP	D	219	24/25	0.96	0.24	$46,\!51,\!56,\!59$	0

### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
4	4VI	С	403	12/12	0.63	0.67	39,43,46,47	12
4	4VI	А	403	12/12	0.72	0.45	66,70,76,76	0
3	EDO	С	404	4/4	0.77	0.31	70,70,70,70	0
3	EDO	С	405	4/4	0.78	0.32	70,70,70,70	0
2	BTB	D	401	14/14	0.84	0.22	78,81,85,85	0
3	EDO	С	402	4/4	0.86	0.19	79,79,79,79	0
2	BTB	В	401	14/14	0.88	0.19	79,81,85,85	0
2	BTB	С	401	14/14	0.88	0.17	83,85,87,87	0
2	BTB	А	401	14/14	0.89	0.17	83,85,87,87	0
3	EDO	А	402	4/4	0.91	0.17	86,86,86,86	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







## 6.5 Other polymers (i)

There are no such residues in this entry.

