



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 1, 2022 – 12:22 PM EDT

PDB ID : 5RLN
Title : PanDDA analysis group deposition – Crystal Structure of SARS-CoV-2 heli-
case in complex with Z364328788
Authors : Newman, J.A.; Yosaatmadja, Y.; Douangamath, A.; Aimon, A.; Powell, A.J.;
Dias, A.; Fearon, D.; Dunnett, L.; Brandao-Neto, J.; Krojer, T.; Skyner, R.;
Gorrie-Stone, T.; Thompson, W.; von Delft, F.; Arrowsmith, C.H.; Edwards,
A.; Bountra, C.; Gileadi, O.
Deposited on : 2020-09-16
Resolution : 2.15 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at <http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : 2.29
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.29


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2523 (2.16-2.12)
Clashscore	141614	2653 (2.16-2.12)
Ramachandran outliers	138981	2618 (2.16-2.12)
Sidechain outliers	138945	2617 (2.16-2.12)
RSRZ outliers	127900	2485 (2.16-2.12)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	601	 15% 83% 12% • 5%
1	B	601	 3% 82% 14% ••

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 9420 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Helicase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	572	Total 4417	C 2816	N 737	O 832	S 32	0	0	0
1	B	585	Total 4508	C 2875	N 750	O 848	S 35	0	1	0

- Molecule 2 is 3-(acetylamino)-4-fluorobenzoic acid (three-letter code: NZG) (formula: $C_9H_8FNO_3$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	F	N	O		
2	A	1	Total 14	C 9	F 1	N 1	O 3	0	0

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	3	Total 3	Zn 3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	3	Total	Zn	0	0
			3	3		

- Molecule 4 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	P	0	0
			5	4	1		
4	A	1	Total	O	P	0	0
			5	4	1		
4	B	1	Total	O	P	0	0
			5	4	1		
4	B	1	Total	O	P	0	0
			5	4	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	205	Total	O	0	0
			205	205		
5	B	250	Total	O	0	0
			250	250		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Helicase



- Molecule 1: Helicase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	59.11Å 70.37Å 85.92Å 102.79° 96.70° 112.26°	Depositor
Resolution (Å)	62.34 – 2.15 62.34 – 2.15	Depositor EDS
% Data completeness (in resolution range)	96.8 (62.34-2.15) 96.8 (62.34-2.15)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.13 (at 2.14Å)	Xtrriage
Refinement program	BUSTER 2.10.3 (20-MAY-2020)	Depositor
R, R_{free}	0.174 , 0.258 0.193 , 0.270	Depositor DCC
R_{free} test set	3316 reflections (5.15%)	wwPDB-VP
Wilson B-factor (Å ²)	39.9	Xtrriage
Anisotropy	0.415	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 45.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	9420	wwPDB-VP
Average B, all atoms (Å ²)	68.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.69% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, PO4, NZG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.51	0/4517	0.65	0/6156
1	B	0.54	0/4610	0.66	0/6283
All	All	0.53	0/9127	0.66	0/12439

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4417	0	4322	44	0
1	B	4508	0	4425	42	0
2	A	14	0	0	3	0
3	A	3	0	0	0	0
3	B	3	0	0	0	0
4	A	10	0	0	0	0
4	B	10	0	0	0	0
5	A	205	0	0	0	0
5	B	250	0	0	4	0
All	All	9420	0	8747	86	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 5.

All (86) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:331:SER:HB2	1:A:353:GLU:HG3	1.58	0.86
1:A:158:LEU:HD21	1:A:164:HIS:ND1	1.94	0.83
1:A:326:PRO:HB2	1:A:329:LYS:HZ3	1.53	0.72
1:A:326:PRO:HG2	1:A:329:LYS:NZ	2.05	0.72
1:A:326:PRO:HG2	1:A:329:LYS:HZ1	1.57	0.69
1:A:158:LEU:HD11	1:A:164:HIS:CE1	2.33	0.63
1:B:333:ILE:HB	1:B:358:CYS:HB2	1.80	0.62
1:A:333:ILE:HB	1:A:358:CYS:HB2	1.82	0.62
1:A:442:ARG:HD3	2:A:701:NZG:C6	2.33	0.59
1:A:19:CYS:HB2	1:A:23:PRO:HD2	1.85	0.59
1:B:474[B]:MET:HG2	1:B:590:LEU:HB2	1.83	0.59
1:B:19:CYS:HB2	1:B:23:PRO:HD2	1.86	0.56
1:B:508:LYS:HD2	5:B:874:HOH:O	2.05	0.56
1:A:445:PRO:HD2	1:A:448:ILE:HD12	1.86	0.56
1:A:326:PRO:HB2	1:A:329:LYS:NZ	2.20	0.56
1:B:510:VAL:HG21	1:B:541:TYR:CD1	2.40	0.56
1:A:326:PRO:CB	1:A:329:LYS:HZ3	2.19	0.55
1:A:510:VAL:HG21	1:A:541:TYR:CD1	2.42	0.55
1:A:442:ARG:HA	1:A:464:HIS:HB3	1.89	0.54
1:B:445:PRO:HD2	1:B:448:ILE:HD12	1.88	0.54
1:B:505:ALA:O	1:B:508:LYS:HE2	2.07	0.54
1:A:260:ASP:HA	1:A:263:SER:OG	2.08	0.54
1:B:442:ARG:HA	1:B:464:HIS:HB3	1.90	0.53
1:B:414:LYS:NZ	5:B:808:HOH:O	2.42	0.52
1:A:519:ASN:HB3	1:A:530:THR:CG2	2.39	0.52
1:B:203:GLY:HA3	1:B:210:VAL:HG23	1.92	0.52
1:B:511:PHE:HB3	1:B:530:THR:HG22	1.92	0.52
1:A:442:ARG:HD3	2:A:701:NZG:C7	2.39	0.52
1:B:387:VAL:HG13	1:B:391:LEU:HD12	1.92	0.51
1:A:12:THR:HG21	1:A:26:CYS:HA	1.93	0.50
1:B:460:LYS:NZ	5:B:801:HOH:O	2.21	0.50
1:B:177:ASN:HB3	1:B:516:ASN:ND2	2.27	0.49
1:B:8:CYS:SG	1:B:99:GLY:N	2.86	0.49
1:B:551:GLU:HG2	1:B:577:SER:HB3	1.95	0.49
1:A:290:HIS:ND1	2:A:701:NZG:C1	2.76	0.48
1:A:326:PRO:CG	1:A:329:LYS:NZ	2.75	0.48
1:A:387:VAL:HG13	1:A:391:LEU:HD12	1.96	0.48
1:A:533:VAL:HG11	1:A:560:ARG:HG3	1.96	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:182:PHE:HB3	1:B:225:PHE:HB3	1.96	0.47
1:B:27:CYS:HB3	1:B:88:GLN:HG2	1.97	0.47
1:B:12:THR:HG23	5:B:927:HOH:O	2.14	0.47
1:A:13:SER:OG	1:A:44:SER:OG	2.30	0.47
1:B:12:THR:HG21	1:B:26:CYS:HA	1.97	0.46
1:A:551:GLU:HG2	1:A:577:SER:HB3	1.98	0.46
1:B:533:VAL:HG11	1:B:560:ARG:HG3	1.98	0.46
1:B:252:LEU:HB3	1:B:299:TYR:CD1	2.51	0.46
1:B:12:THR:CG2	1:B:26:CYS:HA	2.46	0.46
1:B:19:CYS:CB	1:B:23:PRO:HD2	2.46	0.45
1:B:451:THR:HG21	1:B:585:LEU:HD23	1.99	0.45
1:A:19:CYS:CB	1:A:23:PRO:HD2	2.47	0.44
1:A:367:THR:HG22	1:A:392:ARG:HB3	1.98	0.44
1:A:12:THR:CG2	1:A:26:CYS:HA	2.46	0.44
1:A:158:LEU:HD11	1:A:164:HIS:ND1	2.32	0.44
1:A:297:LEU:HD11	1:A:324:TYR:HB3	2.00	0.44
1:A:519:ASN:HB3	1:A:530:THR:HG21	2.00	0.44
1:A:326:PRO:CG	1:A:329:LYS:HZ3	2.31	0.44
1:A:163:LEU:HD11	1:A:200:PHE:HE2	1.83	0.44
1:B:12:THR:HG21	1:B:25:LEU:O	2.18	0.43
1:B:31:TYR:CZ	1:B:35:ILE:HG21	2.53	0.43
1:A:519:ASN:HB3	1:A:530:THR:HG23	1.99	0.43
1:A:109:ILE:HD13	1:A:134:ALA:HB2	2.01	0.43
1:A:184:GLY:HA2	1:A:225:PHE:HA	2.00	0.43
1:A:326:PRO:CB	1:A:329:LYS:NZ	2.79	0.43
1:B:8:CYS:SG	1:B:99:GLY:O	2.77	0.43
1:B:124:ASN:HD22	1:B:421:TYR:HA	1.84	0.42
1:A:451:THR:HG21	1:A:585:LEU:HD23	2.01	0.42
1:B:303:ARG:NH1	1:B:353:GLU:O	2.52	0.42
1:B:157:VAL:HA	1:B:163:LEU:HD23	2.02	0.42
1:A:376:ILE:HD12	1:A:376:ILE:HA	1.96	0.42
1:A:512:ILE:O	1:A:546:PHE:HA	2.19	0.42
1:B:196:GLY:HA3	1:B:215:THR:HG21	2.01	0.42
1:A:27:CYS:HB3	1:A:88:GLN:HG2	2.02	0.42
1:B:109:ILE:HD13	1:B:134:ALA:HB2	2.01	0.42
1:A:185:TYR:HA	1:A:194:GLN:N	2.34	0.41
1:B:13:SER:OG	1:B:44:SER:OG	2.36	0.41
1:B:508:LYS:HE3	1:B:543:TYR:CE2	2.56	0.41
1:A:1:ALA:CB	1:A:15:ARG:HE	2.33	0.41
1:B:249:ILE:HD11	1:B:270:GLN:HG2	2.03	0.41
1:B:16:CYS:O	1:B:22:ARG:HA	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:592:ILE:HA	1:B:593:PRO:HD3	1.94	0.41
1:B:149:TYR:CD2	1:B:174:PRO:HB3	2.56	0.41
1:A:158:LEU:HD21	1:A:164:HIS:CE1	2.54	0.41
1:B:512:ILE:O	1:B:546:PHE:HA	2.21	0.40
1:A:139:LYS:O	1:A:143:GLU:HG2	2.21	0.40
1:B:279:THR:HB	1:B:429:MET:CE	2.52	0.40
1:B:297:LEU:HD11	1:B:324:TYR:HB3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	564/601 (94%)	540 (96%)	19 (3%)	5 (1%)	17 10
1	B	580/601 (96%)	559 (96%)	19 (3%)	2 (0%)	41 36
All	All	1144/1202 (95%)	1099 (96%)	38 (3%)	7 (1%)	25 17

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	219	LEU
1	A	195	ILE
1	A	484	VAL
1	A	228	THR
1	B	159	SER
1	A	283	PRO
1	B	283	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	485/523 (93%)	464 (96%)	21 (4%)	29	25
1	B	498/523 (95%)	474 (95%)	24 (5%)	25	21
All	All	983/1046 (94%)	938 (95%)	45 (5%)	27	22

All (45) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	12	THR
1	A	35	ILE
1	A	46	ASN
1	A	51	ASN
1	A	69	SER
1	A	76	LYS
1	A	81	PHE
1	A	148	SER
1	A	157	VAL
1	A	173	ARG
1	A	207	ASP
1	A	209	VAL
1	A	229	SER
1	A	247	VAL
1	A	255	THR
1	A	344	ASP
1	A	373	PHE
1	A	442	ARG
1	A	530	THR
1	A	551	GLU
1	A	592	ILE
1	B	11	GLN
1	B	12	THR
1	B	20	ILE
1	B	35	ILE
1	B	69	SER
1	B	95	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	103	VAL
1	B	148	SER
1	B	158	LEU
1	B	160	ASP
1	B	164	HIS
1	B	177	ASN
1	B	192	LYS
1	B	219	LEU
1	B	257	ASN
1	B	344	ASP
1	B	361	ASN
1	B	365	GLU
1	B	373	PHE
1	B	442	ARG
1	B	458	ASP
1	B	484	VAL
1	B	486	SER
1	B	551	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	179	ASN
1	A	257	ASN
1	A	516	ASN
1	B	51	ASN
1	B	268	ASN
1	B	404	GLN
1	B	516	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 11 ligands modelled in this entry, 6 are monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	PO4	B	705	-	4,4,4	2.69	2 (50%)	6,6,6	0.64	0
2	NZG	A	701	-	14,14,14	0.61	0	19,19,19	0.61	0
4	PO4	A	705	-	4,4,4	2.47	2 (50%)	6,6,6	0.88	0
4	PO4	B	704	-	4,4,4	2.50	1 (25%)	6,6,6	0.56	0
4	PO4	A	706	-	4,4,4	2.57	3 (75%)	6,6,6	0.82	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NZG	A	701	-	-	4/8/8/8	0/1/1/1

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	705	PO4	P-O1	4.16	1.60	1.50
4	A	706	PO4	P-O1	4.14	1.60	1.50
4	B	704	PO4	P-O1	4.13	1.60	1.50
4	A	705	PO4	P-O1	4.08	1.60	1.50
4	B	705	PO4	P-O2	2.26	1.61	1.54
4	A	706	PO4	P-O4	2.19	1.61	1.54
4	A	706	PO4	P-O3	2.14	1.61	1.54
4	A	705	PO4	P-O3	2.01	1.60	1.54

There are no bond angle outliers.

There are no chirality outliers.

All (4) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	701	NZG	C1-C2-N1-C3
2	A	701	NZG	O1-C2-N1-C3
2	A	701	NZG	C8-C3-N1-C2
2	A	701	NZG	C4-C3-N1-C2

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	701	NZG	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	572/601 (95%)	0.79	91 (15%) 1 2	35, 72, 148, 178	0
1	B	585/601 (97%)	0.06	20 (3%) 45 52	33, 53, 103, 135	0
All	All	1157/1202 (96%)	0.42	111 (9%) 8 10	33, 61, 134, 178	0

All (111) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	154	VAL	11.9
1	A	170	GLY	10.9
1	A	178	ARG	10.2
1	A	229	SER	8.5
1	A	169	VAL	8.4
1	A	200	PHE	7.8
1	A	146	LYS	7.4
1	A	225	PHE	7.2
1	A	176	LEU	7.0
1	A	182	PHE	6.8
1	A	27	CYS	6.7
1	A	181	VAL	6.1
1	A	207	ASP	5.9
1	B	340	VAL	5.7
1	A	210	VAL	5.5
1	A	165	LEU	5.5
1	A	202	LYS	5.4
1	A	167	TRP	5.4
1	A	224	TYR	5.3
1	A	217	TYR	5.2
1	A	247	VAL	5.2
1	A	149	TYR	5.2
1	A	179	ASN	5.1
1	A	339	ARG	4.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	209	VAL	4.9
1	A	177	ASN	4.8
1	A	216	THR	4.7
1	A	152	ALA	4.6
1	A	227	LEU	4.6
1	B	217	TYR	4.4
1	A	221	VAL	4.3
1	B	68	MET	4.3
1	A	153	THR	4.2
1	A	164	HIS	4.2
1	A	103	VAL	4.1
1	A	157	VAL	4.1
1	A	214	THR	4.0
1	A	156	GLU	4.0
1	A	151	ILE	4.0
1	A	508	LYS	3.9
1	A	201	GLU	3.8
1	A	159	SER	3.8
1	A	305	VAL	3.7
1	B	52	ALA	3.7
1	A	258	ILE	3.7
1	A	155	ARG	3.5
1	B	190	ASN	3.5
1	A	43	LEU	3.4
1	A	340	VAL	3.4
1	B	81	PHE	3.3
1	A	230	HIS	3.2
1	A	215	THR	3.2
1	A	7	LEU	3.1
1	A	211	TYR	3.1
1	A	184	GLY	3.1
1	A	304	ILE	3.1
1	A	208	ALA	3.0
1	A	199	THR	3.0
1	A	253	TYR	2.9
1	A	150	GLY	2.9
1	A	249	ILE	2.9
1	A	6	VAL	2.9
1	A	173	ARG	2.9
1	B	178	ARG	2.9
1	A	256	LEU	2.9
1	A	257	ASN	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	357	PHE	2.8
1	A	45	VAL	2.8
1	A	180	TYR	2.8
1	B	163	LEU	2.8
1	B	2	VAL	2.7
1	B	195	ILE	2.7
1	A	171	LYS	2.7
1	A	162	GLU	2.7
1	A	172	PRO	2.7
1	B	210	VAL	2.6
1	B	179	ASN	2.6
1	A	168	GLU	2.6
1	A	387	VAL	2.5
1	A	226	VAL	2.5
1	A	158	LEU	2.5
1	A	213	GLY	2.4
1	A	161	ARG	2.4
1	B	97	CYS	2.4
1	A	86	ASN	2.4
1	B	78	PRO	2.4
1	A	11	GLN	2.4
1	A	352	LEU	2.4
1	A	46	ASN	2.4
1	A	14	LEU	2.3
1	A	166	SER	2.3
1	B	79	ILE	2.3
1	A	355	TYR	2.3
1	A	10	SER	2.3
1	A	507	ARG	2.3
1	A	85	ALA	2.2
1	B	65	LEU	2.2
1	A	212	ARG	2.2
1	B	57	VAL	2.2
1	A	337	ARG	2.2
1	A	341	GLU	2.2
1	A	302	ALA	2.2
1	A	356	VAL	2.1
1	A	15	ARG	2.1
1	B	46	ASN	2.1
1	A	328	ASP	2.1
1	A	306	TYR	2.1
1	A	25	LEU	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	223	ASP	2.1
1	B	176	LEU	2.0
1	B	73	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NZG	A	701	14/14	0.87	0.15	51,56,60,60	14
3	ZN	B	703	1/1	0.94	0.09	90,90,90,90	0
3	ZN	A	704	1/1	0.98	0.07	107,107,107,107	0
3	ZN	A	703	1/1	0.98	0.12	69,69,69,69	0
4	PO4	B	704	5/5	0.98	0.14	49,49,51,54	0
4	PO4	A	706	5/5	0.99	0.08	40,40,42,43	0
4	PO4	A	705	5/5	0.99	0.14	55,56,59,61	0
4	PO4	B	705	5/5	0.99	0.11	46,46,50,51	0
3	ZN	B	702	1/1	1.00	0.13	73,73,73,73	0
3	ZN	A	702	1/1	1.00	0.13	58,58,58,58	0
3	ZN	B	701	1/1	1.00	0.11	55,55,55,55	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.