



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 14, 2023 – 03:24 PM EDT

PDB ID : 1RM6
Title : Structure of 4-hydroxybenzoyl-CoA reductase from *Thauera aromatica*
Authors : Unciuleac, M.; Warkentin, E.; Page, C.C.; Dutton, P.L.; Boll, M.; Ermler, U.
Deposited on : 2003-11-27
Resolution : 1.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.35
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3398 (1.60-1.60)
Clashscore	141614	3665 (1.60-1.60)
Ramachandran outliers	138981	3564 (1.60-1.60)
Sidechain outliers	138945	3563 (1.60-1.60)
RSRZ outliers	127900	3321 (1.60-1.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	769	
1	D	769	
2	B	324	
2	E	324	
3	C	161	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	F	161	 A horizontal bar chart representing the quality of chain. The bar is primarily green, indicating a high quality score of 88%. A small yellow segment at the end indicates a lower quality score of 9%. The bar is labeled with a '%' symbol at the start and ends with two dots '..'. The values '88%' and '9%' are printed below the bar.

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
7	EPE	A	933	-	-	-	X

2 Entry composition

There are 13 unique types of molecules in this entry. The entry contains 21258 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 4-hydroxybenzoyl-CoA reductase alpha subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	761	Total	C	N	O	S	0	17	0
			5794	3667	993	1103	31			
1	D	760	Total	C	N	O	S	0	18	0
			5782	3660	994	1098	30			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	251	ALA	GLY	SEE REMARK 999	UNP O33819
D	251	ALA	GLY	SEE REMARK 999	UNP O33819

- Molecule 2 is a protein called 4-hydroxybenzoyl-CoA reductase beta subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	323	Total	C	N	O	S	0	9	0
			2438	1528	444	458	8			
2	E	323	Total	C	N	O	S	0	6	0
			2427	1521	446	452	8			

- Molecule 3 is a protein called 4-hydroxybenzoyl-CoA reductase gamma subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	157	Total	C	N	O	S	0	4	0
			1186	729	219	225	13			
3	F	157	Total	C	N	O	S	0	3	0
			1177	725	215	224	13			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	142	LYS	ARG	SEE REMARK 999	UNP O33818
C	143	ILE	SER	SEE REMARK 999	UNP O33818

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	144	ILE	SER	SEE REMARK 999	UNP O33818
F	142	LYS	ARG	SEE REMARK 999	UNP O33818
F	143	ILE	SER	SEE REMARK 999	UNP O33818
F	144	ILE	SER	SEE REMARK 999	UNP O33818


- Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total Cl 1 1	0	0
4	D	1	Total Cl 1 1	0	0

- Molecule 5 is SODIUM ION (three-letter code: NA) (formula: Na).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total Na 1 1	0	0
5	D	1	Total Na 1 1	0	0

- Molecule 6 is (MOLYBDOPTERIN-CYTOSINE DINUCLEOTIDE-S,S)-DIOXO-AQUA-MOLYBDENUM(V) (three-letter code: PCD) (formula: C₁₉H₂₆MoN₈O₁₆P₂S₂).




Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	
			Total	C	Mo	N	O	P			S
6	A	1	48	19	1	8	16	2	2	0	0
6	D	1	48	19	1	8	16	2	2	0	0

- Molecule 7 is 4-(2-HYDROXYETHYL)-1-PIPERAZINE ETHANESULFONIC ACID (three-letter code: EPE) (formula: C₈H₁₈N₂O₄S).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
7	A	1	15	8	2	4	1	0	0
7	A	1	15	8	2	4	1	0	0
7	A	1	15	8	2	4	1	0	0
7	D	1	15	8	2	4	1	0	0

- Molecule 8 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: C₂₇H₃₃N₉O₁₅P₂).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	N	O			P
8	B	1	53	27	9	15	2	0	0
8	E	1	53	27	9	15	2	0	0

- Molecule 9 is IRON/SULFUR CLUSTER (three-letter code: SF4) (formula: Fe₄S₄).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Fe S		
9	B	1	16	8 8	0	1
9	E	1	16	8 8	0	1

- Molecule 10 is FE2/S2 (INORGANIC) CLUSTER (three-letter code: FES) (formula: Fe₂S₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	C	1	Total	Fe	S	0	0
			4	2	2		
10	C	1	Total	Fe	S	0	0
			4	2	2		
10	F	1	Total	Fe	S	0	0
			4	2	2		
10	F	1	Total	Fe	S	0	0
			4	2	2		

- Molecule 11 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	D	1	Total	K	0	0
			1	1		

- Molecule 12 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	D	1	Total	O S	0	0
			5	4 1		


- Molecule 13 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
13	A	630	Total	O	0	0
			630	630		
13	B	290	Total	O	0	0
			290	290		
13	C	172	Total	O	0	0
			172	172		
13	D	663	Total	O	0	0
			663	663		
13	E	233	Total	O	0	0
			233	233		
13	F	146	Total	O	0	0
			146	146		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 4-hydroxybenzoyl-CoA reductase alpha subunit




- Molecule 1: 4-hydroxybenzoyl-CoA reductase alpha subunit




- Molecule 2: 4-hydroxybenzoyl-CoA reductase beta subunit




- Molecule 2: 4-hydroxybenzoyl-CoA reductase beta subunit



- Molecule 3: 4-hydroxybenzoyl-CoA reductase gamma subunit



- Molecule 3: 4-hydroxybenzoyl-CoA reductase gamma subunit



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	113.02Å 151.84Å 174.87Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.91 – 1.60 19.90 – 1.60	Depositor EDS
% Data completeness (in resolution range)	86.0 (19.91-1.60) 86.2 (19.90-1.60)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.06	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.68 (at 1.60Å)	Xtrriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.152 , 0.173 0.146 , 0.169	Depositor DCC
R_{free} test set	16885 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	13.5	Xtrriage
Anisotropy	0.530	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 55.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	21258	wwPDB-VP
Average B, all atoms (Å ²)	18.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.38% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SF4, FES, K, FAD, PCD, SO4, NA, EPE, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.65	0/5959	0.79	1/8086 (0.0%)
1	D	0.65	0/5967	0.79	1/8094 (0.0%)
2	B	0.60	0/2518	0.78	1/3431 (0.0%)
2	E	0.57	0/2499	0.77	1/3405 (0.0%)
3	C	0.61	0/1210	0.80	0/1628
3	F	0.63	0/1199	0.82	0/1614
All	All	0.63	0/19352	0.79	4/26258 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	263	PRO	N-CA-C	-5.31	98.30	112.10
1	D	694	TYR	N-CA-C	-5.25	96.82	111.00
1	A	315	ALA	N-CA-C	5.10	124.77	111.00
2	B	263	PRO	N-CA-C	-5.08	98.89	112.10

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	521	TYR	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5794	0	5838	45	0
1	D	5782	0	5834	45	0
2	B	2438	0	2459	18	0
2	E	2427	0	2463	23	0
3	C	1186	0	1230	20	0
3	F	1177	0	1221	27	0
4	A	1	0	0	0	0
4	D	1	0	0	0	0
5	A	1	0	0	0	0
5	D	1	0	0	0	0
6	A	48	0	21	3	0
6	D	48	0	21	2	0
7	A	45	0	54	5	0
7	D	15	0	18	0	0
8	B	53	0	30	1	0
8	E	53	0	31	1	0
9	B	16	0	0	0	0
9	E	16	0	0	0	0
10	C	8	0	0	0	0
10	F	8	0	0	0	0
11	D	1	0	0	0	0
12	D	5	0	0	0	0
13	A	630	0	0	7	0
13	B	290	0	0	3	0
13	C	172	0	0	4	0
13	D	663	0	0	13	0
13	E	233	0	0	6	0
13	F	146	0	0	10	0
All	All	21258	0	19220	171	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (171) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:173[A]:ARG:NH1	2:E:184:THR:HG21	1.85	0.91
1:A:178[B]:GLU:OE1	1:A:291:LYS:HD2	1.76	0.86
3:F:145[A]:LYS:HG2	13:F:9545:HOH:O	1.76	0.86
3:C:145[B]:LYS:HE2	13:C:7445:HOH:O	1.78	0.83
2:E:145:LYS:HE3	13:E:7688:HOH:O	1.79	0.83
3:C:145[A]:LYS:HE2	13:C:6769:HOH:O	1.82	0.79
2:B:186:PRO:HB2	2:B:189[B]:GLN:HE21	1.48	0.79
2:B:186:PRO:HB2	2:B:189[A]:GLN:HE21	1.49	0.76
3:F:145[B]:LYS:HD3	13:F:6470:HOH:O	1.85	0.75
1:D:419:LYS:HE2	1:D:425:GLU:HG3	1.66	0.74
3:C:123[B]:ARG:HB2	3:C:123[B]:ARG:HH11	1.50	0.74
1:D:425:GLU:HG2	13:D:7454:HOH:O	1.86	0.73
6:D:920:PCD:MO	6:D:920:PCD:OM1	1.60	0.73
2:E:65:LEU:HD12	2:E:65:LEU:N	2.04	0.72
3:F:145[B]:LYS:HG2	13:F:7433:HOH:O	1.89	0.71
1:A:131:PRO:HD2	1:A:145:ILE:HD12	1.73	0.71
1:D:199[B]:GLU:CD	13:D:6860:HOH:O	2.29	0.70
2:B:27[B]:THR:HG22	2:B:49:ALA:HB3	1.74	0.70
3:F:145[B]:LYS:CG	13:F:7433:HOH:O	2.38	0.69
3:C:87:LYS:HZ1	3:C:157:GLU:HG2	1.57	0.68
3:C:87:LYS:HZ1	3:C:157:GLU:CG	2.08	0.67
3:C:87:LYS:NZ	3:C:157:GLU:HG3	2.08	0.67
1:A:750[B]:ASP:OD1	1:A:757:ARG:NE	2.29	0.66
3:C:87:LYS:NZ	3:C:157:GLU:CG	2.59	0.66
3:F:87:LYS:HE2	3:F:157:GLU:HB2	1.77	0.65
3:C:145[B]:LYS:HE3	13:C:7692:HOH:O	1.96	0.65
2:E:275:ASN:HB3	13:E:7103:HOH:O	1.97	0.65
3:C:123[B]:ARG:HB2	3:C:123[B]:ARG:NH1	2.11	0.64
2:E:65:LEU:HD11	2:E:71:ARG:HB2	1.79	0.64
1:D:172:GLU:HG2	1:D:297:LYS:NZ	2.11	0.64
1:A:763:ASP:OD2	2:B:307:ARG:NH1	2.30	0.64
1:D:49:HIS:HD2	13:D:9006:HOH:O	1.80	0.64
1:D:433:LYS:HA	13:D:7298:HOH:O	1.97	0.63
1:A:199[B]:GLU:CD	13:A:6771:HOH:O	2.36	0.63
1:D:748[B]:ALA:CB	1:D:753:LEU:HD22	2.29	0.62
2:B:1:MET:HG2	13:B:9337:HOH:O	1.98	0.62
1:A:602[A]:THR:HG23	13:A:9185:HOH:O	1.99	0.61
6:A:920:PCD:OM1	6:A:920:PCD:MO	1.71	0.61
1:D:748[B]:ALA:HB1	1:D:753:LEU:HD22	1.82	0.61
1:A:111[B]:ILE:HG13	3:F:12:ARG:HH21	1.66	0.60
1:A:763:ASP:CG	2:B:307:ARG:HH12	2.05	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:17:LEU:HD23	3:F:15:GLU:HG2	1.82	0.60
1:D:555:ARG:HB2	1:D:557:GLU:OE2	2.01	0.60
1:D:124:LYS:HE3	13:D:9146:HOH:O	2.01	0.60
1:D:157[B]:ARG:NH1	13:D:7119:HOH:O	2.35	0.60
3:F:145[B]:LYS:HE3	3:F:148:GLU:OE1	2.02	0.60
2:E:304:TYR:O	2:E:308[A]:VAL:HG22	2.01	0.59
1:D:385:LEU:HG	1:D:439:ILE:HD13	1.84	0.59
3:C:87:LYS:HZ2	3:C:157:GLU:HG3	1.66	0.59
1:D:557:GLU:H	1:D:557:GLU:CD	2.06	0.58
2:B:1:MET:HE1	3:C:22:MET:HE3	1.86	0.58
1:D:638[B]:LYS:HE3	2:E:227:ILE:O	2.04	0.58
2:B:99[B]:GLU:HG3	13:B:6539:HOH:O	2.04	0.57
1:A:459:HIS:HB3	1:A:528[B]:MET:CE	2.36	0.56
2:E:22:LEU:HD11	2:E:206:LEU:HD21	1.87	0.56
2:E:173[A]:ARG:HH12	2:E:184:THR:HG21	1.68	0.55
3:C:120[B]:SER:OG	3:C:155:LEU:HD21	2.07	0.55
1:D:737:HIS:CD2	1:D:748[B]:ALA:O	2.60	0.55
1:D:679:THR:HB	1:D:688:HIS:CE1	2.42	0.55
1:A:679:THR:HB	1:A:688:HIS:CE1	2.42	0.54
2:E:186:PRO:HB2	2:E:189[B]:GLN:OE1	2.07	0.54
1:A:111[B]:ILE:HG13	3:F:12:ARG:NH2	2.22	0.54
1:D:534:ILE:O	1:D:538[B]:GLU:HG2	2.07	0.54
1:A:38:ASP:OD2	1:A:38:ASP:N	2.41	0.54
1:A:560:GLU:HG3	1:A:569:SER:HB3	1.89	0.54
3:C:17:LEU:CD2	3:F:15:GLU:HG2	2.37	0.53
1:A:431:LEU:HD11	1:A:437:LEU:HG	1.92	0.52
2:E:65:LEU:HD11	2:E:71:ARG:CB	2.39	0.52
1:D:199[B]:GLU:HG2	1:D:268:THR:HG23	1.92	0.52
1:A:199[B]:GLU:HG2	1:A:268:THR:HG23	1.91	0.52
1:D:505[B]:ARG:NH1	13:D:9226:HOH:O	2.32	0.52
2:B:1:MET:HE2	13:C:6226:HOH:O	2.11	0.51
2:E:65:LEU:N	2:E:65:LEU:CD1	2.71	0.51
1:A:459:HIS:HB3	1:A:528[B]:MET:HE1	1.91	0.51
1:D:172:GLU:HG2	1:D:297:LYS:HZ3	1.74	0.51
1:D:43:ARG:HD2	13:D:7280:HOH:O	2.11	0.50
3:F:6:ARG:NH1	13:F:7134:HOH:O	2.33	0.50
2:E:319:GLN:HB2	13:E:7328:HOH:O	2.13	0.49
1:A:748[B]:ALA:CB	1:A:753:LEU:HD22	2.42	0.49
2:B:24:ALA:HB3	2:B:27[B]:THR:HG21	1.94	0.49
2:E:64:THR:C	2:E:65:LEU:HD12	2.32	0.49
1:A:608:LYS:HE3	1:A:609:LYS:HE2	1.93	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:304:TYR:CZ	2:E:308[A]:VAL:HG11	2.47	0.49
1:D:172:GLU:HG2	1:D:297:LYS:HZ1	1.78	0.48
1:D:419:LYS:CE	1:D:425:GLU:HG3	2.38	0.48
1:A:686:MET:HG3	1:A:688:HIS:CE1	2.47	0.48
3:F:145[B]:LYS:HG3	13:F:9545:HOH:O	2.14	0.48
1:A:158:GLU:HG2	1:A:345:TRP:CD1	2.49	0.48
1:A:439:ILE:HD12	1:A:626:GLN:O	2.14	0.47
1:A:668:TRP:CG	3:C:139:GLY:HA2	2.50	0.47
1:A:768:ALA:O	1:A:769:ALA:C	2.53	0.47
2:B:22:LEU:HD11	2:B:206:LEU:HD21	1.96	0.47
3:F:95:LYS:NZ	3:F:145[A]:LYS:NZ	2.62	0.47
1:A:465:LYS:HD2	1:A:465:LYS:C	2.34	0.47
1:A:188:HIS:CG	1:A:247:ALA:HB2	2.49	0.47
1:A:505[B]:ARG:NH1	13:A:9124:HOH:O	2.34	0.47
1:A:583:LYS:HG2	13:A:6893:HOH:O	2.14	0.47
3:F:12:ARG:NH2	13:F:6915:HOH:O	2.47	0.47
1:A:737:HIS:HD2	1:A:748[B]:ALA:O	1.97	0.46
1:D:567:MET:SD	1:D:574:PRO:O	2.74	0.46
1:D:84:LEU:HD21	1:D:322:ILE:HD12	1.98	0.46
1:D:194:ASN:HB3	1:D:254:PHE:CZ	2.50	0.46
1:D:752:PRO:O	1:D:757:ARG:HD2	2.15	0.46
2:E:84:HIS:HE1	13:E:9303:HOH:O	1.97	0.46
2:B:35:ASP:HB2	8:B:900:FAD:H2'	1.97	0.46
1:D:551:LYS:HE2	13:D:7002:HOH:O	2.15	0.46
1:A:432:PRO:HG2	1:A:435:ARG:HD3	1.97	0.46
2:B:84:HIS:O	2:B:88:ARG:HG3	2.15	0.46
1:D:158:GLU:HG2	1:D:345:TRP:CD1	2.51	0.46
1:D:505[B]:ARG:NH2	13:D:9226:HOH:O	2.41	0.46
2:B:186:PRO:HB2	2:B:189[A]:GLN:NE2	2.25	0.46
1:A:737:HIS:CD2	1:A:748[B]:ALA:O	2.68	0.46
2:E:35:ASP:HB2	8:E:900:FAD:H2'	1.98	0.45
2:E:319:GLN:NE2	13:E:7328:HOH:O	2.48	0.45
1:A:500:ARG:NH2	13:A:7043:HOH:O	2.50	0.45
2:B:99[B]:GLU:CG	13:B:6539:HOH:O	2.64	0.45
3:F:118:ASN:O	3:F:121:PRO:HD3	2.16	0.45
3:F:145[A]:LYS:CG	13:F:9545:HOH:O	2.47	0.45
1:D:686:MET:HG3	1:D:688:HIS:CE1	2.52	0.45
1:D:583[B]:LYS:HG2	13:D:6930:HOH:O	2.16	0.45
1:D:749[A]:THR:N	13:D:9389:HOH:O	2.42	0.45
3:F:145[B]:LYS:CG	13:F:9545:HOH:O	2.66	0.44
7:A:933:EPE:H72	3:C:145[A]:LYS:HZ1	1.82	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:8:ARG:NH1	13:E:9540:HOH:O	2.51	0.44
1:A:308:GLU:HA	1:A:343:ASP:O	2.18	0.43
3:C:105:PRO:O	3:C:109:MET:HG2	2.18	0.43
2:E:173[A]:ARG:NH2	2:E:211:GLU:OE2	2.44	0.43
1:A:459:HIS:CB	1:A:528[B]:MET:HE1	2.48	0.43
1:A:176:ILE:HD12	7:A:932:EPE:H92	2.01	0.43
7:A:932:EPE:H32	13:A:6551:HOH:O	2.17	0.43
1:D:668:TRP:CG	3:F:139:GLY:HA2	2.53	0.43
3:F:95:LYS:HD2	3:F:145[A]:LYS:HZ3	1.83	0.43
3:F:7:LEU:HD13	3:F:14:ARG:HB2	2.00	0.43
1:D:332:HIS:CE1	1:D:340:ILE:HD12	2.54	0.43
1:D:725:SER:HB2	6:D:920:PCD:H7	2.01	0.43
1:D:49:HIS:HE1	13:D:7610:HOH:O	2.02	0.43
1:A:176:ILE:HD12	7:A:932:EPE:C2	2.49	0.43
2:B:1:MET:HE1	3:C:22:MET:CE	2.49	0.43
3:F:145[B]:LYS:HG3	13:F:7433:HOH:O	2.10	0.43
1:A:748[B]:ALA:HB1	1:A:753:LEU:HD22	2.00	0.42
1:A:622:CYS:HB3	1:A:723:GLU:OE1	2.20	0.42
2:E:218:TRP:CD2	2:E:243:GLN:HG3	2.54	0.42
3:C:123[A]:ARG:NH1	3:C:127:LYS:NZ	2.67	0.42
1:D:84:LEU:HD21	1:D:322:ILE:CD1	2.50	0.42
1:D:395:GLN:HE21	1:D:395:GLN:HB3	1.69	0.42
1:A:505[B]:ARG:NH2	13:A:9124:HOH:O	2.48	0.42
2:B:125:TYR:CZ	2:B:140[A]:LYS:HE3	2.54	0.42
1:D:296:LEU:HD23	1:D:302:ILE:HA	2.02	0.42
6:A:920:PCD:O5'	6:A:920:PCD:H6	2.20	0.42
1:D:308:GLU:HA	1:D:343:ASP:O	2.18	0.42
2:E:22:LEU:HD23	2:E:27:THR:HG22	2.02	0.42
3:F:145[B]:LYS:CE	3:F:148:GLU:OE1	2.65	0.42
2:E:172:ALA:O	2:E:187[A]:VAL:HG23	2.20	0.41
3:F:5:LEU:HG	3:F:7:LEU:HD12	2.00	0.41
1:A:496:VAL:HG13	1:A:538[A]:GLU:OE2	2.20	0.41
1:A:573:ASP:HA	1:A:574:PRO:HD3	1.91	0.41
1:D:737:HIS:HD2	1:D:748[B]:ALA:O	2.00	0.41
1:A:454:TRP:CD2	7:A:930:EPE:H21	2.56	0.41
1:A:560:GLU:CG	1:A:569:SER:HB3	2.49	0.41
2:B:186:PRO:HB2	2:B:189[B]:GLN:NE2	2.26	0.41
1:D:671:MET:HA	1:D:732:PHE:CE2	2.54	0.41
1:A:725:SER:HB2	6:A:920:PCD:H7	2.03	0.41
3:F:95:LYS:HZ2	3:F:145[A]:LYS:NZ	2.18	0.41
3:F:120[B]:SER:OG	3:F:155:LEU:HD11	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:402:TYR:O	1:A:403:ALA:HB3	2.22	0.41
1:D:402:TYR:O	1:D:403:ALA:HB3	2.22	0.40
3:C:65:ALA:O	3:C:68:VAL:HG22	2.21	0.40
1:A:438:GLY:O	1:A:627:VAL:HA	2.21	0.40
1:D:748[B]:ALA:HB3	1:D:753:LEU:HD22	2.02	0.40
3:F:95:LYS:HZ2	3:F:145[A]:LYS:HE2	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	776/769 (101%)	755 (97%)	17 (2%)	4 (0%)	29	11
1	D	776/769 (101%)	752 (97%)	21 (3%)	3 (0%)	34	15
2	B	330/324 (102%)	325 (98%)	5 (2%)	0	100	100
2	E	327/324 (101%)	321 (98%)	6 (2%)	0	100	100
3	C	159/161 (99%)	155 (98%)	3 (2%)	1 (1%)	25	8
3	F	158/161 (98%)	155 (98%)	3 (2%)	0	100	100
All	All	2526/2508 (101%)	2463 (98%)	55 (2%)	8 (0%)	41	21

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	360	HIS
3	C	156	CYS
1	D	360	HIS
1	A	358	ARG
1	D	358	ARG
1	D	244	GLY

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	244	GLY
1	A	239	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	605/597 (101%)	600 (99%)	5 (1%)	81	70
1	D	606/597 (102%)	603 (100%)	3 (0%)	88	80
2	B	250/243 (103%)	249 (100%)	1 (0%)	91	84
2	E	248/243 (102%)	246 (99%)	2 (1%)	81	70
3	C	130/128 (102%)	129 (99%)	1 (1%)	81	70
3	F	129/128 (101%)	128 (99%)	1 (1%)	81	70
All	All	1968/1936 (102%)	1955 (99%)	13 (1%)	84	73

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	118	LYS
1	A	395	GLN
1	A	465	LYS
1	A	583	LYS
1	A	766	GLU
2	B	319	GLN
3	C	7	LEU
1	D	395	GLN
1	D	465	LYS
1	D	558	ASP
2	E	8	ARG
2	E	293	ASN
3	F	7	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	395	GLN
2	B	243	GLN
2	B	293	ASN
3	C	133	ASN
1	D	49	HIS
1	D	395	GLN
1	D	683	ASN
2	E	84	HIS
2	E	243	GLN
2	E	293	ASN
2	E	319	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 22 ligands modelled in this entry, 5 are monoatomic - leaving 17 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
7	EPE	A	933	-	15,15,15	1.95	3 (20%)	18,20,20	1.55	4 (22%)
9	SF4	B	910[B]	2	0,12,12	-	-	-	-	-
10	FES	C	907	3	0,4,4	-	-	-	-	-

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	FAD	B	900	-	53,58,58	1.79	13 (24%)	68,89,89	1.54	12 (17%)
9	SF4	B	910[A]	2	0,12,12	-	-	-	-	-
7	EPE	A	930	-	15,15,15	1.83	2 (13%)	18,20,20	1.46	4 (22%)
10	FES	F	908	3	0,4,4	-	-	-	-	-
12	SO4	D	773	-	4,4,4	0.24	0	6,6,6	0.08	0
7	EPE	A	932	-	15,15,15	2.07	4 (26%)	18,20,20	1.61	5 (27%)
6	PCD	A	920	-	36,53,53	1.84	10 (27%)	41,86,86	4.77	21 (51%)
10	FES	C	908	3	0,4,4	-	-	-	-	-
9	SF4	E	910[A]	2	0,12,12	-	-	-	-	-
7	EPE	D	931	-	15,15,15	1.96	5 (33%)	18,20,20	1.27	2 (11%)
10	FES	F	907	3	0,4,4	-	-	-	-	-
8	FAD	E	900	-	53,58,58	1.82	11 (20%)	68,89,89	1.65	15 (22%)
9	SF4	E	910[B]	2	0,12,12	-	-	-	-	-
6	PCD	D	920	-	36,53,53	1.62	6 (16%)	41,86,86	4.78	19 (46%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	EPE	A	933	-	-	5/9/19/19	0/1/1/1
9	SF4	B	910[B]	2	-	-	0/6/5/5
10	FES	C	907	3	-	-	0/1/1/1
8	FAD	B	900	-	-	6/30/50/50	0/6/6/6
9	SF4	B	910[A]	2	-	-	0/6/5/5
7	EPE	A	930	-	-	3/9/19/19	0/1/1/1
10	FES	F	908	3	-	-	0/1/1/1
7	EPE	A	932	-	-	4/9/19/19	0/1/1/1
6	PCD	A	920	-	-	3/20/78/78	0/6/6/6
10	FES	C	908	3	-	-	0/1/1/1
9	SF4	E	910[A]	2	-	-	0/6/5/5
7	EPE	D	931	-	-	4/9/19/19	0/1/1/1
10	FES	F	907	3	-	-	0/1/1/1
8	FAD	E	900	-	-	6/30/50/50	0/6/6/6
9	SF4	E	910[B]	2	-	-	0/6/5/5
6	PCD	D	920	-	-	3/20/78/78	0/6/6/6

All (54) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	E	900	FAD	O4B-C1B	6.83	1.50	1.41
8	B	900	FAD	O4B-C1B	5.95	1.49	1.41
6	D	920	PCD	C6'-N5'	5.34	1.52	1.45
7	A	932	EPE	O3S-S	5.21	1.66	1.47
6	A	920	PCD	C6'-N5'	5.05	1.52	1.45
7	A	930	EPE	O3S-S	5.04	1.65	1.47
7	A	933	EPE	O3S-S	5.00	1.65	1.47
7	D	931	EPE	O3S-S	4.79	1.64	1.47
6	A	920	PCD	C5-C4	4.30	1.51	1.41
6	D	920	PCD	C5-C4	3.97	1.50	1.41
8	B	900	FAD	C4X-N5	3.78	1.38	1.30
7	A	933	EPE	C9-C10	-3.69	1.42	1.52
7	A	930	EPE	C9-C10	-3.69	1.42	1.52
8	E	900	FAD	C10-N1	3.54	1.40	1.33
8	B	900	FAD	C1'-C2'	3.54	1.57	1.52
7	A	932	EPE	C9-C10	-3.52	1.43	1.52
8	B	900	FAD	C9A-N10	3.34	1.47	1.41
6	A	920	PCD	C2'-N1'	3.25	1.41	1.35
6	A	920	PCD	C4A-C4B	3.18	1.47	1.41
6	D	920	PCD	O4D-C1'	3.08	1.45	1.41
8	E	900	FAD	PA-O2A	-3.07	1.40	1.55
8	B	900	FAD	O5'-C5'	3.05	1.56	1.44
8	E	900	FAD	O5'-C5'	3.04	1.56	1.44
8	E	900	FAD	C4X-N5	3.00	1.36	1.30
8	E	900	FAD	C2A-N3A	3.00	1.36	1.32
8	E	900	FAD	C2B-C1B	-2.95	1.49	1.53
6	A	920	PCD	O4D-C1'	2.89	1.45	1.41
7	D	931	EPE	C9-C10	-2.87	1.44	1.52
8	B	900	FAD	C2B-C1B	-2.76	1.49	1.53
7	A	932	EPE	C7-N4	2.75	1.53	1.47
6	A	920	PCD	C6-N1	2.65	1.39	1.35
8	B	900	FAD	O3B-C3B	-2.61	1.36	1.43
8	B	900	FAD	PA-O2A	-2.59	1.43	1.55
6	A	920	PCD	C4-N3	2.52	1.39	1.35
6	D	920	PCD	C2'-N1'	2.48	1.39	1.35
7	A	932	EPE	C10-S	2.43	1.81	1.77
6	A	920	PCD	O9'-C9'	2.40	1.47	1.43
8	B	900	FAD	P-O2P	-2.37	1.44	1.55
6	D	920	PCD	C4A-C4B	2.37	1.45	1.41
6	A	920	PCD	C7-C6'	2.36	1.55	1.53
8	E	900	FAD	C1'-C2'	2.34	1.56	1.52
8	E	900	FAD	O4-C4	-2.33	1.19	1.23
8	E	900	FAD	C9A-C5X	2.32	1.45	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	B	900	FAD	C10-N1	2.23	1.37	1.33
7	D	931	EPE	C10-S	2.23	1.80	1.77
7	D	931	EPE	C7-N4	2.22	1.52	1.47
8	B	900	FAD	C6-C5X	2.20	1.43	1.40
7	D	931	EPE	C2-N1	2.19	1.53	1.46
6	D	920	PCD	C4A-N5'	2.13	1.43	1.37
8	B	900	FAD	C8-C7	2.12	1.46	1.40
8	E	900	FAD	C8-C7	2.11	1.46	1.40
7	A	933	EPE	C10-S	2.09	1.80	1.77
6	A	920	PCD	C4A-N5'	2.09	1.43	1.37
8	B	900	FAD	C2A-N3A	2.05	1.35	1.32

All (82) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	920	PCD	C4A-C4B-N8'	-18.75	100.98	118.13
6	D	920	PCD	C4A-C4B-N8'	-18.73	100.99	118.13
6	A	920	PCD	N2'-C2'-N3'	12.39	136.52	117.25
6	D	920	PCD	N2'-C2'-N3'	11.62	135.32	117.25
6	A	920	PCD	N2'-C2'-N1'	-9.74	102.11	117.25
6	D	920	PCD	N2'-C2'-N1'	-9.44	102.57	117.25
6	D	920	PCD	C4-N3-C2	7.61	124.05	116.34
6	A	920	PCD	C4-N3-C2	7.58	124.02	116.34
6	D	920	PCD	O9'-C7-C6'	-7.06	104.25	108.96
6	D	920	PCD	O4'-C4'-N3'	-7.05	98.74	117.30
6	A	920	PCD	O4'-C4'-N3'	-6.33	100.64	117.30
6	D	920	PCD	C4B-N8'-C7	6.15	135.72	123.67
6	A	920	PCD	O9'-C7-N8'	5.94	114.67	108.57
6	A	920	PCD	C5-C4-N3	-5.79	115.04	121.72
6	D	920	PCD	C5-C4-N3	-5.58	115.29	121.72
6	A	920	PCD	C3'-C2D-C1'	-5.36	92.90	100.98
6	D	920	PCD	C3'-C2D-C1'	-5.26	93.07	100.98
6	A	920	PCD	C4B-N8'-C7	5.15	133.77	123.67
8	B	900	FAD	O3'-C3'-C4'	-5.07	96.55	108.81
8	E	900	FAD	O3'-C3'-C4'	-5.01	96.71	108.81
8	B	900	FAD	O4'-C4'-C5'	5.00	121.17	109.92
6	D	920	PCD	N4-C4-N3	4.99	124.38	116.49
8	E	900	FAD	O4'-C4'-C5'	4.58	120.21	109.92
6	A	920	PCD	N4-C4-N3	4.30	123.28	116.49
6	D	920	PCD	C4A-N5'-C6'	-4.07	104.03	119.86
6	A	920	PCD	C4A-N5'-C6'	-3.90	104.71	119.86
6	D	920	PCD	O2B-PB-O1B	3.43	129.19	112.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	932	EPE	O2S-S-C10	3.16	110.72	106.92
8	E	900	FAD	C5'-C4'-C3'	3.11	118.20	112.20
7	A	933	EPE	O1S-S-C10	-3.10	103.18	106.92
7	A	930	EPE	O2S-S-C10	3.09	110.63	106.92
6	A	920	PCD	O2B-PB-O1B	3.08	127.46	112.24
7	A	930	EPE	C5-N4-C3	3.04	115.67	108.83
6	A	920	PCD	C8'-C7'-S7'	-3.03	118.43	120.15
8	E	900	FAD	C5X-C9A-N10	-2.88	114.97	117.95
8	E	900	FAD	C4A-C5A-N7A	2.87	112.39	109.40
6	A	920	PCD	C7'-C8'-S8'	2.85	121.77	120.15
8	B	900	FAD	O4'-C4'-C3'	2.84	116.01	109.10
7	A	933	EPE	C6-N1-C2	2.83	115.19	108.83
6	D	920	PCD	C4A-C4'-N3'	2.75	131.84	124.01
7	A	932	EPE	C6-N1-C2	2.71	114.94	108.83
7	A	932	EPE	O1S-S-C10	-2.68	103.68	106.92
6	D	920	PCD	O4D-C4D-C3'	-2.68	99.81	105.11
8	E	900	FAD	O4'-C4'-C3'	2.67	115.60	109.10
8	B	900	FAD	C4A-C5A-N7A	2.66	112.17	109.40
8	E	900	FAD	C5A-C6A-N1A	-2.64	114.36	120.35
7	A	930	EPE	C6-N1-C2	2.60	114.69	108.83
6	D	920	PCD	O9'-C7-N8'	2.59	111.23	108.57
6	A	920	PCD	N3'-C2'-N1'	-2.58	121.37	125.42
8	E	900	FAD	C4X-C10-N10	2.58	120.25	116.48
7	A	933	EPE	O2S-S-C10	2.56	110.00	106.92
8	B	900	FAD	C2A-N1A-C6A	2.53	123.08	118.75
6	A	920	PCD	C4A-C4'-N3'	2.53	131.19	124.01
8	E	900	FAD	C4-N3-C2	-2.52	121.00	125.64
7	D	931	EPE	C6-N1-C2	2.51	114.49	108.83
8	B	900	FAD	C5A-C6A-N1A	-2.48	114.72	120.35
7	A	933	EPE	C5-N4-C3	2.47	114.40	108.83
7	A	930	EPE	O1S-S-C10	-2.45	103.97	106.92
6	A	920	PCD	O4D-C4D-C3'	-2.45	100.27	105.11
7	A	932	EPE	C5-N4-C3	2.44	114.32	108.83
8	B	900	FAD	C5A-C6A-N6A	2.44	124.06	120.35
6	A	920	PCD	O9'-C7-C6'	-2.44	107.34	108.96
6	A	920	PCD	O4D-C4D-C5'	2.43	117.37	109.37
6	D	920	PCD	O4D-C4D-C5'	2.39	117.22	109.37
8	B	900	FAD	C5'-C4'-C3'	2.37	116.78	112.20
8	E	900	FAD	C2A-N1A-C6A	2.36	122.79	118.75
8	E	900	FAD	C10-N1-C2	2.36	121.62	116.90
6	A	920	PCD	C6-N1-C2	2.29	124.84	121.20
8	B	900	FAD	C10-N1-C2	2.28	121.47	116.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	E	900	FAD	O2A-PA-O1A	2.22	123.20	112.24
8	E	900	FAD	C4X-C10-N1	-2.20	119.64	124.73
6	D	920	PCD	C6-N1-C2	2.19	124.68	121.20
7	D	931	EPE	C5-N4-C3	2.18	113.74	108.83
7	A	932	EPE	C7-N4-C3	2.17	116.78	111.23
8	B	900	FAD	O2'-C2'-C3'	-2.13	103.92	109.10
6	D	920	PCD	N3'-C2'-N1'	-2.12	122.09	125.42
6	A	920	PCD	O2A-PA-O1A	2.12	122.72	112.24
8	B	900	FAD	C5X-C9A-N10	-2.09	115.79	117.95
6	D	920	PCD	O2A-PA-O1A	2.08	122.54	112.24
8	E	900	FAD	C5A-C6A-N6A	2.06	123.48	120.35
8	B	900	FAD	C4-C4X-N5	2.06	121.16	118.23
8	E	900	FAD	C9A-C5X-N5	2.03	124.64	122.43

There are no chirality outliers.

All (34) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	920	PCD	C10-O3B-PB-O1B
6	D	920	PCD	C10-O3B-PB-O1B
7	A	932	EPE	C10-C9-N1-C2
7	A	932	EPE	C10-C9-N1-C6
7	A	932	EPE	C8-C7-N4-C3
8	B	900	FAD	N10-C1'-C2'-O2'
8	B	900	FAD	N10-C1'-C2'-C3'
8	B	900	FAD	O4'-C4'-C5'-O5'
8	E	900	FAD	C2'-C3'-C4'-C5'
8	E	900	FAD	O4'-C4'-C5'-O5'
8	B	900	FAD	C2'-C3'-C4'-C5'
7	A	933	EPE	N4-C7-C8-O8
8	B	900	FAD	O3'-C3'-C4'-C5'
7	D	931	EPE	N4-C7-C8-O8
7	A	930	EPE	C8-C7-N4-C5
7	A	932	EPE	C8-C7-N4-C5
7	A	933	EPE	C8-C7-N4-C5
7	D	931	EPE	C8-C7-N4-C5
7	A	933	EPE	C10-C9-N1-C6
7	D	931	EPE	C8-C7-N4-C3
8	B	900	FAD	O2'-C2'-C3'-C4'
8	E	900	FAD	O2'-C2'-C3'-C4'
7	A	933	EPE	C8-C7-N4-C3
6	D	920	PCD	C10-O3B-PB-O3A

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
6	A	920	PCD	C9'-C10-O3B-PB
7	A	930	EPE	C8-C7-N4-C3
8	E	900	FAD	N10-C1'-C2'-O2'
8	E	900	FAD	N10-C1'-C2'-C3'
6	D	920	PCD	C9'-C10-O3B-PB
7	A	933	EPE	C10-C9-N1-C2
8	E	900	FAD	O3'-C3'-C4'-C5'
6	A	920	PCD	C10-O3B-PB-O3A
7	A	930	EPE	C10-C9-N1-C2
7	D	931	EPE	C10-C9-N1-C6



There are no ring outliers.

7 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	A	933	EPE	1	0
8	B	900	FAD	1	0
7	A	930	EPE	1	0
7	A	932	EPE	3	0
6	A	920	PCD	3	0
8	E	900	FAD	1	0
6	D	920	PCD	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	761/769 (98%)	-0.48	15 (1%) 65 64	8, 15, 30, 67	0
1	D	760/769 (98%)	-0.46	15 (1%) 65 64	7, 14, 34, 76	0
2	B	323/324 (99%)	-0.37	4 (1%) 79 78	10, 17, 35, 47	0
2	E	323/324 (99%)	-0.08	9 (2%) 53 50	10, 20, 38, 53	0
3	C	157/161 (97%)	-0.47	3 (1%) 66 65	8, 13, 26, 79	0
3	F	157/161 (97%)	-0.57	1 (0%) 89 89	8, 13, 27, 55	0
All	All	2481/2508 (98%)	-0.41	47 (1%) 66 65	7, 15, 34, 79	0

All (47) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	572	GLN	8.1
3	C	156	CYS	8.0
3	C	157	GLU	7.8
1	A	769	ALA	7.8
1	A	767	ALA	7.0
1	D	570	GLY	6.2
1	D	454	TRP	5.1
1	D	767	ALA	4.7
2	E	66	ALA	4.7
1	D	574	PRO	4.6
1	A	562	ILE	4.5
1	A	570	GLY	4.3
1	A	768	ALA	4.1
1	D	562	ILE	3.9
3	F	157	GLU	3.8
1	D	569	SER	3.7
1	D	553	ASP	3.6
1	D	768	ALA	3.5
3	C	155	LEU	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	563	ASP	3.2
1	D	766	GLU	3.2
2	E	57	ASP	3.1
1	D	37	PRO	3.1
1	D	555	ARG	3.0
2	E	25	GLU	3.0
1	A	553	ASP	3.0
1	A	766	GLU	2.9
1	A	563	ASP	2.8
2	E	85	ASP	2.8
2	E	217	ALA	2.7
1	A	37	PRO	2.7
2	E	68	GLY	2.6
1	A	142	ALA	2.6
2	B	278	ASP	2.6
2	E	278	ASP	2.5
2	E	89	THR	2.3
1	A	569	SER	2.3
1	D	573	ASP	2.3
1	A	608	LYS	2.3
1	A	433	LYS	2.2
1	A	555	ARG	2.2
2	B	180	ALA	2.2
2	B	57	ASP	2.1
1	D	86	ILE	2.1
2	E	180	ALA	2.1
2	B	246	GLY	2.1
1	A	38	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,




median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	EPE	A	933	15/15	0.62	0.68	40,55,59,60	15
7	EPE	A	932	15/15	0.80	0.35	51,53,57,58	15
12	SO4	D	773	5/5	0.82	0.43	48,51,52,53	5
7	EPE	A	930	15/15	0.93	0.14	25,31,39,41	15
7	EPE	D	931	15/15	0.95	0.13	15,33,44,53	15
5	NA	A	771	1/1	0.97	0.07	18,18,18,18	0
4	CL	D	770	1/1	0.97	0.08	14,14,14,14	1
8	FAD	E	900	53/53	0.98	0.06	9,14,20,20	0
8	FAD	B	900	53/53	0.98	0.05	9,12,15,17	0
6	PCD	D	920	48/48	0.99	0.05	6,8,10,12	0
4	CL	A	770	1/1	0.99	0.08	15,15,15,15	1
5	NA	D	772	1/1	0.99	0.07	18,18,18,18	0
9	SF4	B	910[A]	8/8	0.99	0.06	8,10,13,15	8
9	SF4	B	910[B]	8/8	0.99	0.06	6,10,11,11	8
9	SF4	E	910[A]	8/8	0.99	0.06	8,10,11,11	8
9	SF4	E	910[B]	8/8	0.99	0.06	9,11,13,13	8
6	PCD	A	920	48/48	0.99	0.05	7,9,12,13	0
10	FES	C	908	4/4	1.00	0.04	9,9,10,10	0
10	FES	F	907	4/4	1.00	0.05	7,7,8,8	0
10	FES	F	908	4/4	1.00	0.04	9,9,9,10	0
11	K	D	771	1/1	1.00	0.03	19,19,19,19	0
10	FES	C	907	4/4	1.00	0.05	8,9,9,9	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around FAD E 900:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FAD B 900:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PCD D 920:

$2mF_o-DF_c$ (at 0.7 rnsd) in gray
 mF_o-DF_c (at 3 rnsd) in purple (negative)
and green (positive)

**Electron density around PCD A 920:**

$2mF_o-DF_c$ (at 0.7 rnsd) in gray
 mF_o-DF_c (at 3 rnsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.