



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 16, 2021 – 08:11 PM EDT

PDB ID : 1S0A  
Title : Crystal Structure of the Y17F Mutant of 7,8-Diaminopelargonic Acid Synthase  
Authors : Sandmark, J.; Eliot, A.C.; Famm, K.; Schneider, G.; Kirsch, J.F.  
Deposited on : 2003-12-30  
Resolution : 1.71 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.23.2  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.23.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.71 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5722 (1.74-1.70)
Clashscore	141614	6152 (1.74-1.70)
Ramachandran outliers	138981	6051 (1.74-1.70)
Sidechain outliers	138945	6051 (1.74-1.70)
RSRZ outliers	127900	5629 (1.74-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	429	 6% 81% 17% .
1	B	429	 6% 82% 16% .

## 2 Entry composition i

There are 3 unique types of molecules in this entry. The entry contains 7358 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Adenosylmethionine-8-amino-7-oxononanoate aminotransferase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	P	S			
1	A	428	3340	2118	577	611	1	33	54	6	0
1	B	428	3356	2134	577	612	1	32	42	9	0

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	14	LEU	TRP	SEE REMARK 999	UNP P12995
A	17	PHE	TYR	engineered mutation	UNP P12995
A	274	LLP	LYS	modified residue	UNP P12995
B	14	LEU	TRP	SEE REMARK 999	UNP P12995
B	17	PHE	TYR	engineered mutation	UNP P12995
B	274	LLP	LYS	modified residue	UNP P12995

- Molecule 2 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Na	0	0
			1	1		
2	B	1	Total	Na	0	0
			1	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	334	Total	O	0	0
			334	334		
3	B	326	Total	O	0	0
			326	326		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Adenosylmethionine-8-amino-7-oxononanoate aminotransferase



- Molecule 1: Adenosylmethionine-8-amino-7-oxononanoate aminotransferase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	58.51Å 55.66Å 121.40Å 90.00° 97.04° 90.00°	Depositor
Resolution (Å)	19.92 – 1.71 19.80 – 1.71	Depositor EDS
% Data completeness (in resolution range)	98.8 (19.92-1.71) 97.1 (19.80-1.71)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.10	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.58 (at 1.71Å)	Xtrriage
Refinement program	REFMAC 5.0	Depositor
R, $R_{free}$	0.186 , 0.206 0.198 , 0.216	Depositor DCC
$R_{free}$ test set	4065 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	21.8	Xtrriage
Anisotropy	0.044	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 52.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	7358	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	24.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 10.52% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NA, LLP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.58	3/3417 (0.1%)	0.90	17/4634 (0.4%)
1	B	0.56	6/3450 (0.2%)	0.85	16/4682 (0.3%)
All	All	0.57	9/6867 (0.1%)	0.87	33/9316 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
All	All	0	2

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	171	GLU	CB-CG	-15.15	1.23	1.52
1	A	345	GLU	CB-CG	-11.90	1.29	1.52
1	B	171	GLU	CB-CG	10.15	1.71	1.52
1	A	202	ARG	CD-NE	-8.88	1.31	1.46
1	B	354[A]	GLU	CB-CG	5.83	1.63	1.52
1	B	354[B]	GLU	CB-CG	5.83	1.63	1.52
1	B	147[A]	ASP	CA-CB	5.69	1.66	1.53
1	B	147[B]	ASP	CA-CB	5.69	1.66	1.53
1	B	281	MET	SD-CE	-5.17	1.49	1.77

All (33) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	171	GLU	CA-CB-CG	19.01	155.22	113.40
1	A	202	ARG	CG-CD-NE	16.73	146.93	111.80
1	A	171	GLU	CB-CG-CD	11.11	144.19	114.20
1	B	93	ARG	NE-CZ-NH1	-10.74	114.93	120.30
1	A	354	GLU	CB-CG-CD	9.66	140.27	114.20
1	B	93	ARG	CG-CD-NE	9.52	131.80	111.80
1	A	237	ARG	NE-CZ-NH1	9.03	124.81	120.30
1	B	140[A]	PHE	CB-CA-C	-7.93	94.53	110.40
1	B	140[B]	PHE	CB-CA-C	-7.93	94.53	110.40
1	B	140[A]	PHE	CB-CG-CD2	7.68	126.17	120.80
1	B	140[B]	PHE	CB-CG-CD2	7.68	126.17	120.80
1	A	237	ARG	CG-CD-NE	7.67	127.90	111.80
1	B	354[A]	GLU	CA-CB-CG	7.54	130.00	113.40
1	B	354[B]	GLU	CA-CB-CG	7.54	130.00	113.40
1	A	237	ARG	NE-CZ-NH2	-7.43	116.58	120.30
1	B	140[A]	PHE	CB-CG-CD1	-6.57	116.20	120.80
1	B	140[B]	PHE	CB-CG-CD1	-6.57	116.20	120.80
1	A	156	ASP	CB-CG-OD2	6.56	124.21	118.30
1	B	423	ASP	CB-CG-OD2	6.42	124.08	118.30
1	A	73	ASP	CB-CG-OD2	6.22	123.90	118.30
1	B	4	ASP	CB-CG-OD2	6.09	123.78	118.30
1	B	183	ASP	CB-CG-OD2	6.07	123.76	118.30
1	A	147[A]	ASP	CB-CG-OD2	6.02	123.71	118.30
1	A	147[B]	ASP	CB-CG-OD2	6.02	123.71	118.30
1	A	5	ASP	CB-CG-OD2	5.88	123.59	118.30
1	A	423	ASP	CB-CG-OD2	5.88	123.59	118.30
1	A	187	ASP	CB-CG-OD2	5.81	123.53	118.30
1	A	358	ASP	CB-CG-OD2	5.69	123.42	118.30
1	B	158	ASP	CB-CG-OD2	5.69	123.42	118.30
1	B	358	ASP	CB-CG-OD2	5.67	123.40	118.30
1	A	158	ASP	CB-CG-OD2	5.44	123.20	118.30
1	B	338	ASP	CB-CG-OD2	5.26	123.03	118.30
1	A	9	ASP	CB-CG-OD2	5.24	123.02	118.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	202	ARG	Sidechain
1	B	93	ARG	Sidechain

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3340	0	3275	59	9
1	B	3356	0	3281	68	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	334	0	0	12	11
3	B	326	0	0	13	3
All	All	7358	0	6556	119	14

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (119) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:393[B]:PHE:HE2	3:A:1753:HOH:O	1.36	1.07
1:B:140[B]:PHE:CD1	1:B:210:ILE:HG22	1.91	1.04
1:B:140[B]:PHE:CE1	1:B:210:ILE:CG2	2.46	0.98
1:B:203[B]:HIS:HE1	3:B:1816:HOH:O	1.56	0.87
1:A:393[B]:PHE:CE2	3:A:1753:HOH:O	2.18	0.86
1:B:140[B]:PHE:CE1	1:B:210:ILE:HG21	2.12	0.84
1:B:140[B]:PHE:CD1	1:B:210:ILE:CG2	2.62	0.83
1:B:355:MET:SD	1:B:424[B]:GLU:HG2	2.21	0.81
1:B:140[B]:PHE:HD1	1:B:210:ILE:HG22	1.43	0.81
1:B:190:ASP:OD1	3:B:1806:HOH:O	2.00	0.78
1:A:17:PHE:HE2	3:B:1818:HOH:O	1.68	0.76
1:A:160:SER:HB3	3:A:1766:HOH:O	1.85	0.76
1:B:203[B]:HIS:CE1	3:B:1816:HOH:O	2.35	0.76
1:B:125:GLN:HE22	1:B:305:MET:H	1.33	0.75
1:A:340:GLU:HG2	1:A:344:ARG:HH11	1.52	0.75
1:B:380:GLN:NE2	3:B:1761:HOH:O	2.19	0.74
1:A:125:GLN:HE22	1:A:305:MET:H	1.36	0.73
1:A:142:ASN:HD22	1:A:177:ALA:HB2	1.53	0.73
1:A:340:GLU:CG	1:A:344:ARG:NH1	2.52	0.73
1:B:149[B]:PHE:CZ	1:B:170:PRO:HD3	2.23	0.73
1:A:428:CYS:O	1:A:429:GLN:HB2	1.88	0.72

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:188:GLU:OE2	1:A:230:ARG:NH2	2.22	0.71
1:B:355:MET:CE	1:B:424[B]:GLU:HG2	2.21	0.69
1:B:140[B]:PHE:HE1	1:B:210:ILE:CG2	2.02	0.69
1:B:186:TRP:HE1	1:B:188:GLU:HG2	1.57	0.69
1:B:201:HIS:HD2	1:B:204:GLU:OE2	1.75	0.68
1:B:340:GLU:O	1:B:344:ARG:HG3	1.93	0.67
1:B:140[B]:PHE:CZ	1:B:194:PHE:CE1	2.85	0.65
1:A:162:HIS:ND1	3:A:1771:HOH:O	2.29	0.65
1:A:346:GLN:HE22	1:A:411[A]:GLN:CG	2.10	0.64
1:A:340:GLU:HG2	1:A:344:ARG:NH1	2.13	0.64
1:A:346:GLN:NE2	1:A:411[A]:GLN:HG2	2.16	0.61
1:B:140[B]:PHE:CE2	1:B:194:PHE:CD1	2.88	0.61
1:A:136:ARG:HH11	1:A:136:ARG:HG3	1.65	0.60
1:A:395:LYS:NZ	3:A:1816:HOH:O	2.34	0.60
1:A:149:PHE:HB3	1:B:149[B]:PHE:CD2	2.37	0.59
1:B:422:GLN:NE2	3:B:1715:HOH:O	2.35	0.58
1:A:313:ASN:ND2	1:A:316:ALA:H	2.02	0.58
1:B:274:LLP:NZ	1:B:274:LLP:O3	2.37	0.58
1:A:226:GLU:OE1	1:A:230:ARG:NH1	2.37	0.57
1:A:136:ARG:HG3	1:A:136:ARG:NH1	2.20	0.56
1:B:427:PHE:O	1:B:428:CYS:HB2	2.05	0.56
1:B:68:MET:HE3	1:B:281:MET:HE2	1.85	0.56
1:A:41:ASP:OD2	1:A:43:ARG:NE	2.38	0.56
1:A:332:TRP:HA	1:A:335:GLN:HE21	1.70	0.56
1:A:110[A]:ASP:OD1	3:A:1541:HOH:O	2.18	0.55
1:A:156:ASP:O	1:A:160:SER:HB2	2.06	0.55
1:B:237:ARG:HG3	3:B:1805:HOH:O	2.06	0.55
1:B:262:HIS:HD2	3:B:1756:HOH:O	1.89	0.54
1:A:149:PHE:HB2	1:B:149[B]:PHE:HD2	1.72	0.54
1:A:342:GLN:CD	1:A:410:LEU:HD23	2.28	0.54
1:A:149:PHE:CB	1:B:149[B]:PHE:HD2	2.21	0.53
1:A:354:GLU:O	1:A:354:GLU:HG3	2.09	0.53
1:B:145:HIS:HD2	1:B:245:ASP:OD2	1.92	0.53
1:B:1:MET:HE3	1:B:28:PRO:HB2	1.90	0.53
1:A:53:TRP:CZ2	1:A:400:MET:HE1	2.44	0.52
1:A:136:ARG:HH11	1:A:136:ARG:CG	2.23	0.52
1:B:145:HIS:HE1	3:B:1526:HOH:O	1.91	0.52
1:A:344:ARG:NH2	1:A:361:VAL:O	2.44	0.51
1:A:340:GLU:CD	1:A:344:ARG:HH12	2.14	0.51
1:A:149:PHE:CB	1:B:149[B]:PHE:CD2	2.94	0.50
1:B:149[B]:PHE:CE1	1:B:170:PRO:HD3	2.46	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:264:GLU:HG2	3:A:1829:HOH:O	2.11	0.50
1:A:127:TRP:CD2	1:A:134:ARG:HD2	2.48	0.49
1:A:291:GLU:HG2	3:A:1745:HOH:O	2.11	0.49
1:B:372:HIS:CD2	1:B:424[B]:GLU:OE2	2.65	0.49
1:B:186:TRP:NE1	1:B:188:GLU:HG2	2.27	0.49
1:B:91:LEU:HA	1:B:321:ASN:OD1	2.13	0.48
1:A:11:ARG:O	1:B:290:ARG:NH2	2.35	0.48
1:A:393[A]:PHE:CE1	3:A:1794:HOH:O	2.55	0.48
1:B:127:TRP:CD2	1:B:134:ARG:HD2	2.48	0.48
1:A:309:THR:OG1	1:B:274:LLP:HE2	2.12	0.48
1:B:355:MET:HG2	3:B:1803:HOH:O	2.14	0.47
1:A:346:GLN:HE22	1:A:411[A]:GLN:HG2	1.74	0.47
1:B:22:SER:N	1:B:23:PRO:HD3	2.29	0.47
1:B:313:ASN:ND2	1:B:316:ALA:H	2.13	0.47
1:B:140[B]:PHE:HE2	1:B:194:PHE:CD1	2.31	0.47
1:A:165:TRP:CH2	1:B:125:GLN:HG3	2.50	0.46
1:B:372:HIS:HD2	1:B:424[B]:GLU:OE2	1.99	0.46
1:A:340:GLU:CG	1:A:344:ARG:HH12	2.27	0.46
1:B:140[B]:PHE:HZ	1:B:194:PHE:CE1	2.33	0.45
1:A:340:GLU:CD	1:A:344:ARG:NH1	2.69	0.45
1:A:227:TRP:O	1:A:231:ILE:HG13	2.17	0.45
1:B:332:TRP:HA	1:B:335:GLN:HE21	1.81	0.45
1:B:142:ASN:HD22	1:B:177:ALA:HB2	1.81	0.45
1:A:85:HIS:HE1	3:A:1503:HOH:O	1.99	0.45
1:B:30:VAL:HG13	1:B:40:SER:OG	2.17	0.45
1:A:348:ALA:N	1:A:349:PRO:CD	2.80	0.44
1:A:232:ARG:HG2	1:A:265:ILE:HG13	1.99	0.44
1:A:354:GLU:HG2	3:A:1811:HOH:O	2.18	0.44
1:B:149[B]:PHE:CD1	1:B:169:LEU:HD23	2.53	0.44
1:B:77:HIS:HA	1:B:314:PRO:HD2	1.99	0.44
1:A:226:GLU:O	1:A:230:ARG:HG2	2.17	0.44
1:B:355:MET:HE2	1:B:424[B]:GLU:HG2	1.98	0.44
1:A:346:GLN:HE22	1:A:411[A]:GLN:HG3	1.80	0.44
1:B:189:ARG:O	1:B:192:VAL:HG13	2.18	0.43
1:A:346:GLN:NE2	1:A:411[A]:GLN:CG	2.76	0.43
1:B:237:ARG:CG	3:B:1814:HOH:O	2.67	0.42
1:B:141:ARG:O	1:B:142:ASN:HB2	2.19	0.42
1:A:136:ARG:NH1	1:A:204:GLU:OE2	2.53	0.42
1:B:41:ASP:OD2	1:B:43:ARG:NE	2.52	0.42
1:B:140[B]:PHE:CZ	1:B:194:PHE:HE1	2.33	0.42
1:B:30:VAL:CG1	1:B:40:SER:HA	2.50	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:77:HIS:HA	1:A:314:PRO:HD2	2.01	0.41
1:B:15:HIS:HB3	1:B:16:PRO:HD2	2.03	0.41
1:A:11:ARG:HG3	3:A:1525:HOH:O	2.19	0.41
1:A:110[A]:ASP:HB3	1:B:282:THR:HG21	2.02	0.41
1:A:101:GLN:HB3	1:A:102:PRO:HD3	2.01	0.41
1:B:348:ALA:N	1:B:349:PRO:CD	2.83	0.41
1:A:427:PHE:O	1:A:428:CYS:HB2	2.20	0.41
1:B:21:THR:C	1:B:23:PRO:HD3	2.41	0.41
1:B:113[A]:SER:OG	1:B:146:GLY:HA3	2.21	0.41
1:B:140[B]:PHE:CE2	1:B:194:PHE:HD1	2.35	0.41
1:B:149[B]:PHE:CZ	1:B:170:PRO:CD	3.01	0.41
1:A:17:PHE:CE2	3:B:1818:HOH:O	2.56	0.40
1:A:35[A]:CYS:SG	1:A:404:ILE:HG13	2.61	0.40
1:B:237:ARG:HG2	3:B:1814:HOH:O	2.21	0.40
1:B:1:MET:CE	1:B:40:SER:OG	2.69	0.40

All (14) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:171:GLU:CD	3:A:1777:HOH:O[1_545]	0.54	1.66
1:A:171:GLU:OE1	3:A:1777:HOH:O[1_545]	0.98	1.22
1:A:419:ARG:CZ	3:A:1795:HOH:O[2_655]	1.03	1.17
1:A:419:ARG:NE	3:A:1795:HOH:O[2_655]	1.13	1.07
1:A:171:GLU:OE2	3:A:1777:HOH:O[1_545]	1.25	0.95
1:A:419:ARG:NH2	3:A:1795:HOH:O[2_655]	1.28	0.92
3:A:1703:HOH:O	3:A:1817:HOH:O[1_565]	1.29	0.91
3:B:1666:HOH:O	3:B:1807:HOH:O[2_656]	1.72	0.48
3:B:1740:HOH:O	3:B:1814:HOH:O[2_656]	1.86	0.34
1:A:171:GLU:CG	3:A:1777:HOH:O[1_545]	2.03	0.17
3:A:1685:HOH:O	3:A:1756:HOH:O[1_655]	2.03	0.17
3:A:1730:HOH:O	3:B:1636:HOH:O[1_655]	2.04	0.16
1:A:351:ARG:O	1:A:408:GLN:NE2[2_645]	2.05	0.15
1:A:408:GLN:CD	3:A:1792:HOH:O[2_655]	2.17	0.03

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	429/429 (100%)	417 (97%)	10 (2%)	2 (0%)	29	13
1	B	434/429 (101%)	420 (97%)	13 (3%)	1 (0%)	47	30
All	All	863/858 (101%)	837 (97%)	23 (3%)	3 (0%)	34	24

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	428	CYS
1	A	307	GLY
1	B	307	GLY

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	349/344 (102%)	337 (97%)	12 (3%)	37	16
1	B	351/344 (102%)	339 (97%)	12 (3%)	37	16
All	All	700/688 (102%)	676 (97%)	24 (3%)	40	16

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	60	ASN
1	A	63	GLN
1	A	80	PHE

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	110[A]	ASP
1	A	110[B]	ASP
1	A	132	GLU
1	A	136	ARG
1	A	166	LYS
1	A	202	ARG
1	A	233	LYS
1	A	265	ILE
1	A	290	ARG
1	B	80	PHE
1	B	93	ARG
1	B	110[A]	ASP
1	B	110[B]	ASP
1	B	165	TRP
1	B	183	ASP
1	B	189	ARG
1	B	192	VAL
1	B	237	ARG
1	B	290	ARG
1	B	393[A]	PHE
1	B	393[B]	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	85	HIS
1	A	125	GLN
1	A	135	GLN
1	A	142	ASN
1	A	313	ASN
1	A	335	GLN
1	B	63	GLN
1	B	125	GLN
1	B	142	ASN
1	B	145	HIS
1	B	201	HIS
1	B	262	HIS
1	B	313	ASN
1	B	335	GLN
1	B	342	GLN
1	B	346	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	LLP	A	274	1	23,24,25	1.69	4 (17%)	25,32,34	1.81	3 (12%)
1	LLP	B	274	1	23,24,25	1.66	3 (13%)	25,32,34	1.87	4 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	LLP	A	274	1	-	5/16/17/19	0/1/1/1
1	LLP	B	274	1	-	0/16/17/19	0/1/1/1

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	274	LLP	O3-C3	-5.60	1.24	1.37
1	B	274	LLP	O3-C3	-5.30	1.24	1.37
1	A	274	LLP	C2-N1	2.24	1.38	1.33
1	B	274	LLP	C2-N1	2.22	1.38	1.33
1	B	274	LLP	C4-C4'	2.18	1.50	1.46
1	A	274	LLP	C6-N1	2.16	1.39	1.34
1	A	274	LLP	P-OP3	-2.04	1.47	1.54

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	274	LLP	OP4-C5'-C5	6.74	122.19	109.35
1	B	274	LLP	OP4-C5'-C5	6.09	120.95	109.35
1	B	274	LLP	C4-C4'-NZ	-4.46	103.81	124.31
1	A	274	LLP	C4-C4'-NZ	-3.60	107.77	124.31
1	B	274	LLP	OP3-P-OP4	-2.55	99.94	106.73
1	B	274	LLP	C5-C6-N1	-2.28	120.02	123.82
1	A	274	LLP	C5-C6-N1	-2.04	120.42	123.82

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	274	LLP	C4-C4'-NZ-CE
1	A	274	LLP	C5-C4-C4'-NZ
1	A	274	LLP	C3-C4-C4'-NZ
1	A	274	LLP	CD-CE-NZ-C4'
1	A	274	LLP	CG-CD-CE-NZ

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	B	274	LLP	2	0

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	427/429 (99%)	0.38	27 (6%) 20 22	13, 22, 38, 44	13 (3%)
1	B	427/429 (99%)	0.42	27 (6%) 20 22	13, 23, 36, 44	12 (2%)
All	All	854/858 (99%)	0.40	54 (6%) 20 22	13, 22, 37, 44	25 (2%)

All (54) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	428	CYS	6.9
1	A	429	GLN	6.2
1	B	166	LYS	4.9
1	B	149[A]	PHE	4.5
1	B	167	GLY	4.3
1	B	133	ALA	4.3
1	B	140[A]	PHE	4.3
1	A	133	ALA	4.2
1	A	428	CYS	4.0
1	A	168	TYR	3.8
1	A	184	GLY	3.6
1	A	179	GLN	3.6
1	A	181	ARG	3.5
1	B	161	MET	3.4
1	A	192	VAL	3.4
1	A	170	PRO	3.2
1	A	161	MET	3.2
1	B	159	ASN	3.0
1	B	192	VAL	2.9
1	B	183	ASP	2.8
1	A	199	ALA	2.8
1	A	301	ALA	2.8
1	A	187	ASP	2.7
1	B	300	GLU	2.7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	189	ARG	2.7
1	A	22	SER	2.6
1	B	163	SER	2.5
1	B	231	ILE	2.5
1	A	21	THR	2.5
1	A	186	TRP	2.5
1	B	343	LEU	2.3
1	B	162	HIS	2.3
1	B	372	HIS	2.3
1	B	187	ASP	2.3
1	A	163	SER	2.2
1	B	186	TRP	2.2
1	B	189	ARG	2.2
1	B	168	TYR	2.2
1	B	237	ARG	2.2
1	A	138	LEU	2.1
1	A	164	LEU	2.1
1	A	165	TRP	2.1
1	A	167	GLY	2.1
1	A	237	ARG	2.1
1	B	22	SER	2.1
1	B	393[A]	PHE	2.1
1	B	422	GLN	2.1
1	A	231	ILE	2.1
1	B	40	SER	2.1
1	B	1	MET	2.0
1	A	300	GLU	2.0
1	B	184	GLY	2.0
1	A	421	VAL	2.0
1	A	393[A]	PHE	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
1	LLP	A	274	24/25	0.96	0.09	11,15,21,22	0
1	LLP	B	274	24/25	0.97	0.07	12,15,17,18	0

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	NA	B	1502	1/1	0.97	0.14	9,9,9,9	0
2	NA	A	1501	1/1	0.98	0.18	10,10,10,10	0

### 6.5 Other polymers [i](#)

There are no such residues in this entry.