



# Full wwPDB X-ray Structure Validation Report i

Aug 6, 2020 – 09:12 PM BST

PDB ID : 6S2V  
Title : Structure of the N-terminal catalytic region of T. thermophilus Rel  
Authors : Garcia-Pino, A.  
Deposited on : 2019-06-22  
Resolution : 2.96 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>  
with specific help available everywhere you see the i symbol.

---

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.13.1  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.13.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## X-RAY DIFFRACTION


The reported resolution of this entry is 2.96 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3104 (3.00-2.92)
Clashscore	141614	3462 (3.00-2.92)
Ramachandran outliers	138981	3340 (3.00-2.92)
Sidechain outliers	138945	3343 (3.00-2.92)
RSRZ outliers	127900	2986 (3.00-2.92)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



## 2 Entry composition [\(i\)](#)

There are 6 unique types of molecules in this entry. The entry contains 7576 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called (P)ppGpp synthetase I, SpoT/RelA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
1	A	342	Total	C 2588	N 1649	O 465	S 466	8	0	1	0
1	B	326	Total	C 2386	N 1513	O 434	S 433	6	0	0	0
1	C	336	Total	C 2523	N 1605	O 459	S 451	8	0	1	0

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	ALA	-	expression tag	UNP F6DES6
A	1	SER	-	expression tag	UNP F6DES6
B	0	ALA	-	expression tag	UNP F6DES6
B	1	SER	-	expression tag	UNP F6DES6
C	0	ALA	-	expression tag	UNP F6DES6
C	1	SER	-	expression tag	UNP F6DES6

- Molecule 2 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	B	1	Total Mn 1 1	0	0
2	A	1	Total Mn 1 1	0	0
2	C	1	Total Mn 1 1	0	0

- Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	B	1	Total Cl 1 1	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Cl 1 1	0	0
3	C	4	Total Cl 4 4	0	0

- Molecule 4 is PHOSPHATE ION (three-letter code: PO4) (formula: O<sub>4</sub>P).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	1	Total O P 5 4 1	0	0

- Molecule 5 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	C	1	Total Na 1 1	0	0



- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	27	Total O 28 28	0	1
6	B	11	Total O 11 11	0	0
6	C	25	Total O 25 25	0	0




### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: (P)ppGpp synthetase I, SpoT/RelA




- Molecule 1: (P)ppGpp synthetase I, SpoT/RelA



- Molecule 1: (P)ppGpp synthetase I, SpoT/RelA





## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	105.74Å    105.74Å    241.46Å 90.00°    90.00°    90.00°	Depositor
Resolution (Å)	40.77 – 2.96 40.77 – 2.96	Depositor EDS
% Data completeness (in resolution range)	72.4 (40.77-2.96) 72.4 (40.77-2.96)	Depositor EDS
$R_{merge}$	0.21	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) >$ <sup>1</sup>	2.03 (at 2.95Å)	Xtriage
Refinement program	BUSTER 2.10.3	Depositor
$R$ , $R_{free}$	0.221 , 0.275 0.245 , 0.290	Depositor DCC
$R_{free}$ test set	1066 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	84.7	Xtriage
Anisotropy	0.085	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 104.3	EDS
L-test for twinning <sup>2</sup>	$<  L  > = 0.46$ , $< L^2 > = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.90	EDS
Total number of atoms	7576	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	101.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.44% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $< |L| >$ ,  $< L^2 >$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: NA, PO4, MN, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.49	0/2643	0.71	0/3599
1	B	0.52	0/2432	0.70	0/3320
1	C	0.51	0/2577	0.70	0/3516
All	All	0.51	0/7652	0.70	0/10435

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2588	0	2495	33	0
1	B	2386	0	2259	69	0
1	C	2523	0	2437	50	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	4	0	0	1	0
4	B	5	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	C	1	0	0	0	0
6	A	28	0	0	1	0
6	B	11	0	0	0	0
6	C	25	0	0	0	0
All	All	7576	0	7191	151	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (151) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:349:ARG:NH2	1:C:354:HIS:CE1	2.28	1.02
1:B:212:THR:HG23	1:B:216:ARG:HD3	1.38	0.99
1:C:316:ARG:HB3	1:C:335:THR:OG1	1.63	0.96
1:B:138:ARG:HG2	1:B:138:ARG:HH11	1.34	0.89
1:B:287:THR:HG22	1:B:289:GLU:H	1.37	0.89
1:C:349:ARG:NE	1:C:354:HIS:ND1	2.21	0.89
1:C:313:ILE:HD11	1:C:337:ILE:HD11	1.56	0.87
1:A:321:ILE:HD12	1:A:332:LEU:HD13	1.58	0.86
1:C:337:ILE:CG2	1:C:341:GLY:HA2	2.07	0.84
1:C:349:ARG:CZ	1:C:354:HIS:ND1	2.40	0.84
1:C:349:ARG:NH2	1:C:354:HIS:HE1	1.72	0.82
1:B:69:THR:CG2	1:B:138:ARG:HD2	2.09	0.82
1:B:69:THR:HG21	1:B:138:ARG:HD2	1.63	0.81
1:B:79:LEU:HA	1:B:84:VAL:HA	1.62	0.81
1:C:349:ARG:HH21	1:C:354:HIS:CE1	2.02	0.77
1:B:231:LEU:CD2	1:B:302:VAL:HG22	2.16	0.75
1:B:138:ARG:HG2	1:B:138:ARG:NH1	2.02	0.73
1:B:151:LEU:HD23	1:B:192:LEU:HB3	1.73	0.71
1:B:278:VAL:HG12	1:B:280:LEU:CD1	2.21	0.70
1:C:87:GLU:N	1:C:87:GLU:OE1	2.19	0.70
1:B:139:ILE:HG13	1:B:140:ILE:H	1.56	0.70
1:B:273:LEU:CD2	1:B:343:PRO:HB2	2.22	0.70
1:B:69:THR:HG21	1:B:138:ARG:CD	2.22	0.69
1:B:139:ILE:HG13	1:B:140:ILE:N	2.06	0.69
1:B:325:LYS:HB2	1:B:329:TYR:HB3	1.75	0.68
1:A:226:LEU:HD21	1:C:326:PRO:HA	1.74	0.68
1:A:89:LEU:HD13	1:A:101:VAL:HG21	1.76	0.68
1:C:316:ARG:HB3	1:C:335:THR:HG1	1.57	0.68
1:B:231:LEU:HD21	1:B:302:VAL:HG22	1.75	0.67

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:87:GLU:H	1:C:87:GLU:CD	1.98	0.67
1:A:279:ILE:HG22	1:A:351:ARG:NH2	2.10	0.67
1:A:279:ILE:CG2	1:A:351:ARG:HD3	2.26	0.66
1:B:318:LYS:HB2	1:B:333:HIS:HB2	1.76	0.66
1:C:321:ILE:HD12	1:C:332:LEU:HD13	1.76	0.66
1:C:178:HIS:HB2	1:C:186:LYS:HD2	1.77	0.65
1:B:273:LEU:HD23	1:B:343:PRO:HB2	1.77	0.65
1:B:212:THR:HG23	1:B:216:ARG:CD	2.21	0.64
1:A:279:ILE:HG21	1:A:351:ARG:HD3	1.80	0.64
1:A:339:LEU:N	1:A:339:LEU:HD12	2.12	0.64
1:B:212:THR:O	1:B:216:ARG:HG2	1.99	0.63
1:A:106:LYS:O	1:A:107:VAL:HG23	1.99	0.63
1:B:242:GLN:HG3	1:B:283:LYS:HA	1.82	0.62
1:B:302:VAL:HG12	1:B:348:ILE:HD13	1.82	0.62
1:C:259:LYS:HG2	1:C:264:GLY:HA2	1.82	0.61
1:C:349:ARG:CZ	1:C:354:HIS:CE1	2.83	0.60
1:C:316:ARG:CB	1:C:335:THR:OG1	2.47	0.60
1:A:339:LEU:CD1	1:A:339:LEU:H	2.14	0.60
1:B:69:THR:CG2	1:B:138:ARG:HG3	2.32	0.60
1:B:97:VAL:HG22	1:B:97:VAL:O	2.01	0.60
1:C:84:VAL:HG12	1:C:84:VAL:O	2.02	0.59
1:A:216:ARG:HD2	6:A:508:HOH:O	2.01	0.59
1:C:57:ALA:HA	1:C:60:LEU:HD12	1.83	0.59
1:B:69:THR:CG2	1:B:138:ARG:CD	2.79	0.58
1:B:278:VAL:HG12	1:B:280:LEU:HD11	1.84	0.58
1:A:136:ASP:HA	1:A:139:ILE:HD12	1.86	0.58
1:C:316:ARG:HH11	1:C:335:THR:HG21	1.69	0.57
1:A:106:LYS:O	1:A:107:VAL:CG2	2.53	0.57
1:B:69:THR:CG2	1:B:138:ARG:CG	2.83	0.57
1:C:337:ILE:HG23	1:C:341:GLY:HA2	1.87	0.57
1:B:69:THR:HG22	1:B:138:ARG:HG3	1.87	0.57
1:A:168:GLU:HG3	1:A:172:ILE:HD12	1.87	0.57
1:C:8:LEU:HB3	1:C:54:VAL:HG11	1.86	0.57
1:A:339:LEU:CD1	1:A:339:LEU:N	2.67	0.56
1:C:194:PHE:CE1	1:C:256:ILE:HD13	2.41	0.56
1:C:325:LYS:HB2	1:C:329:TYR:HB3	1.88	0.56
1:C:240:GLN:HE21	1:C:294:ARG:HE	1.54	0.56
1:B:231:LEU:HD22	1:B:302:VAL:HG22	1.87	0.55
1:A:318:LYS:HB2	1:A:333:HIS:HB2	1.88	0.55
1:B:138:ARG:HG3	1:B:138:ARG:O	2.06	0.55
1:C:280:LEU:HD21	1:C:302:VAL:HG21	1.88	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:160:GLU:OE1	1:A:160:GLU:N	2.41	0.53
1:A:85:ALA:HB1	1:A:88:GLU:HB3	1.89	0.53
1:B:139:ILE:O	1:B:142:VAL:N	2.41	0.53
1:C:191:ASP:OD1	1:C:252:HIS:O	2.27	0.53
1:B:68:ASP:OD1	1:B:96:THR:HB	2.09	0.53
1:C:326:PRO:HG2	3:C:404:CL:CL	2.46	0.52
1:B:182:MET:HG2	1:B:185:LEU:HB3	1.90	0.52
1:B:249:ARG:HD3	1:B:275:ALA:HB3	1.91	0.52
1:A:106:LYS:C	1:A:107:VAL:HG23	2.31	0.51
1:A:82:CYS:O	1:A:82:CYS:SG	2.69	0.50
1:C:349:ARG:NH2	1:C:354:HIS:ND1	2.49	0.50
1:B:225:HIS:HD2	1:B:226:LEU:HD12	1.77	0.50
1:B:220:ILE:HG13	1:B:274:LEU:HD23	1.94	0.50
1:C:227:LEU:HD11	1:C:306:VAL:HG22	1.94	0.49
1:A:13:GLU:HA	1:A:16:LEU:HD12	1.94	0.49
1:B:56:VAL:HA	1:B:59:ILE:HD12	1.94	0.49
1:C:285:ALA:H	1:C:291:GLN:NE2	2.11	0.49
1:B:69:THR:HG22	1:B:138:ARG:CG	2.44	0.48
1:B:69:THR:HG23	1:B:138:ARG:HD2	1.94	0.47
1:B:188:GLU:O	1:B:192:LEU:HB2	2.14	0.47
1:B:213:GLN:O	1:B:217:GLU:HB2	2.14	0.47
1:C:151:LEU:HD23	1:C:154:LEU:HD22	1.97	0.47
1:B:79:LEU:HB2	1:B:101:VAL:HG21	1.97	0.47
1:B:182:MET:HG3	1:B:185:LEU:H	1.80	0.47
1:A:325:LYS:HB2	1:A:329:TYR:HB3	1.97	0.47
1:B:190:GLU:HB3	1:B:254:TYR:HB3	1.97	0.47
1:C:241:LEU:HD21	1:C:280:LEU:HB3	1.96	0.47
1:B:302:VAL:HG12	1:B:348:ILE:CD1	2.44	0.46
1:C:287:THR:HG23	1:C:290:SER:H	1.80	0.46
1:B:241:LEU:HD11	1:B:280:LEU:HD23	1.97	0.46
1:A:38:HIS:CE1	1:A:82:CYS:SG	3.09	0.46
1:B:49:TYR:O	1:B:53:PRO:HD3	2.17	0.45
1:B:231:LEU:HD22	1:B:302:VAL:CG2	2.47	0.45
1:C:180:LEU:HB3	1:C:182:MET:HG3	1.98	0.44
1:B:71:ALA:HA	1:B:74:LEU:HD12	1.99	0.44
1:B:139:ILE:CG1	1:B:140:ILE:H	2.29	0.44
1:B:321:ILE:HD12	1:B:332:LEU:HD13	2.00	0.43
1:C:333:HIS:CD2	1:C:347:GLN:HG2	2.53	0.43
1:C:318:LYS:HB2	1:C:333:HIS:HB2	1.99	0.43
1:A:226:LEU:HG	1:A:309:LEU:HD11	2.00	0.43
1:A:321:ILE:HA	1:A:330:GLN:HG2	2.00	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:25:ALA:HA	1:A:28:ARG:HG2	2.01	0.43
1:B:312:PRO:HA	1:B:336:VAL:HA	2.01	0.43
1:B:227:LEU:HD21	1:B:306:VAL:HG22	1.99	0.43
1:A:222:LYS:HB2	1:A:339:LEU:CD2	2.48	0.43
1:B:287:THR:HG22	1:B:289:GLU:N	2.19	0.42
1:C:248:GLY:HA2	1:C:276:VAL:HA	2.01	0.42
1:B:169:THR:HA	1:B:173:TYR:HB2	2.01	0.42
1:C:236:LEU:HD22	1:C:301:HIS:CE1	2.54	0.42
1:B:349:ARG:HH12	1:B:351:ARG:NH2	2.18	0.42
1:C:16:LEU:HD11	1:C:27:VAL:HG11	2.00	0.42
1:B:278:VAL:HG12	1:B:280:LEU:HD12	2.00	0.42
1:B:302:VAL:O	1:B:306:VAL:HG23	2.19	0.42
1:C:284:PRO:HA	1:C:291:GLN:HE22	1.84	0.42
1:B:69:THR:HG21	1:B:138:ARG:CG	2.48	0.42
1:A:107:VAL:HG12	1:A:108:SER:N	2.35	0.41
1:A:85:ALA:N	1:A:86:PRO:CD	2.83	0.41
1:B:139:ILE:CG1	1:B:140:ILE:N	2.81	0.41
1:B:201:ALA:O	1:B:205:LEU:HB2	2.20	0.41
1:A:197:LEU:HD23	1:A:198:HIS:CE1	2.55	0.41
1:A:351:ARG:HG2	1:A:351:ARG:HH21	1.85	0.41
1:B:136:ASP:O	1:B:139:ILE:HG12	2.20	0.41
1:B:312:PRO:HA	1:B:336:VAL:HG12	2.03	0.41
1:B:302:VAL:CG1	1:B:348:ILE:HG12	2.51	0.41
1:B:79:LEU:HD22	1:B:84:VAL:O	2.21	0.41
1:C:44:ARG:H	1:C:44:ARG:HD3	1.85	0.41
1:C:52:HIS:HB3	1:C:53:PRO:HD3	2.02	0.41
1:B:69:THR:HG21	1:B:138:ARG:HG3	2.00	0.41
1:B:138:ARG:NH1	1:B:138:ARG:CG	2.73	0.41
1:C:52:HIS:HA	1:C:149:HIS:CE1	2.55	0.41
1:B:147:ARG:HH12	1:B:168:GLU:HB3	1.85	0.41
1:C:350:THR:O	1:C:351:ARG:HB3	2.20	0.41
1:A:128:GLN:HA	1:A:131:ILE:HG22	2.03	0.41
1:A:241:LEU:HD11	1:A:280:LEU:HB3	2.02	0.41
1:B:220:ILE:O	1:B:224:ILE:HG13	2.20	0.41
1:A:70:VAL:O	1:A:74:LEU:HD22	2.21	0.41
1:C:224:ILE:HG22	1:C:276:VAL:HG21	2.03	0.41
1:C:307:HIS:CG	1:C:312:PRO:HG3	2.57	0.41
1:C:313:ILE:CD1	1:C:337:ILE:HD11	2.39	0.41
1:C:132:ALA:O	1:C:135:GLU:O	2.39	0.40
1:C:65:MET:HB3	1:C:69:THR:HB	2.01	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [\(i\)](#)

### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	339/356 (95%)	319 (94%)	20 (6%)	0	100 100
1	B	322/356 (90%)	296 (92%)	26 (8%)	0	100 100
1	C	331/356 (93%)	305 (92%)	26 (8%)	0	100 100
All	All	992/1068 (93%)	920 (93%)	72 (7%)	0	100 100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	244/300 (81%)	226 (93%)	18 (7%)	13 41
1	B	219/300 (73%)	189 (86%)	30 (14%)	3 15
1	C	240/300 (80%)	218 (91%)	22 (9%)	9 30
All	All	703/900 (78%)	633 (90%)	70 (10%)	8 26

All (70) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	35	GLU
1	A	39	ARG
1	A	44	ARG
1	A	79	LEU
1	A	98	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	110	LEU
1	A	136	ASP
1	A	165	ILE
1	A	182	MET
1	A	200	GLU
1	A	236	LEU
1	A	256	ILE
1	A	261[A]	GLU
1	A	261[B]	GLU
1	A	277	ARG
1	A	295	GLU
1	A	349	ARG
1	A	352	GLU
1	B	13	GLU
1	B	28	ARG
1	B	65	MET
1	B	68	ASP
1	B	96	THR
1	B	97	VAL
1	B	104	GLU
1	B	138	ARG
1	B	185	LEU
1	B	205	LEU
1	B	216	ARG
1	B	218	ARG
1	B	220	ILE
1	B	227	LEU
1	B	233	ARG
1	B	236	LEU
1	B	249	ARG
1	B	266	THR
1	B	267	LEU
1	B	268	GLU
1	B	270	ILE
1	B	276	VAL
1	B	281	ASP
1	B	302	VAL
1	B	305	LEU
1	B	323	VAL
1	B	335	THR
1	B	340	GLU
1	B	345	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	353	MET
1	C	13	GLU
1	C	44	ARG
1	C	66	ASP
1	C	129	MET
1	C	133	MET
1	C	136	ASP
1	C	138	ARG
1	C	147	ARG
1	C	157	MET
1	C	176	LEU
1	C	185	LEU
1	C	187	TRP
1	C	228	GLN
1	C	238	GLN
1	C	240	GLN
1	C	249	ARG
1	C	254	TYR
1	C	256	ILE
1	C	266	THR
1	C	335	THR
1	C	353	MET
1	C	355	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	149	HIS
1	B	221	GLN
1	B	225	HIS
1	B	347	GLN
1	C	38	HIS
1	C	41	GLN
1	C	221	GLN
1	C	228	GLN
1	C	240	GLN
1	C	291	GLN
1	C	301	HIS

### 5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [\(i\)](#)

Of 11 ligands modelled in this entry, 10 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	PO4	B	402	-	4,4,4	2.48	1 (25%)	6,6,6	0.52	0

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	402	PO4	P-O1	4.08	1.60	1.50

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data i

### 6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	342/356 (96%)	0.55	25 (7%) 15 8	46, 98, 140, 158	0
1	B	326/356 (91%)	0.85	49 (15%) 2 1	45, 113, 204, 224	0
1	C	336/356 (94%)	0.28	20 (5%) 21 13	53, 90, 129, 165	0
All	All	1004/1068 (94%)	0.56	94 (9%) 8 5	45, 98, 177, 224	0

All (94) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	84	VAL	8.0
1	B	68	ASP	8.0
1	B	71	ALA	7.4
1	B	19	LEU	7.0
1	B	16	LEU	6.9
1	B	69	THR	5.9
1	B	140	ILE	5.8
1	B	70	VAL	5.7
1	B	85	ALA	5.7
1	A	16	LEU	5.7
1	A	18	TYR	5.6
1	B	136	ASP	5.4
1	B	74	LEU	5.4
1	B	141	ILE	5.3
1	A	61	ALA	5.3
1	B	139	ILE	5.2
1	B	15	ALA	4.8
1	B	73	GLY	4.7
1	B	33	PHE	4.5
1	B	32	ARG	4.4
1	A	27	VAL	4.4
1	A	30	ALA	4.3
1	B	96	THR	4.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	72	ALA	4.1
1	A	34	ALA	4.1
1	B	46	GLY	4.1
1	B	170	LEU	4.0
1	B	67	ALA	3.9
1	B	132	ALA	3.9
1	A	156	HIS	3.8
1	A	50	ILE	3.7
1	A	19	LEU	3.6
1	B	60	LEU	3.6
1	C	341	GLY	3.6
1	A	75	LEU	3.5
1	A	22	GLU	3.4
1	A	12	LEU	3.3
1	B	137	VAL	3.2
1	C	196	TYR	3.2
1	C	1	SER	3.2
1	C	107	VAL	3.1
1	C	165	ILE	3.0
1	B	105	THR	3.0
1	B	144	LEU	3.0
1	C	312	PRO	3.0
1	B	254	TYR	3.0
1	C	342	LEU	3.0
1	B	27	VAL	3.0
1	B	17	ALA	2.9
1	B	133	MET	2.9
1	C	224	ILE	2.9
1	B	38	HIS	2.9
1	B	11	ARG	2.9
1	A	267	LEU	2.8
1	B	89	LEU	2.8
1	A	123	ALA	2.8
1	C	205	LEU	2.7
1	B	61	ALA	2.7
1	B	14	PRO	2.7
1	C	220	ILE	2.6
1	A	205	LEU	2.6
1	B	134	ALA	2.6
1	A	106	LYS	2.5
1	C	89	LEU	2.5
1	A	78	THR	2.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	124	GLU	2.4
1	B	21	PRO	2.4
1	B	180	LEU	2.4
1	C	194	PHE	2.4
1	B	65	MET	2.4
1	B	138	ARG	2.4
1	A	126	LEU	2.3
1	B	66	ASP	2.3
1	B	63	LEU	2.3
1	B	135	GLU	2.3
1	B	107	VAL	2.2
1	C	246	VAL	2.2
1	A	105	THR	2.2
1	A	194	PHE	2.2
1	B	171	GLU	2.2
1	C	227	LEU	2.2
1	C	337	ILE	2.2
1	C	253	LEU	2.2
1	A	185	LEU	2.2
1	C	167	GLN	2.2
1	B	177	ALA	2.1
1	B	103	GLY	2.1
1	B	31	TYR	2.1
1	A	15	ALA	2.1
1	C	310	TRP	2.1
1	A	114	ALA	2.0
1	C	129	MET	2.0
1	C	93	PHE	2.0
1	A	127	ARG	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
5	NA	C	406	1/1	0.72	0.22	56,56,56,56	0
3	CL	C	404	1/1	0.84	0.18	64,64,64,64	0
3	CL	B	403	1/1	0.86	0.14	106,106,106,106	0
4	PO4	B	402	5/5	0.90	0.40	150,151,151,152	0
3	CL	A	402	1/1	0.94	0.22	95,95,95,95	0
3	CL	C	403	1/1	0.96	0.24	67,67,67,67	0
3	CL	C	402	1/1	0.96	0.31	51,51,51,51	0
2	MN	A	401	1/1	0.97	0.13	98,98,98,98	0
2	MN	B	401	1/1	0.98	0.18	120,120,120,120	0
3	CL	C	405	1/1	0.99	0.17	57,57,57,57	0
2	MN	C	401	1/1	0.99	0.19	73,73,73,73	0

## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.