



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 4, 2021 – 10:09 am GMT

PDB ID : 6S3M  
Title : Crystal structure of helicase Pif1 from *Thermus oshimai* in complex with ss-DNA (dT)18 and ADP-AlF<sub>4</sub>  
Authors : Dai, Y.X.; Chen, W.F.; Teng, F.Y.; Liu, N.N.; Hou, X.M.; Dou, S.X.; Rety, S.; Xi, X.G.  
Deposited on : 2019-06-25  
Resolution : 2.11 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.16  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.16


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.11 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	6241 (2.14-2.10)
Clashscore	141614	6778 (2.14-2.10)
Ramachandran outliers	138981	6705 (2.14-2.10)
Sidechain outliers	138945	6706 (2.14-2.10)
RSRZ outliers	127900	6112 (2.14-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	444	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 83%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 15%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 2%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="margin-left: 20px;">2%      83%      15%      .</p>
1	B	444	<div style="display: flex; align-items: center;"> <div style="width: 4%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 74%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 24%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 2%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="margin-left: 20px;">4%      74%      24%      ..</p>
2	C	18	<div style="display: flex; align-items: center;"> <div style="width: 17%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 17%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 67%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="margin-left: 20px;">17%      17%      67%</p>
2	D	18	<div style="display: flex; align-items: center;"> <div style="width: 22%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 11%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 67%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="margin-left: 20px;">22%      11%      67%</p>

## 2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 7527 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PIF1 helicase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	436	3504	2241	640	620	3	0	0	0
1	B	436	3504	2241	640	620	3	0	0	0

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	64	THR	ALA	conflict	UNP K7RJ88
A	162	ILE	MET	conflict	UNP K7RJ88
A	456	LEU	PRO	conflict	UNP K7RJ88
B	64	THR	ALA	conflict	UNP K7RJ88
B	162	ILE	MET	conflict	UNP K7RJ88
B	456	LEU	PRO	conflict	UNP K7RJ88

- Molecule 2 is a DNA chain called DNA (5'-D(P\*TP\*TP\*TP\*TP\*TP\*G)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
2	C	6	104	50	10	38	6	0	0	0
2	D	6	104	50	10	38	6	0	0	0

- Molecule 3 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: C<sub>10</sub>H<sub>15</sub>N<sub>5</sub>O<sub>10</sub>P<sub>2</sub>) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
3	A	1	27	10	5	10	2	0	0
3	B	1	27	10	5	10	2	0	0

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Mg		
4	B	1	1	1	0	0
4	A	1	1	1	0	0

- Molecule 5 is TETRAFLUOROALUMINATE ION (three-letter code: ALF) (formula: AlF<sub>4</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	Al	F	0	0
			5	1	4		
5	B	1	Total	Al	F	0	0
			5	1	4		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	152	Total	O	0	0
			152	152		
6	B	82	Total	O	0	0
			82	82		
6	C	6	Total	O	0	0
			6	6		
6	D	5	Total	O	0	0
			5	5		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: PIF1 helicase




- Molecule 1: PIF1 helicase



- Molecule 2: DNA (5'-D(P\*TP\*TP\*TP\*TP\*TP\*G)-3')



- Molecule 2: DNA (5'-D(P\*TP\*TP\*TP\*TP\*TP\*G)-3')



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	87.73Å 101.97Å 250.93Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	43.54 – 2.11 125.46 – 2.11	Depositor EDS
% Data completeness (in resolution range)	93.2 (43.54-2.11) 93.2 (125.46-2.11)	Depositor EDS
$R_{merge}$	0.10	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.03 (at 2.12Å)	Xtrriage
Refinement program	PHENIX (1.14rc1_3177: ???)	Depositor
R, $R_{free}$	0.224 , 0.268 0.224 , 0.268	Depositor DCC
$R_{free}$ test set	2905 reflections (4.81%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	40.0	Xtrriage
Anisotropy	0.482	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 50.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.42$ , $\langle L^2 \rangle = 0.24$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	7527	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	54.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.88% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ALF, MG, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.35	1/3587 (0.0%)	0.54	0/4868
1	B	0.31	0/3587	0.53	0/4868
2	C	1.32	3/113 (2.7%)	0.70	0/173
2	D	1.21	2/113 (1.8%)	0.69	0/173
All	All	0.40	6/7400 (0.1%)	0.54	0/10082

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	6	DT	O3'-P	-6.31	1.53	1.61
2	D	5	DT	O3'-P	-5.84	1.54	1.61
1	A	97	LYS	CE-NZ	5.58	1.63	1.49
2	C	4	DT	O3'-P	-5.46	1.54	1.61
2	D	3	DT	O3'-P	-5.45	1.54	1.61
2	C	3	DT	O3'-P	-5.31	1.54	1.61

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	108	TYR	Peptide

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3504	0	3559	63	0
1	B	3504	0	3561	85	0
2	C	104	0	60	0	0
2	D	104	0	60	2	0
3	A	27	0	12	1	0
3	B	27	0	12	1	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
5	A	5	0	0	1	0
5	B	5	0	0	0	0
6	A	152	0	0	30	2
6	B	82	0	0	30	1
6	C	6	0	0	0	0
6	D	5	0	0	0	0
All	All	7527	0	7264	150	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (150) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:157:PRO:HB2	6:B:1102:HOH:O	1.42	1.16
1:B:191:THR:HG22	6:B:1104:HOH:O	1.52	1.10
1:B:158:LEU:N	6:B:1102:HOH:O	1.85	1.09
1:A:194:ARG:HD3	6:A:1106:HOH:O	1.48	1.09
1:B:157:PRO:C	6:B:1102:HOH:O	1.92	1.07
1:A:194:ARG:NH1	6:A:1106:HOH:O	1.96	0.99
1:B:157:PRO:CB	6:B:1102:HOH:O	2.01	0.98
1:A:374:GLU:C	6:A:1101:HOH:O	2.04	0.96
1:A:374:GLU:O	6:A:1101:HOH:O	1.82	0.96

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:269:ARG:NH1	6:A:1107:HOH:O	1.96	0.96
1:B:159:ARG:NH1	6:B:1104:HOH:O	1.99	0.95
1:A:315:GLU:N	6:A:1109:HOH:O	1.99	0.94
1:B:478:THR:OG1	6:B:1101:HOH:O	1.83	0.94
1:B:191:THR:CG2	6:B:1104:HOH:O	2.09	0.93
1:B:67:GLY:N	6:B:1106:HOH:O	2.03	0.90
1:B:413:GLN:NE2	6:B:1107:HOH:O	2.04	0.90
1:B:157:PRO:CA	6:B:1102:HOH:O	2.18	0.88
1:A:109:LYS:NZ	6:A:1103:HOH:O	1.83	0.87
1:A:303:ARG:NH2	6:A:1102:HOH:O	1.82	0.87
1:A:374:GLU:N	6:A:1101:HOH:O	2.11	0.84
1:A:148:ASP:O	6:A:1105:HOH:O	1.95	0.83
1:A:314:LEU:C	6:A:1109:HOH:O	2.16	0.83
1:B:191:THR:O	6:B:1104:HOH:O	1.99	0.80
1:A:459:ALA:O	6:A:1110:HOH:O	2.00	0.79
1:A:374:GLU:CA	6:A:1101:HOH:O	2.28	0.79
1:B:361:GLU:OE1	6:B:1105:HOH:O	2.01	0.79
1:A:234:PHE:H	1:A:237:GLN:HE21	1.31	0.79
1:B:455:GLN:NE2	6:B:1110:HOH:O	2.11	0.78
1:B:403:TYR:N	6:B:1103:HOH:O	1.88	0.78
1:A:445:GLU:OE1	6:A:1111:HOH:O	2.02	0.78
1:B:313:ARG:NE	6:B:1113:HOH:O	2.19	0.76
1:B:194:ARG:NH2	6:B:1112:HOH:O	2.19	0.76
1:B:313:ARG:NH1	6:B:1111:HOH:O	2.17	0.75
1:A:292:GLU:OE1	6:A:1112:HOH:O	2.06	0.74
1:A:312:LYS:O	1:A:315:GLU:HG2	1.88	0.73
1:B:475:ILE:O	6:B:1108:HOH:O	2.05	0.73
1:B:403:TYR:C	6:B:1114:HOH:O	2.27	0.71
1:A:234:PHE:H	1:A:237:GLN:NE2	1.89	0.70
1:A:333:ALA:N	6:A:1104:HOH:O	1.86	0.69
1:B:145:HIS:CD2	1:B:147:GLU:HB2	2.27	0.69
1:A:162:ILE:HA	1:A:165:MET:HE3	1.74	0.68
1:A:213:LEU:HB2	1:A:435:GLN:HE22	1.60	0.66
1:A:447:GLY:O	6:A:1113:HOH:O	2.14	0.66
1:B:190:LYS:HD3	1:B:195:LEU:HD21	1.77	0.66
1:B:68:LEU:HB3	1:B:72:GLN:HG3	1.78	0.65
1:B:114:THR:HG22	1:B:169:ILE:HB	1.78	0.65
1:B:411:LYS:HD2	1:B:412:PRO:HD2	1.79	0.63
1:B:73:GLN:HA	1:B:76:PHE:HB3	1.79	0.63
3:B:1001:ADP:N3	6:B:1118:HOH:O	2.30	0.63
1:A:303:ARG:CZ	6:A:1102:HOH:O	2.38	0.61

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:302:ARG:NH1	2:D:3:DT:O2	2.33	0.61
1:A:181:LEU:HD22	1:A:235:PHE:HB2	1.83	0.60
1:A:378:LEU:HD21	1:A:421:VAL:HG11	1.84	0.59
1:A:303:ARG:NH1	6:A:1102:HOH:O	2.34	0.58
1:A:92:PRO:HD2	1:A:95:THR:HG21	1.86	0.58
1:A:383:LYS:NZ	6:A:1108:HOH:O	1.96	0.56
1:B:101:LEU:HA	1:B:104:LEU:HD12	1.88	0.56
1:A:194:ARG:CZ	6:A:1106:HOH:O	2.47	0.55
1:A:155:HIS:NE2	6:A:1119:HOH:O	2.33	0.55
1:B:306:ALA:O	1:B:310:ASN:ND2	2.40	0.55
1:B:453:HIS:CD2	6:B:1122:HOH:O	2.60	0.55
1:A:194:ARG:CD	6:A:1106:HOH:O	2.24	0.54
1:A:234:PHE:N	1:A:237:GLN:HE21	2.05	0.53
1:B:88:LEU:HD11	1:B:90:THR:HB	1.90	0.53
1:A:435:GLN:NE2	1:A:458:VAL:HG21	2.24	0.53
1:B:84:HIS:O	1:B:87:HIS:HE1	1.92	0.53
1:B:177:ARG:HD2	1:B:217:VAL:HG22	1.90	0.53
1:B:74:ARG:HD3	6:B:1143:HOH:O	2.10	0.52
1:B:199:PHE:O	1:B:202:VAL:HG12	2.11	0.51
1:A:314:LEU:HB3	6:A:1109:HOH:O	2.10	0.51
1:A:190:LYS:HD2	1:A:195:LEU:HD21	1.92	0.51
1:A:211:ARG:NH2	6:A:1116:HOH:O	2.20	0.51
1:B:403:TYR:O	6:B:1114:HOH:O	2.19	0.50
1:A:213:LEU:H	1:A:435:GLN:HE22	1.59	0.50
1:B:300:THR:O	1:B:430:THR:HA	2.11	0.50
1:B:198:PRO:HG2	1:B:244:VAL:HB	1.94	0.50
1:A:465:ARG:NE	6:A:1114:HOH:O	2.19	0.49
1:A:155:HIS:CE1	6:A:1119:HOH:O	2.65	0.49
1:B:463:VAL:HB	1:B:468:ASP:HB2	1.95	0.49
1:A:322:LEU:HD23	6:A:1101:HOH:O	2.13	0.49
1:B:303:ARG:HD3	2:D:5:DT:OP2	2.11	0.49
1:B:481:LEU:C	1:B:482:TRP:HD1	2.16	0.49
1:A:213:LEU:HB2	1:A:435:GLN:NE2	2.28	0.49
1:A:128:GLN:NE2	1:A:133:PHE:HD1	2.11	0.48
1:B:266:LEU:O	1:B:270:LEU:HG	2.12	0.48
1:A:180:LEU:O	1:A:184:MET:HG3	2.13	0.48
1:A:403:TYR:CD2	1:A:410:ILE:HG22	2.49	0.48
1:B:250:ARG:HD3	1:B:252:TRP:CZ2	2.49	0.48
1:B:93:ALA:HB2	1:B:212:GLN:OE1	2.15	0.47
1:B:411:LYS:HE2	1:B:412:PRO:O	2.14	0.47
1:A:112:ALA:HA	1:A:167:VAL:O	2.15	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:304:LYS:NZ	1:B:448:ARG:HH22	2.13	0.46
1:B:298:ILE:HG21	1:B:309:LEU:HD13	1.97	0.46
1:B:145:HIS:CD2	1:B:147:GLU:H	2.34	0.46
1:B:313:ARG:CZ	6:B:1113:HOH:O	2.63	0.46
1:B:482:TRP:HB3	6:B:1134:HOH:O	2.16	0.46
1:B:80:THR:HB	1:B:107:PHE:CE2	2.51	0.46
1:A:145:HIS:HE1	1:A:147:GLU:HG3	1.81	0.45
1:A:387:ARG:CZ	6:A:1135:HOH:O	2.63	0.45
1:B:213:LEU:HB2	1:B:435:GLN:OE1	2.17	0.45
1:A:400:VAL:HG23	1:A:413:GLN:HG3	1.99	0.45
1:B:297:LEU:HD23	1:B:439:LEU:HD13	1.98	0.45
1:A:394:PHE:CD1	1:A:422:PRO:HG3	2.52	0.45
1:B:159:ARG:O	1:B:163:GLU:HG2	2.16	0.45
1:B:88:LEU:HD23	1:B:206:LEU:HB3	1.98	0.45
1:B:420:GLN:HE21	1:B:421:VAL:H	1.63	0.45
1:B:309:LEU:O	1:B:312:LYS:HE3	2.16	0.44
1:B:282:ASN:ND2	6:B:1108:HOH:O	2.49	0.44
1:B:317:LEU:HA	1:B:317:LEU:HD23	1.84	0.44
1:B:430:THR:HG23	6:B:1160:HOH:O	2.18	0.44
1:B:175:MET:HE1	6:B:1147:HOH:O	2.17	0.43
1:A:211:ARG:HH12	1:A:487:GLU:CD	2.22	0.43
1:A:404:ASP:HA	1:A:405:SER:HA	1.48	0.43
1:B:404:ASP:HA	1:B:405:SER:HA	1.63	0.43
1:B:367:LEU:HD21	1:B:429:LEU:HD11	2.00	0.43
1:B:436:GLY:H	1:B:462:ARG:NH1	2.16	0.43
1:A:109:LYS:HG3	1:A:110:GLY:H	1.83	0.43
1:A:354:LEU:HD21	1:A:424:ARG:HD2	2.00	0.43
1:A:211:ARG:NH1	1:A:487:GLU:OE1	2.52	0.43
1:B:188:LEU:HD13	1:B:202:VAL:HG11	1.99	0.43
1:A:324:TYR:HE1	1:A:373:LEU:HD22	1.84	0.43
1:B:136:PHE:HE1	1:B:149:ILE:HG23	1.84	0.43
1:A:424:ARG:HH11	1:A:424:ARG:HG3	1.83	0.42
1:B:111:ARG:HG2	1:B:166:GLU:HB2	2.01	0.42
1:B:190:LYS:HA	1:B:190:LYS:HD3	1.81	0.42
1:B:328:VAL:HG12	1:B:418:PHE:CD1	2.54	0.42
1:B:403:TYR:CG	1:B:403:TYR:O	2.72	0.42
1:B:105:GLN:HE21	1:B:114:THR:HG21	1.84	0.42
1:B:109:LYS:HG2	1:B:110:GLY:N	2.33	0.42
1:B:312:LYS:HE3	1:B:312:LYS:HB3	1.78	0.42
1:B:376:GLU:HG2	1:B:393:PRO:HG2	2.01	0.42
1:A:322:LEU:CD2	6:A:1101:HOH:O	2.67	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:242:GLU:HG2	1:A:500:LYS:HG2	2.01	0.42
1:A:401:TYR:HB3	1:A:410:ILE:HD12	2.01	0.42
1:B:482:TRP:CB	6:B:1134:HOH:O	2.68	0.42
1:A:89:ILE:O	1:A:207:LEU:HA	2.19	0.42
1:B:376:GLU:HG2	1:B:393:PRO:CG	2.50	0.41
1:A:115:LEU:HD12	1:A:168:LEU:HD21	2.02	0.41
1:B:140:LEU:HD21	1:B:225:TYR:CD2	2.56	0.41
1:B:393:PRO:HA	1:B:421:VAL:HA	2.02	0.41
1:B:145:HIS:HD2	1:B:147:GLU:HB2	1.81	0.41
1:B:489:PHE:CE2	1:B:493:ILE:HD13	2.56	0.41
1:A:115:LEU:HA	1:A:128:GLN:O	2.21	0.40
1:B:108:TYR:HB3	1:B:112:ALA:HB2	2.02	0.40
1:B:72:GLN:O	1:B:76:PHE:N	2.50	0.40
1:B:111:ARG:HG3	1:B:166:GLU:OE1	2.22	0.40
1:B:189:ARG:HH22	1:B:243:GLU:CD	2.25	0.40
1:B:84:HIS:ND1	1:B:85:PRO:HD2	2.37	0.40
3:A:1001:ADP:O3B	5:A:1003:ALF:F4	2.29	0.40
1:A:354:LEU:HD11	1:A:424:ARG:HD2	2.03	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:A:1201:HOH:O	6:A:1201:HOH:O[3_654]	1.68	0.52
6:A:1242:HOH:O	6:B:1182:HOH:O[5_455]	2.03	0.17

## 5.3 Torsion angles [\(i\)](#)

### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	434/444 (98%)	431 (99%)	3 (1%)	0	<a href="#">100</a> <a href="#">100</a>

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	434/444 (98%)	430 (99%)	4 (1%)	0	100	100
All	All	868/888 (98%)	861 (99%)	7 (1%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	364/371 (98%)	361 (99%)	3 (1%)	81	86
1	B	364/371 (98%)	353 (97%)	11 (3%)	41	43
All	All	728/742 (98%)	714 (98%)	14 (2%)	57	61

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	109	LYS
1	A	247	ARG
1	A	378	LEU
1	B	74	ARG
1	B	160	LYS
1	B	254	SER
1	B	312	LYS
1	B	332	PHE
1	B	366	ASP
1	B	407	ARG
1	B	420	GLN
1	B	424	ARG
1	B	450	LEU
1	B	456	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	237	GLN
1	A	413	GLN
1	A	435	GLN
1	A	443	HIS
1	B	87	HIS
1	B	124	GLN
1	B	145	HIS
1	B	420	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 2 are monoatomic - leaving 4 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.


There are no ring outliers.



No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the



average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	436/444 (98%)	0.13	10 (2%) 60 65	28, 43, 70, 109	0
1	B	436/444 (98%)	0.39	16 (3%) 41 48	40, 59, 90, 125	0
2	C	6/18 (33%)	0.13	0 100 100	48, 52, 69, 88	0
2	D	6/18 (33%)	-0.22	0 100 100	47, 52, 62, 79	0
All	All	884/924 (95%)	0.25	26 (2%) 51 57	28, 52, 86, 125	0

All (26) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	404	ASP	8.6
1	A	404	ASP	5.6
1	B	405	SER	5.1
1	B	482	TRP	4.8
1	B	502	HIS	4.6
1	B	79	VAL	4.4
1	B	403	TYR	4.4
1	A	502	HIS	4.1
1	B	406	GLU	4.1
1	B	501	SER	3.8
1	A	501	SER	3.6
1	A	405	SER	3.5
1	A	408	GLU	3.4
1	A	482	TRP	3.4
1	B	107	PHE	3.2
1	B	480	LEU	3.2
1	A	410	ILE	2.7
1	A	403	TYR	2.6
1	B	75	ALA	2.6
1	B	86	ALA	2.6
1	B	408	GLU	2.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	111	ARG	2.4
1	B	78	ALA	2.3
1	A	375	ALA	2.3
1	A	219	GLY	2.2
1	B	402	THR	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
4	MG	B	1002	1/1	0.84	0.11	52,52,52,52	0
5	ALF	B	1003	5/5	0.90	0.14	45,45,47,47	0
4	MG	A	1002	1/1	0.93	0.09	33,33,33,33	0
5	ALF	A	1003	5/5	0.93	0.17	35,39,41,48	0
3	ADP	B	1001	27/27	0.95	0.16	47,58,70,72	0
3	ADP	A	1001	27/27	0.98	0.13	26,33,42,44	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




**Electron density around ALF B 1003:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around ALF A 1003:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around ADP B 1001:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)







## 6.5 Other polymers [i](#)

There are no such residues in this entry.