



# wwPDB X-ray Structure Validation Summary Report ⓘ

Aug 28, 2024 – 08:20 pm BST

PDB ID : 8S3D  
Title : Crystal structure of *Medicago truncatula* glutamate dehydrogenase 2 in complex with 2-amino-2-hydroxyglutarate (reaction intermediate) and NAD  
Authors : Grzechowiak, M.; Ruszkowski, M.  
Deposited on : 2024-02-19  
Resolution : 1.65 Å (reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.4, CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 3.0  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
CCP4 : 9.0.002 (Gargrove)  
Density-Fitness : 1.0.11  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.38.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	164625	2328 (1.66-1.66)
Clashscore	180529	2515 (1.66-1.66)
Ramachandran outliers	177936	2475 (1.66-1.66)
Sidechain outliers	177891	2475 (1.66-1.66)
RSRZ outliers	164620	2328 (1.66-1.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	414	97%
1	B	414	95%
1	C	414	96%
1	D	414	94% 6%
1	E	414	97%

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	F	414	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
9	GLY	A	514	-	X	-	-
9	GLY	B	503	-	X	-	-
9	GLY	F	2313	-	X	-	-

## 2 Entry composition [i](#)

There are 11 unique types of molecules in this entry. The entry contains 22384 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glutamate dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	412	3168	1998	555	598	17	0	4	0
1	B	412	3181	2004	561	599	17	0	5	0
1	C	412	3206	2020	564	605	17	0	8	0
1	D	412	3182	2005	560	600	17	0	5	0
1	E	412	3202	2020	561	604	17	0	8	0
1	F	412	3180	2006	556	601	17	0	6	0

There are 18 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	SER	-	expression tag	UNP G7JYL4
A	-1	ASN	-	expression tag	UNP G7JYL4
A	0	ALA	-	expression tag	UNP G7JYL4
B	-2	SER	-	expression tag	UNP G7JYL4
B	-1	ASN	-	expression tag	UNP G7JYL4
B	0	ALA	-	expression tag	UNP G7JYL4
C	-2	SER	-	expression tag	UNP G7JYL4
C	-1	ASN	-	expression tag	UNP G7JYL4
C	0	ALA	-	expression tag	UNP G7JYL4
D	-2	SER	-	expression tag	UNP G7JYL4
D	-1	ASN	-	expression tag	UNP G7JYL4
D	0	ALA	-	expression tag	UNP G7JYL4
E	-2	SER	-	expression tag	UNP G7JYL4
E	-1	ASN	-	expression tag	UNP G7JYL4
E	0	ALA	-	expression tag	UNP G7JYL4
F	-2	SER	-	expression tag	UNP G7JYL4
F	-1	ASN	-	expression tag	UNP G7JYL4

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	0	ALA	-	expression tag	UNP G7JYL4

- Molecule 2 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula:  $C_{21}H_{27}N_7O_{14}P_2$ ) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	C	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	D	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	E	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	F	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 3 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula:  $C_2H_6O_2$ ).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	C	1	Total C O 4 2 2	0	0
3	C	1	Total C O 4 2 2	0	0
3	C	1	Total C O 4 2 2	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	C	1	Total C O 4 2 2	0	0
3	C	1	Total C O 4 2 2	0	0
3	D	1	Total C O 4 2 2	0	0
3	D	1	Total C O 4 2 2	0	0
3	D	1	Total C O 4 2 2	0	0
3	E	1	Total C O 4 2 2	0	0
3	E	1	Total C O 4 2 2	0	0
3	E	1	Total C O 4 2 2	0	0
3	F	1	Total C O 4 2 2	0	0
3	F	1	Total C O 4 2 2	0	0
3	F	1	Total C O 4 2 2	0	0
3	F	1	Total C O 4 2 2	0	0
3	F	1	Total C O 4 2 2	0	0
3	F	1	Total C O 4 2 2	0	0
3	F	1	Total C O 4 2 2	0	0


- Molecule 4 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C<sub>4</sub>H<sub>10</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 7 4 3	0	0
4	A	1	Total C O 7 4 3	0	0
4	C	1	Total C O 7 4 3	0	0
4	C	1	Total C O 7 4 3	0	0
4	D	1	Total C O 7 4 3	0	0
4	D	1	Total C O 7 4 3	0	0
4	F	1	Total C O 7 4 3	0	0
4	F	1	Total C O 7 4 3	0	0


- Molecule 5 is (2S)-2-azanyl-2-oxidanyl-pentanedioic acid (three-letter code: 8GL) (formula:  $C_5H_9NO_5$ ) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
5	A	1	Total 11	C 5	N 1	O 5	0	0
5	B	1	Total 11	C 5	N 1	O 5	0	0
5	C	1	Total 11	C 5	N 1	O 5	0	0
5	D	1	Total 11	C 5	N 1	O 5	0	0
5	E	1	Total 11	C 5	N 1	O 5	0	0
5	F	1	Total 11	C 5	N 1	O 5	0	0

- Molecule 6 is TETRAETHYLENE GLYCOL (three-letter code: PG4) (formula: C<sub>8</sub>H<sub>18</sub>O<sub>5</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C O 13 8 5	0	0
6	B	1	Total C O 13 8 5	0	0
6	D	1	Total C O 13 8 5	0	0
6	E	1	Total C O 13 8 5	0	0
6	E	1	Total C O 13 8 5	0	0


- Molecule 7 is CALCIUM ION (three-letter code: CA) (formula: Ca) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total Ca 1 1	0	0
7	B	1	Total Ca 1 1	0	0
7	C	1	Total Ca 1 1	0	0
7	D	1	Total Ca 1 1	0	0
7	E	1	Total Ca 1 1	0	0
7	F	1	Total Ca 1 1	0	0

- Molecule 8 is SODIUM ION (three-letter code: NA) (formula: Na).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	1	Total Na 1 1	0	0
8	B	1	Total Na 1 1	0	0
8	D	1	Total Na 1 1	0	0

- Molecule 9 is GLYCINE (three-letter code: GLY) (formula: C<sub>2</sub>H<sub>5</sub>NO<sub>2</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	A	1	Total C N O 5 2 1 2	0	0
9	B	1	Total C N O 5 2 1 2	0	0
9	C	1	Total C N O 5 2 1 2	0	0
9	D	1	Total C N O 5 2 1 2	0	0
9	E	1	Total C N O 5 2 1 2	0	0
9	F	1	Total C N O 5 2 1 2	0	0

- Molecule 10 is TRIETHYLENE GLYCOL (three-letter code: PGE) (formula: C<sub>6</sub>H<sub>14</sub>O<sub>4</sub>).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	B	1	Total	C O	0	0
			10	6 4		


- Molecule 11 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	A	468	Total	O	0	2
			470	470		
11	B	430	Total	O	0	2
			432	432		
11	C	433	Total	O	0	2
			435	435		
11	D	380	Total	O	0	1
			381	381		
11	E	464	Total	O	0	4
			468	468		
11	F	461	Total	O	0	2
			463	463		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Glutamate dehydrogenase




- Molecule 1: Glutamate dehydrogenase



- Molecule 1: Glutamate dehydrogenase



- Molecule 1: Glutamate dehydrogenase




- Molecule 1: Glutamate dehydrogenase





- Molecule 1: Glutamate dehydrogenase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	111.83Å 155.71Å 163.09Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	65.89 – 1.65 65.89 – 1.65	Depositor EDS
% Data completeness (in resolution range)	99.5 (65.89-1.65) 99.5 (65.89-1.65)	Depositor EDS
$R_{merge}$	0.09	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.23 (at 1.65Å)	Xtrriage
Refinement program	PHENIX 1.18.1_3865	Depositor
R, $R_{free}$	0.147 , 0.173 0.159 , 0.181	Depositor DCC
$R_{free}$ test set	5005 reflections (1.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	20.2	Xtrriage
Anisotropy	0.143	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 44.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.000 for -h,l,k	Xtrriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	22384	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	24.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 33.23 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 8.2690e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAD, PGE, CA, PG4, 8GL, NA, EDO, PEG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.55	0/3230	0.67	0/4370
1	B	0.56	0/3243	0.65	0/4387
1	C	0.57	0/3269	0.67	0/4423
1	D	0.55	0/3245	0.67	0/4391
1	E	0.57	0/3264	0.67	0/4417
1	F	0.55	0/3242	0.66	0/4388
All	All	0.56	0/19493	0.66	0/26376

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3168	0	3155	10	0
1	B	3181	0	3168	14	0
1	C	3206	0	3183	14	0
1	D	3182	0	3160	16	0
1	E	3202	0	3188	14	0
1	F	3180	0	3165	11	0
2	A	44	0	26	0	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	44	0	26	0	0
2	C	44	0	26	0	0
2	D	44	0	26	0	0
2	E	44	0	26	0	0
2	F	44	0	26	0	0
3	A	24	0	36	0	0
3	B	20	0	30	0	0
3	C	20	0	30	1	0
3	D	12	0	18	0	0
3	E	12	0	18	0	0
3	F	28	0	41	0	0
4	A	14	0	20	0	0
4	C	14	0	20	1	0
4	D	14	0	20	0	0
4	F	14	0	20	1	0
5	A	11	0	0	1	0
5	B	11	0	0	1	0
5	C	11	0	0	1	0
5	D	11	0	0	1	0
5	E	11	0	0	1	0
5	F	11	0	0	1	0
6	A	13	0	18	2	0
6	B	13	0	18	3	0
6	D	13	0	18	1	0
6	E	26	0	36	5	0
7	A	1	0	0	0	0
7	B	1	0	0	0	0
7	C	1	0	0	0	0
7	D	1	0	0	0	0
7	E	1	0	0	0	0
7	F	1	0	0	0	0
8	A	1	0	0	0	0
8	B	1	0	0	0	0
8	D	1	0	0	0	0
9	A	5	0	2	1	0
9	B	5	0	2	1	0
9	C	5	0	2	1	0
9	D	5	0	2	0	0
9	E	5	0	2	1	0
9	F	5	0	2	0	0
10	B	10	0	14	0	0
11	A	470	0	0	7	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
11	B	432	0	0	6	0
11	C	435	0	0	5	0
11	D	381	0	0	4	0
11	E	468	0	0	2	0
11	F	463	0	0	2	0
All	All	22384	0	19544	77	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

The worst 5 of 77 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:305:LYS:HE2	6:B:506:PG4:H32	1.65	0.78
1:C:182[B]:GLU:OE2	9:C:503:GLY:N	2.20	0.74
4:C:506:PEG:H32	11:C:690:HOH:O	1.86	0.74
1:D:8:ASN:O	1:D:12:GLN:HG2	1.93	0.66
1:D:102:LYS:NZ	5:D:502:8GL:O03	2.29	0.66

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	414/414 (100%)	403 (97%)	11 (3%)	0	100	100
1	B	415/414 (100%)	405 (98%)	10 (2%)	0	100	100
1	C	418/414 (101%)	408 (98%)	10 (2%)	0	100	100
1	D	415/414 (100%)	407 (98%)	8 (2%)	0	100	100
1	E	418/414 (101%)	407 (97%)	11 (3%)	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	F	416/414 (100%)	405 (97%)	11 (3%)	0	100	100
All	All	2496/2484 (100%)	2435 (98%)	61 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	334/332 (101%)	333 (100%)	1 (0%)	91	87
1	B	335/332 (101%)	333 (99%)	2 (1%)	84	75
1	C	338/332 (102%)	337 (100%)	1 (0%)	91	87
1	D	335/332 (101%)	331 (99%)	4 (1%)	67	50
1	E	338/332 (102%)	337 (100%)	1 (0%)	91	87
1	F	336/332 (101%)	335 (100%)	1 (0%)	91	87
All	All	2016/1992 (101%)	2006 (100%)	10 (0%)	86	80

5 of 10 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	393	PHE
1	E	131	LEU
1	F	380	ASN
1	C	393	PHE
1	D	21	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	D	380	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 70 ligands modelled in this entry, 9 are monoatomic - leaving 61 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	EDO	F	2308	-	3,3,3	0.44	0	2,2,2	0.71	0
3	EDO	C	508	-	3,3,3	0.48	0	2,2,2	0.92	0
2	NAD	A	501	-	42,48,48	0.61	0	50,73,73	0.94	1 (2%)
4	PEG	D	508	-	6,6,6	0.21	0	5,5,5	0.30	0
3	EDO	C	510	-	3,3,3	0.45	0	2,2,2	0.26	0
2	NAD	C	501	-	42,48,48	0.64	0	50,73,73	0.93	2 (4%)
3	EDO	E	503	-	3,3,3	0.45	0	2,2,2	0.18	0
3	EDO	A	506	-	3,3,3	0.43	0	2,2,2	0.97	0
3	EDO	F	2309	-	3,3,3	0.55	0	2,2,2	0.26	0
9	GLY	F	2313	-	4,4,4	1.08	1 (25%)	3,4,4	2.11	2 (66%)
3	EDO	E	508	-	3,3,3	0.50	0	2,2,2	0.21	0
3	EDO	E	506	-	3,3,3	0.57	0	2,2,2	0.19	0
4	PEG	C	505	-	6,6,6	0.14	0	5,5,5	0.15	0
5	8GL	B	502	-	9,10,10	1.30	1 (11%)	9,14,14	1.49	1 (11%)
4	PEG	D	504	-	6,6,6	0.12	0	5,5,5	0.23	0
5	8GL	F	2304	-	9,10,10	0.99	0	9,14,14	2.05	2 (22%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	EDO	D	506	-	3,3,3	0.50	0	2,2,2	0.51	0
6	PG4	E	507	8	12,12,12	0.26	0	11,11,11	0.31	0
3	EDO	D	507	-	3,3,3	0.58	0	2,2,2	0.17	0
2	NAD	B	501	-	42,48,48	0.62	0	50,73,73	0.93	2 (4%)
3	EDO	D	505	-	3,3,3	0.51	0	2,2,2	0.86	0
3	EDO	C	504	-	3,3,3	0.63	0	2,2,2	0.45	0
3	EDO	F	2310	-	3,3,3	0.36	0	2,2,2	1.17	0
9	GLY	B	503	-	4,4,4	1.03	0	3,4,4	2.45	2 (66%)
4	PEG	A	504	-	6,6,6	0.19	0	5,5,5	0.22	0
4	PEG	F	2307	-	6,6,6	0.19	0	5,5,5	0.20	0
5	8GL	A	505	-	9,10,10	1.16	0	9,14,14	1.86	2 (22%)
3	EDO	B	510	8	3,3,3	0.51	0	2,2,2	0.40	0
2	NAD	F	2303	-	42,48,48	0.63	0	50,73,73	0.91	1 (2%)
3	EDO	F	2311	-	3,3,3	0.58	0	2,2,2	0.81	0
5	8GL	E	502	-	9,10,10	1.15	1 (11%)	9,14,14	2.02	3 (33%)
9	GLY	A	514	-	4,4,4	0.90	0	3,4,4	2.22	2 (66%)
3	EDO	A	503	-	3,3,3	0.48	0	2,2,2	0.63	0
4	PEG	F	2305	-	6,6,6	0.20	0	5,5,5	0.18	0
3	EDO	A	510	-	3,3,3	0.65	0	2,2,2	0.93	0
5	8GL	C	502	-	9,10,10	1.32	1 (11%)	9,14,14	2.16	2 (22%)
4	PEG	A	509	-	6,6,6	0.30	0	5,5,5	0.14	0
9	GLY	D	511	-	4,4,4	1.10	0	3,4,4	1.89	1 (33%)
3	EDO	C	507	-	3,3,3	0.56	0	2,2,2	0.28	0
3	EDO	B	504	-	3,3,3	0.59	0	2,2,2	0.10	0
2	NAD	E	501	-	42,48,48	0.58	0	50,73,73	0.88	2 (4%)
3	EDO	F	2301	8	3,3,3	0.37	0	2,2,2	0.46	0
9	GLY	C	503	-	4,4,4	1.06	1 (25%)	3,4,4	1.66	1 (33%)
3	EDO	A	507	-	3,3,3	0.44	0	2,2,2	0.72	0
6	PG4	D	503	-	12,12,12	0.22	0	11,11,11	0.18	0
6	PG4	B	506	-	12,12,12	0.19	0	11,11,11	0.14	0
6	PG4	E	505	-	12,12,12	0.24	0	11,11,11	0.14	0
3	EDO	B	505	-	3,3,3	0.45	0	2,2,2	0.80	0
5	8GL	D	502	-	9,10,10	1.15	0	9,14,14	1.60	2 (22%)
9	GLY	E	504	-	4,4,4	1.25	1 (25%)	3,4,4	2.26	1 (33%)
3	EDO	A	502	-	3,3,3	0.58	0	2,2,2	0.07	0
3	EDO	A	508	-	3,3,3	0.56	0	2,2,2	0.40	0
4	PEG	C	506	-	6,6,6	0.13	0	5,5,5	0.12	0
3	EDO	B	509	-	3,3,3	0.53	0	2,2,2	0.70	0
10	PGE	B	507	-	9,9,9	0.36	0	8,8,8	0.36	0
2	NAD	D	501	-	42,48,48	0.62	1 (2%)	50,73,73	0.90	2 (4%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	EDO	F	2306	-	3,3,3	0.63	0	2,2,2	0.62	0
3	EDO	B	508	-	3,3,3	0.50	0	2,2,2	0.83	0
3	EDO	C	509	-	3,3,3	0.47	0	2,2,2	0.60	0
6	PG4	A	511	8	12,12,12	0.20	0	11,11,11	0.26	0
3	EDO	F	2302	-	3,3,3	0.41	0	2,2,2	1.59	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	F	2308	-	-	0/1/1/1	-
3	EDO	C	508	-	-	1/1/1/1	-
2	NAD	A	501	-	-	4/26/62/62	0/5/5/5
4	PEG	D	508	-	-	1/4/4/4	-
3	EDO	C	510	-	-	0/1/1/1	-
2	NAD	C	501	-	-	7/26/62/62	0/5/5/5
3	EDO	E	503	-	-	1/1/1/1	-
3	EDO	A	506	-	-	1/1/1/1	-
3	EDO	F	2309	-	-	1/1/1/1	-
9	GLY	F	2313	-	-	1/2/2/2	-
3	EDO	E	508	-	-	1/1/1/1	-
3	EDO	E	506	-	-	1/1/1/1	-
4	PEG	C	505	-	-	0/4/4/4	-
5	8GL	B	502	-	-	6/9/12/12	-
4	PEG	D	504	-	-	0/4/4/4	-
5	8GL	F	2304	-	-	7/9/12/12	-
3	EDO	D	506	-	-	0/1/1/1	-
6	PG4	E	507	8	-	3/10/10/10	-
3	EDO	D	507	-	-	0/1/1/1	-
2	NAD	B	501	-	-	4/26/62/62	0/5/5/5
3	EDO	D	505	-	-	1/1/1/1	-
3	EDO	C	504	-	-	0/1/1/1	-
3	EDO	F	2310	-	-	1/1/1/1	-
9	GLY	B	503	-	-	2/2/2/2	-
4	PEG	A	504	-	-	1/4/4/4	-
4	PEG	F	2307	-	-	0/4/4/4	-
5	8GL	A	505	-	-	6/9/12/12	-
3	EDO	B	510	8	-	1/1/1/1	-
2	NAD	F	2303	-	-	4/26/62/62	0/5/5/5

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	F	2311	-	-	1/1/1/1	-
5	8GL	E	502	-	-	6/9/12/12	-
9	GLY	A	514	-	-	2/2/2/2	-
3	EDO	A	503	-	-	0/1/1/1	-
4	PEG	F	2305	-	-	0/4/4/4	-
3	EDO	A	510	-	-	1/1/1/1	-
5	8GL	C	502	-	-	6/9/12/12	-
4	PEG	A	509	-	-	1/4/4/4	-
9	GLY	D	511	-	-	2/2/2/2	-
3	EDO	C	507	-	-	0/1/1/1	-
3	EDO	B	504	-	-	0/1/1/1	-
2	NAD	E	501	-	-	4/26/62/62	0/5/5/5
3	EDO	F	2301	8	-	0/1/1/1	-
9	GLY	C	503	-	-	0/2/2/2	-
3	EDO	A	507	-	-	0/1/1/1	-
6	PG4	D	503	-	-	1/10/10/10	-
6	PG4	B	506	-	-	1/10/10/10	-
6	PG4	E	505	-	-	2/10/10/10	-
3	EDO	B	505	-	-	0/1/1/1	-
5	8GL	D	502	-	-	7/9/12/12	-
9	GLY	E	504	-	-	0/2/2/2	-
3	EDO	A	502	-	-	1/1/1/1	-
3	EDO	A	508	-	-	0/1/1/1	-
4	PEG	C	506	-	-	0/4/4/4	-
3	EDO	B	509	-	-	0/1/1/1	-
10	PGE	B	507	-	-	3/7/7/7	-
2	NAD	D	501	-	-	5/26/62/62	0/5/5/5
3	EDO	F	2306	-	-	1/1/1/1	-
3	EDO	B	508	-	-	1/1/1/1	-
3	EDO	C	509	-	-	1/1/1/1	-
6	PG4	A	511	8	-	2/10/10/10	-
3	EDO	F	2302	-	-	1/1/1/1	-

The worst 5 of 7 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	C	502	8GL	O08-C06	-2.49	1.22	1.30
5	B	502	8GL	O08-C06	-2.43	1.22	1.30
5	E	502	8GL	O08-C06	-2.25	1.23	1.30
9	E	504	GLY	OXT-C	-2.23	1.23	1.30

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	501	NAD	O4D-C1D	2.05	1.43	1.41

The worst 5 of 31 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	C	502	8GL	O03-C02-C09	-4.76	102.23	108.88
5	E	502	8GL	O11-C09-C02	3.83	119.66	112.99
5	F	2304	8GL	O11-C09-C02	3.81	119.64	112.99
9	E	504	GLY	OXT-C-O	-3.51	114.55	123.30
5	A	505	8GL	O03-C02-C09	-3.46	104.05	108.88

There are no chirality outliers.

5 of 104 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	NAD	O4D-C1D-N1N-C2N
2	A	501	NAD	O4D-C1D-N1N-C6N
2	A	501	NAD	C2D-C1D-N1N-C6N
2	B	501	NAD	O4D-C1D-N1N-C2N
2	B	501	NAD	O4D-C1D-N1N-C6N

There are no ring outliers.

18 monomers are involved in 24 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	502	8GL	1	0
5	F	2304	8GL	1	0
6	E	507	PG4	2	0
9	B	503	GLY	1	0
5	A	505	8GL	1	0
5	E	502	8GL	1	0
9	A	514	GLY	1	0
4	F	2305	PEG	1	0
5	C	502	8GL	1	0
9	C	503	GLY	1	0
6	D	503	PG4	1	0
6	B	506	PG4	3	0
6	E	505	PG4	3	0
5	D	502	8GL	1	0
9	E	504	GLY	1	0
4	C	506	PEG	1	0


*Continued on next page...*







*Continued from previous page...*



Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	509	EDO	1	0
6	A	511	PG4	2	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


















## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	412/414 (99%)	-0.40	1 (0%) 92 94	9, 20, 33, 48	4 (0%)
1	B	412/414 (99%)	-0.26	3 (0%) 84 87	9, 22, 36, 70	5 (1%)
1	C	412/414 (99%)	-0.32	3 (0%) 84 87	9, 20, 36, 50	8 (1%)
1	D	412/414 (99%)	0.27	22 (5%) 33 35	10, 25, 47, 65	5 (1%)
1	E	412/414 (99%)	-0.47	1 (0%) 92 94	8, 19, 31, 47	8 (1%)
1	F	412/414 (99%)	-0.40	3 (0%) 84 87	8, 20, 34, 53	6 (1%)
All	All	2472/2484 (99%)	-0.26	33 (1%) 74 79	8, 21, 37, 70	36 (1%)

The worst 5 of 33 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	0	ALA	5.1
1	B	355	PHE	4.1
1	B	0	ALA	3.4
1	F	355	PHE	3.2
1	D	279	VAL	3.1

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.



## 6.4 Ligands i

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
9	GLY	F	2313	5/5	0.72	0.29	63,64,65,66	0
3	EDO	D	506	4/4	0.73	0.17	39,43,45,54	0
4	PEG	A	509	7/7	0.74	0.17	42,47,60,60	0
6	PG4	E	507	13/13	0.75	0.17	34,45,54,58	0
4	PEG	C	506	7/7	0.75	0.16	44,51,60,63	0
3	EDO	F	2310	4/4	0.76	0.20	49,50,50,53	0
6	PG4	E	505	13/13	0.76	0.17	42,50,63,66	0
6	PG4	A	511	13/13	0.78	0.17	34,50,56,56	0
9	GLY	B	503	5/5	0.78	0.21	44,46,54,57	0
9	GLY	D	511	5/5	0.78	0.20	53,53,55,56	0
9	GLY	E	504	5/5	0.78	0.22	46,48,54,54	0
3	EDO	F	2301	4/4	0.78	0.17	38,43,45,60	0
9	GLY	A	514	5/5	0.79	0.24	48,53,61,61	0
3	EDO	F	2308	4/4	0.80	0.15	42,46,47,51	0
3	EDO	D	507	4/4	0.80	0.16	42,43,46,60	0
3	EDO	A	510	4/4	0.80	0.18	34,35,41,45	0
9	GLY	C	503	5/5	0.81	0.21	46,50,55,61	0
3	EDO	C	507	4/4	0.81	0.14	44,46,47,53	0
3	EDO	E	508	4/4	0.81	0.18	38,40,47,52	0
3	EDO	B	509	4/4	0.81	0.17	41,44,45,52	0
3	EDO	A	502	4/4	0.82	0.14	34,42,49,50	0
4	PEG	D	508	7/7	0.83	0.14	31,44,48,58	0
3	EDO	E	506	4/4	0.83	0.15	41,41,52,53	0
3	EDO	A	508	4/4	0.84	0.15	46,46,51,53	0
6	PG4	D	503	13/13	0.84	0.15	41,45,50,57	0
3	EDO	C	510	4/4	0.85	0.12	33,41,46,48	0
3	EDO	F	2309	4/4	0.85	0.12	43,48,53,54	0
3	EDO	B	510	4/4	0.85	0.14	35,39,50,52	0
3	EDO	B	504	4/4	0.85	0.12	27,36,42,44	0
3	EDO	A	507	4/4	0.87	0.13	35,37,38,57	0
4	PEG	F	2307	7/7	0.87	0.14	42,44,50,52	0
3	EDO	F	2311	4/4	0.87	0.13	28,34,37,50	0
10	PGE	B	507	10/10	0.87	0.14	34,42,47,52	0
3	EDO	E	503	4/4	0.88	0.12	36,37,43,50	0
3	EDO	F	2306	4/4	0.88	0.14	34,36,44,46	0
4	PEG	A	504	7/7	0.88	0.13	36,43,50,55	0
6	PG4	B	506	13/13	0.88	0.12	40,46,50,58	0

*Continued on next page...*




*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	EDO	A	506	4/4	0.88	0.12	22,34,41,45	0
4	PEG	C	505	7/7	0.88	0.12	38,43,48,54	0
3	EDO	D	505	4/4	0.88	0.14	15,31,35,51	0
3	EDO	F	2302	4/4	0.89	0.14	25,37,43,45	0
4	PEG	D	504	7/7	0.89	0.11	38,39,45,47	0
3	EDO	C	504	4/4	0.89	0.12	33,35,38,39	0
3	EDO	B	508	4/4	0.89	0.12	20,35,45,48	0
3	EDO	A	503	4/4	0.90	0.10	32,33,42,43	0
3	EDO	C	508	4/4	0.90	0.14	17,36,43,48	0
3	EDO	C	509	4/4	0.90	0.11	34,35,41,46	0
4	PEG	F	2305	7/7	0.91	0.11	34,36,48,48	0
3	EDO	B	505	4/4	0.91	0.11	38,38,39,45	0
8	NA	D	510	1/1	0.94	0.21	35,35,35,35	0
5	8GL	D	502	11/11	0.94	0.09	17,22,29,31	0
5	8GL	B	502	11/11	0.95	0.08	16,22,25,37	0
5	8GL	F	2304	11/11	0.96	0.07	16,20,26,36	0
5	8GL	C	502	11/11	0.96	0.08	15,21,28,37	0
5	8GL	A	505	11/11	0.96	0.07	16,20,28,41	0
8	NA	B	512	1/1	0.96	0.15	34,34,34,34	0
5	8GL	E	502	11/11	0.97	0.06	17,19,27,36	0
2	NAD	D	501	44/44	0.97	0.07	16,22,35,38	0
8	NA	A	513	1/1	0.98	0.14	28,28,28,28	0
2	NAD	B	501	44/44	0.99	0.04	14,18,24,29	0
2	NAD	C	501	44/44	0.99	0.04	13,16,22,24	0
2	NAD	A	501	44/44	0.99	0.04	13,16,21,23	0
7	CA	A	512	1/1	0.99	0.08	19,19,19,19	0
7	CA	B	511	1/1	0.99	0.06	18,18,18,18	0
7	CA	D	509	1/1	0.99	0.06	19,19,19,19	0
2	NAD	E	501	44/44	0.99	0.04	13,17,22,25	0
2	NAD	F	2303	44/44	0.99	0.04	15,18,22,27	0
7	CA	E	509	1/1	1.00	0.05	18,18,18,18	0
7	CA	F	2312	1/1	1.00	0.02	17,17,17,17	0
7	CA	C	511	1/1	1.00	0.04	19,19,19,19	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around 8GL D 502:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around 8GL B 502:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around 8GL F 2304:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around 8GL C 502:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around 8GL A 505:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around 8GL E 502:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around NAD D 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around NAD B 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around NAD C 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around NAD A 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around CA A 512:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around CA B 511:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around CA D 509:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around NAD E 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around NAD F 2303:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around CA E 509:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around CA F 2312:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.