



## wwPDB EM Validation Summary Report ⓘ

Jul 10, 2023 – 05:09 PM EDT

PDB ID : 8SER  
EMDB ID : EMD-40426  
Title : Cryo-EM Structure of RyR1 + Adenosine  
Authors : Cholak, S.; Saville, J.W.; Zhu, X.; Berezuk, A.M.; Tuttle, K.S.; Haji-Ghassemi, O.; Van Petegem, F.; Subramaniam, S.  
Deposited on : 2023-04-10  
Resolution : 3.42 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev50  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.34


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.42 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	5037	
1	B	5037	
1	C	5037	
1	D	5037	
2	E	350	
2	F	350	
2	G	350	
2	H	350	

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 142952 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ryanodine receptor 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	4376	34900	22201	6022	6441	236	9	0
1	B	4376	34900	22201	6022	6441	236	9	0
1	C	4376	34900	22201	6022	6441	236	9	0
1	D	4376	34900	22201	6022	6441	236	9	0

- Molecule 2 is a protein called Glutathione S-transferase class-mu 26 kDa isozyme,Peptidyl-prolyl cis-trans isomerase FKBP1B.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	E	107	818	516	144	154	4	0	0
2	F	107	818	516	144	154	4	0	0
2	G	107	818	516	144	154	4	0	0
2	H	107	818	516	144	154	4	0	0

There are 100 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	-242	MET	-	expression tag	UNP P08515
E	-241	LYS	-	expression tag	UNP P08515
E	-240	SER	-	expression tag	UNP P08515
E	-239	SER	-	expression tag	UNP P08515
E	-238	HIS	-	expression tag	UNP P08515
E	-237	HIS	-	expression tag	UNP P08515
E	-236	HIS	-	expression tag	UNP P08515
E	-235	HIS	-	expression tag	UNP P08515

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
E	-234	HIS	-	expression tag	UNP P08515
E	-233	HIS	-	expression tag	UNP P08515
E	-232	GLY	-	expression tag	UNP P08515
E	-231	SER	-	expression tag	UNP P08515
E	-230	SER	-	expression tag	UNP P08515
E	-11	GLY	-	linker	UNP P08515
E	-10	ILE	-	linker	UNP P08515
E	-9	GLU	-	linker	UNP P08515
E	-8	GLU	-	linker	UNP P08515
E	-7	ASN	-	linker	UNP P08515
E	-6	LEU	-	linker	UNP P08515
E	-5	TYR	-	linker	UNP P08515
E	-4	PHE	-	linker	UNP P08515
E	-3	GLN	-	linker	UNP P08515
E	-2	SER	-	linker	UNP P08515
E	-1	ASN	-	linker	UNP P08515
E	0	ALA	-	linker	UNP P08515
F	-242	MET	-	expression tag	UNP P08515
F	-241	LYS	-	expression tag	UNP P08515
F	-240	SER	-	expression tag	UNP P08515
F	-239	SER	-	expression tag	UNP P08515
F	-238	HIS	-	expression tag	UNP P08515
F	-237	HIS	-	expression tag	UNP P08515
F	-236	HIS	-	expression tag	UNP P08515
F	-235	HIS	-	expression tag	UNP P08515
F	-234	HIS	-	expression tag	UNP P08515
F	-233	HIS	-	expression tag	UNP P08515
F	-232	GLY	-	expression tag	UNP P08515
F	-231	SER	-	expression tag	UNP P08515
F	-230	SER	-	expression tag	UNP P08515
F	-11	GLY	-	linker	UNP P08515
F	-10	ILE	-	linker	UNP P08515
F	-9	GLU	-	linker	UNP P08515
F	-8	GLU	-	linker	UNP P08515
F	-7	ASN	-	linker	UNP P08515
F	-6	LEU	-	linker	UNP P08515
F	-5	TYR	-	linker	UNP P08515
F	-4	PHE	-	linker	UNP P08515
F	-3	GLN	-	linker	UNP P08515
F	-2	SER	-	linker	UNP P08515
F	-1	ASN	-	linker	UNP P08515
F	0	ALA	-	linker	UNP P08515

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
G	-242	MET	-	expression tag	UNP P08515
G	-241	LYS	-	expression tag	UNP P08515
G	-240	SER	-	expression tag	UNP P08515
G	-239	SER	-	expression tag	UNP P08515
G	-238	HIS	-	expression tag	UNP P08515
G	-237	HIS	-	expression tag	UNP P08515
G	-236	HIS	-	expression tag	UNP P08515
G	-235	HIS	-	expression tag	UNP P08515
G	-234	HIS	-	expression tag	UNP P08515
G	-233	HIS	-	expression tag	UNP P08515
G	-232	GLY	-	expression tag	UNP P08515
G	-231	SER	-	expression tag	UNP P08515
G	-230	SER	-	expression tag	UNP P08515
G	-11	GLY	-	linker	UNP P08515
G	-10	ILE	-	linker	UNP P08515
G	-9	GLU	-	linker	UNP P08515
G	-8	GLU	-	linker	UNP P08515
G	-7	ASN	-	linker	UNP P08515
G	-6	LEU	-	linker	UNP P08515
G	-5	TYR	-	linker	UNP P08515
G	-4	PHE	-	linker	UNP P08515
G	-3	GLN	-	linker	UNP P08515
G	-2	SER	-	linker	UNP P08515
G	-1	ASN	-	linker	UNP P08515
G	0	ALA	-	linker	UNP P08515
H	-242	MET	-	expression tag	UNP P08515
H	-241	LYS	-	expression tag	UNP P08515
H	-240	SER	-	expression tag	UNP P08515
H	-239	SER	-	expression tag	UNP P08515
H	-238	HIS	-	expression tag	UNP P08515
H	-237	HIS	-	expression tag	UNP P08515
H	-236	HIS	-	expression tag	UNP P08515
H	-235	HIS	-	expression tag	UNP P08515
H	-234	HIS	-	expression tag	UNP P08515
H	-233	HIS	-	expression tag	UNP P08515
H	-232	GLY	-	expression tag	UNP P08515
H	-231	SER	-	expression tag	UNP P08515
H	-230	SER	-	expression tag	UNP P08515
H	-11	GLY	-	linker	UNP P08515
H	-10	ILE	-	linker	UNP P08515
H	-9	GLU	-	linker	UNP P08515
H	-8	GLU	-	linker	UNP P08515

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	-7	ASN	-	linker	UNP P08515
H	-6	LEU	-	linker	UNP P08515
H	-5	TYR	-	linker	UNP P08515
H	-4	PHE	-	linker	UNP P08515
H	-3	GLN	-	linker	UNP P08515
H	-2	SER	-	linker	UNP P08515
H	-1	ASN	-	linker	UNP P08515
H	0	ALA	-	linker	UNP P08515

- Molecule 3 is ADENOSINE (three-letter code: ADN) (formula: C<sub>10</sub>H<sub>13</sub>N<sub>5</sub>O<sub>4</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
3	A	1	Total	C	N	O	0
			19	10	5	4	
3	B	1	Total	C	N	O	0
			19	10	5	4	
3	C	1	Total	C	N	O	0
			19	10	5	4	
3	D	1	Total	C	N	O	0
			19	10	5	4	


- Molecule 4 is ZINC ION (three-letter code: ZN) (formula: Zn).

<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>		<b>AltConf</b>
4	A	1	Total 1	Zn 1	0
4	B	1	Total 1	Zn 1	0
4	C	1	Total 1	Zn 1	0
4	D	1	Total 1	Zn 1	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: Ryanodine receptor 1















● Molecule 1: Ryanodine receptor 1












● Molecule 1: Ryanodine receptor 1




















• Molecule 2: Glutathione S-transferase class-mu 26 kDa isozyme, Peptidyl-prolyl cis-trans isomerase FKBP1B



MET	LEU
LYS	GLY
SER	LEU
THR	GLU
HIS	PHE
HIS	PRO
HIS	ASN
HIS	LEU
HIS	PRO
HIS	HIS
GLY	TYR
ILE	TYR
SER	ILE
ASP	ASP
GLY	GLY
ASP	ASP
SER	VAL
PRO	VAL
LEU	LYS
LEU	LEU
GLY	THR
GLN	GLN
TRP	SER
TRP	MET
ILE	ILE
LYS	ILE
ILE	ILE
GLY	ARG
LEU	TYR
VAL	ILE
GLN	ILE
PRO	ALA
THR	ASP
ARG	LYS
LEU	HIS
LEU	HIS
LEU	ASN
LEU	MET
GLY	LEU
TYR	GLY
LEU	GLY
GLY	GLY
LEU	GLY
GLU	GLY
GLU	CYS
PRO	PRO
LYS	LYS
TYR	TYR
GLU	ARG
GLU	ARG
GLY	ALA
HIS	GLU
LEU	ILE
TYR	SER
GLY	GLY
GLY	LEU
ASP	GLY
GLY	ALA
GLY	VAL
ASP	ASP
LYS	LEU
TRP	ASP
TRP	ILE
ASN	ARG
LYS	TYR
VAL	TYR
PHE	GLY
ASP	VAL
ALA	SER



LEU GLY  
LEU LEU  
LEU GLU  
GLU PHE  
PRO ASP  
ASN LEU  
PRO GLU  
PRO TYR  
TYR TYR  
TYR ILE  
ASP ASP  
GLY GLY

ARG ILE  
ALA TYR  
SER ASP  
LYS PHE  
ASP LEU  
PHE THR  
THR TYR  
LEU CYS  
LYS PHE  
VAL ILE  
ASP ASP  
PHE ARG  
LEU ILE  
SER GLU  
LYS SER  
LEU LEU  
THR LEU  
PRO PRO  
GLU SER  
MET MET  
LEU LEU  
TYR TYR  
MET ILE  
PHE ARG  
GLU TYR  
ASP ILE  
SER ARG  
LEU ALA  
ASP ASP  
LYS CYS  
TYR HIS  
HIS ASN  
LYS MET  
THR TYR  
LEU LEU  
GLY ASN  
ASN GLY  
CYS CYS  
PRO PRO  
HIS LYS  
LYS VAL  
GLU ARG  
THR THR  
HIS HIS  
GLU PRO  
PRO ASP  
PHE ASP  
MET MET  
LEU LEU  
TYR TYR  
ASP ASP  
ALA VAL  
VAL VAL  
ASP ASP  
VAL VAL  
ILE ILE  
ARG ARG  
TYR TYR  
MET MET  
GLY VAL  
ASP VAL  
PRO SER

MET CYS  
LEU ASP  
ALA PHE  
PRO PHE  
LYS LYS  
LEU VAL  
VAL VAL  
CYS CYS  
PHE PHE  
LYS LYS  
LYS ASP  
ARG ARG  
ILE ILE  
GLU GLU  
ALA ALA  
ILE ILE  
PRO PRO  
GLN GLN  
ILE ILE  
ASP ASP  
LYS LYS  
TYR TYR  
LEU LEU  
LYS LYS  
SER SER  
SER SER  
LYS LYS  
TYR TYR  
ILE ILE  
ALA ALA  
TRP TRP  
PRO PRO  
LEU LEU  
GLN GLN  
GLY GLY  
TRP TRP  
GLN GLN  
ALA ALA  
THR THR  
PHE PHE  
GLY GLY  
GLY GLY  
ASP ASP  
HIS HIS  
PRO PRO  
PRO PRO  
LYS LYS  
GLY GLY  
ILE ILE  
LEU LEU  
GLU GLU  
ASN ASN  
LEU LEU  
TYR TYR  
PHE PHE  
GLN GLN

SER  
ASN  
ALA  
G1  
T21  
C92  
V23  
V24  
H25  
Y26  
T27  
R40  
K47  
F48  
R49  
G62  
L74  
C75  
T76  
T77  
P78  
D79  
V80  
A81  
L87  
D100  
V101  
E102  
E107

## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	51504	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	40	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	96000	Depositor
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	1.346	Depositor
Minimum map value	-0.409	Depositor
Average map value	-0.002	Depositor
Map value standard deviation	0.073	Depositor
Recommended contour level	0.387	Depositor
Map size (Å)	515.2, 515.2, 515.2	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.288, 1.288, 1.288	Depositor

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, ADN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.32	0/35714	0.62	6/48365 (0.0%)
1	B	0.32	0/35714	0.62	6/48365 (0.0%)
1	C	0.32	0/35714	0.62	6/48365 (0.0%)
1	D	0.32	0/35714	0.62	6/48365 (0.0%)
2	E	0.34	0/834	0.62	0/1123
2	F	0.34	0/834	0.62	0/1123
2	G	0.34	0/834	0.62	0/1123
2	H	0.34	0/834	0.62	0/1123
All	All	0.32	0/146192	0.62	24/197952 (0.0%)

There are no bond length outliers.

The worst 5 of 24 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	903	LEU	CA-CB-CG	6.63	130.54	115.30
1	B	903	LEU	CA-CB-CG	6.63	130.54	115.30
1	C	903	LEU	CA-CB-CG	6.63	130.54	115.30
1	D	903	LEU	CA-CB-CG	6.63	130.54	115.30
1	C	2790	MET	CA-CB-CG	5.77	123.11	113.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	34900	0	34530	340	0
1	B	34900	0	34530	336	0
1	C	34900	0	34530	349	0
1	D	34900	0	34530	336	0
2	E	818	0	824	8	0
2	F	818	0	824	8	0
2	G	818	0	824	8	0
2	H	818	0	824	8	0
3	A	19	0	13	0	0
3	B	19	0	13	0	0
3	C	19	0	13	0	0
3	D	19	0	13	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
All	All	142952	0	141468	1384	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 1384 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:3335:MET:SD	1:A:3403:ARG:NH1	2.64	0.70
1:B:3335:MET:SD	1:B:3403:ARG:NH1	2.64	0.69
1:D:3335:MET:SD	1:D:3403:ARG:NH1	2.65	0.68
1:C:3335:MET:SD	1:C:3403:ARG:NH1	2.65	0.68
1:B:3889:GLN:HG3	1:B:3967:GLU:HG3	1.78	0.65

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	4353/5037 (86%)	4168 (96%)	182 (4%)	3 (0%)	51	83
1	B	4353/5037 (86%)	4168 (96%)	182 (4%)	3 (0%)	51	83
1	C	4353/5037 (86%)	4167 (96%)	183 (4%)	3 (0%)	51	83
1	D	4353/5037 (86%)	4167 (96%)	183 (4%)	3 (0%)	51	83
2	E	105/350 (30%)	98 (93%)	7 (7%)	0	100	100
2	F	105/350 (30%)	98 (93%)	7 (7%)	0	100	100
2	G	105/350 (30%)	98 (93%)	7 (7%)	0	100	100
2	H	105/350 (30%)	98 (93%)	7 (7%)	0	100	100
All	All	17832/21548 (83%)	17062 (96%)	758 (4%)	12 (0%)	54	83

5 of 12 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	3616	LYS
1	A	4712	PRO
1	B	3616	LYS
1	B	4712	PRO
1	C	3616	LYS

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	3806/4276 (89%)	3697 (97%)	109 (3%)	42	72
1	B	3806/4276 (89%)	3697 (97%)	109 (3%)	42	72
1	C	3806/4276 (89%)	3697 (97%)	109 (3%)	42	72
1	D	3806/4276 (89%)	3697 (97%)	109 (3%)	42	72
2	E	88/304 (29%)	87 (99%)	1 (1%)	73	87
2	F	88/304 (29%)	87 (99%)	1 (1%)	73	87
2	G	88/304 (29%)	87 (99%)	1 (1%)	73	87
2	H	88/304 (29%)	87 (99%)	1 (1%)	73	87

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	15576/18320 (85%)	15136 (97%)	440 (3%)	48 73

5 of 440 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	2369[A]	ARG
1	C	4743	MET
2	G	25	HIS
1	D	4813	LEU
1	C	3053	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 64 such sidechains are listed below:

Mol	Chain	Res	Type
1	D	3419	ASN
1	D	3895	HIS
1	B	3052	HIS
1	B	2971	GLN
1	D	4201	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 4 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	ADN	B	5101	-	18,21,21	0.67	0	18,31,31	0.79	1 (5%)
3	ADN	A	5101	-	18,21,21	0.67	0	18,31,31	0.79	1 (5%)
3	ADN	D	5101	-	18,21,21	0.68	0	18,31,31	0.79	1 (5%)
3	ADN	C	5101	-	18,21,21	0.67	0	18,31,31	0.79	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ADN	B	5101	-	-	2/2/22/22	0/3/3/3
3	ADN	A	5101	-	-	2/2/22/22	0/3/3/3
3	ADN	D	5101	-	-	2/2/22/22	0/3/3/3
3	ADN	C	5101	-	-	2/2/22/22	0/3/3/3

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
3	D	5101	ADN	C5-C6-N6	2.24	123.75	120.35
3	A	5101	ADN	C5-C6-N6	2.24	123.75	120.35
3	C	5101	ADN	C5-C6-N6	2.24	123.75	120.35
3	B	5101	ADN	C5-C6-N6	2.24	123.75	120.35

There are no chirality outliers.


5 of 8 torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
3	A	5101	ADN	C3'-C4'-C5'-O5'
3	B	5101	ADN	C3'-C4'-C5'-O5'
3	C	5101	ADN	C3'-C4'-C5'-O5'
3	D	5101	ADN	C3'-C4'-C5'-O5'
3	A	5101	ADN	O4'-C4'-C5'-O5'


There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-40426. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z

The images above show the map projected in three orthogonal directions.




## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 200




Y Index: 200




Z Index: 200


### 6.2.2 Raw map



X Index: 200



Y Index: 200




Z Index: 200


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 218




Y Index: 182




Z Index: 225


### 6.3.2 Raw map



X Index: 218



Y Index: 182




Z Index: 225


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.387. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 1280  $\text{nm}^3$ ; this corresponds to an approximate mass of 1156 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum i




\*Reported resolution corresponds to spatial frequency of 0.292 Å<sup>-1</sup>



## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.292 Å<sup>-1</sup>



## 8.2 Resolution estimates


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.42	-	-
Author-provided FSC curve	3.44	4.03	3.57
Unmasked-calculated*	4.33	7.32	4.45

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.33 differs from the reported value 3.42 by more than 10 %

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-40426 and PDB model 8SER. Per-residue inclusion information can be found in section 3 on page 8.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.387 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.387).



















## 9.4 Atom inclusion [i](#)



At the recommended contour level, 87% of all backbone atoms, 72% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.387) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7210	 0.3530
A	 0.7170	 0.3510
B	 0.7170	 0.3510
C	 0.7170	 0.3510
D	 0.7170	 0.3520
E	 0.8730	 0.4230
F	 0.8730	 0.4230
G	 0.8730	 0.4240
H	 0.8730	 0.4250

