



Full wwPDB EM Validation Report ⓘ

May 26, 2024 – 07:50 AM EDT

PDB ID : 7SFR
EMDB ID : EMD-25100
Title : Unmethylated Mtb Ribosome 50S with SEQ-9
Authors : Xing, Z.; Cui, Z.; Zhang, J.; TB Structural Genomics Consortium (TBSGC)
Deposited on : 2021-10-04
Resolution : 2.60 Å (reported)
Based on initial model : 7KGB

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev92
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.2

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	57	
2	1	55	
3	2	47	
4	3	64	
5	4	37	
6	6	80	
7	A	3138	
8	B	115	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	C	279	
10	D	213	
11	E	207	
12	F	178	
13	G	177	
14	H	152	
15	J	195	
16	K	122	
17	L	146	
18	M	138	
19	N	180	
20	O	122	
21	P	113	
22	Q	129	
23	R	104	
24	S	197	
25	T	100	
26	U	105	
27	V	215	
28	W	86	
29	X	64	
30	Y	77	
31	Z	65	
32	a	1537	
33	c	274	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	d	201	100% 100%
35	e	220	73% 72% 27%
36	f	96	99% 99%
37	g	156	97% 96%
38	h	132	98% 98%
39	i	151	84% 84% 16%
40	j	101	98% 98%
41	k	139	84% 84% 16%
42	l	124	98% 98%
43	m	124	94% 94% 6%
44	n	61	98% 98%
45	o	89	98% 98%
46	p	162	56% 56% 44%
47	q	135	69% 69% 31%
48	r	84	75% 75% 25%
49	s	93	89% 89% 11%
50	t	86	95% 95% 5%
51	v	22	100% 100%

2 Entry composition

There are 54 unique types of molecules in this entry. The entry contains 143665 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
1	0	54	429	266	94	69	0	0

- Molecule 2 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	1	48	400	245	84	67	4	0	0

- Molecule 3 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	2	42	358	212	94	51	1	0	0

- Molecule 4 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
4	3	62	494	298	112	84	0	0

- Molecule 5 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	4	37	299	182	66	47	4	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
4	1	VAL	MET	conflict	UNP A0A3E0V5U0

- Molecule 6 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	6	57	Total	C	N	O	S	0	0
			446	277	82	82	5		

- Molecule 7 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	A	3118	Total	C	N	O	P	0	0
			66961	29850	12340	21653	3118		

- Molecule 8 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	B	115	Total	C	N	O	P	0	0
			2458	1097	456	790	115		

- Molecule 9 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	C	272	Total	C	N	O	S	0	0
			2088	1277	437	369	5		

- Molecule 10 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	D	213	Total	C	N	O	S	0	0
			1590	985	307	292	6		

- Molecule 11 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	E	207	Total	C	N	O	S	0	0
			1552	958	303	289	2		

- Molecule 12 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	F	178	Total	C	N	O	S	0	0
			1408	885	267	251	5		

- Molecule 13 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	G	174	Total	C	N	O	S	0	0
			1330	836	249	244	1		

- Molecule 14 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	H	47	Total	C	N	O	S	0	0
			350	220	64	65	1		

- Molecule 15 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	J	146	Total	C	N	O	S	0	0
			1143	724	217	199	3		

- Molecule 16 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	K	121	Total	C	N	O	S	0	0
			934	585	179	168	2		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
K	1	VAL	MET	conflict	UNP A0A045HTP7

- Molecule 17 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	L	143	Total	C	N	O	S	0	0
			1068	662	216	188	2		

- Molecule 18 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	M	134	Total	C	N	O	S	0	0
			1072	679	215	177	1		

- Molecule 19 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	N	116	Total	C	N	O	S	0	0
			908	574	175	158	1		

- Molecule 20 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	O	116	Total	C	N	O	S	0	0
			886	541	188	157			

- Molecule 21 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	P	112	Total	C	N	O	S	0	0
			907	573	174	159	1		

- Molecule 22 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	Q	122	Total	C	N	O	S	0	0
			980	608	205	167			

- Molecule 23 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	R	100	Total	C	N	O	S	0	0
			757	482	138	137			

- Molecule 24 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	S	113	Total	C	N	O	S	0	0
			860	533	178	149			

- Molecule 25 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	T	98	Total	C	N	O	S	0	0
			759	480	141	138			

- Molecule 26 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
26	U	90	699	430	138	129	2	0	0

- Molecule 27 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
27	V	95	735	456	152	127		0	0

- Molecule 28 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
28	W	71	526	325	108	93		0	0

- Molecule 29 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
29	X	63	476	289	101	81	5	0	0

- Molecule 30 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
30	Y	65	541	331	106	103	1	0	0

- Molecule 31 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
31	Z	59	476	293	101	82		0	0

- Molecule 32 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
32	a	1519	32621	14536	5961	10605	1519	0	0

- Molecule 33 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	c	207	Total	C	N	O	S	0	0
			1654	1030	322	298	4		

- Molecule 34 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	d	200	Total	C	N	O	S	0	0
			1650	1036	316	296	2		

- Molecule 35 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	e	160	Total	C	N	O	S	0	0
			1149	726	214	206	3		

- Molecule 36 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	f	95	Total	C	N	O	S	0	0
			757	480	133	141	3		

- Molecule 37 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	g	152	Total	C	N	O	S	0	0
			1193	742	234	215	2		

- Molecule 38 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	h	130	Total	C	N	O	S	0	0
			999	627	187	184	1		

- Molecule 39 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms				AltConf	Trace
39	i	127	Total	C	N	O	0	0
			993	628	195	170		

- Molecule 40 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
40	j	99	789	496	146	144	3	0	0

- Molecule 41 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
41	k	117	873	540	175	158		0	0

- Molecule 42 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
42	l	122	959	594	197	166	2	0	0

- Molecule 43 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
43	m	116	945	578	196	168	3	0	0

- Molecule 44 is a protein called 30S ribosomal protein S14 type Z.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
44	n	60	468	294	96	73	5	0	0

- Molecule 45 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
45	o	87	718	449	144	125		0	0

- Molecule 46 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
46	p	91	728	462	140	126		0	0

- Molecule 47 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	q	93	Total	C	N	O	S	0	0
			754	471	149	131	3		

- Molecule 48 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	r	63	Total	C	N	O	S	0	0
			497	309	96	89	3		

- Molecule 49 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	s	83	Total	C	N	O	S	0	0
			672	432	125	114	1		

- Molecule 50 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms				AltConf	Trace
50	t	82	Total	C	N	O	0	0
			631	381	137	113		


- Molecule 51 is a protein called peptide.

Mol	Chain	Residues	Atoms				AltConf	Trace
51	v	22	Total	C	N	O	0	0
			186	111	47	28		

- Molecule 52 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
52	1	1	Total	Zn	0
			1	1	
52	4	1	Total	Zn	0
			1	1	
52	6	1	Total	Zn	0
			1	1	
52	X	1	Total	Zn	0
			1	1	
52	n	1	Total	Zn	0
			1	1	
52	r	1	Total	Zn	0
			1	1	

- Molecule 53 is Sequanamycin 9 (three-letter code: WDP) (formula: $C_{61}H_{102}N_4O_{20}S$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	S	
53	A	1	86	61	4	20	1	0


- Molecule 54 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
			Total	Mg	
54	A	307	307	307	0
54	B	7	7	7	0
54	C	3	3	3	0
54	D	1	1	1	0
54	L	1	1	1	0
54	M	1	1	1	0
54	a	125	125	125	0
54	e	1	1	1	0
54	t	1	1	1	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 50S ribosomal protein L32




- Molecule 2: 50S ribosomal protein L33




- Molecule 3: 50S ribosomal protein L34




- Molecule 4: 50S ribosomal protein L35




- Molecule 5: 50S ribosomal protein L36




• Molecule 6: 50S ribosomal protein L31





• Molecule 7: 23S rRNA






• Molecule 8: 5S rRNA




• Molecule 9: 50S ribosomal protein L2








• Molecule 10: 50S ribosomal protein L3




• Molecule 11: 50S ribosomal protein L4




• Molecule 12: 50S ribosomal protein L5






• Molecule 13: 50S ribosomal protein L6






• Molecule 14: 50S ribosomal protein L9




• Molecule 15: 50S ribosomal protein L13




• Molecule 16: 50S ribosomal protein L14





• Molecule 17: 50S ribosomal protein L15





• Molecule 18: 50S ribosomal protein L16









• Molecule 19: 50S ribosomal protein L17



• Molecule 20: 50S ribosomal protein L18




• Molecule 21: 50S ribosomal protein L19




• Molecule 22: 50S ribosomal protein L20




• Molecule 23: 50S ribosomal protein L21










• Molecule 24: 50S ribosomal protein L22








• Molecule 25: 50S ribosomal protein L23




• Molecule 26: 50S ribosomal protein L24




• Molecule 27: 50S ribosomal protein L25





• Molecule 28: 50S ribosomal protein L27




• Molecule 29: 50S ribosomal protein L28





• Molecule 30: 50S ribosomal protein L29



• Molecule 31: 50S ribosomal protein L30




• Molecule 32: 16S rRNA



G301	G302	U303	G304	U305	C306	C307	G308	G309	C310	C311	A312	C313	A314	C315	U316	G317	G318	G319	A320	C321	G322	G323	A324	G325	A326	U327	A328	C329	G330	G331	C332	C333	C334	A335	G336	A337	C338	U339	C340	C341	U342	A343	C344	G345	G346	U347	A348	G349	U350	C351	A352	G353	C354	A355	G356	U357	G358	G359	G360
G361	A362	A363	U364	A365	U366	U367	G368	C369	A370	C371	A372	A373	U374	G375	G376	G377	C378	G379	C380	A381	A382	G383	C384	C385	C386	G387	A388	U389	C390	C391	A392	G393	C394	G395	A396	C397	G398	C399	C400	G401	C402	G403	U404	G405	G406	G407	G408	G409	A410	U411	G412	A413	C414	G415	G416	C417	U418	U419	U420
C421	G422	G423	G424	U425	U426	G427	U428	A429	A430	A431	C432	C433	U434	C435	U436	U437	U438	C439	A440	C441	C442	A443	U444	C445	C446	A447	C448	G449	A450	A451	G452	G453	U454	C455	C456	G457	G458	G459	U460	U461	C462	U463	U464	U465	G466	G467	G468	U469	U470	U471	G472	A473	C474	G475	G476	U477	U478	G479	G480
U481	G482	G483	A484	G485	A486	A487	G488	A489	A490	G491	C492	C493	C494	C495	G496	G497	C498	C499	A500	A501	C502	U503	A504	C505	G506	U507	G508	C509	C510	A511	G512	C513	A514	G515	C516	C517	G518	C519	G520	G521	U522	A523	A524	U525	C526	C527	G528	U529	A530	G531	G532	C533	C534	G535	G536	C537	U538	G539	C540
G541	U542	U543	G544	U545	C546	C547	G548	C549	A550	A551	U552	U553	A554	C555	U556	G557	G558	G559	C560	G561	U562	U563	A564	A565	G566	A567	G568	C569	U570	C571	G572	U573	A574	G575	G576	U577	G578	G579	U580	U581	U582	U583	U584	C585	C586	G587	G588	U589	U590	G591	U592	C593	C594	G595	U596	G597	A598	A599	A600
U601	C602	U603	C604	A605	C606	G607	G608	C609	U610	U611	A612	C613	C614	U615	G616	U617	G618	A619	G620	C621	G622	U623	G624	C625	G626	G627	G628	C629	G630	A631	U632	A633	C634	G635	G636	G637	C638	A639	G640	A641	C642	U643	A644	G645	G646	G647	U648	A649	U650	C651	U652	G653	C654	G655	U656	G657	G658	A659	G660
A661	C662	U663	G664	G665	A666	A667	U668	U669	C670	C671	U672	G673	G674	U675	G676	U677	A678	G679	C680	G681	G682	U683	G684	G685	A686	A687	U688	G689	C690	G691	C692	A693	G694	A695	U696	A697	U698	C699	A700	G701	G702	A703	G704	G705	A706	A707	C708	A709	C710	C711	G712	G713	U714	G715	G716	C717	G718	A719	A720
G721	G722	C723	G724	G725	G726	U727	C728	U729	C730	U731	G732	C733	G734	C735	A736	G737	U738	A739	A740	C741	U742	G743	A744	C745	G746	C747	U748	G749	A750	U751	G752	A753	G754	C755	G756	A757	A758	C759	U760	G761	G762	U763	G764	G765	G766	G767	A768	G769	C770	G771	A772	C773	U774	A775	C776	G777	U778	U779	U780
A781	G782	A783	U784	A785	G786	C787	C788	U789	G790	G791	U792	A793	G794	U795	C796	G797	A798	C799	G800	C801	C802	G803	U804	A805	A806	A807	C808	G809	C810	U811	C812	G813	C814	U815	A816	C817	U818	A819	G820	G821	U822	G823	U824	G825	G826	G827	U828	U829	U830	C831	C832	U833	U834	C835	C836	U837	U838	G839	G840
G841	A842	U843	C844	C845	G846	U847	G848	C849	C850	G851	U852	A853	G854	C855	U856	A857	A858	C859	G860	C861	A862	U863	U864	A865	A866	G867	U868	A869	C870	C871	C872	C873	G874	C875	C876	U877	U878	A879	G880	G881	G882	C883	U884	A885	C886	G887	C888	C889	C890	G891	C892	A893	U894	C895	G896	C897	U898	A899	A900
A901	A902	C903	U904	C905	G906	A907	A908	G909	G910	A911	U912	C913	U914	G915	A916	C917	G918	U919	G920	G921	U922	C923	U924	C925	U926	C927	A928	C929	U930	A931	C932	C933	G934	G935	C936	G937	U938	A939	G940	G941	C942	U943	U944	U945	U946	G947	A948	U949	U950	A951	A952	U953	U954	C955	G956	A957	U958	C959	C960
A961	A962	C963	G964	C965	G966	A967	A968	G969	A970	A971	C972	C973	U974	U975	A976	C977	C978	U979	G980	G981	U982	U983	U984	U985	U986	A987	C988	U989	U990	G991	C992	A993	C994	A995	C996	G997	U998	C999	G1000	C1001	U1002	U1003	U1004	U1005	U1006	G1007	A1008	U1009	U1010	U1011	A1012	U1013	U1014	C1015	G1016	U1017	U1018	C1019	C1020
C1021	U1022	U1023	G1024	U1025	G1026	U1027	C1028	U1029	U1030	U1031	U1032	U1033	U1034	U1035	C1036	A1037	U1038	U1039	U1040	G1041	U1042	U1043	G1044	C1045	A1046	U1047	U1048	G1049	C1050	U1051	C1052	U1053	C1054	U1055	U1056	C1057	A1058	U1059	C1060	U1061	C1062	U1063	U1064	U1065	U1066	C1067	U1068	U1069	U1070	A1071	U1072	U1073	U1074	G1075	U1076	U1077	U1078	G1079	G1080

U1081	U1082	A1083	A1084	U1085	U1086	C1087	C1088	C1089	C1090	C1091	A1092	A1093	C1094	C1095	A1096	C1097	C1098	G1099	C1100	A1101	A1102	C1103	C1104	C1105	U1106	U1107	G1108	U1109	C1110	U1111	C1112	A1113	A1114	G1115	U1116	U1117	G1118	C1119	C1120	A1121	C1122	C1123	A1124	C1125	G1126	U1127	A1128	A1129	U1130	G1131	G1132	U1133	G1135	G1136	A1137	G1138	C1139	U1140	
C1141	G1142	U1143	G1144	A1145	G1146	A1147	G1148	C1149	C1150	U1151	G1152	C1153	C1154	G1155	G1156	G1157	G1158	U1159	C1160	A1161	A1162	C1163	U1164	C1165	G1166	U1167	A1168	U1169	G1170	A1171	A1172	G1173	G1174	U1175	G1176	G1177	G1178	G1179	A1180	U1181	G1182	A1183	A1184	G1185	C1187	A1188	A1189	G1190	U1191	C1192	A1193	U1194	C1195	C1196	U1197	G1198	C1199	G1200	
C1201	C1202	U1203	U1204	A1205	U1206	G1207	U1208	C1209	C1210	A1211	G1212	G1213	G1214	C1215	U1216	U1217	C1218	A1219	C1220	A1221	C1222	A1223	U1224	G1225	C1226	U1227	A1228	C1229	A1230	A1231	U1232	G1233	G1234	C1235	C1236	C1237	G1238	G1239	C1240	C1241	A1242	A1243	A1244	G1245	G1246	G1247	C1248	U1249	G1250	C1251	G1252	A1253	U1254	G1255	C1256	U1257	C1258	C1259	G1260
A1261	G1262	G1263	U1264	U1265	A1266	A1267	G1268	C1269	G1270	A1271	A1272	U1273	C1274	C1275	U1276	U1277	A1278	A1279	A1280	A1281	G1282	C1283	C1284	G1285	G1286	U1287	C1288	U1289	A1290	A1291	G1292	U1293	U1294	C1295	G1296	G1297	A1298	U1299	C1300	G1301	G1302	G1303	G1304	U1305	G1306	U1307	G1308	C1309	A1310	A1311	C1312	U1313	U1314	G1315	A1316	C1317	C1318	C1319	G1320
G1321	U1322	G1323	A1324	A1325	G1326	U1327	C1328	G1329	G1330	A1331	G1332	U1333	C1334	G1335	C1336	U1337	A1338	G1339	U1340	A1341	A1342	C1343	C1344	G1345	G1346	A1347	C1348	A1349	U1350	C1351	A1352	G1353	C1354	A1355	A1356	C1357	G1358	C1359	U1360	G1361	G1362	G1363	G1364	U1365	G1366	A1367	A1368	U1369	A1370	C1371	G1372	U1373	U1374	C1375	C1376	C1377	G1378	G1379	G1380
C1381	C1382	U1383	U1384	G1385	U1386	U1387	C1388	A1389	C1390	A1391	C1392	C1393	C1394	C1395	C1396	C1397	G1398	U1399	C1400	A1401	C1402	G1403	U1404	C1405	A1406	U1407	G1408	C1471	A1409	A1410	A1411	C1414	U1417	A1418	A1419	C1420	A1421	C1422	C1423	C1424	G1425	A1426	A1427	G1428	C1429	C1430	A1431	G1432	U1433	G1434	G1435	C1436	C1437	U1438	A1439	A1440	C1441	C1442	
C1443	U1444	C1445	G1446	G1447	U1448	A1449	G1450	G1451	G1452	A1453	G1454	U1455	C1456	G1457	U1458	G1459	G1460	A1461	A1462	G1463	G1464	U1465	G1466	A1469	U1470	C1471	G1472	A1473	A1410	A1411	C1414	U1417	A1418	A1419	C1420	A1421	C1422	C1423	C1424	G1425	A1426	A1427	G1428	C1429	C1430	A1431	G1432	U1433	G1434	G1435	C1436	C1437	U1438	A1439	A1440	C1441	C1442		
C1508	G1509	G1510	A1511	A1512	G1513	U1514	U1515	G1516	C1517	G1518	G1519	C1520	U1521	G1522	G1523	A1524	C1525	C1526	A	C	C	D	C	C	C	D	D	D	C	D	G1480	G1481	A1482	C1483	G1484	A1485	G1486	G1487	U1488	C1489	G1490	U1491	A1492	A1493	C1494	A1495	A1496	G1497	G1498	U1499	A1500	G1501	C1502	C1503	U1504	U1505	A1506	C1507	


• Molecule 33: 30S ribosomal protein S3




MET	G2	Q3	R4	I5	N6	P7	H8	O9	F10	R11	L12	I14	T15	T16	D17	W18	K19	S20	R21	W22	Y23	A24	D25	K26	Q27	Y28	A29	E30	Y31	V32	K33	E34	D35	V36	A37	I38	R39	R40	L41	I42	S43	G44	G45	L46	E47	R48	A49	G50	I51	A52	D53	V54	E55	I56	E57	R58	T59	R60						
D61	R62	V63	R64	V65	D66	I67	H68	T69	A70	R71	P72	G73	I74	V75	I76	G77	R78	R79	G80	T81	E82	A83	D84	R85	I86	R87	A88	D89	L90	E91	K92	L93	T94	G95	K96	Q97	V98	Q99	L100	M101	A102	Y103	S104	V105	K106	M107	P108	E109	S110	Q111	A112	Q113	L114	V115	I116	Q117	G118	V119	A120					
E121	Q122	L123	S124	R125	R126	V127	A128	F129	R130	R131	A132	M133	R134	K135	A136	I137	Q138	S139	A140	M141	R142	Q143	P144	G205	D206	I207	G148	I149	R150	V151	G152	C153	S154	G155	R156	L157	G158	G159	A160	E161	PRO	M162	ARG	S163	R164	S165	PRO	F167	M168	R169	E170	G171	R172	V173	P174	L175	H176	T177	L178	R179	A180			
D181	I182	D183	Y184	G185	L186	Y187	E188	A189	K190	T191	T192	F193	G194	R195	I196	G197	V198	K199	V200	W201	I202	Y203	K204	G205	D206	I207	GLY	LYS	ARG	GLU	LEU	ALA	ALA	ALA	ALA	ALA	PRO	ALA	GLY	ALA	ALA	ASP	PRO	PRO	ARG	ARG	GLU	ARG	PRO	THR	ARG	PRO	ARG	ARG	SER	GLY	THR	ARG	PRO	ARG	SER	SER	GLY	ALA

SER GLY THR THR ALA ALA THR THR GLY ASP ASP ALA ALA ARG ARG ALA ALA GLY GLY GLU GLU ALA ALA ALA PRO VAL GLU ALA ALA SER THR GLU SER

• Molecule 34: 30S ribosomal protein S4




• Molecule 35: 30S ribosomal protein S5




• Molecule 36: 30S ribosomal protein S6




• Molecule 37: 30S ribosomal protein S7




• Molecule 38: 30S ribosomal protein S8




• Molecule 39: 30S ribosomal protein S9







• Molecule 40: 30S ribosomal protein S10









• Molecule 41: 30S ribosomal protein S11



• Molecule 42: 30S ribosomal protein S12



• Molecule 43: 30S ribosomal protein S13




• Molecule 44: 30S ribosomal protein S14 type Z






v61

- Molecule 45: 30S ribosomal protein S15



G61
R62
R63
R64
R65
R66
R67
R68
R69
R70
S71
Q72
R73
D74
V75
E76
R77
R78
R79
S80
S81
T82
E83
R84
L85
G86
L87
R88
ARG


- Molecule 46: 30S ribosomal protein S16



S61
V62
G63
A64
Q65
P66
T67
E68
P69
V70
L71
K72
L73
L74
K75
I76
T77
D79
W80
D81
K82
F83
K84
G85
L86
P87
G88
A89
Q90
R91
R92
L93
L94
VAL
VAL
ALA
ALA
PRO
LYS
PRO
SER
LYS
LEU
GLU
VAL
PHE
ASN
ALA
LEU
ALA
ALA
L48
I49
E50
GLY
GLY
PRO
THR
SER
GLU

ALA
THR
LYS
PRO
LYS
LYS
SER
ALA
ALA
LYS
LYS
ALA
ALA
GLU
PRO
ALA
GLN
GLN
GLN
PRO
ASP
THR
PRO
ALA
LEU
GLY
ILE
GLY
GLN
ALA
GLU
LEU
ALA
ALA
SER


- Molecule 47: 30S ribosomal protein S17




I62
G63
Y64
V65
W66
S67
D68
K69
M70
Q71
K72
T73
I74
V75
V76
E77
L78
E79
D80
R81
M82
R83
H84
P85
L86
Y87
G88
K89
I90
I91
R92
T93
T94
K95
K96
V97
K98
A99
H100
D101
E102
D103
S104
V105
A106
G107
I108
D109
R110
R111
V112
S113
L114
M115
E116
T117
R118
P119
L120
S121




A122
T123
K124
R125
W126
R127
L128
V129
E130
I131
L132
E133
K134
A135
K136

- Molecule 48: 30S ribosomal protein S18








• Molecule 49: 30S ribosomal protein S19



• Molecule 50: 30S ribosomal protein S20



• Molecule 51: peptide



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	719250	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	42	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	1.618	Depositor
Minimum map value	-0.335	Depositor
Average map value	0.018	Depositor
Map value standard deviation	0.082	Depositor
Recommended contour level	0.4	Depositor
Map size (\AA)	348.6, 348.6, 348.6	wwPDB
Map dimensions	420, 420, 420	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	0.83000004, 0.83000004, 0.83000004	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: WDP, OMC, 5MU, G7M, MG, UR3, 4OC, MA6, ZN, 5MC, 6MZ, 2MG, OMG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	0	0.27	0/435	0.58	0/581
2	1	0.30	0/407	0.57	0/543
3	2	0.39	0/361	0.75	0/473
4	3	0.28	0/499	0.61	0/664
5	4	0.27	0/303	0.60	0/402
6	6	0.53	1/455 (0.2%)	0.81	3/611 (0.5%)
7	A	0.68	4/74851 (0.0%)	0.81	28/116786 (0.0%)
8	B	0.36	0/2749	0.76	0/4284
9	C	0.37	0/2129	0.59	0/2861
10	D	0.38	0/1613	0.59	0/2174
11	E	0.36	0/1575	0.59	0/2129
12	F	0.27	0/1429	0.59	0/1921
13	G	0.28	0/1351	0.57	0/1824
14	H	0.25	0/353	0.55	0/474
15	J	0.40	0/1170	0.55	0/1584
16	K	0.37	0/944	0.60	0/1268
17	L	0.33	0/1081	0.62	0/1443
18	M	0.27	0/1098	0.54	0/1481
19	N	0.38	0/925	0.54	0/1242
20	O	0.27	0/895	0.64	0/1202
21	P	0.38	0/922	0.59	0/1236
22	Q	0.41	0/992	0.63	1/1329 (0.1%)
23	R	0.39	0/766	0.59	0/1030
24	S	0.37	0/874	0.60	0/1186
25	T	0.35	0/770	0.57	0/1038
26	U	0.33	0/705	0.67	2/941 (0.2%)
27	V	0.26	0/747	0.60	0/1010
28	W	0.34	0/531	0.59	0/707
29	X	0.37	0/484	0.62	0/648
30	Y	0.32	0/544	0.59	0/727
31	Z	0.34	0/480	0.66	0/645
32	a	0.22	0/36305	0.76	6/56645 (0.0%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	c	0.24	0/1678	0.55	0/2254
34	d	0.24	0/1683	0.54	0/2269
35	e	0.50	2/1165 (0.2%)	0.79	4/1578 (0.3%)
36	f	0.25	0/767	0.55	0/1036
37	g	0.24	0/1210	0.58	2/1631 (0.1%)
38	h	0.28	0/1014	0.63	1/1369 (0.1%)
39	i	0.25	0/1011	0.59	0/1356
40	j	0.22	0/803	0.52	0/1086
41	k	0.26	0/891	0.55	0/1204
42	l	0.24	0/970	0.58	0/1295
43	m	0.24	0/953	0.64	0/1274
44	n	0.25	0/477	0.55	0/634
45	o	0.23	0/727	0.55	0/973
46	p	0.25	0/742	0.55	0/1000
47	q	0.25	0/766	0.62	0/1024
48	r	0.26	0/502	0.52	0/674
49	s	0.25	0/690	0.54	0/928
50	t	0.26	0/633	0.60	0/838
51	v	0.24	0/188	0.64	0/243
All	All	0.51	7/155613 (0.0%)	0.75	47/233755 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
17	L	0	2
23	R	0	1
26	U	0	2
42	l	0	1
All	All	0	6

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	A	2296	A	C6-N6	15.53	1.46	1.33
35	e	191	PRO	CG-CD	-13.69	1.05	1.50
6	6	43	PRO	CG-CD	-8.61	1.22	1.50
7	A	2296	A	N7-C5	-7.68	1.34	1.39
7	A	2296	A	N9-C8	-6.59	1.32	1.37
35	e	191	PRO	N-CD	5.38	1.55	1.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	A	616	A	N9-C4	-5.31	1.34	1.37

All (47) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	2296	A	C2-N3-C4	18.90	120.05	110.60
35	e	191	PRO	N-CD-CG	-15.42	80.07	103.20
7	A	2296	A	N1-C2-N3	-13.61	122.50	129.30
7	A	2296	A	N3-C4-C5	-10.82	119.22	126.80
6	6	43	PRO	N-CD-CG	-10.72	87.12	103.20
35	e	191	PRO	CA-N-CD	-10.28	97.11	111.50
38	h	68	PRO	CA-N-CD	-9.24	98.56	111.50
35	e	191	PRO	CA-CB-CG	-8.46	87.93	104.00
7	A	2296	A	N3-C4-N9	8.31	134.04	127.40
7	A	2296	A	C5-N7-C8	8.23	108.02	103.90
7	A	2296	A	N7-C8-N9	-8.16	109.72	113.80
32	a	92	C	N3-C2-O2	-7.66	116.53	121.90
6	6	43	PRO	CA-N-CD	-7.45	101.07	111.50
7	A	600	G	O4'-C1'-N9	7.39	114.11	108.20
7	A	2296	A	C4-C5-N7	-6.96	107.22	110.70
7	A	2309	C	C2-N1-C1'	6.26	125.69	118.80
7	A	2296	A	C8-N9-C4	6.26	108.31	105.80
7	A	946	C	N3-C2-O2	-6.25	117.52	121.90
32	a	430	A	N1-C6-N6	-6.21	114.87	118.60
7	A	1624	C	N1-C2-O2	6.16	122.59	118.90
7	A	3060	C	N3-C2-O2	-6.08	117.64	121.90
7	A	3060	C	C2-N1-C1'	6.04	125.44	118.80
22	Q	73	ASP	CB-CG-OD2	6.01	123.71	118.30
7	A	1624	C	C2-N1-C1'	5.95	125.34	118.80
7	A	946	C	C2-N1-C1'	5.88	125.27	118.80
32	a	92	C	N1-C2-O2	5.81	122.39	118.90
7	A	976	U	C2-N1-C1'	5.76	124.62	117.70
32	a	455	C	N1-C2-O2	5.66	122.30	118.90
26	U	89	GLU	C-N-CA	5.62	135.75	121.70
7	A	2217	C	C2-N1-C1'	5.61	124.97	118.80
35	e	177	LEU	CA-CB-CG	5.61	128.19	115.30
7	A	2558	C	N1-C2-O2	5.56	122.23	118.90
7	A	882	C	N3-C2-O2	-5.51	118.04	121.90
7	A	1072	G	C4-N9-C1'	5.33	133.43	126.50
7	A	616	A	C2-N3-C4	-5.28	107.96	110.60
7	A	1272	A	O4'-C1'-N9	5.25	112.40	108.20
37	g	66	LEU	CA-CB-CG	5.24	127.36	115.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	3060	C	N1-C2-O2	5.24	122.04	118.90
37	g	26	LEU	CA-CB-CG	5.18	127.22	115.30
7	A	739	C	C2-N1-C1'	5.15	124.47	118.80
26	U	90	GLU	N-CA-C	5.14	124.89	111.00
32	a	517	C	O4'-C1'-N1	5.09	112.27	108.20
7	A	2309	C	N3-C2-O2	-5.08	118.34	121.90
32	a	430	A	C5-C6-N6	5.05	127.74	123.70
6	6	43	PRO	CA-CB-CG	-5.04	94.42	104.00
7	A	882	C	C2-N1-C1'	5.04	124.34	118.80
7	A	2217	C	N3-C2-O2	-5.03	118.38	121.90

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
17	L	20	ARG	Peptide
17	L	28	LYS	Peptide
23	R	50	THR	Peptide
26	U	90	GLU	Peptide
26	U	91	THR	Peptide
42	l	113	ALA	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	0	52/57 (91%)	52 (100%)	0	0	100 100
2	1	46/55 (84%)	45 (98%)	1 (2%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	2	40/47 (85%)	39 (98%)	1 (2%)	0	100	100
4	3	60/64 (94%)	60 (100%)	0	0	100	100
5	4	35/37 (95%)	35 (100%)	0	0	100	100
6	6	53/80 (66%)	46 (87%)	7 (13%)	0	100	100
9	C	270/279 (97%)	259 (96%)	11 (4%)	0	100	100
10	D	211/213 (99%)	198 (94%)	13 (6%)	0	100	100
11	E	205/207 (99%)	201 (98%)	4 (2%)	0	100	100
12	F	176/178 (99%)	162 (92%)	14 (8%)	0	100	100
13	G	172/177 (97%)	167 (97%)	5 (3%)	0	100	100
14	H	45/152 (30%)	38 (84%)	7 (16%)	0	100	100
15	J	144/195 (74%)	141 (98%)	3 (2%)	0	100	100
16	K	119/122 (98%)	117 (98%)	2 (2%)	0	100	100
17	L	141/146 (97%)	128 (91%)	12 (8%)	1 (1%)	22	43
18	M	132/138 (96%)	122 (92%)	10 (8%)	0	100	100
19	N	114/180 (63%)	110 (96%)	4 (4%)	0	100	100
20	O	114/122 (93%)	107 (94%)	7 (6%)	0	100	100
21	P	110/113 (97%)	105 (96%)	5 (4%)	0	100	100
22	Q	120/129 (93%)	117 (98%)	3 (2%)	0	100	100
23	R	98/104 (94%)	88 (90%)	9 (9%)	1 (1%)	15	32
24	S	111/197 (56%)	108 (97%)	3 (3%)	0	100	100
25	T	96/100 (96%)	88 (92%)	8 (8%)	0	100	100
26	U	86/105 (82%)	73 (85%)	12 (14%)	1 (1%)	13	27
27	V	93/215 (43%)	90 (97%)	3 (3%)	0	100	100
28	W	69/86 (80%)	64 (93%)	5 (7%)	0	100	100
29	X	61/64 (95%)	58 (95%)	3 (5%)	0	100	100
30	Y	63/77 (82%)	60 (95%)	3 (5%)	0	100	100
31	Z	57/65 (88%)	56 (98%)	1 (2%)	0	100	100
All	All	3093/3704 (84%)	2934 (95%)	156 (5%)	3 (0%)	54	75

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
23	R	51	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
17	L	5	LEU
26	U	91	THR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	44/47 (94%)	41 (93%)	3 (7%)	16	32
2	1	45/51 (88%)	42 (93%)	3 (7%)	16	33
3	2	36/40 (90%)	34 (94%)	2 (6%)	21	42
4	3	53/54 (98%)	51 (96%)	2 (4%)	33	59
5	4	35/35 (100%)	34 (97%)	1 (3%)	42	68
6	6	49/66 (74%)	44 (90%)	5 (10%)	7	14
9	C	212/218 (97%)	205 (97%)	7 (3%)	38	64
10	D	163/163 (100%)	153 (94%)	10 (6%)	18	38
11	E	159/159 (100%)	153 (96%)	6 (4%)	33	59
12	F	147/147 (100%)	134 (91%)	13 (9%)	10	19
13	G	143/145 (99%)	137 (96%)	6 (4%)	30	55
14	H	36/121 (30%)	28 (78%)	8 (22%)	1	1
15	J	120/161 (74%)	115 (96%)	5 (4%)	30	55
16	K	100/101 (99%)	96 (96%)	4 (4%)	31	57
17	L	107/110 (97%)	100 (94%)	7 (6%)	17	34
18	M	110/114 (96%)	107 (97%)	3 (3%)	44	71
19	N	94/139 (68%)	93 (99%)	1 (1%)	73	88
20	O	88/93 (95%)	84 (96%)	4 (4%)	27	52
21	P	98/99 (99%)	91 (93%)	7 (7%)	14	29
22	Q	95/99 (96%)	92 (97%)	3 (3%)	39	65
23	R	81/83 (98%)	76 (94%)	5 (6%)	18	37
24	S	87/140 (62%)	84 (97%)	3 (3%)	37	63

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
25	T	82/83 (99%)	76 (93%)	6 (7%)	14	28
26	U	77/88 (88%)	69 (90%)	8 (10%)	7	13
27	V	75/164 (46%)	68 (91%)	7 (9%)	9	17
28	W	51/62 (82%)	49 (96%)	2 (4%)	32	58
29	X	52/52 (100%)	51 (98%)	1 (2%)	57	79
30	Y	58/66 (88%)	56 (97%)	2 (3%)	37	63
31	Z	51/55 (93%)	45 (88%)	6 (12%)	5	9
All	All	2548/2955 (86%)	2408 (94%)	140 (6%)	25	43

All (140) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	0	6	ARG
1	0	25	THR
1	0	38	LYS
2	1	25	THR
2	1	30	ARG
2	1	37	GLU
3	2	32	SER
3	2	44	THR
4	3	30	ARG
4	3	31	HIS
5	4	22	ARG
6	6	1	MET
6	6	2	LYS
6	6	9	TYR
6	6	29	PRO
6	6	63	LYS
9	C	25	THR
9	C	27	SER
9	C	40	ARG
9	C	96	HIS
9	C	99	ASP
9	C	124	ASP
9	C	273	ARG
10	D	19	GLU
10	D	43	GLU
10	D	45	ASP
10	D	51	GLN
10	D	56	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
10	D	113	ASP
10	D	115	THR
10	D	135	GLN
10	D	185	VAL
10	D	212	ILE
11	E	10	LYS
11	E	19	LYS
11	E	69	ARG
11	E	73	ARG
11	E	74	GLN
11	E	81	ARG
12	F	10	ARG
12	F	18	GLU
12	F	21	ASP
12	F	33	MET
12	F	52	ARG
12	F	76	ARG
12	F	90	MET
12	F	103	MET
12	F	134	ASN
12	F	141	GLU
12	F	152	LYS
12	F	159	MET
12	F	166	SER
13	G	46	ASN
13	G	55	ARG
13	G	60	ARG
13	G	61	ARG
13	G	102	SER
13	G	133	THR
14	H	1	MET
14	H	2	LYS
14	H	3	LEU
14	H	5	LEU
14	H	10	ASP
14	H	20	GLU
14	H	33	ARG
14	H	45	LYS
15	J	3	THR
15	J	11	THR
15	J	22	ASP
15	J	133	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
15	J	143	LYS
16	K	23	ARG
16	K	69	ARG
16	K	97	ARG
16	K	113	LYS
17	L	21	VAL
17	L	72	THR
17	L	95	ASP
17	L	116	LYS
17	L	122	ASP
17	L	126	HIS
17	L	144	THR
18	M	18	ARG
18	M	94	VAL
18	M	110	ASN
19	N	112	VAL
20	O	25	SER
20	O	33	LEU
20	O	35	VAL
20	O	103	THR
21	P	55	ARG
21	P	63	GLU
21	P	90	ASP
21	P	103	ARG
21	P	105	LYS
21	P	108	LYS
21	P	112	LYS
22	Q	53	ARG
22	Q	101	SER
22	Q	119	GLU
23	R	23	VAL
23	R	32	GLN
23	R	37	SER
23	R	58	LYS
23	R	92	ARG
24	S	69	GLN
24	S	119	SER
24	S	120	ARG
25	T	3	THR
25	T	4	LEU
25	T	26	ASP
25	T	68	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	T	70	ARG
25	T	85	THR
26	U	22	LYS
26	U	40	ARG
26	U	45	THR
26	U	63	GLU
26	U	69	SER
26	U	72	MET
26	U	98	SER
26	U	103	LYS
27	V	10	ARG
27	V	51	ASP
27	V	61	THR
27	V	68	ASP
27	V	69	ILE
27	V	98	VAL
27	V	99	ARG
28	W	57	ASP
28	W	68	GLU
29	X	1	MET
30	Y	46	ARG
30	Y	63	GLU
31	Z	22	SER
31	Z	40	ASN
31	Z	44	ARG
31	Z	55	GLU
31	Z	56	VAL
31	Z	57	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	0	37	HIS
11	E	127	ASN
12	F	62	ASN
18	M	110	ASN
27	V	38	HIS
27	V	74	GLN
27	V	91	GLN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
32	a	1515/1537 (98%)	224 (14%)	0
7	A	3115/3138 (99%)	423 (13%)	0
8	B	114/115 (99%)	16 (14%)	0
All	All	4744/4790 (99%)	663 (13%)	0

All (663) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
7	A	13	A
7	A	35	G
7	A	63	A
7	A	71	A
7	A	74	U
7	A	75	G
7	A	94	C
7	A	118	A
7	A	119	A
7	A	120	U
7	A	125	A
7	A	142	U
7	A	143	G
7	A	167	A
7	A	176	G
7	A	183	A
7	A	198	A
7	A	201	A
7	A	217	G
7	A	218	A
7	A	224	A
7	A	225	A
7	A	231	U
7	A	232	G
7	A	250	G
7	A	269	G
7	A	271	U
7	A	279	A
7	A	283	A
7	A	286	G
7	A	287	G
7	A	288	U
7	A	289	A
7	A	290	A
7	A	293	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	A	294	G
7	A	297	A
7	A	301	G
7	A	303	U
7	A	320	G
7	A	327	U
7	A	328	A
7	A	329	U
7	A	330	G
7	A	331	U
7	A	332	C
7	A	339	C
7	A	345	G
7	A	358	U
7	A	370	G
7	A	372	G
7	A	377	G
7	A	394	U
7	A	399	U
7	A	413	A
7	A	414	G
7	A	429	A
7	A	446	A
7	A	447	G
7	A	448	U
7	A	453	A
7	A	473	C
7	A	475	G
7	A	500	G
7	A	501	A
7	A	526	U
7	A	544	U
7	A	570	G
7	A	592	G
7	A	593	A
7	A	595	U
7	A	596	A
7	A	597	C
7	A	606	G
7	A	616	A
7	A	618	U
7	A	619	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	A	620	C
7	A	621	G
7	A	637	C
7	A	639	U
7	A	641	U
7	A	642	C
7	A	643	C
7	A	645	G
7	A	653	U
7	A	665	G
7	A	673	A
7	A	675	G
7	A	676	A
7	A	677	A
7	A	689	G
7	A	694	G
7	A	706	A
7	A	719	U
7	A	741	A
7	A	750	A
7	A	756	A
7	A	758	C
7	A	759	C
7	A	760	A
7	A	768	A
7	A	772	G
7	A	774	G
7	A	776	G
7	A	779	U
7	A	780	G
7	A	781	A
7	A	782	A
7	A	783	U
7	A	815	U
7	A	843	U
7	A	844	A
7	A	846	G
7	A	847	A
7	A	852	G
7	A	859	C
7	A	876	U
7	A	893	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	A	894	G
7	A	904	G
7	A	905	G
7	A	911	A
7	A	913	G
7	A	914	G
7	A	918	A
7	A	934	G
7	A	941	C
7	A	956	U
7	A	958	A
7	A	988	G
7	A	1007	G
7	A	1025	A
7	A	1026	C
7	A	1036	C
7	A	1039	A
7	A	1043	C
7	A	1059	A
7	A	1061	A
7	A	1074	G
7	A	1086	U
7	A	1087	A
7	A	1089	G
7	A	1096	A
7	A	1103	A
7	A	1112	A
7	A	1125	G
7	A	1142	G
7	A	1155	G
7	A	1162	U
7	A	1168	G
7	A	1175	A
7	A	1176	G
7	A	1177	A
7	A	1184	G
7	A	1189	U
7	A	1190	U
7	A	1191	G
7	A	1193	C
7	A	1196	A
7	A	1199	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	A	1200	G
7	A	1202	A
7	A	1207	C
7	A	1208	C
7	A	1210	U
7	A	1212	G
7	A	1215	A
7	A	1216	G
7	A	1217	A
7	A	1219	U
7	A	1230	U
7	A	1234	U
7	A	1239	A
7	A	1240	A
7	A	1241	G
7	A	1261	U
7	A	1262	A
7	A	1264	C
7	A	1265	G
7	A	1271	C
7	A	1273	A
7	A	1304	U
7	A	1305	U
7	A	1306	G
7	A	1308	G
7	A	1309	G
7	A	1342	C
7	A	1381	G
7	A	1384	A
7	A	1387	G
7	A	1402	G
7	A	1403	A
7	A	1406	A
7	A	1431	A
7	A	1432	A
7	A	1451	C
7	A	1452	C
7	A	1453	A
7	A	1460	U
7	A	1481	C
7	A	1483	U
7	A	1491	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	A	1496	A
7	A	1499	G
7	A	1510	U
7	A	1515	A
7	A	1542	G
7	A	1551	C
7	A	1552	G
7	A	1554	G
7	A	1560	U
7	A	1561	C
7	A	1562	A
7	A	1567	U
7	A	1568	A
7	A	1577	C
7	A	1580	A
7	A	1581	A
7	A	1582	A
7	A	1609	U
7	A	1610	G
7	A	1614	A
7	A	1615	G
7	A	1622	G
7	A	1624	C
7	A	1625	U
7	A	1636	U
7	A	1637	U
7	A	1646	G
7	A	1647	U
7	A	1657	A
7	A	1658	A
7	A	1666	C
7	A	1690	A
7	A	1693	G
7	A	1696	A
7	A	1697	A
7	A	1698	C
7	A	1699	A
7	A	1720	G
7	A	1722	G
7	A	1727	A
7	A	1746	U
7	A	1754	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	A	1763	G
7	A	1773	U
7	A	1774	U
7	A	1797	G
7	A	1803	A
7	A	1806	A
7	A	1821	G
7	A	1832	G
7	A	1842	C
7	A	1843	A
7	A	1845	A
7	A	1881	U
7	A	1883	C
7	A	1884	G
7	A	1888	U
7	A	1889	A
7	A	1909	G
7	A	1950	A
7	A	1959	A
7	A	1960	C
7	A	1961	C
7	A	1963	U
7	A	1964	U
7	A	1990	G
7	A	1992	A
7	A	1998	U
7	A	2007	A
7	A	2010	G
7	A	2034	C
7	A	2035	G
7	A	2050	U
7	A	2063	A
7	A	2105	G
7	A	2106	C
7	A	2107	A
7	A	2108	A
7	A	2109	G
7	A	2124	U
7	A	2144	G
7	A	2151	A
7	A	2157	A
7	A	2167	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	A	2168	G
7	A	2175	A
7	A	2176	A
7	A	2193	U
7	A	2203	C
7	A	2205	C
7	A	2208	A
7	A	2209	U
7	A	2210	G
7	A	2229	U
7	A	2231	U
7	A	2258	A
7	A	2259	C
7	A	2261	A
7	A	2270	G
7	A	2281	C
7	A	2293	C
7	A	2294	G
7	A	2297	A
7	A	2298	A
7	A	2299	G
7	A	2300	A
7	A	2330	G
7	A	2340	A
7	A	2343	G
7	A	2346	U
7	A	2347	G
7	A	2348	U
7	A	2352	G
7	A	2353	G
7	A	2354	A
7	A	2355	U
7	A	2356	A
7	A	2357	G
7	A	2360	G
7	A	2361	G
7	A	2362	G
7	A	2364	G
7	A	2365	A
7	A	2366	C
7	A	2367	U
7	A	2371	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	A	2375	C
7	A	2377	C
7	A	2378	G
7	A	2382	C
7	A	2384	A
7	A	2385	G
7	A	2387	U
7	A	2391	G
7	A	2393	G
7	A	2394	G
7	A	2395	A
7	A	2396	G
7	A	2398	C
7	A	2400	U
7	A	2401	U
7	A	2402	G
7	A	2403	U
7	A	2404	U
7	A	2405	G
7	A	2406	A
7	A	2407	A
7	A	2408	A
7	A	2412	C
7	A	2413	A
7	A	2416	C
7	A	2417	U
7	A	2419	A
7	A	2424	A
7	A	2435	A
7	A	2449	A
7	A	2463	A
7	A	2476	G
7	A	2477	G
7	A	2489	OMG
7	A	2517	G
7	A	2521	C
7	A	2525	A
7	A	2526	A
7	A	2543	A
7	A	2546	G
7	A	2547	C
7	A	2550	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	A	2558	C
7	A	2560	A
7	A	2563	G
7	A	2573	A
7	A	2583	G
7	A	2585	C
7	A	2588	C
7	A	2615	A
7	A	2621	G
7	A	2623	A
7	A	2644	A
7	A	2661	U
7	A	2663	A
7	A	2667	G
7	A	2668	A
7	A	2679	C
7	A	2686	A
7	A	2707	A
7	A	2714	A
7	A	2728	G
7	A	2736	OMC
7	A	2743	G
7	A	2751	G
7	A	2756	A
7	A	2767	G
7	A	2773	G
7	A	2804	A
7	A	2805	G
7	A	2840	A
7	A	2847	U
7	A	2851	U
7	A	2868	A
7	A	2952	G
7	A	2962	C
7	A	2964	C
7	A	2986	A
7	A	2995	A
7	A	2996	A
7	A	3003	A
7	A	3016	A
7	A	3018	C
7	A	3023	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	A	3037	G
7	A	3038	U
7	A	3040	G
7	A	3056	A
7	A	3070	A
7	A	3107	A
7	A	3118	A
7	A	3119	C
7	A	3120	C
7	A	3129	A
8	B	2	U
8	B	8	G
8	B	24	A
8	B	34	U
8	B	41	C
8	B	51	A
8	B	55	U
8	B	56	A
8	B	65	A
8	B	85	U
8	B	86	C
8	B	88	G
8	B	101	G
8	B	105	A
8	B	114	C
8	B	115	A
32	a	11	A
32	a	12	G
32	a	25	G
32	a	34	G
32	a	35	A
32	a	42	G
32	a	50	C
32	a	51	U
32	a	54	A
32	a	74	A
32	a	78	U
32	a	81	C
32	a	82	U
32	a	84	C
32	a	86	G
32	a	89	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
32	a	90	U
32	a	91	A
32	a	116	C
32	a	125	G
32	a	127	U
32	a	167	A
32	a	169	U
32	a	178	G
32	a	185	G
32	a	189	U
32	a	194	G
32	a	204	G
32	a	206	A
32	a	208	A
32	a	213	U
32	a	214	U
32	a	216	A
32	a	217	G
32	a	219	G
32	a	244	C
32	a	246	G
32	a	247	C
32	a	250	G
32	a	265	G
32	a	266	C
32	a	279	C
32	a	280	G
32	a	288	G
32	a	327	U
32	a	328	A
32	a	346	G
32	a	350	G
32	a	351	C
32	a	353	G
32	a	366	U
32	a	368	G
32	a	371	C
32	a	381	A
32	a	391	C
32	a	397	C
32	a	405	G
32	a	408	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
32	a	409	G
32	a	410	A
32	a	411	U
32	a	412	G
32	a	413	A
32	a	414	C
32	a	420	U
32	a	421	C
32	a	428	U
32	a	437	U
32	a	439	C
32	a	451	A
32	a	452	G
32	a	453	G
32	a	455	C
32	a	457	G
32	a	459	G
32	a	460	U
32	a	461	U
32	a	463	U
32	a	465	U
32	a	473	A
32	a	476	G
32	a	485	G
32	a	486	A
32	a	487	A
32	a	488	G
32	a	490	A
32	a	500	A
32	a	501	A
32	a	502	C
32	a	508	G
32	a	509	C
32	a	512	G
32	a	517	C
32	a	518	G7M
32	a	523	A
32	a	538	A
32	a	550	A
32	a	551	A
32	a	553	U
32	a	563	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
32	a	564	A
32	a	565	A
32	a	566	G
32	a	567	A
32	a	568	G
32	a	606	C
32	a	610	U
32	a	623	U
32	a	624	G
32	a	633	A
32	a	640	G
32	a	644	A
32	a	656	G
32	a	677	U
32	a	678	A
32	a	686	A
32	a	694	G
32	a	709	A
32	a	712	G
32	a	740	A
32	a	746	G
32	a	768	A
32	a	784	U
32	a	785	A
32	a	806	A
32	a	808	C
32	a	827	G
32	a	830	U
32	a	833	U
32	a	835	C
32	a	836	C
32	a	837	U
32	a	838	U
32	a	865	A
32	a	866	A
32	a	883	G
32	a	895	G
32	a	900	A
32	a	919	G
32	a	927	C
32	a	951	A
32	a	953	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
32	a	954	U
32	a	962	A
32	a	968	A
32	a	969	G
32	a	970	A
32	a	985	U
32	a	986	G
32	a	987	A
32	a	993	A
32	a	997	G
32	a	1008	A
32	a	1010	A
32	a	1012	A
32	a	1019	C
32	a	1020	C
32	a	1021	C
32	a	1022	U
32	a	1023	U
32	a	1024	G
32	a	1033	G
32	a	1035	G
32	a	1044	G
32	a	1056	U
32	a	1085	G
32	a	1086	U
32	a	1092	A
32	a	1099	G
32	a	1116	U
32	a	1126	G
32	a	1129	A
32	a	1131	G
32	a	1137	G
32	a	1138	A
32	a	1150	C
32	a	1151	U
32	a	1160	C
32	a	1161	A
32	a	1174	G
32	a	1175	U
32	a	1176	G
32	a	1188	A
32	a	1189	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
32	a	1199	C
32	a	1204	U
32	a	1205	A
32	a	1206	U
32	a	1218	C
32	a	1219	A
32	a	1228	A
32	a	1230	A
32	a	1232	U
32	a	1233	G
32	a	1249	U
32	a	1250	G
32	a	1252	G
32	a	1254	U
32	a	1270	G
32	a	1272	A
32	a	1277	U
32	a	1279	A
32	a	1292	G
32	a	1297	G
32	a	1312	C
32	a	1314	C
32	a	1328	C
32	a	1349	A
32	a	1356	A
32	a	1357	C
32	a	1369	U
32	a	1371	C
32	a	1419	A
32	a	1435	G
32	a	1439	A
32	a	1444	U
32	a	1485	A
32	a	1486	A
32	a	1492	A
32	a	1496	A
32	a	1510	G
32	a	1513	G
32	a	1522	G
32	a	1523	G

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

13 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
32	G7M	a	518	32	20,26,27	2.58	4 (20%)	17,39,42	0.82	1 (5%)
32	5MC	a	960	32	18,22,23	1.89	6 (33%)	26,32,35	1.17	1 (3%)
32	MA6	a	1511	32	18,26,27	0.77	0	19,38,41	1.48	2 (10%)
7	5MU	A	2177	7	19,22,23	2.28	8 (42%)	28,32,35	2.40	6 (21%)
32	2MG	a	959	32	18,26,27	2.96	4 (22%)	16,38,41	1.25	2 (12%)
7	OMG	A	2791	7	18,26,27	2.68	6 (33%)	19,38,41	1.49	4 (21%)
32	MA6	a	1512	32	18,26,27	0.74	0	19,38,41	1.48	2 (10%)
7	6MZ	A	2268	7	18,25,26	1.70	1 (5%)	16,36,39	2.54	3 (18%)
32	UR3	a	1491	32	19,22,23	2.78	4 (21%)	26,32,35	1.21	2 (7%)
32	4OC	a	1395	32	20,23,24	2.56	4 (20%)	26,32,35	0.90	1 (3%)
32	2MG	a	1509	32	18,26,27	2.96	4 (22%)	16,38,41	1.17	2 (12%)
7	OMG	A	2489	7	18,26,27	2.67	5 (27%)	19,38,41	1.46	4 (21%)
7	OMC	A	2736	54,7	19,22,23	1.62	2 (10%)	26,31,34	1.05	1 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
32	G7M	a	518	32	-	0/3/25/26	0/3/3/3
32	5MC	a	960	32	-	0/7/25/26	0/2/2/2
32	MA6	a	1511	32	-	0/7/29/30	0/3/3/3
7	5MU	A	2177	7	-	0/7/25/26	0/2/2/2
32	2MG	a	959	32	-	3/5/27/28	0/3/3/3
7	OMG	A	2791	7	-	0/5/27/28	0/3/3/3
32	MA6	a	1512	32	-	2/7/29/30	0/3/3/3
7	6MZ	A	2268	7	-	2/5/27/28	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
32	UR3	a	1491	32	-	1/7/25/26	0/2/2/2
32	4OC	a	1395	32	-	0/9/29/30	0/2/2/2
32	2MG	a	1509	32	-	0/5/27/28	0/3/3/3
7	OMG	A	2489	7	-	3/5/27/28	0/3/3/3
7	OMC	A	2736	54,7	-	0/9/27/28	0/2/2/2

All (48) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
32	a	1491	UR3	O4-C4	10.14	1.45	1.23
32	a	518	G7M	O6-C6	9.96	1.43	1.23
32	a	959	2MG	O6-C6	9.16	1.41	1.23
32	a	1509	2MG	O6-C6	9.03	1.41	1.23
32	a	1395	4OC	O2-C2	9.00	1.40	1.23
7	A	2489	OMG	O6-C6	8.36	1.40	1.23
7	A	2791	OMG	O6-C6	8.31	1.40	1.23
32	a	959	2MG	C2-N2	6.86	1.48	1.33
32	a	1509	2MG	C2-N2	6.76	1.48	1.33
7	A	2268	6MZ	C6-N6	6.38	1.45	1.35
7	A	2736	OMC	C4-N4	5.58	1.47	1.33
32	a	1395	4OC	C4-N4	4.72	1.45	1.35
7	A	2791	OMG	C2-N2	4.70	1.45	1.34
7	A	2489	OMG	C2-N2	4.65	1.45	1.34
7	A	2177	5MU	C2-N1	-4.42	1.31	1.38
32	a	960	5MC	C4-N4	4.39	1.45	1.34
32	a	1491	UR3	C2-N1	-3.97	1.32	1.38
7	A	2177	5MU	C4-N3	-3.88	1.31	1.38
7	A	2177	5MU	C4-C5	-3.78	1.38	1.44
7	A	2177	5MU	C2-N3	-3.68	1.31	1.38
32	a	518	G7M	C2-N2	3.64	1.42	1.34
7	A	2177	5MU	C6-N1	-3.62	1.31	1.38
32	a	1395	4OC	C2-N1	-3.58	1.32	1.40
7	A	2489	OMG	C6-N1	-3.56	1.32	1.37
32	a	960	5MC	C2-N1	-3.54	1.32	1.40
7	A	2791	OMG	C6-N1	-3.48	1.32	1.37
7	A	2791	OMG	C5-C6	-3.31	1.40	1.47
32	a	960	5MC	C6-N1	-3.22	1.32	1.38
7	A	2489	OMG	C5-C6	-3.21	1.40	1.47
32	a	1509	2MG	C6-N1	-3.20	1.33	1.37
32	a	1491	UR3	C2-N3	-2.98	1.33	1.39
32	a	518	G7M	C6-N1	-2.96	1.33	1.37
32	a	1491	UR3	C4-N3	-2.96	1.34	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
32	a	959	2MG	C6-N1	-2.96	1.33	1.37
7	A	2177	5MU	O4-C4	-2.77	1.18	1.23
32	a	960	5MC	C6-C5	2.71	1.39	1.34
7	A	2177	5MU	O2-C2	-2.71	1.18	1.23
32	a	960	5MC	O2-C2	-2.64	1.18	1.23
7	A	2177	5MU	C6-C5	2.47	1.38	1.34
32	a	1509	2MG	C5-C6	-2.40	1.42	1.47
7	A	2736	OMC	C2-N1	-2.37	1.34	1.40
32	a	959	2MG	C5-C6	-2.33	1.42	1.47
32	a	518	G7M	C2-N1	-2.29	1.32	1.37
32	a	1395	4OC	C6-N1	-2.24	1.32	1.38
7	A	2791	OMG	C2-N1	-2.10	1.32	1.37
7	A	2791	OMG	C5-C4	-2.05	1.37	1.43
7	A	2489	OMG	C2-N1	-2.05	1.32	1.37
32	a	960	5MC	C2-N3	-2.02	1.32	1.36

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	2268	6MZ	C9-N6-C6	-7.06	116.79	122.87
7	A	2177	5MU	C5-C6-N1	-5.86	117.31	123.34
7	A	2177	5MU	C4-N3-C2	-5.85	119.78	127.35
7	A	2177	5MU	N3-C2-N1	5.46	122.14	114.89
7	A	2268	6MZ	C2-N1-C6	5.10	120.97	116.59
7	A	2177	5MU	C5-C4-N3	5.03	119.60	115.31
32	a	1511	MA6	N3-C2-N1	-4.83	121.13	128.68
32	a	1512	MA6	N3-C2-N1	-4.79	121.19	128.68
32	a	960	5MC	C5-C6-N1	-4.46	118.75	123.34
7	A	2268	6MZ	N3-C2-N1	-4.33	121.91	128.68
32	a	1491	UR3	C4-N3-C2	-3.92	120.88	124.56
7	A	2177	5MU	O4-C4-C5	-3.86	120.43	124.90
7	A	2791	OMG	C5-C6-N1	3.76	120.60	113.95
7	A	2489	OMG	C5-C6-N1	3.70	120.48	113.95
32	a	1512	MA6	C4-C5-N7	-3.26	106.00	109.40
32	a	1511	MA6	C4-C5-N7	-3.20	106.07	109.40
7	A	2791	OMG	C8-N7-C5	2.97	108.65	102.99
7	A	2177	5MU	O2-C2-N1	-2.95	118.87	122.79
32	a	1509	2MG	C8-N7-C5	2.94	108.59	102.99
32	a	959	2MG	C8-N7-C5	2.93	108.57	102.99
7	A	2489	OMG	C8-N7-C5	2.90	108.52	102.99
7	A	2489	OMG	C2-N1-C6	-2.84	119.86	125.10
7	A	2791	OMG	C2-N1-C6	-2.82	119.90	125.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	2736	OMC	O2-C2-N3	-2.65	118.02	122.33
7	A	2791	OMG	O6-C6-C5	-2.47	119.55	124.37
32	a	518	G7M	C2-N1-C6	-2.36	120.75	125.10
7	A	2489	OMG	O6-C6-C5	-2.34	119.80	124.37
32	a	1509	2MG	CM2-N2-C2	-2.09	119.24	123.86
32	a	1395	4OC	C5-C4-N3	-2.08	119.24	122.59
32	a	1491	UR3	C5-C6-N1	-2.07	118.34	121.81
32	a	959	2MG	C5-C6-N1	2.03	117.53	113.95

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	A	2489	OMG	O4'-C4'-C5'-O5'
7	A	2489	OMG	C1'-C2'-O2'-CM2
32	a	959	2MG	N1-C2-N2-CM2
32	a	959	2MG	N3-C2-N2-CM2
7	A	2268	6MZ	O4'-C4'-C5'-O5'
7	A	2268	6MZ	C3'-C4'-C5'-O5'
7	A	2489	OMG	C3'-C4'-C5'-O5'
32	a	1512	MA6	O4'-C4'-C5'-O5'
32	a	1491	UR3	O4'-C4'-C5'-O5'
32	a	959	2MG	C4'-C5'-O5'-P
32	a	1512	MA6	C3'-C4'-C5'-O5'

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 454 ligands modelled in this entry, 453 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
53	WDP	A	3201	-	83,90,90	2.45	21 (25%)	102,132,132	2.26	18 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
53	WDP	A	3201	-	-	37/103/158/158	1/4/5/5

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
53	A	3201	WDP	C18-N20	8.92	1.50	1.35
53	A	3201	WDP	S26-N25	7.37	1.73	1.61
53	A	3201	WDP	C62-N61	-6.42	1.33	1.46
53	A	3201	WDP	O17-C18	5.99	1.46	1.34
53	A	3201	WDP	O50-C51	5.82	1.47	1.34
53	A	3201	WDP	C04-N03	-5.33	1.22	1.27
53	A	3201	WDP	C14-C15	5.05	1.62	1.53
53	A	3201	WDP	O40-C41	4.66	1.47	1.34
53	A	3201	WDP	C43-C41	4.51	1.59	1.50
53	A	3201	WDP	C29-S26	4.29	1.83	1.76
53	A	3201	WDP	C59-N61	-4.03	1.35	1.48
53	A	3201	WDP	O17-C15	-4.00	1.41	1.46
53	A	3201	WDP	C24-C21	3.19	1.57	1.53
53	A	3201	WDP	O74-C73	2.84	1.49	1.41
53	A	3201	WDP	C24-N25	2.81	1.50	1.47
53	A	3201	WDP	C82-C79	-2.65	1.46	1.52
53	A	3201	WDP	O27-S26	2.38	1.46	1.43
53	A	3201	WDP	C53-C51	2.35	1.56	1.51
53	A	3201	WDP	O19-C18	-2.14	1.17	1.21
53	A	3201	WDP	C60-C59	2.13	1.59	1.52
53	A	3201	WDP	O02-C01	-2.02	1.40	1.43

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
53	A	3201	WDP	O28-S26-O27	-14.94	101.18	119.55
53	A	3201	WDP	O17-C18-N20	7.55	119.98	109.92
53	A	3201	WDP	C05-C04-N03	-5.83	120.13	126.93
53	A	3201	WDP	O02-N03-C04	5.35	119.95	110.97
53	A	3201	WDP	O40-C41-C43	4.61	119.94	111.46
53	A	3201	WDP	O50-C51-C53	3.96	120.25	111.56
53	A	3201	WDP	O19-C18-N20	-3.31	119.98	124.95
53	A	3201	WDP	O17-C18-O19	-3.06	120.04	125.62
53	A	3201	WDP	O28-S26-N25	2.72	111.29	107.04
53	A	3201	WDP	O28-S26-C29	2.72	111.32	107.97
53	A	3201	WDP	O27-S26-N25	2.72	111.29	107.04
53	A	3201	WDP	O27-S26-C29	2.66	111.24	107.97
53	A	3201	WDP	C49-O50-C51	-2.41	113.64	117.78
53	A	3201	WDP	C76-C75-C77	-2.30	108.82	113.07
53	A	3201	WDP	C07-C06-C05	-2.28	108.78	113.22
53	A	3201	WDP	O50-C51-O52	-2.18	119.86	123.94
53	A	3201	WDP	O42-C41-C43	-2.13	120.03	124.73
53	A	3201	WDP	O10-C11-C67	2.01	110.65	108.22

There are no chirality outliers.

All (37) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
53	A	3201	WDP	C22-C21-C24-N25
53	A	3201	WDP	C23-C21-C24-N25
53	A	3201	WDP	N20-C21-C24-N25
53	A	3201	WDP	C22-C21-N20-C18
53	A	3201	WDP	C24-C21-N20-C18
53	A	3201	WDP	C21-C24-N25-S26
53	A	3201	WDP	C05-C04-N03-O02
53	A	3201	WDP	C85-C04-N03-O02
53	A	3201	WDP	C12-C11-C67-C55
53	A	3201	WDP	O17-C18-N20-C21
53	A	3201	WDP	O19-C18-N20-C21
53	A	3201	WDP	N20-C18-O17-C15
53	A	3201	WDP	O19-C18-O17-C15
53	A	3201	WDP	C15-C35-C37-C38
53	A	3201	WDP	O36-C35-C37-C38
53	A	3201	WDP	C37-C39-O40-C41
53	A	3201	WDP	C47-C39-O40-C41
53	A	3201	WDP	C43-C41-O40-C39
53	A	3201	WDP	C49-C69-C71-O72
53	A	3201	WDP	C70-C69-C71-O72

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
53	A	3201	WDP	C04-N03-O02-C01
53	A	3201	WDP	O42-C41-O40-C39
53	A	3201	WDP	O08-C09-O10-C11
53	A	3201	WDP	C24-N25-S26-O28
53	A	3201	WDP	O10-C11-C67-C55
53	A	3201	WDP	C23-C21-N20-C18
53	A	3201	WDP	C12-C11-C67-C68
53	A	3201	WDP	C24-N25-S26-O27
53	A	3201	WDP	C24-N25-S26-C29
53	A	3201	WDP	C41-C43-C44-C45
53	A	3201	WDP	C82-C73-O72-C71
53	A	3201	WDP	O10-C11-C67-C68
53	A	3201	WDP	C37-C39-C47-C49
53	A	3201	WDP	C16-C15-O17-C18
53	A	3201	WDP	C41-C43-C44-C46
53	A	3201	WDP	C82-C79-O80-C81
53	A	3201	WDP	C38-C37-C39-O40

All (1) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
53	A	3201	WDP	C04-C05-C06-C09-C85-O08

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-25100. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 210




Y Index: 210




Z Index: 210


6.2.2 Raw map



X Index: 210



Y Index: 210




Z Index: 210


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 244




Y Index: 172




Z Index: 158


6.3.2 Raw map



X Index: 244



Y Index: 172




Z Index: 158


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)

6.4.1 Primary map



6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.4. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_25100_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 418 nm^3 ; this corresponds to an approximate mass of 377 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i




*Reported resolution corresponds to spatial frequency of 0.385 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.385 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.60	-	-
Author-provided FSC curve	2.54	2.91	2.60
Unmasked-calculated*	2.91	3.31	2.94

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 2.91 differs from the reported value 2.6 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-25100 and PDB model 7SFR. Per-residue inclusion information can be found in section 3 on page 14.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.4 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.4).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 47% of all backbone atoms, 47% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary



































The table lists the average atom inclusion at the recommended contour level (0.4) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.4680	 0.4680
0	 0.4540	 0.6090
1	 0.6700	 0.5810
2	 0.9570	 0.6490
3	 0.7060	 0.6210
4	 0.1910	 0.5570
6	 0.0000	 0.2530
A	 0.7680	 0.5450
B	 0.5460	 0.4700
C	 0.8570	 0.6210
D	 0.7290	 0.6040
E	 0.6070	 0.5910
F	 0.0140	 0.3610
G	 0.0400	 0.4250
H	 0.0260	 0.3940
J	 0.8130	 0.6090
K	 0.6930	 0.6030
L	 0.6590	 0.5850
M	 0.1200	 0.5530
N	 0.8350	 0.6250
O	 0.2180	 0.4590
P	 0.6230	 0.5890
Q	 0.8520	 0.6190
R	 0.6470	 0.6010
S	 0.8140	 0.6220
T	 0.6410	 0.5780
U	 0.4140	 0.5220
V	 0.0440	 0.4840
W	 0.7620	 0.5990
X	 0.7660	 0.6190
Y	 0.5870	 0.5510
Z	 0.6990	 0.5880
a	 0.0180	 0.3330
c	 0.0000	 0.2250
d	 0.0000	 0.2260



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
e	 0.0000	 0.3140
f	 0.0000	 0.4430
g	 0.0000	 0.2290
h	 0.0000	 0.3360
i	 0.0000	 0.1610
j	 0.0000	 0.1700
k	 0.0000	 0.4060
l	 0.0000	 0.3460
m	 0.0000	 0.2100
n	 0.0000	 0.2030
o	 0.0000	 0.4150
p	 0.0000	 0.3030
q	 0.0000	 0.3330
r	 0.0000	 0.4080
s	 0.0000	 0.1790
t	 0.0000	 0.3420
v	 0.0170	 0.5040