



# wwPDB EM Validation Summary Report ⓘ

May 26, 2024 – 07:50 AM EDT

PDB ID : 7SFR  
EMDB ID : EMD-25100  
Title : Unmethylated Mtb Ribosome 50S with SEQ-9  
Authors : Xing, Z.; Cui, Z.; Zhang, J.; TB Structural Genomics Consortium (TBSGC)  
Deposited on : 2021-10-04  
Resolution : 2.60 Å (reported)  
Based on initial model : 7KGB

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev92  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36.2

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	57	
2	1	55	
3	2	47	
4	3	64	
5	4	37	
6	6	80	
7	A	3138	
8	B	115	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	C	279	 95%
10	D	213	 10% 95% 5%
11	E	207	 28% 97%
12	F	178	 99% 93% 7%
13	G	177	 98% 95%
14	H	152	 31% 26% 5% 69%
15	J	195	 72% 25%
16	K	122	 10% 96%
17	L	146	 17% 91% 7%
18	M	138	 91% 95%
19	N	180	 64% 36%
20	O	122	 72% 92% 5%
21	P	113	 20% 93% 6%
22	Q	129	 91% 5%
23	R	104	 16% 89% 7%
24	S	197	 56% 43%
25	T	100	 20% 92% 6%
26	U	105	 40% 75% 9% 14%
27	V	215	 43% 41% 56%
28	W	86	 5% 80% 17%
29	X	64	 9% 97%
30	Y	77	 22% 82% 16%
31	Z	65	 12% 82% 9% 9%
32	a	1537	 98% 84% 15%
33	c	274	 76% 76% 24%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	d	201	100% 100%
35	e	220	73% 72% 27%
36	f	96	99% 99%
37	g	156	97% 96%
38	h	132	98% 98%
39	i	151	84% 84% 16%
40	j	101	98% 98%
41	k	139	84% 84% 16%
42	l	124	98% 98%
43	m	124	94% 94% 6%
44	n	61	98% 98%
45	o	89	98% 98%
46	p	162	56% 56% 44%
47	q	135	69% 69% 31%
48	r	84	75% 75% 25%
49	s	93	89% 89% 11%
50	t	86	95% 95% 5%
51	v	22	100% 100%

## 2 Entry composition

There are 54 unique types of molecules in this entry. The entry contains 143665 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
1	0	54	429	266	94	69	0	0

- Molecule 2 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	1	48	400	245	84	67	4	0	0

- Molecule 3 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	2	42	358	212	94	51	1	0	0

- Molecule 4 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
4	3	62	494	298	112	84	0	0

- Molecule 5 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	4	37	299	182	66	47	4	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
4	1	VAL	MET	conflict	UNP A0A3E0V5U0

- Molecule 6 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	6	57	Total	C	N	O	S	0	0
			446	277	82	82	5		

- Molecule 7 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	A	3118	Total	C	N	O	P	0	0
			66961	29850	12340	21653	3118		

- Molecule 8 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	B	115	Total	C	N	O	P	0	0
			2458	1097	456	790	115		

- Molecule 9 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	C	272	Total	C	N	O	S	0	0
			2088	1277	437	369	5		

- Molecule 10 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	D	213	Total	C	N	O	S	0	0
			1590	985	307	292	6		

- Molecule 11 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	E	207	Total	C	N	O	S	0	0
			1552	958	303	289	2		

- Molecule 12 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	F	178	Total	C	N	O	S	0	0
			1408	885	267	251	5		

- Molecule 13 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	G	174	Total	C	N	O	S	0	0
			1330	836	249	244	1		

- Molecule 14 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	H	47	Total	C	N	O	S	0	0
			350	220	64	65	1		

- Molecule 15 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	J	146	Total	C	N	O	S	0	0
			1143	724	217	199	3		

- Molecule 16 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	K	121	Total	C	N	O	S	0	0
			934	585	179	168	2		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
K	1	VAL	MET	conflict	UNP A0A045HTP7

- Molecule 17 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	L	143	Total	C	N	O	S	0	0
			1068	662	216	188	2		

- Molecule 18 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	M	134	Total	C	N	O	S	0	0
			1072	679	215	177	1		

- Molecule 19 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
19	N	116	908	574	175	158	1	0	0

- Molecule 20 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	O	116	886	541	188	157		0	0

- Molecule 21 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
21	P	112	907	573	174	159	1	0	0

- Molecule 22 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	Q	122	980	608	205	167		0	0

- Molecule 23 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
23	R	100	757	482	138	137		0	0

- Molecule 24 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
24	S	113	860	533	178	149		0	0

- Molecule 25 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
25	T	98	759	480	141	138		0	0

- Molecule 26 is a protein called 50S ribosomal protein L24.



Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
26	U	90	699	430	138	129	2	0	0

- Molecule 27 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
27	V	95	735	456	152	127		0	0

- Molecule 28 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
28	W	71	526	325	108	93		0	0

- Molecule 29 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
29	X	63	476	289	101	81	5	0	0

- Molecule 30 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
30	Y	65	541	331	106	103	1	0	0

- Molecule 31 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
31	Z	59	476	293	101	82		0	0

- Molecule 32 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
32	a	1519	32621	14536	5961	10605	1519	0	0

- Molecule 33 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	c	207	Total	C	N	O	S	0	0
			1654	1030	322	298	4		

- Molecule 34 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	d	200	Total	C	N	O	S	0	0
			1650	1036	316	296	2		

- Molecule 35 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	e	160	Total	C	N	O	S	0	0
			1149	726	214	206	3		

- Molecule 36 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	f	95	Total	C	N	O	S	0	0
			757	480	133	141	3		

- Molecule 37 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	g	152	Total	C	N	O	S	0	0
			1193	742	234	215	2		

- Molecule 38 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	h	130	Total	C	N	O	S	0	0
			999	627	187	184	1		

- Molecule 39 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms				AltConf	Trace
39	i	127	Total	C	N	O	0	0
			993	628	195	170		

- Molecule 40 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
40	j	99	789	496	146	144	3	0	0

- Molecule 41 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
41	k	117	873	540	175	158		0	0

- Molecule 42 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
42	l	122	959	594	197	166	2	0	0

- Molecule 43 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
43	m	116	945	578	196	168	3	0	0

- Molecule 44 is a protein called 30S ribosomal protein S14 type Z.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
44	n	60	468	294	96	73	5	0	0

- Molecule 45 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
45	o	87	718	449	144	125		0	0

- Molecule 46 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
46	p	91	728	462	140	126		0	0

- Molecule 47 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	q	93	Total	C	N	O	S	0	0
			754	471	149	131	3		

- Molecule 48 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	r	63	Total	C	N	O	S	0	0
			497	309	96	89	3		

- Molecule 49 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	s	83	Total	C	N	O	S	0	0
			672	432	125	114	1		

- Molecule 50 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms				AltConf	Trace
50	t	82	Total	C	N	O	0	0
			631	381	137	113		


- Molecule 51 is a protein called peptide.

Mol	Chain	Residues	Atoms				AltConf	Trace
51	v	22	Total	C	N	O	0	0
			186	111	47	28		

- Molecule 52 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
52	1	1	Total	Zn	0
			1	1	
52	4	1	Total	Zn	0
			1	1	
52	6	1	Total	Zn	0
			1	1	
52	X	1	Total	Zn	0
			1	1	
52	n	1	Total	Zn	0
			1	1	
52	r	1	Total	Zn	0
			1	1	

- Molecule 53 is Sequanamycin 9 (three-letter code: WDP) (formula:  $C_{61}H_{102}N_4O_{20}S$ ) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	S	
53	A	1	86	61	4	20	1	0


- Molecule 54 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
			Total	Mg	
54	A	307	307	307	0
54	B	7	7	7	0
54	C	3	3	3	0
54	D	1	1	1	0
54	L	1	1	1	0
54	M	1	1	1	0
54	a	125	125	125	0
54	e	1	1	1	0
54	t	1	1	1	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 50S ribosomal protein L32




- Molecule 2: 50S ribosomal protein L33




- Molecule 3: 50S ribosomal protein L34




- Molecule 4: 50S ribosomal protein L35




- Molecule 5: 50S ribosomal protein L36




• Molecule 6: 50S ribosomal protein L31





• Molecule 7: 23S rRNA





• Molecule 8: 5S rRNA




• Molecule 9: 50S ribosomal protein L2










• Molecule 10: 50S ribosomal protein L3



• Molecule 11: 50S ribosomal protein L4




• Molecule 12: 50S ribosomal protein L5






• Molecule 13: 50S ribosomal protein L6






• Molecule 14: 50S ribosomal protein L9





• Molecule 15: 50S ribosomal protein L13




• Molecule 16: 50S ribosomal protein L14





• Molecule 17: 50S ribosomal protein L15





• Molecule 18: 50S ribosomal protein L16









• Molecule 19: 50S ribosomal protein L17




• Molecule 20: 50S ribosomal protein L18




• Molecule 21: 50S ribosomal protein L19





• Molecule 22: 50S ribosomal protein L20





• Molecule 23: 50S ribosomal protein L21











• Molecule 29: 50S ribosomal protein L28





• Molecule 30: 50S ribosomal protein L29



• Molecule 31: 50S ribosomal protein L30



• Molecule 32: 16S rRNA




C1021	C1022	U1023	U1024	U1025	G1026	G1027	C1028	C1029	U1030	U1031	U1032	G1033	U1034	G1035	C1036	A1037	G1038	G1039	U1040	G1041	G1042	U1043	G1044	C1045	A1046	U1047	G1048	G1049	C1050	U1051	C992	C993	U1053	C1054	G1055	U1056	C1057	A1058	G1059	C1060	U1061	C1062	G1063	U1064	U1065	U1066	C1067	U1068	U1069	U1070	A1071	G1072	A1073	U1074	G1075	U1076	U1077	U1078	G1079	G1080
A961	A962	C963	G964	C965	G966	A967	A968	G969	A970	A971	C972	C973	U974	U975	A976	C977	C978	U979	G980	G981	G982	U983	U984	U985	G986	A987	C988	A989	U990	G991	C992	A993	C994	A995	G996	G997	A998	C999	G1000	C1001	G1002	U1003	C1004	U1005	U1006	G1007	A1008	G1009	A1010	U1011	A1012	G1013	U1014	C1015	G1016	U1017	U1018	C1019	C1020	
A901	A902	C903	U904	C905	G906	A907	A908	G909	G910	A911	U912	U913	U914	U915	A916	C917	C918	U919	G920	G921	G922	C923	U924	C925	G926	A927	C928	A929	U930	C931	C932	C933	C934	A935	G936	G937	A938	C939	G940	C941	G942	A943	U944	U945	U946	U947	A948	G949	U950	A951	A952	U953	U954	C955	G956	A957	U958	C959	C960	
G841	A842	U843	C844	C845	G846	U847	G848	C849	C850	G851	U852	A853	G854	C855	U856	A857	A858	C859	G860	C861	A862	U863	U864	A865	A866	G867	U868	A869	C870	U871	C872	C873	C874	A875	C876	C877	A878	C879	A880	C881	C882	C883	U884	A885	C886	G887	C888	C889	C890	G891	C892	A893	U894	C895	G896	C897	U898	A899	A900	
A781	G782	A783	U784	A785	G786	C787	C788	U789	G790	G791	U792	A793	G794	U795	C796	C797	A798	C799	G800	C801	C802	G803	U804	A805	A806	A807	C808	G809	C810	U811	C812	G813	C814	U815	A816	C817	U818	A819	C820	G821	U822	G823	U824	G825	G826	G827	U828	U829	U830	C831	C832	U833	U834	C835	C836	U837	U838	G839	G840	
A661	C662	U663	G664	G665	A666	U667	U668	C669	U670	C671	U672	G673	G674	U675	G676	U677	A678	G679	C680	G681	G682	U683	G684	G685	A686	A687	U688	G689	C690	G691	C692	A693	G694	A695	U696	A697	U698	C699	A700	G701	G702	A703	G704	U705	A706	A707	C708	A709	C710	U711	G712	G713	U714	G715	U716	C717	G718	A719	A720	
U601	C602	U603	G604	A605	G606	C607	G608	C609	U610	U611	A612	G613	C614	U615	G616	U617	G618	A619	C620	G621	G622	U623	G624	C625	G626	G627	G628	C629	U630	A631	U632	A633	C634	G635	G636	G637	C638	A639	G640	U641	U642	U643	A644	G645	A646	U647	U648	A649	C650	U651	G652	C653	A654	G655	G656	G657	G658	A659	G660	
U541	U542	U543	G544	U545	C546	C547	G548	C549	A550	A551	U552	U553	A554	C555	U556	G557	G558	G559	C560	U561	G562	U563	A564	A565	G566	A567	G568	C569	U570	C571	G572	U573	A574	G575	G576	U577	G578	C579	U580	U581	U582	U583	G584	C585	U586	C587	G588	U589	U590	U591	U592	C593	C594	G595	U596	G597	A598	A599	A600	
U481	G482	G483	A484	G485	A486	A487	G488	A489	A490	G491	C492	G493	C494	C495	G496	G497	C498	C499	A500	A501	C502	U503	A504	C505	G506	U507	G508	C509	C510	A511	G512	C513	A514	G515	C516	C517	G518	C519	G520	G521	U522	A523	A524	U525	U526	C527	G528	U529	A530	U531	G532	C533	A534	G535	U536	C537	G538	A539	C540	
C421	G422	G423	G424	U425	U426	G427	U428	A429	A430	A431	C432	C433	U434	C435	U436	U437	U438	C439	A440	C441	C442	A443	U444	C445	G446	A447	C448	G449	A450	A451	G452	G453	U454	C455	C456	G457	G458	G459	U460	U461	C462	U463	U464	U465	A466	G467	G468	A469	U470	U471	G472	A473	G474	G475	G476	A477	U478	G479	G480	
G301	G302	U303	G304	U305	C306	C307	G308	G309	C310	C311	A312	C313	A314	C315	U316	G317	G318	G319	A320	C321	U322	G323	A324	G325	A326	U327	A328	C329	G330	G331	C332	C333	C334	A335	G336	A337	C338	U339	C340	C341	U342	A343	C344	G345	G346	U347	G348	G349	U350	C351	A352	G353	C354	A355	G356	U357	G358	G359	G360	
G361	A362	A363	U364	A365	U366	U367	G368	C369	A370	C371	A372	A373	U374	G375	G376	G377	C378	G379	C380	A381	A382	G383	C384	C385	G386	G387	A388	U389	G390	C391	A392	G393	C394	G395	A396	C397	G398	C399	U400	G401	U402	A403	U404	G405	A406	G407	G408	G409	A410	U411	G412	A413	C414	G415	G416	C417	U418	U419	U420	




SER GLY THR THR ALA ALA THR THR GLY THR ASP ASP ALA ALA ARG ARG ALA ALA GLY GLY GLY GLU GLU GLU ALA ALA ALA PRO VAL VAL GLU ALA ALA SER SER THR GLU SER

- Molecule 34: 30S ribosomal protein S4



- Molecule 35: 30S ribosomal protein S5




- Molecule 36: 30S ribosomal protein S6




- Molecule 37: 30S ribosomal protein S7







• Molecule 38: 30S ribosomal protein S8




• Molecule 39: 30S ribosomal protein S9







• Molecule 40: 30S ribosomal protein S10










• Molecule 41: 30S ribosomal protein S11



• Molecule 42: 30S ribosomal protein S12




• Molecule 43: 30S ribosomal protein S13




• Molecule 44: 30S ribosomal protein S14 type Z











• Molecule 45: 30S ribosomal protein S15




• Molecule 46: 30S ribosomal protein S16




• Molecule 47: 30S ribosomal protein S17






• Molecule 48: 30S ribosomal protein S18








• Molecule 49: 30S ribosomal protein S19



• Molecule 50: 30S ribosomal protein S20



• Molecule 51: peptide



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	719250	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	42	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	1.618	Depositor
Minimum map value	-0.335	Depositor
Average map value	0.018	Depositor
Map value standard deviation	0.082	Depositor
Recommended contour level	0.4	Depositor
Map size ( $\text{\AA}$ )	348.6, 348.6, 348.6	wwPDB
Map dimensions	420, 420, 420	wwPDB
Map angles ( $^\circ$ )	90.0, 90.0, 90.0	wwPDB
Pixel spacing ( $\text{\AA}$ )	0.83000004, 0.83000004, 0.83000004	Depositor

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: WDP, OMC, 5MU, G7M, MG, UR3, 4OC, MA6, ZN, 5MC, 6MZ, 2MG, OMG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	0	0.27	0/435	0.58	0/581
2	1	0.30	0/407	0.57	0/543
3	2	0.39	0/361	0.75	0/473
4	3	0.28	0/499	0.61	0/664
5	4	0.27	0/303	0.60	0/402
6	6	0.53	1/455 (0.2%)	0.81	3/611 (0.5%)
7	A	0.68	4/74851 (0.0%)	0.81	28/116786 (0.0%)
8	B	0.36	0/2749	0.76	0/4284
9	C	0.37	0/2129	0.59	0/2861
10	D	0.38	0/1613	0.59	0/2174
11	E	0.36	0/1575	0.59	0/2129
12	F	0.27	0/1429	0.59	0/1921
13	G	0.28	0/1351	0.57	0/1824
14	H	0.25	0/353	0.55	0/474
15	J	0.40	0/1170	0.55	0/1584
16	K	0.37	0/944	0.60	0/1268
17	L	0.33	0/1081	0.62	0/1443
18	M	0.27	0/1098	0.54	0/1481
19	N	0.38	0/925	0.54	0/1242
20	O	0.27	0/895	0.64	0/1202
21	P	0.38	0/922	0.59	0/1236
22	Q	0.41	0/992	0.63	1/1329 (0.1%)
23	R	0.39	0/766	0.59	0/1030
24	S	0.37	0/874	0.60	0/1186
25	T	0.35	0/770	0.57	0/1038
26	U	0.33	0/705	0.67	2/941 (0.2%)
27	V	0.26	0/747	0.60	0/1010
28	W	0.34	0/531	0.59	0/707
29	X	0.37	0/484	0.62	0/648
30	Y	0.32	0/544	0.59	0/727
31	Z	0.34	0/480	0.66	0/645
32	a	0.22	0/36305	0.76	6/56645 (0.0%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
33	c	0.24	0/1678	0.55	0/2254
34	d	0.24	0/1683	0.54	0/2269
35	e	0.50	2/1165 (0.2%)	0.79	4/1578 (0.3%)
36	f	0.25	0/767	0.55	0/1036
37	g	0.24	0/1210	0.58	2/1631 (0.1%)
38	h	0.28	0/1014	0.63	1/1369 (0.1%)
39	i	0.25	0/1011	0.59	0/1356
40	j	0.22	0/803	0.52	0/1086
41	k	0.26	0/891	0.55	0/1204
42	l	0.24	0/970	0.58	0/1295
43	m	0.24	0/953	0.64	0/1274
44	n	0.25	0/477	0.55	0/634
45	o	0.23	0/727	0.55	0/973
46	p	0.25	0/742	0.55	0/1000
47	q	0.25	0/766	0.62	0/1024
48	r	0.26	0/502	0.52	0/674
49	s	0.25	0/690	0.54	0/928
50	t	0.26	0/633	0.60	0/838
51	v	0.24	0/188	0.64	0/243
All	All	0.51	7/155613 (0.0%)	0.75	47/233755 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
17	L	0	2
23	R	0	1
26	U	0	2
42	l	0	1
All	All	0	6

The worst 5 of 7 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	A	2296	A	C6-N6	15.53	1.46	1.33
35	e	191	PRO	CG-CD	-13.69	1.05	1.50
6	6	43	PRO	CG-CD	-8.61	1.22	1.50
7	A	2296	A	N7-C5	-7.68	1.34	1.39
7	A	2296	A	N9-C8	-6.59	1.32	1.37

The worst 5 of 47 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	2296	A	C2-N3-C4	18.90	120.05	110.60
35	e	191	PRO	N-CD-CG	-15.42	80.07	103.20
7	A	2296	A	N1-C2-N3	-13.61	122.50	129.30
7	A	2296	A	N3-C4-C5	-10.82	119.22	126.80
6	6	43	PRO	N-CD-CG	-10.72	87.12	103.20

There are no chirality outliers.

5 of 6 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
17	L	20	ARG	Peptide
17	L	28	LYS	Peptide
23	R	50	THR	Peptide
26	U	90	GLU	Peptide
26	U	91	THR	Peptide

## 5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	0	52/57 (91%)	52 (100%)	0	0	100	100
2	1	46/55 (84%)	45 (98%)	1 (2%)	0	100	100
3	2	40/47 (85%)	39 (98%)	1 (2%)	0	100	100
4	3	60/64 (94%)	60 (100%)	0	0	100	100
5	4	35/37 (95%)	35 (100%)	0	0	100	100
6	6	53/80 (66%)	46 (87%)	7 (13%)	0	100	100

*Continued on next page...*



Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
9	C	270/279 (97%)	259 (96%)	11 (4%)	0	100	100
10	D	211/213 (99%)	198 (94%)	13 (6%)	0	100	100
11	E	205/207 (99%)	201 (98%)	4 (2%)	0	100	100
12	F	176/178 (99%)	162 (92%)	14 (8%)	0	100	100
13	G	172/177 (97%)	167 (97%)	5 (3%)	0	100	100
14	H	45/152 (30%)	38 (84%)	7 (16%)	0	100	100
15	J	144/195 (74%)	141 (98%)	3 (2%)	0	100	100
16	K	119/122 (98%)	117 (98%)	2 (2%)	0	100	100
17	L	141/146 (97%)	128 (91%)	12 (8%)	1 (1%)	22	43
18	M	132/138 (96%)	122 (92%)	10 (8%)	0	100	100
19	N	114/180 (63%)	110 (96%)	4 (4%)	0	100	100
20	O	114/122 (93%)	107 (94%)	7 (6%)	0	100	100
21	P	110/113 (97%)	105 (96%)	5 (4%)	0	100	100
22	Q	120/129 (93%)	117 (98%)	3 (2%)	0	100	100
23	R	98/104 (94%)	88 (90%)	9 (9%)	1 (1%)	15	32
24	S	111/197 (56%)	108 (97%)	3 (3%)	0	100	100
25	T	96/100 (96%)	88 (92%)	8 (8%)	0	100	100
26	U	86/105 (82%)	73 (85%)	12 (14%)	1 (1%)	13	27
27	V	93/215 (43%)	90 (97%)	3 (3%)	0	100	100
28	W	69/86 (80%)	64 (93%)	5 (7%)	0	100	100
29	X	61/64 (95%)	58 (95%)	3 (5%)	0	100	100
30	Y	63/77 (82%)	60 (95%)	3 (5%)	0	100	100
31	Z	57/65 (88%)	56 (98%)	1 (2%)	0	100	100
All	All	3093/3704 (84%)	2934 (95%)	156 (5%)	3 (0%)	54	75

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
23	R	51	THR
17	L	5	LEU
26	U	91	THR

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	44/47 (94%)	41 (93%)	3 (7%)	16	32
2	1	45/51 (88%)	42 (93%)	3 (7%)	16	33
3	2	36/40 (90%)	34 (94%)	2 (6%)	21	42
4	3	53/54 (98%)	51 (96%)	2 (4%)	33	59
5	4	35/35 (100%)	34 (97%)	1 (3%)	42	68
6	6	49/66 (74%)	44 (90%)	5 (10%)	7	14
9	C	212/218 (97%)	205 (97%)	7 (3%)	38	64
10	D	163/163 (100%)	153 (94%)	10 (6%)	18	38
11	E	159/159 (100%)	153 (96%)	6 (4%)	33	59
12	F	147/147 (100%)	134 (91%)	13 (9%)	10	19
13	G	143/145 (99%)	137 (96%)	6 (4%)	30	55
14	H	36/121 (30%)	28 (78%)	8 (22%)	1	1
15	J	120/161 (74%)	115 (96%)	5 (4%)	30	55
16	K	100/101 (99%)	96 (96%)	4 (4%)	31	57
17	L	107/110 (97%)	100 (94%)	7 (6%)	17	34
18	M	110/114 (96%)	107 (97%)	3 (3%)	44	71
19	N	94/139 (68%)	93 (99%)	1 (1%)	73	88
20	O	88/93 (95%)	84 (96%)	4 (4%)	27	52
21	P	98/99 (99%)	91 (93%)	7 (7%)	14	29
22	Q	95/99 (96%)	92 (97%)	3 (3%)	39	65
23	R	81/83 (98%)	76 (94%)	5 (6%)	18	37
24	S	87/140 (62%)	84 (97%)	3 (3%)	37	63
25	T	82/83 (99%)	76 (93%)	6 (7%)	14	28
26	U	77/88 (88%)	69 (90%)	8 (10%)	7	13
27	V	75/164 (46%)	68 (91%)	7 (9%)	9	17
28	W	51/62 (82%)	49 (96%)	2 (4%)	32	58

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
29	X	52/52 (100%)	51 (98%)	1 (2%)	57 79
30	Y	58/66 (88%)	56 (97%)	2 (3%)	37 63
31	Z	51/55 (93%)	45 (88%)	6 (12%)	5 9
All	All	2548/2955 (86%)	2408 (94%)	140 (6%)	25 43

5 of 140 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
26	U	40	ARG
26	U	72	MET
28	W	68	GLU
12	F	141	GLU
12	F	134	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 7 such sidechains are listed below:

Mol	Chain	Res	Type
18	M	110	ASN
27	V	38	HIS
27	V	91	GLN
27	V	74	GLN
12	F	62	ASN

### 5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
32	a	1515/1537 (98%)	224 (14%)	0
7	A	3115/3138 (99%)	423 (13%)	0
8	B	114/115 (99%)	16 (14%)	0
All	All	4744/4790 (99%)	663 (13%)	0

5 of 663 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
7	A	13	A
7	A	35	G
7	A	63	A
7	A	71	A
7	A	74	U

There are no RNA pucker outliers to report.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

13 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
32	G7M	a	518	32	20,26,27	2.58	4 (20%)	17,39,42	0.82	1 (5%)
32	5MC	a	960	32	18,22,23	1.89	6 (33%)	26,32,35	1.17	1 (3%)
32	MA6	a	1511	32	18,26,27	0.77	0	19,38,41	1.48	2 (10%)
7	5MU	A	2177	7	19,22,23	2.28	8 (42%)	28,32,35	2.40	6 (21%)
32	2MG	a	959	32	18,26,27	2.96	4 (22%)	16,38,41	1.25	2 (12%)
7	OMG	A	2791	7	18,26,27	2.68	6 (33%)	19,38,41	1.49	4 (21%)
32	MA6	a	1512	32	18,26,27	0.74	0	19,38,41	1.48	2 (10%)
7	6MZ	A	2268	7	18,25,26	1.70	1 (5%)	16,36,39	2.54	3 (18%)
32	UR3	a	1491	32	19,22,23	2.78	4 (21%)	26,32,35	1.21	2 (7%)
32	4OC	a	1395	32	20,23,24	2.56	4 (20%)	26,32,35	0.90	1 (3%)
32	2MG	a	1509	32	18,26,27	2.96	4 (22%)	16,38,41	1.17	2 (12%)
7	OMG	A	2489	7	18,26,27	2.67	5 (27%)	19,38,41	1.46	4 (21%)
7	OMC	A	2736	54,7	19,22,23	1.62	2 (10%)	26,31,34	1.05	1 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
32	G7M	a	518	32	-	0/3/25/26	0/3/3/3
32	5MC	a	960	32	-	0/7/25/26	0/2/2/2
32	MA6	a	1511	32	-	0/7/29/30	0/3/3/3
7	5MU	A	2177	7	-	0/7/25/26	0/2/2/2
32	2MG	a	959	32	-	3/5/27/28	0/3/3/3

*Continued on next page...*

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	OMG	A	2791	7	-	0/5/27/28	0/3/3/3
32	MA6	a	1512	32	-	2/7/29/30	0/3/3/3
7	6MZ	A	2268	7	-	2/5/27/28	0/3/3/3
32	UR3	a	1491	32	-	1/7/25/26	0/2/2/2
32	4OC	a	1395	32	-	0/9/29/30	0/2/2/2
32	2MG	a	1509	32	-	0/5/27/28	0/3/3/3
7	OMG	A	2489	7	-	3/5/27/28	0/3/3/3
7	OMC	A	2736	54,7	-	0/9/27/28	0/2/2/2

The worst 5 of 48 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
32	a	1491	UR3	O4-C4	10.14	1.45	1.23
32	a	518	G7M	O6-C6	9.96	1.43	1.23
32	a	959	2MG	O6-C6	9.16	1.41	1.23
32	a	1509	2MG	O6-C6	9.03	1.41	1.23
32	a	1395	4OC	O2-C2	9.00	1.40	1.23

The worst 5 of 31 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	2268	6MZ	C9-N6-C6	-7.06	116.79	122.87
7	A	2177	5MU	C5-C6-N1	-5.86	117.31	123.34
7	A	2177	5MU	C4-N3-C2	-5.85	119.78	127.35
7	A	2177	5MU	N3-C2-N1	5.46	122.14	114.89
7	A	2268	6MZ	C2-N1-C6	5.10	120.97	116.59

There are no chirality outliers.

5 of 11 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	A	2489	OMG	O4'-C4'-C5'-O5'
7	A	2489	OMG	C1'-C2'-O2'-CM2
32	a	959	2MG	N1-C2-N2-CM2
32	a	959	2MG	N3-C2-N2-CM2
7	A	2268	6MZ	O4'-C4'-C5'-O5'

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 454 ligands modelled in this entry, 453 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
53	WDP	A	3201	-	83,90,90	2.45	21 (25%)	102,132,132	2.26	18 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
53	WDP	A	3201	-	-	37/103/158/158	1/4/5/5

The worst 5 of 21 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
53	A	3201	WDP	C18-N20	8.92	1.50	1.35
53	A	3201	WDP	S26-N25	7.37	1.73	1.61
53	A	3201	WDP	C62-N61	-6.42	1.33	1.46
53	A	3201	WDP	O17-C18	5.99	1.46	1.34
53	A	3201	WDP	O50-C51	5.82	1.47	1.34

The worst 5 of 18 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
53	A	3201	WDP	O28-S26-O27	-14.94	101.18	119.55
53	A	3201	WDP	O17-C18-N20	7.55	119.98	109.92
53	A	3201	WDP	C05-C04-N03	-5.83	120.13	126.93
53	A	3201	WDP	O02-N03-C04	5.35	119.95	110.97

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
53	A	3201	WDP	O40-C41-C43	4.61	119.94	111.46

There are no chirality outliers.

5 of 37 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
53	A	3201	WDP	C22-C21-C24-N25
53	A	3201	WDP	C23-C21-C24-N25
53	A	3201	WDP	N20-C21-C24-N25
53	A	3201	WDP	C22-C21-N20-C18
53	A	3201	WDP	C24-C21-N20-C18

All (1) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
53	A	3201	WDP	C04-C05-C06-C09-C85-O08

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.




## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-25100. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 210




Y Index: 210




Z Index: 210


### 6.2.2 Raw map



X Index: 210



Y Index: 210




Z Index: 210


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 244




Y Index: 172




Z Index: 158


### 6.3.2 Raw map



X Index: 244



Y Index: 172




Z Index: 158


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.4. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


### 6.6.1 emd\_25100\_msk\_1.map [i](#)



X



Y




Z

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.

## 7.2 Volume estimate [i](#)




The volume at the recommended contour level is 418 nm<sup>3</sup>; this corresponds to an approximate mass of 377 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



### 7.3 Rotationally averaged power spectrum i




\*Reported resolution corresponds to spatial frequency of  $0.385 \text{ \AA}^{-1}$

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.385 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.60	-	-
Author-provided FSC curve	2.54	2.91	2.60
Unmasked-calculated*	2.91	3.31	2.94

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 2.91 differs from the reported value 2.6 by more than 10 %

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-25100 and PDB model 7SFR. Per-residue inclusion information can be found in section 3 on page 14.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.4 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.4).







































































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 47% of all backbone atoms, 47% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary



































The table lists the average atom inclusion at the recommended contour level (0.4) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.4680	 0.4680
0	 0.4540	 0.6090
1	 0.6700	 0.5810
2	 0.9570	 0.6490
3	 0.7060	 0.6210
4	 0.1910	 0.5570
6	 0.0000	 0.2530
A	 0.7680	 0.5450
B	 0.5460	 0.4700
C	 0.8570	 0.6210
D	 0.7290	 0.6040
E	 0.6070	 0.5910
F	 0.0140	 0.3610
G	 0.0400	 0.4250
H	 0.0260	 0.3940
J	 0.8130	 0.6090
K	 0.6930	 0.6030
L	 0.6590	 0.5850
M	 0.1200	 0.5530
N	 0.8350	 0.6250
O	 0.2180	 0.4590
P	 0.6230	 0.5890
Q	 0.8520	 0.6190
R	 0.6470	 0.6010
S	 0.8140	 0.6220
T	 0.6410	 0.5780
U	 0.4140	 0.5220
V	 0.0440	 0.4840
W	 0.7620	 0.5990
X	 0.7660	 0.6190
Y	 0.5870	 0.5510
Z	 0.6990	 0.5880
a	 0.0180	 0.3330
c	 0.0000	 0.2250
d	 0.0000	 0.2260



*Continued on next page...*

*Continued from previous page...*

Chain	Atom inclusion	Q-score
e	 0.0000	 0.3140
f	 0.0000	 0.4430
g	 0.0000	 0.2290
h	 0.0000	 0.3360
i	 0.0000	 0.1610
j	 0.0000	 0.1700
k	 0.0000	 0.4060
l	 0.0000	 0.3460
m	 0.0000	 0.2100
n	 0.0000	 0.2030
o	 0.0000	 0.4150
p	 0.0000	 0.3030
q	 0.0000	 0.3330
r	 0.0000	 0.4080
s	 0.0000	 0.1790
t	 0.0000	 0.3420
v	 0.0170	 0.5040