

wwPDB EM Validation Summary Report (i)

Jan 18, 2024 - 06:29 PM EST

PDB ID	:	8SR1
EMDB ID	:	EMD-40717
Title	:	particulate methane monooxygenase crosslinked with 4,4,4-trifluorobutanol
		bound
Authors	:	Tucci, F.J.; Rosenzweig, A.C.
Deposited on	:	2023-05-05
Resolution	:	2.18 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/EMValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

EMDB validation analysis	:	0.0.1.dev70
Mogul	:	1.8.5 (274361), CSD as541be (2020)
MolProbity	:	4.02b-467
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ	:	1.9.9
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $ELECTRON\ MICROSCOPY$

The reported resolution of this entry is 2.18 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motrie	Whole archive	EM structures
Metric	$(\# { m Entries})$	$(\# {\rm Entries})$
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	382	81%	18%	·
1	Е	382	80%	19%	·
1	Ι	382	80%	18%	·
2	В	241	73%	26%	•
2	F	241	72%	27%	•
2	J	241	71%	27%	
3	С	236	6%	34%	•••
3	G	236	6% 61% 3	33%	



Mol	Chain	Length	Quality of chain				
			6%				
3	K	236	62%	33%	•••		

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
7	P10	В	307	-	-	Х	-
7	P10	F	308	-	-	Х	-
7	P10	J	301	-	-	Х	-
9	WIY	С	310	-	-	Х	-
9	WIY	G	311	-	-	Х	-
9	WIY	K	311	-	-	Х	-



2 Entry composition (i)

There are 10 unique types of molecules in this entry. The entry contains 25335 atoms, of which 2481 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Particulate methane monooxygenase alpha subunit.

Mol	Chain	Residues	Atoms				AltConf	Trace	
1	А	382	Total 3017	C 1938	N 513	O 551	${ m S}$ 15	0	0
1	Е	382	Total 3017	C 1938	N 513	0 551	S 15	0	0
1	Ι	382	Total 3017	C 1938	N 513	0 551	S 15	0	0

• Molecule 2 is a protein called Particulate methane monooxygenase beta subunit.

Mol	Chain	Residues	Atoms	AltConf Trace
2	В	241	Total C N O S 1977 1329 315 322 11	0 0
2	F	241	Total C N O S 1977 1329 315 322 11	0 0
2	J	241	Total C N O S 1977 1329 315 322 11	0 0

• Molecule 3 is a protein called Ammonia monooxygenase/methane monooxygenase, subunit C family protein.

Mol	Chain	Residues	Atoms				AltConf	Trace	
3	С	236	Total	С	Ν	Ο	\mathbf{S}	0	0
5	3 U	230	1972	1339	299	329	5	0	0
2	С	226	Total	С	Ν	Ο	\mathbf{S}	0	0
3 G	230	1972	1339	299	329	5	0	0	
2	K	226	Total	С	Ν	0	S	0	0
o n	Γ	230	1972	1339	299	329	5	0	U

• Molecule 4 is COPPER (II) ION (three-letter code: CU) (formula: Cu).

Mol	Chain	Residues	Atoms	AltConf
4	А	2	Total Cu 2 2	0



Continued from previous page...

Mol	Chain	Residues	Atoms	AltConf
4	С	1	Total Cu 1 1	0
4	Е	2	Total Cu 2 2	0
4	Ι	2	Total Cu 2 2	0
4	G	1	Total Cu 1 1	0
4	K	1	Total Cu 1 1	0

• Molecule 5 is DECANE (three-letter code: D10) (formula: $C_{10}H_{22}$).



Mol	Chain	Residues	Atoms	AltConf
5	А	1	Total C H 32 10 22	0
5	В	1	Total C H 32 10 22	0
5	В	1	Total C H 32 10 22	0
5	В	1	Total C H 32 10 22	0
5	В	1	Total C H 32 10 22	0
5	С	1	Total C H 32 10 22	0



Mol	Chain	Residues	Atoms	AltConf
5	Е	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{H} \\ 32 & 10 & 22 \end{array}$	0
5	F	1	52 10 22 Total C H 32 10 22	0
5	F	1	$\begin{array}{c cccc} \hline 02 & 10 & 22 \\ \hline \text{Total} & \text{C} & \text{H} \\ \hline 32 & 10 & 22 \\ \end{array}$	0
5	F	1	Total C H 32 10 22	0
5	F	1	Total C H 32 10 22	0
5	Ι	1	Total C H 32 10 22	0
5	J	1	Total C H 32 10 22	0
5	J	1	Total C H 32 10 22	0
5	J	1	Total C H 32 10 22	0
5	J	1	Total C H 32 10 22	0
5	G	1	Total C H 32 10 22	0
5	К	1	Total C H 32 10 22	0

Continued from previous page...

• Molecule 6 is DIUNDECYL PHOSPHATIDYL CHOLINE (three-letter code: PLC) (formula: $C_{32}H_{65}NO_8P$).





Mol	Chain	Residues		A	tom	ıs			AltConf
G	р	1	Total	С	Η	Ν	0	Р	0
0	В	1	106	32	64	1	8	1	0
C	р	1	Total	С	Н	Ν	0	Р	0
0	В	1	106	32	64	1	8	1	0
G	C	1	Total	С	Η	Ν	0	Р	0
0	C	1	106	32	64	1	8	1	0
6	С	1	Total	С	Η	Ν	Ο	Р	0
0	U	1	106	32	64	1	8	1	0
6	С	1	Total	С	Η	Ν	0	Р	0
0	U	1	106	32	64	1	8	1	0
6	С	1	Total	С	Η	Ν	0	Р	0
0	U	1	106	32	64	1	8	1	0
6	F	1	Total	С	Η	Ν	0	Р	0
0	Г	1	106	32	64	1	8	1	0
6	F	1	Total	С	Η	Ν	0	Р	0
0	Г	1	106	32	64	1	8	1	0
6	т	1	Total	С	Η	Ν	0	Р	0
0	0	T	106	32	64	1	8	1	0
6	I	1	Total	С	Η	Ν	Ο	Р	0
0	5	I	106	32	64	1	8	1	0
6	G	1	Total	С	Η	Ν	Ο	Р	0
0	ŭ	I	106	32	64	1	8	1	0
6	G	1	Total	С	Η	Ν	Ο	Р	0
0	u	T	106	32	64	1	8	1	0
6	G	1	Total	С	Η	Ν	Ο	Р	0
0	ŭ	1	106	32	64	1	8	1	0
6	G	1	Total	\mathbf{C}	Η	Ν	Ο	Р	0
	<u> </u>	1	106	32	64	1	8	1	0
6	K	1	Total	С	Η	Ν	Ο	Р	0
0	17	T	106	32	64	1	8	1	0
6	K	1	Total	\mathbf{C}	Η	Ν	0	Р	0
	17	<u> </u>	106	32	64	1	8	1	0
6	K	1	Total	\mathbf{C}	Η	Ν	0	Р	0
	• • •	*	106	32	64	1	8	1	
6	K	1	Total	С	Η	Ν	0	Р	0
	17	Ť	106	32	64	1	8	1	

• Molecule 7 is 1,2-DIDECANOYL-SN-GLYCERO-3-PHOSPHOCHOLINE (three-letter code: P1O) (formula: C₂₈H₅₇NO₈P).





Mol	Chain	Residues		Α	tom	IS			AltConf
7	D	1	Total	С	Н	Ν	Ο	Р	0
(D	1	94	28	56	1	8	1	0
7	D	1	Total	С	Η	Ν	Ο	Р	0
(D	1	94	28	56	1	8	1	0
7	С	1	Total	С	Η	Ν	0	Р	0
(U	1	94	28	56	1	8	1	0
7	С	1	Total	С	Η	Ν	0	Р	0
(U	1	94	28	56	1	8	1	0
7	F	1	Total	С	Η	Ν	0	Р	0
	Г	1	94	28	56	1	8	1	0
7	F	1	Total	С	Η	Ν	0	Р	0
1	Г	1	94	28	56	1	8	1	
7	T	1	Total	С	Η	Ν	Ο	Р	0
'	5	1	94	28	56	1	8	1	0
7	Т	1	Total	С	Η	Ν	Ο	Р	0
'	5	1	94	28	56	1	8	1	0
7	G	1	Total	С	Η	Ν	Ο	Р	0
'	ŭ	1	94	28	56	1	8	1	0
7	C	1	Total	С	Η	Ν	Ο	Р	0
'	G	T	94	28	56	1	8	1	0
7	K	1	Total	С	Η	N	0	P	0
	17	L	94	28	56	1	8	1	0
7	K	1	Total	\mathbf{C}	Η	Ν	Ο	Р	0
'	17	1	94	28	56	1	8	1	0

• Molecule 8 is 1,2-dihexanoyl-sn-glycero-3-phosphocholine (three-letter code: HXG) (formula: $C_{20}H_{41}NO_8P$).





Mol	Chain	Residues		Atoms					AltConf
8	С	1	Total	С	Η	Ν	0	Р	0
0	U	L	70	20	40	1	8	1	0
8	С	1	Total	С	Η	Ν	0	Р	0
0	U	1	70	20	40	1	8	1	0
8	С	1	Total	С	Η	Ν	0	Р	0
0	ð G	1	70	20	40	1	8	1	0
8	С	1	Total	С	Η	Ν	0	Р	0
0	G	1	70	20	40	1	8	1	0
8	K	1	Total	С	Η	Ν	0	Р	0
0	Т	1	70	20	40	1	8	1	0
8	K	1	Total	С	Η	Ν	Ο	Р	0
0	17		70	20	40	1	8	1	U

• Molecule 9 is 4,4,4-trifluorobutan-1-ol (three-letter code: WIY) (formula: $C_4H_7F_3O$) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms					AltConf
0	С	1	Total	С	F	Η	Ο	0
9	U	1	15	4	3	7	1	0
0	С	1	Total	С	F	Η	Ο	0
9	G	1	15	4	3	7	1	0
0	K	1	Total	С	F	Η	Ο	0
9	Т	1	15	4	3	7	1	0

• Molecule 10 is water.

Mol	Chain	Residues	Atoms	AltConf
10	А	70	Total O 70 70	0
10	В	36	Total O 36 36	0
10	С	14	Total O 14 14	0
10	Е	70	Total O 70 70	0
10	F	34	$\begin{array}{ccc} \text{Total} & \text{O} \\ 34 & 34 \end{array}$	0
10	Ι	69	Total O 69 69	0
10	J	37	Total O 37 37	0
10	G	11	Total O 11 11	0
10	К	10	Total O 10 10	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Particulate methane monooxygenase alpha subunit



• Molecule 1: Particulate methane monooxygenase alpha subunit



• Molecule 1: Particulate methane monooxygenase alpha subunit





Y881 N215 1236 1216 1336 1227 1336 1227 1336 1227 1336 1227 1406 1233 1406 1233 1406 1236 1406 1233 1406 1233 1406 1233 1406 1233 1406 1233 1406 1233 1406 1233 1406 1233 1406 1233 1312 1232 1326 13326 1327 1333 1328 13326 1329 13326 13326 13326 13326 13326 13326 13326 13326 13326 13328 13326 13329 13326 13326 1333 13326 13326 13326 13326 13326 13326 13326 13326 13326 13326 13326 13326 13326 13326 13327 13326 13328 13326 13329

• Molecule 2: Particulate methane monooxygenase beta subunit





P171 P171 A256 P171 V258 P171 V258 F175 V258 F175 T261 F175 T261 F175 T261 F175 T261 F175 T261 F175 T263 F192 Q276 F192 Q276 F192 Q276 F192 Q276 F196 Q276 F298 Q276 F238 Q276 F238 P238 F238 P239 F238 P239 F238 P239 F248 P239 F248 P244 F248 P244 F248 P248</t

• Molecule 3: Ammonia monooxygenase/methane monooxygenase, subunit C family protein



• Molecule 3: Ammonia monooxygenase/methane monooxygenase, subunit C family protein 6%





4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	890148	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE	Depositor
	CORRECTION	
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose $(e^-/\text{\AA}^2)$	53.55	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	81000	Depositor
Image detector	GATAN K3 $(6k \times 4k)$	Depositor
Maximum map value	1.372	Depositor
Minimum map value	-0.737	Depositor
Average map value	0.004	Depositor
Map value standard deviation	0.036	Depositor
Recommended contour level	0.159	Depositor
Map size (Å)	270.8992, 270.8992, 270.8992	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles $(^{\circ})$	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.0582, 1.0582, 1.0582	Depositor



5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: P1O, D10, CU, PLC, HXG, WIY

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles		
1VIOI	Ullaili	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.28	0/3099	0.52	1/4215~(0.0%)	
1	Е	0.28	0/3099	0.52	1/4215~(0.0%)	
1	Ι	0.28	0/3099	0.53	1/4215~(0.0%)	
2	В	0.29	0/2053	0.47	0/2810	
2	F	0.29	0/2053	0.47	0/2810	
2	J	0.29	0/2053	0.47	0/2810	
3	С	0.38	0/2051	0.57	1/2810~(0.0%)	
3	G	0.38	0/2051	0.57	1/2810~(0.0%)	
3	K	0.38	0/2051	0.57	1/2810 (0.0%)	
All	All	0.32	0/21609	0.52	6/29505~(0.0%)	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	С	0	2
3	G	0	2
3	Κ	0	2
All	All	0	6

There are no bond length outliers.

The worst 5 of 6 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	Κ	165	ARG	CG-CD-NE	5.88	124.16	111.80
3	С	165	ARG	CG-CD-NE	5.88	124.14	111.80
3	G	165	ARG	CG-CD-NE	5.87	124.13	111.80
1	Ι	288	ASP	CB-CG-OD1	5.41	123.17	118.30



Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	А	288	ASP	CB-CG-OD1	5.36	123.12	118.30

There are no chirality outliers.

5 of 6 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	С	165	ARG	Sidechain
3	С	238	GLU	Mainchain
3	G	165	ARG	Sidechain
3	G	238	GLU	Mainchain
3	Κ	165	ARG	Sidechain

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	3017	0	2980	47	0
1	Е	3017	0	2980	51	0
1	Ι	3017	0	2980	50	0
2	В	1977	0	1936	102	0
2	F	1977	0	1936	106	0
2	J	1977	0	1936	103	0
3	С	1972	0	1904	156	0
3	G	1972	0	1904	154	0
3	Κ	1972	0	1904	158	0
4	А	2	0	0	0	0
4	С	1	0	0	0	0
4	Е	2	0	0	0	0
4	G	1	0	0	0	0
4	Ι	2	0	0	0	0
4	Κ	1	0	0	0	0
5	А	10	22	22	0	0
5	В	40	88	88	8	0
5	С	10	22	22	1	0
5	Е	10	22	22	0	0
5	F	40	88	88	7	0
5	G	10	22	22	1	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	Ι	10	22	22	0	0
5	J	40	88	88	8	0
5	K	10	22	22	1	0
6	В	84	128	128	3	0
6	С	168	256	256	18	0
6	F	84	128	128	2	0
6	G	168	256	256	19	0
6	J	84	128	128	3	0
6	K	168	256	256	18	0
7	В	76	112	112	34	0
7	С	76	112	112	23	0
7	F	76	112	112	37	0
7	G	76	112	112	21	0
7	J	76	112	112	36	0
7	K	76	112	112	22	0
8	С	60	80	80	25	0
8	G	60	60 80	80	26	0
8	K	60	80	80	26	0
9	С	8	7	0	10	0
9	G	8	7	0	10	0
9	K	8	7	0	10	0
10	А	70	0	0	4	0
10	В	36	0	0	2	0
10	С	14	0	0	5	0
10	Е	70	0	0	6	0
10	F	34	0	0	5	0
10	G	11	0	0	4	0
10	Ι	69	0	0	3	0
10	J	37	0	0	2	0
10	К	10	0	0	4	0
All	All	22854	2481	22920	895	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 20.

The worst 5 of 895 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:K:238:GLU:CA	9:K:311:WIY:F1	1.79	1.19
3:C:238:GLU:HA	9:C:310:WIY:F1	1.12	1.19
3:C:238:GLU:CA	9:C:310:WIY:F1	1.80	1.18



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:G:238:GLU:CA	9:G:311:WIY:F1	1.79	1.18
3:G:238:GLU:HA	9:G:311:WIY:F1	1.12	1.17

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	А	380/382~(100%)	364 (96%)	16 (4%)	0	100	100
1	Е	380/382~(100%)	364 (96%)	16 (4%)	0	100	100
1	Ι	380/382~(100%)	365~(96%)	15 (4%)	0	100	100
2	В	239/241~(99%)	228 (95%)	10 (4%)	1 (0%)	34	35
2	F	239/241~(99%)	227~(95%)	11 (5%)	1 (0%)	34	35
2	J	239/241~(99%)	227 (95%)	11 (5%)	1 (0%)	34	35
3	С	234/236~(99%)	206 (88%)	25 (11%)	3 (1%)	12	8
3	G	234/236~(99%)	206 (88%)	25 (11%)	3 (1%)	12	8
3	К	234/236~(99%)	206 (88%)	25 (11%)	3 (1%)	12	8
All	All	2559/2577~(99%)	2393 (94%)	154 (6%)	12 (0%)	32	28

5 of 12 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	С	277	SER
3	G	277	SER
3	Κ	277	SER
2	В	244	LEU
2	F	244	LEU



5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	А	323/323~(100%)	312~(97%)	11 (3%)	37	44
1	Ε	323/323~(100%)	312~(97%)	11 (3%)	37	44
1	Ι	323/323~(100%)	312~(97%)	11 (3%)	37	44
2	В	206/206~(100%)	202~(98%)	4(2%)	57	68
2	F	206/206~(100%)	202~(98%)	4 (2%)	57	68
2	J	206/206~(100%)	202~(98%)	4 (2%)	57	68
3	С	200/200~(100%)	180~(90%)	20 (10%)	7	6
3	G	200/200~(100%)	180~(90%)	20 (10%)	7	6
3	Κ	200/200~(100%)	180 (90%)	20 (10%)	7	6
All	All	2187/2187~(100%)	2082~(95%)	105 (5%)	29	29

5 of 105 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	Ι	309	ASN
3	G	161	GLN
3	Κ	207	SER
1	Ι	397	THR
3	G	45	LEU

Sometimes side chains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such side chains are listed below:

Mol	Chain	Res	Type
3	С	161	GLN
3	G	161	GLN
3	Κ	161	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.



5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 66 ligands modelled in this entry, 9 are monoatomic - leaving 57 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	hain Bos Lin		Bo	ond leng	ths	Bond angles		
	туре	Unam	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	D10	В	303	-	9,9,9	0.21	0	8,8,8	0.56	0
6	PLC	G	301	-	41,41,41	1.04	2 (4%)	47,49,49	1.04	3 (6%)
6	PLC	K	301	-	41,41,41	1.04	2 (4%)	47,49,49	1.04	3 (6%)
6	PLC	G	303	-	41,41,41	1.05	2 (4%)	47,49,49	1.09	3 (6%)
7	P1O	F	308	-	37,37,37	1.11	2 (5%)	43,45,45	1.09	2 (4%)
8	HXG	С	303	-	29,29,29	0.34	0	35,37,37	0.37	0
5	D10	К	305	-	9,9,9	0.21	0	8,8,8	0.56	0
5	D10	В	305	-	9,9,9	0.22	0	8,8,8	0.55	0
8	HXG	Κ	307	-	29,29,29	0.35	0	35,37,37	0.36	0
6	PLC	С	305	-	41,41,41	0.86	0	47,49,49	0.67	1 (2%)
6	PLC	К	303	-	41,41,41	1.05	2 (4%)	47,49,49	1.09	3 (6%)
6	PLC	К	308	-	41,41,41	0.85	0	47,49,49	0.67	2 (4%)
5	D10	Е	503	-	9,9,9	0.21	0	8,8,8	0.56	0
7	P1O	G	310	-	37,37,37	1.11	2 (5%)	43,45,45	1.12	3 (6%)
7	P1O	K	310	-	37,37,37	1.11	2 (5%)	43,45,45	1.12	3 (6%)
7	P10	J	301	-	37,37,37	1.11	2 (5%)	43,45,45	1.09	3 (6%)
5	D10	В	306	-	9,9,9	0.21	0	8,8,8	0.56	0
7	P1O	J	303	-	37,37,37	1.11	2 (5%)	43,45,45	1.10	3 (6%)
5	D10	F	304	-	9,9,9	0.21	0	8,8,8	0.56	0
5	D10	Ι	503	-	9,9,9	0.20	0	8,8,8	0.55	0



	T a	Chain	Dag	T : 1-	Bo	ond leng	ths	В	ond ang	les
IVIOI	Type	Chain	Res	LINK	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z >2
5	D10	J	304	-	9,9,9	0.20	0	8,8,8	0.55	0
5	D10	J	307	-	9,9,9	0.21	0	8,8,8	0.56	0
5	D10	G	305	-	9,9,9	0.21	0	8,8,8	0.56	0
9	WIY	С	310	4	7,7,7	0.62	0	9,9,9	<mark>3.38</mark>	1 (11%)
9	WIY	Κ	311	4	7,7,7	0.62	0	$9,\!9,\!9$	3.39	1 (11%)
5	D10	В	304	-	9,9,9	0.21	0	8,8,8	0.56	0
8	HXG	G	304	-	29,29,29	0.34	0	35,37,37	0.37	0
6	PLC	G	306	-	41,41,41	0.86	0	47,49,49	0.68	1 (2%)
8	HXG	С	306	-	29,29,29	0.36	0	$35,\!37,\!37$	0.36	0
8	HXG	G	307	-	29,29,29	0.35	0	$35,\!37,\!37$	0.36	0
6	PLC	J	308	-	41,41,41	0.81	0	47,49,49	0.75	1 (2%)
7	P10	G	309	-	37,37,37	1.10	2 (5%)	$43,\!45,\!45$	1.10	3 (6%)
7	P10	Κ	309	-	37,37,37	1.10	2(5%)	$43,\!45,\!45$	1.10	3 (6%)
8	HXG	K	304	-	29,29,29	0.34	0	$35,\!37,\!37$	0.37	0
6	PLC	К	306	-	41,41,41	0.86	0	$47,\!49,\!49$	0.68	1 (2%)
6	PLC	F	301	-	41,41,41	0.81	0	47,49,49	0.75	1 (2%)
6	PLC	С	311	-	41,41,41	1.04	2 (4%)	$47,\!49,\!49$	1.04	3 (6%)
5	D10	F	305	-	9,9,9	0.21	0	8,8,8	0.55	0
5	D10	J	305	-	9,9,9	0.21	0	8,8,8	0.55	0
6	PLC	В	301	-	41,41,41	0.87	0	$47,\!49,\!49$	0.83	1 (2%)
9	WIY	G	311	4	7,7,7	0.62	0	$9,\!9,\!9$	<mark>3.39</mark>	1 (11%)
7	P10	С	308	-	37,37,37	1.10	2(5%)	$43,\!45,\!45$	1.10	3 (6%)
5	D10	F	306	-	9,9,9	0.22	0	8,8,8	0.55	0
6	PLC	В	308	-	41,41,41	0.81	0	$47,\!49,\!49$	0.75	1 (2%)
6	PLC	J	302	-	41,41,41	0.87	0	47,49,49	0.83	1 (2%)
7	P1O	F	303	-	37,37,37	1.11	2 (5%)	43,45,45	1.10	3 (6%)
6	PLC	F	302	-	41,41,41	0.87	0	$47,\!49,\!49$	0.83	1 (2%)
7	P1O	С	309	-	37,37,37	1.11	2(5%)	43,45,45	1.12	3 (6%)
6	PLC	G	308	-	41,41,41	0.85	0	47,49,49	0.68	2 (4%)
5	D10	J	306	-	9,9,9	0.22	0	8,8,8	0.55	0
6	PLC	С	307	-	41,41,41	0.85	0	47,49,49	0.67	2 (4%)
7	P10	В	302	-	37,37,37	1.12	2 (5%)	43,45,45	1.10	3 (6%)
5	D10	С	304	-	9,9,9	0.21	0	8,8,8	0.56	0
6	PLC	С	302	-	41,41,41	1.05	2 (4%)	47,49,49	1.09	3 (6%)
5	D10	A	503	-	9,9,9	0.21	0	8,8,8	0.55	0
7	P10	В	307	_	37,37,37	1.11	2 (5%)	43,45,45	1.09	3 (6%)
5	D10	F	307	-	9,9,9	0.21	0	8,8,8	0.56	0



In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	D10	В	303	-	-	0/7/7/7	-
6	PLC	G	301	-	-	26/45/45/45	-
6	PLC	Κ	301	-	-	26/45/45/45	-
6	PLC	G	303	-	-	22/45/45/45	-
7	P10	F	308	-	-	20/41/41/41	-
8	HXG	С	303	-	-	9/33/33/33	_
5	D10	Κ	305	-	-	0/7/7/7	-
5	D10	В	305	-	-	6/7/7/7	-
8	HXG	K	307	-	-	7/33/33/33	-
6	PLC	С	305	-	-	13/45/45/45	_
6	PLC	K	303	-	-	22/45/45/45	_
6	PLC	K	308	-	-	17/45/45/45	_
5	D10	Е	503	-	-	0/7/7/7	-
7	P1O	G	310	-	-	26/41/41/41	-
7	P10	К	310	-	-	26/41/41/41	-
7	P10	J	301	-	-	20/41/41/41	-
5	D10	В	306	-	-	5/7/7/7	-
7	P10	J	303	-	-	25/41/41/41	-
5	D10	F	304	-	-	0/7/7/7	-
5	D10	Ι	503	-	-	0/7/7/7	_
5	D10	J	304	-	-	0/7/7/7	-
5	D10	J	307	-	-	5/7/7/7	-
5	D10	G	305	-	-	0/7/7/7	-
9	WIY	С	310	4	-	$\frac{5}{5}/\frac{5}{5}$	-
9	WIY	К	311	4	-	5/5/5/5	-
5	D10	В	304	-	-	2/7/7/7	-
8	HXG	G	304	-	-	9/33/33/33	-
6	PLC	G	306	-	-	13/45/45/45	-
8	HXG	С	306	-	-	7/33/33/33	-
8	HXG	G	307	-	-	7/33/33/33	-
6	PLC	J	308	-	-	15/45/45/45	-
7	P10	G	309	-	-	19/41/41/41	-
7	P10	K	309	-	-	$1\overline{9/41/41/41}$	-



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	HXG	Κ	304	-	-	9/33/33/33	-
6	PLC	Κ	306	-	-	13/45/45/45	-
6	PLC	F	301	-	-	15/45/45/45	-
6	PLC	С	311	-	-	26/45/45/45	-
5	D10	F	305	-	-	2/7/7/7	-
5	D10	J	305	-	-	2/7/7/7	-
6	PLC	В	301	-	-	15/45/45/45	-
9	WIY	G	311	4	-	5/5/5/5	-
7	P1O	С	308	-	-	19/41/41/41	-
5	D10	F	306	-	-	6/7/7/7	-
6	PLC	В	308	-	-	15/45/45/45	-
6	PLC	J	302	-	-	15/45/45/45	-
7	P1O	F	303	-	-	25/41/41/41	-
6	PLC	F	302	-	-	15/45/45/45	-
7	P1O	С	309	-	-	26/41/41/41	-
6	PLC	G	308	-	-	17/45/45/45	-
5	D10	J	306	-	-	6/7/7/7	-
6	PLC	С	307	-	-	17/45/45/45	-
7	P10	В	302	-	-	25/41/41/41	-
5	D10	С	304	-	-	0/7/7/7	-
6	PLC	С	302	-	-	22/45/45/45	-
5	D10	A	503	-	-	0/7/7/7	-
7	P10	В	307	-	-	20/41/41/41	-
5	D10	F	307	-	-	5/7/7/7	-

The worst 5 of 36 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	В	302	P10	O5-C9	4.34	1.46	1.33
7	J	303	P10	O5-C9	4.33	1.46	1.33
7	J	301	P10	O5-C9	4.31	1.45	1.33
7	F	303	P10	O5-C9	4.29	1.45	1.33
7	Κ	310	P10	O5-C9	4.26	1.45	1.33

The worst 5 of 71 bond angle outliers are listed below:



Mol	Chain	Res	Type	Atoms	Z	$\mathbf{Observed}(^{o})$	$Ideal(^{o})$
9	G	311	WIY	C2-C3-C4	9.98	125.61	112.21
9	Κ	311	WIY	C2-C3-C4	9.97	125.59	112.21
9	С	310	WIY	C2-C3-C4	9.95	125.58	112.21
7	J	301	P10	O7-C19-C20	4.26	120.69	111.50
7	В	307	P10	O7-C19-C20	4.23	120.61	111.50

There are no chirality outliers.

5 of 696 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	В	301	PLC	C1'-C'-O2-C2
6	В	301	PLC	C1-O3P-P-O2P
6	В	308	PLC	C1'-C'-O2-C2
6	В	308	PLC	C1-O3P-P-O1P
6	В	308	PLC	C4-O4P-P-O1P

There are no ring outliers.

47 monomers are involved in 356 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	G	301	PLC	6	0
6	K	301	PLC	6	0
6	G	303	PLC	5	0
7	F	308	P10	29	0
8	С	303	HXG	10	0
5	K	305	D10	1	0
5	В	305	D10	6	0
8	K	307	HXG	16	0
6	С	305	PLC	3	0
6	K	303	PLC	4	0
6	K	308	PLC	5	0
7	G	310	P10	14	0
7	K	310	P10	15	0
7	J	301	P10	28	0
5	В	306	D10	1	0
7	J	303	P10	8	0
5	J	307	D10	1	0
5	G	305	D10	1	0
9	C	310	WIY	10	0
9	Κ	311	WIY	10	0
5	В	304	D10	1	0
8	G	304	HXG	10	0



Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	G	306	PLC	3	0
8	С	306	HXG	15	0
8	G	307	HXG	16	0
7	G	309	P10	7	0
7	K	309	P10	7	0
8	К	304	HXG	10	0
6	K	306	PLC	3	0
6	С	311	PLC	6	0
5	F	305	D10	1	0
5	J	305	D10	1	0
6	В	301	PLC	3	0
9	G	311	WIY	10	0
7	С	308	P10	8	0
5	F	306	D10	6	0
6	J	302	PLC	3	0
7	F	303	P10	8	0
6	F	302	PLC	2	0
7	С	309	P10	15	0
6	G	308	PLC	5	0
5	J	306	D10	6	0
6	С	307	PLC	5	0
7	В	302	P10	7	0
5	С	304	D10	1	0
6	С	302	PLC	4	0
7	В	307	P10	27	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.















































































































5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-40717. These allow visual inspection of the internal detail of the map and identification of artifacts.

Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections (i)

6.1.1 Primary map



6.1.2 Raw map



The images above show the map projected in three orthogonal directions.



6.2 Central slices (i)

6.2.1 Primary map



X Index: 128



Y Index: 128



Z Index: 128

6.2.2 Raw map



X Index: 128

Y Index: 128

Z Index: 128

The images above show central slices of the map in three orthogonal directions.



6.3 Largest variance slices (i)

6.3.1 Primary map



X Index: 114



Y Index: 144



Z Index: 107

6.3.2 Raw map



X Index: 111

Y Index: 144



The images above show the largest variance slices of the map in three orthogonal directions.



6.4 Orthogonal standard-deviation projections (False-color) (i)

6.4.1 Primary map



6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.



6.5 Orthogonal surface views (i)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.159. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.

6.6 Mask visualisation (i)

This section was not generated. No masks/segmentation were deposited.



7 Map analysis (i)

This section contains the results of statistical analysis of the map.

7.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.



7.2 Volume estimate (i)



The volume at the recommended contour level is 145 $\rm nm^3;$ this corresponds to an approximate mass of 131 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



7.3 Rotationally averaged power spectrum (i)



*Reported resolution corresponds to spatial frequency of 0.459 ${\rm \AA^{-1}}$



8 Fourier-Shell correlation (i)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC (i)



*Reported resolution corresponds to spatial frequency of 0.459 $\mathrm{\AA^{-1}}$



8.2 Resolution estimates (i)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.18	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	2.25	3.43	2.27

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.



9 Map-model fit (i)

This section contains information regarding the fit between EMDB map EMD-40717 and PDB model 8SR1. Per-residue inclusion information can be found in section 3 on page 11.

9.1 Map-model overlay (i)



The images above show the 3D surface view of the map at the recommended contour level 0.159 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.


9.2 Q-score mapped to coordinate model (i)



The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model (i)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.159).



9.4 Atom inclusion (i)



At the recommended contour level, 85% of all backbone atoms, 83% of all non-hydrogen atoms, are inside the map.



Map-model fit summary (i) 9.5

The table lists the average atom inclusion at the recommended contour level (0.159) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score	1.0
All	0.8320	0.5510	
А	0.9090	0.5670	
В	0.8590	0.5910	
С	0.6870	0.4920	
E	0.9100	0.5660	
F	0.8600	0.5920	
G	0.6880	0.4940	
Ι	0.9090	0.5650	
J	0.8600	0.5920	0.0 <0.0
K	0.6870	0.4920	

