



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 15, 2024 – 04:33 pm GMT

PDB ID : 6SZO  
Title : The glucuronoyl esterase OtCE15A S267A variant from *Opitutus terrae* in complex with D-galacturonate  
Authors : Mazurkewich, S.; Navarro Poulsen, J.C.; Larsbrink, J.; Lo Leggio, L.  
Deposited on : 2019-10-02  
Resolution : 2.20 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.4, CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4898 (2.20-2.20)
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)
RSRZ outliers	127900	4800 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	421	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	DMS	A	504	-	-	X	-

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Type</b>	<b>Chain</b>	<b>Res</b>	<b>Chirality</b>	<b>Geometry</b>	<b>Clashes</b>	<b>Electron density</b>
5	EDO	A	523	-	-	-	X
6	PEG	A	534	-	-	X	-

## 2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 6021 atoms, of which 2923 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called glucuronoyl esterase OtCE15A.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	H	N	O	S			
1	A	356	5432	1767	2650	510	498	7	0	0	0

There are 22 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	12	MET	-	initiating methionine	UNP B1ZMF4
A	13	GLY	-	expression tag	UNP B1ZMF4
A	14	SER	-	expression tag	UNP B1ZMF4
A	15	SER	-	expression tag	UNP B1ZMF4
A	16	HIS	-	expression tag	UNP B1ZMF4
A	17	HIS	-	expression tag	UNP B1ZMF4
A	18	HIS	-	expression tag	UNP B1ZMF4
A	19	HIS	-	expression tag	UNP B1ZMF4
A	20	HIS	-	expression tag	UNP B1ZMF4
A	21	HIS	-	expression tag	UNP B1ZMF4
A	22	SER	-	expression tag	UNP B1ZMF4
A	23	SER	-	expression tag	UNP B1ZMF4
A	24	GLU	-	expression tag	UNP B1ZMF4
A	25	ASN	-	expression tag	UNP B1ZMF4
A	26	LEU	-	expression tag	UNP B1ZMF4
A	27	TYR	-	expression tag	UNP B1ZMF4
A	28	PHE	-	expression tag	UNP B1ZMF4
A	29	GLN	-	expression tag	UNP B1ZMF4
A	30	GLY	-	expression tag	UNP B1ZMF4
A	31	HIS	-	expression tag	UNP B1ZMF4
A	32	SER	-	expression tag	UNP B1ZMF4
A	267	ALA	SER	engineered mutation	UNP B1ZMF4

- Molecule 2 is beta-D-galactopyranuronic acid (three-letter code: GTR) (formula: C<sub>6</sub>H<sub>10</sub>O<sub>7</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	H	O		
2	A	1	22	6	9	7	0	0

- Molecule 3 is DIMETHYL SULFOXIDE (three-letter code: DMS) (formula:  $C_2H_6OS$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	H	O	S		
3	A	1	10	2	6	1	1	0	0
3	A	1	10	2	6	1	1	0	0
3	A	1	10	2	6	1	1	0	0

*Continued on next page...*


Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	H	O	S		
3	A	1	10	2	6	1	1	0	0

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Mg		
4	A	1	1	1	0	0

- Molecule 5 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C<sub>2</sub>H<sub>6</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	H	O		
5	A	1	10	2	6	2	0	0
5	A	1	10	2	6	2	0	0
5	A	1	10	2	6	2	0	0
5	A	1	10	2	6	2	0	0
5	A	1	10	2	6	2	0	0
5	A	1	10	2	6	2	0	0
5	A	1	10	2	6	2	0	0

Continued on next page...

*Continued from previous page...*


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	H	O	0	0
			10	2	6	2		
5	A	1	Total	C	H	O	0	0
			10	2	6	2		
5	A	1	Total	C	H	O	0	0
			10	2	6	2		
5	A	1	Total	C	H	O	0	0
			10	2	6	2		
5	A	1	Total	C	H	O	0	0
			10	2	6	2		
5	A	1	Total	C	H	O	0	0
			10	2	6	2		
5	A	1	Total	C	H	O	0	0
			10	2	6	2		
5	A	1	Total	C	H	O	0	0
			10	2	6	2		
5	A	1	Total	C	H	O	0	0
			10	2	6	2		
5	A	1	Total	C	H	O	0	0
			10	2	6	2		
5	A	1	Total	C	H	O	0	0
			10	2	6	2		
5	A	1	Total	C	H	O	0	0
			10	2	6	2		

- Molecule 6 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C<sub>4</sub>H<sub>10</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	H	O		
6	A	1	17	4	10	3	0	0
6	A	1	17	4	10	3	0	0
6	A	1	17	4	10	3	0	0
6	A	1	17	4	10	3	0	0

- Molecule 7 is TRIETHYLENE GLYCOL (three-letter code: PGE) (formula:  $C_6H_{14}O_4$ ).





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total	C	H	O	0	0
			24	6	14	4		
7	A	1	Total	C	H	O	0	0
			24	6	14	4		
7	A	1	Total	C	H	O	0	0
			24	6	14	4		
7	A	1	Total	C	H	O	0	0
			24	6	14	4		

- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	122	Total	O	0	0
			122	122		



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	44.63Å 46.14Å 50.20Å 63.65° 86.79° 71.17°	Depositor
Resolution (Å)	44.74 – 2.20 44.74 – 2.20	Depositor EDS
% Data completeness (in resolution range)	97.0 (44.74-2.20) 90.0 (44.74-2.20)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.42 (at 2.20Å)	Xtrriage
Refinement program	PHENIX 1.15.2_3472	Depositor
R, $R_{free}$	0.154 , 0.221 0.154 , 0.221	Depositor DCC
$R_{free}$ test set	1249 reflections (7.49%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	27.2	Xtrriage
Anisotropy	0.407	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.41 , 64.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.51$ , $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	6021	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	38.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 9.44% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, PEG, PGE, EDO, GTR, DMS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.59	0/2863	0.72	0/3905

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2782	2650	2684	52	0
2	A	13	9	9	0	0
3	A	16	24	24	6	0
4	A	1	0	0	0	0
5	A	96	144	144	1	0
6	A	28	40	40	8	0
7	A	40	56	56	6	0
8	A	122	0	0	2	0
All	All	3098	2923	2957	52	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (52) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:33:ALA:HB3	1:A:330:GLU:HB3	1.44	0.98
1:A:33:ALA:HB3	1:A:330:GLU:CB	1.94	0.96
1:A:33:ALA:HB3	1:A:330:GLU:HB2	1.74	0.70
1:A:44:ASP:OD1	1:A:46:THR:HG22	1.95	0.65
1:A:302:ILE:HG22	1:A:302:ILE:O	1.97	0.64
1:A:33:ALA:CB	1:A:330:GLU:HB3	2.24	0.62
1:A:142:TYR:H	1:A:182:GLN:HE22	1.48	0.62
1:A:206:PRO:HA	7:A:537:PGE:H4	1.83	0.60
1:A:356:ASP:HA	6:A:534:PEG:H41	1.82	0.60
1:A:209:PRO:O	7:A:535:PGE:H1	2.04	0.57
1:A:181:ALA:O	1:A:182:GLN:CB	2.55	0.55
1:A:207:ASP:OD2	1:A:268:ARG:NH1	2.31	0.55
1:A:358:TRP:H	6:A:534:PEG:H22	1.72	0.54
1:A:226:ASP:O	1:A:227:GLN:HG3	2.08	0.53
1:A:90:GLU:HG3	8:A:694:HOH:O	2.09	0.52
1:A:78:ARG:HG3	1:A:248:ASP:OD2	2.11	0.51
1:A:181:ALA:O	1:A:182:GLN:HB3	2.11	0.51
1:A:228:ARG:HE	7:A:535:PGE:H42	1.74	0.51
1:A:268:ARG:HA	1:A:271:LYS:HE2	1.93	0.49
1:A:323:ARG:HD3	3:A:504:DMS:C1	2.43	0.49
1:A:72:GLY:HA3	1:A:233:TRP:HA	1.96	0.48
1:A:200:TYR:OH	7:A:537:PGE:H32	2.13	0.48
1:A:323:ARG:HG2	3:A:504:DMS:H11	1.95	0.47
1:A:323:ARG:HD3	3:A:504:DMS:H12	1.97	0.47
1:A:350:VAL:O	1:A:401:TYR:HA	2.15	0.47
1:A:206:PRO:HA	7:A:537:PGE:C4	2.45	0.46
1:A:356:ASP:HA	6:A:534:PEG:C4	2.44	0.46
1:A:185:PRO:HB2	1:A:188:GLN:HB2	1.98	0.46
1:A:358:TRP:HB2	6:A:534:PEG:H21	1.97	0.45
1:A:50:ASP:OD1	1:A:53:THR:OG1	2.24	0.45
1:A:358:TRP:N	6:A:534:PEG:H22	2.32	0.44
1:A:372:GLU:N	1:A:373:PRO:CD	2.80	0.44
1:A:59:ARG:HD2	8:A:655:HOH:O	2.18	0.44
1:A:58:ARG:NH2	6:A:532:PEG:H22	2.33	0.43
1:A:184:TRP:O	1:A:186:VAL:N	2.50	0.43
1:A:230:PRO:HA	1:A:320:ARG:HB2	1.99	0.43
1:A:358:TRP:H	6:A:534:PEG:C2	2.31	0.43
1:A:353:ALA:HB3	1:A:356:ASP:HB2	2.00	0.42
1:A:323:ARG:HG2	3:A:504:DMS:C1	2.50	0.42
1:A:73:ARG:HG3	1:A:231:ASP:O	2.19	0.42
1:A:139:LEU:HG	1:A:243:LEU:HD21	2.01	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:188:GLN:HG3	6:A:531:PEG:C1	2.50	0.42
1:A:189:ILE:HG21	1:A:196:VAL:HG22	2.01	0.41
1:A:382:GLY:HA2	1:A:399:LEU:O	2.20	0.41
1:A:147:VAL:O	1:A:147:VAL:HG23	2.21	0.41
1:A:47:ARG:HG2	1:A:49:HIS:NE2	2.35	0.41
1:A:183:LYS:C	1:A:183:LYS:HE3	2.42	0.41
1:A:267:ALA:HB3	3:A:502:DMS:S	2.61	0.41
1:A:323:ARG:CG	3:A:504:DMS:C1	2.98	0.41
1:A:59:ARG:HB2	1:A:60:PRO:HD3	2.03	0.41
1:A:184:TRP:HE1	5:A:527:EDO:H22	1.86	0.41
1:A:320:ARG:HH11	7:A:535:PGE:H4	1.86	0.40

There are no symmetry-related clashes.

### 5.3 Torsion angles [i](#)

#### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	350/421 (83%)	334 (95%)	14 (4%)	2 (1%)	25 26

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	182	GLN
1	A	75	PRO

#### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	275/321 (86%)	271 (98%)	4 (2%)	65 78

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	73	ARG
1	A	117	GLN
1	A	233	TRP
1	A	349	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	117	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 38 ligands modelled in this entry, 1 is monoatomic - leaving 37 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	EDO	A	516	-	3,3,3	0.21	0	2,2,2	0.68	0
5	EDO	A	508	-	3,3,3	0.10	0	2,2,2	0.08	0
6	PEG	A	534	-	6,6,6	0.39	0	5,5,5	0.19	0
7	PGE	A	538	-	9,9,9	0.45	0	8,8,8	0.34	0
5	EDO	A	517	-	3,3,3	0.17	0	2,2,2	0.32	0
5	EDO	A	528	-	3,3,3	0.04	0	2,2,2	0.10	0
3	DMS	A	502	-	3,3,3	0.31	0	3,3,3	0.20	0
3	DMS	A	503	-	3,3,3	0.28	0	3,3,3	0.21	0
5	EDO	A	519	-	3,3,3	0.40	0	2,2,2	0.45	0
5	EDO	A	521	-	3,3,3	0.14	0	2,2,2	0.42	0
5	EDO	A	523	-	3,3,3	0.10	0	2,2,2	0.21	0
5	EDO	A	509	-	3,3,3	0.21	0	2,2,2	0.33	0
7	PGE	A	537	-	9,9,9	0.36	0	8,8,8	0.49	0
6	PEG	A	532	-	6,6,6	0.25	0	5,5,5	0.15	0
5	EDO	A	525	-	3,3,3	0.10	0	2,2,2	0.13	0
5	EDO	A	511	-	3,3,3	0.19	0	2,2,2	0.20	0
2	GTR	A	501	-	13,13,13	0.68	0	18,19,19	1.36	2 (11%)
3	DMS	A	504	-	3,3,3	0.12	0	3,3,3	0.16	0
5	EDO	A	529	-	3,3,3	0.07	0	2,2,2	0.15	0
6	PEG	A	533	-	6,6,6	0.21	0	5,5,5	0.14	0
5	EDO	A	513	-	3,3,3	0.17	0	2,2,2	0.30	0
5	EDO	A	518	-	3,3,3	0.18	0	2,2,2	0.88	0
6	PEG	A	531	-	6,6,6	0.17	0	5,5,5	0.20	0
5	EDO	A	526	-	3,3,3	0.22	0	2,2,2	0.33	0
5	EDO	A	524	-	3,3,3	0.16	0	2,2,2	0.30	0
7	PGE	A	536	-	9,9,9	0.31	0	8,8,8	0.47	0
5	EDO	A	512	-	3,3,3	0.14	0	2,2,2	0.17	0
5	EDO	A	530	-	3,3,3	0.23	0	2,2,2	0.39	0
5	EDO	A	520	-	3,3,3	0.07	0	2,2,2	0.16	0
5	EDO	A	514	-	3,3,3	0.20	0	2,2,2	0.17	0
5	EDO	A	507	-	3,3,3	0.13	0	2,2,2	0.23	0
5	EDO	A	522	-	3,3,3	0.07	0	2,2,2	0.23	0
5	EDO	A	527	-	3,3,3	0.11	0	2,2,2	0.25	0
7	PGE	A	535	-	9,9,9	0.51	0	8,8,8	1.09	2 (25%)
3	DMS	A	505	-	3,3,3	0.26	0	3,3,3	0.22	0
5	EDO	A	515	-	3,3,3	0.07	0	2,2,2	0.12	0
5	EDO	A	510	-	3,3,3	0.25	0	2,2,2	0.62	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	EDO	A	516	-	-	0/1/1/1	-
5	EDO	A	508	-	-	0/1/1/1	-
6	PEG	A	534	-	-	2/4/4/4	-
7	PGE	A	538	-	-	5/7/7/7	-
5	EDO	A	517	-	-	0/1/1/1	-
5	EDO	A	528	-	-	0/1/1/1	-
5	EDO	A	519	-	-	0/1/1/1	-
5	EDO	A	521	-	-	0/1/1/1	-
5	EDO	A	523	-	-	0/1/1/1	-
5	EDO	A	509	-	-	1/1/1/1	-
6	PEG	A	532	-	-	2/4/4/4	-
5	EDO	A	525	-	-	0/1/1/1	-
5	EDO	A	511	-	-	0/1/1/1	-
2	GTR	A	501	-	-	0/4/24/24	0/1/1/1
5	EDO	A	529	-	-	0/1/1/1	-
6	PEG	A	533	-	-	1/4/4/4	-
5	EDO	A	513	-	-	1/1/1/1	-
5	EDO	A	518	-	-	1/1/1/1	-
6	PEG	A	531	-	-	2/4/4/4	-
5	EDO	A	526	-	-	0/1/1/1	-
5	EDO	A	524	-	-	0/1/1/1	-
7	PGE	A	536	-	-	2/7/7/7	-
5	EDO	A	512	-	-	0/1/1/1	-
5	EDO	A	530	-	-	0/1/1/1	-
5	EDO	A	520	-	-	0/1/1/1	-
5	EDO	A	514	-	-	0/1/1/1	-
5	EDO	A	507	-	-	0/1/1/1	-
5	EDO	A	522	-	-	1/1/1/1	-
5	EDO	A	527	-	-	1/1/1/1	-
7	PGE	A	535	-	-	5/7/7/7	-
7	PGE	A	537	-	-	4/7/7/7	-
5	EDO	A	515	-	-	0/1/1/1	-
5	EDO	A	510	-	-	1/1/1/1	-

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	GTR	O5-C1-C2	-3.00	104.94	110.28
2	A	501	GTR	O4-C4-C5	2.27	114.83	109.74
7	A	535	PGE	O1-C1-C2	-2.11	99.57	111.81

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	535	PGE	O2-C2-C1	-2.05	101.07	110.07

There are no chirality outliers.

All (29) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	A	538	PGE	C6-C5-O3-C4
7	A	536	PGE	O3-C5-C6-O4
7	A	538	PGE	O1-C1-C2-O2
7	A	535	PGE	O3-C5-C6-O4
7	A	537	PGE	O3-C5-C6-O4
7	A	535	PGE	O1-C1-C2-O2
6	A	531	PEG	C4-C3-O2-C2
7	A	538	PGE	O3-C5-C6-O4
5	A	513	EDO	O1-C1-C2-O2
7	A	538	PGE	C4-C3-O2-C2
7	A	536	PGE	C6-C5-O3-C4
7	A	537	PGE	C1-C2-O2-C3
7	A	535	PGE	O2-C3-C4-O3
6	A	533	PEG	C4-C3-O2-C2
6	A	532	PEG	C1-C2-O2-C3
7	A	535	PGE	C1-C2-O2-C3
6	A	534	PEG	O1-C1-C2-O2
7	A	535	PGE	C3-C4-O3-C5
6	A	534	PEG	O2-C3-C4-O4
5	A	527	EDO	O1-C1-C2-O2
7	A	538	PGE	O2-C3-C4-O3
6	A	531	PEG	C1-C2-O2-C3
5	A	509	EDO	O1-C1-C2-O2
5	A	510	EDO	O1-C1-C2-O2
5	A	518	EDO	O1-C1-C2-O2
5	A	522	EDO	O1-C1-C2-O2
7	A	537	PGE	O2-C3-C4-O3
7	A	537	PGE	C3-C4-O3-C5
6	A	532	PEG	O1-C1-C2-O2

There are no ring outliers.

8 monomers are involved in 21 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	534	PEG	6	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	502	DMS	1	0
7	A	537	PGE	3	0
6	A	532	PEG	1	0
3	A	504	DMS	5	0
6	A	531	PEG	1	0
5	A	527	EDO	1	0
7	A	535	PGE	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	356/421 (84%)	-0.37	6 (1%) 70 68	20, 31, 55, 80	0

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	181	ALA	7.6
1	A	182	GLN	3.5
1	A	219	TRP	3.2
1	A	33	ALA	3.1
1	A	385	GLY	2.3
1	A	76	LEU	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
5	EDO	A	526	4/4	0.73	0.28	53,64,67,72	0

*Continued on next page...*

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
5	EDO	A	523	4/4	0.77	0.41	51,61,79,79	0
5	EDO	A	508	4/4	0.77	0.14	60,72,74,74	0
6	PEG	A	533	7/7	0.78	0.23	40,67,84,84	0
7	PGE	A	538	10/10	0.78	0.18	34,63,77,81	0
5	EDO	A	529	4/4	0.80	0.15	52,62,71,71	0
6	PEG	A	531	7/7	0.80	0.32	42,55,64,66	0
5	EDO	A	530	4/4	0.82	0.20	40,60,73,73	0
7	PGE	A	537	10/10	0.82	0.16	34,51,62,63	0
3	DMS	A	505	4/4	0.82	0.43	54,84,127,127	0
5	EDO	A	524	4/4	0.83	0.15	54,65,75,75	0
5	EDO	A	527	4/4	0.84	0.29	45,60,68,72	0
5	EDO	A	517	4/4	0.84	0.24	39,54,65,70	0
6	PEG	A	532	7/7	0.84	0.23	36,51,59,59	0
5	EDO	A	509	4/4	0.85	0.13	45,54,60,64	0
7	PGE	A	536	10/10	0.85	0.19	39,67,87,97	0
7	PGE	A	535	10/10	0.86	0.24	23,54,66,78	0
5	EDO	A	520	4/4	0.87	0.15	36,48,57,64	0
5	EDO	A	507	4/4	0.87	0.12	41,53,62,64	0
5	EDO	A	513	4/4	0.88	0.11	32,42,47,51	0
5	EDO	A	516	4/4	0.88	0.12	37,44,49,54	0
3	DMS	A	503	4/4	0.88	0.18	46,64,64,70	0
5	EDO	A	519	4/4	0.88	0.21	31,48,53,64	0
3	DMS	A	504	4/4	0.88	0.27	48,64,96,96	0
5	EDO	A	511	4/4	0.88	0.21	39,47,62,64	0
5	EDO	A	521	4/4	0.89	0.13	35,42,51,54	0
6	PEG	A	534	7/7	0.89	0.16	23,38,61,61	0
5	EDO	A	515	4/4	0.90	0.15	39,48,58,65	0
5	EDO	A	528	4/4	0.90	0.18	48,60,72,80	0
5	EDO	A	514	4/4	0.91	0.14	36,44,53,54	0
5	EDO	A	512	4/4	0.91	0.14	36,47,60,72	0
5	EDO	A	518	4/4	0.91	0.27	34,47,57,69	0
5	EDO	A	525	4/4	0.92	0.10	45,54,64,64	0
5	EDO	A	510	4/4	0.92	0.14	28,45,54,56	0
5	EDO	A	522	4/4	0.93	0.11	32,48,50,60	0
2	GTR	A	501	13/13	0.98	0.08	21,28,33,38	0
4	MG	A	506	1/1	0.98	0.10	31,31,31,31	0
3	DMS	A	502	4/4	0.99	0.09	26,39,43,43	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



## 6.5 Other polymers [i](#)

There are no such residues in this entry.