



wwPDB X-ray Structure Validation Summary Report ⓘ

Dec 21, 2023 – 04:15 PM EST

PDB ID : 8TBU
Title : Structure of human erythrocyte pyruvate kinase in complex with an allosteric activator Compound 12
Authors : Jin, L.; Padyana, A.
Deposited on : 2023-06-29
Resolution : 2.35 Å (reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1164 (2.36-2.36)
Clashscore	141614	1232 (2.36-2.36)
Ramachandran outliers	138981	1211 (2.36-2.36)
Sidechain outliers	138945	1212 (2.36-2.36)
RSRZ outliers	127900	1150 (2.36-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	544	 12% 78% 15% 6%
1	B	544	 10% 75% 11% 14%
1	C	544	 6% 72% 9% 18%
1	D	544	 8% 84% 10% 5%
1	E	544	 9% 62% 16% 21%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	544	 <p>5% 85% 9% 5%</p>
1	G	544	 <p>7% 65% 13% 22%</p>
1	H	544	 <p>4% 84% 11% 5%</p>

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 30849 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pyruvate kinase PKLR.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	509	3851	2420	696	717	18	0	1	0
1	B	468	3546	2228	641	659	18	0	0	0
1	C	446	3392	2133	611	630	18	0	1	0
1	D	515	3895	2448	703	726	18	0	0	0
1	E	429	3260	2048	592	602	18	0	0	0
1	F	518	3912	2457	707	730	18	0	0	0
1	G	426	3239	2035	586	600	18	0	0	0
1	H	518	3912	2457	707	730	18	0	0	0

There are 152 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	31	MET	-	initiating methionine	UNP P30613
A	32	GLY	-	expression tag	UNP P30613
A	33	SER	-	expression tag	UNP P30613
A	34	SER	-	expression tag	UNP P30613
A	35	HIS	-	expression tag	UNP P30613
A	36	HIS	-	expression tag	UNP P30613
A	37	HIS	-	expression tag	UNP P30613
A	38	HIS	-	expression tag	UNP P30613
A	39	HIS	-	expression tag	UNP P30613
A	40	HIS	-	expression tag	UNP P30613
A	41	SER	-	expression tag	UNP P30613
A	42	SER	-	expression tag	UNP P30613
A	43	GLY	-	expression tag	UNP P30613

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	44	LEU	-	expression tag	UNP P30613
A	45	VAL	-	expression tag	UNP P30613
A	46	PRO	-	expression tag	UNP P30613
A	47	ARG	-	expression tag	UNP P30613
A	48	GLY	-	expression tag	UNP P30613
A	49	SER	-	expression tag	UNP P30613
B	31	MET	-	initiating methionine	UNP P30613
B	32	GLY	-	expression tag	UNP P30613
B	33	SER	-	expression tag	UNP P30613
B	34	SER	-	expression tag	UNP P30613
B	35	HIS	-	expression tag	UNP P30613
B	36	HIS	-	expression tag	UNP P30613
B	37	HIS	-	expression tag	UNP P30613
B	38	HIS	-	expression tag	UNP P30613
B	39	HIS	-	expression tag	UNP P30613
B	40	HIS	-	expression tag	UNP P30613
B	41	SER	-	expression tag	UNP P30613
B	42	SER	-	expression tag	UNP P30613
B	43	GLY	-	expression tag	UNP P30613
B	44	LEU	-	expression tag	UNP P30613
B	45	VAL	-	expression tag	UNP P30613
B	46	PRO	-	expression tag	UNP P30613
B	47	ARG	-	expression tag	UNP P30613
B	48	GLY	-	expression tag	UNP P30613
B	49	SER	-	expression tag	UNP P30613
C	31	MET	-	initiating methionine	UNP P30613
C	32	GLY	-	expression tag	UNP P30613
C	33	SER	-	expression tag	UNP P30613
C	34	SER	-	expression tag	UNP P30613
C	35	HIS	-	expression tag	UNP P30613
C	36	HIS	-	expression tag	UNP P30613
C	37	HIS	-	expression tag	UNP P30613
C	38	HIS	-	expression tag	UNP P30613
C	39	HIS	-	expression tag	UNP P30613
C	40	HIS	-	expression tag	UNP P30613
C	41	SER	-	expression tag	UNP P30613
C	42	SER	-	expression tag	UNP P30613
C	43	GLY	-	expression tag	UNP P30613
C	44	LEU	-	expression tag	UNP P30613
C	45	VAL	-	expression tag	UNP P30613
C	46	PRO	-	expression tag	UNP P30613
C	47	ARG	-	expression tag	UNP P30613

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	48	GLY	-	expression tag	UNP P30613
C	49	SER	-	expression tag	UNP P30613
D	31	MET	-	initiating methionine	UNP P30613
D	32	GLY	-	expression tag	UNP P30613
D	33	SER	-	expression tag	UNP P30613
D	34	SER	-	expression tag	UNP P30613
D	35	HIS	-	expression tag	UNP P30613
D	36	HIS	-	expression tag	UNP P30613
D	37	HIS	-	expression tag	UNP P30613
D	38	HIS	-	expression tag	UNP P30613
D	39	HIS	-	expression tag	UNP P30613
D	40	HIS	-	expression tag	UNP P30613
D	41	SER	-	expression tag	UNP P30613
D	42	SER	-	expression tag	UNP P30613
D	43	GLY	-	expression tag	UNP P30613
D	44	LEU	-	expression tag	UNP P30613
D	45	VAL	-	expression tag	UNP P30613
D	46	PRO	-	expression tag	UNP P30613
D	47	ARG	-	expression tag	UNP P30613
D	48	GLY	-	expression tag	UNP P30613
D	49	SER	-	expression tag	UNP P30613
E	31	MET	-	initiating methionine	UNP P30613
E	32	GLY	-	expression tag	UNP P30613
E	33	SER	-	expression tag	UNP P30613
E	34	SER	-	expression tag	UNP P30613
E	35	HIS	-	expression tag	UNP P30613
E	36	HIS	-	expression tag	UNP P30613
E	37	HIS	-	expression tag	UNP P30613
E	38	HIS	-	expression tag	UNP P30613
E	39	HIS	-	expression tag	UNP P30613
E	40	HIS	-	expression tag	UNP P30613
E	41	SER	-	expression tag	UNP P30613
E	42	SER	-	expression tag	UNP P30613
E	43	GLY	-	expression tag	UNP P30613
E	44	LEU	-	expression tag	UNP P30613
E	45	VAL	-	expression tag	UNP P30613
E	46	PRO	-	expression tag	UNP P30613
E	47	ARG	-	expression tag	UNP P30613
E	48	GLY	-	expression tag	UNP P30613
E	49	SER	-	expression tag	UNP P30613
F	31	MET	-	initiating methionine	UNP P30613
F	32	GLY	-	expression tag	UNP P30613

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
F	33	SER	-	expression tag	UNP P30613
F	34	SER	-	expression tag	UNP P30613
F	35	HIS	-	expression tag	UNP P30613
F	36	HIS	-	expression tag	UNP P30613
F	37	HIS	-	expression tag	UNP P30613
F	38	HIS	-	expression tag	UNP P30613
F	39	HIS	-	expression tag	UNP P30613
F	40	HIS	-	expression tag	UNP P30613
F	41	SER	-	expression tag	UNP P30613
F	42	SER	-	expression tag	UNP P30613
F	43	GLY	-	expression tag	UNP P30613
F	44	LEU	-	expression tag	UNP P30613
F	45	VAL	-	expression tag	UNP P30613
F	46	PRO	-	expression tag	UNP P30613
F	47	ARG	-	expression tag	UNP P30613
F	48	GLY	-	expression tag	UNP P30613
F	49	SER	-	expression tag	UNP P30613
G	31	MET	-	initiating methionine	UNP P30613
G	32	GLY	-	expression tag	UNP P30613
G	33	SER	-	expression tag	UNP P30613
G	34	SER	-	expression tag	UNP P30613
G	35	HIS	-	expression tag	UNP P30613
G	36	HIS	-	expression tag	UNP P30613
G	37	HIS	-	expression tag	UNP P30613
G	38	HIS	-	expression tag	UNP P30613
G	39	HIS	-	expression tag	UNP P30613
G	40	HIS	-	expression tag	UNP P30613
G	41	SER	-	expression tag	UNP P30613
G	42	SER	-	expression tag	UNP P30613
G	43	GLY	-	expression tag	UNP P30613
G	44	LEU	-	expression tag	UNP P30613
G	45	VAL	-	expression tag	UNP P30613
G	46	PRO	-	expression tag	UNP P30613
G	47	ARG	-	expression tag	UNP P30613
G	48	GLY	-	expression tag	UNP P30613
G	49	SER	-	expression tag	UNP P30613
H	31	MET	-	initiating methionine	UNP P30613
H	32	GLY	-	expression tag	UNP P30613
H	33	SER	-	expression tag	UNP P30613
H	34	SER	-	expression tag	UNP P30613
H	35	HIS	-	expression tag	UNP P30613
H	36	HIS	-	expression tag	UNP P30613

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
H	37	HIS	-	expression tag	UNP P30613
H	38	HIS	-	expression tag	UNP P30613
H	39	HIS	-	expression tag	UNP P30613
H	40	HIS	-	expression tag	UNP P30613
H	41	SER	-	expression tag	UNP P30613
H	42	SER	-	expression tag	UNP P30613
H	43	GLY	-	expression tag	UNP P30613
H	44	LEU	-	expression tag	UNP P30613
H	45	VAL	-	expression tag	UNP P30613
H	46	PRO	-	expression tag	UNP P30613
H	47	ARG	-	expression tag	UNP P30613
H	48	GLY	-	expression tag	UNP P30613
H	49	SER	-	expression tag	UNP P30613

- Molecule 2 is 6-[(4-hydroxyphenyl)methyl]-2,4-dimethyl-4,6-dihydro-5H-[1,3]thiazolo[5',4':4,5]pyrrolo[2,3-d]pyridazin-5-one (three-letter code: I0R) (formula: C₁₆H₁₄N₄O₂S) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
2	A	1	Total	C	N	O	S	0	0
			23	16	4	2	1		
2	D	1	Total	C	N	O	S	0	0
			23	16	4	2	1		
2	F	1	Total	C	N	O	S	0	0
			23	16	4	2	1		
2	H	1	Total	C	N	O	S	0	0
			23	16	4	2	1		

- Molecule 3 is PYRUVIC ACID (three-letter code: PYR) (formula: $C_3H_4O_3$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 6 3 3	0	0
3	B	1	Total C O 6 3 3	0	0
3	C	1	Total C O 6 3 3	0	0
3	E	1	Total C O 6 3 3	0	0
3	F	1	Total C O 6 3 3	0	0
3	G	1	Total C O 6 3 3	0	0

- Molecule 4 is 1,6-di-O-phosphono-beta-D-fructofuranose (three-letter code: FBP) (formula: $C_6H_{14}O_{12}P_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	O	P	0	0
			20	6	12	2		
4	B	1	Total	C	O	P	0	0
			20	6	12	2		
4	C	1	Total	C	O	P	0	0
			20	6	12	2		
4	D	1	Total	C	O	P	0	0
			20	6	12	2		
4	E	1	Total	C	O	P	0	0
			20	6	12	2		
4	F	1	Total	C	O	P	0	0
			20	6	12	2		
4	G	1	Total	C	O	P	0	0
			20	6	12	2		
4	H	1	Total	C	O	P	0	0
			20	6	12	2		

- Molecule 5 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Mn	0	0
			1	1		
5	B	1	Total	Mn	0	0
			1	1		
5	C	1	Total	Mn	0	0
			1	1		
5	D	1	Total	Mn	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	E	1	Total 1	Mn 1	0	0
5	F	1	Total 1	Mn 1	0	0
5	G	1	Total 1	Mn 1	0	0
5	H	1	Total 1	Mn 1	0	0

- Molecule 6 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total 1	K 1	0	0
6	D	1	Total 1	K 1	0	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	208	Total 208	O 208	0	0
7	B	191	Total 191	O 191	0	0
7	C	189	Total 189	O 189	0	0
7	D	252	Total 252	O 252	0	0
7	E	93	Total 93	O 93	0	0
7	F	244	Total 244	O 244	0	0
7	G	109	Total 109	O 109	0	0
7	H	258	Total 258	O 258	0	0


3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Pyruvate kinase PKLR




- Molecule 1: Pyruvate kinase PKLR



- Molecule 1: Pyruvate kinase PKLR





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	110.32Å 122.84Å 378.58Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.88 – 2.35 50.02 – 2.35	Depositor EDS
% Data completeness (in resolution range)	99.6 (49.88-2.35) 99.6 (50.02-2.35)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	7.08 (at 2.34Å)	Xtrriage
Refinement program	PHENIX 1.17.1_3660	Depositor
R, R_{free}	0.202 , 0.246 0.202 , 0.246	Depositor DCC
R_{free} test set	10680 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	41.4	Xtrriage
Anisotropy	0.043	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 46.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	30849	wwPDB-VP
Average B, all atoms (Å ²)	54.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 67.46 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 5.1305e-06. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MN, PYR, IOR, FBP, K

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.26	0/3916	0.45	1/5308 (0.0%)
1	B	0.26	0/3601	0.44	0/4875
1	C	0.25	0/3450	0.43	0/4668
1	D	0.25	0/3958	0.43	0/5365
1	E	0.25	0/3314	0.43	0/4483
1	F	0.26	0/3976	0.44	0/5391
1	G	0.25	0/3293	0.42	0/4455
1	H	0.25	0/3976	0.44	0/5391
All	All	0.25	0/29484	0.44	1/39936 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	547	ARG	CB-CA-C	-5.20	100.01	110.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3851	0	3928	62	0
1	B	3546	0	3606	38	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	3392	0	3445	32	0
1	D	3895	0	3972	34	0
1	E	3260	0	3316	62	0
1	F	3912	0	3986	34	0
1	G	3239	0	3288	51	0
1	H	3912	0	3986	43	0
2	A	23	0	0	0	0
2	D	23	0	0	0	0
2	F	23	0	0	0	0
2	H	23	0	0	0	0
3	A	6	0	0	0	0
3	B	6	0	0	1	0
3	C	6	0	0	0	0
3	E	6	0	0	0	0
3	F	6	0	0	0	0
3	G	6	0	0	2	0
4	A	20	0	10	0	0
4	B	20	0	10	0	0
4	C	20	0	10	0	0
4	D	20	0	10	0	0
4	E	20	0	10	1	0
4	F	20	0	10	0	0
4	G	20	0	10	0	0
4	H	20	0	10	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	C	1	0	0	0	0
5	D	1	0	0	0	0
5	E	1	0	0	0	0
5	F	1	0	0	0	0
5	G	1	0	0	0	0
5	H	1	0	0	0	0
6	A	1	0	0	0	0
6	D	1	0	0	0	0
7	A	208	0	0	4	0
7	B	191	0	0	1	0
7	C	189	0	0	1	0
7	D	252	0	0	4	0
7	E	93	0	0	1	0
7	F	244	0	0	2	0
7	G	109	0	0	0	0
7	H	258	0	0	6	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	30849	0	29607	327	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 327 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:229:GLN:O	1:D:230:LYS:HD2	1.69	0.93
1:A:182:GLN:O	1:A:198:ASN:ND2	2.01	0.92
1:A:230:LYS:HD3	1:A:237:VAL:HG21	1.55	0.86
1:C:380:LYS:NZ	7:C:701:HOH:O	2.07	0.86
1:A:185:VAL:HG12	1:A:200:VAL:HB	1.60	0.84

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	506/544 (93%)	491 (97%)	12 (2%)	3 (1%)	25 27
1	B	458/544 (84%)	446 (97%)	10 (2%)	2 (0%)	34 38
1	C	441/544 (81%)	428 (97%)	10 (2%)	3 (1%)	22 23
1	D	511/544 (94%)	498 (98%)	12 (2%)	1 (0%)	47 56
1	E	425/544 (78%)	414 (97%)	10 (2%)	1 (0%)	47 56
1	F	516/544 (95%)	504 (98%)	12 (2%)	0	100 100
1	G	422/544 (78%)	410 (97%)	11 (3%)	1 (0%)	47 56
1	H	516/544 (95%)	509 (99%)	5 (1%)	2 (0%)	34 38
All	All	3795/4352 (87%)	3700 (98%)	82 (2%)	13 (0%)	41 47

5 of 13 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	257	ALA
1	E	371	THR
1	A	181	SER
1	A	59	GLN
1	G	371	THR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	408/436 (94%)	401 (98%)	7 (2%)	60	72
1	B	374/436 (86%)	370 (99%)	4 (1%)	73	84
1	C	356/436 (82%)	349 (98%)	7 (2%)	55	66
1	D	413/436 (95%)	407 (98%)	6 (2%)	65	76
1	E	341/436 (78%)	329 (96%)	12 (4%)	36	44
1	F	414/436 (95%)	406 (98%)	8 (2%)	57	68
1	G	339/436 (78%)	331 (98%)	8 (2%)	49	59
1	H	414/436 (95%)	408 (99%)	6 (1%)	67	78
All	All	3059/3488 (88%)	3001 (98%)	58 (2%)	57	68

5 of 58 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	E	316	ASN
1	H	531	ARG
1	E	531	ARG
1	H	519	GLU
1	G	301	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	258	GLN
1	G	372	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 28 ligands modelled in this entry, 10 are monoatomic - leaving 18 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	PYR	E	601	5	5,5,5	2.92	3 (60%)	3,6,6	1.60	1 (33%)
4	FBP	C	602	-	18,20,20	0.92	1 (5%)	23,32,32	0.73	0
4	FBP	H	602	-	18,20,20	0.91	1 (5%)	23,32,32	0.75	0
2	I0R	H	601	-	19,26,26	3.71	8 (42%)	24,39,39	2.63	9 (37%)
3	PYR	C	601	5	5,5,5	2.88	3 (60%)	3,6,6	1.68	1 (33%)
3	PYR	G	601	5	5,5,5	2.91	3 (60%)	3,6,6	1.64	1 (33%)
4	FBP	A	603	-	18,20,20	0.89	1 (5%)	23,32,32	0.75	0
4	FBP	D	602	-	18,20,20	0.98	1 (5%)	23,32,32	0.60	0
2	I0R	A	601	-	19,26,26	3.63	7 (36%)	24,39,39	2.58	8 (33%)
4	FBP	B	602	-	18,20,20	0.91	1 (5%)	23,32,32	0.74	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	PYR	B	601	5	5,5,5	2.91	3 (60%)	3,6,6	1.56	1 (33%)
3	PYR	F	602	5	5,5,5	2.90	3 (60%)	3,6,6	1.58	1 (33%)
4	FBP	E	602	-	18,20,20	0.90	1 (5%)	23,32,32	0.74	0
2	I0R	F	601	-	19,26,26	3.67	8 (42%)	24,39,39	2.63	9 (37%)
4	FBP	G	602	-	18,20,20	0.92	1 (5%)	23,32,32	0.77	0
4	FBP	F	603	-	18,20,20	0.90	1 (5%)	23,32,32	0.78	0
2	I0R	D	601	-	19,26,26	3.60	7 (36%)	24,39,39	2.58	8 (33%)
3	PYR	A	602	-	5,5,5	2.91	3 (60%)	3,6,6	1.59	1 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PYR	E	601	5	-	0/4/4/4	-
4	FBP	C	602	-	-	2/13/32/32	0/1/1/1
4	FBP	H	602	-	-	2/13/32/32	0/1/1/1
2	I0R	H	601	-	-	0/4/4/4	0/4/4/4
3	PYR	C	601	5	-	0/4/4/4	-
3	PYR	G	601	5	-	0/4/4/4	-
4	FBP	A	603	-	-	6/13/32/32	0/1/1/1
4	FBP	D	602	-	-	8/13/32/32	0/1/1/1
2	I0R	A	601	-	-	0/4/4/4	0/4/4/4
4	FBP	B	602	-	-	2/13/32/32	0/1/1/1
3	PYR	B	601	5	-	0/4/4/4	-
3	PYR	F	602	5	-	0/4/4/4	-
4	FBP	E	602	-	-	3/13/32/32	0/1/1/1
2	I0R	F	601	-	-	0/4/4/4	0/4/4/4
4	FBP	G	602	-	-	8/13/32/32	0/1/1/1
4	FBP	F	603	-	-	2/13/32/32	0/1/1/1
2	I0R	D	601	-	-	0/4/4/4	0/4/4/4
3	PYR	A	602	-	-	0/4/4/4	-

The worst 5 of 56 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	H	601	I0R	C13-N14	8.96	1.40	1.29
2	F	601	I0R	C13-N14	8.86	1.39	1.29

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	601	IOR	C13-N14	8.76	1.39	1.29
2	D	601	IOR	C13-N14	8.69	1.39	1.29
2	F	601	IOR	C01-C13	-8.14	1.33	1.44

The worst 5 of 40 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	601	IOR	C02-C06-N07	5.50	120.69	113.76
2	F	601	IOR	C02-C06-N07	5.46	120.64	113.76
2	A	601	IOR	C02-C06-N07	5.44	120.61	113.76
2	D	601	IOR	C02-C06-N07	5.35	120.51	113.76
2	F	601	IOR	C17-C16-N07	-5.03	104.79	112.81

There are no chirality outliers.

5 of 33 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	603	FBP	C1-O1-P1-O2P
4	A	603	FBP	C1-O1-P1-O3P
4	A	603	FBP	C4-C5-C6-O6
4	B	602	FBP	C4-C5-C6-O6
4	C	602	FBP	C4-C5-C6-O6


There are no ring outliers.


3 monomers are involved in 4 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	G	601	PYR	2	0
3	B	601	PYR	1	0
4	E	602	FBP	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient


equivalents in the CSD to analyse the geometry.
































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	509/544 (93%)	0.46	68 (13%) 3 4	30, 47, 123, 156	0
1	B	468/544 (86%)	0.38	55 (11%) 4 7	28, 44, 105, 126	0
1	C	446/544 (81%)	0.22	34 (7%) 13 21	28, 43, 87, 114	0
1	D	515/544 (94%)	0.18	43 (8%) 11 16	29, 44, 86, 107	0
1	E	429/544 (78%)	0.54	48 (11%) 5 8	31, 69, 116, 159	0
1	F	518/544 (95%)	0.12	26 (5%) 28 41	27, 44, 80, 130	0
1	G	426/544 (78%)	0.36	38 (8%) 9 14	29, 58, 101, 136	0
1	H	518/544 (95%)	0.06	21 (4%) 37 49	25, 42, 71, 127	0
All	All	3829/4352 (87%)	0.28	333 (8%) 10 15	25, 47, 100, 159	0

The worst 5 of 333 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	246	LEU	10.9
1	C	226	LEU	10.2
1	G	263	GLY	9.1
1	A	187	VAL	9.1
1	A	245	VAL	8.4

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	K	D	604	1/1	0.44	0.40	138,138,138,138	0
3	PYR	G	601	6/6	0.58	0.24	95,97,99,100	0
3	PYR	E	601	6/6	0.74	0.17	99,101,102,102	0
5	MN	F	604	1/1	0.82	0.08	123,123,123,123	0
3	PYR	A	602	6/6	0.82	0.16	60,65,69,72	0
3	PYR	B	601	6/6	0.83	0.20	63,68,75,82	0
5	MN	E	603	1/1	0.86	0.04	123,123,123,123	0
5	MN	G	603	1/1	0.87	0.04	101,101,101,101	0
4	FBP	E	602	20/20	0.89	0.15	49,56,69,70	0
5	MN	A	604	1/1	0.89	0.06	90,90,90,90	0
6	K	A	605	1/1	0.91	0.15	91,91,91,91	0
3	PYR	F	602	6/6	0.91	0.14	89,91,98,110	0
2	I0R	H	601	23/23	0.93	0.15	20,37,46,50	0
5	MN	H	603	1/1	0.93	0.22	94,94,94,94	0
3	PYR	C	601	6/6	0.93	0.17	67,70,77,86	0
4	FBP	G	602	20/20	0.93	0.15	40,52,62,69	0
2	I0R	F	601	23/23	0.94	0.14	28,39,47,48	0
2	I0R	A	601	23/23	0.95	0.12	37,44,47,48	0
5	MN	B	603	1/1	0.95	0.05	73,73,73,73	0
2	I0R	D	601	23/23	0.96	0.13	37,43,47,51	0
5	MN	C	603	1/1	0.97	0.07	61,61,61,61	0
5	MN	D	603	1/1	0.97	0.06	83,83,83,83	0
4	FBP	A	603	20/20	0.97	0.11	39,43,50,53	0
4	FBP	D	602	20/20	0.97	0.12	35,41,48,48	0
4	FBP	F	603	20/20	0.98	0.10	31,37,40,41	0
4	FBP	C	602	20/20	0.98	0.13	33,36,40,40	0
4	FBP	B	602	20/20	0.99	0.12	29,34,37,38	0
4	FBP	H	602	20/20	0.99	0.09	34,40,45,47	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around FBP E 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around IOR H 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FBP G 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around IOR F 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around I0R A 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around I0R D 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FBP A 603:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FBP D 602:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FBP F 603:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FBP C 602:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FBP B 602:

$2mF_o-DF_c$ (at 0.7 rnsd) in gray
 mF_o-DF_c (at 3 rnsd) in purple (negative)
and green (positive)

**Electron density around FBP H 602:**

$2mF_o-DF_c$ (at 0.7 rnsd) in gray
 mF_o-DF_c (at 3 rnsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.