



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 25, 2024 – 10:09 AM EDT

PDB ID : 8TCH  
Title : Initiation of replication protein with helicase activity encoded by Pathogenicity Island SaPIBov1  
Authors : Mir-Sanchis, I.; Rice, P.  
Deposited on : 2023-07-01  
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.13  
EDS : 2.37.1  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.37.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2808 (2.70-2.70)
Clashscore	141614	3122 (2.70-2.70)
Ramachandran outliers	138981	3069 (2.70-2.70)
Sidechain outliers	138945	3069 (2.70-2.70)
RSRZ outliers	127900	2737 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	580	
1	B	580	

## 2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 15038 atoms, of which 7135 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pathogenicity island protein.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	H	N	O	S			
1	A	484	7511	2515	3589	656	740	11	0	0	0
1	B	487	7489	2529	3546	658	746	10	0	0	0

There are 32 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-10	MET	-	initiating methionine	UNP A0A2X2JYA8
A	-9	HIS	-	expression tag	UNP A0A2X2JYA8
A	-8	HIS	-	expression tag	UNP A0A2X2JYA8
A	-7	HIS	-	expression tag	UNP A0A2X2JYA8
A	-6	HIS	-	expression tag	UNP A0A2X2JYA8
A	-5	HIS	-	expression tag	UNP A0A2X2JYA8
A	-4	HIS	-	expression tag	UNP A0A2X2JYA8
A	-3	GLY	-	expression tag	UNP A0A2X2JYA8
A	-2	ARG	-	expression tag	UNP A0A2X2JYA8
A	-1	GLY	-	expression tag	UNP A0A2X2JYA8
A	0	SER	-	expression tag	UNP A0A2X2JYA8
A	350	PRO	GLN	conflict	UNP A0A2X2JYA8
A	462	LEU	ILE	conflict	UNP A0A2X2JYA8
A	474	ALA	VAL	conflict	UNP A0A2X2JYA8
A	548	LYS	ARG	conflict	UNP A0A2X2JYA8
A	555	LEU	PHE	conflict	UNP A0A2X2JYA8
B	-10	MET	-	initiating methionine	UNP A0A2X2JYA8
B	-9	HIS	-	expression tag	UNP A0A2X2JYA8
B	-8	HIS	-	expression tag	UNP A0A2X2JYA8
B	-7	HIS	-	expression tag	UNP A0A2X2JYA8
B	-6	HIS	-	expression tag	UNP A0A2X2JYA8
B	-5	HIS	-	expression tag	UNP A0A2X2JYA8
B	-4	HIS	-	expression tag	UNP A0A2X2JYA8
B	-3	GLY	-	expression tag	UNP A0A2X2JYA8
B	-2	ARG	-	expression tag	UNP A0A2X2JYA8

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	-1	GLY	-	expression tag	UNP A0A2X2JYA8
B	0	SER	-	expression tag	UNP A0A2X2JYA8
B	350	PRO	GLN	conflict	UNP A0A2X2JYA8
B	462	LEU	ILE	conflict	UNP A0A2X2JYA8
B	474	ALA	VAL	conflict	UNP A0A2X2JYA8
B	548	LYS	ARG	conflict	UNP A0A2X2JYA8
B	555	LEU	PHE	conflict	UNP A0A2X2JYA8


- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	15	Total O 15 15	0	0
2	B	23	Total O 23 23	0	0


### 3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Pathogenicity island protein



- Molecule 1: Pathogenicity island protein





## 4 Data and refinement statistics

Property	Value	Source
Space group	H 3	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	115.41Å 115.41Å 310.69Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	47.57 – 2.70 49.34 – 2.70	Depositor EDS
% Data completeness (in resolution range)	99.8 (47.57-2.70) 99.9 (49.34-2.70)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.20 (at 2.69Å)	Xtrriage
Refinement program	PHENIX (1.14_3260: ???)	Depositor
R, $R_{free}$	0.265 , 0.281 0.265 , 0.282	Depositor DCC
$R_{free}$ test set	2077 reflections (4.91%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	70.8	Xtrriage
Anisotropy	0.190	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 51.4	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.031 for -h-k,k,-l	Xtrriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	15038	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	106.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.83% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.27	0/3994	0.48	0/5372
1	B	0.27	0/4016	0.48	1/5401 (0.0%)
All	All	0.27	0/8010	0.48	1/10773 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	87	ASN	C-N-CA	7.43	140.27	121.70

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3922	3589	3940	86	0
1	B	3943	3546	3959	92	0
2	A	15	0	0	2	0
2	B	23	0	0	1	0
All	All	7903	7135	7899	176	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (176) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:210:TYR:HH	1:B:432:HIS:HE2	1.00	0.94
1:A:205:VAL:HG23	1:A:241:THR:HG23	1.54	0.90
1:B:230:ILE:HG22	1:B:347:LEU:HB2	1.56	0.88
1:A:199:ILE:HG23	1:A:202:LEU:HB2	1.56	0.87
1:B:185:LYS:HB3	1:B:369:TYR:CD2	2.13	0.82
1:A:100:ILE:HG23	1:A:128:ILE:HG21	1.62	0.82
1:B:199:ILE:HG23	1:B:202:LEU:HB2	1.63	0.79
1:A:556:GLY:O	1:B:543:ARG:NE	2.16	0.79
1:B:195:VAL:HA	1:B:361:LEU:HD11	1.66	0.77
1:A:464:GLN:HB3	2:A:606:HOH:O	1.83	0.76
1:B:391:PHE:HB2	1:B:419:VAL:HG21	1.65	0.76
1:B:107:LEU:O	1:B:110:VAL:HG23	1.88	0.74
1:A:107:LEU:O	1:A:110:VAL:HG23	1.87	0.73
1:A:391:PHE:HB2	1:A:419:VAL:HG21	1.72	0.72
1:B:192:SER:HB3	1:B:430:PHE:CE2	2.26	0.71
1:B:100:ILE:HG23	1:B:128:ILE:HG21	1.73	0.71
1:A:230:ILE:HG22	1:A:347:LEU:HB2	1.73	0.71
1:B:192:SER:HB2	1:B:429:GLY:O	1.91	0.71
1:B:192:SER:HA	1:B:196:PHE:HB3	1.73	0.70
1:A:199:ILE:HG22	1:A:199:ILE:O	1.90	0.69
1:B:192:SER:HB3	1:B:430:PHE:CZ	2.27	0.69
1:A:192:SER:HA	1:A:196:PHE:HB3	1.75	0.68
1:A:198:GLN:HG3	1:A:361:LEU:HD13	1.75	0.68
1:B:419:VAL:O	1:B:423:VAL:HG23	1.94	0.68
1:B:424:LEU:HD12	1:B:427:ILE:HD12	1.76	0.66
1:A:245:VAL:O	1:A:248:VAL:HG12	1.95	0.66
1:A:443:ASP:HA	1:A:446:VAL:HG12	1.78	0.64
1:A:248:VAL:HG13	1:A:249:TRP:CD1	2.32	0.64
1:B:196:PHE:CE2	1:B:430:PHE:HA	2.32	0.64
1:B:199:ILE:HG22	1:B:199:ILE:O	1.96	0.64
1:A:251:THR:HG22	1:A:369:TYR:CE2	2.33	0.64
1:A:192:SER:HB2	1:A:429:GLY:O	1.98	0.64
1:A:392:GLU:OE1	1:A:396:ARG:NH1	2.30	0.64
1:A:192:SER:HB3	1:A:430:PHE:CZ	2.33	0.63
1:A:492:ARG:NH1	1:A:560:SER:OG	2.32	0.61
1:A:145:ARG:NH2	1:A:317:GLU:O	2.30	0.61
1:B:239:THR:HG23	1:B:280:ASP:OD2	2.00	0.61
1:A:110:VAL:HG12	1:B:97:ALA:HB1	1.83	0.61
1:A:192:SER:HB3	1:A:430:PHE:CE2	2.36	0.60
1:A:507:THR:HG22	1:A:508:HIS:H	1.67	0.59
1:A:205:VAL:CG2	1:A:241:THR:HG23	2.31	0.59
1:B:201:ASP:HA	1:B:437:ILE:HD11	1.84	0.58

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:238:LYS:HE3	1:B:283:ARG:HH12	1.69	0.58
1:B:258:TRP:HZ2	1:B:324:SER:HG	1.51	0.58
1:B:210:TYR:OH	1:B:432:HIS:NE2	2.14	0.58
1:B:203:PRO:HA	1:B:437:ILE:HD12	1.85	0.58
1:B:457:GLN:NE2	1:B:461:GLU:OE2	2.37	0.58
1:B:509:GLU:HB3	1:B:513:ILE:HD13	1.86	0.57
1:A:507:THR:HG22	1:A:508:HIS:N	2.20	0.57
1:B:46:PRO:HA	1:B:54:ASP:HA	1.87	0.57
1:B:443:ASP:HA	1:B:446:VAL:HG12	1.87	0.57
1:B:509:GLU:HB3	1:B:513:ILE:CD1	2.35	0.57
1:B:245:VAL:O	1:B:248:VAL:HG12	2.05	0.57
1:A:376:PHE:CZ	1:A:420:THR:HG23	2.40	0.56
1:A:212:SER:OG	1:A:248:VAL:HG11	2.05	0.56
1:A:62:THR:HG23	1:A:84:PHE:CD1	2.40	0.56
1:A:419:VAL:O	1:A:423:VAL:HG23	2.06	0.56
1:B:201:ASP:C	1:B:437:ILE:HD11	2.26	0.56
1:A:66:ILE:HD11	1:A:128:ILE:HG23	1.88	0.56
1:A:154:ILE:HG21	1:A:168:LEU:HD13	1.88	0.55
1:B:248:VAL:HG13	1:B:249:TRP:CD1	2.42	0.54
1:B:185:LYS:N	1:B:369:TYR:HB2	2.23	0.54
1:A:185:LYS:HB3	1:A:369:TYR:CD2	2.43	0.53
1:B:112:LYS:NZ	2:B:602:HOH:O	2.40	0.53
1:B:185:LYS:HG3	1:B:186:GLY:N	2.24	0.53
1:B:205:VAL:HG23	1:B:241:THR:HG23	1.90	0.53
1:A:199:ILE:HG12	1:A:202:LEU:HD12	1.90	0.53
1:A:469:ASN:OD1	2:A:601:HOH:O	2.19	0.53
1:A:550:GLU:OE1	1:A:550:GLU:N	2.37	0.53
1:B:391:PHE:CB	1:B:419:VAL:HG21	2.37	0.52
1:B:387:TYR:CZ	1:B:423:VAL:HG22	2.45	0.52
1:B:507:THR:HG22	1:B:508:HIS:N	2.25	0.52
1:B:202:LEU:O	1:B:206:MET:HB2	2.10	0.52
1:B:361:LEU:HD12	1:B:364:SER:HB2	1.91	0.51
1:A:149:VAL:HG12	1:A:150:LYS:HG2	1.91	0.51
1:A:201:ASP:HA	1:A:437:ILE:HD11	1.93	0.51
1:A:391:PHE:CB	1:A:419:VAL:HG21	2.38	0.51
1:A:227:ILE:HB	1:A:344:VAL:HG22	1.92	0.51
1:A:148:HIS:O	1:A:273:ASN:ND2	2.39	0.51
1:B:349:ASP:OD1	1:B:448:ASN:ND2	2.44	0.51
1:B:507:THR:HG22	1:B:508:HIS:H	1.76	0.50
1:B:31:GLU:HB2	1:B:44:LEU:HD21	1.93	0.50
1:A:509:GLU:HB3	1:A:513:ILE:HD13	1.92	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:95:VAL:HG21	1:B:100:ILE:HD11	1.93	0.50
1:B:387:TYR:CE1	1:B:423:VAL:HG22	2.47	0.50
1:B:179:ILE:HD11	1:B:271:PHE:HZ	1.77	0.49
1:A:66:ILE:CD1	1:A:128:ILE:HG23	2.42	0.49
1:A:387:TYR:CZ	1:A:423:VAL:HG22	2.47	0.49
1:A:144:THR:HA	1:A:169:PHE:O	2.12	0.49
1:B:372:LEU:HD13	1:B:430:PHE:CE1	2.47	0.49
1:A:243:ASN:HA	1:A:255:ILE:HD11	1.95	0.49
1:B:201:ASP:CA	1:B:437:ILE:HD11	2.43	0.49
1:A:509:GLU:HB3	1:A:513:ILE:CD1	2.43	0.49
1:B:66:ILE:CD1	1:B:128:ILE:HG23	2.43	0.48
1:B:392:GLU:HB3	1:B:396:ARG:HH12	1.78	0.48
1:A:436:LYS:O	1:A:440:GLN:HB2	2.14	0.48
1:B:175:PHE:O	1:B:179:ILE:HG13	2.14	0.47
1:B:199:ILE:HG12	1:B:202:LEU:HD12	1.96	0.47
1:A:211:ALA:HB1	1:A:321:ILE:HG21	1.96	0.47
1:B:66:ILE:HD11	1:B:128:ILE:HG23	1.95	0.47
1:B:376:PHE:CZ	1:B:420:THR:HG23	2.50	0.47
1:B:523:LEU:HA	1:B:546:ALA:O	2.15	0.47
1:A:25:ILE:HG22	1:A:26:ILE:N	2.29	0.47
1:A:196:PHE:CE2	1:A:430:PHE:HA	2.50	0.47
1:A:391:PHE:CA	1:A:419:VAL:HG21	2.44	0.46
1:A:32:ILE:HD13	1:A:63:ILE:HD13	1.96	0.46
1:B:496:CYS:HB2	1:B:535:VAL:HG21	1.97	0.46
1:B:142:VAL:CG1	1:B:169:PHE:HB2	2.46	0.46
1:B:194:LYS:O	1:B:361:LEU:HD13	2.15	0.45
1:B:198:GLN:HG3	1:B:361:LEU:HD13	1.98	0.45
1:A:175:PHE:O	1:A:179:ILE:HG13	2.17	0.45
1:A:62:THR:CG2	1:A:114:LEU:HD12	2.47	0.45
1:A:391:PHE:HA	1:A:419:VAL:HG21	1.98	0.45
1:B:172:ASP:OD1	1:B:174:GLY:N	2.49	0.45
1:A:70:PHE:HB3	1:A:142:VAL:HG21	1.97	0.45
1:B:349:ASP:OD2	1:B:444:SER:OG	2.16	0.45
1:B:436:LYS:O	1:B:440:GLN:HB2	2.17	0.45
1:B:478:TYR:CE1	1:B:561:ASN:HB2	2.51	0.45
1:A:62:THR:HG21	1:A:114:LEU:HD12	1.99	0.45
1:A:372:LEU:HD22	1:A:430:PHE:CE1	2.51	0.45
1:A:185:LYS:HB3	1:A:369:TYR:HB2	1.99	0.45
1:A:387:TYR:CE1	1:A:423:VAL:HG22	2.51	0.45
1:A:202:LEU:HD13	1:A:351:PRO:HB2	1.98	0.45
1:A:95:VAL:HG21	1:A:100:ILE:HD11	1.98	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:453:ASP:CG	1:A:520:LYS:HZ2	2.19	0.44
1:A:244:LEU:O	1:A:244:LEU:HD12	2.18	0.44
1:B:523:LEU:HD12	1:B:523:LEU:O	2.17	0.44
1:A:190:GLY:O	1:A:194:LYS:HB2	2.17	0.44
1:A:25:ILE:CG2	1:A:26:ILE:N	2.80	0.44
1:B:70:PHE:O	1:B:78:VAL:HA	2.18	0.44
1:B:244:LEU:HD12	1:B:244:LEU:O	2.17	0.44
1:A:247:SER:HA	1:A:250:GLY:O	2.18	0.43
1:B:280:ASP:OD1	1:B:281:ASP:N	2.51	0.43
1:B:564:ASN:OD1	1:B:565:PRO:HD2	2.18	0.43
1:B:242:LEU:HD22	1:B:325:THR:HG23	1.99	0.43
1:B:144:THR:HA	1:B:169:PHE:O	2.19	0.43
1:A:69:ARG:HB2	1:A:80:PHE:CE2	2.54	0.43
1:A:195:VAL:HA	1:A:361:LEU:CD1	2.48	0.43
1:A:212:SER:O	1:A:276:PRO:HG3	2.18	0.43
1:A:213:LEU:HD21	1:A:248:VAL:CG2	2.49	0.43
1:A:372:LEU:HD13	1:A:430:PHE:CE1	2.55	0.42
1:B:246:SER:OG	1:B:255:ILE:HD11	2.19	0.42
1:B:255:ILE:HG22	1:B:256:THR:N	2.35	0.42
1:B:496:CYS:CB	1:B:535:VAL:HG21	2.49	0.42
1:A:280:ASP:OD1	1:A:281:ASP:N	2.47	0.42
1:B:502:VAL:HG21	1:B:545:PHE:CD1	2.54	0.42
1:B:198:GLN:CB	1:B:361:LEU:HD22	2.49	0.42
1:B:240:PHE:CE1	1:B:362:ASP:HB2	2.54	0.42
1:B:523:LEU:HD12	1:B:523:LEU:C	2.39	0.42
1:A:185:LYS:HG3	1:A:186:GLY:N	2.35	0.42
1:B:446:VAL:HA	1:B:452:ILE:HD13	2.02	0.42
1:A:223:LEU:HD13	1:A:412:ARG:CB	2.49	0.42
1:B:427:ILE:HG22	1:B:428:ASP:N	2.35	0.42
1:B:195:VAL:HA	1:B:361:LEU:CD1	2.42	0.42
1:A:254:LEU:N	1:A:254:LEU:HD23	2.35	0.41
1:B:110:VAL:HG22	1:B:116:VAL:CG1	2.50	0.41
1:B:272:LEU:O	1:B:274:SER:N	2.53	0.41
1:A:239:THR:HG23	1:A:280:ASP:OD2	2.20	0.41
1:A:523:LEU:HA	1:A:546:ALA:O	2.20	0.41
1:A:31:GLU:HB2	1:A:44:LEU:HD21	2.03	0.41
1:B:149:VAL:HG12	1:B:150:LYS:HG2	2.01	0.41
1:B:211:ALA:HB1	1:B:321:ILE:HG21	2.02	0.41
1:B:273:ASN:C	1:B:273:ASN:HD22	2.24	0.41
1:B:491:LYS:HE3	1:B:536:LYS:O	2.21	0.41
1:A:43:GLN:HB2	1:A:59:ILE:HD11	2.03	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:223:LEU:HD13	1:B:412:ARG:HD2	2.03	0.41
1:B:256:THR:HG22	1:B:257:THR:N	2.35	0.41
1:A:110:VAL:HG22	1:A:116:VAL:CG1	2.51	0.40
1:A:218:LEU:N	1:A:218:LEU:HD23	2.35	0.40
1:A:142:VAL:HG13	1:A:169:PHE:HB2	2.04	0.40
1:B:142:VAL:HG11	1:B:169:PHE:HB2	2.03	0.40
1:B:366:ARG:O	1:B:369:TYR:CE1	2.74	0.40
1:B:242:LEU:HA	1:B:245:VAL:HG22	2.03	0.40
1:A:199:ILE:HG21	1:A:205:VAL:CG1	2.51	0.40
1:A:242:LEU:HA	1:A:245:VAL:HG22	2.02	0.40
1:A:404:ASN:O	1:A:408:GLN:HG3	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	468/580 (81%)	435 (93%)	30 (6%)	3 (1%)	25	50
1	B	469/580 (81%)	435 (93%)	33 (7%)	1 (0%)	47	73
All	All	937/1160 (81%)	870 (93%)	63 (7%)	4 (0%)	34	60

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	273	ASN
1	A	273	ASN
1	A	384	LYS
1	A	199	ILE

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	439/522 (84%)	438 (100%)	1 (0%)	93	98
1	B	442/522 (85%)	439 (99%)	3 (1%)	84	94
All	All	881/1044 (84%)	877 (100%)	4 (0%)	88	96

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	132	LYS
1	B	227	ILE
1	B	273	ASN
1	B	281	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	34	HIS
1	A	189	GLN
1	A	464	GLN
1	B	273	ASN
1	B	368	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	484/580 (83%)	0.51	36 (7%) <b>14</b> <b>12</b>	37, 89, 164, 261	0
1	B	487/580 (83%)	0.65	43 (8%) <b>10</b> <b>8</b>	38, 99, 178, 250	0
All	All	971/1160 (83%)	0.58	79 (8%) <b>12</b> <b>10</b>	37, 93, 172, 261	0

All (79) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	199	ILE	6.2
1	B	567	SER	5.6
1	B	199	ILE	5.5
1	A	187	THR	4.2
1	B	161	MET	4.1
1	A	365	PHE	4.0
1	B	301	GLU	3.9
1	A	161	MET	3.9
1	B	410	LEU	3.8
1	B	406	ILE	3.8
1	B	288	LYS	3.6
1	A	492	ARG	3.6
1	A	351	PRO	3.5
1	A	409	ARG	3.4
1	B	427	ILE	3.4
1	A	169	PHE	3.3
1	B	185	LYS	3.2
1	A	414	PHE	3.2
1	B	368	ASN	3.2
1	B	284	ASN	3.1
1	B	285	THR	3.1
1	A	191	TYR	3.0
1	A	164	SER	3.0
1	A	284	ASN	2.9

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	B	286	HIS	2.9
1	B	418	GLN	2.9
1	A	401	LYS	2.9
1	B	53	PRO	2.9
1	A	369	TYR	2.8
1	A	23	GLN	2.8
1	A	285	THR	2.8
1	A	398	PHE	2.8
1	A	232	GLY	2.8
1	B	282	THR	2.8
1	B	421	GLY	2.7
1	B	26	ILE	2.7
1	B	366	ARG	2.7
1	A	167	LYS	2.7
1	B	414	PHE	2.7
1	A	100	ILE	2.7
1	A	408	GLN	2.6
1	B	152	TYR	2.6
1	A	289	PHE	2.6
1	B	27	PRO	2.6
1	B	565	PRO	2.6
1	A	163	ASP	2.6
1	A	374	LEU	2.6
1	A	288	LYS	2.5
1	A	391	PHE	2.5
1	B	192	SER	2.4
1	B	367	GLU	2.4
1	B	163	ASP	2.4
1	B	265	ILE	2.4
1	A	159	GLU	2.4
1	B	408	GLN	2.3
1	B	197	ALA	2.3
1	A	204	MET	2.3
1	B	54	ASP	2.3
1	B	376	PHE	2.3
1	B	165	ASN	2.3
1	B	88	LYS	2.3
1	A	367	GLU	2.3
1	B	242	LEU	2.3
1	B	299	SER	2.3
1	B	295	TYR	2.3
1	B	563	TYR	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	164	SER	2.2
1	B	561	ASN	2.2
1	B	365	PHE	2.2
1	A	528	LYS	2.2
1	A	72	ASP	2.2
1	A	281	ASP	2.2
1	A	201	ASP	2.1
1	A	397	TYR	2.1
1	A	358	PHE	2.1
1	B	434	HIS	2.0
1	B	191	TYR	2.0
1	B	566	ASN	2.0
1	A	166	VAL	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.