

Full wwPDB X-ray Structure Validation Report (i)

Sep 23, 2023 – 04:32 PM EDT

PDB ID	:	5TI1
Title	:	Crystal Structure of Fumarylacetoacetate hydrolase from Burkholderia xen-
		ovorans LB400
Authors	:	Seattle Structural Genomics Center for Infectious Disease; SSGCID; Seattle
		Structural Genomics Center for Infectious Disease (SSGCID)
Deposited on	:	2016-09-30
Resolution	:	2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.35.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motria	Whole archive	Similar resolution		
wietric	$(\# { m Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$		
R_{free}	130704	8085 (2.00-2.00)		
Clashscore	141614	9178 (2.00-2.00)		
Ramachandran outliers	138981	9054 (2.00-2.00)		
Sidechain outliers	138945	9053 (2.00-2.00)		
RSRZ outliers	127900	7900 (2.00-2.00)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	444	90%	6%	·
1	В	444	93%	•	•
1	С	444	91%	6%	•
1	D	444	92%	•	·
1	Е	444	91%	6%	•



Mol	Chain	Length	Quality of chain	
1	F	444	93%	• •
1	G	444	% 91%	5% •
1	Н	444	93%	• •



2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 29129 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		Atoms					AltConf	Trace
1	Δ	496	Total	С	Ν	Ο	\mathbf{S}	0	19 0	0
1	1 A	420	3304	2081	582	630	11	0	12	0
1	В	420	Total	С	Ν	Ο	S	0	4	0
1	D	429	3289	2072	578	627	12	0	4	0
1	С	420	Total	С	Ν	Ο	S	0	2	0
1	U	429	3251	2050	572	618	11	0	Δ	
1	а	420	Total	С	Ν	0	S	0	3	0
1	D	429	3278	2060	579	628	11			0
1	F	420	Total	С	Ν	Ο	S	0	8	0
1	Ľ	429	3319	2095	582	630	12	0	8	U
1	Б	420	Total	С	Ν	Ο	S	0	5	0
1	Г	429	3297	2075	579	632	11	0	5	0
1	С	420	Total	С	Ν	Ο	S	0	1.4	0
1	G	429	3348	2112	587	638	11	0	14	0
1	1 11	420	Total	С	Ν	Ο	S	0	7	0
1	п	H 430	3318	2092	584	631	11	U	0 7	

• Molecule 1 is a protein called Fumarylacetoacetate hydrolase.

There are 64 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Actual Comment	
А	-7	MET	-	initiating methionine	UNP Q144Z1
А	-6	ALA	-	expression tag	UNP Q144Z1
А	-5	HIS	-	expression tag	UNP Q144Z1
А	-4	HIS	-	expression tag	UNP Q144Z1
A	-3	HIS	-	expression tag	UNP Q144Z1
А	-2	HIS	-	expression tag	UNP Q144Z1
А	-1	HIS	-	expression tag	UNP Q144Z1
А	0	HIS	-	expression tag	UNP Q144Z1
В	-7	MET	-	initiating methionine	UNP Q144Z1
В	-6	ALA	-	expression tag	UNP Q144Z1
В	-5	HIS	-	expression tag	UNP Q144Z1
В	-4	HIS	-	expression tag	UNP Q144Z1
В	-3	HIS	-	expression tag	UNP Q144Z1



Chain	Residue	Modelled	Actual	Comment	Reference
В	-2	HIS	-	expression tag	UNP Q144Z1
В	-1	HIS	-	expression tag	UNP Q144Z1
В	0	HIS	-	expression tag	UNP Q144Z1
С	-7	MET	-	initiating methionine	UNP Q144Z1
С	-6	ALA	-	expression tag	UNP Q144Z1
С	-5	HIS	-	expression tag	UNP Q144Z1
С	-4	HIS	-	expression tag	UNP Q144Z1
С	-3	HIS	-	expression tag	UNP Q144Z1
С	-2	HIS	-	expression tag	UNP Q144Z1
С	-1	HIS	-	expression tag	UNP Q144Z1
С	0	HIS	-	expression tag	UNP Q144Z1
D	-7	MET	-	initiating methionine	UNP Q144Z1
D	-6	ALA	-	expression tag	UNP Q144Z1
D	-5	HIS	-	expression tag	UNP Q144Z1
D	-4	HIS	-	expression tag	UNP Q144Z1
D	-3	HIS	-	expression tag	UNP Q144Z1
D	-2	HIS	-	expression tag	UNP Q144Z1
D	-1	HIS	-	expression tag	UNP Q144Z1
D	0	HIS	-	expression tag	UNP Q144Z1
Е	-7	MET	-	initiating methionine	UNP Q144Z1
Е	-6	ALA	-	expression tag	UNP Q144Z1
Е	-5	HIS	-	expression tag	UNP Q144Z1
Е	-4	HIS	-	expression tag	UNP Q144Z1
Е	-3	HIS	-	expression tag	UNP Q144Z1
Е	-2	HIS	-	expression tag	UNP Q144Z1
Е	-1	HIS	-	expression tag	UNP Q144Z1
Е	0	HIS	-	expression tag	UNP Q144Z1
F	-7	MET	-	initiating methionine	UNP Q144Z1
F	-6	ALA	-	expression tag	UNP Q144Z1
F	-5	HIS	-	expression tag	UNP Q144Z1
F	-4	HIS	-	expression tag	UNP Q144Z1
F	-3	HIS	-	expression tag	UNP Q144Z1
F	-2	HIS	-	expression tag	UNP Q144Z1
F	-1	HIS	_	expression tag	UNP Q144Z1
F	0	HIS	-	expression tag	UNP Q144Z1
G	-7	MET	-	initiating methionine	UNP Q144Z1
G	-6	ALA	-	expression tag	UNP Q144Z1
G	-5	HIS	-	expression tag	UNP Q144Z1
G	-4	HIS	-	expression tag	UNP Q144Z1
G	-3	HIS	-	expression tag	UNP Q144Z1
G	-2	HIS	-	expression tag	UNP Q144Z1
G	-1	HIS	-	expression tag	UNP Q144Z1



57	Π1

Chain	Residue	Modelled	Actual	Comment	Reference
G	0	HIS	-	expression tag	UNP Q144Z1
Н	-7	MET	-	initiating methionine	UNP Q144Z1
Н	-6	ALA	-	expression tag	UNP Q144Z1
Н	-5	HIS	-	expression tag	UNP Q144Z1
Н	-4	HIS	-	expression tag	UNP Q144Z1
Н	-3	HIS	-	expression tag	UNP Q144Z1
Н	-2	HIS	-	expression tag	UNP Q144Z1
Н	-1	HIS	-	expression tag	UNP Q144Z1
Н	0	HIS	_	expression tag	UNP Q144Z1

• Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	1	Total Mg 1 1	0	0
2	В	1	Total Mg 1 1	0	0
2	С	1	Total Mg 1 1	0	0
2	D	1	Total Mg 1 1	0	0
2	Ε	1	Total Mg 1 1	0	0
2	F	1	Total Mg 1 1	0	0
2	G	1	Total Mg 1 1	0	0
2	Н	1	Total Mg 1 1	0	0

• Molecule 3 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	1	Total Na 1 1	0	0
3	В	1	Total Na 1 1	0	0
3	С	1	Total Na 1 1	0	0
3	D	1	Total Na 1 1	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	Е	1	Total Na 1 1	0	0
3	F	1	Total Na 1 1	0	0
3	G	1	Total Na 1 1	0	0
3	Н	1	Total Na 1 1	0	0

• Molecule 4 is NITRATE ION (three-letter code: NO3) (formula: NO_3).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	С	1	TotalNO413	0	0
4	D	1	Total N O 4 1 3	0	0
4	D	1	TotalNO413	0	0
4	Е	1	Total N O 4 1 3	0	0
4	F	1	TotalNO413	0	0
4	G	1	Total N O 4 1 3	0	0
4	Н	1	$\begin{array}{ccc} \text{Total} & \text{N} & \text{O} \\ 4 & 1 & 3 \end{array}$	0	0



• Molecule 5 is PHOSPHATE ION (three-letter code: PO4) (formula: O_4P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	F	1	Total 5	$\begin{array}{c} \mathrm{O} \\ 4 \end{array}$	Р 1	0	0

• Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	А	269	Total O 271 271	0	2
6	В	263	Total O 267 267	0	4
6	С	227	Total O 231 231	0	4
6	D	320	Total O 324 324	0	4
6	Е	381	Total O 385 385	0	4
6	F	385	Total O 391 391	0	6
6	G	373	Total O 374 374	0	1
6	Н	426	Total O 433 433	0	7



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Fumarylacetoacetate hydrolase

• Molecule 1: Fumarylacetoacetate hydrolase





T334 T3365 G397 W414 W414 G423 G423 G423 G423 G423

• Molecule 1: Fumarylacetoacetate hydrolase

Chain F: 93% • •

• Molecule 1: Fumarylacetoacetate hydrolase



P324 C397 C397 C411 M414 M414 6423 C427 C427

• Molecule 1: Fumarylacetoacetate hydrolase

.%																	_
Chain H:						93%	þ									•	•
							••										
MET ALA HIS HIS HIS HIS HIS MET ASN ASN	P13	<mark>S73</mark> THR GLY ALA GLY D78	R94	M97	L1 <mark>26</mark> Q133	F160	P163 K164	R181 C212	H308	<mark>0325</mark>	L392	T399	L411	W414	Y420	G423	C427



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1	Depositor
Cell constants	65.90Å 83.10 Å 186.29 Å	Deperitor
a, b, c, α , β , γ	101.63° 91.17° 113.81°	Depositor
$\mathbf{P}_{\text{assolution}}(\hat{\mathbf{A}})$	40.31 - 2.00	Depositor
Resolution (A)	48.70 - 2.00	EDS
% Data completeness	95.5 (40.31-2.00)	Depositor
(in resolution range)	95.6 (48.70-2.00)	EDS
R_{merge}	0.05	Depositor
R _{sym}	0.07	Depositor
$< I/\sigma(I) > 1$	2.44 (at 2.00Å)	Xtriage
Refinement program	PHENIX (dev_2499: ???)	Depositor
P. P.	0.154 , 0.199	Depositor
n, n_{free}	0.154 , 0.199	DCC
R_{free} test set	2001 reflections (0.88%)	wwPDB-VP
Wilson B-factor $(Å^2)$	22.9	Xtriage
Anisotropy	0.747	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.32, 58.9	EDS
L-test for $twinning^2$	$< L >=0.49, < L^2>=0.32$	Xtriage
Estimated twinning fraction	0.027 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	29129	wwPDB-VP
Average B, all atoms $(Å^2)$	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 19.61% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: NA, NO3, PO4, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bo	ond angles
1VIOI		RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.34	0/3397	0.54	0/4623
1	В	0.33	0/3377	0.54	0/4601
1	С	0.33	0/3333	0.52	0/4545
1	D	0.35	0/3361	0.54	0/4579
1	Е	0.37	0/3419	0.57	0/4656
1	F	0.38	0/3386	0.56	0/4612
1	G	0.36	0/3451	0.55	0/4700
1	Н	0.40	0/3415	0.58	1/4651~(0.0%)
All	All	0.36	0/27139	0.55	1/36967~(0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Atoms Z		$Ideal(^{o})$
1	Н	181	ARG	NE-CZ-NH2	-5.49	117.56	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	3304	0	3202	14	0
1	В	3289	0	3181	8	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	С	3251	0	3124	13	0
1	D	3278	0	3167	11	0
1	Е	3319	0	3235	14	0
1	F	3297	0	3199	8	0
1	G	3348	0	3251	11	0
1	Н	3318	0	3226	9	0
2	А	1	0	0	0	0
2	В	1	0	0	0	0
2	С	1	0	0	0	0
2	D	1	0	0	0	0
2	Е	1	0	0	0	0
2	F	1	0	0	0	0
2	G	1	0	0	0	0
2	Н	1	0	0	0	0
3	А	1	0	0	0	0
3	В	1	0	0	0	0
3	С	1	0	0	0	0
3	D	1	0	0	0	0
3	Е	1	0	0	0	0
3	F	1	0	0	0	0
3	G	1	0	0	0	0
3	Н	1	0	0	0	0
4	С	4	0	0	0	0
4	D	8	0	0	0	0
4	Е	4	0	0	0	0
4	F	4	0	0	0	0
4	G	4	0	0	0	0
4	Н	4	0	0	0	0
5	F	5	0	0	0	0
6	А	271	0	0	2	0
6	В	267	0	0	0	0
6	С	231	0	0	1	0
6	D	324	0	0	1	0
6	Е	385	0	0	1	0
6	F	391	0	0	1	0
6	G	374	0	0	1	0
6	Н	433	0	0	3	0
All	All	29129	0	25585	88	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (88) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.



Atom_1	Atom_2	Interatomic	Clash
Atom	Atom-2	distance (Å)	overlap (Å)
1:E:25:PRO:O	6:E:601:HOH:O	1.80	0.99
1:A:324:PRO:HG2	1:A:397[B]:GLY:HA3	1.82	0.62
1:E:20:GLU:OE2	1:E:110[B]:ARG:NH2	2.35	0.60
1:B:414:TRP:HA	1:B:423:GLY:HA2	1.86	0.57
1:A:94:ARG:NH1	6:A:608:HOH:O	2.36	0.56
1:C:201:LEU:HB2	1:C:204:GLN:HG3	1.87	0.56
1:D:319:GLU:HG2	1:D:335:ARG:HG2	1.87	0.56
1:A:414:TRP:HA	1:A:423:GLY:HA2	1.88	0.56
1:A:193[B]:ARG:HD3	1:A:435:LEU:HG	1.87	0.55
1:A:217:ILE:HG23	1:A:403:ILE:HD11	1.88	0.55
1:F:411:LEU:HB2	1:F:427:CYS:HB3	1.90	0.53
1:A:55:ASP:HB2	6:A:741:HOH:O	2.08	0.53
1:C:28:ASP:OD1	1:C:423:GLY:HA3	2.09	0.52
1:B:217:ILE:HG23	1:B:403:ILE:HD11	1.91	0.52
1:D:94:ARG:HA	1:D:97:TRP:CD2	2.45	0.51
1:G:324:PRO:HG2	1:G:397[A]:GLY:HA3	1.92	0.51
1:H:13:PRO:HB3	1:H:420:TYR:CE1	2.46	0.51
1:C:145:ASP:HB3	1:C:178:TYR:CE1	2.46	0.51
1:E:94:ARG:HA	1:E:97:TRP:CE3	2.46	0.50
1:A:94:ARG:HA	1:A:97:TRP:CD2	2.47	0.50
1:G:217:ILE:HG23	1:G:403:ILE:HD11	1.94	0.49
1:E:414:TRP:HA	1:E:423:GLY:HA2	1.95	0.49
1:F:414:TRP:HA	1:F:423:GLY:HA2	1.95	0.49
1:A:145:ASP:HB3	1:A:178:TYR:CE1	2.48	0.49
1:C:414:TRP:HA	1:C:423:GLY:HA2	1.94	0.49
1:D:257:ASP:OD1	1:D:257:ASP:N	2.47	0.48
1:G:147:TYR:CD2	1:G:176:ILE:HD11	2.49	0.48
1:H:94:ARG:HA	1:H:97:TRP:CD2	2.48	0.48
1:D:414:TRP:HA	1:D:423:GLY:HA2	1.96	0.48
1:C:217:ILE:HG23	1:C:403:ILE:HD11	1.96	0.48
1:G:411:LEU:HB2	1:G:427:CYS:HB3	1.95	0.48
1:H:94:ARG:HA	1:H:97:TRP:CE3	2.49	0.47
1:F:94:ARG:HA	1:F:97:TRP:CD2	2.49	0.47
1:D:47[B]:ARG:HG2	1:D:135:HIS:CD2	2.49	0.47
1:G:94:ARG:HA	1:G:97:TRP:CE3	2.49	0.47
1:H:411:LEU:HB2	1:H:427:CYS:HB3	1.97	0.46
1:E:94:ARG:HA	1:E:97:TRP:CD2	2.50	0.46
1:E:160:PHE:HE2	1:E:260:GLN:HE22	1.62	0.46
1:A:306:LEU:HD21	1:A:351:HIS:HB2	1.97	0.46
1:G:84[B]:ASP:OD1	1:G:139[B]:GLN:NE2	2.48	0.46
1:C:319:GLU:HG2	1:C:335:ARG:HG2	1.98	0.46
1:A:13:PRO:HB3	1:A:420:TYR:CE1	2.51	0.46



Atom-1	Atom-2	Interatomic	Clash
	Atom-2	distance (Å)	overlap (Å)
1:B:94:ARG:HA	1:B:97:TRP:CD2	2.51	0.46
1:E:411:LEU:HB2	1:E:427:CYS:HB3	1.97	0.45
1:D:268:PRO:HB2	1:D:272:LYS:HG3	1.98	0.45
1:C:320:VAL:HB	1:C:334:THR:HG22	1.99	0.45
1:B:145:ASP:HB3	1:B:178:TYR:CE1	2.52	0.45
1:H:3:ALA:N	6:H:616:HOH:O	2.50	0.45
1:E:269:PHE:O	1:E:273:THR:HG23	2.17	0.44
1:D:94:ARG:HA	1:D:97:TRP:CE3	2.53	0.44
1:D:150:LYS:HG3	1:D:167:LEU:HD11	1.99	0.44
1:A:200:LYS:HE2	1:A:205:GLU:O	2.18	0.43
1:C:33:ASN:HB3	6:C:611:HOH:O	2.18	0.43
1:C:411:LEU:HB2	1:C:427:CYS:HB3	2.00	0.43
1:G:185:VAL:HA	1:G:276:THR:O	2.19	0.43
1:F:198:GLN:HG3	6:F:715:HOH:O	2.17	0.43
1:E:41:ASP:OD2	1:E:48:ARG:NH2	2.43	0.43
1:F:145:ASP:HB3	1:F:178:TYR:CE1	2.54	0.43
1:B:374:THR:OG1	1:B:376:ASP:OD1	2.20	0.43
1:F:94:ARG:HA	1:F:97:TRP:CE3	2.54	0.43
1:C:94:ARG:HA	1:C:97:TRP:CD2	2.54	0.42
1:C:316:ILE:HG12	1:C:415:CYS:SG	2.59	0.42
1:E:257:ASP:OD1	1:E:257:ASP:N	2.52	0.42
1:A:436:LYS:HB2	1:A:436:LYS:HE2	1.78	0.42
1:F:324:PRO:HG2	1:F:397:GLY:HA3	2.02	0.42
1:H:414:TRP:HA	1:H:423:GLY:HA2	2.02	0.42
1:B:264:VAL:HA	1:B:265:PRO:HA	1.81	0.42
1:D:110:ARG:HD3	6:D:856:HOH:O	2.20	0.41
1:G:6:ASP:O	1:G:10:THR:HG23	2.19	0.41
1:A:257:ASP:OD1	1:A:257:ASP:N	2.53	0.41
1:A:145:ASP:HB3	1:A:178:TYR:CZ	2.56	0.41
1:H:325:GLN:HG3	6:H:830:HOH:O	2.20	0.41
1:B:291:PHE:CD1	1:B:415:CYS:HB3	2.54	0.41
1:G:145:ASP:HB3	1:G:178:TYR:CE1	2.55	0.41
1:H:392:LEU:O	1:H:399:THR:HA	2.20	0.41
1:E:145:ASP:HB3	1:E:178:TYR:CE1	2.56	0.41
1:E:200:LYS:HE2	1:E:205:GLU:O	2.20	0.41
1:B:269:PHE:O	1:B:273:THR:HG23	2.21	0.41
1:E:320:VAL:HB	1:E:334:THR:HG22	2.02	0.41
1:G:414:TRP:HA	1:G:423:GLY:HA2	2.04	0.40
1:C:333:ILE:HD12	1:C:381:LEU:HD21	2.02	0.40
1:D:185:VAL:HA	1:D:276:THR:O	2.22	0.40
1:E:147:TYR:CD2	1:E:176:ILE:HD11	2.56	0.40



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:133[B]:GLN:HG3	6:H:919:HOH:O	2.22	0.40
1:F:185:VAL:HA	1:F:276:THR:O	2.21	0.40
1:G:293[A]:VAL:HG21	6:G:728:HOH:O	2.20	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	432/444~(97%)	415 (96%)	17 (4%)	0	100	100
1	В	429/444~(97%)	415 (97%)	14 (3%)	0	100	100
1	С	427/444~(96%)	413 (97%)	14 (3%)	0	100	100
1	D	428/444~(96%)	413 (96%)	15 (4%)	0	100	100
1	Ε	433/444~(98%)	418 (96%)	15 (4%)	0	100	100
1	F	430/444~(97%)	415 (96%)	15 (4%)	0	100	100
1	G	439/444~(99%)	419 (95%)	20 (5%)	0	100	100
1	Η	433/444 (98%)	416 (96%)	17 (4%)	0	100	100
All	All	3451/3552~(97%)	3324 (96%)	127 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.



57	ד1
U L	- 1 1

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	А	346/362~(96%)	339~(98%)	7(2%)	55	58
1	В	346/362~(96%)	344~(99%)	2(1%)	86	90
1	\mathbf{C}	337/362~(93%)	333~(99%)	4 (1%)	71	76
1	D	345/362~(95%)	342~(99%)	3~(1%)	78	83
1	Ε	351/362~(97%)	348~(99%)	3~(1%)	78	83
1	F	349/362~(96%)	346~(99%)	3~(1%)	78	83
1	G	352/362~(97%)	349~(99%)	3~(1%)	78	83
1	Н	350/362~(97%)	346 (99%)	4 (1%)	73	78
All	All	2776/2896~(96%)	2747 (99%)	29 (1%)	73	81

All (29) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	79	SER
1	А	126	LEU
1	А	160	PHE
1	А	212	CYS
1	А	308	HIS
1	А	365	MET
1	А	436	LYS
1	В	160	PHE
1	В	308	HIS
1	С	158	SER
1	С	204	GLN
1	С	212	CYS
1	С	308	HIS
1	D	257	ASP
1	D	308	HIS
1	D	392	LEU
1	Е	71	VAL
1	Ε	308	HIS
1	Е	365	MET
1	F	4	SER
1	F	212	CYS
1	F	308	HIS
1	G	71	VAL
1	G	212	CYS
1	G	308	HIS
1	Н	126	LEU
1	Н	212	CYS



Continued from previous page...

Mol	Chain	Res	Type
1	Н	308	HIS
1	Н	392	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	D	204	GLN
1	F	165	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 24 ligands modelled in this entry, 16 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	True	Tune Chain Des Link		Tinle	B	ond leng	\mathbf{gths}	Bond angles		
IVIOI	Type	Unam	nes	LIIIK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2
4	NO3	G	503	-	1,3,3	0.66	0	0,3,3	-	-
4	NO3	Н	503	-	1,3,3	0.76	0	0,3,3	-	-
4	NO3	Е	503	-	1,3,3	0.79	0	0,3,3	-	-
4	NO3	С	503	-	1,3,3	0.73	0	0,3,3	-	-
4	NO3	D	503	-	1,3,3	0.73	0	0,3,3	-	-



Mal Truna Chair		Chain	Chain Bog		in Dog	Tink	B	ond leng	gths	E	Bond ang	gles
MOI	туре	Unain	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2		
4	NO3	F	504	-	1,3,3	0.66	0	0,3,3	-	-		
5	PO4	F	503	-	4,4,4	0.90	0	$6,\!6,\!6$	0.46	0		
4	NO3	D	504	-	1,3,3	0.78	0	0,3,3	-	-		

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$\langle RSRZ \rangle$	#RSRZ>2		$\mathbf{OWAB}(\mathrm{\AA}^2)$	Q<0.9
1	А	426/444~(95%)	-0.18	16 (3%) 40 3	39	17, 38, 69, 90	0
1	В	429/444~(96%)	-0.31	6 (1%) 75 74	4	20, 40, 65, 86	0
1	С	429/444~(96%)	-0.07	21 (4%) 29 2	28	20,41,75,92	0
1	D	429/444~(96%)	-0.43	1 (0%) 95 94	4	19, 32, 53, 77	0
1	Ε	429/444~(96%)	-0.50	1 (0%) 95 94	4	13, 26, 49, 69	0
1	F	429/444~(96%)	-0.56	0 100 100		14, 26, 49, 78	0
1	G	429/444~(96%)	-0.47	4 (0%) 84 83	3	13, 28, 52, 83	0
1	Н	430/444~(96%)	-0.49	4 (0%) 84 83	3	13, 24, 48, 86	0
All	All	3430/3552~(96%)	-0.38	53 (1%) 73 7	2	13, 31, 62, 92	0

All (53) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	А	115	LEU	4.0
1	С	126	LEU	3.9
1	А	160	PHE	3.9
1	С	166	ALA	3.8
1	С	4	SER	3.7
1	А	154	THR	3.7
1	Н	160	PHE	3.6
1	С	66	ALA	3.5
1	С	158	SER	3.5
1	С	163	PRO	3.4
1	С	69	LEU	3.4
1	С	165	ASN	3.3
1	С	160	PHE	3.3
1	С	164	LYS	3.3
1	А	386	TRP	3.2
1	С	78	ASP	3.1



Mol	Chain	Res	Type	RSRZ
1	С	68	LEU	2.9
1	Н	164	LYS	2.9
1	Н	163	PRO	2.8
1	В	73	SER	2.8
1	А	67	GLY	2.7
1	А	68	LEU	2.7
1	С	104	LEU	2.6
1	А	66	ALA	2.6
1	А	121	LEU	2.6
1	В	109	SER	2.6
1	В	4	SER	2.6
1	С	124	ARG	2.6
1	С	111	ASP	2.5
1	С	115	LEU	2.6
1	А	5	SER	2.5
1	А	167	LEU	2.4
1	С	43	LEU	2.4
1	А	114	THR	2.4
1	G	4	SER	2.4
1	В	160	PHE	2.3
1	Е	397	GLY	2.3
1	А	165	ASN	2.2
1	С	42	GLY	2.2
1	G	162	ASP	2.2
1	Н	78	ASP	2.2
1	А	4	SER	2.2
1	А	166	ALA	2.1
1	С	67	GLY	2.1
1	В	386[A]	TRP	2.1
1	А	70	SER	2.1
1	С	70	SER	2.1
1	В	78	ASP	2.1
1	D	78	ASP	2.1
1	C	45	ALA	2.1
1	G	164	LYS	2.1
1	G	160	PHE	2.0
1	A	157	GLY	2.0

Continued from previous page...

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(A^2)$	Q<0.9
4	NO3	С	503	4/4	0.78	0.15	75,75,76,77	0
4	NO3	D	503	4/4	0.78	0.14	64,65,65,66	0
4	NO3	Н	503	4/4	0.89	0.20	62,64,65,65	0
4	NO3	Е	503	4/4	0.90	0.10	$55,\!58,\!59,\!59$	0
4	NO3	G	503	4/4	0.92	0.23	73,74,74,74	0
4	NO3	F	504	4/4	0.92	0.10	70,71,71,72	0
5	PO4	F	503	5/5	0.95	0.08	69,73,75,76	0
4	NO3	D	504	4/4	0.96	0.11	50,53,53,54	0
2	MG	D	501	1/1	0.97	0.06	34,34,34,34	0
3	NA	С	502	1/1	0.97	0.10	20,20,20,20	1
3	NA	D	502	1/1	0.99	0.11	20,20,20,20	0
3	NA	Е	502	1/1	0.99	0.11	21,21,21,21	1
3	NA	F	502	1/1	0.99	0.10	18,18,18,18	0
3	NA	Н	502	1/1	0.99	0.13	17,17,17,17	1
2	MG	С	501	1/1	0.99	0.03	32,32,32,32	0
2	MG	А	501	1/1	0.99	0.05	28,28,28,28	0
2	MG	Е	501	1/1	0.99	0.04	23,23,23,23	0
2	MG	F	501	1/1	0.99	0.05	21,21,21,21	0
2	MG	Н	501	1/1	0.99	0.04	22,22,22,22	0
3	NA	А	502	1/1	0.99	0.08	23,23,23,23	0
3	NA	В	502	1/1	0.99	0.06	22,22,22,22	1
2	MG	В	501	1/1	0.99	0.05	28,28,28,28	0
3	NA	G	502	1/1	1.00	0.11	18,18,18,18	0
2	MG	G	501	1/1	1.00	0.05	21,21,21,21	0

6.5 Other polymers (i)

There are no such residues in this entry.

