

wwPDB X-ray Structure Validation Summary Report (i)

Jul 29, 2024 – 02:46 PM EDT

PDB ID	:	8TNF
Title	:	Crystal structure of sulfohexulose-1-phosphate aldolase from Paracoccus
		onubensis strain Merri
Authors	:	Lee, M.
Deposited on	:	2023-08-01
Resolution	:	2.50 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.37.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY\;DIFFRACTION$

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${ig } {{\rm Similar resolution}} \ (\#{ m Entries, resolution range}({ m \AA}))$	
R _{free}	130704	4661 (2.50-2.50)	
Clashscore	141614	5346 (2.50-2.50)	
Ramachandran outliers	138981	5231 (2.50-2.50)	
Sidechain outliers	138945	5233 (2.50-2.50)	
RSRZ outliers	127900	4559 (2.50-2.50)	

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
- 1		0.00	<u>6%</u>		
	A	362	82%	10%	8%
			6%		
1	В	362	83%	10%	7%
			2%		
1	С	362	84%	7%	8%
			5%		
1	D	362	80%	12%	• 8%
			9%		
1	E	362	81%	10%	• 9%



Mol	Chain	Length	Quality of chain			
1	F	362	80%	11%	·	8%
1	G	362	8%	10%	•	9%
1	Н	362	82%	9%	•	9%



2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 21084 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	Δ	224	Total	С	Ν	0	S	0	0	0
1	A	- 334	2586	1637	457	483	9	0	0	0
1	р	220	Total	С	Ν	0	S	0	0	0
1	D		2615	1654	461	491	9	0	0	0
1	С	220	Total	С	Ν	0	S	0	0	0
1	U	552	2573	1630	455	479	9	0	0	0
1	Л	224	Total	С	Ν	0	S	0	0	0
1	D		2577	1631	456	482	8	0	0	0
1	F	221	Total	С	Ν	0	S	0	0	0
1	Ľ		2556	1618	451	478	9	0	0	0
1	Б	220	Total	С	Ν	0	S	0	0	0
1	Г	552	2573	1630	455	479	9	0	0	0
1	С	221	Total	С	Ν	0	S	0	0	0
1	G		2568	1627	454	478	9	0	0	0
1	ц	221	Total	С	Ν	0	S	0	0	0
1	п	001	2552	1618	450	475	9		U	U

• Molecule 1 is a protein called DUF2090 domain-containing protein.

There are 160 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	-16	MET	-	expression tag	UNP A0A418T8G4
А	-15	GLY	-	expression tag	UNP A0A418T8G4
А	-14	SER	-	expression tag	UNP A0A418T8G4
А	-13	SER	-	expression tag	UNP A0A418T8G4
А	-12	HIS	-	expression tag	UNP A0A418T8G4
А	-11	HIS	-	expression tag	UNP A0A418T8G4
А	-10	HIS	-	expression tag	UNP A0A418T8G4
А	-9	HIS	-	expression tag	UNP A0A418T8G4
А	-8	HIS	-	expression tag	UNP A0A418T8G4
А	-7	HIS	-	expression tag	UNP A0A418T8G4
А	-6	GLU	-	expression tag	UNP A0A418T8G4
A	-5	ASN	-	expression tag	UNP A0A418T8G4
A	-4	LEU	_	expression tag	UNP A0A418T8G4



Chain	Residue	Modelled	Actual	Comment	Reference
А	-3	TYR	-	expression tag	UNP A0A418T8G4
А	-2	PHE	-	expression tag	UNP A0A418T8G4
А	-1	GLN	-	expression tag	UNP A0A418T8G4
А	0	GLY	_	expression tag	UNP A0A418T8G4
А	47	GLU	LYS	conflict	UNP A0A418T8G4
А	240	VAL	LEU	conflict	UNP A0A418T8G4
А	297	GLU	ASP	conflict	UNP A0A418T8G4
В	-16	MET	-	expression tag	UNP A0A418T8G4
В	-15	GLY	_	expression tag	UNP A0A418T8G4
В	-14	SER	-	expression tag	UNP A0A418T8G4
В	-13	SER	-	expression tag	UNP A0A418T8G4
В	-12	HIS	-	expression tag	UNP A0A418T8G4
В	-11	HIS	_	expression tag	UNP A0A418T8G4
В	-10	HIS	_	expression tag	UNP A0A418T8G4
В	-9	HIS	_	expression tag	UNP A0A418T8G4
В	-8	HIS	_	expression tag	UNP A0A418T8G4
В	-7	HIS	-	expression tag	UNP A0A418T8G4
В	-6	GLU	-	expression tag	UNP A0A418T8G4
В	-5	ASN	-	expression tag	UNP A0A418T8G4
В	-4	LEU	-	expression tag	UNP A0A418T8G4
В	-3	TYR	_	expression tag	UNP A0A418T8G4
В	-2	PHE	-	expression tag	UNP A0A418T8G4
В	-1	GLN	-	expression tag	UNP A0A418T8G4
В	0	GLY	-	expression tag	UNP A0A418T8G4
В	47	GLU	LYS	conflict	UNP A0A418T8G4
В	240	VAL	LEU	conflict	UNP A0A418T8G4
В	297	GLU	ASP	conflict	UNP A0A418T8G4
С	-16	MET	-	expression tag	UNP A0A418T8G4
С	-15	GLY	-	expression tag	UNP A0A418T8G4
С	-14	SER	-	expression tag	UNP A0A418T8G4
C	-13	SER	-	expression tag	UNP A0A418T8G4
С	-12	HIS	-	expression tag	UNP A0A418T8G4
С	-11	HIS	-	expression tag	UNP A0A418T8G4
С	-10	HIS	-	expression tag	UNP A0A418T8G4
С	-9	HIS	-	expression tag	UNP A0A418T8G4
С	-8	HIS	-	expression tag	UNP A0A418T8G4
С	-7	HIS	-	expression tag	UNP A0A418T8G4
С	-6	GLU	-	expression tag	UNP A0A418T8G4
C	-5	ASN	_	expression tag	UNP A0A418T8G4
С	-4	LEU	-	expression tag	UNP A0A418T8G4
С	-3	TYR	-	expression tag	UNP A0A418T8G4
С	-2	PHE	-	expression tag	UNP A0A418T8G4

Continued from previous page...



Chain	Residue	Modelled	Actual	Comment	Reference
С	-1	GLN	-	expression tag	UNP A0A418T8G4
С	0	GLY	-	expression tag	UNP A0A418T8G4
С	47	GLU	LYS	conflict	UNP A0A418T8G4
С	240	VAL	LEU	conflict	UNP A0A418T8G4
С	297	GLU	ASP	conflict	UNP A0A418T8G4
D	-16	MET	-	expression tag	UNP A0A418T8G4
D	-15	GLY	-	expression tag	UNP A0A418T8G4
D	-14	SER	-	expression tag	UNP A0A418T8G4
D	-13	SER	-	expression tag	UNP A0A418T8G4
D	-12	HIS	-	expression tag	UNP A0A418T8G4
D	-11	HIS	-	expression tag	UNP A0A418T8G4
D	-10	HIS	-	expression tag	UNP A0A418T8G4
D	-9	HIS	-	expression tag	UNP A0A418T8G4
D	-8	HIS	-	expression tag	UNP A0A418T8G4
D	-7	HIS	-	expression tag	UNP A0A418T8G4
D	-6	GLU	-	expression tag	UNP A0A418T8G4
D	-5	ASN	-	expression tag	UNP A0A418T8G4
D	-4	LEU	-	expression tag	UNP A0A418T8G4
D	-3	TYR	_	expression tag	UNP A0A418T8G4
D	-2	PHE	-	expression tag	UNP A0A418T8G4
D	-1	GLN	-	expression tag	UNP A0A418T8G4
D	0	GLY	-	expression tag	UNP A0A418T8G4
D	47	GLU	LYS	conflict	UNP A0A418T8G4
D	240	VAL	LEU	conflict	UNP A0A418T8G4
D	297	GLU	ASP	conflict	UNP A0A418T8G4
Е	-16	MET	-	expression tag	UNP A0A418T8G4
Е	-15	GLY	-	expression tag	UNP A0A418T8G4
Е	-14	SER	-	expression tag	UNP A0A418T8G4
Е	-13	SER	-	expression tag	UNP A0A418T8G4
Е	-12	HIS	-	expression tag	UNP A0A418T8G4
Е	-11	HIS	-	expression tag	UNP A0A418T8G4
Е	-10	HIS	-	expression tag	UNP A0A418T8G4
Е	-9	HIS	_	expression tag	UNP A0A418T8G4
Е	-8	HIS	_	expression tag	UNP A0A418T8G4
Е	-7	HIS	-	expression tag	UNP A0A418T8G4
Е	-6	GLU	-	expression tag	UNP A0A418T8G4
Е	-5	ASN	-	expression tag	UNP A0A418T8G4
Е	-4	LEU	-	expression tag	UNP A0A418T8G4
Е	-3	TYR	-	expression tag	UNP A0A418T8G4
Е	-2	PHE	-	expression tag	UNP A0A418T8G4
Е	-1	GLN	-	expression tag	UNP A0A418T8G4
Е	0	GLY	-	expression tag	UNP A0A418T8G4



Chain	Residue	Modelled	Actual	Comment	Reference
Е	47	GLU	LYS	conflict	UNP A0A418T8G4
Е	240	VAL	LEU	conflict	UNP A0A418T8G4
Е	297	GLU	ASP	conflict	UNP A0A418T8G4
F	-16	MET	-	expression tag	UNP A0A418T8G4
F	-15	GLY	-	expression tag	UNP A0A418T8G4
F	-14	SER	-	expression tag	UNP A0A418T8G4
F	-13	SER	-	expression tag	UNP A0A418T8G4
F	-12	HIS	-	expression tag	UNP A0A418T8G4
F	-11	HIS	-	expression tag	UNP A0A418T8G4
F	-10	HIS	-	expression tag	UNP A0A418T8G4
F	-9	HIS	-	expression tag	UNP A0A418T8G4
F	-8	HIS	-	expression tag	UNP A0A418T8G4
F	-7	HIS	-	expression tag	UNP A0A418T8G4
F	-6	GLU	-	expression tag	UNP A0A418T8G4
F	-5	ASN	-	expression tag	UNP A0A418T8G4
F	-4	LEU	-	expression tag	UNP A0A418T8G4
F	-3	TYR	-	expression tag	UNP A0A418T8G4
F	-2	PHE	-	expression tag	UNP A0A418T8G4
F	-1	GLN	-	expression tag	UNP A0A418T8G4
F	0	GLY	-	expression tag	UNP A0A418T8G4
F	47	GLU	LYS	conflict	UNP A0A418T8G4
F	240	VAL	LEU	conflict	UNP A0A418T8G4
F	297	GLU	ASP	conflict	UNP A0A418T8G4
G	-16	MET	-	expression tag	UNP A0A418T8G4
G	-15	GLY	-	expression tag	UNP A0A418T8G4
G	-14	SER	-	expression tag	UNP A0A418T8G4
G	-13	SER	-	expression tag	UNP A0A418T8G4
G	-12	HIS	-	expression tag	UNP A0A418T8G4
G	-11	HIS	-	expression tag	UNP A0A418T8G4
G	-10	HIS	-	expression tag	UNP A0A418T8G4
G	-9	HIS	-	expression tag	UNP A0A418T8G4
G	-8	HIS	-	expression tag	UNP A0A418T8G4
G	-7	HIS	-	expression tag	UNP A0A418T8G4
G	-6	GLU	-	expression tag	UNP A0A418T8G4
G	-5	ASN	-	expression tag	UNP A0A418T8G4
G	-4	LEU	-	expression tag	UNP A0A418T8G4
G	-3	TYR	-	expression tag	UNP A0A418T8G4
G	-2	PHE	-	expression tag	UNP A0A418T8G4
G	-1	GLN	-	expression tag	UNP A0A418T8G4
G	0	GLY	-	expression tag	UNP A0A418T8G4
G	47	GLU	LYS	$\operatorname{conflict}$	UNP A0A418T8G4
G	240	VAL	LEU	conflict	UNP A0A418T8G4



Chain	Residue	Modelled	Actual	Comment	Reference
G	297	GLU	ASP	conflict	UNP A0A418T8G4
Н	-16	MET	-	expression tag	UNP A0A418T8G4
Н	-15	GLY	-	expression tag	UNP A0A418T8G4
Н	-14	SER	-	expression tag	UNP A0A418T8G4
Н	-13	SER	-	expression tag	UNP A0A418T8G4
Н	-12	HIS	-	expression tag	UNP A0A418T8G4
Н	-11	HIS	-	expression tag	UNP A0A418T8G4
Н	-10	HIS	-	expression tag	UNP A0A418T8G4
Н	-9	HIS	-	expression tag	UNP A0A418T8G4
Н	-8	HIS	-	expression tag	UNP A0A418T8G4
Н	-7	HIS	-	expression tag	UNP A0A418T8G4
Н	-6	GLU	-	expression tag	UNP A0A418T8G4
Н	-5	ASN	-	expression tag	UNP A0A418T8G4
Н	-4	LEU	-	expression tag	UNP A0A418T8G4
Н	-3	TYR	-	expression tag	UNP A0A418T8G4
Н	-2	PHE	-	expression tag	UNP A0A418T8G4
Н	-1	GLN	-	expression tag	UNP A0A418T8G4
Н	0	GLY	-	expression tag	UNP A0A418T8G4
Н	47	GLU	LYS	conflict	UNP A0A418T8G4
Н	240	VAL	LEU	conflict	UNP A0A418T8G4
Н	297	GLU	ASP	conflict	UNP A0A418T8G4

• Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	59	Total O 59 59	0	0
2	В	57	$\begin{array}{cc} \text{Total} & \text{O} \\ 57 & 57 \end{array}$	0	0
2	С	77	Total O 77 77	0	0
2	D	86	Total O 86 86	0	0
2	Е	56	$\begin{array}{cc} {\rm Total} & {\rm O} \\ 56 & 56 \end{array}$	0	0
2	F	65	$\begin{array}{cc} \text{Total} & \text{O} \\ 65 & 65 \end{array}$	0	0
2	G	45	$\begin{array}{cc} \text{Total} & \text{O} \\ 45 & 45 \end{array}$	0	0
2	Н	39	Total O 39 39	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: DUF2090 domain-containing protein





W O R L D W I D E PROTEIN DATA BANK



• Molecule 1: DUF2090 domain-containing protein





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1	Depositor
Cell constants	78.66Å 82.48Å 144.77Å	Depositor
a, b, c, α , β , γ	96.05° 90.00° 97.42°	Depositor
$\mathbf{Posolution} \left(\overset{\circ}{\mathbf{A}} \right)$	47.88 - 2.50	Depositor
Resolution (A)	47.88 - 2.50	EDS
% Data completeness	97.7 (47.88-2.50)	Depositor
(in resolution range)	97.7 (47.88-2.50)	EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.52 (at 2.51 \text{\AA})$	Xtriage
Refinement program	BUSTER 2.10.4	Depositor
P. P.	0.237 , 0.282	Depositor
n, n_{free}	0.230 , 0.274	DCC
R_{free} test set	6050 reflections $(4.99%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	44.9	Xtriage
Anisotropy	0.290	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.33 , 41.4	EDS
L-test for $twinning^2$	$ < L >=0.50, < L^2>=0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	21084	wwPDB-VP
Average B, all atoms $(Å^2)$	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 16.83% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles	
10101	Ullalli	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.37	0/2642	0.56	0/3583
1	В	0.35	0/2671	0.55	0/3623
1	С	0.38	0/2629	0.58	0/3565
1	D	0.41	0/2633	0.60	0/3573
1	Ε	0.36	0/2611	0.56	0/3542
1	F	0.38	0/2629	0.56	0/3565
1	G	0.33	0/2624	0.53	0/3558
1	Н	0.32	0/2608	0.53	0/3539
All	All	0.36	0/21047	0.56	0/28548

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2586	0	2563	20	0
1	В	2615	0	2587	24	0
1	С	2573	0	2554	15	0
1	D	2577	0	2543	27	0
1	Е	2556	0	2531	16	0
1	F	2573	0	2554	22	0
1	G	2568	0	2552	18	0
1	Н	2552	0	2524	16	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	А	59	0	0	0	0
2	В	57	0	0	0	0
2	С	77	0	0	0	0
2	D	86	0	0	0	0
2	Е	56	0	0	0	0
2	F	65	0	0	0	0
2	G	45	0	0	0	0
2	Н	39	0	0	0	0
All	All	21084	0	20408	150	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 150 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:211:LYS:CE	1:D:279:LEU:HG	2.03	0.89
1:D:211:LYS:HE3	1:D:279:LEU:HG	1.56	0.87
1:A:87:ARG:HG3	1:B:87:ARG:HG2	1.61	0.82
1:G:30:PRO:HB3	1:G:282:ARG:HD3	1.63	0.81
1:A:334:VAL:HG13	1:A:339:ALA:HB3	1.64	0.77

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	А	330/362~(91%)	322~(98%)	7 (2%)	1 (0%)	41 61
1	В	334/362~(92%)	325~(97%)	8 (2%)	1 (0%)	41 61
1	С	328/362~(91%)	318 (97%)	9(3%)	1 (0%)	41 61



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	D	330/362~(91%)	321~(97%)	8 (2%)	1 (0%)	41 61
1	Ε	327/362~(90%)	321~(98%)	5(2%)	1 (0%)	41 61
1	F	328/362~(91%)	317~(97%)	10 (3%)	1 (0%)	41 61
1	G	327/362~(90%)	321~(98%)	5(2%)	1 (0%)	41 61
1	Н	327/362~(90%)	316~(97%)	10 (3%)	1 (0%)	41 61
All	All	2631/2896~(91%)	2561 (97%)	62 (2%)	8 (0%)	41 61

5 of 8 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	G	28	ARG
1	А	28	ARG
1	Е	28	ARG
1	Н	28	ARG
1	В	28	ARG

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percer	ntiles
1	А	264/291~(91%)	261~(99%)	3 (1%)	73	89
1	В	267/291~(92%)	264 (99%)	3 (1%)	73	89
1	С	262/291~(90%)	257~(98%)	5(2%)	57	80
1	D	261/291~(90%)	255~(98%)	6 (2%)	50	76
1	Е	260/291~(89%)	250~(96%)	10 (4%)	33	58
1	F	262/291~(90%)	257~(98%)	5 (2%)	57	80
1	G	262/291~(90%)	256~(98%)	6(2%)	50	76
1	Н	259/291 (89%)	254 (98%)	5 (2%)	57	80
All	All	2097/2328~(90%)	2054 (98%)	43 (2%)	53	78

5 of 43 residues with a non-rotameric side chain are listed below:



Mol	Chain	Res	Type
1	F	102	THR
1	G	210	TYR
1	F	151	THR
1	G	120	ARG
1	G	323	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	159	HIS
1	В	159	HIS
1	С	113	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

There are no ligands in this entry.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$\langle RSRZ \rangle$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	334/362~(92%)	0.43	20 (5%) 21 22	29, 49, 72, 84	0
1	В	338/362~(93%)	0.46	23 (6%) 17 17	31, 50, 76, 84	0
1	С	332/362~(91%)	0.28	7 (2%) 63 66	30, 44, 64, 80	0
1	D	334/362~(92%)	0.36	17 (5%) 28 29	28, 42, 67, 80	0
1	Ε	331/362~(91%)	0.67	33 (9%) 7 6	33, 50, 84, 94	0
1	F	332/362~(91%)	0.34	11 (3%) 46 50	34, 48, 68, 81	0
1	G	331/362~(91%)	0.64	28 (8%) 10 10	36, 55, 80, 91	0
1	Η	331/362~(91%)	0.92	52~(15%) 2 1	38, 62, 86, 100	0
All	All	2663/2896 (91%)	0.51	191 (7%) 15 16	28, 50, 79, 100	0

The worst 5 of 191 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	Н	228	ALA	5.7
1	Е	298	ALA	5.5
1	Н	309	LYS	5.0
1	Н	245	ALA	4.9
1	Н	257	GLY	4.9

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.



6.4 Ligands (i)

There are no ligands in this entry.

6.5 Other polymers (i)

There are no such residues in this entry.

