



wwPDB X-ray Structure Validation Summary Report ⓘ

Dec 17, 2023 – 02:35 PM EST

PDB ID : 4TOB
Title : 1.95Å resolution structure of BfrB (Q151L) from *Pseudomonas aeruginosa*
Authors : Lovell, S.; Battaile, K.P.; Yao, H.; Kumar, R.; Eshelman, K.; Rivera, M.
Deposited on : 2014-06-05
Resolution : 1.95 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION






The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






















Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2580 (1.96-1.96)
Clashscore	141614	2705 (1.96-1.96)
Ramachandran outliers	138981	2678 (1.96-1.96)
Sidechain outliers	138945	2678 (1.96-1.96)
RSRZ outliers	127900	2539 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	158	 97%
1	B	158	 96%
1	C	158	 96%
1	D	158	 97%
1	E	158	 96%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	158	 97% ..
1	G	158	 97% ..
1	H	158	 96% ..
1	I	158	 97% ..
1	J	158	 97% ..
1	K	158	 97% ..
1	L	158	 96% ..
1	M	158	 97% .
1	N	158	 % 96% ..
1	O	158	 96% ..
1	P	158	 96% ..
1	Q	158	 95% ..
1	R	158	 95% ...
1	S	158	 96% ..
1	T	158	 97% ..
1	U	158	 96% ..
1	V	158	 95% ..
1	W	158	 99% .
1	X	158	 98% .

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 34054 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Bacterioferritin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	156	1266	802	214	243	7	0	0	0
1	B	155	1264	800	216	242	6	0	0	0
1	C	155	1253	795	212	240	6	0	0	0
1	D	155	1257	798	214	239	6	0	0	0
1	E	155	1259	799	213	241	6	0	0	0
1	F	156	1264	801	214	243	6	0	0	0
1	G	155	1265	802	215	242	6	0	0	0
1	H	155	1263	801	214	242	6	0	0	0
1	I	155	1260	799	214	241	6	0	0	0
1	J	155	1260	798	214	242	6	0	0	0
1	K	155	1264	802	216	240	6	0	0	0
1	L	154	1260	799	214	241	6	0	0	0
1	M	154	1253	796	212	239	6	0	0	0
1	N	156	1267	804	214	243	6	0	0	0
1	O	155	1263	801	214	242	6	0	0	0
1	P	155	1259	798	213	242	6	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	Q	154	1259	799	213	241	6	0	0	0
1	R	155	1261	800	214	241	6	0	0	0
1	S	155	1258	798	213	241	6	0	0	0
1	T	155	1259	797	214	242	6	0	0	0
1	U	154	1255	796	214	239	6	0	0	0
1	V	155	1251	795	213	237	6	0	0	0
1	W	156	1272	806	217	243	6	0	0	0
1	X	155	1260	800	214	240	6	0	0	0

There are 24 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	151	LEU	GLN	engineered mutation	UNP Q9HY79
B	151	LEU	GLN	engineered mutation	UNP Q9HY79
C	151	LEU	GLN	engineered mutation	UNP Q9HY79
D	151	LEU	GLN	engineered mutation	UNP Q9HY79
E	151	LEU	GLN	engineered mutation	UNP Q9HY79
F	151	LEU	GLN	engineered mutation	UNP Q9HY79
G	151	LEU	GLN	engineered mutation	UNP Q9HY79
H	151	LEU	GLN	engineered mutation	UNP Q9HY79
I	151	LEU	GLN	engineered mutation	UNP Q9HY79
J	151	LEU	GLN	engineered mutation	UNP Q9HY79
K	151	LEU	GLN	engineered mutation	UNP Q9HY79
L	151	LEU	GLN	engineered mutation	UNP Q9HY79
M	151	LEU	GLN	engineered mutation	UNP Q9HY79
N	151	LEU	GLN	engineered mutation	UNP Q9HY79
O	151	LEU	GLN	engineered mutation	UNP Q9HY79
P	151	LEU	GLN	engineered mutation	UNP Q9HY79
Q	151	LEU	GLN	engineered mutation	UNP Q9HY79
R	151	LEU	GLN	engineered mutation	UNP Q9HY79
S	151	LEU	GLN	engineered mutation	UNP Q9HY79
T	151	LEU	GLN	engineered mutation	UNP Q9HY79
U	151	LEU	GLN	engineered mutation	UNP Q9HY79
V	151	LEU	GLN	engineered mutation	UNP Q9HY79
W	151	LEU	GLN	engineered mutation	UNP Q9HY79

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
X	151	LEU	GLN	engineered mutation	UNP Q9HY79

- Molecule 2 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (three-letter code: MES) (formula: C₆H₁₃NO₄S).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
2	A	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
2	B	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
2	C	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
2	D	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
2	E	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
2	F	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
2	G	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
2	H	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
2	I	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
2	J	1	Total	C	N	O	S	0	0
			12	6	1	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	K	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
2	L	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
2	M	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
2	N	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
2	O	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
2	P	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
2	Q	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
2	R	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
2	S	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
2	T	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
2	U	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
2	V	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
2	W	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
2	X	1	Total	C	N	O	S	0	0
			12	6	1	4	1		

- Molecule 3 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
3	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
3	C	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
3	F	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
3	H	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
3	J	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
3	K	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
3	N	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
3	O	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
3	Q	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
3	T	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
3	V	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
3	X	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	119	Total O 119 119	0	0
4	B	136	Total O 136 136	0	0
4	C	141	Total O 141 141	0	0
4	D	134	Total O 134 134	0	0
4	E	94	Total O 94 94	0	0
4	F	119	Total O 119 119	0	0
4	G	141	Total O 141 141	0	0
4	H	146	Total O 146 146	0	0
4	I	117	Total O 117 117	0	0
4	J	130	Total O 130 130	0	0
4	K	130	Total O 130 130	0	0
4	L	129	Total O 129 129	0	0
4	M	110	Total O 110 110	0	0
4	N	130	Total O 130 130	0	0
4	O	132	Total O 132 132	0	0
4	P	123	Total O 123 123	0	0
4	Q	125	Total O 125 125	0	0
4	R	118	Total O 118 118	0	0
4	S	120	Total O 120 120	0	0
4	T	116	Total O 116 116	0	0
4	U	104	Total O 104 104	0	0
4	V	111	Total O 111 111	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	W	135	Total 135	O 135	0	0
4	X	138	Total 138	O 138	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Bacterioferritin




- Molecule 1: Bacterioferritin




- Molecule 1: Bacterioferritin



- Molecule 1: Bacterioferritin



- Molecule 1: Bacterioferritin



- Molecule 1: Bacterioferritin





- Molecule 1: Bacterioferritin

Chain G: 97%




- Molecule 1: Bacterioferritin

Chain H: 96%



- Molecule 1: Bacterioferritin

Chain I: 97%



- Molecule 1: Bacterioferritin

Chain J: 97%




- Molecule 1: Bacterioferritin

Chain K: 97%




- Molecule 1: Bacterioferritin

Chain L: 96%



- Molecule 1: Bacterioferritin


Chain M: 97%



- Molecule 1: Bacterioferritin



- Molecule 1: Bacterioferritin



- Molecule 1: Bacterioferritin



- Molecule 1: Bacterioferritin



- Molecule 1: Bacterioferritin



- Molecule 1: Bacterioferritin




- Molecule 1: Bacterioferritin





- Molecule 1: Bacterioferritin

Chain U: 96%




- Molecule 1: Bacterioferritin

Chain V: 95%




- Molecule 1: Bacterioferritin

Chain W: 99%



- Molecule 1: Bacterioferritin

Chain X: 98%



4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	125.67Å 203.15Å 207.79Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.34 – 1.95 49.34 – 1.95	Depositor EDS
% Data completeness (in resolution range)	100.0 (49.34-1.95) 100.0 (49.34-1.95)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.21 (at 1.95Å)	Xtrriage
Refinement program	PHENIX (phenix.refine: dev_1450)	Depositor
R, R_{free}	0.156 , 0.188 0.169 , 0.198	Depositor DCC
R_{free} test set	19329 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	19.2	Xtrriage
Anisotropy	0.074	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 51.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.009 for -h,l,k	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	34054	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.77% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MES, HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.48	0/1287	0.58	0/1737
1	B	0.50	0/1285	0.59	1/1733 (0.1%)
1	C	0.46	0/1274	0.56	0/1721
1	D	0.50	0/1278	0.56	0/1724
1	E	0.45	0/1280	0.58	1/1727 (0.1%)
1	F	0.49	0/1285	0.57	0/1735
1	G	0.50	0/1286	0.57	1/1734 (0.1%)
1	H	0.53	0/1284	0.57	0/1732
1	I	0.47	0/1281	0.57	0/1728
1	J	0.48	0/1281	0.55	0/1729
1	K	0.47	0/1285	0.57	1/1732 (0.1%)
1	L	0.47	0/1281	0.57	0/1727
1	M	0.45	0/1274	0.56	0/1719
1	N	0.49	0/1288	0.58	0/1738
1	O	0.48	0/1284	0.57	1/1732 (0.1%)
1	P	0.46	0/1280	0.57	1/1728 (0.1%)
1	Q	0.44	0/1280	0.55	0/1726
1	R	0.46	0/1282	0.54	0/1729
1	S	0.45	0/1279	0.55	1/1726 (0.1%)
1	T	0.45	0/1280	0.55	0/1728
1	U	0.47	0/1276	0.55	1/1721 (0.1%)
1	V	0.46	0/1272	0.56	0/1717
1	W	0.48	0/1293	0.57	0/1743
1	X	0.49	0/1281	0.57	0/1728
All	All	0.47	0/30756	0.56	8/41494 (0.0%)

There are no bond length outliers.

The worst 5 of 8 bond angle outliers are listed below:

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	P	90	ASP	CB-CG-OD1	5.98	123.68	118.30
1	E	90	ASP	CB-CG-OD1	5.80	123.52	118.30
1	S	90	ASP	CB-CG-OD1	5.74	123.46	118.30
1	B	90	ASP	CB-CG-OD1	5.62	123.36	118.30
1	U	90	ASP	CB-CG-OD1	5.60	123.34	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1266	0	1226	2	0
1	B	1264	0	1235	2	0
1	C	1253	0	1205	3	0
1	D	1257	0	1224	1	0
1	E	1259	0	1221	3	0
1	F	1264	0	1218	3	0
1	G	1265	0	1234	0	0
1	H	1263	0	1227	3	0
1	I	1260	0	1226	1	0
1	J	1260	0	1221	1	0
1	K	1264	0	1239	1	0
1	L	1260	0	1232	3	0
1	M	1253	0	1216	0	0
1	N	1267	0	1227	5	0
1	O	1263	0	1227	2	0
1	P	1259	0	1216	3	0
1	Q	1259	0	1227	4	0
1	R	1261	0	1228	5	0
1	S	1258	0	1219	2	0
1	T	1259	0	1219	2	0
1	U	1255	0	1226	2	0
1	V	1251	0	1213	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	W	1272	0	1243	0	0
1	X	1260	0	1225	0	0
2	A	12	0	13	0	0
2	B	12	0	13	0	0
2	C	12	0	13	0	0
2	D	12	0	13	0	0
2	E	12	0	13	0	0
2	F	12	0	13	0	0
2	G	12	0	13	0	0
2	H	12	0	13	0	0
2	I	12	0	13	0	0
2	J	12	0	13	0	0
2	K	12	0	13	0	0
2	L	12	0	13	0	0
2	M	12	0	13	0	0
2	N	12	0	13	0	0
2	O	12	0	13	0	0
2	P	12	0	13	0	0
2	Q	12	0	13	0	0
2	R	12	0	13	0	0
2	S	12	0	13	0	0
2	T	12	0	13	0	0
2	U	12	0	13	0	0
2	V	12	0	13	0	0
2	W	12	0	13	0	0
2	X	12	0	13	0	0
3	B	43	0	30	0	0
3	C	43	0	30	2	0
3	F	43	0	30	2	0
3	H	43	0	30	1	0
3	J	43	0	30	1	0
3	K	43	0	30	3	0
3	N	43	0	30	1	0
3	O	43	0	30	2	0
3	Q	43	0	30	4	0
3	T	43	0	30	0	0
3	V	43	0	30	0	0
3	X	43	0	30	1	0
4	A	119	0	0	1	0
4	B	136	0	0	1	0
4	C	141	0	0	0	0
4	D	134	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	E	94	0	0	0	0
4	F	119	0	0	0	0
4	G	141	0	0	0	0
4	H	146	0	0	1	1
4	I	117	0	0	1	0
4	J	130	0	0	0	0
4	K	130	0	0	0	0
4	L	129	0	0	1	0
4	M	110	0	0	0	0
4	N	130	0	0	4	1
4	O	132	0	0	0	0
4	P	123	0	0	3	0
4	Q	125	0	0	1	0
4	R	118	0	0	3	0
4	S	120	0	0	1	0
4	T	116	0	0	1	0
4	U	104	0	0	0	0
4	V	111	0	0	2	0
4	W	135	0	0	0	0
4	X	138	0	0	0	0
All	All	34054	0	30066	51	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

The worst 5 of 51 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:Q:201:HEM:HHC	3:Q:201:HEM:HBB2	1.71	0.73
3:F:201:HEM:HBB2	3:F:201:HEM:HHC	1.74	0.70
1:E:77:LEU:H	1:F:72:GLN:HE22	1.41	0.67
1:Q:72:GLN:HE22	1:R:77:LEU:H	1.45	0.65
1:S:84:GLN:NE2	4:S:392:HOH:O	2.31	0.62

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:H:311:HOH:O	4:N:302:HOH:O[3_455]	2.16	0.04

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	154/158 (98%)	154 (100%)	0	0	100	100
1	B	153/158 (97%)	153 (100%)	0	0	100	100
1	C	153/158 (97%)	153 (100%)	0	0	100	100
1	D	153/158 (97%)	153 (100%)	0	0	100	100
1	E	153/158 (97%)	153 (100%)	0	0	100	100
1	F	154/158 (98%)	154 (100%)	0	0	100	100
1	G	153/158 (97%)	153 (100%)	0	0	100	100
1	H	153/158 (97%)	153 (100%)	0	0	100	100
1	I	153/158 (97%)	153 (100%)	0	0	100	100
1	J	153/158 (97%)	153 (100%)	0	0	100	100
1	K	153/158 (97%)	153 (100%)	0	0	100	100
1	L	152/158 (96%)	151 (99%)	1 (1%)	0	100	100
1	M	152/158 (96%)	152 (100%)	0	0	100	100
1	N	154/158 (98%)	154 (100%)	0	0	100	100
1	O	153/158 (97%)	153 (100%)	0	0	100	100
1	P	153/158 (97%)	153 (100%)	0	0	100	100
1	Q	152/158 (96%)	152 (100%)	0	0	100	100
1	R	153/158 (97%)	153 (100%)	0	0	100	100
1	S	153/158 (97%)	153 (100%)	0	0	100	100
1	T	153/158 (97%)	153 (100%)	0	0	100	100
1	U	152/158 (96%)	152 (100%)	0	0	100	100
1	V	153/158 (97%)	153 (100%)	0	0	100	100
1	W	154/158 (98%)	154 (100%)	0	0	100	100
1	X	153/158 (97%)	153 (100%)	0	0	100	100
All	All	3672/3792 (97%)	3671 (100%)	1 (0%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	135/144 (94%)	135 (100%)	0	100	100
1	B	137/144 (95%)	137 (100%)	0	100	100
1	C	132/144 (92%)	132 (100%)	0	100	100
1	D	134/144 (93%)	134 (100%)	0	100	100
1	E	134/144 (93%)	134 (100%)	0	100	100
1	F	134/144 (93%)	134 (100%)	0	100	100
1	G	136/144 (94%)	136 (100%)	0	100	100
1	H	135/144 (94%)	134 (99%)	1 (1%)	84	82
1	I	135/144 (94%)	135 (100%)	0	100	100
1	J	135/144 (94%)	135 (100%)	0	100	100
1	K	136/144 (94%)	136 (100%)	0	100	100
1	L	136/144 (94%)	136 (100%)	0	100	100
1	M	133/144 (92%)	133 (100%)	0	100	100
1	N	134/144 (93%)	134 (100%)	0	100	100
1	O	135/144 (94%)	135 (100%)	0	100	100
1	P	134/144 (93%)	134 (100%)	0	100	100
1	Q	135/144 (94%)	135 (100%)	0	100	100
1	R	135/144 (94%)	134 (99%)	1 (1%)	84	82
1	S	134/144 (93%)	134 (100%)	0	100	100
1	T	135/144 (94%)	135 (100%)	0	100	100
1	U	135/144 (94%)	135 (100%)	0	100	100
1	V	132/144 (92%)	132 (100%)	0	100	100
1	W	137/144 (95%)	137 (100%)	0	100	100
1	X	134/144 (93%)	134 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	3232/3456 (94%)	3230 (100%)	2 (0%)	93 93

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	H	85	GLU
1	R	77	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 69 such sidechains are listed below:

Mol	Chain	Res	Type
1	U	54	HIS
1	V	33	ASN
1	W	84	GLN
1	H	84	GLN
1	H	54	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

36 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	MES	A	201	-	12,12,12	1.80	1 (8%)	14,16,16	2.16	2 (14%)
2	MES	R	201	-	12,12,12	1.78	1 (8%)	14,16,16	1.57	3 (21%)
2	MES	J	202	-	12,12,12	1.90	1 (8%)	14,16,16	1.74	4 (28%)
2	MES	E	201	-	12,12,12	1.86	1 (8%)	14,16,16	1.71	4 (28%)
2	MES	N	202	-	12,12,12	1.60	1 (8%)	14,16,16	1.79	5 (35%)
2	MES	T	202	-	12,12,12	1.72	1 (8%)	14,16,16	1.57	3 (21%)
3	HEM	N	201	1	41,50,50	1.75	4 (9%)	45,82,82	1.59	9 (20%)
2	MES	D	201	-	12,12,12	1.63	1 (8%)	14,16,16	1.61	3 (21%)
2	MES	V	202	-	12,12,12	1.97	1 (8%)	14,16,16	1.94	4 (28%)
3	HEM	V	201	1	41,50,50	1.91	8 (19%)	45,82,82	1.96	11 (24%)
2	MES	M	201	-	12,12,12	1.81	1 (8%)	14,16,16	1.59	3 (21%)
2	MES	Q	202	-	12,12,12	1.72	1 (8%)	14,16,16	2.05	4 (28%)
2	MES	C	202	-	12,12,12	1.89	1 (8%)	14,16,16	1.78	5 (35%)
3	HEM	B	201	1	41,50,50	1.79	7 (17%)	45,82,82	1.97	14 (31%)
3	HEM	C	201	1	41,50,50	1.80	5 (12%)	45,82,82	1.99	12 (26%)
3	HEM	T	201	1	41,50,50	1.81	5 (12%)	45,82,82	1.77	10 (22%)
3	HEM	Q	201	1	41,50,50	1.85	5 (12%)	45,82,82	1.92	10 (22%)
2	MES	K	202	-	12,12,12	1.78	1 (8%)	14,16,16	1.91	3 (21%)
2	MES	G	201	-	12,12,12	1.85	1 (8%)	14,16,16	1.45	3 (21%)
3	HEM	K	201	1	41,50,50	1.78	5 (12%)	45,82,82	1.76	9 (20%)
2	MES	O	202	-	12,12,12	1.84	1 (8%)	14,16,16	1.70	2 (14%)
3	HEM	F	201	1	41,50,50	1.84	6 (14%)	45,82,82	1.93	12 (26%)
3	HEM	O	201	1	41,50,50	1.81	4 (9%)	45,82,82	1.86	11 (24%)
2	MES	L	201	-	12,12,12	1.75	1 (8%)	14,16,16	1.59	3 (21%)
2	MES	U	201	-	12,12,12	1.81	1 (8%)	14,16,16	1.61	3 (21%)
2	MES	F	202	-	12,12,12	1.77	1 (8%)	14,16,16	1.94	4 (28%)
2	MES	P	201	-	12,12,12	1.81	1 (8%)	14,16,16	1.65	3 (21%)
2	MES	S	201	-	12,12,12	1.79	1 (8%)	14,16,16	1.85	4 (28%)
3	HEM	X	201	1	41,50,50	1.81	6 (14%)	45,82,82	1.86	12 (26%)
2	MES	I	201	-	12,12,12	1.83	1 (8%)	14,16,16	1.64	4 (28%)
2	MES	X	202	-	12,12,12	1.77	1 (8%)	14,16,16	1.58	2 (14%)
2	MES	B	202	-	12,12,12	1.94	1 (8%)	14,16,16	1.93	5 (35%)
3	HEM	J	201	1	41,50,50	1.79	5 (12%)	45,82,82	1.88	11 (24%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	MES	W	201	-	12,12,12	1.93	1 (8%)	14,16,16	1.68	4 (28%)
2	MES	H	202	-	12,12,12	1.69	1 (8%)	14,16,16	1.50	3 (21%)
3	HEM	H	201	1	41,50,50	1.74	7 (17%)	45,82,82	1.92	13 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	MES	A	201	-	-	1/6/14/14	0/1/1/1
2	MES	R	201	-	-	1/6/14/14	0/1/1/1
2	MES	J	202	-	-	1/6/14/14	0/1/1/1
2	MES	E	201	-	-	1/6/14/14	0/1/1/1
2	MES	N	202	-	-	1/6/14/14	0/1/1/1
2	MES	T	202	-	-	1/6/14/14	0/1/1/1
3	HEM	N	201	1	-	4/12/54/54	-
2	MES	D	201	-	-	1/6/14/14	0/1/1/1
2	MES	V	202	-	-	1/6/14/14	0/1/1/1
3	HEM	V	201	1	-	4/12/54/54	-
2	MES	M	201	-	-	1/6/14/14	0/1/1/1
2	MES	Q	202	-	-	1/6/14/14	0/1/1/1
2	MES	C	202	-	-	2/6/14/14	0/1/1/1
3	HEM	B	201	1	-	4/12/54/54	-
3	HEM	C	201	1	-	4/12/54/54	-
3	HEM	T	201	1	-	4/12/54/54	-
3	HEM	Q	201	1	-	5/12/54/54	-
2	MES	K	202	-	-	1/6/14/14	0/1/1/1
2	MES	G	201	-	-	1/6/14/14	0/1/1/1
3	HEM	K	201	1	-	4/12/54/54	-
2	MES	O	202	-	-	1/6/14/14	0/1/1/1
3	HEM	F	201	1	-	5/12/54/54	-
3	HEM	O	201	1	-	4/12/54/54	-
2	MES	L	201	-	-	1/6/14/14	0/1/1/1
2	MES	U	201	-	-	3/6/14/14	0/1/1/1
2	MES	F	202	-	-	4/6/14/14	0/1/1/1
2	MES	P	201	-	-	1/6/14/14	0/1/1/1
2	MES	S	201	-	-	1/6/14/14	0/1/1/1
3	HEM	X	201	1	-	4/12/54/54	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	MES	I	201	-	-	4/6/14/14	0/1/1/1
2	MES	X	202	-	-	1/6/14/14	0/1/1/1
2	MES	B	202	-	-	1/6/14/14	0/1/1/1
3	HEM	J	201	1	-	4/12/54/54	-
2	MES	W	201	-	-	1/6/14/14	0/1/1/1
2	MES	H	202	-	-	1/6/14/14	0/1/1/1
3	HEM	H	201	1	-	4/12/54/54	-

The worst 5 of 91 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	Q	201	HEM	C3D-C2D	7.57	1.52	1.36
3	T	201	HEM	C3D-C2D	7.53	1.52	1.36
3	K	201	HEM	C3D-C2D	7.34	1.52	1.36
3	V	201	HEM	C3D-C2D	7.33	1.52	1.36
3	N	201	HEM	C3D-C2D	7.27	1.52	1.36

The worst 5 of 217 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	V	201	HEM	C4D-ND-C1D	7.09	112.40	105.07
3	B	201	HEM	C4D-ND-C1D	6.77	112.06	105.07
2	A	201	MES	O1S-S-C8	6.76	115.06	106.92
3	C	201	HEM	C4D-ND-C1D	6.50	111.79	105.07
3	F	201	HEM	C4D-ND-C1D	6.23	111.50	105.07

There are no chirality outliers.

5 of 83 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	201	MES	N4-C7-C8-S
2	B	202	MES	N4-C7-C8-S
2	C	202	MES	N4-C7-C8-S
2	D	201	MES	N4-C7-C8-S
2	E	201	MES	N4-C7-C8-S


There are no ring outliers.


9 monomers are involved in 17 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	N	201	HEM	1	0
3	C	201	HEM	2	0
3	Q	201	HEM	4	0
3	K	201	HEM	3	0
3	F	201	HEM	2	0
3	O	201	HEM	2	0
3	X	201	HEM	1	0
3	J	201	HEM	1	0
3	H	201	HEM	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.
































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	156/158 (98%)	-0.43	1 (0%) 89 93	12, 18, 30, 43	0
1	B	155/158 (98%)	-0.47	0 100 100	12, 18, 29, 39	0
1	C	155/158 (98%)	-0.50	0 100 100	13, 19, 28, 42	0
1	D	155/158 (98%)	-0.54	0 100 100	13, 18, 27, 40	0
1	E	155/158 (98%)	-0.53	0 100 100	13, 18, 28, 42	0
1	F	156/158 (98%)	-0.51	0 100 100	13, 17, 27, 50	0
1	G	155/158 (98%)	-0.52	0 100 100	11, 17, 29, 40	0
1	H	155/158 (98%)	-0.49	0 100 100	10, 16, 26, 40	0
1	I	155/158 (98%)	-0.51	0 100 100	13, 18, 29, 41	0
1	J	155/158 (98%)	-0.53	0 100 100	14, 18, 29, 43	0
1	K	155/158 (98%)	-0.47	0 100 100	15, 20, 30, 41	0
1	L	154/158 (97%)	-0.48	0 100 100	14, 19, 28, 39	0
1	M	154/158 (97%)	-0.52	0 100 100	13, 19, 29, 42	0
1	N	156/158 (98%)	-0.47	1 (0%) 89 93	12, 18, 30, 47	0
1	O	155/158 (98%)	-0.53	0 100 100	12, 17, 26, 41	0
1	P	155/158 (98%)	-0.52	0 100 100	13, 19, 29, 42	0
1	Q	154/158 (97%)	-0.50	0 100 100	15, 19, 31, 43	0
1	R	155/158 (98%)	-0.52	0 100 100	15, 20, 30, 39	0
1	S	155/158 (98%)	-0.45	0 100 100	15, 20, 31, 42	0
1	T	155/158 (98%)	-0.52	0 100 100	15, 20, 30, 42	0
1	U	154/158 (97%)	-0.54	0 100 100	14, 19, 31, 40	0
1	V	155/158 (98%)	-0.54	0 100 100	14, 20, 31, 45	0
1	W	156/158 (98%)	-0.54	0 100 100	12, 17, 28, 52	0
1	X	155/158 (98%)	-0.59	0 100 100	12, 17, 28, 40	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
All	All	3720/3792 (98%)	-0.51	2 (0%) 95 97	10, 19, 30, 52	0

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	N	1	MET	4.2
1	A	1	MET	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	MES	B	202	12/12	0.90	0.27	32,39,46,47	0
2	MES	M	201	12/12	0.90	0.25	29,35,39,39	0
2	MES	P	201	12/12	0.90	0.26	30,36,41,49	0
2	MES	Q	202	12/12	0.90	0.26	31,34,45,46	0
2	MES	X	202	12/12	0.90	0.27	31,36,40,48	0
2	MES	U	201	12/12	0.91	0.23	27,35,43,46	0
2	MES	J	202	12/12	0.91	0.25	27,35,41,46	0
2	MES	C	202	12/12	0.92	0.24	29,37,48,50	0
2	MES	G	201	12/12	0.92	0.20	29,35,40,42	0
2	MES	W	201	12/12	0.92	0.24	29,33,42,46	0
2	MES	I	201	12/12	0.92	0.28	32,35,42,49	0
2	MES	T	202	12/12	0.93	0.25	29,35,39,39	0
2	MES	L	201	12/12	0.93	0.23	27,35,39,41	0
2	MES	V	202	12/12	0.93	0.25	31,37,45,47	0
2	MES	K	202	12/12	0.93	0.24	28,37,41,46	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	MES	R	201	12/12	0.93	0.17	27,33,49,50	0
2	MES	A	201	12/12	0.94	0.16	25,31,35,43	0
2	MES	D	201	12/12	0.94	0.20	29,32,36,36	0
2	MES	N	202	12/12	0.94	0.22	27,34,42,43	0
2	MES	O	202	12/12	0.94	0.18	29,32,37,43	0
2	MES	E	201	12/12	0.94	0.24	27,35,42,47	0
2	MES	F	202	12/12	0.94	0.22	26,34,40,42	0
2	MES	H	202	12/12	0.95	0.17	22,26,33,34	0
2	MES	S	201	12/12	0.96	0.22	29,36,41,45	0
3	HEM	B	201	43/43	0.98	0.09	11,15,25,32	0
3	HEM	C	201	43/43	0.98	0.09	11,15,25,30	0
3	HEM	F	201	43/43	0.98	0.09	10,15,24,33	0
3	HEM	H	201	43/43	0.98	0.09	11,13,22,30	0
3	HEM	J	201	43/43	0.98	0.09	12,16,26,31	0
3	HEM	K	201	43/43	0.98	0.09	14,17,29,35	0
3	HEM	N	201	43/43	0.98	0.09	12,16,26,32	0
3	HEM	O	201	43/43	0.98	0.09	11,15,25,28	0
3	HEM	Q	201	43/43	0.98	0.09	13,18,26,35	0
3	HEM	T	201	43/43	0.98	0.09	14,17,26,33	0
3	HEM	V	201	43/43	0.98	0.09	13,17,25,31	0
3	HEM	X	201	43/43	0.98	0.09	12,15,26,33	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around HEM B 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM C 201:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM F 201:




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)








Electron density around HEM J 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM K 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM N 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM O 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM Q 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM T 201:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM V 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.