



wwPDB EM Validation Summary Report ⓘ

Feb 13, 2024 – 01:55 PM EST

PDB ID : 7TOQ
EMDB ID : EMD-26035
Title : Mammalian 80S ribosome bound with the ALS/FTD-associated dipeptide repeat protein poly-PR
Authors : Loveland, A.B.; Svidritskiy, E.; Susorov, D.; Lee, S.; Park, A.; Zvornicanin, S.; Demo, G.; Gao, F.B.; Korostelev, A.A.
Deposited on : 2022-01-24
Resolution : 3.10 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev70
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























| Metric | Whole archive (#Entries) | EM structures (#Entries) |
|-----------------------|--------------------------|--------------------------|
| Clashscore | 158937 | 4297 |
| Ramachandran outliers | 154571 | 4023 |
| Sidechain outliers | 154315 | 3826 |
| RNA backbone | 4643 | 859 |

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|------------------|
| 1 | A18S | 1698 | |
| 2 | A25S | 3649 | |
| 3 | A58S | 156 | |
| 4 | A5S | 120 | |
| 5 | AL02 | 244 | |
| 6 | AL03 | 394 | |
| 7 | AL04 | 362 | |


























Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|--|
| 8 | AL05 | 293 |  100% |
| 9 | AL06 | 251 |  85% 14% |
| 10 | AL07 | 225 |  99% |
| 11 | AL08 | 241 |  10% 99% |
| 12 | AL09 | 190 |  100% |
| 13 | AL10 | 213 |  96% |
| 14 | AL11 | 169 |  99% |
| 15 | AL12 | 163 |  21% 23% 77% |
| 16 | AL13 | 210 |  5% 99% |
| 17 | AL14 | 138 |  100% |
| 18 | AL15 | 203 |  100% |
| 19 | AL16 | 199 |  99% |
| 20 | AL17 | 153 |  99% |
| 21 | AL18 | 187 |  100% |
| 22 | AL19 | 180 |  13% 99% |
| 23 | AL20 | 175 |  98% |
| 24 | AL21 | 159 |  100% |
| 25 | AL22 | 99 |  97% |
| 26 | AL23 | 131 |  100% |
| 27 | AL24 | 63 |  100% |
| 28 | AL25 | 119 |  100% |
| 29 | AL26 | 134 |  98% |
| 30 | AL27 | 135 |  99% |
| 31 | AL28 | 147 |  100% |
| 32 | AL29 | 103 |  22% 100% |

Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|---|
| 33 | AL30 | 94 |  100% |
| 34 | AL31 | 107 |  100% |
| 35 | AL32 | 128 |  100% |
| 36 | AL33 | 109 |  99% |
| 37 | AL34 | 114 |  99% |
| 38 | AL35 | 122 |  99% |
| 39 | AL36 | 102 |  98% |
| 40 | AL37 | 86 |  100% |
| 41 | AL38 | 69 |  99% |
| 42 | AL39 | 50 |  98% |
| 43 | AL40 | 52 |  100% |
| 44 | AL41 | 23 |  100% |
| 45 | AL42 | 104 |  100% |
| 46 | AL43 | 91 |  100% |
| 47 | ALP0 | 27 |  100% |
| 48 | ARAC | 313 |  97% |
| 49 | AS00 | 217 |  99% |
| 50 | AS01 | 213 |  100% |
| 51 | AS02 | 221 |  100% |
| 52 | AS03 | 228 |  98% |
| 53 | AS04 | 262 |  99% |
| 54 | AS05 | 191 |  97% |
| 55 | AS06 | 237 |  99% |
| 56 | AS07 | 189 |  98% |
| 57 | AS08 | 206 |  100% |



Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|-------------------|
| 58 | AS09 | 185 | 41% 100% |
| 59 | AS10 | 96 | 86% 99% |
| 60 | AS11 | 151 | 45% 93% 5% |
| 61 | AS12 | 117 | 98% 100% |
| 62 | AS13 | 149 | 45% 99% |
| 63 | AS14 | 136 | 24% 99% |
| 64 | AS15 | 120 | 26% 99% |
| 65 | AS16 | 142 | 77% 99% |
| 66 | AS17 | 132 | 75% 97% |
| 67 | AS18 | 144 | 55% 98% |
| 68 | AS19 | 141 | 71% 99% |
| 69 | AS20 | 100 | 73% 99% |
| 70 | AS21 | 83 | 71% 100% |
| 71 | AS22 | 129 | 47% 99% |
| 72 | AS23 | 141 | 28% 99% |
| 73 | AS24 | 124 | 67% 99% |
| 74 | AS25 | 75 | 87% 100% |
| 75 | AS26 | 101 | 26% 99% |
| 76 | AS27 | 83 | 49% 99% |
| 77 | AS28 | 62 | 52% 100% |
| 78 | AS29 | 55 | 33% 100% |
| 79 | AS30 | 55 | 69% 95% 5% |
| 80 | AS31 | 68 | 94% 97% |
| 81 | EL28 | 125 | 98% |
| 82 | MRNA | 10 | 70% 70% 30% |

Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|--|
| 83 | PR | 40 |  |
| 84 | PTRN | 77 |  |

2 Entry composition

There are 85 unique types of molecules in this entry. The entry contains 213639 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 18S rRNA.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-------|------|-------|------|---------|-------|
| | | | Total | C | N | O | P | | |
| 1 | A18S | 1690 | 36079 | 16105 | 6479 | 11806 | 1689 | 0 | 0 |

- Molecule 2 is a RNA chain called 28S rRNA.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-------|-------|-------|------|---------|-------|
| | | | Total | C | N | O | P | | |
| 2 | A25S | 3649 | 78238 | 34842 | 14321 | 25427 | 3648 | 0 | 0 |

- Molecule 3 is a RNA chain called 5.8S rRNA.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|------|-----|---------|-------|
| | | | Total | C | N | O | P | | |
| 3 | A58S | 156 | 3314 | 1480 | 585 | 1094 | 155 | 0 | 0 |

- Molecule 4 is a RNA chain called 5S rRNA.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|-----|---------|-------|
| | | | Total | C | N | O | P | | |
| 4 | A5S | 120 | 2558 | 1141 | 456 | 842 | 119 | 0 | 0 |

There are 7 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|----------|-------------|
| A5S | 2 | U | N | conflict | GB X06789.1 |
| A5S | 36 | C | N | conflict | GB X06789.1 |
| A5S | 102 | U | N | conflict | GB X06789.1 |
| A5S | 112 | U | N | conflict | GB X06789.1 |
| A5S | 114 | U | N | conflict | GB X06789.1 |
| A5S | 119 | U | C | conflict | GB X06789.1 |
| A5S | 120 | U | N | conflict | GB X06789.1 |

- Molecule 5 is a protein called uL2.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 5 | AL02 | 244 | 1868 | 1171 | 382 | 309 | 6 | 0 | 0 |

- Molecule 6 is a protein called 60S ribosomal protein L3.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| | | | Total | C | N | O | S | | |
| 6 | AL03 | 394 | 3148 | 2007 | 591 | 537 | 13 | 0 | 0 |

- Molecule 7 is a protein called 60S ribosomal protein L4.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| | | | Total | C | N | O | S | | |
| 7 | AL04 | 362 | 2883 | 1812 | 577 | 480 | 14 | 0 | 0 |

- Molecule 8 is a protein called 60S ribosomal protein L5.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| | | | Total | C | N | O | S | | |
| 8 | AL05 | 293 | 2391 | 1512 | 438 | 427 | 14 | 0 | 0 |

- Molecule 9 is a protein called 60S ribosomal protein L6.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 9 | AL06 | 216 | 1729 | 1115 | 329 | 282 | 3 | 0 | 0 |

- Molecule 10 is a protein called uL30.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 10 | AL07 | 225 | 1870 | 1202 | 358 | 301 | 9 | 0 | 0 |

- Molecule 11 is a protein called eL8.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 11 | AL08 | 241 | 1934 | 1233 | 371 | 326 | 4 | 0 | 0 |

- Molecule 12 is a protein called 60S ribosomal protein L9.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 12 | AL09 | 190 | Total | C | N | O | S | 0 | 0 |
| | | | 1516 | 954 | 284 | 272 | 6 | | |

- Molecule 13 is a protein called Ribosomal protein L10.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| 13 | AL10 | 204 | Total | C | N | O | S | 0 | 0 |
| | | | 1654 | 1050 | 319 | 272 | 13 | | |

- Molecule 14 is a protein called 60S ribosomal protein L11.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 14 | AL11 | 169 | Total | C | N | O | S | 0 | 0 |
| | | | 1353 | 855 | 252 | 240 | 6 | | |

- Molecule 15 is a protein called 60S ribosomal protein L12.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 15 | AL12 | 38 | Total | C | N | O | S | 0 | 0 |
| | | | 285 | 180 | 51 | 53 | 1 | | |

- Molecule 16 is a protein called eL13.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| 16 | AL13 | 210 | Total | C | N | O | S | 0 | 0 |
| | | | 1703 | 1065 | 354 | 280 | 4 | | |

There are 4 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|----------|------------|
| AL13 | 52 | SER | ALA | conflict | UNP G1TKB3 |
| AL13 | 55 | LEU | ILE | conflict | UNP G1TKB3 |
| AL13 | 74 | ARG | HIS | conflict | UNP G1TKB3 |
| AL13 | 190 | ARG | HIS | conflict | UNP G1TKB3 |

- Molecule 17 is a protein called 60S ribosomal protein L14.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 17 | AL14 | 138 | Total | C | N | O | S | 0 | 0 |
| | | | 1137 | 727 | 221 | 182 | 7 | | |

- Molecule 18 is a protein called 60S ribosomal protein L15.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| 18 | AL15 | 203 | Total | C | N | O | S | 0 | 0 |
| | | | 1701 | 1072 | 359 | 266 | 4 | | |

- Molecule 19 is a protein called uL13.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| 19 | AL16 | 199 | Total | C | N | O | S | 0 | 0 |
| | | | 1638 | 1056 | 321 | 256 | 5 | | |

- Molecule 20 is a protein called 60S ribosomal protein L17.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 20 | AL17 | 153 | Total | C | N | O | S | 0 | 0 |
| | | | 1242 | 777 | 241 | 215 | 9 | | |

- Molecule 21 is a protein called eL18.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 21 | AL18 | 187 | Total | C | N | O | S | 0 | 0 |
| | | | 1506 | 941 | 311 | 249 | 5 | | |

- Molecule 22 is a protein called 60S ribosomal protein L19.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 22 | AL19 | 180 | Total | C | N | O | S | 0 | 0 |
| | | | 1508 | 933 | 328 | 238 | 9 | | |

There are 2 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|----------|------------|
| AL19 | 38 | ARG | HIS | conflict | UNP G1TYL6 |
| AL19 | 151 | ARG | HIS | conflict | UNP G1TYL6 |

- Molecule 23 is a protein called eL20.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|----|---------|-------|
| 23 | AL20 | 175 | Total | C | N | O | S | 0 | 0 |
| | | | 1454 | 925 | 284 | 235 | 10 | | |

- Molecule 24 is a protein called 60S ribosomal protein L21.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 24 | AL21 | 159 | Total | C | N | O | S | 0 | 0 |
| | | | 1298 | 823 | 252 | 217 | 6 | | |

- Molecule 25 is a protein called eL22.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 25 | AL22 | 99 | Total | C | N | O | S | 0 | 0 |
| | | | 808 | 518 | 141 | 147 | 2 | | |

- Molecule 26 is a protein called 60S ribosomal protein L23.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 26 | AL23 | 131 | Total | C | N | O | S | 0 | 0 |
| | | | 979 | 618 | 184 | 172 | 5 | | |

- Molecule 27 is a protein called Ribosomal protein L24.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|----|---|---------|-------|
| 27 | AL24 | 63 | Total | C | N | O | S | 0 | 0 |
| | | | 528 | 337 | 103 | 85 | 3 | | |

- Molecule 28 is a protein called uL23.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 28 | AL25 | 119 | Total | C | N | O | S | 0 | 0 |
| | | | 976 | 624 | 183 | 168 | 1 | | |

- Molecule 29 is a protein called 60S ribosomal protein L26.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 29 | AL26 | 134 | Total | C | N | O | S | 0 | 0 |
| | | | 1115 | 700 | 226 | 186 | 3 | | |

- Molecule 30 is a protein called 60S ribosomal protein L27.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 30 | AL27 | 135 | Total | C | N | O | S | 0 | 0 |
| | | | 1107 | 714 | 208 | 182 | 3 | | |

- Molecule 31 is a protein called 60S ribosomal protein L27a.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 31 | AL28 | 147 | 1162 | 734 | 239 | 185 | 4 | 0 | 0 |

- Molecule 32 is a protein called eL29.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 32 | AL29 | 103 | 841 | 522 | 188 | 128 | 3 | 0 | 0 |

- Molecule 33 is a protein called eL30.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 33 | AL30 | 94 | 732 | 465 | 130 | 131 | 6 | 0 | 0 |

- Molecule 34 is a protein called 60S ribosomal protein L31.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 34 | AL31 | 107 | 888 | 560 | 171 | 155 | 2 | 0 | 0 |

- Molecule 35 is a protein called 60S ribosomal protein L32.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 35 | AL32 | 128 | 1053 | 667 | 216 | 165 | 5 | 0 | 0 |

- Molecule 36 is a protein called 60S ribosomal protein L35a.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 36 | AL33 | 109 | 876 | 555 | 174 | 143 | 4 | 0 | 0 |

- Molecule 37 is a protein called 60S ribosomal protein L34.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 37 | AL34 | 114 | 906 | 566 | 187 | 147 | 6 | 0 | 0 |

- Molecule 38 is a protein called 60S ribosomal protein L35.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 38 | AL35 | 122 | Total | C | N | O | S | 0 | 0 |
| | | | 1013 | 640 | 204 | 168 | 1 | | |

- Molecule 39 is a protein called 60S ribosomal protein L36.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 39 | AL36 | 102 | Total | C | N | O | S | 0 | 0 |
| | | | 830 | 520 | 176 | 129 | 5 | | |

- Molecule 40 is a protein called 60S ribosomal protein L37.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 40 | AL37 | 86 | Total | C | N | O | S | 0 | 0 |
| | | | 705 | 434 | 155 | 111 | 5 | | |

- Molecule 41 is a protein called eL38.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|----|---|---------|-------|
| 41 | AL38 | 69 | Total | C | N | O | S | 0 | 0 |
| | | | 569 | 366 | 103 | 99 | 1 | | |

- Molecule 42 is a protein called eL39.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 42 | AL39 | 50 | Total | C | N | O | S | 0 | 0 |
| | | | 444 | 281 | 98 | 64 | 1 | | |

- Molecule 43 is a protein called eL40.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 43 | AL40 | 52 | Total | C | N | O | S | 0 | 0 |
| | | | 429 | 266 | 90 | 67 | 6 | | |

- Molecule 44 is a protein called eL41.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 44 | AL41 | 23 | Total | C | N | O | S | 0 | 0 |
| | | | 222 | 134 | 61 | 25 | 2 | | |

- Molecule 45 is a protein called eL42.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 45 | AL42 | 104 | 851 | 533 | 174 | 138 | 6 | 0 | 0 |

- Molecule 46 is a protein called 60S ribosomal protein L37a.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 46 | AL43 | 91 | 708 | 445 | 136 | 120 | 7 | 0 | 0 |

- Molecule 47 is a protein called 60S acidic ribosomal protein P0.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 47 | ALP0 | 27 | 230 | 149 | 44 | 35 | 2 | 0 | 0 |

- Molecule 48 is a protein called Receptor of activated protein C kinase 1.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| | | | Total | C | N | O | S | | |
| 48 | ARAC | 313 | 2436 | 1535 | 424 | 465 | 12 | 0 | 0 |

- Molecule 49 is a protein called 40S_SA_C domain-containing protein.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 49 | AS00 | 217 | 1710 | 1086 | 300 | 316 | 8 | 0 | 0 |

- Molecule 50 is a protein called 40S ribosomal protein S3a.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| | | | Total | C | N | O | S | | |
| 50 | AS01 | 213 | 1729 | 1098 | 309 | 308 | 14 | 0 | 0 |

- Molecule 51 is a protein called 40S ribosomal protein S2.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 51 | AS02 | 221 | 1716 | 1111 | 295 | 301 | 9 | 0 | 0 |

There are 7 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|----------|------------|
| AS02 | 73 | MET | VAL | conflict | UNP G1TUT9 |
| AS02 | 101 | SER | ALA | conflict | UNP G1TUT9 |
| AS02 | 119 | GLY | ALA | conflict | UNP G1TUT9 |
| AS02 | 194 | ARG | HIS | conflict | UNP G1TUT9 |
| AS02 | 215 | MET | LEU | conflict | UNP G1TUT9 |
| AS02 | 227 | ARG | TRP | conflict | UNP G1TUT9 |
| AS02 | 228 | GLY | SER | conflict | UNP G1TUT9 |

- Molecule 52 is a protein called 40S ribosomal protein S3.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 52 | AS03 | 228 | 1768 | 1126 | 318 | 316 | 8 | 0 | 0 |

- Molecule 53 is a protein called 40S ribosomal protein S4.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 53 | AS04 | 262 | 2076 | 1324 | 386 | 358 | 8 | 0 | 0 |

- Molecule 54 is a protein called Ribosomal protein S5.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 54 | AS05 | 185 | 1470 | 921 | 277 | 266 | 6 | 0 | 0 |

- Molecule 55 is a protein called 40S ribosomal protein S6.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 55 | AS06 | 237 | 1923 | 1200 | 387 | 329 | 7 | 0 | 0 |

- Molecule 56 is a protein called eS7.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 56 | AS07 | 185 | 1488 | 952 | 271 | 264 | 1 | 0 | 0 |

- Molecule 57 is a protein called 40S ribosomal protein S8.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 57 | AS08 | 206 | 1686 | 1058 | 332 | 291 | 5 | 0 | 0 |

There is a discrepancy between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|----------|------------|
| AS08 | 47 | ARG | GLY | conflict | UNP G1TJW1 |

- Molecule 58 is a protein called 40S ribosomal protein S9.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 58 | AS09 | 185 | 1525 | 969 | 306 | 248 | 2 | 0 | 0 |

- Molecule 59 is a protein called 40S ribosomal protein S10.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 59 | AS10 | 96 | 810 | 530 | 143 | 131 | 6 | 0 | 0 |

- Molecule 60 is a protein called 40S ribosomal protein S11.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 60 | AS11 | 143 | 1175 | 749 | 222 | 198 | 6 | 0 | 0 |

- Molecule 61 is a protein called 40S ribosomal protein S12.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 61 | AS12 | 117 | 908 | 570 | 161 | 169 | 8 | 0 | 0 |

- Molecule 62 is a protein called 40S ribosomal protein S13.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 62 | AS13 | 149 | 1202 | 770 | 228 | 203 | 1 | 0 | 0 |

- Molecule 63 is a protein called 40S ribosomal protein S14.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 63 | AS14 | 136 | 1016 | 621 | 199 | 190 | 6 | 0 | 0 |

- Molecule 64 is a protein called 40S ribosomal protein S15.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 64 | AS15 | 120 | 997 | 635 | 187 | 168 | 7 | 0 | 0 |

- Molecule 65 is a protein called uS9.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 65 | AS16 | 142 | 1128 | 717 | 213 | 195 | 3 | 0 | 0 |

- Molecule 66 is a protein called 40S ribosomal protein S17.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 66 | AS17 | 132 | 1068 | 670 | 199 | 195 | 4 | 0 | 0 |

- Molecule 67 is a protein called 40S ribosomal protein S18.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 67 | AS18 | 144 | 1190 | 746 | 241 | 202 | 1 | 0 | 0 |

- Molecule 68 is a protein called eS19.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 68 | AS19 | 141 | 1097 | 688 | 211 | 195 | 3 | 0 | 0 |

- Molecule 69 is a protein called 40S ribosomal protein S20.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 69 | AS20 | 100 | 795 | 498 | 152 | 141 | 4 | 0 | 0 |

- Molecule 70 is a protein called eS21.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 70 | AS21 | 83 | 636 | 393 | 117 | 121 | 5 | 0 | 0 |

There are 7 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|----------|------------|
| AS21 | 3 | ASN | SER | conflict | UNP G1TM82 |
| AS21 | 4 | ASP | ASN | conflict | UNP G1TM82 |
| AS21 | 33 | GLN | PRO | conflict | UNP G1TM82 |
| AS21 | 50 | PHE | SER | conflict | UNP G1TM82 |
| AS21 | 75 | ALA | SER | conflict | UNP G1TM82 |
| AS21 | 76 | ASP | HIS | conflict | UNP G1TM82 |
| AS21 | 81 | LYS | GLN | conflict | UNP G1TM82 |

- Molecule 71 is a protein called 40S ribosomal protein S15a.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 71 | AS22 | 129 | 1034 | 659 | 193 | 176 | 6 | 0 | 0 |

- Molecule 72 is a protein called 40S ribosomal protein S23.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 72 | AS23 | 141 | 1098 | 693 | 219 | 183 | 3 | 0 | 0 |

- Molecule 73 is a protein called 40S ribosomal protein S24.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 73 | AS24 | 124 | 1011 | 640 | 198 | 168 | 5 | 0 | 0 |

- Molecule 74 is a protein called 40S ribosomal protein S25.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 74 | AS25 | 75 | 598 | 382 | 111 | 104 | 1 | 0 | 0 |

- Molecule 75 is a protein called eS26.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 75 | AS26 | 101 | 814 | 507 | 170 | 132 | 5 | 0 | 0 |

There are 2 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|----------|------------|
| AS26 | 28 | ARG | CYS | conflict | UNP G1TFE8 |
| AS26 | 56 | ALA | VAL | conflict | UNP G1TFE8 |

- Molecule 76 is a protein called 40S ribosomal protein S27.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 76 | AS27 | 83 | 651 | 408 | 121 | 115 | 7 | 0 | 0 |

- Molecule 77 is a protein called 40S ribosomal protein S28.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 77 | AS28 | 62 | 488 | 297 | 97 | 92 | 2 | 0 | 0 |

- Molecule 78 is a protein called 40S ribosomal protein S29.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 78 | AS29 | 55 | 459 | 286 | 94 | 74 | 5 | 0 | 0 |

- Molecule 79 is a protein called 40S ribosomal protein S30.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 79 | AS30 | 55 | 443 | 274 | 97 | 71 | 1 | 0 | 0 |

- Molecule 80 is a protein called 40S ribosomal protein S27a.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 80 | AS31 | 68 | 555 | 351 | 103 | 94 | 7 | 0 | 0 |

- Molecule 81 is a protein called 60S ribosomal protein L28.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| | | | Total | C | N | O | S | | |
| 81 | EL28 | 125 | 1001 | 621 | 206 | 168 | 6 | 0 | 0 |

- Molecule 82 is a RNA chain called RNA (5'-R(*CP*AP*CP*AP*UP*GP*UP*UP*CP*C)-3').

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|----|----|----|----|---------|-------|
| | | | Total | C | N | O | P | | |
| 82 | MRNA | 10 | 207 | 93 | 33 | 71 | 10 | 0 | 0 |

- Molecule 83 is a protein called PR20, ALS/FTD dipeptide repeat protein.

| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|----|----|----|---------|-------|
| | | | Total | C | N | O | | |
| 83 | PR | 19 | 126 | 73 | 34 | 19 | 0 | 0 |

- Molecule 84 is a RNA chain called tRNAfMet.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|----|---------|-------|
| | | | Total | C | N | O | P | | |
| 84 | PTRN | 77 | 1622 | 725 | 295 | 527 | 75 | 0 | 1 |

- Molecule 85 is ZINC ION (three-letter code: ZN) (formula: Zn).


| Mol | Chain | Residues | Atoms | | AltConf |
|-----|-------|----------|-------|----|---------|
| 85 | AL37 | 1 | Total | Zn | 0 |
| | | | 1 | 1 | |
| 85 | AL40 | 1 | Total | Zn | 0 |
| | | | 1 | 1 | |
| 85 | AL42 | 1 | Total | Zn | 0 |
| | | | 1 | 1 | |
| 85 | AL43 | 1 | Total | Zn | 0 |
| | | | 1 | 1 | |

3 Residue-property plots



These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 18S rRNA








• Molecule 2: 28S rRNA







• Molecule 3: 5.8S rRNA



• Molecule 4: 5S rRNA



• Molecule 5: uL2




• Molecule 6: 60S ribosomal protein L3




• Molecule 7: 60S ribosomal protein L4








- Molecule 8: 60S ribosomal protein L5




- Molecule 9: 60S ribosomal protein L6




- Molecule 10: uL30



- Molecule 11: eL8




- Molecule 12: 60S ribosomal protein L9




- Molecule 13: Ribosomal protein L10









• Molecule 14: 60S ribosomal protein L11




• Molecule 15: 60S ribosomal protein L12



• Molecule 16: eL13



• Molecule 17: 60S ribosomal protein L14




• Molecule 18: 60S ribosomal protein L15




There are no outlier residues recorded for this chain.

• Molecule 19: uL13







- Molecule 20: 60S ribosomal protein L17



- Molecule 21: eL18




- Molecule 22: 60S ribosomal protein L19




- Molecule 23: eL20



- Molecule 24: 60S ribosomal protein L21




- Molecule 25: eL22




- Molecule 26: 60S ribosomal protein L23

Chain AL23:  100%



- Molecule 27: Ribosomal protein L24

Chain AL24:  100%




- Molecule 28: uL23

Chain AL25:  100%




- Molecule 29: 60S ribosomal protein L26

Chain AL26:  98%




- Molecule 30: 60S ribosomal protein L27

Chain AL27:  99%




- Molecule 31: 60S ribosomal protein L27a

Chain AL28:  100%




- Molecule 32: eL29

Chain AL29:  22% 100%




- Molecule 33: eL30

Chain AL30:  100%



- Molecule 34: 60S ribosomal protein L31

Chain AL31:  100%



- Molecule 35: 60S ribosomal protein L32

Chain AL32:  100%




- Molecule 36: 60S ribosomal protein L35a

Chain AL33:  99%



- Molecule 37: 60S ribosomal protein L34

Chain AL34:  99%



- Molecule 38: 60S ribosomal protein L35

Chain AL35:  99%



- Molecule 39: 60S ribosomal protein L36

Chain AL36:  98%




- Molecule 40: 60S ribosomal protein L37

Chain AL37: 100%

There are no outlier residues recorded for this chain.

- Molecule 41: eL38

Chain AL38: 99%




- Molecule 42: eL39

Chain AL39: 98%




- Molecule 43: eL40

Chain AL40: 100%




- Molecule 44: eL41

Chain AL41: 100%




- Molecule 45: eL42

Chain AL42: 100%



- Molecule 46: 60S ribosomal protein L37a


Chain AL43: 100%




• Molecule 47: 60S acidic ribosomal protein P0




• Molecule 48: Receptor of activated protein C kinase 1




• Molecule 49: 40S_SA_C domain-containing protein







• Molecule 50: 40S ribosomal protein S3a




• Molecule 51: 40S ribosomal protein S2




• Molecule 52: 40S ribosomal protein S3









• Molecule 53: 40S ribosomal protein S4




• Molecule 54: Ribosomal protein S5





• Molecule 55: 40S ribosomal protein S6








• Molecule 56: eS7




• Molecule 57: 40S ribosomal protein S8




• Molecule 58: 40S ribosomal protein S9




• Molecule 59: 40S ribosomal protein S10




• Molecule 60: 40S ribosomal protein S11




• Molecule 61: 40S ribosomal protein S12




• Molecule 62: 40S ribosomal protein S13




• Molecule 63: 40S ribosomal protein S14




- Molecule 64: 40S ribosomal protein S15




- Molecule 65: uS9




- Molecule 66: 40S ribosomal protein S17





- Molecule 67: 40S ribosomal protein S18






- Molecule 68: eS19








• Molecule 69: 40S ribosomal protein S20




• Molecule 70: eS21



• Molecule 71: 40S ribosomal protein S15a




• Molecule 72: 40S ribosomal protein S23







- Molecule 73: 40S ribosomal protein S24




- Molecule 74: 40S ribosomal protein S25




- Molecule 75: eS26




- Molecule 76: 40S ribosomal protein S27



- Molecule 77: 40S ribosomal protein S28



- Molecule 78: 40S ribosomal protein S29



4 Experimental information

| Property | Value | Source |
|--------------------------------------|------------------------------------|-----------|
| EM reconstruction method | SINGLE PARTICLE | Depositor |
| Imposed symmetry | POINT, Not provided | |
| Number of particles used | 63475 | Depositor |
| Resolution determination method | FSC 0.143 CUT-OFF | Depositor |
| CTF correction method | PHASE FLIPPING ONLY | Depositor |
| Microscope | FEI TALOS ARCTICA | Depositor |
| Voltage (kV) | 200 | Depositor |
| Electron dose ($e^-/\text{\AA}^2$) | 30 | Depositor |
| Minimum defocus (nm) | 500 | Depositor |
| Maximum defocus (nm) | 1800 | Depositor |
| Magnification | Not provided | |
| Image detector | GATAN K3 (6k x 4k) | Depositor |
| Maximum map value | 17.840 | Depositor |
| Minimum map value | -5.436 | Depositor |
| Average map value | 0.006 | Depositor |
| Map value standard deviation | 0.774 | Depositor |
| Recommended contour level | 3.0 | Depositor |
| Map size (\AA) | 528.96, 528.96, 528.96 | wwPDB |
| Map dimensions | 608, 608, 608 | wwPDB |
| Map angles ($^\circ$) | 90.0, 90.0, 90.0 | wwPDB |
| Pixel spacing (\AA) | 0.87000006, 0.87000006, 0.87000006 | Depositor |

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section:
ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Chain | Bond lengths | | Bond angles | |
|-----|-------|--------------|---------|-------------|------------------|
| | | RMSZ | # Z >5 | RMSZ | # Z >5 |
| 1 | A18S | 0.22 | 0/40343 | 0.89 | 71/62871 (0.1%) |
| 2 | A25S | 0.21 | 0/87519 | 0.86 | 91/136513 (0.1%) |
| 3 | A58S | 0.21 | 0/3701 | 0.84 | 2/5766 (0.0%) |
| 4 | A5S | 0.19 | 0/2858 | 0.80 | 0/4455 |
| 5 | AL02 | 0.26 | 0/1906 | 0.52 | 0/2556 |
| 6 | AL03 | 0.26 | 0/3216 | 0.48 | 0/4311 |
| 7 | AL04 | 0.24 | 0/2937 | 0.45 | 0/3946 |
| 8 | AL05 | 0.25 | 0/2437 | 0.44 | 0/3264 |
| 9 | AL06 | 0.24 | 0/1762 | 0.46 | 0/2362 |
| 10 | AL07 | 0.29 | 0/1905 | 0.50 | 1/2539 (0.0%) |
| 11 | AL08 | 0.25 | 0/1967 | 0.48 | 1/2647 (0.0%) |
| 12 | AL09 | 0.27 | 0/1535 | 0.54 | 0/2063 |
| 13 | AL10 | 0.26 | 0/1691 | 0.47 | 0/2256 |
| 14 | AL11 | 0.27 | 0/1376 | 0.51 | 0/1841 |
| 15 | AL12 | 0.21 | 0/285 | 0.33 | 0/379 |
| 16 | AL13 | 0.25 | 0/1734 | 0.48 | 0/2317 |
| 17 | AL14 | 0.27 | 0/1158 | 0.54 | 0/1547 |
| 18 | AL15 | 0.24 | 0/1746 | 0.45 | 0/2338 |
| 19 | AL16 | 0.26 | 0/1671 | 0.47 | 0/2234 |
| 20 | AL17 | 0.25 | 0/1268 | 0.47 | 0/1700 |
| 21 | AL18 | 0.24 | 0/1530 | 0.47 | 0/2041 |
| 22 | AL19 | 0.25 | 0/1524 | 0.50 | 0/2013 |
| 23 | AL20 | 0.26 | 0/1493 | 0.53 | 0/2002 |
| 24 | AL21 | 0.27 | 0/1326 | 0.51 | 0/1770 |
| 25 | AL22 | 0.30 | 0/822 | 0.67 | 1/1103 (0.1%) |
| 26 | AL23 | 0.28 | 0/993 | 0.60 | 0/1332 |
| 27 | AL24 | 0.28 | 0/541 | 0.56 | 0/720 |
| 28 | AL25 | 0.25 | 0/993 | 0.54 | 0/1334 |
| 29 | AL26 | 0.25 | 0/1132 | 0.50 | 1/1504 (0.1%) |
| 30 | AL27 | 0.28 | 0/1130 | 0.52 | 0/1507 |
| 31 | AL28 | 0.25 | 0/1191 | 0.47 | 0/1590 |
| 32 | AL29 | 0.24 | 0/854 | 0.47 | 0/1128 |

| Mol | Chain | Bond lengths | | Bond angles | |
|-----|-------|--------------|---------|-------------|---------------|
| | | RMSZ | # Z >5 | RMSZ | # Z >5 |
| 33 | AL30 | 0.27 | 0/742 | 0.53 | 0/996 |
| 34 | AL31 | 0.26 | 0/903 | 0.49 | 0/1216 |
| 35 | AL32 | 0.27 | 0/1071 | 0.52 | 0/1429 |
| 36 | AL33 | 0.27 | 0/895 | 0.53 | 0/1198 |
| 37 | AL34 | 0.25 | 0/916 | 0.51 | 0/1220 |
| 38 | AL35 | 0.26 | 0/1021 | 0.52 | 0/1348 |
| 39 | AL36 | 0.25 | 0/841 | 0.50 | 0/1112 |
| 40 | AL37 | 0.25 | 0/720 | 0.49 | 0/952 |
| 41 | AL38 | 0.27 | 0/575 | 0.64 | 1/761 (0.1%) |
| 42 | AL39 | 0.23 | 0/454 | 0.45 | 0/599 |
| 43 | AL40 | 0.33 | 0/435 | 0.63 | 0/575 |
| 44 | AL41 | 0.22 | 0/223 | 0.50 | 0/284 |
| 45 | AL42 | 0.29 | 0/864 | 0.55 | 0/1140 |
| 46 | AL43 | 0.26 | 0/718 | 0.54 | 0/953 |
| 47 | ALP0 | 0.26 | 0/233 | 0.42 | 0/308 |
| 48 | ARAC | 0.24 | 0/2493 | 0.46 | 0/3394 |
| 49 | AS00 | 0.25 | 0/1747 | 0.50 | 1/2374 (0.0%) |
| 50 | AS01 | 0.26 | 0/1756 | 0.52 | 0/2350 |
| 51 | AS02 | 0.26 | 0/1753 | 0.55 | 0/2369 |
| 52 | AS03 | 0.29 | 0/1796 | 0.54 | 0/2417 |
| 53 | AS04 | 0.26 | 0/2118 | 0.49 | 0/2849 |
| 54 | AS05 | 0.25 | 0/1491 | 0.46 | 0/2004 |
| 55 | AS06 | 0.25 | 0/1946 | 0.47 | 0/2590 |
| 56 | AS07 | 0.24 | 0/1510 | 0.47 | 0/2022 |
| 57 | AS08 | 0.25 | 0/1715 | 0.49 | 0/2287 |
| 58 | AS09 | 0.25 | 0/1550 | 0.47 | 0/2069 |
| 59 | AS10 | 0.25 | 0/834 | 0.47 | 0/1125 |
| 60 | AS11 | 0.26 | 0/1195 | 0.50 | 0/1597 |
| 61 | AS12 | 0.24 | 0/918 | 0.46 | 0/1233 |
| 62 | AS13 | 0.23 | 0/1226 | 0.46 | 0/1649 |
| 63 | AS14 | 0.26 | 0/1029 | 0.55 | 0/1380 |
| 64 | AS15 | 0.25 | 0/1017 | 0.52 | 1/1358 (0.1%) |
| 65 | AS16 | 0.24 | 0/1146 | 0.48 | 0/1534 |
| 66 | AS17 | 0.28 | 0/1082 | 0.53 | 1/1452 (0.1%) |
| 67 | AS18 | 0.28 | 0/1208 | 0.54 | 0/1618 |
| 68 | AS19 | 0.25 | 0/1115 | 0.50 | 1/1493 (0.1%) |
| 69 | AS20 | 0.24 | 0/805 | 0.54 | 1/1081 (0.1%) |
| 70 | AS21 | 0.27 | 0/643 | 0.54 | 0/860 |
| 71 | AS22 | 0.25 | 0/1051 | 0.52 | 0/1406 |
| 72 | AS23 | 0.28 | 0/1116 | 0.52 | 0/1490 |
| 73 | AS24 | 0.25 | 0/1028 | 0.49 | 0/1366 |
| 74 | AS25 | 0.24 | 0/604 | 0.52 | 0/810 |
| 75 | AS26 | 0.26 | 0/828 | 0.48 | 1/1109 (0.1%) |

| Mol | Chain | Bond lengths | | Bond angles | |
|-----|-------|--------------|----------|-------------|-------------------|
| | | RMSZ | # Z >5 | RMSZ | # Z >5 |
| 76 | AS27 | 0.26 | 0/665 | 0.54 | 0/891 |
| 77 | AS28 | 0.24 | 0/490 | 0.49 | 0/656 |
| 78 | AS29 | 0.25 | 0/470 | 0.46 | 0/623 |
| 79 | AS30 | 0.24 | 0/447 | 0.43 | 0/587 |
| 80 | AS31 | 0.24 | 0/567 | 0.45 | 0/753 |
| 81 | EL28 | 0.26 | 0/1017 | 0.57 | 0/1364 |
| 82 | MRNA | 0.14 | 0/229 | 0.76 | 0/353 |
| 83 | PR | 0.41 | 0/130 | 1.06 | 2/171 (1.2%) |
| 84 | PTRN | 0.24 | 0/1810 | 0.96 | 4/2817 (0.1%) |
| All | All | 0.23 | 0/229700 | 0.76 | 181/337541 (0.1%) |

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

| Mol | Chain | #Chirality outliers | #Planarity outliers |
|-----|-------|---------------------|---------------------|
| 6 | AL03 | 0 | 1 |
| 11 | AL08 | 0 | 1 |
| 23 | AL20 | 0 | 1 |
| 72 | AS23 | 0 | 1 |
| 83 | PR | 0 | 1 |
| All | All | 0 | 5 |

There are no bond length outliers.

The worst 5 of 181 bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|------|------|-----------|-------|-------------|----------|
| 1 | A18S | 1022 | U | C2-N1-C1' | 10.22 | 129.97 | 117.70 |
| 1 | A18S | 1078 | C | N1-C2-O2 | 9.12 | 124.37 | 118.90 |
| 2 | A25S | 4420 | U | C2-N1-C1' | 8.95 | 128.44 | 117.70 |
| 2 | A25S | 4420 | U | N1-C2-O2 | 8.61 | 128.83 | 122.80 |
| 1 | A18S | 1453 | C | N1-C2-O2 | 8.24 | 123.84 | 118.90 |

There are no chirality outliers.

All (5) planarity outliers are listed below:

| Mol | Chain | Res | Type | Group |
|-----|-------|-----|------|---------|
| 6 | AL03 | 261 | ARG | Peptide |
| 11 | AL08 | 162 | ASP | Peptide |
| 23 | AL20 | 164 | LYS | Peptide |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Group |
|-----|-------|-----|------|---------|
| 72 | AS23 | 61 | GLN | Peptide |
| 83 | PR | 24 | ARG | Peptide |

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|-------|----------|----------|---------|--------------|
| 1 | A18S | 36079 | 0 | 0 | 0 | 0 |
| 2 | A25S | 78238 | 0 | 0 | 0 | 0 |
| 3 | A58S | 3314 | 0 | 0 | 0 | 0 |
| 4 | A5S | 2558 | 0 | 1296 | 17 | 0 |
| 5 | AL02 | 1868 | 0 | 0 | 0 | 0 |
| 6 | AL03 | 3148 | 0 | 0 | 0 | 0 |
| 7 | AL04 | 2883 | 0 | 0 | 0 | 0 |
| 8 | AL05 | 2391 | 0 | 0 | 0 | 0 |
| 9 | AL06 | 1729 | 0 | 0 | 0 | 0 |
| 10 | AL07 | 1870 | 0 | 0 | 0 | 0 |
| 11 | AL08 | 1934 | 0 | 0 | 0 | 0 |
| 12 | AL09 | 1516 | 0 | 0 | 0 | 0 |
| 13 | AL10 | 1654 | 0 | 0 | 0 | 0 |
| 14 | AL11 | 1353 | 0 | 0 | 0 | 0 |
| 15 | AL12 | 285 | 0 | 0 | 0 | 0 |
| 16 | AL13 | 1703 | 0 | 0 | 0 | 0 |
| 17 | AL14 | 1137 | 0 | 0 | 0 | 0 |
| 18 | AL15 | 1701 | 0 | 0 | 0 | 0 |
| 19 | AL16 | 1638 | 0 | 0 | 0 | 0 |
| 20 | AL17 | 1242 | 0 | 0 | 0 | 0 |
| 21 | AL18 | 1506 | 0 | 0 | 0 | 0 |
| 22 | AL19 | 1508 | 0 | 0 | 0 | 0 |
| 23 | AL20 | 1454 | 0 | 0 | 0 | 0 |
| 24 | AL21 | 1298 | 0 | 0 | 0 | 0 |
| 25 | AL22 | 808 | 0 | 0 | 0 | 0 |
| 26 | AL23 | 979 | 0 | 0 | 0 | 0 |
| 27 | AL24 | 528 | 0 | 0 | 0 | 0 |
| 28 | AL25 | 976 | 0 | 0 | 0 | 0 |
| 29 | AL26 | 1115 | 0 | 0 | 0 | 0 |
| 30 | AL27 | 1107 | 0 | 0 | 0 | 0 |
| 31 | AL28 | 1162 | 0 | 0 | 0 | 0 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|-------|----------|----------|---------|--------------|
| 32 | AL29 | 841 | 0 | 0 | 0 | 0 |
| 33 | AL30 | 732 | 0 | 0 | 0 | 0 |
| 34 | AL31 | 888 | 0 | 0 | 0 | 0 |
| 35 | AL32 | 1053 | 0 | 0 | 0 | 0 |
| 36 | AL33 | 876 | 0 | 0 | 0 | 0 |
| 37 | AL34 | 906 | 0 | 0 | 0 | 0 |
| 38 | AL35 | 1013 | 0 | 0 | 0 | 0 |
| 39 | AL36 | 830 | 0 | 0 | 0 | 0 |
| 40 | AL37 | 705 | 0 | 0 | 0 | 0 |
| 41 | AL38 | 569 | 0 | 0 | 0 | 0 |
| 42 | AL39 | 444 | 0 | 0 | 0 | 0 |
| 43 | AL40 | 429 | 0 | 0 | 0 | 0 |
| 44 | AL41 | 222 | 0 | 0 | 0 | 0 |
| 45 | AL42 | 851 | 0 | 0 | 0 | 0 |
| 46 | AL43 | 708 | 0 | 0 | 0 | 0 |
| 47 | ALP0 | 230 | 0 | 0 | 0 | 0 |
| 48 | ARAC | 2436 | 0 | 0 | 0 | 0 |
| 49 | AS00 | 1710 | 0 | 0 | 0 | 0 |
| 50 | AS01 | 1729 | 0 | 0 | 0 | 0 |
| 51 | AS02 | 1716 | 0 | 0 | 0 | 0 |
| 52 | AS03 | 1768 | 0 | 0 | 0 | 0 |
| 53 | AS04 | 2076 | 0 | 0 | 0 | 0 |
| 54 | AS05 | 1470 | 0 | 0 | 0 | 0 |
| 55 | AS06 | 1923 | 0 | 0 | 0 | 0 |
| 56 | AS07 | 1488 | 0 | 0 | 0 | 0 |
| 57 | AS08 | 1686 | 0 | 0 | 0 | 0 |
| 58 | AS09 | 1525 | 0 | 0 | 0 | 0 |
| 59 | AS10 | 810 | 0 | 0 | 0 | 0 |
| 60 | AS11 | 1175 | 0 | 0 | 0 | 0 |
| 61 | AS12 | 908 | 0 | 0 | 0 | 0 |
| 62 | AS13 | 1202 | 0 | 0 | 0 | 0 |
| 63 | AS14 | 1016 | 0 | 0 | 0 | 0 |
| 64 | AS15 | 997 | 0 | 0 | 0 | 0 |
| 65 | AS16 | 1128 | 0 | 0 | 0 | 0 |
| 66 | AS17 | 1068 | 0 | 0 | 0 | 0 |
| 67 | AS18 | 1190 | 0 | 0 | 0 | 0 |
| 68 | AS19 | 1097 | 0 | 0 | 0 | 0 |
| 69 | AS20 | 795 | 0 | 0 | 0 | 0 |
| 70 | AS21 | 636 | 0 | 0 | 0 | 0 |
| 71 | AS22 | 1034 | 0 | 0 | 0 | 0 |
| 72 | AS23 | 1098 | 0 | 0 | 0 | 0 |
| 73 | AS24 | 1011 | 0 | 0 | 0 | 0 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|--------|----------|----------|---------|--------------|
| 74 | AS25 | 598 | 0 | 0 | 0 | 0 |
| 75 | AS26 | 814 | 0 | 0 | 0 | 0 |
| 76 | AS27 | 651 | 0 | 0 | 0 | 0 |
| 77 | AS28 | 488 | 0 | 0 | 0 | 0 |
| 78 | AS29 | 459 | 0 | 0 | 0 | 0 |
| 79 | AS30 | 443 | 0 | 0 | 0 | 0 |
| 80 | AS31 | 555 | 0 | 0 | 0 | 0 |
| 81 | EL28 | 1001 | 0 | 0 | 0 | 0 |
| 82 | MRNA | 207 | 0 | 0 | 0 | 0 |
| 83 | PR | 126 | 0 | 104 | 0 | 0 |
| 84 | PTRN | 1622 | 0 | 0 | 0 | 0 |
| 85 | AL37 | 1 | 0 | 0 | 0 | 0 |
| 85 | AL40 | 1 | 0 | 0 | 0 | 0 |
| 85 | AL42 | 1 | 0 | 0 | 0 | 0 |
| 85 | AL43 | 1 | 0 | 0 | 0 | 0 |
| All | All | 213639 | 0 | 1400 | 17 | 0 |

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

The worst 5 of 17 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|----------------|-----------------|--------------------------|-------------------|
| 4:A5S:28:C:H1' | 4:A5S:54:A:H61 | 1.57 | 0.70 |
| 4:A5S:77:A:H62 | 4:A5S:99:G:H21 | 1.44 | 0.64 |
| 4:A5S:92:C:H2' | 4:A5S:93:G:H8 | 1.66 | 0.59 |
| 4:A5S:63:C:H5' | 4:A5S:64:G:H5'' | 1.86 | 0.56 |
| 4:A5S:28:C:O2' | 4:A5S:54:A:N1 | 2.39 | 0.55 |

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|-----|-------|----------------|-----------|---------|----------|-------------|-----|
| 5 | AL02 | 242/244 (99%) | 227 (94%) | 15 (6%) | 0 | 100 | 100 |
| 6 | AL03 | 392/394 (100%) | 377 (96%) | 15 (4%) | 0 | 100 | 100 |
| 7 | AL04 | 360/362 (99%) | 348 (97%) | 12 (3%) | 0 | 100 | 100 |
| 8 | AL05 | 291/293 (99%) | 282 (97%) | 9 (3%) | 0 | 100 | 100 |
| 9 | AL06 | 208/251 (83%) | 201 (97%) | 7 (3%) | 0 | 100 | 100 |
| 10 | AL07 | 223/225 (99%) | 218 (98%) | 5 (2%) | 0 | 100 | 100 |
| 11 | AL08 | 239/241 (99%) | 223 (93%) | 16 (7%) | 0 | 100 | 100 |
| 12 | AL09 | 188/190 (99%) | 178 (95%) | 10 (5%) | 0 | 100 | 100 |
| 13 | AL10 | 200/213 (94%) | 191 (96%) | 9 (4%) | 0 | 100 | 100 |
| 14 | AL11 | 167/169 (99%) | 154 (92%) | 13 (8%) | 0 | 100 | 100 |
| 15 | AL12 | 32/163 (20%) | 32 (100%) | 0 | 0 | 100 | 100 |
| 16 | AL13 | 208/210 (99%) | 193 (93%) | 14 (7%) | 1 (0%) | 29 | 64 |
| 17 | AL14 | 136/138 (99%) | 126 (93%) | 10 (7%) | 0 | 100 | 100 |
| 18 | AL15 | 201/203 (99%) | 194 (96%) | 7 (4%) | 0 | 100 | 100 |
| 19 | AL16 | 197/199 (99%) | 193 (98%) | 4 (2%) | 0 | 100 | 100 |
| 20 | AL17 | 151/153 (99%) | 149 (99%) | 2 (1%) | 0 | 100 | 100 |
| 21 | AL18 | 185/187 (99%) | 178 (96%) | 7 (4%) | 0 | 100 | 100 |
| 22 | AL19 | 178/180 (99%) | 173 (97%) | 5 (3%) | 0 | 100 | 100 |
| 23 | AL20 | 173/175 (99%) | 164 (95%) | 8 (5%) | 1 (1%) | 25 | 59 |
| 24 | AL21 | 157/159 (99%) | 147 (94%) | 10 (6%) | 0 | 100 | 100 |
| 25 | AL22 | 97/99 (98%) | 90 (93%) | 7 (7%) | 0 | 100 | 100 |
| 26 | AL23 | 129/131 (98%) | 124 (96%) | 5 (4%) | 0 | 100 | 100 |
| 27 | AL24 | 61/63 (97%) | 61 (100%) | 0 | 0 | 100 | 100 |
| 28 | AL25 | 117/119 (98%) | 111 (95%) | 6 (5%) | 0 | 100 | 100 |
| 29 | AL26 | 132/134 (98%) | 129 (98%) | 3 (2%) | 0 | 100 | 100 |
| 30 | AL27 | 133/135 (98%) | 123 (92%) | 10 (8%) | 0 | 100 | 100 |
| 31 | AL28 | 145/147 (99%) | 135 (93%) | 10 (7%) | 0 | 100 | 100 |
| 32 | AL29 | 99/103 (96%) | 96 (97%) | 3 (3%) | 0 | 100 | 100 |
| 33 | AL30 | 92/94 (98%) | 92 (100%) | 0 | 0 | 100 | 100 |
| 34 | AL31 | 105/107 (98%) | 102 (97%) | 3 (3%) | 0 | 100 | 100 |
| 35 | AL32 | 126/128 (98%) | 124 (98%) | 2 (2%) | 0 | 100 | 100 |
| 36 | AL33 | 107/109 (98%) | 102 (95%) | 5 (5%) | 0 | 100 | 100 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|-----|-------|---------------|-----------|---------|----------|-------------|-----|
| 37 | AL34 | 112/114 (98%) | 110 (98%) | 2 (2%) | 0 | 100 | 100 |
| 38 | AL35 | 120/122 (98%) | 114 (95%) | 6 (5%) | 0 | 100 | 100 |
| 39 | AL36 | 100/102 (98%) | 93 (93%) | 7 (7%) | 0 | 100 | 100 |
| 40 | AL37 | 84/86 (98%) | 81 (96%) | 3 (4%) | 0 | 100 | 100 |
| 41 | AL38 | 67/69 (97%) | 59 (88%) | 8 (12%) | 0 | 100 | 100 |
| 42 | AL39 | 48/50 (96%) | 45 (94%) | 3 (6%) | 0 | 100 | 100 |
| 43 | AL40 | 50/52 (96%) | 48 (96%) | 2 (4%) | 0 | 100 | 100 |
| 44 | AL41 | 21/23 (91%) | 21 (100%) | 0 | 0 | 100 | 100 |
| 45 | AL42 | 102/104 (98%) | 94 (92%) | 8 (8%) | 0 | 100 | 100 |
| 46 | AL43 | 89/91 (98%) | 86 (97%) | 3 (3%) | 0 | 100 | 100 |
| 47 | ALP0 | 23/27 (85%) | 23 (100%) | 0 | 0 | 100 | 100 |
| 48 | ARAC | 311/313 (99%) | 296 (95%) | 15 (5%) | 0 | 100 | 100 |
| 49 | AS00 | 215/217 (99%) | 204 (95%) | 11 (5%) | 0 | 100 | 100 |
| 50 | AS01 | 211/213 (99%) | 202 (96%) | 9 (4%) | 0 | 100 | 100 |
| 51 | AS02 | 219/221 (99%) | 215 (98%) | 4 (2%) | 0 | 100 | 100 |
| 52 | AS03 | 226/228 (99%) | 221 (98%) | 5 (2%) | 0 | 100 | 100 |
| 53 | AS04 | 260/262 (99%) | 248 (95%) | 12 (5%) | 0 | 100 | 100 |
| 54 | AS05 | 181/191 (95%) | 170 (94%) | 11 (6%) | 0 | 100 | 100 |
| 55 | AS06 | 235/237 (99%) | 233 (99%) | 2 (1%) | 0 | 100 | 100 |
| 56 | AS07 | 181/189 (96%) | 175 (97%) | 6 (3%) | 0 | 100 | 100 |
| 57 | AS08 | 204/206 (99%) | 192 (94%) | 12 (6%) | 0 | 100 | 100 |
| 58 | AS09 | 183/185 (99%) | 179 (98%) | 4 (2%) | 0 | 100 | 100 |
| 59 | AS10 | 94/96 (98%) | 89 (95%) | 5 (5%) | 0 | 100 | 100 |
| 60 | AS11 | 139/151 (92%) | 131 (94%) | 8 (6%) | 0 | 100 | 100 |
| 61 | AS12 | 115/117 (98%) | 107 (93%) | 8 (7%) | 0 | 100 | 100 |
| 62 | AS13 | 147/149 (99%) | 146 (99%) | 1 (1%) | 0 | 100 | 100 |
| 63 | AS14 | 134/136 (98%) | 129 (96%) | 5 (4%) | 0 | 100 | 100 |
| 64 | AS15 | 118/120 (98%) | 112 (95%) | 6 (5%) | 0 | 100 | 100 |
| 65 | AS16 | 140/142 (99%) | 136 (97%) | 4 (3%) | 0 | 100 | 100 |
| 66 | AS17 | 130/132 (98%) | 124 (95%) | 6 (5%) | 0 | 100 | 100 |
| 67 | AS18 | 142/144 (99%) | 134 (94%) | 8 (6%) | 0 | 100 | 100 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|-----|-------|-------------------|-------------|----------|----------|-------------|-----|
| 68 | AS19 | 139/141 (99%) | 134 (96%) | 5 (4%) | 0 | 100 | 100 |
| 69 | AS20 | 98/100 (98%) | 94 (96%) | 4 (4%) | 0 | 100 | 100 |
| 70 | AS21 | 81/83 (98%) | 78 (96%) | 3 (4%) | 0 | 100 | 100 |
| 71 | AS22 | 127/129 (98%) | 124 (98%) | 3 (2%) | 0 | 100 | 100 |
| 72 | AS23 | 139/141 (99%) | 133 (96%) | 5 (4%) | 1 (1%) | 22 | 57 |
| 73 | AS24 | 122/124 (98%) | 119 (98%) | 3 (2%) | 0 | 100 | 100 |
| 74 | AS25 | 73/75 (97%) | 73 (100%) | 0 | 0 | 100 | 100 |
| 75 | AS26 | 99/101 (98%) | 94 (95%) | 5 (5%) | 0 | 100 | 100 |
| 76 | AS27 | 81/83 (98%) | 78 (96%) | 3 (4%) | 0 | 100 | 100 |
| 77 | AS28 | 60/62 (97%) | 59 (98%) | 1 (2%) | 0 | 100 | 100 |
| 78 | AS29 | 53/55 (96%) | 51 (96%) | 2 (4%) | 0 | 100 | 100 |
| 79 | AS30 | 53/55 (96%) | 52 (98%) | 1 (2%) | 0 | 100 | 100 |
| 80 | AS31 | 66/68 (97%) | 60 (91%) | 6 (9%) | 0 | 100 | 100 |
| 81 | EL28 | 123/125 (98%) | 111 (90%) | 12 (10%) | 0 | 100 | 100 |
| 83 | PR | 17/40 (42%) | 12 (71%) | 5 (29%) | 0 | 100 | 100 |
| All | All | 11203/11589 (97%) | 10726 (96%) | 474 (4%) | 3 (0%) | 100 | 100 |

All (3) Ramachandran outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 72 | AS23 | 62 | PRO |
| 16 | AL13 | 64 | VAL |
| 23 | AL20 | 165 | PRO |

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|----------------|------------|----------|-------------|-----|
| 5 | AL02 | 187/187 (100%) | 186 (100%) | 1 (0%) | 88 | 94 |
| 6 | AL03 | 336/342 (98%) | 336 (100%) | 0 | 100 | 100 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|----------------|------------|----------|-------------|-----|
| 7 | AL04 | 302/302 (100%) | 301 (100%) | 1 (0%) | 92 | 96 |
| 8 | AL05 | 247/247 (100%) | 247 (100%) | 0 | 100 | 100 |
| 9 | AL06 | 190/223 (85%) | 187 (98%) | 3 (2%) | 62 | 84 |
| 10 | AL07 | 194/195 (100%) | 193 (100%) | 1 (0%) | 88 | 94 |
| 11 | AL08 | 206/206 (100%) | 205 (100%) | 1 (0%) | 88 | 94 |
| 12 | AL09 | 169/169 (100%) | 169 (100%) | 0 | 100 | 100 |
| 13 | AL10 | 174/180 (97%) | 174 (100%) | 0 | 100 | 100 |
| 14 | AL11 | 142/142 (100%) | 140 (99%) | 2 (1%) | 67 | 86 |
| 15 | AL12 | 31/136 (23%) | 31 (100%) | 0 | 100 | 100 |
| 16 | AL13 | 176/176 (100%) | 175 (99%) | 1 (1%) | 86 | 94 |
| 17 | AL14 | 117/117 (100%) | 117 (100%) | 0 | 100 | 100 |
| 18 | AL15 | 171/171 (100%) | 171 (100%) | 0 | 100 | 100 |
| 19 | AL16 | 171/171 (100%) | 169 (99%) | 2 (1%) | 71 | 88 |
| 20 | AL17 | 134/134 (100%) | 133 (99%) | 1 (1%) | 84 | 93 |
| 21 | AL18 | 163/163 (100%) | 163 (100%) | 0 | 100 | 100 |
| 22 | AL19 | 159/159 (100%) | 158 (99%) | 1 (1%) | 86 | 94 |
| 23 | AL20 | 156/156 (100%) | 154 (99%) | 2 (1%) | 69 | 87 |
| 24 | AL21 | 139/139 (100%) | 139 (100%) | 0 | 100 | 100 |
| 25 | AL22 | 89/89 (100%) | 87 (98%) | 2 (2%) | 52 | 78 |
| 26 | AL23 | 101/101 (100%) | 101 (100%) | 0 | 100 | 100 |
| 27 | AL24 | 55/55 (100%) | 55 (100%) | 0 | 100 | 100 |
| 28 | AL25 | 107/107 (100%) | 107 (100%) | 0 | 100 | 100 |
| 29 | AL26 | 124/124 (100%) | 122 (98%) | 2 (2%) | 62 | 84 |
| 30 | AL27 | 117/117 (100%) | 116 (99%) | 1 (1%) | 78 | 91 |
| 31 | AL28 | 119/119 (100%) | 119 (100%) | 0 | 100 | 100 |
| 32 | AL29 | 83/83 (100%) | 83 (100%) | 0 | 100 | 100 |
| 33 | AL30 | 79/79 (100%) | 79 (100%) | 0 | 100 | 100 |
| 34 | AL31 | 98/98 (100%) | 98 (100%) | 0 | 100 | 100 |
| 35 | AL32 | 114/114 (100%) | 114 (100%) | 0 | 100 | 100 |
| 36 | AL33 | 88/88 (100%) | 87 (99%) | 1 (1%) | 73 | 89 |
| 37 | AL34 | 98/98 (100%) | 97 (99%) | 1 (1%) | 76 | 90 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|----------------|------------|----------|-------------|-----|
| 38 | AL35 | 109/109 (100%) | 108 (99%) | 1 (1%) | 78 | 91 |
| 39 | AL36 | 86/86 (100%) | 84 (98%) | 2 (2%) | 50 | 77 |
| 40 | AL37 | 73/73 (100%) | 73 (100%) | 0 | 100 | 100 |
| 41 | AL38 | 64/64 (100%) | 64 (100%) | 0 | 100 | 100 |
| 42 | AL39 | 47/47 (100%) | 46 (98%) | 1 (2%) | 53 | 79 |
| 43 | AL40 | 48/48 (100%) | 48 (100%) | 0 | 100 | 100 |
| 44 | AL41 | 22/22 (100%) | 22 (100%) | 0 | 100 | 100 |
| 45 | AL42 | 92/92 (100%) | 92 (100%) | 0 | 100 | 100 |
| 46 | AL43 | 74/74 (100%) | 74 (100%) | 0 | 100 | 100 |
| 47 | ALP0 | 24/24 (100%) | 24 (100%) | 0 | 100 | 100 |
| 48 | ARAC | 272/272 (100%) | 272 (100%) | 0 | 100 | 100 |
| 49 | AS00 | 180/181 (99%) | 179 (99%) | 1 (1%) | 86 | 94 |
| 50 | AS01 | 194/194 (100%) | 194 (100%) | 0 | 100 | 100 |
| 51 | AS02 | 187/187 (100%) | 186 (100%) | 1 (0%) | 88 | 94 |
| 52 | AS03 | 190/190 (100%) | 186 (98%) | 4 (2%) | 53 | 79 |
| 53 | AS04 | 224/224 (100%) | 222 (99%) | 2 (1%) | 78 | 91 |
| 54 | AS05 | 157/161 (98%) | 157 (100%) | 0 | 100 | 100 |
| 55 | AS06 | 207/207 (100%) | 205 (99%) | 2 (1%) | 76 | 90 |
| 56 | AS07 | 165/169 (98%) | 165 (100%) | 0 | 100 | 100 |
| 57 | AS08 | 178/178 (100%) | 178 (100%) | 0 | 100 | 100 |
| 58 | AS09 | 161/161 (100%) | 161 (100%) | 0 | 100 | 100 |
| 59 | AS10 | 87/87 (100%) | 86 (99%) | 1 (1%) | 73 | 89 |
| 60 | AS11 | 130/136 (96%) | 127 (98%) | 3 (2%) | 50 | 77 |
| 61 | AS12 | 99/99 (100%) | 99 (100%) | 0 | 100 | 100 |
| 62 | AS13 | 130/130 (100%) | 128 (98%) | 2 (2%) | 65 | 85 |
| 63 | AS14 | 106/106 (100%) | 104 (98%) | 2 (2%) | 57 | 81 |
| 64 | AS15 | 109/109 (100%) | 109 (100%) | 0 | 100 | 100 |
| 65 | AS16 | 117/117 (100%) | 115 (98%) | 2 (2%) | 60 | 83 |
| 66 | AS17 | 119/119 (100%) | 116 (98%) | 3 (2%) | 47 | 75 |
| 67 | AS18 | 125/125 (100%) | 122 (98%) | 3 (2%) | 49 | 76 |
| 68 | AS19 | 111/111 (100%) | 111 (100%) | 0 | 100 | 100 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|-----------------|------------|----------|-------------|-----|
| 69 | AS20 | 92/92 (100%) | 92 (100%) | 0 | 100 | 100 |
| 70 | AS21 | 67/67 (100%) | 67 (100%) | 0 | 100 | 100 |
| 71 | AS22 | 112/112 (100%) | 111 (99%) | 1 (1%) | 78 | 91 |
| 72 | AS23 | 113/113 (100%) | 113 (100%) | 0 | 100 | 100 |
| 73 | AS24 | 107/107 (100%) | 106 (99%) | 1 (1%) | 78 | 91 |
| 74 | AS25 | 66/66 (100%) | 66 (100%) | 0 | 100 | 100 |
| 75 | AS26 | 88/88 (100%) | 88 (100%) | 0 | 100 | 100 |
| 76 | AS27 | 75/75 (100%) | 74 (99%) | 1 (1%) | 69 | 87 |
| 77 | AS28 | 55/55 (100%) | 55 (100%) | 0 | 100 | 100 |
| 78 | AS29 | 48/48 (100%) | 48 (100%) | 0 | 100 | 100 |
| 79 | AS30 | 46/46 (100%) | 43 (94%) | 3 (6%) | 17 | 47 |
| 80 | AS31 | 61/61 (100%) | 59 (97%) | 2 (3%) | 38 | 69 |
| 81 | EL28 | 109/109 (100%) | 107 (98%) | 2 (2%) | 59 | 82 |
| 83 | PR | 10/40 (25%) | 10 (100%) | 0 | 100 | 100 |
| All | All | 9772/9968 (98%) | 9709 (99%) | 63 (1%) | 86 | 94 |

5 of 63 residues with a non-rotameric sidechain are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 51 | AS02 | 68 | ARG |
| 76 | AS27 | 18 | LYS |
| 55 | AS06 | 31 | ARG |
| 73 | AS24 | 113 | ARG |
| 80 | AS31 | 104 | LYS |

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

| Mol | Chain | Analysed | Backbone Outliers | Pucker Outliers |
|-----|-------|-----------------|-------------------|-----------------|
| 1 | A18S | 1680/1698 (98%) | 399 (23%) | 17 (1%) |
| 2 | A25S | 3632/3649 (99%) | 752 (20%) | 63 (1%) |
| 3 | A58S | 155/156 (99%) | 34 (21%) | 1 (0%) |
| 4 | A5S | 119/120 (99%) | 16 (13%) | 0 |
| 82 | MRNA | 9/10 (90%) | 3 (33%) | 0 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Backbone Outliers | Pucker Outliers |
|-----|-------|-----------------|-------------------|-----------------|
| 84 | PTRN | 74/77 (96%) | 21 (28%) | 1 (1%) |
| All | All | 5669/5710 (99%) | 1225 (21%) | 82 (1%) |

5 of 1225 RNA backbone outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 1 | A18S | 2 | A |
| 1 | A18S | 3 | C |
| 1 | A18S | 4 | C |
| 1 | A18S | 17 | C |
| 1 | A18S | 20 | G |

5 of 82 RNA pucker outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|------|------|
| 2 | A25S | 3625 | G |
| 2 | A25S | 4719 | G |
| 2 | A25S | 3876 | A |
| 2 | A25S | 4232 | U |
| 2 | A25S | 4947 | U |

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

| Mol | Chain | Number of breaks |
|-----|-------|------------------|
| 2 | A25S | 17 |
| 1 | A18S | 9 |
| 32 | AL29 | 1 |
| 47 | ALP0 | 1 |

The worst 5 of 28 chain breaks are listed below:

| Model | Chain | Residue-1 | Atom-1 | Residue-2 | Atom-2 | Distance (Å) |
|-------|-------|-----------|--------|-----------|--------|--------------|
| 1 | A25S | 2113:G | O3' | 2258:C | P | 41.34 |
| 1 | AL29 | 76:VAL | C | 90:SER | N | 39.54 |
| 1 | A25S | 1252:C | O3' | 1271:G | P | 36.22 |
| 1 | A25S | 1219:G | O3' | 1233:G | P | 22.39 |
| 1 | ALP0 | 22:ASP | C | 59:THR | N | 20.66 |


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-26035. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 304




Y Index: 304




Z Index: 304


6.2.2 Raw map



X Index: 304



Y Index: 304




Z Index: 304


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 301




Y Index: 309




Z Index: 303


6.3.2 Raw map



X Index: 319



Y Index: 309



Z Index: 295


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 3.0. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1816 nm^3 ; this corresponds to an approximate mass of 1641 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i




*Reported resolution corresponds to spatial frequency of 0.323 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.323 Å⁻¹

8.2 Resolution estimates [i](#)


| Resolution estimate (Å) | Estimation criterion (FSC cut-off) | | |
|---------------------------|------------------------------------|------|----------|
| | 0.143 | 0.5 | Half-bit |
| Reported by author | 3.10 | - | - |
| Author-provided FSC curve | 3.09 | 3.59 | 3.14 |
| Unmasked-calculated* | 3.50 | 4.40 | 3.59 |

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.50 differs from the reported value 3.1 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-26035 and PDB model 7TOQ. Per-residue inclusion information can be found in section [3](#) on page [21](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 3.0 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (3.0).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 79% of all backbone atoms, 75% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary





















































































The table lists the average atom inclusion at the recommended contour level (3.0) and Q-score for the entire model and for each chain.

| Chain | Atom inclusion | Q-score |
|-------|--|--|
| All |  0.7500 |  0.3620 |
| A18S |  0.7410 |  0.2510 |
| A25S |  0.9160 |  0.4220 |
| A58S |  0.9340 |  0.4450 |
| A5S |  0.9790 |  0.4660 |
| AL02 |  0.8420 |  0.4920 |
| AL03 |  0.8140 |  0.4620 |
| AL04 |  0.8070 |  0.4690 |
| AL05 |  0.7810 |  0.4110 |
| AL06 |  0.7490 |  0.4170 |
| AL07 |  0.7880 |  0.4670 |
| AL08 |  0.7110 |  0.4080 |
| AL09 |  0.7880 |  0.4410 |
| AL10 |  0.8160 |  0.4680 |
| AL11 |  0.7490 |  0.3980 |
| AL12 |  0.1000 |  0.0220 |
| AL13 |  0.7730 |  0.4460 |
| AL14 |  0.8060 |  0.4460 |
| AL15 |  0.8700 |  0.4920 |
| AL16 |  0.8050 |  0.4700 |
| AL17 |  0.8400 |  0.4810 |
| AL18 |  0.8110 |  0.4870 |
| AL19 |  0.7250 |  0.4110 |
| AL20 |  0.8140 |  0.4720 |
| AL21 |  0.7850 |  0.4620 |
| AL22 |  0.7490 |  0.3890 |
| AL23 |  0.7770 |  0.4710 |
| AL24 |  0.8070 |  0.4520 |
| AL25 |  0.8000 |  0.4570 |
| AL26 |  0.7720 |  0.4480 |
| AL27 |  0.7840 |  0.4240 |
| AL28 |  0.8450 |  0.4880 |
| AL29 |  0.6730 |  0.4030 |
| AL30 |  0.7640 |  0.4130 |
| AL31 |  0.7770 |  0.4460 |



















Continued on next page...

Continued from previous page...

| Chain | Atom inclusion | Q-score |
|-------|--|--|
| AL32 |  0.8030 |  0.4850 |
| AL33 |  0.8340 |  0.4980 |
| AL34 |  0.7940 |  0.4670 |
| AL35 |  0.7780 |  0.4370 |
| AL36 |  0.7940 |  0.4200 |
| AL37 |  0.8870 |  0.4910 |
| AL38 |  0.6800 |  0.4050 |
| AL39 |  0.8390 |  0.4720 |
| AL40 |  0.8170 |  0.4580 |
| AL41 |  0.6570 |  0.3980 |
| AL42 |  0.7800 |  0.4600 |
| AL43 |  0.7550 |  0.4380 |
| ALP0 |  0.1800 |  0.0950 |
| ARAC |  0.0530 |  0.1440 |
| AS00 |  0.3160 |  0.2500 |
| AS01 |  0.5440 |  0.2870 |
| AS02 |  0.4410 |  0.2510 |
| AS03 |  0.1950 |  0.1870 |
| AS04 |  0.3750 |  0.1990 |
| AS05 |  0.2250 |  0.1850 |
| AS06 |  0.2890 |  0.1970 |
| AS07 |  0.1990 |  0.2350 |
| AS08 |  0.4510 |  0.2450 |
| AS09 |  0.4960 |  0.1910 |
| AS10 |  0.1750 |  0.1910 |
| AS11 |  0.4830 |  0.2630 |
| AS12 |  0.0100 |  0.1480 |
| AS13 |  0.4850 |  0.3110 |
| AS14 |  0.6060 |  0.2770 |
| AS15 |  0.5510 |  0.2340 |
| AS16 |  0.2290 |  0.1650 |
| AS17 |  0.2240 |  0.1830 |
| AS18 |  0.3760 |  0.2190 |
| AS19 |  0.2320 |  0.2020 |
| AS20 |  0.2400 |  0.1800 |
| AS21 |  0.3010 |  0.2420 |
| AS22 |  0.4080 |  0.2910 |
| AS23 |  0.5480 |  0.2880 |
| AS24 |  0.3170 |  0.1660 |
| AS25 |  0.1250 |  0.2210 |
| AS26 |  0.5720 |  0.3040 |
| AS27 |  0.4100 |  0.2780 |

Continued on next page...

Continued from previous page...

| Chain | Atom inclusion | Q-score |
|-------|--|--|
| AS28 |  0.3400 |  0.2250 |
| AS29 |  0.5080 |  0.2000 |
| AS30 |  0.2680 |  0.2250 |
| AS31 |  0.0830 |  0.1560 |
| EL28 |  0.8110 |  0.4630 |
| MRNA |  0.2080 |  0.1550 |
| PR |  0.1720 |  0.3490 |
| PTRN |  0.8450 |  0.2670 |