



# Full wwPDB X-ray Structure Validation Report ⓘ

Dec 17, 2023 – 12:37 PM EST

PDB ID : 4TUH  
Title : Bcl-xL in complex with inhibitor (Compound 10)  
Authors : Czabotar, P.E.; Lessense, G.; Smith, B.J.; Colman, P.M.  
Deposited on : 2014-06-24  
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5950 (1.80-1.80)
Clashscore	141614	6793 (1.80-1.80)
Ramachandran outliers	138981	6697 (1.80-1.80)
Sidechain outliers	138945	6696 (1.80-1.80)
RSRZ outliers	127900	5850 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	158	89% 9%
1	B	158	3% 82% 9% 8%
1	C	158	7% 81% 9% 10%
1	D	158	5% 84% 6% 11%
1	E	158	% 83% 6% 11%

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	F	158	 <p>% 81% 10% • 8%</p>
1	G	158	 <p>22% 75% 14% • 11%</p>
1	H	158	 <p>4% 82% 8% • 9%</p>

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 10587 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Bcl-2-like protein 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	144	1174	750	199	220	5	0	2	0
1	B	145	1179	752	198	224	5	0	3	0
1	C	142	1155	736	195	219	5	0	1	0
1	D	141	1149	733	194	217	5	0	1	0
1	E	140	1138	728	191	214	5	0	1	0
1	F	146	1190	758	203	224	5	0	2	0
1	G	141	1141	729	192	215	5	0	0	0
1	H	143	1153	735	195	218	5	0	0	0

There are 40 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-4	GLY	-	expression tag	UNP Q07817
A	-3	PRO	-	expression tag	UNP Q07817
A	-2	LEU	-	expression tag	UNP Q07817
A	-1	GLY	-	expression tag	UNP Q07817
A	0	SER	-	expression tag	UNP Q07817
B	-4	GLY	-	expression tag	UNP Q07817
B	-3	PRO	-	expression tag	UNP Q07817
B	-2	LEU	-	expression tag	UNP Q07817
B	-1	GLY	-	expression tag	UNP Q07817
B	0	SER	-	expression tag	UNP Q07817
C	-4	GLY	-	expression tag	UNP Q07817
C	-3	PRO	-	expression tag	UNP Q07817
C	-2	LEU	-	expression tag	UNP Q07817

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	-1	GLY	-	expression tag	UNP Q07817
C	0	SER	-	expression tag	UNP Q07817
D	-4	GLY	-	expression tag	UNP Q07817
D	-3	PRO	-	expression tag	UNP Q07817
D	-2	LEU	-	expression tag	UNP Q07817
D	-1	GLY	-	expression tag	UNP Q07817
D	0	SER	-	expression tag	UNP Q07817
E	-4	GLY	-	expression tag	UNP Q07817
E	-3	PRO	-	expression tag	UNP Q07817
E	-2	LEU	-	expression tag	UNP Q07817
E	-1	GLY	-	expression tag	UNP Q07817
E	0	SER	-	expression tag	UNP Q07817
F	-4	GLY	-	expression tag	UNP Q07817
F	-3	PRO	-	expression tag	UNP Q07817
F	-2	LEU	-	expression tag	UNP Q07817
F	-1	GLY	-	expression tag	UNP Q07817
F	0	SER	-	expression tag	UNP Q07817
G	-4	GLY	-	expression tag	UNP Q07817
G	-3	PRO	-	expression tag	UNP Q07817
G	-2	LEU	-	expression tag	UNP Q07817
G	-1	GLY	-	expression tag	UNP Q07817
G	0	SER	-	expression tag	UNP Q07817
H	-4	GLY	-	expression tag	UNP Q07817
H	-3	PRO	-	expression tag	UNP Q07817
H	-2	LEU	-	expression tag	UNP Q07817
H	-1	GLY	-	expression tag	UNP Q07817
H	0	SER	-	expression tag	UNP Q07817

- Molecule 2 is 2-[8-(1,3-benzothiazol-2-yl)carbonyl]-3,4-dihydroisoquinolin-2(1H)-yl]-5-{3-[4-(1H-pyrazolo[3,4-d]pyrimidin-1-yl)phenoxy]propyl}-1,3-thiazole-4-carboxylic acid (three-letter code: 38H) (formula: C<sub>35</sub>H<sub>28</sub>N<sub>8</sub>O<sub>4</sub>S<sub>2</sub>).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
2	A	1	49	35	8	4	2	0	0
2	B	1	49	35	8	4	2	0	0
2	C	1	49	35	8	4	2	0	0
2	D	1	49	35	8	4	2	0	0
2	E	1	49	35	8	4	2	0	0
2	F	1	49	35	8	4	2	0	0
2	G	1	49	35	8	4	2	0	0
2	H	1	49	35	8	4	2	0	0

- Molecule 3 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C<sub>2</sub>H<sub>6</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	A	1	Total C O 4 2 2	0	0
3	C	1	Total C O 4 2 2	0	0
3	C	1	Total C O 4 2 2	0	0
3	C	1	Total C O 4 2 2	0	0
3	F	1	Total C O 4 2 2	0	0
3	G	1	Total C O 4 2 2	0	0
3	H	1	Total C O 4 2 2	0	0
3	H	1	Total C O 4 2 2	0	0

- Molecule 4 is ACETATE ION (three-letter code: ACT) (formula:  $C_2H_3O_2$ ).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total	C O	0	0
			4	2 2		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	140	Total	O	0	0
			140	140		
5	B	110	Total	O	0	0
			110	110		
5	C	75	Total	O	0	0
			75	75		
5	D	100	Total	O	0	0
			100	100		
5	E	138	Total	O	0	0
			138	138		
5	F	130	Total	O	0	0
			130	130		
5	G	48	Total	O	0	0
			48	48		
5	H	115	Total	O	0	0
			115	115		




### 3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Bcl-2-like protein 1

Chain A:  89% 9%





- Molecule 1: Bcl-2-like protein 1

Chain B:  82% 9% 8% 3%




- Molecule 1: Bcl-2-like protein 1

Chain C:  81% 9% 10% 7%





- Molecule 1: Bcl-2-like protein 1

Chain D:  84% 6% 11% 5%




- Molecule 1: Bcl-2-like protein 1



Chain E:  83% 6% 11% 0%




- Molecule 1: Bcl-2-like protein 1



- Molecule 1: Bcl-2-like protein 1



- Molecule 1: Bcl-2-like protein 1



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	59.83Å 109.66Å 102.10Å 90.00° 91.77° 90.00°	Depositor
Resolution (Å)	31.37 – 1.80 31.36 – 1.80	Depositor EDS
% Data completeness (in resolution range)	98.0 (31.37-1.80) 98.1 (31.36-1.80)	Depositor EDS
$R_{merge}$	0.05	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.76 (at 1.80Å)	Xtrriage
Refinement program	PHENIX (PHENIX.REFINE: 1.8.4_1496)	Depositor
R, $R_{free}$	0.172 , 0.209 0.173 , 0.208	Depositor DCC
$R_{free}$ test set	5993 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	25.5	Xtrriage
Anisotropy	0.083	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 52.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	0.021 for h,-k,-l	Xtrriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	10587	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	41.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.03% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, 38H, ACT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.47	0/1206	0.55	0/1631
1	B	0.41	0/1211	0.57	0/1639
1	C	0.34	0/1183	0.50	0/1601
1	D	0.39	0/1177	0.57	0/1593
1	E	0.42	0/1169	0.55	0/1582
1	F	0.39	0/1222	0.55	0/1653
1	G	0.35	0/1169	0.53	1/1582 (0.1%)
1	H	0.44	0/1181	0.55	1/1598 (0.1%)
All	All	0.40	0/9518	0.55	2/12879 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	G	130	LEU	CA-CB-CG	5.42	127.76	115.30
1	H	1	MET	CG-SD-CE	-5.32	91.69	100.20

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1174	0	1126	6	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	1179	0	1125	11	0
1	C	1155	0	1098	10	0
1	D	1149	0	1093	5	0
1	E	1138	0	1088	8	0
1	F	1190	0	1138	13	0
1	G	1141	0	1088	19	0
1	H	1153	0	1097	14	0
2	A	49	0	27	1	0
2	B	49	0	27	1	0
2	C	49	0	27	1	0
2	D	49	0	27	1	0
2	E	49	0	27	1	0
2	F	49	0	27	4	0
2	G	49	0	27	4	0
2	H	49	0	27	1	0
3	A	28	0	42	5	0
3	C	12	0	18	3	0
3	F	4	0	6	0	0
3	G	4	0	6	0	0
3	H	8	0	12	0	0
4	B	4	0	3	0	0
5	A	140	0	0	1	0
5	B	110	0	0	1	0
5	C	75	0	0	0	0
5	D	100	0	0	1	0
5	E	138	0	0	2	0
5	F	130	0	0	0	0
5	G	48	0	0	0	0
5	H	115	0	0	1	0
All	All	10587	0	9156	83	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (83) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:190:THR:HA	1:F:193:GLU:HG2	1.72	0.70
1:E:121:GLN:O	1:E:125:GLN:HG3	1.91	0.70
1:G:130:LEU:HD13	2:G:301:38H:H11	1.80	0.63
1:G:97:PHE:HD2	2:G:301:38H:H21	1.65	0.61

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:151:CYS:SG	1:E:163:VAL:HG13	2.41	0.60
1:F:197:ASN:O	1:F:198:ASN:HB2	2.03	0.59
1:C:2:SER:HB3	3:C:303:EDO:H22	1.87	0.57
1:A:136:ASN:HB2	3:A:306:EDO:H11	1.87	0.57
1:A:-1:GLY:HA3	1:E:24:TRP:CE2	2.40	0.56
1:A:24:TRP:CZ2	3:A:308:EDO:H11	2.42	0.55
1:G:130:LEU:CD1	2:G:301:38H:H11	2.36	0.55
1:G:1:MET:SD	1:H:83:MET:HE1	2.48	0.54
1:B:115:THR:HB	1:B:116:PRO:HD2	1.90	0.54
2:H:301:38H:S1	2:H:301:38H:O1	2.66	0.53
2:E:301:38H:S1	2:E:301:38H:O1	2.67	0.52
1:E:163:VAL:HG12	1:F:24:TRP:CZ3	2.45	0.52
1:B:165:ARG:HG2	1:B:169:TRP:CE2	2.45	0.52
1:D:175:ASN:ND2	5:D:479:HOH:O	2.41	0.52
1:C:100:ARG:HA	1:C:103:ARG:HH12	1.75	0.51
1:G:160:GLN:H	1:G:160:GLN:CD	2.12	0.51
2:B:301:38H:S1	2:B:301:38H:O1	2.69	0.51
1:D:96:GLU:OE2	1:D:100:ARG:NE	2.41	0.51
1:F:102:ARG:HE	2:F:301:38H:C4	2.23	0.51
1:E:1:MET:N	5:E:502:HOH:O	2.30	0.51
2:A:301:38H:S1	2:A:301:38H:O1	2.67	0.51
3:A:304:EDO:H22	1:H:136:ASN:HD22	1.76	0.50
1:D:3:GLN:O	1:H:6:ARG:NH2	2.41	0.49
1:C:2:SER:HB2	1:H:164:SER:HB2	1.95	0.49
1:G:86:VAL:HG12	1:H:8:LEU:HD21	1.95	0.49
2:D:301:38H:S1	2:D:301:38H:O1	2.71	0.48
1:H:-1:GLY:N	5:H:468:HOH:O	2.30	0.48
2:F:301:38H:S1	2:F:301:38H:O1	2.71	0.48
1:B:153:GLU:OE2	1:B:157:LYS:NZ	2.45	0.48
1:B:102:ARG:NH2	5:B:428:HOH:O	2.41	0.47
1:E:103:ARG:HH11	1:E:103:ARG:HG2	1.78	0.47
1:G:16:LYS:HA	1:G:16:LYS:HD3	1.72	0.47
1:D:16:LYS:HA	1:D:16:LYS:HD3	1.73	0.47
1:B:16:LYS:HD3	1:B:16:LYS:HA	1.77	0.47
1:B:114:ILE:HG12	1:B:162:LEU:HD13	1.96	0.47
1:B:116:PRO:HA	1:B:162:LEU:HD21	1.97	0.47
1:C:114:ILE:HG22	1:C:162:LEU:HD13	1.96	0.47
1:B:127:VAL:O	1:B:130:LEU:HB3	2.14	0.46
3:C:303:EDO:H11	1:H:164:SER:HB3	1.97	0.46
1:F:16:LYS:HA	1:F:16:LYS:HD3	1.79	0.46
1:H:83:MET:SD	1:H:87:LYS:HE3	2.56	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:303:EDO:H21	1:G:24:TRP:CZ2	2.51	0.46
1:F:103:ARG:HG3	1:F:104:ALA:N	2.29	0.46
1:G:99:LEU:O	1:G:103:ARG:NH2	2.49	0.45
1:G:1:MET:HE1	1:H:83:MET:HB2	1.99	0.45
1:G:158:GLU:CD	1:G:160:GLN:HE22	2.19	0.45
1:A:16:LYS:HA	1:A:16:LYS:HD3	1.75	0.45
1:D:116:PRO:HD3	1:D:159:MET:SD	2.57	0.45
1:A:24:TRP:CE2	3:A:308:EDO:H11	2.51	0.45
1:C:16:LYS:HA	1:C:16:LYS:HD3	1.77	0.44
1:H:1:MET:HE3	1:H:1:MET:HB3	1.60	0.44
1:E:153:GLU:HG3	5:E:526:HOH:O	2.18	0.44
2:G:301:38H:H10	2:G:301:38H:O1	2.16	0.44
1:H:157:LYS:HB2	1:H:159:MET:HE2	1.98	0.43
5:A:510:HOH:O	1:F:164:SER:HB2	2.17	0.43
1:C:129:GLU:HA	1:C:132:ARG:HG2	2.00	0.43
1:G:133:ASP:HB2	1:G:139:ARG:HH12	1.84	0.43
1:F:130:LEU:HD13	2:F:301:38H:H11	2.01	0.43
1:G:116:PRO:HD3	1:G:159:MET:SD	2.59	0.42
1:B:165:ARG:HG2	1:B:169:TRP:CZ2	2.53	0.42
1:F:165:ARG:HG2	1:F:169:TRP:CE2	2.54	0.42
1:H:116:PRO:HD3	1:H:159:MET:SD	2.60	0.42
1:B:116:PRO:HD3	1:B:159:MET:SD	2.59	0.42
1:F:121:GLN:O	1:F:125:GLN:HG2	2.20	0.42
1:G:127:VAL:O	1:G:130:LEU:HB3	2.20	0.42
1:F:136:ASN:HA	1:F:181:TRP:CZ2	2.55	0.41
1:G:115:THR:HB	1:G:116:PRO:HD2	2.01	0.41
1:G:189:ASP:O	1:G:193:GLU:HG2	2.20	0.41
1:F:130:LEU:CD1	2:F:301:38H:H11	2.50	0.41
1:B:190:THR:HA	1:B:193:GLU:HG2	2.01	0.41
1:G:83:MET:HE1	1:H:4:SER:HB3	2.01	0.41
1:C:93:ALA:HA	2:C:301:38H:N6	2.35	0.41
1:A:136:ASN:HB2	3:A:306:EDO:C1	2.49	0.41
1:C:127:VAL:O	1:C:130:LEU:HB2	2.21	0.40
1:C:137:TRP:CZ3	1:C:191:PHE:HB2	2.57	0.40
1:E:15:TYR:CG	1:F:91[B]:ARG:HD2	2.56	0.40
1:C:164:SER:HB2	1:H:2:SER:HB2	2.02	0.40
1:G:190:THR:HA	1:G:193:GLU:CG	2.51	0.40
1:G:136:ASN:HA	1:G:181:TRP:CZ2	2.57	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	144/158 (91%)	142 (99%)	2 (1%)	0	100	100
1	B	146/158 (92%)	144 (99%)	2 (1%)	0	100	100
1	C	141/158 (89%)	140 (99%)	1 (1%)	0	100	100
1	D	140/158 (89%)	138 (99%)	2 (1%)	0	100	100
1	E	139/158 (88%)	138 (99%)	1 (1%)	0	100	100
1	F	146/158 (92%)	144 (99%)	2 (1%)	0	100	100
1	G	139/158 (88%)	137 (99%)	1 (1%)	1 (1%)	22	10
1	H	141/158 (89%)	139 (99%)	2 (1%)	0	100	100
All	All	1136/1264 (90%)	1122 (99%)	13 (1%)	1 (0%)	51	36

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	G	113	HIS

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	124/131 (95%)	124 (100%)	0	100	100
1	B	125/131 (95%)	125 (100%)	0	100	100
1	C	122/131 (93%)	122 (100%)	0	100	100
1	D	121/131 (92%)	119 (98%)	2 (2%)	60	51

*Continued on next page...*



Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	E	120/131 (92%)	120 (100%)	0	100	100
1	F	126/131 (96%)	124 (98%)	2 (2%)	62	54
1	G	120/131 (92%)	120 (100%)	0	100	100
1	H	121/131 (92%)	121 (100%)	0	100	100
All	All	979/1048 (93%)	975 (100%)	4 (0%)	91	89

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	1	MET
1	D	102	ARG
1	F	103	ARG
1	F	198	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	E	125	GLN
1	F	198	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

23 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	38H	C	301	-	48,56,56	1.07	3 (6%)	54,80,80	1.75	10 (18%)
2	38H	F	301	-	48,56,56	0.96	1 (2%)	54,80,80	1.76	10 (18%)
3	EDO	H	303	-	3,3,3	0.44	0	2,2,2	0.32	0
2	38H	E	301	-	48,56,56	0.98	3 (6%)	54,80,80	1.84	14 (25%)
3	EDO	G	302	-	3,3,3	0.46	0	2,2,2	0.31	0
3	EDO	H	302	-	3,3,3	0.42	0	2,2,2	0.56	0
3	EDO	C	304	-	3,3,3	0.42	0	2,2,2	0.38	0
3	EDO	A	306	-	3,3,3	0.45	0	2,2,2	0.46	0
3	EDO	F	302	-	3,3,3	0.48	0	2,2,2	0.25	0
2	38H	H	301	-	48,56,56	1.09	2 (4%)	54,80,80	1.80	12 (22%)
3	EDO	A	305	-	3,3,3	0.39	0	2,2,2	0.39	0
2	38H	A	301	-	48,56,56	1.01	2 (4%)	54,80,80	1.74	11 (20%)
2	38H	B	301	-	48,56,56	1.00	2 (4%)	54,80,80	1.78	11 (20%)
4	ACT	B	302	-	3,3,3	0.79	0	3,3,3	1.33	0
3	EDO	A	307	-	3,3,3	0.42	0	2,2,2	0.59	0
3	EDO	A	304	-	3,3,3	0.47	0	2,2,2	0.29	0
3	EDO	C	303	-	3,3,3	0.44	0	2,2,2	0.36	0
3	EDO	A	303	-	3,3,3	0.46	0	2,2,2	0.41	0
2	38H	D	301	-	48,56,56	1.02	2 (4%)	54,80,80	1.78	12 (22%)
3	EDO	C	302	-	3,3,3	0.44	0	2,2,2	0.59	0
3	EDO	A	302	-	3,3,3	0.46	0	2,2,2	0.42	0
3	EDO	A	308	-	3,3,3	0.46	0	2,2,2	0.45	0
2	38H	G	301	-	48,56,56	1.02	3 (6%)	54,80,80	1.81	10 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	38H	C	301	-	-	4/22/36/36	0/8/8/8
2	38H	F	301	-	-	2/22/36/36	0/8/8/8
3	EDO	H	303	-	-	0/1/1/1	-

*Continued on next page...*

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	38H	E	301	-	-	3/22/36/36	0/8/8/8
3	EDO	G	302	-	-	0/1/1/1	-
3	EDO	H	302	-	-	1/1/1/1	-
3	EDO	C	304	-	-	0/1/1/1	-
3	EDO	A	306	-	-	0/1/1/1	-
3	EDO	F	302	-	-	0/1/1/1	-
2	38H	H	301	-	-	5/22/36/36	0/8/8/8
3	EDO	A	305	-	-	0/1/1/1	-
2	38H	A	301	-	-	4/22/36/36	0/8/8/8
2	38H	B	301	-	-	5/22/36/36	0/8/8/8
3	EDO	A	307	-	-	0/1/1/1	-
3	EDO	A	304	-	-	0/1/1/1	-
3	EDO	C	303	-	-	0/1/1/1	-
3	EDO	A	303	-	-	0/1/1/1	-
2	38H	D	301	-	-	7/22/36/36	0/8/8/8
3	EDO	C	302	-	-	0/1/1/1	-
3	EDO	A	302	-	-	0/1/1/1	-
3	EDO	A	308	-	-	1/1/1/1	-
2	38H	G	301	-	-	7/22/36/36	0/8/8/8

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	301	38H	C28-N5	-3.45	1.34	1.44
2	F	301	38H	C28-N5	-3.40	1.34	1.44
2	H	301	38H	C22-C21	3.36	1.52	1.50
2	E	301	38H	C28-N5	-3.29	1.34	1.44
2	A	301	38H	C28-N5	-3.24	1.34	1.44
2	C	301	38H	C28-N5	-3.23	1.34	1.44
2	D	301	38H	C28-N5	-3.23	1.34	1.44
2	G	301	38H	C28-N5	-3.20	1.34	1.44
2	H	301	38H	C28-N5	-3.17	1.35	1.44
2	G	301	38H	C18-N3	2.95	1.36	1.32
2	D	301	38H	C18-N3	2.90	1.36	1.32
2	C	301	38H	C18-N3	2.67	1.36	1.32
2	B	301	38H	C18-N3	2.66	1.36	1.32
2	C	301	38H	C22-C21	2.63	1.52	1.50
2	A	301	38H	C22-C21	2.52	1.52	1.50
2	E	301	38H	C18-N3	2.24	1.35	1.32
2	G	301	38H	C22-C21	2.11	1.51	1.50
2	E	301	38H	C19-C20	-2.10	1.48	1.51

All (90) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	G	301	38H	C28-N5-C35	-7.25	122.17	129.98
2	B	301	38H	C28-N5-C35	-5.79	123.74	129.98
2	E	301	38H	C28-N5-C35	-5.79	123.75	129.98
2	A	301	38H	C28-N5-C35	-5.34	124.22	129.98
2	H	301	38H	C28-N5-C35	-5.33	124.23	129.98
2	C	301	38H	C31-C32-C35	5.04	109.86	105.20
2	E	301	38H	C31-C32-C35	4.98	109.80	105.20
2	A	301	38H	C31-C32-C35	4.94	109.77	105.20
2	F	301	38H	C28-N5-C35	-4.94	124.66	129.98
2	F	301	38H	C31-C32-C35	4.72	109.56	105.20
2	B	301	38H	C31-C32-C35	4.69	109.53	105.20
2	D	301	38H	C31-C32-C35	4.67	109.52	105.20
2	H	301	38H	C31-C32-C35	4.42	109.28	105.20
2	G	301	38H	C31-C32-C35	4.37	109.23	105.20
2	F	301	38H	C31-N6-N5	4.29	109.55	103.93
2	G	301	38H	C24-O4-C25	4.28	129.10	117.93
2	C	301	38H	C31-N6-N5	4.27	109.53	103.93
2	C	301	38H	C28-N5-C35	-4.26	125.39	129.98
2	H	301	38H	C15-N3-C16	4.19	122.91	112.91
2	D	301	38H	C31-N6-N5	4.11	109.32	103.93
2	E	301	38H	C15-N3-C16	4.03	122.52	112.91
2	D	301	38H	C28-N5-C35	-4.00	125.67	129.98
2	F	301	38H	C15-N3-C16	3.93	122.28	112.91
2	C	301	38H	O1-C8-N2	-3.91	114.79	123.71
2	H	301	38H	C31-N6-N5	3.80	108.91	103.93
2	A	301	38H	C31-N6-N5	3.80	108.91	103.93
2	B	301	38H	C15-N3-C16	3.73	121.81	112.91
2	E	301	38H	C31-N6-N5	3.66	108.72	103.93
2	D	301	38H	C15-N3-C16	3.52	121.32	112.91
2	G	301	38H	C31-N6-N5	3.49	108.50	103.93
2	B	301	38H	C31-N6-N5	3.45	108.45	103.93
2	G	301	38H	O1-C8-N2	-3.45	115.84	123.71
2	D	301	38H	O1-C8-N2	-3.42	115.91	123.71
2	A	301	38H	O1-C8-N2	-3.38	115.98	123.71
2	C	301	38H	C15-N3-C16	3.34	120.87	112.91
2	A	301	38H	C15-N3-C16	3.29	120.77	112.91
2	B	301	38H	O1-C8-N2	-3.27	116.25	123.71
2	B	301	38H	C24-O4-C25	3.27	126.46	117.93
2	G	301	38H	C15-N3-C16	3.26	120.69	112.91
2	F	301	38H	C14-C15-N3	3.17	117.33	111.71
2	C	301	38H	C24-O4-C25	3.13	126.12	117.93
2	E	301	38H	C14-C15-N3	3.13	117.27	111.71

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	301	38H	O1-C8-N2	-3.09	116.66	123.71
2	D	301	38H	C14-C15-N3	3.07	117.16	111.71
2	D	301	38H	C9-C8-N2	3.05	121.90	116.06
2	B	301	38H	C9-C8-N2	2.95	121.70	116.06
2	F	301	38H	C1-C6-N1	2.94	114.88	108.04
2	B	301	38H	C23-C22-C21	-2.93	105.77	112.79
2	E	301	38H	C1-C6-N1	2.92	114.84	108.04
2	C	301	38H	C1-C6-N1	2.89	114.76	108.04
2	H	301	38H	C1-C6-N1	2.89	114.76	108.04
2	H	301	38H	C14-C15-N3	2.87	116.81	111.71
2	D	301	38H	C24-O4-C25	2.87	125.43	117.93
2	G	301	38H	C1-C6-N1	2.84	114.66	108.04
2	C	301	38H	C14-C15-N3	2.83	116.72	111.71
2	A	301	38H	C1-C6-N1	2.79	114.53	108.04
2	B	301	38H	C1-C6-N1	2.76	114.46	108.04
2	F	301	38H	O1-C8-N2	-2.72	117.51	123.71
2	A	301	38H	C9-C8-N2	2.67	121.16	116.06
2	G	301	38H	C14-C15-N3	2.65	116.41	111.71
2	H	301	38H	O1-C8-N2	-2.64	117.67	123.71
2	B	301	38H	C14-C15-N3	2.63	116.37	111.71
2	D	301	38H	C1-C6-N1	2.61	114.11	108.04
2	A	301	38H	C14-C15-N3	2.59	116.31	111.71
2	F	301	38H	C9-C8-N2	2.55	120.94	116.06
2	H	301	38H	O2-C20-C19	-2.52	115.55	120.73
2	E	301	38H	C9-C8-N2	2.52	120.88	116.06
2	E	301	38H	O2-C20-C19	-2.51	115.57	120.73
2	C	301	38H	C32-C31-N6	-2.47	104.96	111.30
2	F	301	38H	C32-C31-N6	-2.40	105.16	111.30
2	C	301	38H	C9-C8-N2	2.39	120.63	116.06
2	D	301	38H	C29-C28-N5	2.37	124.14	119.61
2	E	301	38H	C32-C31-N6	-2.36	105.25	111.30
2	H	301	38H	C9-C8-N2	2.36	120.57	116.06
2	A	301	38H	C32-C31-N6	-2.33	105.34	111.30
2	F	301	38H	C24-O4-C25	2.30	123.95	117.93
2	A	301	38H	C29-C28-N5	2.28	123.97	119.61
2	H	301	38H	C32-C31-N6	-2.24	105.56	111.30
2	D	301	38H	C32-C31-N6	-2.24	105.56	111.30
2	H	301	38H	C27-C28-N5	2.23	123.87	119.61
2	B	301	38H	C32-C31-N6	-2.21	105.65	111.30
2	E	301	38H	C24-O4-C25	2.17	123.61	117.93
2	A	301	38H	C24-O4-C25	2.17	123.59	117.93
2	D	301	38H	C14-C9-C8	2.15	124.97	121.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	G	301	38H	C32-C31-N6	-2.11	105.89	111.30
2	E	301	38H	C17-C16-N3	2.10	117.44	110.63
2	E	301	38H	C23-C22-C21	-2.08	107.81	112.79
2	E	301	38H	C22-C21-C19	2.06	130.22	127.66
2	G	301	38H	C9-C8-N2	2.03	119.94	116.06
2	H	301	38H	C17-C16-N3	2.02	117.17	110.63

There are no chirality outliers.

All (39) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	301	38H	C27-C28-N5-C35
2	B	301	38H	N4-C19-C20-O3
2	C	301	38H	C27-C28-N5-C35
2	D	301	38H	C27-C28-N5-C35
2	D	301	38H	C29-C28-N5-C35
2	D	301	38H	N4-C19-C20-O3
2	G	301	38H	N4-C19-C20-O3
2	G	301	38H	C21-C19-C20-O2
2	G	301	38H	C21-C19-C20-O3
2	H	301	38H	C29-C28-N5-C35
2	G	301	38H	C30-C25-O4-C24
2	G	301	38H	C26-C25-O4-C24
2	H	301	38H	N2-C8-C9-C14
2	G	301	38H	O1-C8-C9-C14
2	A	301	38H	N2-C8-C9-C14
2	B	301	38H	N2-C8-C9-C14
2	C	301	38H	N2-C8-C9-C14
2	E	301	38H	N2-C8-C9-C14
2	F	301	38H	N2-C8-C9-C14
2	G	301	38H	N2-C8-C9-C14
2	C	301	38H	O1-C8-C9-C14
2	H	301	38H	O1-C8-C9-C14
2	E	301	38H	O1-C8-C9-C14
2	A	301	38H	C29-C28-N5-C35
2	C	301	38H	C29-C28-N5-C35
2	H	301	38H	C27-C28-N5-C35
2	A	301	38H	O1-C8-C9-C14
2	F	301	38H	O1-C8-C9-C14
2	B	301	38H	O1-C8-C9-C14
2	B	301	38H	C21-C19-C20-O2
2	B	301	38H	C21-C19-C20-O3

*Continued on next page...*

*Continued from previous page...*



Mol	Chain	Res	Type	Atoms
2	D	301	38H	C21-C19-C20-O2
2	H	301	38H	N4-C19-C20-O3
3	H	302	EDO	O1-C1-C2-O2
2	D	301	38H	N2-C8-C9-C14
2	D	301	38H	O1-C8-C9-C14
2	D	301	38H	C21-C19-C20-O3
3	A	308	EDO	O1-C1-C2-O2
2	E	301	38H	C29-C28-N5-C35

There are no ring outliers.



12 monomers are involved in 22 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	301	38H	1	0
2	F	301	38H	4	0
2	E	301	38H	1	0
3	A	306	EDO	2	0
2	H	301	38H	1	0
2	A	301	38H	1	0
2	B	301	38H	1	0
3	A	304	EDO	1	0
3	C	303	EDO	3	0
2	D	301	38H	1	0
3	A	308	EDO	2	0
2	G	301	38H	4	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	144/158 (91%)	-0.20	0 <span style="border: 1px solid blue; padding: 2px;">100</span> <span style="border: 1px solid blue; padding: 2px;">100</span>	16, 28, 47, 79	0
1	B	145/158 (91%)	0.02	4 (2%) 53 47	18, 35, 60, 82	0
1	C	142/158 (89%)	0.36	11 (7%) <span style="border: 1px solid red; padding: 2px;">13</span> <span style="border: 1px solid red; padding: 2px;">10</span>	20, 46, 76, 99	0
1	D	141/158 (89%)	0.17	8 (5%) <span style="border: 1px solid red; padding: 2px;">23</span> <span style="border: 1px solid red; padding: 2px;">19</span>	21, 35, 59, 88	0
1	E	140/158 (88%)	-0.07	2 (1%) <span style="border: 1px solid blue; padding: 2px;">75</span> <span style="border: 1px solid blue; padding: 2px;">72</span>	18, 31, 52, 65	0
1	F	146/158 (92%)	-0.18	1 (0%) <span style="border: 1px solid blue; padding: 2px;">87</span> <span style="border: 1px solid blue; padding: 2px;">86</span>	20, 33, 58, 95	0
1	G	141/158 (89%)	1.19	35 (24%) <span style="border: 1px solid red; padding: 2px;">0</span> <span style="border: 1px solid red; padding: 2px;">0</span>	23, 64, 96, 109	0
1	H	143/158 (90%)	-0.05	6 (4%) <span style="border: 1px solid red; padding: 2px;">36</span> <span style="border: 1px solid red; padding: 2px;">30</span>	17, 31, 63, 117	0
All	All	1142/1264 (90%)	0.15	67 (5%) <span style="border: 1px solid red; padding: 2px;">22</span> <span style="border: 1px solid red; padding: 2px;">17</span>	16, 36, 75, 117	0

All (67) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	G	196	GLY	5.0
1	G	187	GLY	5.0
1	G	190	THR	4.8
1	G	186	GLY	4.7
1	H	0	SER	4.2
1	G	194	LEU	4.2
1	D	1	MET	4.1
1	G	104	ALA	4.1
1	G	183	GLN	4.1
1	D	26	GLN	3.9
1	G	155	VAL	3.9
1	G	195	TYR	3.8
1	G	111	GLN	3.8
1	C	160	GLN	3.7
1	G	99	LEU	3.6
1	G	182	ILE	3.6

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	G	193	GLU	3.6
1	G	158	GLU	3.3
1	D	22	TYR	3.2
1	G	185	ASN	3.2
1	G	132	ARG	3.2
1	B	193	GLU	3.2
1	H	9	VAL	3.1
1	G	157	LYS	3.1
1	C	159	MET	3.1
1	G	103	ARG	3.0
1	C	103	ARG	3.0
1	C	161	VAL	3.0
1	G	171	ALA	3.0
1	E	26	GLN	3.0
1	G	192	VAL	2.9
1	G	191	PHE	2.9
1	G	110	SER	2.9
1	F	102	ARG	2.9
1	G	113	HIS	2.8
1	G	159	MET	2.8
1	G	108	LEU	2.8
1	G	125	GLN	2.8
1	G	168	ALA	2.7
1	C	132	ARG	2.6
1	D	8	LEU	2.6
1	B	186	GLY	2.6
1	D	197	ASN	2.5
1	C	158	GLU	2.4
1	G	184	GLU	2.4
1	B	194	LEU	2.4
1	C	110	SER	2.4
1	G	100	ARG	2.3
1	H	197	ASN	2.3
1	G	137	TRP	2.3
1	D	9	VAL	2.3
1	G	179	GLU	2.3
1	G	109	THR	2.2
1	C	0	SER	2.2
1	D	186	GLY	2.2
1	G	172	THR	2.2
1	E	193	GLU	2.2
1	H	1	MET	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	G	181	TRP	2.2
1	C	171	ALA	2.1
1	B	183	GLN	2.1
1	C	1	MET	2.1
1	H	22	TYR	2.1
1	D	193	GLU	2.1
1	H	160	GLN	2.1
1	C	184	GLU	2.0
1	G	0	SER	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	EDO	A	304	4/4	0.70	0.25	58,58,60,64	0
3	EDO	A	303	4/4	0.76	0.23	57,64,67,68	0
3	EDO	H	302	4/4	0.81	0.17	45,52,60,69	0
3	EDO	G	302	4/4	0.82	0.25	54,61,71,79	0
3	EDO	A	308	4/4	0.85	0.16	40,47,49,53	0
4	ACT	B	302	4/4	0.87	0.27	41,54,56,56	0
3	EDO	C	304	4/4	0.89	0.23	39,49,64,80	0
3	EDO	A	306	4/4	0.89	0.14	30,38,40,44	0
2	38H	G	301	49/49	0.89	0.17	38,54,89,92	0
3	EDO	C	303	4/4	0.89	0.14	69,70,70,75	0
3	EDO	A	302	4/4	0.91	0.19	36,39,48,49	0
3	EDO	A	307	4/4	0.91	0.15	37,38,42,50	0
3	EDO	H	303	4/4	0.92	0.20	44,50,60,71	0
3	EDO	C	302	4/4	0.92	0.14	49,53,54,55	0

*Continued on next page...*

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	EDO	F	302	4/4	0.94	0.12	26,37,43,66	0
2	38H	C	301	49/49	0.95	0.09	29,39,52,58	0
2	38H	B	301	49/49	0.95	0.10	17,30,63,69	0
2	38H	A	301	49/49	0.96	0.10	15,22,31,40	0
2	38H	D	301	49/49	0.96	0.09	24,33,51,58	0
2	38H	E	301	49/49	0.96	0.11	16,26,58,60	0
3	EDO	A	305	4/4	0.97	0.12	26,30,39,48	0
2	38H	H	301	49/49	0.97	0.09	15,24,31,34	0
2	38H	F	301	49/49	0.97	0.08	21,28,46,52	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.








**Electron density around 38H C 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around 38H B 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around 38H A 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around 38H D 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around 38H E 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around 38H H 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around 38H F 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.