

# Full wwPDB X-ray Structure Validation Report (i)

#### Jan 13, 2024 - 05:47 pm GMT

PDB ID	:	6TV9
Title	:	Heme d1 biosynthesis associated Protein NirF in complex with dihydro-heme
		d1
Authors	:	Kluenemann, T.; Layer, G.; Blankenfeldt, W.
Deposited on	:	2020-01-09
Resolution	:	1.89  Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.36
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY \, DIFFRACTION$ 

The reported resolution of this entry is 1.89 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motric	Whole archive	Similar resolution
Meth	$(\# {\rm Entries})$	$(\# { m Entries},  { m resolution}  { m range}({ m \AA}))$
R <sub>free</sub>	130704	6207 (1.90-1.90)
Clashscore	141614	6847 (1.90-1.90)
Ramachandran outliers	138981	6760 (1.90-1.90)
Sidechain outliers	138945	6760 (1.90-1.90)
RSRZ outliers	127900	6082 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
1	А	378	95%	
1	В	378	89%	10% •
1	С	378	94%	5% •
1	D	378	92%	6% •
1	Е	378	91%	7% ••



Mol	Chain	Length	Quality of chain	
1	F	378	94%	• •
1	G	378	% 94%	5%•
1	Н	378	<sup>2%</sup> 94%	••

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	DHE	А	401	Х	-	-	-
2	DHE	В	401	Х	-	-	-
2	DHE	С	401	Х	-	-	-
2	DHE	D	401	Х	-	-	-
2	DHE	Е	401	Х	-	-	-
2	DHE	F	401	Х	-	-	-
2	DHE	G	401	Х	-	-	-
2	DHE	Н	401	Х	-	-	-



# 2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 48716 atoms, of which 23314 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues			Atoms	5		ZeroOcc	AltConf	Trace	
1	Δ	279	Total	С	Н	Ν	0	S	0	ы	0
1	A	512	5834	1854	2896	535	542	$\overline{7}$	0	5	0
1	В	379	Total	С	Н	Ν	0	S	0	1	0
1	D	512	5781	1842	2862	531	540	6	0	I	0
1	С	379	Total	С	Η	Ν	0	S	0	4	0
1		512	5842	1857	2897	537	544	7	0	4	0
1	Л	379	Total	С	Η	Ν	0	S	0	Q Q	0
1	D	512	5828	1853	2890	536	542	7	0	5	0
1	F	379	Total	С	Η	Ν	Ο	$\mathbf{S}$	0	9	0
1	Ľ	512	5796	1845	2871	532	542	6	0	2	0
1	F	379	Total	С	Η	Ν	Ο	$\mathbf{S}$	0	3	0
1	I.	512	5835	1854	2894	539	542	6	0	5	0
1	C	379	Total	С	Η	Ν	0	$\mathbf{S}$	0	4	0
1	G	512	5845	1857	2901	539	542	6	0	4	0
1	Ц	379	Total	С	Η	Ν	0	S	0	9	0
	11	572	5806	1847	2879	534	540	6			U

• Molecule 1 is a protein called Protein NirF, Protein NirF.

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	1	HIS	-	expression tag	UNP Q51480
А	2	MET	-	expression tag	UNP Q51480
A	3	MET	-	expression tag	UNP Q51480
В	1	HIS	-	expression tag	UNP Q51480
В	2	MET	-	expression tag	UNP Q51480
В	3	MET	-	expression tag	UNP Q51480
С	1	HIS	-	expression tag	UNP Q51480
С	2	MET	-	expression tag	UNP Q51480
С	3	MET	-	expression tag	UNP Q51480
D	1	HIS	-	expression tag	UNP Q51480
D	2	MET	-	expression tag	UNP Q51480
D	3	MET	-	expression tag	UNP Q51480
E	1	HIS	-	expression tag	UNP Q51480



Chain	Residue	Modelled	Actual	Comment	Reference
Е	2	MET	-	expression tag	UNP Q51480
Е	3	MET	-	expression tag	UNP Q51480
F	1	HIS	-	expression tag	UNP Q51480
F	2	MET	-	expression tag	UNP Q51480
F	3	MET	-	expression tag	UNP Q51480
G	1	HIS	-	expression tag	UNP Q51480
G	2	MET	-	expression tag	UNP Q51480
G	3	MET	-	expression tag	UNP Q51480
Н	1	HIS	-	expression tag	UNP Q51480
Н	2	MET	-	expression tag	UNP Q51480
Н	3	MET	_	expression tag	UNP Q51480

• Molecule 2 is HEME D (three-letter code: DHE) (formula:  $C_{34}H_{32}FeN_4O_{10}$ ) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	Δ	1	Total C Fe H N O	0	0
2	Π	I	77  34  1  28  4  10	0	0
2	В	1	Total C Fe H N O	0	0
2	D	1	77  34  1  28  4  10	0	0
9	C	1	Total C Fe H N O	0	0
		1	77  34  1  28  4  10	0	0
9	П	1	Total C Fe H N O	0	0
	D	1	77  34  1  28  4  10	0	0
2	F	1	Total C Fe H N O	0	0
		1	77  34  1  28  4  10	0	0



Mol	Chain	Residues		Atoms					ZeroOcc	AltConf
9	Г	1	Total	С	Fe	Η	Ν	0	0	0
2	Г	1	77	34	1	28	4	10	0	0
9	С	1	Total	С	Fe	Η	Ν	0	0	0
Δ	G	1	77	34	1	28	4	10	0	0
9	Ц	1	Total	С	Fe	Η	Ν	0	0	0
2 H	1	77	34	1	28	4	10	0	0	

Continued from previous page...

• Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	195	Total O 195 195	0	0
3	В	117	Total O 117 117	0	0
3	С	264	Total         O           264         264	0	0
3	D	242	Total O 242 242	0	0
3	Е	151	Total O 151 151	0	0
3	F	208	Total         O           208         208	0	0
3	G	222	Total         O           222         222	0	0
3	Н	134	Total O 134 134	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Protein NirF,Protein NirF



# 



• Molecule 1: Protein NirF,Protein NirF





## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	101.20Å 149.44Å 110.17Å	Deperitor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $98.48^{\circ}$ $90.00^{\circ}$	Depositor
Resolution(A)	100.09 - 1.89	Depositor
Resolution (A)	100.09 - 1.89	EDS
% Data completeness	58.3 (100.09-1.89)	Depositor
(in resolution range)	58.4(100.09-1.89)	EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.49 (at 1.90 \text{\AA})$	Xtriage
Refinement program	PHENIX dev 3742	Depositor
P. P.	0.215 , $0.258$	Depositor
$n, n_{free}$	0.208 , $0.249$	DCC
$R_{free}$ test set	7424 reflections $(4.96\%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	18.0	Xtriage
Anisotropy	0.014	Xtriage
Bulk solvent $k_{sol}(e/A^3), B_{sol}(A^2)$	0.39 , $41.4$	EDS
L-test for $twinning^2$	$ < L >=0.49, < L^2>=0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	48716	wwPDB-VP
Average B, all atoms $(Å^2)$	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The analyses of the Patterson function reveals a significant off-origin peak that is 41.57 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.3174e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

## 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: DHE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	Bond lengths		angles
IVIOI	Unam	RMSZ	# Z  > 5	RMSZ	# Z  > 5
1	А	0.44	0/3023	0.52	0/4096
1	В	0.40	0/2991	0.51	0/4054
1	С	0.51	0/3017	0.56	0/4088
1	D	0.47	0/3010	0.54	0/4078
1	Е	0.42	0/2997	0.52	0/4062
1	F	0.51	0/3013	0.54	0/4082
1	G	0.49	0/3022	0.53	0/4096
1	Н	0.43	0/3002	0.52	0/4068
All	All	0.46	0/24075	0.53	0/32624

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

#### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2938	2896	2888	10	0
1	В	2919	2862	2868	25	0
1	С	2945	2897	2894	17	0
1	D	2938	2890	2888	14	0
1	Е	2925	2871	2872	21	0



6TV9	
------	--

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	2941	2894	2892	12	0
1	G	2944	2901	2902	17	0
1	Н	2927	2879	2881	8	0
2	А	49	28	28	3	0
2	В	49	28	28	2	0
2	С	49	28	28	1	0
2	D	49	28	28	0	0
2	Е	49	28	28	3	0
2	F	49	28	28	2	0
2	G	49	28	28	2	0
2	Н	49	28	28	3	0
3	А	195	0	0	4	3
3	В	117	0	0	7	0
3	С	264	0	0	4	1
3	D	242	0	0	5	0
3	Е	151	0	0	4	1
3	F	208	0	0	5	2
3	G	222	0	0	8	0
3	Н	134	0	0	3	1
All	All	25402	23314	23309	124	4

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (124) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:C:10[B]:ARG:NH1	3:C:501:HOH:O	2.13	0.80
1:H:355[B]:ARG:NH1	3:H:502:HOH:O	2.17	0.78
1:D:309:GLU:OE1	3:D:501:HOH:O	2.02	0.78
1:C:246:SER:HG	1:G:246:SER:HG	1.31	0.77
1:B:105:ASN:OD1	1:B:110:GLY:N	2.18	0.77
1:G:299:ASP:OD1	3:G:501:HOH:O	2.06	0.73
1:A:91:GLY:O	3:A:501:HOH:O	2.07	0.73
1:E:247:ASP:OD1	1:E:265:ARG:NH2	2.22	0.72
1:G:167:GLN:NE2	3:G:506:HOH:O	2.18	0.71
1:B:374:GLN:OE1	3:B:501:HOH:O	2.10	0.69
1:G:142:LEU:O	3:G:502:HOH:O	2.10	0.69
1:E:227:GLY:O	3:E:501:HOH:O	2.11	0.69
1:E:85:GLN:OE1	1:E:112:LYS:NZ	2.27	0.68
1:B:240:GLU:OE1	3:B:502:HOH:O	2.11	0.68



Atom 1	Atom 2	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
2:E:401:DHE:O1A	3:E:502:HOH:O	2.13	0.67	
1:G:185:ASP:OD1	3:G:503:HOH:O	2.11	0.67	
1:B:65:ARG:NH1	2:B:401:DHE:O1B	2.28	0.67	
1:B:318:ARG:NH1	3:B:506:HOH:O	2.28	0.66	
1:D:14:ASP:OD1	3:D:502:HOH:O	2.13	0.66	
1:E:56:ASP:OD1	3:E:503:HOH:O	2.14	0.65	
1:B:157:SER:O	3:B:503:HOH:O	2.15	0.64	
1:H:23:ASP:O	3:H:501:HOH:O	2.14	0.63	
1:F:315:GLU:OE1	3:F:502:HOH:O	2.16	0.63	
1:G:318[B]:ARG:NH1	3:G:511:HOH:O	2.32	0.62	
1:B:340:ARG:NH1	3:B:509:HOH:O	2.33	0.62	
1:G:56:ASP:OD2	3:G:504:HOH:O	2.16	0.62	
1:G:229:ARG:NH2	1:G:254:VAL:O	2.33	0.60	
1:F:170:THR:O	3:F:501:HOH:O	2.15	0.60	
1:C:10[B]:ARG:HH11	1:C:15:LEU:HD21	1.66	0.60	
1:D:247:ASP:OD2	1:D:265:ARG:NH1	2.33	0.59	
1:G:33:ALA:O	3:G:505:HOH:O	2.17	0.58	
1:D:198:GLY:HA2	1:D:205[A]:MET:HE2	1.86	0.57	
1:A:144:ASP:OD1	3:A:502:HOH:O	2.17	0.57	
1:C:340:ARG:NH1	3:C:509:HOH:O	2.36	0.57	
1:D:247:ASP:OD2	1:D:265:ARG:NE	2.37	0.56	
1:E:271:ASP:OD2	1:E:311:HIS:ND1	2.35	0.56	
1:C:144:ASP:OD1	3:C:503:HOH:O	2.18	0.55	
1:D:177:ARG:NH2	3:D:515:HOH:O	2.39	0.55	
1:F:311:HIS:NE2	3:F:510:HOH:O	2.33	0.53	
1:C:246:SER:OG	1:G:246:SER:OG	2.05	0.52	
1:A:177[A]:ARG:NH1	3:A:505:HOH:O	2.32	0.52	
1:E:234:TYR:HA	2:E:401:DHE:HGB3	1.90	0.52	
1:C:371:HIS:HB2	1:G:374[B]:GLN:HG2	1.92	0.52	
1:E:83:LEU:C	1:E:83:LEU:HD12	2.31	0.52	
2:A:401:DHE:HHA	2:A:401:DHE:HBD2	1.92	0.51	
1:E:96:GLN:N	3:E:510:HOH:O	2.40	0.50	
2:H:401:DHE:O2A	3:H:503:HOH:O	2.19	0.50	
1:G:65:ARG:HH22	2:G:401:DHE:CBB	2.25	0.50	
2:H:401:DHE:HBD2	2:H:401:DHE:HHA	1.94	0.49	
1:E:291:ILE:HB	1:E:306:ILE:HB	1.95	0.48	
1:H:223:ASP:OD1	1:H:223:ASP:N	2.42	0.48	
1:B:234:TYR:HA	2:B:401:DHE:HGB3	1.94	0.48	
1:C:21:ARG:NH2	1:C:47:SER:O	2.46	0.48	
1:B:9:LEU:N	3:B:520:HOH:O	2.47	0.48	
1:F:234:TYR:HA	2:F:401:DHE:HGB3	1.95	0.48	



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:F:247:ASP:HB3	1:F:265:ARG:HH11	1.78	0.48
1:B:347:VAL:HG13	1:B:356:ILE:HG13	1.96	0.47
1:F:247:ASP:HB3	1:F:265:ARG:NH1	2.30	0.47
1:C:360:PRO:HG3	1:F:231:LEU:HD23	1.96	0.47
1:H:243:THR:OG1	1:H:282:VAL:O	2.30	0.47
1:B:7:PRO:N	1:B:8:PRO:CD	2.78	0.47
1:D:284:THR:HG22	1:D:285:ARG:O	2.15	0.47
1:B:21:ARG:HG3	1:B:47:SER:HA	1.98	0.46
1:B:83:LEU:C	1:B:83:LEU:HD12	2.35	0.46
1:A:51:LEU:HD12	1:A:51:LEU:C	2.35	0.46
1:E:85:GLN:OE1	1:E:112:LYS:CE	2.64	0.46
1:A:99:ARG:NH2	1:A:169:ASP:OD1	2.49	0.46
1:C:371:HIS:CB	1:G:374[B]:GLN:HG2	2.45	0.46
1:G:352:ARG:NH1	3:G:526:HOH:O	2.50	0.45
1:B:28:ILE:HD11	1:B:72:LEU:HD21	1.97	0.45
1:G:243:THR:O	1:G:243:THR:HG23	2.16	0.45
1:H:234:TYR:HA	2:H:401:DHE:HGB3	1.99	0.45
1:E:179:ILE:O	1:E:219:ARG:NH2	2.50	0.45
1:B:200:PHE:CE1	1:B:233:VAL:HA	2.52	0.44
1:E:271:ASP:OD1	1:E:272:ALA:N	2.49	0.44
1:C:10[B]:ARG:HH11	1:C:15:LEU:CD2	2.29	0.44
1:E:128:THR:HG21	1:E:159:GLU:OE2	2.18	0.44
1:F:291:ILE:HB	1:F:306:ILE:HB	1.99	0.44
1:B:72:LEU:HD23	1:B:74:LEU:HD23	2.00	0.44
1:H:57:GLN:OE1	1:H:374:GLN:NE2	2.47	0.44
1:A:177[B]:ARG:NH1	3:A:524:HOH:O	2.51	0.44
1:B:326:MET:HA	1:B:336:TRP:O	2.18	0.43
1:C:336:TRP:CE3	1:C:347:VAL:HG22	2.53	0.43
1:E:284:THR:HG22	1:E:291:ILE:CD1	2.48	0.43
1:G:221:LEU:HD11	1:G:262:LEU:HD13	2.00	0.43
1:G:234:TYR:HA	2:G:401:DHE:HGB3	1.99	0.43
1:E:243:THR:HG23	1:E:243:THR:O	2.18	0.43
1:D:20:GLU:OE2	1:D:39[B]:ARG:HD2	2.18	0.43
1:F:21:ARG:HH12	2:F:401:DHE:CBC	2.32	0.43
1:A:205[B]:MET:HE2	1:A:224:TYR:CD2	2.54	0.43
1:C:48:HIS:HE1	2:C:401:DHE:NC	2.16	0.43
1:C:289:ARG:NH2	3:C:529:HOH:O	2.51	0.43
1:C:247:ASP:OD1	1:C:265:ARG:NE	2.50	0.42
1:F:78:ARG:NH1	3:F:514:HOH:O	2.43	0.42
1:B:21:ARG:CG	1:B:47:SER:HA	2.49	0.42
1:D:21:ARG:NH2	1:D:47:SER:O	2.53	0.42



Atom 1	Atom 2	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:E:48:HIS:HE1	2:E:401:DHE:NC	2.17	0.42	
1:H:263:ASP:O	1:H:267:TRP:N	2.51	0.42	
1:A:83:LEU:C	1:A:83:LEU:HD12	2.39	0.42	
1:C:10[B]:ARG:CZ	1:C:10[B]:ARG:HB3	2.49	0.42	
1:D:289:ARG:NE	3:D:501:HOH:O	2.53	0.42	
1:E:155:PHE:O	1:E:182:GLN:HA	2.19	0.42	
1:B:51:LEU:C	1:B:51:LEU:HD12	2.40	0.42	
1:D:138:ARG:NH1	3:D:519:HOH:O	2.43	0.42	
1:B:118:THR:O	1:B:119:LEU:HB2	2.20	0.42	
1:B:99:ARG:NH1	3:B:524:HOH:O	2.53	0.42	
1:C:187:LEU:HD12	1:C:187:LEU:C	2.40	0.42	
1:A:48:HIS:HE1	2:A:401:DHE:NC	2.14	0.41	
2:A:401:DHE:HHA	2:A:401:DHE:CBD	2.50	0.41	
1:F:144:ASP:OD1	3:F:503:HOH:O	2.21	0.41	
1:E:284:THR:HG22	1:E:291:ILE:HD13	2.00	0.41	
1:B:113:VAL:HG21	1:B:165:PHE:CZ	2.55	0.41	
1:H:181:LYS:N	1:H:202:GLU:OE2	2.52	0.41	
1:B:18:LEU:HD22	1:B:345:LEU:HD22	2.02	0.41	
1:E:200:PHE:CE2	1:E:233:VAL:HG23	2.56	0.41	
1:E:133:GLN:N	1:E:133:GLN:OE1	2.54	0.41	
1:E:306:ILE:HG23	1:E:312:GLU:O	2.20	0.41	
1:D:187:LEU:HD12	1:D:187:LEU:C	2.42	0.41	
1:B:21:ARG:HD2	1:B:47:SER:O	2.21	0.40	
1:D:83:LEU:HD13	1:D:85:GLN:HG3	2.04	0.40	
1:F:326:MET:HA	1:F:336:TRP:O	2.21	0.40	
1:D:324:LEU:HD11	1:D:340:ARG:HD3	2.04	0.40	
1:A:26:VAL:HG21	1:A:72:LEU:HD21	2.03	0.40	
1:B:358:SER:O	1:B:359:LEU:HD23	2.21	0.40	

All (4) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:680:HOH:O	3:F:683:HOH:O[1_655]	2.04	0.16
3:A:689:HOH:O	3:H:611:HOH:O[2_645]	2.04	0.16
3:A:585:HOH:O	3:F:697:HOH:O[1_655]	2.11	0.09
3:C:676:HOH:O	3:E:547:HOH:O[1_455]	2.18	0.02



## 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	А	375/378~(99%)	365~(97%)	10 (3%)	0	100 100
1	В	371/378~(98%)	363~(98%)	8 (2%)	0	100 100
1	С	374/378~(99%)	363~(97%)	11 (3%)	0	100 100
1	D	373/378~(99%)	365~(98%)	8 (2%)	0	100 100
1	Е	372/378~(98%)	357~(96%)	15 (4%)	0	100 100
1	F	373/378~(99%)	360~(96%)	13~(4%)	0	100 100
1	G	374/378~(99%)	364~(97%)	10 (3%)	0	100 100
1	Н	372/378~(98%)	$362 \ (97\%)$	10 (3%)	0	100 100
All	All	2984/3024~(99%)	2899~(97%)	85 (3%)	0	100 100

There are no Ramachandran outliers to report.

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	А	311/312~(100%)	311 (100%)	0	100	100
1	В	307/312~(98%)	305~(99%)	2(1%)	84	84
1	$\mathbf{C}$	310/312~(99%)	308~(99%)	2(1%)	86	87
1	D	309/312~(99%)	305~(99%)	4 (1%)	69	68
1	Ε	308/312~(99%)	304 (99%)	4 (1%)	69	68
1	F	309/312~(99%)	306 (99%)	3 (1%)	76	76



Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	G	310/312~(99%)	309 (100%)	1 (0%)	92	93
1	Н	308/312~(99%)	303~(98%)	5 (2%)	62	60
All	All	2472/2496~(99%)	2451 (99%)	21 (1%)	78	82

Continued from previous page...

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	$\mathbf{Res}$	Type
1	В	23	ASP
1	В	343	ASP
1	С	133	GLN
1	С	235	LYS
1	D	48	HIS
1	D	223	ASP
1	D	235	LYS
1	D	289	ARG
1	Е	48	HIS
1	Е	56	ASP
1	Е	83	LEU
1	Е	134	ASP
1	F	21	ARG
1	F	48	HIS
1	F	65	ARG
1	G	48	HIS
1	Н	48	HIS
1	Н	65	ARG
1	Н	81	LYS
1	Н	149	ARG
1	Н	268	LYS

Sometimes side chains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such side chains are listed below:

Mol	Chain	Res	Type	
1	Н	375	HIS	

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.



#### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

#### 5.6 Ligand geometry (i)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Type Chain		Chain	Dog	Tiple	Bond lengths			Bond angles		
mor Type	Chain	nes	LIIIK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z  > 2	
2	DHE	С	401	1	50, 56, 56	2.80	18 (36%)	44,94,94	1.47	5 (11%)
2	DHE	Е	401	1	50, 56, 56	2.86	20 (40%)	44,94,94	1.47	5 (11%)
2	DHE	А	401	1	50, 56, 56	2.71	18 (36%)	44,94,94	1.55	6 (13%)
2	DHE	D	401	1	50,56,56	2.73	19 (38%)	44,94,94	1.36	2 (4%)
2	DHE	В	401	1	50, 56, 56	2.67	20 (40%)	44,94,94	1.47	3 (6%)
2	DHE	Н	401	1	50, 56, 56	2.69	18 (36%)	44,94,94	1.47	3 (6%)
2	DHE	F	401	1	50,56,56	2.69	21 (42%)	44,94,94	1.47	3 (6%)
2	DHE	G	401	1	50, 56, 56	2.76	20 (40%)	44,94,94	1.44	3 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	DHE	С	401	1	1/1/19/19	8/20/108/108	-
2	DHE	Е	401	1	1/1/19/19	5/20/108/108	-
2	DHE	А	401	1	1/1/19/19	12/20/108/108	-
2	DHE	D	401	1	1/1/19/19	3/20/108/108	-



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	DHE	В	401	1	1/1/19/19	5/20/108/108	-
2	DHE	Н	401	1	1/1/19/19	5/20/108/108	-
2	DHE	F	401	1	1/1/19/19	6/20/108/108	-
2	DHE	G	401	1	1/1/19/19	3/20/108/108	-

Continued from previous page...

All (154) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	G	401	DHE	CHA-C1A	9.71	1.48	1.35
2	Е	401	DHE	CHA-C1A	9.69	1.48	1.35
2	Н	401	DHE	CHA-C1A	9.13	1.48	1.35
2	D	401	DHE	CHA-C1A	9.13	1.48	1.35
2	А	401	DHE	CHA-C1A	8.98	1.47	1.35
2	С	401	DHE	CHA-C1A	8.68	1.47	1.35
2	F	401	DHE	CHA-C1A	8.61	1.47	1.35
2	В	401	DHE	CHA-C1A	8.29	1.46	1.35
2	С	401	DHE	CHD-C4C	7.53	1.48	1.35
2	Е	401	DHE	CHD-C4C	7.37	1.48	1.35
2	D	401	DHE	CHD-C4C	7.37	1.48	1.35
2	F	401	DHE	CHD-C4C	7.09	1.47	1.35
2	G	401	DHE	CHD-C4C	7.00	1.47	1.35
2	Н	401	DHE	CHD-C4C	6.94	1.47	1.35
2	В	401	DHE	CHD-C4C	6.90	1.47	1.35
2	А	401	DHE	CHD-C4C	6.69	1.47	1.35
2	В	401	DHE	C2A-C3A	6.18	1.49	1.36
2	G	401	DHE	C2A-C3A	6.11	1.49	1.36
2	С	401	DHE	C2A-C3A	5.98	1.49	1.36
2	Е	401	DHE	C2A-C3A	5.81	1.49	1.36
2	D	401	DHE	C2A-C3A	5.77	1.49	1.36
2	А	401	DHE	C2A-C3A	5.69	1.48	1.36
2	Н	401	DHE	C2A-C3A	5.63	1.48	1.36
2	F	401	DHE	C2A-C3A	5.60	1.48	1.36
2	С	401	DHE	CHB-C4A	5.49	1.49	1.38
2	Е	401	DHE	C3B-C2B	-5.19	1.44	1.52
2	G	401	DHE	CHB-C4A	5.11	1.48	1.38
2	Н	401	DHE	CHB-C4A	4.90	1.47	1.38
2	В	401	DHE	CHB-C4A	4.87	1.47	1.38
2	А	401	DHE	C3B-C2B	-4.71	1.45	1.52
2	Н	401	DHE	C3B-C2B	-4.60	1.45	1.52
2	Е	401	DHE	CHB-C4A	4.59	1.47	1.38
2	F	401	DHE	CHB-C4A	4.55	1.47	1.38



Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	В	401	DHE	C3B-C2B	-4.47	1.45	1.52
2	D	401	DHE	CHB-C4A	4.46	1.47	1.38
2	F	401	DHE	C3B-C2B	-4.34	1.46	1.52
2	С	401	DHE	C3C-C2C	-4.33	1.46	1.52
2	А	401	DHE	CHB-C4A	4.23	1.46	1.38
2	D	401	DHE	C3C-C2C	-4.21	1.46	1.52
2	В	401	DHE	OMB-C2B	4.16	1.29	1.22
2	D	401	DHE	OMC-C2C	4.16	1.29	1.22
2	С	401	DHE	CHC-C4B	4.12	1.49	1.37
2	Е	401	DHE	CHC-C1C	4.10	1.48	1.39
2	А	401	DHE	C3C-C2C	-4.08	1.46	1.52
2	Н	401	DHE	C3C-C2C	-4.02	1.46	1.52
2	Е	401	DHE	C3C-C2C	-4.01	1.46	1.52
2	F	401	DHE	C3C-C2C	-4.01	1.46	1.52
2	С	401	DHE	CHC-C1C	4.00	1.48	1.39
2	Е	401	DHE	CHB-C1B	4.00	1.48	1.39
2	С	401	DHE	C3B-C2B	-3.99	1.46	1.52
2	D	401	DHE	OMB-C2B	3.97	1.29	1.22
2	С	401	DHE	OMC-C2C	3.91	1.29	1.22
2	D	401	DHE	C3B-C2B	-3.87	1.46	1.52
2	А	401	DHE	OMB-C2B	3.86	1.29	1.22
2	А	401	DHE	CHC-C1C	3.78	1.47	1.39
2	В	401	DHE	CHC-C4B	3.76	1.48	1.37
2	G	401	DHE	CHC-C1C	3.72	1.47	1.39
2	E	401	DHE	CHC-C4B	3.71	1.48	1.37
2	Н	401	DHE	CHC-C4B	3.68	1.48	1.37
2	А	401	DHE	OMC-C2C	3.67	1.28	1.22
2	G	401	DHE	CHB-C1B	3.64	1.47	1.39
2	A	401	DHE	CHC-C4B	3.62	1.47	1.37
2	G	401	DHE	C3B-C2B	-3.57	1.47	1.52
2	B	401	DHE	OMC-C2C	3.56	1.28	1.22
2	F	401	DHE	CHC-C1C	3.55	1.47	1.39
2	E	401	DHE	OMC-C2C	3.53	1.28	1.22
2	E	401	DHE	OMB-C2B	3.52	1.28	1.22
2	B	401	DHE	CHC-C1C	3.44	1.47	1.39
2	G	401	DHE	CHC-C4B	3.41	1.47	1.37
2	D	401	DHE	CHC-C4B	3.41	1.47	1.37
2		401	DHE	CHB-C1B	3.40	1.47	1.39
2	D	401	DHE	CHC-C1C	3.39	1.47	1.39
2	B	401	DHE	CHB-C1B	3.39	1.47	1.39
2	F'	401	DHE	CHC-C4B	3.38	1.47	1.37
2	A	401	DHE	CHB-C1B	3.35	1.46	1.39



Mol	Chain	Res	Type	Atoms	Ζ	Observed(Å)	Ideal(Å)
2	D	401	DHE	CHB-C1B	3.34	1.46	1.39
2	F	401	DHE	OMB-C2B	3.32	1.28	1.22
2	В	401	DHE	C3C-C2C	-3.31	1.47	1.52
2	G	401	DHE	OMB-C2B	3.23	1.28	1.22
2	С	401	DHE	OMB-C2B	3.23	1.28	1.22
2	F	401	DHE	OMC-C2C	3.21	1.28	1.22
2	F	401	DHE	CHB-C1B	3.20	1.46	1.39
2	С	401	DHE	C1D-CHD	3.19	1.49	1.41
2	Н	401	DHE	CHB-C1B	3.17	1.46	1.39
2	Е	401	DHE	C4D-CHA	3.17	1.49	1.41
2	А	401	DHE	C3D-C2D	3.16	1.47	1.37
2	Е	401	DHE	C1D-CHD	3.14	1.49	1.41
2	В	401	DHE	C3D-C2D	3.12	1.46	1.37
2	F	401	DHE	C3D-C2D	3.11	1.46	1.37
2	G	401	DHE	C4A-NA	3.10	1.45	1.39
2	Н	401	DHE	C4A-NA	3.09	1.45	1.39
2	Н	401	DHE	C3D-C2D	3.08	1.46	1.37
2	G	401	DHE	C3D-C2D	3.05	1.46	1.37
2	Н	401	DHE	FE-NB	3.02	2.13	1.97
2	С	401	DHE	C3D-C2D	3.02	1.46	1.37
2	D	401	DHE	C3D-C2D	3.01	1.46	1.37
2	G	401	DHE	C3C-C2C	-3.01	1.48	1.52
2	G	401	DHE	FE-NB	2.98	2.13	1.97
2	Ε	401	DHE	C3D-C2D	2.96	1.46	1.37
2	Н	401	DHE	OMB-C2B	2.95	1.27	1.22
2	G	401	DHE	OMC-C2C	2.95	1.27	1.22
2	Н	401	DHE	CHC-C1C	2.94	1.45	1.39
2	D	401	DHE	C1D-CHD	2.93	1.49	1.41
2	E	401	DHE	C4A-NA	2.92	1.45	1.39
2	D	401	DHE	C4A-NA	2.91	1.45	1.39
2	Н	401	DHE	C1A-C2A	2.88	1.50	1.45
2	G	401	DHE	C4D-CHA	2.88	1.49	1.41
2	F	401	DHE	C1D-CHD	2.86	1.48	1.41
2	C	401	DHE	C1A-NA	2.84	1.45	1.39
2	A	401	DHE	FE-NB	2.81	2.12	1.97
2	A	401	DHE	C1D-CHD	2.81	1.48	1.41
2	G	401	DHE	C1D-CHD	2.81	1.48	1.41
2	B	401	DHE	C4A-NA	2.81	1.45	1.39
2	C	401	DHE	C4D-CHA	2.79	1.48	1.41
2	G	401	DHE	C1A-NA	2.76	1.45	1.39
2	A	401	DHE	C4A-NA	2.75	1.45	1.39
2	F	401	DHE	C1A-NA	2.73	1.45	1.39



Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	401	DHE	C4A-NA	2.71	1.45	1.39
2	D	401	DHE	C4D-CHA	2.63	1.48	1.41
2	А	401	DHE	C4D-CHA	2.62	1.48	1.41
2	Н	401	DHE	C4D-CHA	2.61	1.48	1.41
2	А	401	DHE	C1A-NA	2.60	1.44	1.39
2	F	401	DHE	C4A-C3A	2.57	1.50	1.45
2	С	401	DHE	C4A-NA	2.55	1.44	1.39
2	F	401	DHE	C4D-CHA	2.55	1.48	1.41
2	Н	401	DHE	OMC-C2C	2.54	1.26	1.22
2	Е	401	DHE	FE-NB	2.53	2.11	1.97
2	F	401	DHE	FE-NB	2.53	2.11	1.97
2	С	401	DHE	FE-NB	2.52	2.11	1.97
2	В	401	DHE	C1A-NA	2.50	1.44	1.39
2	В	401	DHE	C1A-C2A	2.45	1.49	1.45
2	D	401	DHE	C1A-NA	2.43	1.44	1.39
2	F	401	DHE	FE-NC	2.41	2.10	1.97
2	Е	401	DHE	C1A-NA	2.39	1.44	1.39
2	Н	401	DHE	C1A-NA	2.34	1.44	1.39
2	G	401	DHE	C1A-C2A	2.31	1.49	1.45
2	В	401	DHE	C4D-CHA	2.31	1.47	1.41
2	F	401	DHE	C1A-C2A	2.28	1.49	1.45
2	В	401	DHE	C1D-CHD	2.25	1.47	1.41
2	D	401	DHE	FE-NB	2.21	2.09	1.97
2	Е	401	DHE	FE-NC	2.20	2.09	1.97
2	Н	401	DHE	C1D-CHD	2.19	1.47	1.41
2	D	401	DHE	C1A-C2A	2.17	1.49	1.45
2	D	401	DHE	FE-NC	2.17	2.09	1.97
2	С	401	DHE	C4A-C3A	2.14	1.49	1.45
2	В	401	DHE	FE-NC	2.14	2.08	1.97
2	G	401	DHE	O2D-CGD	-2.14	1.23	1.30
2	G	401	DHE	C4A-C3A	2.12	1.49	1.45
2	Ε	401	DHE	C1A-C2A	2.11	1.49	1.45
2	В	401	DHE	FE-NB	2.09	2.08	1.97
2	В	401	DHE	C4A-C3A	2.06	1.49	1.45
2	A	401	DHE	FE-NC	2.04	2.08	1.97
2	F	401	DHE	O2D-CGD	-2.03	1.23	1.30
2	E	401	DHE	CGC-C3C	-2.02	1.50	1.54

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	В	401	DHE	C1D-C2D-C3D	-5.88	102.91	107.00



Mol	Chain	$\operatorname{Res}$	Type	Atoms	Z	$\mathbf{Observed}(^{o})$	$Ideal(^{o})$
2	D	401	DHE	C1D-C2D-C3D	-5.82	102.95	107.00
2	F	401	DHE	C1D-C2D-C3D	-5.78	102.98	107.00
2	С	401	DHE	C1D-C2D-C3D	-5.59	103.11	107.00
2	Е	401	DHE	C1D-C2D-C3D	-5.51	103.16	107.00
2	G	401	DHE	C1D-C2D-C3D	-5.27	103.33	107.00
2	А	401	DHE	C1D-C2D-C3D	-5.12	103.44	107.00
2	Н	401	DHE	C1D-C2D-C3D	-5.05	103.48	107.00
2	С	401	DHE	C1D-CHD-C4C	-3.33	123.52	130.12
2	G	401	DHE	C1D-CHD-C4C	-3.28	123.61	130.12
2	Е	401	DHE	C1D-CHD-C4C	-3.05	124.09	130.12
2	F	401	DHE	C1D-CHD-C4C	-3.03	124.12	130.12
2	Е	401	DHE	OMB-C2B-C3B	-2.96	122.23	125.92
2	А	401	DHE	CBD-CAD-C3D	2.90	117.58	112.62
2	D	401	DHE	C1D-CHD-C4C	-2.89	124.39	130.12
2	Н	401	DHE	C1D-CHD-C4C	-2.70	124.76	130.12
2	В	401	DHE	C1D-CHD-C4C	-2.70	124.77	130.12
2	G	401	DHE	CMD-C2D-C3D	2.46	129.58	124.94
2	А	401	DHE	C1D-CHD-C4C	-2.42	125.33	130.12
2	С	401	DHE	CAA-CBA-CGA	-2.27	108.72	113.60
2	С	401	DHE	C1C-CHC-C4B	-2.18	121.67	124.98
2	А	401	DHE	CAA-CBA-CGA	-2.18	108.91	113.60
2	Е	401	DHE	OMC-C2C-C3C	-2.17	123.21	125.92
2	Е	401	DHE	C1C-CHC-C4B	-2.13	121.74	124.98
2	А	401	DHE	O1C-CBC-CAC	-2.13	116.72	122.94
2	С	401	DHE	C4A-CHB-C1B	-2.12	121.49	126.06
2	В	401	DHE	OMB-C2B-C3B	-2.11	123.29	125.92
2	А	401	DHE	C2A-C1A-NA	2.05	112.32	110.32
2	F	401	DHE	OMB-C2B-C3B	-2.05	123.36	125.92
2	Н	401	DHE	OMC-C2C-C3C	-2.04	123.37	125.92

Continued from previous page...

All (8) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	А	401	DHE	NA
2	В	401	DHE	NA
2	С	401	DHE	NA
2	D	401	DHE	NA
2	Е	401	DHE	NA
2	F	401	DHE	NA
2	G	401	DHE	NA
2	Н	401	DHE	NA



Mol	Chain	Res	Type	Atoms
2	А	401	DHE	C2B-C3B-CAB-CBB
2	А	401	DHE	C4B-C3B-CAB-CBB
2	А	401	DHE	C2D-C3D-CAD-CBD
2	А	401	DHE	C4D-C3D-CAD-CBD
2	Н	401	DHE	C2D-C3D-CAD-CBD
2	Н	401	DHE	C4D-C3D-CAD-CBD
2	В	401	DHE	C3D-CAD-CBD-CGD
2	D	401	DHE	C3D-CAD-CBD-CGD
2	F	401	DHE	C3D-CAD-CBD-CGD
2	G	401	DHE	C3D-CAD-CBD-CGD
2	Н	401	DHE	C3D-CAD-CBD-CGD
2	С	401	DHE	C3D-CAD-CBD-CGD
2	С	401	DHE	C3B-CAB-CBB-O1B
2	С	401	DHE	C3C-CAC-CBC-O2C
2	F	401	DHE	C3B-CAB-CBB-O2B
2	С	401	DHE	C3B-CAB-CBB-O2B
2	С	401	DHE	C3C-CAC-CBC-O1C
2	F	401	DHE	C3B-CAB-CBB-O1B
2	F	401	DHE	CAA-CBA-CGA-O2A
2	А	401	DHE	C3C-CAC-CBC-O1C
2	А	401	DHE	C3C-CAC-CBC-O2C
2	В	401	DHE	CAA-CBA-CGA-O1A
2	В	401	DHE	C2A-CAA-CBA-CGA
2	F	401	DHE	CAA-CBA-CGA-O1A
2	В	401	DHE	CAA-CBA-CGA-O2A
2	С	401	DHE	CAA-CBA-CGA-O2A
2	Н	401	DHE	CAA-CBA-CGA-O2A
2	G	401	DHE	CAA-CBA-CGA-O2A
2	В	401	DHE	C2C-C3C-CAC-CBC
2	С	401	DHE	C2B-C3B-CAB-CBB
2	С	401	DHE	CAA-CBA-CGA-O1A
2	D	401	DHE	CAA-CBA-CGA-O1A
2	D	401	DHE	CAA-CBA-CGA-O2A
2	А	401	DHE	CAA-CBA-CGA-O1A
2	A	401	DHE	CAA-CBA-CGA-O2A
2	E	401	DHE	CAD-CBD-CGD-O1D
2	Н	401	DHE	CAA-CBA-CGA-O1A
2	A	401	DHE	C3D-CAD-CBD-CGD
2	Е	401	DHE	C3D-CAD-CBD-CGD
2	G	401	DHE	CAA-CBA-CGA-O1A
2	Е	401	DHE	CAA-CBA-CGA-O2A
2	Е	401	DHE	CAA-CBA-CGA-O1A

All (47) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
2	Ε	401	DHE	CAD-CBD-CGD-O2D
2	А	401	DHE	CAD-CBD-CGD-O2D
2	А	401	DHE	CAD-CBD-CGD-O1D
2	F	401	DHE	CAD-CBD-CGD-O2D
2	А	401	DHE	CGB-C3B-CAB-CBB

Continued from previous page...

There are no ring outliers.

7 monomers are in	volved in	16 short	contacts:
-------------------	-----------	----------	-----------

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	С	401	DHE	1	0
2	Е	401	DHE	3	0
2	А	401	DHE	3	0
2	В	401	DHE	2	0
2	Н	401	DHE	3	0
2	F	401	DHE	2	0
2	G	401	DHE	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and sufficient the outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

































## 5.7 Other polymers (i)

There are no such residues in this entry.

## 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.





# 6 Fit of model and data (i)

## 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	А	372/378~(98%)	-0.14	2 (0%) 91 92	12, 21, 38, 64	0
1	В	372/378~(98%)	0.33	13 (3%) 44 47	15, 32, 50, 64	0
1	С	372/378~(98%)	-0.23	1 (0%) 94 94	4, 13, 29, 55	0
1	D	372/378~(98%)	-0.18	3 (0%) 86 87	6, 16, 32, 57	0
1	Ε	372/378~(98%)	0.10	5 (1%) 77 79	12, 27, 49, 71	0
1	F	372/378~(98%)	-0.19	0 100 100	5, 16, 34, 50	0
1	G	372/378~(98%)	-0.17	3 (0%) 86 87	5, 17, 35, 70	0
1	Н	372/378~(98%)	0.04	7 (1%) 66 69	10, 25, 45, 73	0
All	All	2976/3024~(98%)	-0.06	34 (1%) 80 82	4, 20, 43, 73	0

All (34) RSRZ outliers are listed below:

Mol	Chain	Res Type		RSRZ
1	D	132	GLY	4.7
1	А	246	SER	4.4
1	В	B 9 LEU		3.5
1	С	246	SER	3.4
1	G	132	GLY	3.3
1	Н	228	GLN	3.3
1	Е	130	LEU	3.1
1	В	125	ILE	3.0
1	G	134	ASP	3.0
1	D	297	TYR	2.9
1	D	246	SER	2.8
1	В	297	TYR	2.8
1	В	21	ARG	2.6
1	Н	246	SER	2.6
1	Е	85	GLN	2.5
1	В	86	GLY	2.5



Mol	Chain	Res	Type	RSRZ
1	А	245	ALA	2.5
1	Е	246	SER	2.5
1	Н	132	GLY	2.4
1	В	339	VAL	2.4
1	В	155	PHE	2.4
1	В	322	GLY	2.3
1	Н	131	PRO	2.3
1	Е	157	SER	2.3
1	В	108	PRO	2.3
1	В	49	ALA	2.3
1	В	246	SER	2.2
1	В	161	TRP	2.2
1	Н	297	TYR	2.2
1	G	7	PRO	2.1
1	Н	130	LEU	2.1
1	Н	245	ALA	2.1
1	Е	84	ILE	2.1
1	В	121	LEU	2.1

#### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

#### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(A^2)$	Q<0.9
2	DHE	В	401	49/49	0.87	0.20	15,26,38,41	77
2	DHE	D	401	49/49	0.92	0.16	11,18,30,34	77
2	DHE	Е	401	49/49	0.92	0.12	18,24,35,38	0
2	DHE	А	401	49/49	0.93	0.14	14,22,35,42	77
2	DHE	F	401	49/49	0.93	0.15	9,16,25,29	77



	Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathrm{\AA}^2)$	Q<0.9
	2	DHE	G	401	49/49	0.94	0.12	11,18,29,30	0
	2	DHE	Н	401	49/49	0.94	0.12	16,26,33,36	0
	2	DHE	С	401	49/49	0.95	0.15	8,15,27,32	77

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.































## 6.5 Other polymers (i)

There are no such residues in this entry.

