



Full wwPDB X-ray Structure Validation Report ⓘ

Dec 19, 2023 – 02:45 PM EST

PDB ID : 8U17
Title : The ternary complex structure of DDB1-CRBN-SALL4(ZF1,2)-long bound to Pomalidomide
Authors : Clifton, M.C.; Ma, X.; Ornelas, E.
Deposited on : 2023-08-30
Resolution : 3.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1094 (3.10-3.10)
Clashscore	141614	1184 (3.10-3.10)
Ramachandran outliers	138981	1141 (3.10-3.10)
Sidechain outliers	138945	1141 (3.10-3.10)
RSRZ outliers	127900	1067 (3.10-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	373	 2% 79% 10% 10%
1	D	373	 3% 82% 11% 6%
2	B	836	 3% 83% 11% 6%
2	E	836	 2% 84% 12% 5%
3	C	86	 51% 10% 37%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	F	86	 <p>A horizontal bar chart representing the quality of chain. The bar is divided into four segments: a small red segment at the beginning labeled '5%', followed by a large green segment labeled '53%', a small yellow segment labeled '8%', and a large grey segment at the end labeled '35%'. A small black dot is located on the grey segment.</p>

2 Entry composition i

There are 5 unique types of molecules in this entry. The entry contains 17033 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Protein cereblon.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	336	2459	1571	424	447	17	0	0	0
1	D	349	2530	1626	429	455	20	0	0	0

- Molecule 2 is a protein called DNA damage-binding protein 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	787	5557	3494	949	1084	30	0	0	0
2	E	797	5676	3585	957	1105	29	0	0	0

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	700	GLY	-	linker	UNP Q16531
B	701	ASN	-	linker	UNP Q16531
B	702	GLY	-	linker	UNP Q16531
B	703	ASN	-	linker	UNP Q16531
B	704	SER	-	linker	UNP Q16531
B	705	GLY	-	linker	UNP Q16531
E	700	GLY	-	linker	UNP Q16531
E	701	ASN	-	linker	UNP Q16531
E	702	GLY	-	linker	UNP Q16531
E	703	ASN	-	linker	UNP Q16531
E	704	SER	-	linker	UNP Q16531
E	705	GLY	-	linker	UNP Q16531

- Molecule 3 is a protein called Sal-like protein 4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	54	Total	C	N	O	S	0	0	0
			394	246	77	67	4			
3	F	56	Total	C	N	O	S	0	0	0
			371	229	71	67	4			


There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	369	SER	-	expression tag	UNP Q9UJQ4
F	369	SER	-	expression tag	UNP Q9UJQ4

- Molecule 4 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Zn	0	0
			1	1		
4	C	2	Total	Zn	0	0
			2	2		
4	D	1	Total	Zn	0	0
			1	1		
4	F	2	Total	Zn	0	0
			2	2		

- Molecule 5 is S-Pomalidomide (three-letter code: Y70) (formula: C₁₃H₁₁N₃O₄) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
5	A	1	20	13	3	4	0	0
5	D	1	20	13	3	4	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Protein cereblon




- Molecule 1: Protein cereblon





- Molecule 2: DNA damage-binding protein 1






• Molecule 2: DNA damage-binding protein 1



• Molecule 3: Sal-like protein 4



• Molecule 3: Sal-like protein 4



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	116.08Å 151.66Å 195.38Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.90 – 3.10 49.90 – 3.10	Depositor EDS
% Data completeness (in resolution range)	96.0 (49.90-3.10) 99.5 (49.90-3.10)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	0.21	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.23 (at 3.12Å)	Xtrriage
Refinement program	PHENIX (1.20.1_4487: ???)	Depositor
R, R_{free}	0.305 , 0.346 0.305 , 0.345	Depositor DCC
R_{free} test set	3185 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	82.6	Xtrriage
Anisotropy	0.684	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.20 , 35.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.53$, $\langle L^2 \rangle = 0.37$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	17033	wwPDB-VP
Average B, all atoms (Å ²)	122.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.01% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, Y70

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.24	0/2517	0.46	0/3445
1	D	0.24	0/2592	0.47	0/3556
2	B	0.24	0/5659	0.48	0/7731
2	E	0.24	0/5778	0.48	0/7890
3	C	0.24	0/407	0.46	0/553
3	F	0.31	0/381	0.51	0/521
All	All	0.24	0/17334	0.47	0/23696

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2459	0	2232	24	0
1	D	2530	0	2259	26	0
2	B	5557	0	4834	52	0
2	E	5676	0	5042	50	0
3	C	394	0	329	7	0
3	F	371	0	285	4	0
4	A	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	C	2	0	0	0	0
4	D	1	0	0	0	0
4	F	2	0	0	0	0
5	A	20	0	11	0	0
5	D	20	0	11	0	0
All	All	17033	0	15003	153	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (153) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:118:THR:OG1	2:B:134:ARG:NH2	2.18	0.75
2:E:969:GLU:HB2	2:E:973:ASN:HB2	1.68	0.75
2:E:252:ILE:HD11	2:E:304:LEU:HB2	1.70	0.71
1:D:143:ALA:HB3	1:D:158:LYS:HB2	1.74	0.70
1:A:114:ILE:HA	1:A:118:ARG:HG3	1.74	0.69
2:B:767:SER:O	2:B:769:LYS:N	2.25	0.69
2:E:69:PRO:HG2	2:E:72:GLU:HG3	1.74	0.68
2:E:948:ASP:HB2	2:E:992:LEU:HB2	1.76	0.67
1:D:204:LYS:HG3	2:E:217:SER:HB2	1.78	0.66
1:A:320:SER:HB3	1:A:427:PRO:HG3	1.76	0.66
1:D:292:ASP:OD1	1:D:419:ARG:NH2	2.29	0.66
3:F:432:HIS:HB2	3:F:433:PRO:HD2	1.77	0.65
1:A:83:VAL:HG22	1:A:121:ALA:HB3	1.77	0.65
2:E:273:LEU:HB2	2:E:281:PHE:HB2	1.79	0.64
2:B:36:ASN:OD1	2:B:60:LYS:NZ	2.29	0.64
2:E:282:MET:HB2	2:E:305:LEU:HD21	1.79	0.63
1:D:353:HIS:NE2	3:F:387:CYS:O	2.32	0.62
2:B:36:ASN:ND2	2:B:1002:GLU:OE2	2.33	0.62
2:E:102:THR:OG1	2:E:1065:VAL:O	2.17	0.61
1:A:145:ARG:NH1	1:A:147:GLU:OE2	2.33	0.61
2:B:212:VAL:HG22	2:B:213:GLU:H	1.68	0.59
3:C:432:HIS:O	3:C:434:GLN:N	2.35	0.59
2:E:123:ILE:HG21	2:E:168:LYS:HA	1.85	0.59
2:E:118:THR:OG1	2:E:134:ARG:NH2	2.26	0.59
1:D:351:ASN:OD1	1:D:355:TYR:N	2.36	0.58
2:E:271:TYR:HB2	2:E:283:LEU:HB3	1.85	0.58
1:A:351:ASN:OD1	1:A:355:TYR:N	2.36	0.58
1:D:114:ILE:HA	1:D:118:ARG:HG2	1.85	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:6:VAL:HG22	2:B:1040:VAL:HG22	1.86	0.57
2:B:362:MET:HB3	2:B:377:THR:HG22	1.87	0.56
2:B:819:CYS:HB2	2:B:875:GLU:HG3	1.87	0.56
1:D:319:THR:HB	1:D:427:PRO:HG2	1.87	0.56
1:A:272:SER:O	1:A:283:ARG:NH1	2.39	0.56
2:B:273:LEU:HB2	2:B:281:PHE:HB2	1.88	0.56
2:E:234:GLN:OE1	2:E:257:THR:OG1	2.22	0.56
2:B:182:TYR:CE1	2:B:189:HIS:HB2	2.41	0.55
1:D:164:ARG:HH21	1:D:187:GLU:HG2	1.71	0.55
2:B:250:PRO:HG2	2:B:253:ILE:HG12	1.87	0.55
2:E:1071:SER:O	2:E:1075:SER:OG	2.24	0.55
1:A:353:HIS:NE2	3:C:387:CYS:O	2.41	0.53
1:A:208:PHE:HE2	1:A:230:ARG:HB3	1.74	0.53
2:E:212:VAL:HG22	2:E:213:GLU:H	1.72	0.53
2:B:206:PRO:HB2	2:B:207:TRP:CD1	2.45	0.52
2:B:334:VAL:HG12	2:B:349:ALA:HA	1.92	0.52
2:B:928:ARG:HD3	2:B:950:ASN:HB3	1.91	0.52
2:B:885:ASN:O	2:B:911:ALA:N	2.42	0.52
1:D:331:ILE:HG22	1:D:365:ALA:HB1	1.92	0.51
2:E:280:LEU:HG	2:E:305:LEU:HD12	1.92	0.51
1:A:338:PHE:O	1:A:361:THR:OG1	2.29	0.51
1:D:237:LEU:O	2:E:1005:ASN:ND2	2.44	0.50
2:E:881:LEU:HG	2:E:914:LEU:HD21	1.94	0.50
2:B:816:LEU:HD13	2:B:831:VAL:HG22	1.93	0.50
2:B:829:PHE:O	2:B:851:PHE:N	2.41	0.50
2:B:43:VAL:HG23	2:B:52:VAL:HG21	1.94	0.50
1:D:90:ILE:HG12	1:D:124:ALA:HB1	1.93	0.49
2:E:250:PRO:HG2	2:E:253:ILE:HG12	1.94	0.49
2:B:189:HIS:ND1	2:B:210:GLU:O	2.41	0.49
2:B:890:LEU:HB2	2:B:942:PHE:HZ	1.76	0.49
2:E:126:PRO:HD3	2:E:169:PHE:HB3	1.95	0.49
2:E:143:ILE:HG12	2:E:154:ALA:HB2	1.94	0.49
1:D:153:GLU:OE1	1:D:153:GLU:N	2.46	0.48
1:D:83:VAL:HG22	1:D:121:ALA:HB3	1.93	0.48
1:D:153:GLU:H	1:D:153:GLU:CD	2.16	0.48
2:B:795:ASP:HB2	2:B:802:LEU:HD11	1.94	0.48
1:D:241:PRO:HB3	2:E:812:TYR:CZ	2.49	0.48
1:A:397:HIS:HB2	3:C:432:HIS:CE1	2.49	0.47
1:A:319:THR:HB	1:A:427:PRO:HG2	1.96	0.47
3:C:415:CYS:SG	3:C:417:HIS:HB2	2.55	0.47
1:D:323:CYS:SG	1:D:331:ILE:HD11	2.54	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:278:ILE:HG13	1:A:279:ASP:N	2.29	0.47
2:B:63:VAL:HG11	2:B:122:GLY:HA3	1.97	0.46
2:B:871:TYR:HE2	2:B:885:ASN:HA	1.79	0.46
2:B:1067:LYS:HB3	2:B:1067:LYS:HE3	1.74	0.46
2:E:903:CYS:SG	2:E:941:ASN:HA	2.56	0.46
2:B:228:GLY:HA3	2:B:241:ASN:HB2	1.98	0.46
1:D:84:LEU:O	1:D:87:VAL:HG12	2.16	0.46
2:B:1004:VAL:HG13	2:B:1030:PHE:HB2	1.98	0.46
3:C:414:VAL:HB	3:C:432:HIS:HD2	1.81	0.46
1:A:292:ASP:O	1:A:296:ILE:HG13	2.16	0.46
2:B:1007:PHE:CD1	2:B:1030:PHE:HB3	2.51	0.46
1:A:291:ASP:OD1	1:A:291:ASP:N	2.49	0.45
2:B:905:HIS:HB2	2:B:942:PHE:HD2	1.81	0.45
1:A:97:LEU:N	1:A:159:ALA:O	2.44	0.45
1:A:384:TYR:HA	1:A:404:ALA:HB2	1.98	0.45
2:B:739:ARG:NE	2:B:741:GLU:OE2	2.46	0.45
2:E:63:VAL:HB	2:E:80:LEU:HB3	1.98	0.45
2:B:166:ASP:HB3	2:B:219:VAL:HG23	1.99	0.45
3:F:396:SER:HA	3:F:399:ILE:HD12	1.98	0.45
2:E:206:PRO:HB2	2:E:207:TRP:CD1	2.52	0.45
2:B:206:PRO:HB2	2:B:207:TRP:HD1	1.83	0.44
2:E:25:SER:HB3	2:E:28:ASP:HB2	1.99	0.44
2:B:232:ILE:HG12	2:B:237:ILE:HG23	1.99	0.44
2:B:387:LEU:HG	2:B:717:LEU:HD11	1.99	0.44
2:E:59:GLY:HA2	2:E:1073:TRP:CZ3	2.53	0.44
2:E:883:SER:OG	2:E:914:LEU:HD22	2.17	0.44
2:E:14:ALA:HB1	2:E:327:ARG:HD2	1.99	0.44
2:E:362:MET:HB2	2:E:375:LEU:HD11	2.00	0.44
2:E:5:TYR:N	2:E:1041:THR:O	2.50	0.44
2:E:220:ILE:HG23	2:E:261:HIS:CE1	2.52	0.44
1:A:208:PHE:HZ	1:A:231:LYS:HB2	1.83	0.44
3:C:428:HIS:CE1	3:C:432:HIS:CE1	3.05	0.44
2:B:102:THR:OG1	2:B:1065:VAL:O	2.36	0.43
1:D:288:LEU:HD23	1:D:288:LEU:HA	1.88	0.43
1:A:241:PRO:HB3	2:B:812:TYR:OH	2.19	0.43
2:B:386:SER:HA	2:B:717:LEU:HD12	1.99	0.43
2:B:286:GLU:OE2	2:B:301:ARG:NH1	2.51	0.43
2:E:140:PHE:HB2	2:E:159:LEU:HD11	1.99	0.43
1:A:164:ARG:NE	1:A:282:TYR:OH	2.41	0.43
1:D:326:CYS:HB3	1:D:394:CYS:HB3	1.99	0.43
2:E:284:LEU:HB2	2:E:301:ARG:HG2	2.01	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:722:ARG:HG3	2:B:789:HIS:CE1	2.53	0.43
2:B:126:PRO:HD3	2:B:169:PHE:HB3	2.00	0.43
1:D:398:ILE:HD13	1:D:398:ILE:HA	1.86	0.43
2:B:147:ARG:NE	2:B:147:ARG:HA	2.34	0.43
2:E:263:ARG:HG3	2:E:271:TYR:CE1	2.53	0.43
2:E:921:ILE:HB	2:E:933:LEU:HB2	2.01	0.43
2:B:271:TYR:HB2	2:B:283:LEU:HB3	2.01	0.42
1:D:227:TYR:OH	1:D:249:ASP:OD2	2.29	0.42
2:E:845:GLN:HA	2:E:867:LYS:HA	2.01	0.42
2:B:722:ARG:HG3	2:B:789:HIS:HE1	1.84	0.42
2:E:376:VAL:HG13	2:E:389:ILE:HG13	2.01	0.42
3:F:436:LYS:HE2	3:F:436:LYS:HB2	1.59	0.42
1:A:397:HIS:HB2	3:C:432:HIS:HE1	1.85	0.42
2:B:977:CYS:HA	2:B:994:GLU:HA	2.02	0.42
1:D:241:PRO:HB3	2:E:812:TYR:OH	2.20	0.42
2:E:215:GLU:OE1	2:E:234:GLN:NE2	2.53	0.42
1:A:110:VAL:O	1:A:114:ILE:HG13	2.20	0.42
2:B:849:VAL:HG22	2:B:863:GLU:HB2	2.01	0.42
2:E:378:CYS:HB3	2:E:721:PRO:HG2	2.02	0.41
1:A:110:VAL:HG11	1:A:157:VAL:HG21	2.02	0.41
1:D:211:LYS:HA	1:D:212:PRO:HD3	1.95	0.41
2:E:290:GLN:HB2	2:E:294:THR:O	2.20	0.41
2:B:875:GLU:OE2	2:B:878:GLY:N	2.44	0.41
2:E:969:GLU:HG2	2:E:975:PHE:HD2	1.84	0.41
2:B:879:LYS:HD3	2:B:879:LYS:HA	1.87	0.41
2:E:134:ARG:NH1	2:E:164:VAL:HG13	2.36	0.41
2:E:366:ASP:N	2:E:366:ASP:OD1	2.52	0.41
2:B:64:MET:HG3	2:B:77:LEU:HD11	2.02	0.41
2:B:328:LEU:HA	2:B:358:PRO:HD3	2.01	0.41
1:D:290:ILE:HD12	1:D:294:LEU:HB3	2.02	0.41
2:E:43:VAL:HG23	2:E:52:VAL:HG21	2.02	0.41
2:E:192:THR:HG22	2:E:207:TRP:O	2.21	0.41
1:A:91:LEU:HD22	1:A:122:VAL:HG21	2.03	0.41
2:B:190:VAL:HG13	2:B:209:GLN:HB3	2.02	0.41
2:E:207:TRP:HB3	2:E:242:GLY:HA2	2.04	0.41
2:E:361:ASP:HA	2:E:1006:VAL:HG11	2.03	0.41
2:E:795:ASP:HB2	2:E:802:LEU:HD11	2.02	0.41
1:D:323:CYS:HB2	1:D:326:CYS:SG	2.60	0.40
2:E:385:GLY:HA3	2:E:719:GLU:O	2.21	0.40
2:B:77:LEU:HB3	2:B:89:LEU:HB2	2.04	0.40
1:A:241:PRO:HB3	2:B:812:TYR:CZ	2.56	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:358:PRO:HD2	2:B:380:GLY:HA2	2.04	0.40
1:D:204:LYS:HE2	1:D:204:LYS:HB3	1.98	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	326/373 (87%)	297 (91%)	29 (9%)	0	100	100
1	D	343/373 (92%)	312 (91%)	27 (8%)	4 (1%)	13	44
2	B	775/836 (93%)	697 (90%)	72 (9%)	6 (1%)	19	54
2	E	785/836 (94%)	703 (90%)	77 (10%)	5 (1%)	25	59
3	C	52/86 (60%)	40 (77%)	9 (17%)	3 (6%)	1	10
3	F	54/86 (63%)	44 (82%)	7 (13%)	3 (6%)	2	11
All	All	2335/2590 (90%)	2093 (90%)	221 (10%)	21 (1%)	17	52

All (21) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	768	SER
3	C	405	THR
3	F	433	PRO
3	C	433	PRO
1	D	268	LEU
1	D	414	PHE
2	B	862	ALA
1	D	413	LYS
3	F	409	PRO
3	C	409	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	E	862	ALA
2	E	970	ASN
2	B	264	VAL
2	B	970	ASN
2	E	951	PRO
3	F	434	GLN
2	B	951	PRO
2	E	264	VAL
1	D	427	PRO
2	E	1013	VAL
2	B	310	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	234/340 (69%)	229 (98%)	5 (2%)	53	79
1	D	231/340 (68%)	226 (98%)	5 (2%)	52	78
2	B	509/727 (70%)	505 (99%)	4 (1%)	81	92
2	E	533/727 (73%)	525 (98%)	8 (2%)	65	85
3	C	39/74 (53%)	38 (97%)	1 (3%)	46	74
3	F	32/74 (43%)	28 (88%)	4 (12%)	4	18
All	All	1578/2282 (69%)	1551 (98%)	27 (2%)	60	83

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	112	ASN
1	A	118	ARG
1	A	173	GLN
1	A	266	GLU
1	A	377	GLU
2	B	25	SER
2	B	255	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	362	MET
2	B	854	SER
3	C	432	HIS
1	D	76	ASP
1	D	187	GLU
1	D	220	SER
1	D	324	LYS
1	D	338	PHE
2	E	67	PHE
2	E	85	ASN
2	E	243	ASP
2	E	261	HIS
2	E	331	SER
2	E	368	GLU
2	E	1011	SER
2	E	1111	ASN
3	F	403	SER
3	F	432	HIS
3	F	435	VAL
3	F	436	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	10	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry

Of 8 ligands modelled in this entry, 6 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	Y70	A	502	-	22,22,22	0.25	0	31,33,33	0.82	1 (3%)
5	Y70	D	502	-	22,22,22	0.25	0	31,33,33	0.91	1 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	Y70	A	502	-	-	1/4/33/33	0/3/3/3
5	Y70	D	502	-	-	0/4/33/33	0/3/3/3

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	D	502	Y70	C15-C12-N8	4.55	113.23	109.08
5	A	502	Y70	C15-C12-N8	3.95	112.68	109.08

There are no chirality outliers.

All (1) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
5	A	502	Y70	C14-C12-N8-C9


There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In

addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	336/373 (90%)	-0.00	8 (2%) 59 37	72, 115, 177, 228	0
1	D	349/373 (93%)	0.10	13 (3%) 41 21	62, 115, 178, 249	0
2	B	787/836 (94%)	-0.03	21 (2%) 54 31	62, 126, 190, 246	0
2	E	797/836 (95%)	-0.05	17 (2%) 63 43	63, 114, 177, 226	0
3	C	54/86 (62%)	-0.27	0 100 100	123, 136, 176, 248	0
3	F	56/86 (65%)	-0.07	4 (7%) 16 6	109, 158, 212, 279	0
All	All	2379/2590 (91%)	-0.02	63 (2%) 56 33	62, 121, 184, 279	0

All (63) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	882	ALA	9.7
2	B	858	LEU	6.0
2	B	99	ASP	4.8
2	E	921	ILE	4.8
1	A	357	HIS	4.4
2	E	933	LEU	4.2
1	D	71	THR	4.2
3	F	410	PHE	4.2
1	D	398	ILE	4.1
2	B	827	THR	3.8
1	D	125	TYR	3.6
1	D	179	GLN	3.6
2	B	977	CYS	3.4
1	A	212	PRO	3.4
1	D	180	ALA	3.4
2	B	101	ILE	3.3
1	D	174	SER	3.2
2	E	882	ALA	3.1
2	B	100	ILE	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	E	862	ALA	3.0
1	D	422	LEU	3.0
2	E	850	VAL	3.0
2	B	862	ALA	3.0
2	E	90	GLU	3.0
1	A	180	ALA	3.0
3	F	409	PRO	2.8
2	B	828	TYR	2.8
2	E	300	LEU	2.8
2	E	91	TYR	2.7
3	F	419	PHE	2.7
2	B	822	GLY	2.6
2	E	888	VAL	2.6
2	B	864	LYS	2.6
3	F	427	VAL	2.6
2	E	76	LEU	2.6
1	D	126	SER	2.5
1	A	213	VAL	2.4
2	B	1099	ASP	2.4
1	A	135	PHE	2.4
1	A	123	LEU	2.4
1	D	181	LYS	2.4
2	E	5	TYR	2.4
2	E	995	VAL	2.3
2	B	861	VAL	2.3
1	A	347	ALA	2.3
1	D	414	PHE	2.3
1	D	123	LEU	2.3
2	E	1098	LEU	2.3
2	B	938	MET	2.3
2	B	888	VAL	2.3
2	B	108	VAL	2.2
2	B	930	VAL	2.2
2	B	57	MET	2.2
2	B	969	GLU	2.2
2	B	377	THR	2.1
2	E	1109	VAL	2.1
2	B	5	TYR	2.1
2	E	851	PHE	2.1
2	E	1095	GLU	2.1
2	E	4	ASN	2.1
1	D	91	LEU	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	211	LYS	2.0
1	D	124	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	ZN	F	502	1/1	0.70	0.11	140,140,140,140	0
4	ZN	F	501	1/1	0.73	0.09	143,143,143,143	0
4	ZN	C	502	1/1	0.82	0.09	105,105,105,105	0
5	Y70	D	502	20/20	0.83	0.19	93,118,122,126	0
5	Y70	A	502	20/20	0.85	0.25	100,111,139,157	0
4	ZN	D	501	1/1	0.90	0.05	139,139,139,139	0
4	ZN	A	501	1/1	0.91	0.09	121,121,121,121	0
4	ZN	C	501	1/1	0.93	0.09	129,129,129,129	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around Y70 D 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Y70 A 502:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.