



wwPDB EM Validation Summary Report ⓘ

Mar 10, 2024 – 11:57 PM EDT

PDB ID : 6U5K
EMDB ID : EMD-20648
Title : CryoEM Structure of Pyocin R2 - postcontracted - baseplate
Authors : Ge, P.; Avaylon, J.; Scholl, D.; Shneider, M.M.; Browning, C.; Buth, S.A.; Plattner, M.; Ding, K.; Leiman, P.G.; Miller, J.F.; Zhou, Z.H.
Deposited on : 2019-08-27
Resolution : 3.50 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev70
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	a	386	
1	b	386	
1	c	386	
1	d	386	
1	e	386	
1	f	386	
1	g	386	
1	h	386	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	i	386	8% 98% ..
1	j	386	8% 98% ..
1	k	386	9% 98% ..
1	l	386	8% 98% ..
1	m	386	8% 98% ..
1	n	386	6% 98% ..
1	o	386	5% 98% ..
1	p	386	5% 98% ..
1	q	386	5% 98% ..
1	r	386	6% 98% ..
1	s	386	5% 97% ..
1	t	386	5% 97% ..
1	u	386	5% 97% ..
1	v	386	5% 97% ..
1	w	386	5% 97% ..
1	x	386	5% 97% ..
2	G	68	81% 66% 15% 19%
2	H	68	81% 71% 10% 19%
2	I	68	81% 68% 13% 19%
2	J	68	81% 71% 10% 19%
2	K	68	81% 68% 13% 19%
2	L	68	81% 68% 13% 19%
3	M	295	99% 90% 9%
3	N	295	99% 91% 8%
3	O	295	99% 90% 8%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	P	295	99% 91% 8%
3	Q	295	99% 91% 8%
3	R	295	99% 91% 8%
3	S	295	99% 86% 13%
3	T	295	99% 85% 13%
3	U	295	99% 85% 13%
3	V	295	99% 85% 13%
3	W	295	99% 86% 13%
3	X	295	99% 85% 13%
4	0	177	85% 77% 8% 15%
4	1	177	85% 76% 10% 15%
4	2	177	85% 78% 7% 15%
4	3	177	85% 78% 7% 15%
4	4	177	85% 78% 7% 15%
4	5	177	85% 78% 7% 15%
5	A	108	69% 79% 13% 8%
5	B	108	65% 84% 7% 8%
5	C	108	69% 82% 9% 8%
5	D	108	64% 82% 9% 8%
5	E	108	65% 84% 7% 8%
5	F	108	64% 83% 8% 8%

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 110106 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Sheath PA0622.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	a	383	2884	1817	504	555	8	0	0
1	b	383	2884	1817	504	555	8	0	0
1	f	383	2884	1817	504	555	8	0	0
1	e	383	2884	1817	504	555	8	0	0
1	d	383	2884	1817	504	555	8	0	0
1	c	383	2884	1817	504	555	8	0	0
1	g	383	2884	1817	504	555	8	0	0
1	h	383	2884	1817	504	555	8	0	0
1	l	383	2884	1817	504	555	8	0	0
1	k	383	2884	1817	504	555	8	0	0
1	j	383	2884	1817	504	555	8	0	0
1	i	383	2884	1817	504	555	8	0	0
1	m	383	2884	1817	504	555	8	0	0
1	n	383	2884	1817	504	555	8	0	0
1	s	383	2884	1817	504	555	8	0	0
1	r	383	2884	1817	504	555	8	0	0
1	q	383	2884	1817	504	555	8	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
1	p	383	Total	C	N	O	S	0	0
			2884	1817	504	555	8		
1	o	383	Total	C	N	O	S	0	0
			2884	1817	504	555	8		
1	t	383	Total	C	N	O	S	0	0
			2884	1817	504	555	8		
1	x	383	Total	C	N	O	S	0	0
			2884	1817	504	555	8		
1	w	383	Total	C	N	O	S	0	0
			2884	1817	504	555	8		
1	v	383	Total	C	N	O	S	0	0
			2884	1817	504	555	8		
1	u	383	Total	C	N	O	S	0	0
			2884	1817	504	555	8		

- Molecule 2 is a protein called Glue PA0627.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	G	55	Total	C	N	O	S	0	0
			413	258	68	82	5		
2	H	55	Total	C	N	O	S	0	0
			413	258	68	82	5		
2	L	55	Total	C	N	O	S	0	0
			413	258	68	82	5		
2	K	55	Total	C	N	O	S	0	0
			413	258	68	82	5		
2	J	55	Total	C	N	O	S	0	0
			413	258	68	82	5		
2	I	55	Total	C	N	O	S	0	0
			413	258	68	82	5		

- Molecule 3 is a protein called Tri1a PA0618.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	M	291	Total	C	N	O	S	0	0
			2218	1394	392	428	4		
3	N	291	Total	C	N	O	S	0	0
			2218	1394	392	428	4		
3	R	291	Total	C	N	O	S	0	0
			2218	1394	392	428	4		
3	Q	291	Total	C	N	O	S	0	0
			2218	1394	392	428	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
3	P	291	Total	C	N	O	S	0	0
			2218	1394	392	428	4		
3	O	291	Total	C	N	O	S	0	0
			2218	1394	392	428	4		
3	S	292	Total	C	N	O	S	0	0
			2223	1397	393	429	4		
3	T	292	Total	C	N	O	S	0	0
			2223	1397	393	429	4		
3	X	292	Total	C	N	O	S	0	0
			2223	1397	393	429	4		
3	W	292	Total	C	N	O	S	0	0
			2223	1397	393	429	4		
3	V	292	Total	C	N	O	S	0	0
			2223	1397	393	429	4		
3	U	292	Total	C	N	O	S	0	0
			2223	1397	393	429	4		

- Molecule 4 is a protein called Tri2 PA0619.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	0	151	Total	C	N	O	S	0	0
			1202	754	220	227	1		
4	1	151	Total	C	N	O	S	0	0
			1202	754	220	227	1		
4	5	151	Total	C	N	O	S	0	0
			1202	754	220	227	1		
4	4	151	Total	C	N	O	S	0	0
			1202	754	220	227	1		
4	3	151	Total	C	N	O	S	0	0
			1202	754	220	227	1		
4	2	151	Total	C	N	O	S	0	0
			1202	754	220	227	1		

- Molecule 5 is a protein called Sheath Initiator PA0617.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	B	99	Total	C	N	O	S	0	0
			759	474	144	136	5		
5	A	99	Total	C	N	O	S	0	0
			759	474	144	136	5		
5	F	99	Total	C	N	O	S	0	0
			759	474	144	136	5		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
5	E	99	Total	C	N	O	S	0	0
			759	474	144	136	5		
5	D	99	Total	C	N	O	S	0	0
			759	474	144	136	5		
5	C	99	Total	C	N	O	S	0	0
			759	474	144	136	5		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Sheath PA0622




- Molecule 1: Sheath PA0622




- Molecule 1: Sheath PA0622







• Molecule 1: Sheath PA0622




• Molecule 1: Sheath PA0622




• Molecule 1: Sheath PA0622




- Molecule 1: Sheath PA0622




- Molecule 1: Sheath PA0622




- Molecule 1: Sheath PA0622




- Molecule 1: Sheath PA0622




- Molecule 1: Sheath PA0622




- Molecule 1: Sheath PA0622




• Molecule 1: Sheath PA0622




• Molecule 1: Sheath PA0622




• Molecule 1: Sheath PA0622




• Molecule 1: Sheath PA0622




• Molecule 1: Sheath PA0622




• Molecule 1: Sheath PA0622




• Molecule 1: Sheath PA0622




• Molecule 1: Sheath PA0622




• Molecule 1: Sheath PA0622




• Molecule 1: Sheath PA0622




• Molecule 1: Sheath PA0622




• Molecule 1: Sheath PA0622





• Molecule 2: Glue PA0627









• Molecule 2: Glue PA0627





• Molecule 2: Glue PA0627




• Molecule 2: Glue PA0627




• Molecule 2: Glue PA0627




• Molecule 2: Glue PA0627







• Molecule 3: Tri1a PA0618



• Molecule 3: Tri1a PA0618



• Molecule 3: Tri1a PA0618



MET	I2	I3	D4	L5	S6	Q7	L8	P9	E10	P11	V13	I14	E15	N16	L17	D18	F19	E20	T21	Y23	Q24	E25	L26	L27	G28	D29	F30	R31	E32	A33	M34	A35	G36	E37	W38	T39	A40	E41	V42	E43	S44	D45	P46	V47	L48	K49	L50	L51	Q52	L53	A54	A55	Y56	R57	E58	L59	L60		
L61	R62	A63	R64	I65	N66	D67	A68	R69	A70	A71	V72	M73	L74	A75	Y76	A77	G78	G79	A80	D81	L82	D83	Q84	I85	G86	A87	G88	F89	N90	V91	Q92	R93	T94	L95	I96	R97	P98	A99	Q100	P101	E102	A103	V104	P105	P106	V107	E108	A109	Q110	Y111	E112	Q113	D114	K115	S116	L117	R118	N119	R120
I121	Q122	L123	A124	F125	E126	Q127	L128	S129	V130	A131	G132	R133	R134	N135	A136	Y137	I138	A139	H140	L142	G143	Q144	D145	G146	R147	V148	Q149	D150	A151	S152	Q153	T154	L155	Y156	F157	P158	C159	P200	E221	V161	L162	I163	S164	V165	L166	G167	V168	E169	G170	M171	G172	Q173	A174	P175	E176	I177	V178	L179	Q180
A181	V182	R183	L184	A185	L186	N187	A188	D190	V191	R192	P193	V194	A195	D196	R197	V198	T199	V200	R201	S202	A203	G204	I205	V206	P207	Y208	Q209	V210	K211	A212	Q213	L214	Y215	L216	F217	P218	G219	P220	E221	A222	E223	L224	I225	R226	A227	A228	A229	E230	A231	S232	L233	R234	D235	Y236	I237	S238	A239	Q240	
R241	L243	G244	R245	D246	I247	R248	R249	S250	A251	L252	F253	A254	T255	L256	H257	V258	E259	G260	V261	Q262	R263	V264	E265	L266	Q267	E268	P269	A270	A271	D272	V273	V274	L275	D276	E277	T278	Q279	A280	A281	V282	C283	T284	G285	A287	L288	T289	L290	G291	V292	A293	ASP	GLU							

• Molecule 3: Tri1a PA0618



MET	I2	I3	D4	L5	S6	Q7	L8	P9	E10	P11	V13	I14	E15	N16	L17	D18	F19	E20	T21	Y23	Q24	E25	L26	L27	G28	D29	F30	R31	E32	A33	M34	A35	G36	E37	W38	T39	A40	E41	V42	E43	S44	D45	P46	V47	L48	K49	L50	L51	Q52	L53	A54	A55	Y56	R57	E58	L59	L60		
L61	R62	A63	R64	I65	N66	D67	A68	R69	A70	A71	V72	M73	L74	A75	Y76	A77	G78	G79	A80	D81	L82	D83	Q84	I85	G86	A87	G88	F89	N90	V91	Q92	R93	T94	L95	I96	R97	P98	A99	Q100	P101	E102	A103	V104	P105	P106	V107	E108	A109	Q110	Y111	E112	Q113	D114	K115	S116	L117	R118	N119	R120
I121	Q122	L123	A124	F125	E126	Q127	L128	S129	V130	A131	G132	R133	R134	N135	A136	Y137	I138	A139	H140	L142	G143	Q144	D145	G146	R147	V148	Q149	D150	A151	S152	Q153	T154	L155	Y156	F157	P158	C159	P200	E221	V161	L162	I163	S164	V165	L166	G167	V168	E169	G170	M171	G172	Q173	A174	P175	E176	I177	V178	L179	Q180
A181	V182	R183	L184	A185	L186	N187	A188	D190	V191	R192	P193	V194	A195	D196	R197	V198	T199	V200	R201	S202	A203	G204	I205	V206	P207	Y208	Q209	V210	K211	A212	Q213	L214	Y215	L216	F217	P218	G219	P220	E221	A222	E223	L224	I225	R226	A227	A228	A229	E230	A231	S232	L233	R234	D235	Y236	I237	S238	A239	Q240	
R241	L243	G244	R245	D246	I247	R248	R249	S250	A251	L252	F253	A254	T255	L256	H257	V258	E259	G260	V261	Q262	R263	V264	E265	L266	Q267	E268	P269	A270	A271	D272	V273	V274	L275	D276	E277	T278	Q279	A280	A281	V282	C283	T284	G285	A287	L288	T289	L290	G291	V292	A293	ASP	GLU							


• Molecule 3: Tri1a PA0618



MET	I2	I3	D4	L5	S6	Q7	L8	P9	E10	P11	V13	I14	E15	N16	L17	D18	F19	E20	T21	Y23	Q24	E25	L26	L27	G28	D29	F30	R31	E32	A33	M34	A35	G36	E37	W38	T39	A40	E41	V42	E43	S44	D45	P46	V47	L48	K49	L50	L51	Q52	L53	A54	A55	Y56	R57	E58	L59	L60
-----	----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----


L61	R62	A63	R64	I65	N66	D67	A68	A69	R70	A71	V72	M73	L74	A75	Y76	A77	S78	G79	A80	D81	L82	D83	Q84	I85	G86	A87	G88	F89	N90	V91	Q92	R93	L94	L95	I96	R97	P98	A99	Q100	P101	E102	A103	V104	P105	P106	V107	E108	A109	Q110	Y111	E112	S113	D114	K115	S116	L117	R118	N119	L120
I121	Q122	L123	A124	F125	E126	Q127	L128	S129	V130	A131	G132	P133	R134	N135	A136	Y137	I138	A139	H140	A141	L142	G143	A144	D145	G146	R147	V148	A149	D150	A151	S152	A153	T154	S155	P156	A157	P158	C159	E160	V161	A162	I163	S164	V165	L166	G167	V168	E169	G170	N171	G172	Q173	A174	P175	E176	I177	A178	L179	Q180
A181	V182	R183	L184	A185	L186	N187	A188	E189	D190	V191	R192	P193	V194	A195	D196	R197	V198	T199	V200	R201	S202	A203	G204	I205	V206	P207	Y208	Q209	V210	K211	A212	Q213	L214	Y215	L216	F217	P218	G219	P220	E221	A222	E223	L224	I225	R226	A227	A228	A229	E230	A231	S232	L233	R234	D235	Y236	I237	S238	A239	Q240
R241	R242	L243	G244	R245	D246	I247	R248	R249	S250	A251	L252	F253	A254	T255	L256	H257	V258	E259	G260	V261	Q262	R263	V264	E265	L266	Q267	E268	P269	A270	A271	D272	V273	V274	L275	D276	E277	T278	Q279	A280	A281	Y282	C283	T284	G285	Y286	A287	I288	T289	L290	G291	G292	VAL	ASP	GLU					

• Molecule 3: Tri1a PA0618




MET	I2	I3	D4	L5	S6	Q7	L8	P9	E10	P11	E12	V13	I14	E15	N16	L17	D18	F19	E20	T21	I22	Y23	Q24	E25	L26	L27	G28	D29	F30	R31	E32	A33	M34	A35	G36	E37	W38	T39	A40	E41	V42	E43	S44	D45	P46	V47	L48	K49	L50	L51	Q52	L53	A54	A55	Y56	E57	E58	L59	L60
L61	R62	A63	R64	I65	N66	D67	A68	A69	R70	A71	V72	M73	L74	A75	Y76	A77	S78	G79	A80	D81	L82	D83	Q84	I85	G86	A87	G88	F89	N90	V91	Q92	R93	L94	L95	I96	R97	P98	A99	Q100	P101	E102	A103	V104	P105	P106	V107	E108	A109	Q110	Y111	E112	S113	D114	K115	S116	L117	R118	N119	L120
I121	Q122	L123	A124	F125	E126	Q127	L128	S129	V130	A131	G132	P133	R134	N135	A136	Y137	I138	A139	H140	A141	L142	G143	A144	D145	G146	R147	V148	A149	D150	A151	S152	A153	T154	S155	P156	A157	P158	C159	E160	V161	A162	I163	S164	V165	L166	G167	V168	E169	G170	N171	G172	Q173	A174	P175	E176	I177	A178	L179	Q180
A181	V182	R183	L184	A185	L186	N187	A188	E189	D190	V191	R192	P193	V194	A195	D196	R197	V198	T199	V200	R201	S202	A203	G204	I205	V206	P207	Y208	Q209	V210	K211	A212	Q213	L214	Y215	L216	F217	P218	G219	P220	E221	A222	E223	L224	I225	R226	A227	A228	A229	E230	A231	S232	L233	R234	D235	Y236	I237	S238	A239	Q240
R241	R242	L243	G244	R245	D246	I247	R248	R249	S250	A251	L252	F253	A254	T255	L256	H257	V258	E259	G260	V261	Q262	R263	V264	E265	L266	Q267	E268	P269	A270	A271	D272	V273	V274	L275	D276	E277	T278	Q279	A280	A281	Y282	C283	T284	G285	Y286	A287	I288	T289	L290	G291	G292	VAL	ASP	GLU					






• Molecule 3: Tri1a PA0618









M1	I2	I3	D4	L5	S6	Q7	L8	P9	E10	P11	E12	V13	I14	E15	N16	L17	D18	F19	E20	T21	I22	Y23	Q24	E25	L26	L27	G28	D29	F30	R31	E32	A33	M34	A35	G36	E37	W38	T39	A40	E41	V42	E43	S44	D45	P46	V47	L48	K49	L50	L51	Q52	L53	A54	A55	Y56	E57	E58	L59	L60
L61	R62	A63	R64	I65	N66	D67	A68	A69	R70	A71	V72	M73	L74	A75	Y76	A77	S78	G79	A80	D81	L82	D83	Q84	I85	G86	A87	G88	F89	N90	V91	Q92	R93	L94	L95	I96	R97	P98	A99	Q100	P101	E102	A103	V104	P105	P106	V107	E108	A109	Q110	Y111	E112	S113	D114	K115	S116	L117	R118	N119	L120
I121	Q122	L123	A124	F125	E126	Q127	L128	S129	V130	A131	G132	P133	R134	N135	A136	Y137	I138	A139	H140	A141	L142	G143	A144	D145	G146	R147	V148	A149	D150	A151	S152	A153	T154	S155	P156	A157	P158	C159	E160	V161	A162	I163	S164	V165	L166	G167	V168	E169	G170	N171	G172	Q173	A174	P175	E176	I177	A178	L179	Q180




• Molecule 3: Tri1a PA0618




• Molecule 3: Tri1a PA0618




• Molecule 3: Tri1a PA0618




• Molecule 3: Tri1a PA0618





• Molecule 3: Tri1a PA0618









• Molecule 4: Tri2 PA0619




• Molecule 4: Tri2 PA0619




• Molecule 4: Tri2 PA0619









• Molecule 4: Tri2 PA0619




• Molecule 4: Tri2 PA0619




• Molecule 4: Tri2 PA0619




• Molecule 5: Sheath Initiator PA0617




• Molecule 5: Sheath Initiator PA0617



• Molecule 5: Sheath Initiator PA0617




• Molecule 5: Sheath Initiator PA0617






• Molecule 5: Sheath Initiator PA0617





• Molecule 5: Sheath Initiator PA0617



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C6	Depositor
Number of particles used	15581	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	80	Depositor
Minimum defocus (nm)	1100	Depositor
Maximum defocus (nm)	3400	Depositor
Magnification	130000	Depositor
Image detector	GATAN K2 QUANTUM (4k x 4k)	Depositor
Maximum map value	0.189	Depositor
Minimum map value	-0.107	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.010	Depositor
Recommended contour level	0.03	Depositor
Map size (\AA)	437.22, 437.22, 437.22	wwPDB
Map dimensions	420, 420, 420	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.041, 1.041, 1.041	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	a	0.29	0/2942	0.47	0/4010
1	b	0.29	0/2942	0.47	0/4010
1	c	0.29	0/2942	0.47	0/4010
1	d	0.29	0/2942	0.47	0/4010
1	e	0.29	0/2942	0.47	0/4010
1	f	0.29	0/2942	0.47	0/4010
1	g	0.31	0/2942	0.48	0/4010
1	h	0.32	0/2942	0.48	0/4010
1	i	0.32	0/2942	0.48	0/4010
1	j	0.32	0/2942	0.48	0/4010
1	k	0.32	0/2942	0.48	0/4010
1	l	0.31	0/2942	0.48	0/4010
1	m	0.32	0/2942	0.48	0/4010
1	n	0.32	0/2942	0.48	0/4010
1	o	0.33	0/2942	0.48	0/4010
1	p	0.32	0/2942	0.48	0/4010
1	q	0.32	0/2942	0.48	0/4010
1	r	0.33	0/2942	0.48	0/4010
1	s	0.33	0/2942	0.48	0/4010
1	t	0.33	0/2942	0.48	0/4010
1	u	0.33	0/2942	0.48	0/4010
1	v	0.33	0/2942	0.48	0/4010
1	w	0.33	0/2942	0.48	0/4010
1	x	0.33	0/2942	0.48	0/4010
2	G	0.27	0/422	0.55	0/575
2	H	0.27	0/422	0.55	0/575
2	I	0.27	0/422	0.55	0/575
2	J	0.27	0/422	0.55	0/575
2	K	0.27	0/422	0.55	0/575
2	L	0.27	0/422	0.55	0/575
3	M	0.28	0/2253	0.55	0/3069
3	N	0.28	0/2253	0.55	0/3069
3	O	0.28	0/2253	0.55	0/3069
3	P	0.28	0/2253	0.55	0/3069

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
3	Q	0.28	0/2253	0.55	0/3069
3	R	0.28	0/2253	0.55	0/3069
3	S	0.27	0/2258	0.54	0/3076
3	T	0.27	0/2258	0.54	0/3076
3	U	0.27	0/2258	0.54	0/3076
3	V	0.27	0/2258	0.54	0/3076
3	W	0.27	0/2258	0.54	0/3076
3	X	0.27	0/2258	0.54	0/3076
4	0	0.28	0/1229	0.59	0/1680
4	1	0.28	0/1229	0.59	0/1680
4	2	0.28	0/1229	0.59	0/1680
4	3	0.28	0/1229	0.59	0/1680
4	4	0.28	0/1229	0.59	0/1680
4	5	0.28	0/1229	0.59	0/1680
5	A	0.28	0/770	0.48	0/1036
5	B	0.28	0/770	0.48	0/1036
5	C	0.28	0/770	0.48	0/1036
5	D	0.28	0/770	0.48	0/1036
5	E	0.28	0/770	0.48	0/1036
5	F	0.28	0/770	0.48	0/1036
All	All	0.30	0/112200	0.51	0/152856

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	a	2884	0	2841	0	0
1	b	2884	0	2841	0	0
1	c	2884	0	2841	0	0
1	d	2884	0	2841	0	0
1	e	2884	0	2841	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	f	2884	0	2841	0	0
1	g	2884	0	2841	0	0
1	h	2884	0	2841	0	0
1	i	2884	0	2841	0	0
1	j	2884	0	2841	0	0
1	k	2884	0	2841	0	0
1	l	2884	0	2841	0	0
1	m	2884	0	2841	0	0
1	n	2884	0	2841	0	0
1	o	2884	0	2841	0	0
1	p	2884	0	2841	0	0
1	q	2884	0	2841	0	0
1	r	2884	0	2841	0	0
1	s	2884	0	2841	0	0
1	t	2884	0	2841	0	0
1	u	2884	0	2841	0	0
1	v	2884	0	2841	0	0
1	w	2884	0	2841	0	0
1	x	2884	0	2841	0	0
2	G	413	0	389	11	0
2	H	413	0	389	9	0
2	I	413	0	389	10	0
2	J	413	0	389	9	0
2	K	413	0	389	10	0
2	L	413	0	389	11	0
3	M	2218	0	2222	17	0
3	N	2218	0	2222	15	0
3	O	2218	0	2222	17	0
3	P	2218	0	2222	15	0
3	Q	2218	0	2222	15	0
3	R	2218	0	2222	15	0
3	S	2223	0	2227	32	0
3	T	2223	0	2227	32	0
3	U	2223	0	2227	32	0
3	V	2223	0	2227	32	0
3	W	2223	0	2227	31	0
3	X	2223	0	2227	32	0
4	0	1202	0	1202	12	0
4	1	1202	0	1202	12	0
4	2	1202	0	1202	10	0
4	3	1202	0	1202	10	0
4	4	1202	0	1202	10	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	5	1202	0	1202	10	0
5	A	759	0	794	9	0
5	B	759	0	794	3	0
5	C	759	0	794	4	0
5	D	759	0	794	4	0
5	E	759	0	794	3	0
5	F	759	0	794	4	0
All	All	110106	0	109188	384	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 384 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:S:179:LEU:HD21	3:S:200:VAL:CG1	1.70	1.22
3:X:179:LEU:HD21	3:X:200:VAL:CG1	1.70	1.21
3:V:179:LEU:HD21	3:V:200:VAL:CG1	1.70	1.21
3:T:179:LEU:HD21	3:T:200:VAL:CG1	1.70	1.21
3:U:179:LEU:HD21	3:U:200:VAL:CG1	1.70	1.21

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	a	381/386 (99%)	354 (93%)	27 (7%)	0	100	100
1	b	381/386 (99%)	354 (93%)	27 (7%)	0	100	100
1	c	381/386 (99%)	354 (93%)	27 (7%)	0	100	100
1	d	381/386 (99%)	354 (93%)	27 (7%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	e	381/386 (99%)	354 (93%)	27 (7%)	0	100	100
1	f	381/386 (99%)	354 (93%)	27 (7%)	0	100	100
1	g	381/386 (99%)	359 (94%)	22 (6%)	0	100	100
1	h	381/386 (99%)	358 (94%)	23 (6%)	0	100	100
1	i	381/386 (99%)	358 (94%)	23 (6%)	0	100	100
1	j	381/386 (99%)	358 (94%)	23 (6%)	0	100	100
1	k	381/386 (99%)	358 (94%)	23 (6%)	0	100	100
1	l	381/386 (99%)	358 (94%)	23 (6%)	0	100	100
1	m	381/386 (99%)	352 (92%)	29 (8%)	0	100	100
1	n	381/386 (99%)	352 (92%)	29 (8%)	0	100	100
1	o	381/386 (99%)	352 (92%)	29 (8%)	0	100	100
1	p	381/386 (99%)	352 (92%)	29 (8%)	0	100	100
1	q	381/386 (99%)	352 (92%)	29 (8%)	0	100	100
1	r	381/386 (99%)	352 (92%)	29 (8%)	0	100	100
1	s	381/386 (99%)	359 (94%)	22 (6%)	0	100	100
1	t	381/386 (99%)	359 (94%)	22 (6%)	0	100	100
1	u	381/386 (99%)	359 (94%)	22 (6%)	0	100	100
1	v	381/386 (99%)	359 (94%)	22 (6%)	0	100	100
1	w	381/386 (99%)	359 (94%)	22 (6%)	0	100	100
1	x	381/386 (99%)	359 (94%)	22 (6%)	0	100	100
2	G	53/68 (78%)	50 (94%)	3 (6%)	0	100	100
2	H	53/68 (78%)	50 (94%)	3 (6%)	0	100	100
2	I	53/68 (78%)	50 (94%)	3 (6%)	0	100	100
2	J	53/68 (78%)	50 (94%)	3 (6%)	0	100	100
2	K	53/68 (78%)	50 (94%)	3 (6%)	0	100	100
2	L	53/68 (78%)	50 (94%)	3 (6%)	0	100	100
3	M	289/295 (98%)	266 (92%)	23 (8%)	0	100	100
3	N	289/295 (98%)	266 (92%)	23 (8%)	0	100	100
3	O	289/295 (98%)	266 (92%)	23 (8%)	0	100	100
3	P	289/295 (98%)	266 (92%)	23 (8%)	0	100	100
3	Q	289/295 (98%)	266 (92%)	23 (8%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	R	289/295 (98%)	266 (92%)	23 (8%)	0	100	100
3	S	290/295 (98%)	272 (94%)	18 (6%)	0	100	100
3	T	290/295 (98%)	272 (94%)	18 (6%)	0	100	100
3	U	290/295 (98%)	272 (94%)	18 (6%)	0	100	100
3	V	290/295 (98%)	272 (94%)	18 (6%)	0	100	100
3	W	290/295 (98%)	272 (94%)	18 (6%)	0	100	100
3	X	290/295 (98%)	272 (94%)	18 (6%)	0	100	100
4	0	149/177 (84%)	134 (90%)	15 (10%)	0	100	100
4	1	149/177 (84%)	134 (90%)	15 (10%)	0	100	100
4	2	149/177 (84%)	134 (90%)	15 (10%)	0	100	100
4	3	149/177 (84%)	134 (90%)	15 (10%)	0	100	100
4	4	149/177 (84%)	134 (90%)	15 (10%)	0	100	100
4	5	149/177 (84%)	134 (90%)	15 (10%)	0	100	100
5	A	97/108 (90%)	88 (91%)	9 (9%)	0	100	100
5	B	97/108 (90%)	88 (91%)	9 (9%)	0	100	100
5	C	97/108 (90%)	88 (91%)	9 (9%)	0	100	100
5	D	97/108 (90%)	88 (91%)	9 (9%)	0	100	100
5	E	97/108 (90%)	88 (91%)	9 (9%)	0	100	100
5	F	97/108 (90%)	88 (91%)	9 (9%)	0	100	100
All	All	14412/14922 (97%)	13399 (93%)	1013 (7%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	a	296/298 (99%)	291 (98%)	5 (2%)	60	82
1	b	296/298 (99%)	291 (98%)	5 (2%)	60	82

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	c	296/298 (99%)	291 (98%)	5 (2%)	60	82
1	d	296/298 (99%)	291 (98%)	5 (2%)	60	82
1	e	296/298 (99%)	291 (98%)	5 (2%)	60	82
1	f	296/298 (99%)	291 (98%)	5 (2%)	60	82
1	g	296/298 (99%)	291 (98%)	5 (2%)	60	82
1	h	296/298 (99%)	291 (98%)	5 (2%)	60	82
1	i	296/298 (99%)	291 (98%)	5 (2%)	60	82
1	j	296/298 (99%)	291 (98%)	5 (2%)	60	82
1	k	296/298 (99%)	291 (98%)	5 (2%)	60	82
1	l	296/298 (99%)	291 (98%)	5 (2%)	60	82
1	m	296/298 (99%)	291 (98%)	5 (2%)	60	82
1	n	296/298 (99%)	291 (98%)	5 (2%)	60	82
1	o	296/298 (99%)	291 (98%)	5 (2%)	60	82
1	p	296/298 (99%)	291 (98%)	5 (2%)	60	82
1	q	296/298 (99%)	291 (98%)	5 (2%)	60	82
1	r	296/298 (99%)	291 (98%)	5 (2%)	60	82
1	s	296/298 (99%)	287 (97%)	9 (3%)	41	71
1	t	296/298 (99%)	287 (97%)	9 (3%)	41	71
1	u	296/298 (99%)	287 (97%)	9 (3%)	41	71
1	v	296/298 (99%)	287 (97%)	9 (3%)	41	71
1	w	296/298 (99%)	287 (97%)	9 (3%)	41	71
1	x	296/298 (99%)	287 (97%)	9 (3%)	41	71
2	G	45/57 (79%)	45 (100%)	0	100	100
2	H	45/57 (79%)	45 (100%)	0	100	100
2	I	45/57 (79%)	45 (100%)	0	100	100
2	J	45/57 (79%)	45 (100%)	0	100	100
2	K	45/57 (79%)	45 (100%)	0	100	100
2	L	45/57 (79%)	45 (100%)	0	100	100
3	M	226/230 (98%)	225 (100%)	1 (0%)	91	96
3	N	226/230 (98%)	225 (100%)	1 (0%)	91	96
3	O	226/230 (98%)	225 (100%)	1 (0%)	91	96

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	P	226/230 (98%)	225 (100%)	1 (0%)	91	96
3	Q	226/230 (98%)	225 (100%)	1 (0%)	91	96
3	R	226/230 (98%)	225 (100%)	1 (0%)	91	96
3	S	226/230 (98%)	225 (100%)	1 (0%)	91	96
3	T	226/230 (98%)	225 (100%)	1 (0%)	91	96
3	U	226/230 (98%)	225 (100%)	1 (0%)	91	96
3	V	226/230 (98%)	225 (100%)	1 (0%)	91	96
3	W	226/230 (98%)	225 (100%)	1 (0%)	91	96
3	X	226/230 (98%)	225 (100%)	1 (0%)	91	96
4	0	134/157 (85%)	134 (100%)	0	100	100
4	1	134/157 (85%)	134 (100%)	0	100	100
4	2	134/157 (85%)	134 (100%)	0	100	100
4	3	134/157 (85%)	134 (100%)	0	100	100
4	4	134/157 (85%)	134 (100%)	0	100	100
4	5	134/157 (85%)	134 (100%)	0	100	100
5	A	82/90 (91%)	80 (98%)	2 (2%)	49	76
5	B	82/90 (91%)	80 (98%)	2 (2%)	49	76
5	C	82/90 (91%)	80 (98%)	2 (2%)	49	76
5	D	82/90 (91%)	80 (98%)	2 (2%)	49	76
5	E	82/90 (91%)	80 (98%)	2 (2%)	49	76
5	F	82/90 (91%)	80 (98%)	2 (2%)	49	76
All	All	11382/11736 (97%)	11214 (98%)	168 (2%)	66	84

5 of 168 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	p	259	ILE
1	w	226	ILE
1	o	230	THR
1	t	307	THR
1	v	61	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 55 such sidechains are listed below:

Mol	Chain	Res	Type
3	S	257	HIS
1	k	137	GLN
1	u	5	HIS
3	V	84	GLN
1	h	5	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-20648. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map




The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 155



Y Index: 153




Z Index: 220


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y



Z


The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)


6.5.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.03. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1227 nm³; this corresponds to an approximate mass of 1108 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [\(i\)](#)




*Reported resolution corresponds to spatial frequency of 0.286 Å⁻¹

8 Fourier-Shell correlation [\(i\)](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [\(i\)](#)



*Reported resolution corresponds to spatial frequency of 0.286 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.50	-	-
Author-provided FSC curve	3.08	3.47	3.11
Unmasked-calculated*	-	-	-

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from author-provided FSC intersecting FSC 0.143 CUT-OFF 3.08 differs from the reported value 3.5 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-20648 and PDB model 6U5K. Per-residue inclusion information can be found in section 3 on page 9.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.03 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.03).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 48% of all backbone atoms, 42% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary









































The table lists the average atom inclusion at the recommended contour level (0.03) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.4220	 0.3840
0	 0.0030	 0.1260
1	 0.0030	 0.1250
2	 0.0010	 0.1090
3	 0.0030	 0.1230
4	 0.0030	 0.1240
5	 0.0030	 0.1240
A	 0.2160	 0.3380
B	 0.2540	 0.3680
C	 0.2240	 0.3450
D	 0.2530	 0.3710
E	 0.2560	 0.3690
F	 0.2530	 0.3680
G	 0.0000	 0.1870
H	 0.0000	 0.1830
I	 0.0000	 0.1970
J	 0.0000	 0.1910
K	 0.0000	 0.1910
L	 0.0000	 0.1910
M	 0.0010	 0.1080
N	 0.0010	 0.1080
O	 0.0010	 0.1030
P	 0.0010	 0.1090
Q	 0.0010	 0.1110
R	 0.0010	 0.1070
S	 0.0010	 0.1150
T	 0.0020	 0.1180
U	 0.0010	 0.0910
V	 0.0010	 0.1150
W	 0.0020	 0.1170
X	 0.0020	 0.1170
a	 0.5640	 0.5040
b	 0.5610	 0.5030
c	 0.5600	 0.4900
d	 0.5620	 0.5020



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
e	 0.5640	 0.5030
f	 0.5650	 0.5050
g	 0.6590	 0.5290
h	 0.6560	 0.5280
i	 0.6650	 0.5260
j	 0.6620	 0.5260
k	 0.6570	 0.5290
l	 0.6640	 0.5290
m	 0.6910	 0.5360
n	 0.6890	 0.5350
o	 0.6910	 0.5350
p	 0.6890	 0.5370
q	 0.6890	 0.5380
r	 0.6880	 0.5360
s	 0.6970	 0.5390
t	 0.6950	 0.5380
u	 0.6960	 0.5370
v	 0.6980	 0.5390
w	 0.6960	 0.5410
x	 0.6990	 0.5390