



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 15, 2023 – 10:13 PM EDT

PDB ID : 1UE7
Title : Crystal structure of the single-stranded dna-binding protein from mycobacterium tuberculosis
Authors : Saikrishnan, K.; Jeyakanthan, J.; Venkatesh, J.; Acharya, N.; Sekar, K.; Varshney, U.; Vijayan, M.; TB Structural Genomics Consortium (TBSGC)
Deposited on : 2003-05-09
Resolution : 3.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1133 (3.20-3.20)
Clashscore	141614	1253 (3.20-3.20)
Ramachandran outliers	138981	1234 (3.20-3.20)
Sidechain outliers	138945	1233 (3.20-3.20)
RSRZ outliers	127900	1095 (3.20-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	164	
1	B	164	
1	C	164	
1	D	164	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 3036 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Single-strand binding protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	106	758	468	141	148	1	0	0	0
1	B	98	705	440	125	139	1	0	0	0
1	C	98	712	445	126	140	1	0	0	0
1	D	95	678	425	117	135	1	0	0	0


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	51	Total	O	0	0
			51	51		
2	B	18	Total	O	0	0
			18	18		
2	C	46	Total	O	0	0
			46	46		
2	D	68	Total	O	0	0
			68	68		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Single-strand binding protein



- Molecule 1: Single-strand binding protein



- Molecule 1: Single-strand binding protein



SER ARG
 PRO PRO
 ALA ALA
 PRO PRO
 ALA ALA
 GLN THR
 SER SER
 SER SER
 ALA ALA
 SER SER
 GLY GLY
 ASP ASP
 TRP TRP
 GLY GLY
 SER SER
 ALA ALA
 PRO PRO
 ALA ALA
 SER SER
 GLY GLY
 SER SER
 PHE PHE
 GLY GLY
 GLY GLY
 ASP ASP
 ASP ASP
 PRO PRO
 PRO PRO
 PHE PHE

● Molecule 1: Single-strand binding protein

Chain D: 2% 25% 28% 42%

MET ALA
 G3 D4
 T5 T6
 I7 T8
 I9 N12
 L13 L14
 E18 L19
 PRO PRO
 TRP TRP
 GLY GLY
 SER SER
 ALA ALA
 PRO PRO
 A29 N30
 F31 T32
 V33 A34
 S35 T36
 P37 R38
 ILE TYR
 ASP ASP
 ARG ARG
 GLN GLN
 THR THR
 GLY GLY
 GLU GLU
 TRP TRP
 LYS LYS
 ASP ASP
 GLY GLY
 E61 A52
 L53 F54
 L55 R56
 C57 N58
 I59 W60
 R61 E62
 A63 A64
 V67

L71 T72
 R73 G74
 A75 R76
 V77 I78
 V79 S80
 C81 R82
 L83 R84
 Q85 R86
 S87 PHE
 GLU THR
 THR ARG
 GLU GLY
 GLY GLY
 GLU GLY
 LYS ARG
 ARG T97
 V101 E102
 V103 D104
 E105 I106
 S109 I110
 R111 Y112
 A115 K116
 V117 M118
 LYS ALA
 SER SER
 ARG ARG
 SER SER
 GLY GLY
 GLY PHE
 PHE GLY
 SER SER
 GLY GLY
 SER SER
 ARG ARG
 PRO PRO
 ALA ALA
 PRO PRO

ALA GLN
 THR SER
 SER ALA
 SER ALA
 GLY ASP
 ASP PRO
 PRO TRP
 GLY SER
 SER ALA
 PRO PRO
 ALA ALA
 SER SER
 GLY SER
 SER PHE
 PHE GLY
 GLY GLY
 GLY ASP
 ASP GLU
 PRO PRO
 PHE PHE

4 Data and refinement statistics

Property	Value	Source
Space group	I 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	60.22Å 116.72Å 177.88Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	15.00 – 3.20 28.77 – 3.20	Depositor EDS
% Data completeness (in resolution range)	94.3 (15.00-3.20) 94.3 (28.77-3.20)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.62 (at 3.17Å)	Xtrriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.235 , 0.313 0.236 , 0.311	Depositor DCC
R_{free} test set	1042 reflections (10.31%)	wwPDB-VP
Wilson B-factor (Å ²)	64.0	Xtrriage
Anisotropy	0.357	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 101.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.87	EDS
Total number of atoms	3036	wwPDB-VP
Average B, all atoms (Å ²)	59.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.38% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.56	2/764 (0.3%)	0.83	2/1037 (0.2%)
1	B	0.43	0/711	0.76	1/968 (0.1%)
1	C	0.48	0/718	0.87	1/976 (0.1%)
1	D	0.42	0/684	0.78	1/934 (0.1%)
All	All	0.48	2/2877 (0.1%)	0.81	5/3915 (0.1%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	3	GLY	N-CA	5.97	1.55	1.46
1	A	3	GLY	C-O	5.44	1.32	1.23

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	118	ASN	N-CA-C	6.62	128.88	111.00
1	A	4	ASP	N-CA-C	6.59	128.79	111.00
1	D	115	ALA	N-CA-C	6.23	127.82	111.00
1	C	4	ASP	N-CA-C	5.59	126.10	111.00
1	A	37	PRO	N-CA-CB	5.03	109.33	103.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	758	0	725	60	0
1	B	705	0	690	50	0
1	C	712	0	704	59	0
1	D	678	0	655	49	0
2	A	51	0	0	1	0
2	B	18	0	0	2	0
2	C	46	0	0	5	0
2	D	68	0	0	1	0
All	All	3036	0	2774	213	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 38.

All (213) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:22:THR:HB	1:C:23:PRO:HD2	1.06	1.02
1:A:117:VAL:HG12	1:A:118:ASN:H	1.27	0.99
1:C:22:THR:CB	1:C:23:PRO:HD2	1.93	0.97
1:D:117:VAL:HG13	1:D:118:ASN:H	1.29	0.94
1:A:19:LEU:HD21	1:A:27:ALA:HB1	1.53	0.91
1:D:7:ILE:HG12	1:D:8:THR:H	1.33	0.91
1:D:76:ARG:HG2	1:D:109:SER:HB3	1.53	0.91
1:A:29:ALA:HB3	1:A:59:ILE:HG23	1.55	0.89
1:C:22:THR:HB	1:C:23:PRO:CD	1.99	0.89
1:A:9:ILE:HD12	1:A:55:LEU:HD12	1.54	0.88
1:A:56:ARG:H	1:A:56:ARG:HD3	1.39	0.87
1:A:59:ILE:HD13	1:A:67:VAL:HG21	1.55	0.86
1:D:36:THR:HG23	1:D:52:ALA:H	1.39	0.85
1:A:28:VAL:HG22	1:A:60:TRP:NE1	1.95	0.81
1:A:117:VAL:HG12	1:A:118:ASN:N	1.95	0.81
1:A:79:VAL:HG22	1:A:106:ILE:HD13	1.61	0.81
1:A:85:GLN:HE22	1:B:54:PHE:H	1.29	0.81
1:D:14:THR:OG1	1:D:32:THR:HG23	1.81	0.80
1:B:116:LYS:HE2	1:B:117:VAL:H	1.45	0.80
1:D:7:ILE:HG12	1:D:8:THR:N	1.96	0.79
1:C:21:PHE:HA	1:C:26:ALA:O	1.83	0.78
1:C:28:VAL:HG22	1:C:60:TRP:NE1	1.99	0.78
1:D:76:ARG:CG	1:D:109:SER:HB3	2.13	0.78
1:C:71:LEU:HD13	1:C:77:VAL:HG11	1.67	0.76
1:C:23:PRO:HD2	2:C:176:HOH:O	1.84	0.76
1:A:56:ARG:H	1:A:56:ARG:CD	1.96	0.76

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:84:LYS:HD2	1:A:102:GLU:OE2	1.85	0.76
1:C:79:VAL:HG22	1:C:106:ILE:CD1	2.16	0.76
1:B:82:ARG:HG3	1:B:82:ARG:HH11	1.51	0.75
1:A:19:LEU:HD23	1:A:20:ARG:N	2.01	0.75
1:B:85:GLN:O	1:B:86:ARG:HB2	1.85	0.74
1:C:22:THR:HB	2:C:176:HOH:O	1.88	0.74
1:B:67:VAL:HG13	1:B:71:LEU:HD12	1.69	0.73
1:B:14:THR:OG1	1:B:32:THR:HG23	1.88	0.73
1:A:42:ARG:NH1	1:A:42:ARG:HB3	2.03	0.73
1:A:117:VAL:CG1	1:A:118:ASN:H	1.95	0.73
1:A:79:VAL:HG22	1:A:106:ILE:CD1	2.20	0.71
1:A:20:ARG:O	1:A:27:ALA:HA	1.90	0.71
1:C:53:LEU:HD12	1:D:5:THR:HG21	1.70	0.71
1:D:53:LEU:CD1	1:D:55:LEU:HG	2.21	0.70
1:C:12:ASN:HA	1:C:75:ALA:O	1.93	0.69
1:B:87:SER:HB3	1:B:97:THR:HG22	1.74	0.68
1:A:53:LEU:HD11	1:A:55:LEU:HG	1.75	0.68
1:B:117:VAL:HG23	1:B:118:ASN:N	2.09	0.68
1:D:117:VAL:HG13	1:D:118:ASN:N	2.07	0.68
1:A:85:GLN:NE2	1:B:54:PHE:H	1.91	0.68
1:C:82:ARG:NH2	1:C:102:GLU:HG2	2.09	0.68
1:A:29:ALA:HB3	1:A:59:ILE:CG2	2.22	0.68
1:A:22:THR:HB	1:A:23:PRO:HD2	1.74	0.67
1:C:19:LEU:HD23	1:C:20:ARG:H	1.60	0.67
1:A:29:ALA:HB2	1:A:64:ALA:HB1	1.76	0.66
1:B:52:ALA:HB1	1:B:54:PHE:HE1	1.60	0.66
1:A:53:LEU:CD1	1:A:55:LEU:HG	2.25	0.66
1:B:59:ILE:HD12	1:B:106:ILE:HG21	1.78	0.66
1:B:6:THR:HG22	1:B:82:ARG:HG2	1.79	0.64
1:A:63:ALA:O	1:A:67:VAL:HG23	1.98	0.64
1:C:21:PHE:O	1:C:22:THR:OG1	2.13	0.64
1:C:79:VAL:HG13	1:C:103:VAL:HG13	1.81	0.62
1:C:57:CYS:HB3	1:C:103:VAL:CG2	2.29	0.62
1:D:22:THR:OG1	1:D:26:ALA:HB3	1.99	0.62
1:D:53:LEU:HD11	1:D:55:LEU:HG	1.81	0.62
1:D:77:VAL:HB	1:D:106:ILE:HD11	1.81	0.62
1:A:21:PHE:HA	1:A:26:ALA:O	2.00	0.62
1:C:67:VAL:HG22	1:C:106:ILE:HG21	1.82	0.61
1:A:61:ARG:HD2	1:A:61:ARG:N	2.16	0.61
1:C:30:ASN:O	1:C:31:PHE:HB3	2.00	0.61
1:C:59:ILE:HG21	1:C:67:VAL:HG21	1.83	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:59:ILE:CD1	1:B:106:ILE:HG21	2.32	0.59
1:B:87:SER:CB	1:B:97:THR:HG22	2.32	0.59
1:A:122:ARG:O	1:A:123:SER:CB	2.50	0.59
1:D:79:VAL:HG22	1:D:106:ILE:HD13	1.85	0.59
1:C:111:ARG:HG3	1:C:112:TYR:CD2	2.38	0.58
1:D:117:VAL:HG22	1:D:118:ASN:N	2.17	0.58
1:B:17:PRO:HG2	1:B:68:ALA:HA	1.83	0.58
1:D:13:LEU:HD22	1:D:31:PHE:HB2	1.85	0.58
1:B:4:ASP:HB2	2:B:169:HOH:O	2.04	0.58
1:A:20:ARG:HD3	1:A:22:THR:CG2	2.34	0.58
1:A:67:VAL:CG2	1:A:106:ILE:HG21	2.33	0.57
1:A:42:ARG:NH1	1:A:42:ARG:CB	2.68	0.57
1:A:80:SER:HB3	1:A:105:GLU:HB2	1.87	0.56
1:B:82:ARG:HG3	1:B:82:ARG:NH1	2.19	0.56
1:C:56:ARG:N	1:C:56:ARG:HD2	2.20	0.56
1:B:7:ILE:HG12	1:B:8:THR:N	2.19	0.56
1:D:59:ILE:HD11	1:D:63:ALA:HB1	1.87	0.56
1:A:60:TRP:HB3	1:A:61:ARG:HD2	1.87	0.56
1:A:19:LEU:HD21	1:A:27:ALA:CB	2.31	0.56
1:C:7:ILE:HG12	1:C:8:THR:N	2.21	0.56
1:B:82:ARG:NH2	1:B:102:GLU:CG	2.69	0.56
1:B:116:LYS:HE2	1:B:117:VAL:N	2.17	0.56
1:A:42:ARG:HB3	1:A:42:ARG:CZ	2.35	0.55
1:C:79:VAL:HG22	1:C:106:ILE:HD12	1.89	0.55
1:B:84:LYS:NZ	2:B:166:HOH:O	2.38	0.55
1:A:19:LEU:HD23	1:A:20:ARG:H	1.70	0.55
1:A:9:ILE:CG2	1:A:79:VAL:HB	2.37	0.55
1:A:81:GLY:HA2	1:A:104:ASP:OD1	2.08	0.54
1:D:67:VAL:HG21	1:D:106:ILE:HG21	1.90	0.53
1:B:17:PRO:CG	1:B:68:ALA:HA	2.38	0.53
1:B:28:VAL:HG22	1:B:60:TRP:CD1	2.44	0.53
1:A:42:ARG:CB	1:A:42:ARG:HH11	2.22	0.53
1:B:13:LEU:O	1:B:74:GLY:N	2.41	0.53
1:A:41:ASP:O	1:A:42:ARG:HG2	2.09	0.52
1:D:56:ARG:HD3	1:D:56:ARG:N	2.24	0.52
1:B:79:VAL:HG22	1:B:106:ILE:HD13	1.91	0.52
1:B:82:ARG:NH2	1:B:102:GLU:HG3	2.25	0.52
1:D:76:ARG:HG2	1:D:109:SER:CB	2.33	0.52
1:C:19:LEU:HD23	1:C:20:ARG:N	2.24	0.52
1:D:71:LEU:HD13	1:D:77:VAL:HG11	1.92	0.52
1:C:9:ILE:N	1:C:9:ILE:HD12	2.26	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:4:ASP:O	1:C:5:THR:HG22	2.11	0.51
1:D:81:GLY:HA2	1:D:104:ASP:OD1	2.11	0.51
1:D:34:ALA:HA	1:D:53:LEU:O	2.11	0.51
1:B:19:LEU:HD23	1:B:20:ARG:H	1.76	0.50
1:B:119:LYS:O	1:B:120:ALA:HB3	2.12	0.50
1:C:7:ILE:HG23	1:C:9:ILE:HD11	1.93	0.50
1:C:73:ARG:O	1:C:73:ARG:HG3	2.10	0.50
1:B:59:ILE:HG23	1:B:64:ALA:HA	1.92	0.50
1:D:29:ALA:HB3	1:D:59:ILE:CG2	2.40	0.50
1:D:59:ILE:HG23	1:D:64:ALA:HA	1.94	0.50
1:C:35:SER:O	1:C:52:ALA:HA	2.12	0.50
1:B:19:LEU:HD21	1:B:27:ALA:HB1	1.94	0.50
1:C:15:ALA:HA	1:C:73:ARG:CB	2.42	0.50
1:A:20:ARG:HD3	1:A:22:THR:HG23	1.92	0.50
1:B:117:VAL:HG23	1:B:118:ASN:H	1.78	0.49
1:D:36:THR:HG23	1:D:52:ALA:N	2.18	0.49
1:D:111:ARG:HD3	1:D:112:TYR:CZ	2.48	0.49
1:B:53:LEU:HD11	1:B:55:LEU:HD12	1.94	0.49
1:B:117:VAL:CG2	1:B:118:ASN:N	2.73	0.49
1:C:95:LYS:HB2	2:C:204:HOH:O	2.13	0.49
1:C:57:CYS:HB3	1:C:103:VAL:HG23	1.94	0.49
1:B:8:THR:HA	1:B:79:VAL:O	2.13	0.48
1:C:21:PHE:CA	1:C:26:ALA:O	2.57	0.48
1:B:82:ARG:NH2	1:B:102:GLU:HG2	2.28	0.48
1:D:12:ASN:HA	1:D:75:ALA:O	2.13	0.48
1:B:120:ALA:O	1:B:121:SER:CB	2.62	0.48
1:D:31:PHE:CE2	1:D:57:CYS:HB2	2.48	0.48
1:D:3:GLY:N	2:D:174:HOH:O	2.46	0.48
1:D:117:VAL:CG1	1:D:118:ASN:H	2.06	0.48
1:C:15:ALA:HA	1:C:73:ARG:HB2	1.95	0.47
1:C:83:LEU:HD11	1:D:7:ILE:HD12	1.94	0.47
1:D:33:VAL:HG21	1:D:79:VAL:HG21	1.97	0.47
1:B:98:VAL:HG12	1:B:99:ILE:H	1.78	0.47
1:D:60:TRP:HZ3	1:D:102:GLU:OE2	1.98	0.47
1:A:85:GLN:O	1:A:86:ARG:HB2	2.15	0.47
1:B:82:ARG:NH1	1:B:104:ASP:OD2	2.48	0.47
1:C:7:ILE:HG22	1:C:81:GLY:O	2.15	0.47
1:A:19:LEU:HD22	1:A:21:PHE:CE1	2.50	0.46
1:C:28:VAL:HG22	1:C:60:TRP:CE2	2.49	0.46
1:A:67:VAL:HG22	1:A:106:ILE:HG21	1.96	0.46
1:C:23:PRO:CD	2:C:176:HOH:O	2.54	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:79:VAL:CG1	1:B:103:VAL:HG22	2.45	0.46
1:A:61:ARG:HG2	1:A:61:ARG:HH11	1.81	0.46
1:C:5:THR:HG23	1:C:5:THR:O	2.14	0.46
1:C:76:ARG:HG2	1:C:109:SER:HB3	1.98	0.46
1:A:9:ILE:HD12	1:A:55:LEU:CD1	2.38	0.46
1:C:30:ASN:O	1:C:31:PHE:CB	2.65	0.45
1:C:62:GLU:O	1:C:65:GLU:N	2.50	0.45
1:D:60:TRP:CZ3	1:D:102:GLU:OE2	2.70	0.45
1:B:117:VAL:CG2	1:B:118:ASN:H	2.28	0.45
1:A:56:ARG:CG	1:A:100:GLU:HG2	2.46	0.45
1:C:23:PRO:O	1:C:24:SER:OG	2.29	0.45
1:D:4:ASP:OD1	1:D:5:THR:N	2.49	0.45
1:A:82:ARG:NH1	1:A:104:ASP:OD2	2.50	0.45
1:B:83:LEU:HD22	1:B:99:ILE:CG2	2.47	0.45
1:B:15:ALA:HA	1:B:73:ARG:HG2	1.99	0.45
1:C:82:ARG:NH2	1:C:102:GLU:CG	2.78	0.45
1:D:56:ARG:CD	1:D:56:ARG:H	2.30	0.44
1:C:109:SER:C	1:C:111:ARG:H	2.21	0.44
1:C:29:ALA:HB2	1:C:64:ALA:HB1	1.99	0.44
1:C:76:ARG:HG2	1:C:109:SER:CB	2.48	0.44
1:D:56:ARG:N	1:D:56:ARG:CD	2.81	0.44
1:D:61:ARG:O	1:D:64:ALA:HB3	2.18	0.44
1:C:19:LEU:CD2	1:C:20:ARG:N	2.81	0.44
1:A:9:ILE:HG23	1:A:79:VAL:HB	2.00	0.43
1:D:79:VAL:CG1	1:D:103:VAL:HG22	2.48	0.43
1:B:16:ASP:O	1:B:17:PRO:C	2.57	0.43
1:C:59:ILE:HG23	1:C:59:ILE:O	2.18	0.43
1:D:73:ARG:C	1:D:75:ALA:H	2.22	0.43
1:B:54:PHE:CD1	1:B:54:PHE:N	2.87	0.43
1:A:82:ARG:HH11	1:A:82:ARG:HG3	1.83	0.43
1:B:19:LEU:CD2	1:B:20:ARG:H	2.32	0.43
1:A:9:ILE:HG22	1:A:79:VAL:HB	2.00	0.43
1:B:82:ARG:NH1	1:B:82:ARG:CG	2.82	0.43
1:D:59:ILE:HD11	1:D:63:ALA:CB	2.49	0.42
1:B:79:VAL:HG22	1:B:106:ILE:CD1	2.48	0.42
1:D:83:LEU:HD23	1:D:101:VAL:HG22	2.01	0.42
1:A:60:TRP:HB3	1:A:61:ARG:H	1.61	0.42
1:C:116:LYS:NZ	2:C:191:HOH:O	2.52	0.42
1:B:83:LEU:HD22	1:B:99:ILE:HG21	2.02	0.42
1:A:56:ARG:HG3	1:A:100:GLU:HG2	2.00	0.42
1:A:55:LEU:HD23	1:A:55:LEU:HA	1.84	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:67:VAL:HG12	1:A:67:VAL:O	2.19	0.42
1:C:13:LEU:HD22	1:C:31:PHE:HD2	1.84	0.42
1:A:61:ARG:HD2	1:A:61:ARG:H	1.82	0.42
1:C:63:ALA:O	1:C:67:VAL:HG23	2.19	0.42
1:D:8:THR:HA	1:D:79:VAL:O	2.19	0.42
1:C:54:PHE:HD1	1:D:85:GLN:OE1	2.03	0.41
1:D:18:GLU:O	1:D:29:ALA:HA	2.19	0.41
1:A:20:ARG:HD3	1:A:22:THR:HG21	2.01	0.41
1:A:82:ARG:NH2	1:A:102:GLU:OE2	2.53	0.41
1:B:9:ILE:HD11	1:B:101:VAL:HG21	2.03	0.41
1:A:22:THR:CB	1:A:23:PRO:HD2	2.45	0.41
1:C:12:ASN:OD1	1:C:76:ARG:HB2	2.21	0.41
1:C:67:VAL:CG2	1:C:106:ILE:HG21	2.50	0.41
1:C:9:ILE:HG12	1:C:55:LEU:HD12	2.03	0.41
1:D:29:ALA:HB3	1:D:59:ILE:HG22	2.01	0.41
1:B:116:LYS:HE2	1:B:116:LYS:CA	2.51	0.41
1:C:11:GLY:O	1:C:76:ARG:HA	2.21	0.41
1:C:28:VAL:HG22	1:C:60:TRP:CD1	2.55	0.41
1:A:15:ALA:HB1	2:A:189:HOH:O	2.21	0.40
1:D:9:ILE:CD1	1:D:55:LEU:HD12	2.52	0.40
1:A:28:VAL:HG22	1:A:60:TRP:HE1	1.78	0.40
1:C:9:ILE:HG22	1:C:10:VAL:N	2.36	0.40
1:D:79:VAL:HG12	1:D:80:SER:N	2.36	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	100/164 (61%)	75 (75%)	16 (16%)	9 (9%)	1 4
1	B	92/164 (56%)	74 (80%)	11 (12%)	7 (8%)	1 7

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	92/164 (56%)	72 (78%)	11 (12%)	9 (10%)	0	3
1	D	89/164 (54%)	75 (84%)	8 (9%)	6 (7%)	1	9
All	All	373/656 (57%)	296 (79%)	46 (12%)	31 (8%)	1	5

All (31) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	4	ASP
1	A	23	PRO
1	A	24	SER
1	A	118	ASN
1	A	122	ARG
1	A	123	SER
1	B	121	SER
1	C	23	PRO
1	C	24	SER
1	C	69	GLU
1	C	95	LYS
1	C	96	ARG
1	D	36	THR
1	D	37	PRO
1	D	117	VAL
1	A	61	ARG
1	B	5	THR
1	B	73	ARG
1	C	31	PHE
1	B	86	ARG
1	B	122	ARG
1	D	52	ALA
1	D	116	LYS
1	C	52	ALA
1	B	117	VAL
1	B	120	ALA
1	C	110	LEU
1	D	4	ASP
1	A	37	PRO
1	A	117	VAL
1	C	22	THR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	73/126 (58%)	65 (89%)	8 (11%)	6	26
1	B	71/126 (56%)	63 (89%)	8 (11%)	6	25
1	C	72/126 (57%)	63 (88%)	9 (12%)	4	21
1	D	68/126 (54%)	61 (90%)	7 (10%)	7	29
All	All	284/504 (56%)	252 (89%)	32 (11%)	6	25

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	6	THR
1	A	7	ILE
1	A	23	PRO
1	A	32	THR
1	A	56	ARG
1	A	60	TRP
1	A	61	ARG
1	A	66	ASN
1	B	19	LEU
1	B	32	THR
1	B	69	GLU
1	B	85	GLN
1	B	98	VAL
1	B	106	ILE
1	B	116	LYS
1	B	118	ASN
1	C	4	ASP
1	C	19	LEU
1	C	32	THR
1	C	53	LEU
1	C	56	ARG
1	C	85	GLN
1	C	92	GLU
1	C	114	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	118	ASN
1	D	19	LEU
1	D	32	THR
1	D	36	THR
1	D	56	ARG
1	D	58	ASN
1	D	60	TRP
1	D	73	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	30	ASN
1	A	85	GLN
1	B	66	ASN
1	C	66	ASN
1	D	58	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	106/164 (64%)	-0.04	6 (5%) 23 13	17, 57, 102, 102	0
1	B	98/164 (59%)	-0.23	4 (4%) 37 24	14, 57, 97, 102	0
1	C	98/164 (59%)	-0.09	3 (3%) 49 32	17, 60, 102, 102	0
1	D	95/164 (57%)	-0.20	3 (3%) 47 31	22, 50, 97, 101	0
All	All	397/656 (60%)	-0.14	16 (4%) 38 25	14, 57, 101, 102	0

All (16) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	121	SER	3.6
1	A	40	TYR	3.4
1	D	37	PRO	3.3
1	A	124	GLY	3.2
1	B	118	ASN	3.1
1	B	123	SER	2.8
1	B	122	ARG	2.8
1	A	118	ASN	2.7
1	A	123	SER	2.6
1	C	27	ALA	2.6
1	D	51	GLU	2.5
1	C	97	THR	2.5
1	A	50	GLY	2.4
1	C	26	ALA	2.4
1	D	97	THR	2.4
1	A	4	ASP	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.