

# wwPDB X-ray Structure Validation Summary Report (i)

#### Sep 24, 2023 – 08:04 PM EDT

PDB ID : 5URQ

Title : Crystal Structure of the Catalytic Domain of the Inosine Monophosphate De-

hydrogenase from Campylobacter jejuni in the complex with inhibitor p176

Authors: Kim, Y.; Maltseva, N.; Makowska-Grzyska, M.; Gu, M.; Gollapalli, D.; Hed-

strom, L.; Anderson, W.F.; Joachimiak, A.; Center for Structural Genomics

of Infectious Diseases (CSGID)

Deposited on : 2017-02-12

Resolution : 2.70 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

 $Mol Probity \quad : \quad 4.02b\text{--}467$ 

Mogul : 1.8.5 (274361), CSD as541be (2020)

 $Xtriage\ (Phenix) \quad : \quad 1.13$ 

EDS : 2.35.1buster-report : 1.1.7 (2018)

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

Refmac : 5.8.0158

CCP4 : 7.0.044 (Gargrove)

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)

Validation Pipeline (wwPDB-VP) : 2.35.1




# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive $(\# \mathrm{Entries})$	$\begin{array}{c} {\rm Similar\ resolution} \\ (\#{\rm Entries,\ resolution\ range(\mathring{A})}) \end{array}$
$R_{free}$	130704	2808 (2.70-2.70)
Clashscore	141614	3122 (2.70-2.70)
Ramachandran outliers	138981	3069 (2.70-2.70)
Sidechain outliers	138945	3069 (2.70-2.70)
RSRZ outliers	127900	2737 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain						
1	A	406	73%	14%	13%				
1	В	406	68%	19%	12%				
1	С	406	72%	14%	13%				
1	D	406	75%	13%	12%				
1	Е	406	73%	15%	12%				



Continued from previous page...

	J	1	1 9		
$\mathbf{Mol}$	Chain	Length	Quality of chain		
1	F	406	70%	17%	12%
1	G	406	70%	17%	• 13%
1	Н	406	74%	13%	• 13%



# 2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 21625 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Inosine-5'-monophosphate dehydrogenase.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	A	355	Total	С	N	О	S	0	0	0
1	A	355	2636	1658	464	500	14	U	0	
1	В	356	Total	С	N	О	S	0	0	0
1	Б	390	2649	1666	468	501	14	U	0	
1	С	354	Total	С	N	О	S	0	0	0
1		304	2634	1656	466	498	14	U	0	0
1	D	359	Total	С	N	О	S	0	0	0
1	D	339	2669	1678	473	504	14	U	U	
1	Е	357	Total	С	N	О	S	0	0	0
1	15	331	2647	1663	467	503	14	U	0	
1	F	356	Total	С	N	О	S	0	0	0
1	Г	350	2642	1661	466	501	14	U	0	
1	Н	355	Total	С	N	О	S	0	0	0
1	1 11	399	2639	1661	465	499	14	U	0	
1	С	355	Total	С	N	О	S	0	0	0
1	1 G	333	2636	1658	465	499	14	0		

There are 200 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-23	MET	-	initiating methionine	UNP A0A1B3XFT6
A	-22	HIS	-	expression tag	UNP A0A1B3XFT6
A	-21	HIS	-	expression tag	UNP A0A1B3XFT6
A	-20	HIS	-	expression tag	UNP A0A1B3XFT6
A	-19	HIS	-	expression tag	UNP A0A1B3XFT6
A	-18	HIS	-	expression tag	UNP A0A1B3XFT6
A	-17	HIS	-	expression tag	UNP A0A1B3XFT6
A	-16	SER	-	expression tag	UNP A0A1B3XFT6
A	-15	SER	-	expression tag	UNP A0A1B3XFT6
A	-14	GLY	-	expression tag	UNP A0A1B3XFT6
A	-13	VAL	-	expression tag	UNP A0A1B3XFT6
A	-12	ASP	-	expression tag	UNP A0A1B3XFT6
A	-11	LEU	-	expression tag	UNP A0A1B3XFT6



Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-10	GLY	-	expression tag	UNP A0A1B3XFT6
A	-9	THR	_	expression tag	UNP A0A1B3XFT6
A	-8	GLU	-	expression tag	UNP A0A1B3XFT6
A	-7	ASN	_	expression tag	UNP A0A1B3XFT6
A	-6	LEU	-	expression tag	UNP A0A1B3XFT6
A	-5	TYR	-	expression tag	UNP A0A1B3XFT6
A	-4	PHE	-	expression tag	UNP A0A1B3XFT6
A	-3	GLN	-	expression tag	UNP A0A1B3XFT6
A	-2	SER	-	expression tag	UNP A0A1B3XFT6
A	-1	ASN	-	expression tag	UNP A0A1B3XFT6
A	0	ALA	-	expression tag	UNP A0A1B3XFT6
A	195	GLY	-	linker	UNP A0A1B3XFT6
В	-23	MET	-	initiating methionine	UNP A0A1B3XFT6
В	-22	HIS	-	expression tag	UNP A0A1B3XFT6
В	-21	HIS	-	expression tag	UNP A0A1B3XFT6
В	-20	HIS	-	expression tag	UNP A0A1B3XFT6
В	-19	HIS	-	expression tag	UNP A0A1B3XFT6
В	-18	HIS	-	expression tag	UNP A0A1B3XFT6
В	-17	HIS	-	expression tag	UNP A0A1B3XFT6
В	-16	SER	-	expression tag	UNP A0A1B3XFT6
В	-15	SER	-	expression tag	UNP A0A1B3XFT6
В	-14	GLY	-	expression tag	UNP A0A1B3XFT6
В	-13	VAL	_	expression tag	UNP A0A1B3XFT6
В	-12	ASP	-	expression tag	UNP A0A1B3XFT6
В	-11	LEU	-	expression tag	UNP A0A1B3XFT6
В	-10	GLY	-	expression tag	UNP A0A1B3XFT6
В	-9	THR	_	expression tag	UNP A0A1B3XFT6
В	-8	GLU	-	expression tag	UNP A0A1B3XFT6
В	-7	ASN	-	expression tag	UNP A0A1B3XFT6
В	-6	LEU	-	expression tag	UNP A0A1B3XFT6
В	-5	TYR	-	expression tag	UNP A0A1B3XFT6
В	-4	PHE	-	expression tag	UNP A0A1B3XFT6
В	-3	GLN	-	expression tag	UNP A0A1B3XFT6
В	-2	SER	-	expression tag	UNP A0A1B3XFT6
В	-1	ASN	-	expression tag	UNP A0A1B3XFT6
В	0	ALA	-	expression tag	UNP A0A1B3XFT6
В	195	GLY	-	linker	UNP A0A1B3XFT6
С	-23	MET	-	initiating methionine	UNP A0A1B3XFT6
С	-22	HIS	-	expression tag	UNP A0A1B3XFT6
С	-21	HIS	-	expression tag	UNP A0A1B3XFT6
С	-20	HIS	-	expression tag	UNP A0A1B3XFT6
С	-19	HIS	-	expression tag	UNP A0A1B3XFT6



Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
С	-18	HIS	-	expression tag	UNP A0A1B3XFT6
С	-17	HIS	-	expression tag	UNP A0A1B3XFT6
С	-16	SER	-	expression tag	UNP A0A1B3XFT6
С	-15	SER	-	expression tag	UNP A0A1B3XFT6
С	-14	GLY	-	expression tag	UNP A0A1B3XFT6
С	-13	VAL	-	expression tag	UNP A0A1B3XFT6
С	-12	ASP	-	expression tag	UNP A0A1B3XFT6
С	-11	LEU	-	expression tag	UNP A0A1B3XFT6
С	-10	GLY	-	expression tag	UNP A0A1B3XFT6
С	-9	THR	-	expression tag	UNP A0A1B3XFT6
С	-8	GLU	-	expression tag	UNP A0A1B3XFT6
С	-7	ASN	-	expression tag	UNP A0A1B3XFT6
С	-6	LEU	-	expression tag	UNP A0A1B3XFT6
С	-5	TYR	-	expression tag	UNP A0A1B3XFT6
С	-4	PHE	-	expression tag	UNP A0A1B3XFT6
С	-3	GLN	-	expression tag	UNP A0A1B3XFT6
С	-2	SER	-	expression tag	UNP A0A1B3XFT6
С	-1	ASN	-	expression tag	UNP A0A1B3XFT6
С	0	ALA	-	expression tag	UNP A0A1B3XFT6
С	195	GLY	-	linker	UNP A0A1B3XFT6
D	-23	MET	-	initiating methionine	UNP A0A1B3XFT6
D	-22	HIS	-	expression tag	UNP A0A1B3XFT6
D	-21	HIS	-	expression tag	UNP A0A1B3XFT6
D	-20	HIS	-	expression tag	UNP A0A1B3XFT6
D	-19	HIS	-	expression tag	UNP A0A1B3XFT6
D	-18	HIS	-	expression tag	UNP A0A1B3XFT6
D	-17	HIS	-	expression tag	UNP A0A1B3XFT6
D	-16	SER	-	expression tag	UNP A0A1B3XFT6
D	-15	SER	-	expression tag	UNP A0A1B3XFT6
D	-14	GLY	-	expression tag	UNP A0A1B3XFT6
D	-13	VAL	-	expression tag	UNP A0A1B3XFT6
D	-12	ASP	-	expression tag	UNP A0A1B3XFT6
D	-11	LEU	-	expression tag	UNP A0A1B3XFT6
D	-10	GLY	-	expression tag	UNP A0A1B3XFT6
D	-9	THR	-	expression tag	UNP A0A1B3XFT6
D	-8	GLU	-	expression tag	UNP A0A1B3XFT6
D	-7	ASN	-	expression tag	UNP A0A1B3XFT6
D	-6	LEU	-	expression tag	UNP A0A1B3XFT6
D	-5	TYR	-	expression tag	UNP A0A1B3XFT6
D	-4	PHE	-	expression tag	UNP A0A1B3XFT6
D	-3	GLN	-	expression tag	UNP A0A1B3XFT6
D	-2	SER	-	expression tag	timud on next rage



Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-1	ASN	-	expression tag	UNP A0A1B3XFT6
D	0	ALA	-	expression tag	UNP A0A1B3XFT6
D	195	GLY	-	linker	UNP A0A1B3XFT6
Е	-23	MET	-	initiating methionine	UNP A0A1B3XFT6
Е	-22	HIS	-	expression tag	UNP A0A1B3XFT6
Е	-21	HIS	-	expression tag	UNP A0A1B3XFT6
E	-20	HIS	-	expression tag	UNP A0A1B3XFT6
Е	-19	HIS	-	expression tag	UNP A0A1B3XFT6
Е	-18	HIS	-	expression tag	UNP A0A1B3XFT6
Е	-17	HIS	-	expression tag	UNP A0A1B3XFT6
Е	-16	SER	-	expression tag	UNP A0A1B3XFT6
Е	-15	SER	-	expression tag	UNP A0A1B3XFT6
Е	-14	GLY	-	expression tag	UNP A0A1B3XFT6
Е	-13	VAL	-	expression tag	UNP A0A1B3XFT6
Е	-12	ASP	-	expression tag	UNP A0A1B3XFT6
E	-11	LEU	-	expression tag	UNP A0A1B3XFT6
Е	-10	GLY	-	expression tag	UNP A0A1B3XFT6
Е	-9	THR	-	expression tag	UNP A0A1B3XFT6
E	-8	GLU	-	expression tag	UNP A0A1B3XFT6
Е	-7	ASN	-	expression tag	UNP A0A1B3XFT6
Е	-6	LEU	-	expression tag	UNP A0A1B3XFT6
Е	-5	TYR	-	expression tag	UNP A0A1B3XFT6
Е	-4	PHE	-	expression tag	UNP A0A1B3XFT6
Е	-3	GLN	-	expression tag	UNP A0A1B3XFT6
Е	-2	SER	-	expression tag	UNP A0A1B3XFT6
Е	-1	ASN	-	expression tag	UNP A0A1B3XFT6
Е	0	ALA	-	expression tag	UNP A0A1B3XFT6
Е	195	GLY	-	linker	UNP A0A1B3XFT6
F	-23	MET	-	initiating methionine	UNP A0A1B3XFT6
F	-22	HIS	-	expression tag	UNP A0A1B3XFT6
F	-21	HIS	-	expression tag	UNP A0A1B3XFT6
F	-20	HIS	-	expression tag	UNP A0A1B3XFT6
F	-19	HIS	-	expression tag	UNP A0A1B3XFT6
F	-18	HIS	-	expression tag	UNP A0A1B3XFT6
F	-17	HIS	-	expression tag	UNP A0A1B3XFT6
F	-16	SER	-	expression tag	UNP A0A1B3XFT6
F	-15	SER	-	expression tag	UNP A0A1B3XFT6
F	-14	GLY	-	expression tag	UNP A0A1B3XFT6
F	-13	VAL	-	expression tag	UNP A0A1B3XFT6
F	-12	ASP	-	expression tag	UNP A0A1B3XFT6
F	-11	LEU	-	expression tag	UNP A0A1B3XFT6
F	-10	GLY	-	expression tag	UNP A0A1B3XFT6



Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
F	-9	THR	-	expression tag	UNP A0A1B3XFT6
F	-8	GLU	-	expression tag	UNP A0A1B3XFT6
F	-7	ASN	-	expression tag	UNP A0A1B3XFT6
F	-6	LEU	-	expression tag	UNP A0A1B3XFT6
F	-5	TYR	-	expression tag	UNP A0A1B3XFT6
F	-4	PHE	-	expression tag	UNP A0A1B3XFT6
F	-3	GLN	-	expression tag	UNP A0A1B3XFT6
F	-2	SER	-	expression tag	UNP A0A1B3XFT6
F	-1	ASN	-	expression tag	UNP A0A1B3XFT6
F	0	ALA	-	expression tag	UNP A0A1B3XFT6
F	195	GLY	-	linker	UNP A0A1B3XFT6
Н	-23	MET	-	initiating methionine	UNP A0A1B3XFT6
Н	-22	HIS	-	expression tag	UNP A0A1B3XFT6
Н	-21	HIS	-	expression tag	UNP A0A1B3XFT6
Н	-20	HIS	-	expression tag	UNP A0A1B3XFT6
Н	-19	HIS	-	expression tag	UNP A0A1B3XFT6
Н	-18	HIS	-	expression tag	UNP A0A1B3XFT6
Н	-17	HIS	-	expression tag	UNP A0A1B3XFT6
Н	-16	SER	-	expression tag	UNP A0A1B3XFT6
Н	-15	SER	-	expression tag	UNP A0A1B3XFT6
Н	-14	GLY	-	expression tag	UNP A0A1B3XFT6
Н	-13	VAL	-	expression tag	UNP A0A1B3XFT6
Н	-12	ASP	-	expression tag	UNP A0A1B3XFT6
Н	-11	LEU	-	expression tag	UNP A0A1B3XFT6
Н	-10	GLY	-	expression tag	UNP A0A1B3XFT6
Н	-9	THR	-	expression tag	UNP A0A1B3XFT6
Н	-8	GLU	-	expression tag	UNP A0A1B3XFT6
Н	-7	ASN	-	expression tag	UNP A0A1B3XFT6
Н	-6	LEU	-	expression tag	UNP A0A1B3XFT6
H	-5	TYR	-	expression tag	UNP A0A1B3XFT6
H	-4	PHE	-	expression tag	UNP A0A1B3XFT6
Н	-3	GLN	-	expression tag	UNP A0A1B3XFT6
H	-2	SER	-	expression tag	UNP A0A1B3XFT6
Н	-1	ASN	-	expression tag	UNP A0A1B3XFT6
H	0	ALA	-	expression tag	UNP A0A1B3XFT6
Н	195	GLY	-	linker	UNP A0A1B3XFT6
G	-23	MET	-	initiating methionine	UNP A0A1B3XFT6
G	-22	HIS	-	expression tag	UNP A0A1B3XFT6
G	-21	HIS	-	expression tag	UNP A0A1B3XFT6
G	-20	HIS	-	expression tag	UNP A0A1B3XFT6
G	-19	HIS	-	expression tag	UNP A0A1B3XFT6
G	-18	HIS	-	expression tag	timud on next rage



 $Continued\ from\ previous\ page...$ 

Chain	Residue	Modelled	Actual	Comment	Reference
G	-17	HIS	=	expression tag	UNP A0A1B3XFT6
G	-16	SER	-	expression tag	UNP A0A1B3XFT6
G	-15	SER	-	expression tag	UNP A0A1B3XFT6
G	-14	GLY	-	expression tag	UNP A0A1B3XFT6
G	-13	VAL	-	expression tag	UNP A0A1B3XFT6
G	-12	ASP	-	expression tag	UNP A0A1B3XFT6
G	-11	LEU	-	expression tag	UNP A0A1B3XFT6
G	-10	GLY	-	expression tag	UNP A0A1B3XFT6
G	-9	THR	-	expression tag	UNP A0A1B3XFT6
G	-8	GLU	-	expression tag	UNP A0A1B3XFT6
G	-7	ASN	-	expression tag	UNP A0A1B3XFT6
G	-6	LEU	-	expression tag	UNP A0A1B3XFT6
G	-5	TYR	-	expression tag	UNP A0A1B3XFT6
G	-4	PHE	-	expression tag	UNP A0A1B3XFT6
G	-3	GLN	-	expression tag	UNP A0A1B3XFT6
G	-2	SER	-	expression tag	UNP A0A1B3XFT6
G	-1	ASN	-	expression tag	UNP A0A1B3XFT6
G	0	ALA	-	expression tag	UNP A0A1B3XFT6
G	195	GLY	-	linker	UNP A0A1B3XFT6

 $\bullet$  Molecule 2 is INOSINIC ACID (three-letter code: IMP) (formula:  $\mathrm{C_{10}H_{13}N_4O_8P}).$ 




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
9	Λ	1	Total	С	N	О	Р	0	0	
2	2 A	1	23	10	4	8	1	U		
9	D	1	Total	С	N	О	Р	0	0	
	В	1	23	10	4	8	1	U	U	



Continued from previous page...

Mol	Chain	Residues		Ato	$\overline{\mathrm{ms}}$			ZeroOcc	AltConf		
2	С	1	Total	С	N	О	Р	0	0		
2		1	23	10	4	8	1	U	0		
2	D	1	Total	С	N	О	Р	0	0		
	D	1	23	10	4	8	1	U	U		
2	T.	E	Ŀ	1	Total	С	N	О	Р	0	0
	<u> 1</u> 2	1	23	10	4	8	1	U	U		
2	F	F 1	Total	С	N	О	Р	0	0		
	I'	1	23	10	4	8	1	U	0		
2	2 H	П	1	Total	С	N	О	Р	0	0	
		1	23	10	4	8	1	U	U		
2	9 C	C 1	Total	С	N	О	Р	0	0		
2 G	1	23	10	4	8	1	U	0			

 $\bullet$  Molecule 3 is N-{2-chloro-5-[({2-[3-(prop-1-en-2-yl)phenyl]propan-2-yl}carbamoyl)amino]phenyl}-alpha-D-ribofuranosylamine (three-letter code: 8L7) (formula:  $C_{24}H_{30}ClN_3O_5).$ 



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	٨	1	Total	С	Cl	N	О	0	0
3	A	1	33	24	1	3	5	U	0
3	В	1	Total	С	Cl	N	О	0	0
3	Б	1	33	24	1	3	5	U	U
3	С	1	Total	С	Cl	N	О	0	0
3		1	33	24	1	3	5	U	0
3	D	1	Total	С	Cl	N	О	0	0
3	D	1	33	24	1	3	5	0	0
3	Е	1	Total	С	Cl	N	О	0	0
3	L L	1	33	24	1	3	5	U	



 $Continued\ from\ previous\ page...$ 

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
2	F	1	Total	С	Cl	N	О	0	0
3	Г	1	33	24	1	3	5	U	U
2	Н	1	Total	С	Cl	N	О	0	0
3	11	1	33	24	1	3	5	0	0
3	С	1	Total	С	Cl	N	О	0	0
3	G	1	33	24	1	3	5	0	0

• Molecule 4 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	2	Total K 2 2	0	0
4	В	1	Total K 1 1	0	0
4	D	1	Total K 1 1	0	0
4	E	2	Total K 2 2	0	0
4	F	1	Total K 1 1	0	0
4	G	1	Total K 1 1	0	0

• Molecule 5 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	3	Total O 3 3	0	0
5	В	2	Total O 2 2	0	0
5	D	3	Total O 3 3	0	0
5	Е	3	Total O 3 3	0	0
5	F	4	Total O 4 4	0	0
5	G	2	Total O 2 2	0	0




# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Inosine-5'-monophosphate dehydrogenase
















# 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	98.49Å 141.79Å 121.64Å	Depositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $94.47^{\circ}$ $90.00^{\circ}$	Depositor
Resolution (Å)	40.80 - 2.70	Depositor
Resolution (A)	49.09 - 2.68	EDS
% Data completeness	97.8 (40.80-2.70)	Depositor
(in resolution range)	97.8 (49.09-2.68)	EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.12	Depositor
$< I/\sigma(I) > 1$	2.15 (at 2.69Å)	Xtriage
Refinement program	PHENIX (1.11.1_2575: ???)	Depositor
P. P.	0.180 , 0.235	Depositor
$R, R_{free}$	0.180 , 0.234	DCC
$R_{free}$ test set	4505 reflections (4.94%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	58.8	Xtriage
Anisotropy	0.314	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$ , $B_{sol}(Å^2)$	0.31, 29.9	EDS
L-test for twinning <sup>2</sup>	$ < L >=0.49, < L^2>=0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	21625	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	64.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 2.58% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of <|L|>,  $<L^2>$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

# 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: IMP, 8L7, K

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond	lengths	Bond angles		
IVIOI	Chain	RMSZ	# Z  > 5	RMSZ	# Z  > 5	
1	A	0.44	0/2670	0.63	0/3600	
1	В	0.46	0/2683	0.62	0/3615	
1	С	0.42	0/2668	0.59	0/3596	
1	D	0.44	0/2703	0.61	0/3641	
1	Е	0.42	0/2681	0.61	0/3613	
1	F	0.43	0/2676	0.60	0/3606	
1	G	0.40	0/2670	0.58	0/3598	
1	Н	0.41	0/2673	0.60	1/3603~(0.0%)	
All	All	0.43	0/21424	0.61	$1/28872 \ (0.0\%)$	

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^o)$	$\operatorname{Ideal}({}^{o})$
1	Н	296	GLY	C-N-CD	5.06	139.03	128.40

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2636	0	2720	41	0
1	В	2649	0	2738	54	0



Continued from previous page...

Mol	Chain	Non-H	$\frac{H(\text{model})}{H}$	H(added)	Clashes	Symm-Clashes
1	С	2634	0	2719	43	0
1	D	2669	0	2762	44	0
1	Е	2647	0	2730	37	0
1	F	2642	0	2727	51	0
1	G	2636	0	2722	54	0
1	Н	2639	0	2728	40	0
2	A	23	0	11	1	0
2	В	23	0	11	2	0
2	С	23	0	11	0	0
2	D	23	0	11	1	0
2	Е	23	0	11	0	0
2	F	23	0	11	0	0
2	G	23	0	11	1	0
2	Н	23	0	11	2	0
3	A	33	0	0	0	0
3	В	33	0	0	0	0
3	С	33	0	0	0	0
3	D	33	0	0	1	0
3	Ε	33	0	0	0	0
3	F	33	0	0	0	0
3	G	33	0	0	1	0
3	Н	33	0	0	0	0
4	A	2	0	0	0	0
4	В	1	0	0	0	0
4	D	1	0	0	0	0
4	Е	2	0	0	0	0
4	F	1	0	0	0	0
4	G	1	0	0	0	0
5	A	3	0	0	0	0
5	В	2	0	0	1	0
5	D	3	0	0	1	0
5	Ε	3	0	0	0	0
5	F	4	0	0	0	0
5	G	2	0	0	0	0
All	All	21625	0	21934	308	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

The worst 5 of 308 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.



Atom-1	Atom-2	$egin{array}{ll}  ext{Interatomic} \  ext{distance } ( ext{Å}) \end{array}$	Clash overlap (Å)
1:B:473:ILE:HG12	1:C:413:ILE:HD13	1.75	0.68
		21.13	0.00
1:B:432:GLY:HA3	1:C:409:VAL:HG21	1.75	0.67
1:H:296:GLY:HA2	1:H:301:CYS:SG	2.35	0.67
1:G:83:LYS:HB3	1:G:87:LYS:HE3	1.77	0.66
1:F:465:GLU:OE1	1:G:304:ARG:NH1	2.27	0.65

There are no symmetry-related clashes.

# 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	A	349/406 (86%)	341 (98%)	7 (2%)	1 (0%)	41	66
1	В	350/406 (86%)	337 (96%)	13 (4%)	0	100	100
1	С	348/406 (86%)	339 (97%)	8 (2%)	1 (0%)	41	66
1	D	353/406 (87%)	338 (96%)	14 (4%)	1 (0%)	41	66
1	E	351/406 (86%)	341 (97%)	9 (3%)	1 (0%)	41	66
1	F	350/406 (86%)	338 (97%)	11 (3%)	1 (0%)	41	66
1	G	349/406 (86%)	338 (97%)	11 (3%)	0	100	100
1	Н	349/406 (86%)	340 (97%)	9 (3%)	0	100	100
All	All	2799/3248 (86%)	2712 (97%)	82 (3%)	5 (0%)	47	73

#### All (5) Ramachandran outliers are listed below:

$\mathbf{Mol}$	Chain	$\operatorname{Res}$	Type
1	A	89	GLU
1	D	294	GLY
1	Е	294	GLY
1	F	294	GLY
1	С	294	GLY



#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	279/323~(86%)	275 (99%)	4 (1%)	67 86
1	В	280/323 (87%)	270 (96%)	10 (4%)	35 64
1	С	278/323 (86%)	270 (97%)	8 (3%)	42 71
1	D	282/323~(87%)	278 (99%)	4 (1%)	67 86
1	E	280/323 (87%)	272 (97%)	8 (3%)	42 71
1	F	279/323~(86%)	269 (96%)	10 (4%)	35 64
1	G	278/323~(86%)	271 (98%)	7 (2%)	47 76
1	Н	279/323~(86%)	275 (99%)	4 (1%)	67 86
All	All	2235/2584 (86%)	2180 (98%)	55 (2%)	47 76

5 of 55 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	Е	376	ARG
1	F	41	MET
1	G	452	ARG
1	G	41	MET
1	Е	394	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 10 such sidechains are listed below:

Mol	Chain	Res	Type
1	F	469	HIS
1	Н	212	ASN
1	G	450	GLN
1	D	266	ASN
1	Е	266	ASN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.



#### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry (i)

Of 24 ligands modelled in this entry, 8 are monoatomic - leaving 16 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Trino	Chain	Dag	Link	Во	ond leng	ths	В	ond ang	les
Mol	Type	Chain	Res	Lilik	Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	8L7	Е	502	-	35,35,35	1.22	5 (14%)	48,51,51	1.47	7 (14%)
2	IMP	В	500	-	21,25,25	1.42	2 (9%)	24,38,38	1.55	4 (16%)
3	8L7	С	501	-	35,35,35	1.28	5 (14%)	48,51,51	0.94	3 (6%)
2	IMP	С	500	-	21,25,25	1.54	2 (9%)	24,38,38	1.37	5 (20%)
2	IMP	F	500	-	21,25,25	1.35	2 (9%)	24,38,38	1.35	5 (20%)
2	IMP	G	502	-	21,25,25	1.50	2 (9%)	24,38,38	1.31	5 (20%)
3	8L7	D	501	-	35,35,35	1.32	5 (14%)	48,51,51	1.02	2 (4%)
3	8L7	F	501	-	35,35,35	1.19	4 (11%)	48,51,51	1.44	4 (8%)
3	8L7	G	503	-	35,35,35	1.30	6 (17%)	48,51,51	1.31	5 (10%)
3	8L7	A	502	-	35,35,35	1.23	3 (8%)	48,51,51	1.42	5 (10%)
3	8L7	В	501	-	35,35,35	1.43	5 (14%)	48,51,51	1.51	6 (12%)
3	8L7	Н	501	-	35,35,35	1.33	5 (14%)	48,51,51	1.74	7 (14%)
2	IMP	A	501	-	21,25,25	1.35	2 (9%)	24,38,38	1.49	5 (20%)
2	IMP	D	500	-	21,25,25	1.39	2 (9%)	24,38,38	1.36	4 (16%)
2	IMP	Н	500	-	21,25,25	1.46	2 (9%)	24,38,38	1.31	4 (16%)
2	IMP	Е	501	-	21,25,25	1.44	2 (9%)	24,38,38	1.52	6 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the



Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	8L7	Е	502	_	-	6/25/41/41	0/3/3/3
2	IMP	В	500	-	-	1/6/26/26	0/3/3/3
3	8L7	С	501	-	-	9/25/41/41	0/3/3/3
2	IMP	С	500	-	-	1/6/26/26	0/3/3/3
2	IMP	F	500	-	-	0/6/26/26	0/3/3/3
2	IMP	G	502	-	-	0/6/26/26	0/3/3/3
3	8L7	D	501	-	-	5/25/41/41	0/3/3/3
3	8L7	F	501	-	-	6/25/41/41	0/3/3/3
3	8L7	G	503	-	-	10/25/41/41	0/3/3/3
3	8L7	A	502	-	-	5/25/41/41	0/3/3/3
3	8L7	В	501	-	-	8/25/41/41	0/3/3/3
3	8L7	Н	501	-	-	7/25/41/41	0/3/3/3
2	IMP	A	501	-	-	0/6/26/26	0/3/3/3
2	IMP	D	500	-	-	1/6/26/26	0/3/3/3
2	IMP	Н	500	-	-	1/6/26/26	0/3/3/3
2	IMP	Е	501	-	-	0/6/26/26	0/3/3/3

The worst 5 of 54 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(A)
2	С	500	IMP	C2-N3	4.88	1.38	1.29
2	В	500	IMP	C2-N3	4.76	1.38	1.29
2	G	502	IMP	C2-N3	4.71	1.38	1.29
2	F	500	IMP	C2-N3	4.43	1.37	1.29
2	D	500	IMP	C2-N3	4.37	1.37	1.29

The worst 5 of 77 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^o)$	$\operatorname{Ideal}({}^{o})$
3	Н	501	8L7	C20-C21-N34	8.22	124.33	120.43
3	A	502	8L7	C21-N34-C24	5.43	128.72	123.16
3	F	501	8L7	C21-N34-C24	5.12	128.40	123.16
3	F	501	8L7	C20-C21-N34	-4.79	118.15	120.43
3	В	501	8L7	O3-C24-C25	-4.39	101.61	106.23

There are no chirality outliers.

5 of 60 torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
3	A	502	8L7	C20-C21-N34-C24
3	A	502	8L7	C22-C21-N34-C24
3	В	501	8L7	C20-C21-N34-C24
3	В	501	8L7	C22-C21-N34-C24
3	С	501	8L7	C20-C21-N34-C24


There are no ring outliers.


7 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	В	500	IMP	2	0
2	G	502	IMP	1	0
3	D	501	8L7	1	0
3	G	503	8L7	1	0
2	A	501	IMP	1	0
2	D	500	IMP	1	0
2	Н	500	IMP	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



























































# 5.7 Other polymers (i)

There are no such residues in this entry.

# 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



# 6 Fit of model and data (i)

# 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ>2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<rsrz></rsrz>	$\# \mathrm{RSRZ}{>}2$	$OWAB(A^2)$	Q<0.9
1	A	355/406 (87%)	-0.25	1 (0%) 94 95	38, 52, 73, 119	0
1	В	356/406 (87%)	-0.22	6 (1%) 70 72	40, 55, 89, 112	0
1	С	354/406 (87%)	-0.01	11 (3%) 49 49	38, 58, 97, 132	0
1	D	359/406 (88%)	-0.01	8 (2%) 62 63	40, 64, 96, 122	0
1	E	357/406 (87%)	-0.01	4 (1%) 80 82	40, 61, 86, 144	0
1	F	356/406 (87%)	-0.03	10 (2%) 53 54	46, 61, 99, 149	0
1	G	355/406 (87%)	0.02	10 (2%) 53 54	46, 69, 96, 118	0
1	Н	355/406 (87%)	0.16	16 (4%) 33 31	46, 66, 95, 122	0
All	All	2847/3248 (87%)	-0.04	66 (2%) 60 62	38, 60, 94, 149	0

The worst 5 of 66 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	481	LYS	7.0
1	F	476	GLU	6.5
1	С	480	TYR	6.4
1	F	477	ALA	5.5
1	F	407	LYS	5.0

# 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

# 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.



# 6.4 Ligands (i)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	${f B\text{-factors}}({f \AA}^2)$	Q<0.9
3	8L7	D	501	33/33	0.90	0.19	64,70,88,89	0
4	K	F	502	1/1	0.90	0.12	92,92,92,92	0
3	8L7	С	501	33/33	0.91	0.17	48,58,71,73	0
3	8L7	G	503	33/33	0.92	0.21	63,67,87,88	0
3	8L7	Е	502	33/33	0.94	0.13	47,56,76,79	0
3	8L7	F	501	33/33	0.94	0.20	45,60,85,86	0
3	8L7	Н	501	33/33	0.94	0.17	68,75,91,93	0
2	IMP	D	500	23/23	0.94	0.24	42,47,51,52	0
4	K	В	502	1/1	0.94	0.09	81,81,81,81	0
3	8L7	В	501	33/33	0.94	0.18	47,53,71,73	0
3	8L7	A	502	33/33	0.95	0.20	40,49,78,79	0
2	IMP	G	502	23/23	0.95	0.15	46,50,53,53	0
2	IMP	Н	500	23/23	0.96	0.13	50,54,58,59	0
2	IMP	С	500	23/23	0.96	0.16	38,43,45,46	0
4	K	D	502	1/1	0.96	0.26	97,97,97,97	0
4	K	Е	504	1/1	0.96	0.16	74,74,74,74	0
2	IMP	A	501	23/23	0.96	0.14	39,44,50,50	0
2	IMP	F	500	23/23	0.97	0.17	40,49,50,50	0
4	K	A	504	1/1	0.97	0.13	69,69,69,69	0
4	K	G	501	1/1	0.97	0.05	75,75,75,75	0
4	K	Е	503	1/1	0.98	0.20	63,63,63,63	0
2	IMP	E	501	23/23	0.98	0.17	40,42,45,46	0
2	IMP	В	500	23/23	0.98	0.14	44,47,51,51	0
4	K	A	503	1/1	0.98	0.14	75,75,75,75	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



# D Electron density around 8L7~D~501: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray ${ m mF}_o{ m -DF}_c$ (at 3 rmsd) in purple (negative) and green (positive) Electron density around 8L7 C 501: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $mF_o$ -DF<sub>c</sub> (at 3 rmsd) in purple (negative) and green (positive)










# 

 $2 {
m mF}_o {
m -DF}_c$  (at 0.7 rmsd) in gray  ${
m mF}_o {
m -DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)












# Electron density around 8L7 F 501:

 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$  (at 0.7 rmsd) in gray  $\mathrm{mF}_o\text{-}\mathrm{DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)










#### Electron density around 8L7 H 501:


 $2 {\rm mF}_o\text{-}{\rm DF}_c$  (at 0.7 rmsd) in gray  ${\rm mF}_o\text{-}{\rm DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)





















# Electron density around 8L7 A 502:

 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$  (at 0.7 rmsd) in gray  $\mathrm{mF}_o\text{-}\mathrm{DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)










#### Electron density around IMP G 502:

 $2 {
m mF}_o {
m -DF}_c$  (at 0.7 rmsd) in gray  ${
m mF}_o {
m -DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)












# Electron density around IMP H 500: $\,$

 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$  (at 0.7 rmsd) in gray  $\mathrm{mF}_o\text{-}\mathrm{DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)










#### Electron density around IMP C 500:

 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$  (at 0.7 rmsd) in gray  $\mathrm{mF}_o\text{-}\mathrm{DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)











# Electron density around IMP A 501: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray ${\rm mF}_o\text{-}{\rm DF}_c$ (at 3 rmsd) in purple (negative) and green (positive) Electron density around IMP F 500: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray ${ m mF}_o{ m -DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)







#### Electron density around IMP B 500:

 $2mF_o$ -DF<sub>c</sub> (at 0.7 rmsd) in gray  ${
m mF}_o{
m -DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)









# 6.5 Other polymers (i)

There are no such residues in this entry.

