



Full wwPDB EM Validation Report ⓘ

Nov 23, 2022 – 04:03 PM EST

PDB ID : 7URC
EMDB ID : EMD-26708
Title : Human PORCN in complex with LGK974
Authors : Liu, Y.; Qi, X.; Li, X.
Deposited on : 2022-04-21
Resolution : 3.14 Å (reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY




The reported resolution of this entry is 3.14 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	464	 77% 16% 7%
2	L	234	 40% 6% 54%
3	H	250	 36% 12% 52%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	AJP	A	511	X	-	X	-

2 Entry composition i

There are 7 unique types of molecules in this entry. The entry contains 5561 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Isoform 2 of Protein-serine O-palmitoleoyltransferase porcupine.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	432	3449	2291	573	562	23	0	0

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-7	MET	-	initiating methionine	UNP Q9H237
A	-6	ASP	-	expression tag	UNP Q9H237
A	-5	TYR	-	expression tag	UNP Q9H237
A	-4	LYS	-	expression tag	UNP Q9H237
A	-3	ASP	-	expression tag	UNP Q9H237
A	-2	ASP	-	expression tag	UNP Q9H237
A	-1	ASP	-	expression tag	UNP Q9H237
A	0	ASP	-	expression tag	UNP Q9H237
A	1	LYS	-	expression tag	UNP Q9H237


- Molecule 2 is a protein called 2C11 light chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	L	107	829	527	137	162	3	0	0

- Molecule 3 is a protein called 2C11 heavy chain.


Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	H	119	926	584	152	185	5	0	0

- Molecule 4 is 2-[(2P)-2',3-dimethyl[2,4'-bipyridin]-5-yl]-N-[(5P)-5-(pyrazin-2-yl)pyridin-2-yl]acetamide (three-letter code: O50) (formula: C₂₃H₂₀N₆O) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			AltConf	
			Total	C	N		O
4	A	1	30	23	6	1	0

- Molecule 5 is CHOLESTEROL (three-letter code: CLR) (formula: $C_{27}H_{46}O$).




Mol	Chain	Residues	Atoms			AltConf
			Total	C	O	
5	A	1	252	243	9	0
5	A	1	252	243	9	0
5	A	1	252	243	9	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			AltConf
5	A	1	Total	C	O	0
			252	243	9	
5	A	1	Total	C	O	0
			252	243	9	
5	A	1	Total	C	O	0
			252	243	9	
5	A	1	Total	C	O	0
			252	243	9	
5	A	1	Total	C	O	0
			252	243	9	

- Molecule 6 is Digitonin (three-letter code: AJP) (formula: $C_{56}H_{92}O_{29}$).



Mol	Chain	Residues	Atoms			AltConf
6	A	1	Total	C	O	0
			74	50	24	

- Molecule 7 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
7	A	1	Total	Zn	0
			1	1	

S118	ALA
Y119	SER
F125	THR
A126	LYS
Y127	GLY
G131	PRO
V134	LEU
T135	ALA
V136	VAL
S137	GLN
S138	SER

THR	THR
SER	SER
GLY	GLY
VAL	TYR
HIS	SER
HIS	LEU
THR	SER
PHE	VAL
PRO	THR
ALA	VAL
VAL	PRO
LEU	SER
GLN	SER
SER	LEU
SER	GLY
GLY	THR
LEU	GLN
LEU	THR
TYR	TYR
SER	ILE
LEU	CYS
SER	ASN
SER	VAL
SER	ASN
LEU	HIS
GLY	LYS
THR	PRO
GLN	SER
TYR	ASN
ILE	THR
CYS	LYS
ASN	VAL
VAL	ASN
ASN	HIS
HIS	LYS
LYS	PRO
PRO	SER
SER	ASN
ASN	THR
THR	LYS
LYS	VAL
VAL	ASP
ASP	LYS
LYS	ARG
ARG	VAL
VAL	THR
THR	VAL
VAL	PRO
PRO	LYS
LYS	SER
SER	ASN
ASN	CYS
CYS	ASP
ASP	LYS
LYS	ALA
ALA	THR
THR	LEU

HIS
HIS
HIS
HIS
HIS

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	100636	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	8.5	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	2.717	Depositor
Minimum map value	-1.808	Depositor
Average map value	0.008	Depositor
Map value standard deviation	0.068	Depositor
Recommended contour level	0.5	Depositor
Map size (\AA)	232.4, 232.4, 232.4	wwPDB
Map dimensions	280, 280, 280	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	0.83, 0.83, 0.83	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, CLR, AJP, O50

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.29	0/3555	0.40	0/4840
2	L	0.29	0/851	0.45	0/1152
3	H	0.30	0/949	0.45	0/1286
All	All	0.29	0/5355	0.42	0/7278

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3449	0	3462	45	0
2	L	829	0	794	9	0
3	H	926	0	873	18	0
4	A	30	0	0	0	0
5	A	252	0	414	18	0
6	A	74	0	0	28	0
7	A	1	0	0	0	0
All	All	5561	0	5543	111	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (111) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:A:511:AJP:C15	6:A:511:AJP:C16	1.75	1.56
6:A:511:AJP:C12	6:A:511:AJP:C11	1.80	1.55
6:A:511:AJP:C02	6:A:511:AJP:C01	1.94	1.43
6:A:511:AJP:C08	6:A:511:AJP:C07	1.98	1.40
6:A:511:AJP:O09	6:A:511:AJP:C05	1.79	1.30
6:A:511:AJP:C08	6:A:511:AJP:C05	2.21	1.18
6:A:511:AJP:C11	6:A:511:AJP:C07	2.26	1.12
6:A:511:AJP:C01	6:A:511:AJP:C03	2.54	0.86
6:A:511:AJP:C12	6:A:511:AJP:C08	2.49	0.83
6:A:511:AJP:C08	6:A:511:AJP:C06	2.56	0.82
6:A:511:AJP:C01	6:A:511:AJP:C85	2.58	0.81
6:A:511:AJP:C07	6:A:511:AJP:C10	2.60	0.80
6:A:511:AJP:C16	6:A:511:AJP:C20	2.61	0.78
6:A:511:AJP:C15	6:A:511:AJP:C11	2.61	0.78
1:A:318:ARG:NH2	6:A:511:AJP:O76	2.18	0.77
6:A:511:AJP:C08	6:A:511:AJP:C81	2.63	0.76
6:A:511:AJP:C11	6:A:511:AJP:C81	2.64	0.76
6:A:511:AJP:C08	6:A:511:AJP:C04	2.64	0.75
1:A:296:VAL:HG11	1:A:405:LEU:HD21	1.71	0.72
3:H:49:THR:HG21	3:H:93:ARG:HD3	1.68	0.72
3:H:113:TYR:O	3:H:131:GLY:HA2	1.89	0.71
6:A:511:AJP:C15	6:A:511:AJP:C17	2.64	0.70
3:H:58:GLN:HB2	3:H:64:LEU:HD23	1.74	0.68
6:A:511:AJP:C12	6:A:511:AJP:C10	2.71	0.66
1:A:168:GLY:HA2	1:A:257:SER:HB2	1.77	0.65
3:H:49:THR:HA	3:H:72:PRO:HB2	1.81	0.62
1:A:164:THR:HA	1:A:168:GLY:HA3	1.83	0.61
1:A:183:ARG:NH1	1:A:270:GLU:OE1	2.31	0.61
3:H:110:SER:HA	3:H:134:VAL:O	2.01	0.61
2:L:109:GLN:HE21	2:L:116:TYR:HB3	1.66	0.61
1:A:360:ARG:NH1	1:A:372:LEU:O	2.33	0.60
6:A:511:AJP:C16	6:A:511:AJP:C80	2.79	0.59
2:L:109:GLN:NE2	2:L:110:HIS:O	2.38	0.57
3:H:116:ALA:HB1	3:H:125:PHE:HB3	1.87	0.57
1:A:287:VAL:HG13	1:A:296:VAL:HG13	1.88	0.55
3:H:59:SER:HB2	3:H:62:LYS:HB2	1.88	0.55
6:A:511:AJP:C11	6:A:511:AJP:C13	2.74	0.54
1:A:366:ILE:HG22	1:A:367:LEU:HD23	1.90	0.54
1:A:9:PHE:HA	1:A:12:GLN:HE21	1.73	0.54
1:A:133:LYS:O	1:A:136:SER:HB3	2.07	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:A:511:AJP:C81	6:A:511:AJP:C83	2.85	0.54
6:A:511:AJP:O63	6:A:511:AJP:O62	2.25	0.53
6:A:511:AJP:O43	6:A:511:AJP:O42	2.26	0.52
1:A:147:GLY:HA3	2:L:111:HIS:O	2.10	0.52
3:H:49:THR:CG2	3:H:93:ARG:HD3	2.37	0.52
6:A:511:AJP:C16	6:A:511:AJP:C14	2.82	0.52
2:L:56:TYR:HE1	2:L:109:GLN:HB3	1.75	0.51
5:A:503:CLR:H193	6:A:511:AJP:C18	2.41	0.51
1:A:165:ILE:HG23	1:A:166:VAL:HG23	1.93	0.51
1:A:90:ARG:O	1:A:95:ARG:NH1	2.45	0.50
1:A:193:VAL:HG11	1:A:263:LEU:HD13	1.94	0.50
1:A:18:LEU:HD13	1:A:205:VAL:HG21	1.95	0.49
1:A:411:LEU:HD11	1:A:430:THR:HA	1.95	0.49
1:A:369:ALA:HB1	1:A:390:VAL:HG22	1.95	0.48
2:L:53:LEU:HD13	2:L:91:PHE:CD1	2.48	0.48
1:A:293:MET:N	1:A:356:GLU:OE1	2.43	0.48
1:A:92:SER:HG	1:A:94:HIS:HD1	1.61	0.47
1:A:207:SER:HB2	1:A:248:PHE:HB3	1.95	0.47
1:A:71:HIS:CD2	1:A:119:THR:HG21	2.50	0.47
3:H:25:GLN:NE2	3:H:113:TYR:O	2.44	0.47
1:A:219:ILE:HG22	1:A:221:LEU:H	1.80	0.47
1:A:35:ILE:HG22	1:A:162:VAL:HG21	1.97	0.46
1:A:204:LEU:HB2	1:A:252:PHE:CD1	2.50	0.46
1:A:250:ASN:ND2	1:A:300:TRP:CE2	2.84	0.46
3:H:69:ASN:OD1	3:H:78:ASN:HB3	2.15	0.46
2:L:81:ARG:CZ	2:L:99:GLN:HG3	2.44	0.46
5:A:502:CLR:H222	5:A:502:CLR:H162	1.82	0.46
5:A:508:CLR:H162	5:A:508:CLR:H221	1.52	0.45
1:A:190:LEU:HD22	5:A:508:CLR:C15	2.47	0.45
1:A:7:GLN:O	1:A:11:GLN:HG2	2.18	0.44
1:A:177:LEU:HD23	1:A:177:LEU:HA	1.86	0.44
5:A:504:CLR:H222	5:A:504:CLR:H25	1.73	0.44
3:H:70:ILE:HD13	3:H:91:VAL:HG13	2.00	0.44
1:A:31:LEU:HD23	1:A:66:HIS:CG	2.53	0.43
1:A:116:ASP:N	1:A:116:ASP:OD1	2.50	0.43
1:A:190:LEU:HD22	5:A:508:CLR:H151	2.00	0.43
1:A:137:LEU:HD21	1:A:150:PRO:HG2	2.00	0.43
5:A:508:CLR:H183	5:A:508:CLR:H20	1.69	0.43
1:A:197:LEU:HD23	1:A:197:LEU:HA	1.92	0.43
5:A:504:CLR:H17	5:A:504:CLR:H231	1.77	0.42
1:A:43:TRP:HZ2	1:A:56:THR:HB	1.82	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:H:37:VAL:HG12	3:H:102:LEU:HB2	2.01	0.42
3:H:31:VAL:HG21	3:H:105:LEU:HD12	2.02	0.42
5:A:506:CLR:H211	5:A:506:CLR:H231	1.77	0.42
5:A:510:CLR:H263	5:A:510:CLR:H231	1.84	0.42
2:L:46:SER:OG	2:L:47:GLU:N	2.53	0.42
2:L:68:VAL:HG22	2:L:74:LEU:HD13	2.01	0.42
1:A:141:LEU:HD13	1:A:149:VAL:HG22	2.02	0.41
5:A:509:CLR:H183	5:A:509:CLR:H20	1.85	0.41
1:A:74:TRP:HD1	1:A:123:MET:HE1	1.84	0.41
1:A:283:LYS:HB2	1:A:299:SER:OG	2.19	0.41
1:A:368:SER:OG	1:A:368:SER:O	2.38	0.41
1:A:439:TRP:CZ2	5:A:505:CLR:H122	2.55	0.41
3:H:117:ARG:HE	3:H:127:TYR:HD2	1.68	0.41
5:A:508:CLR:H182	5:A:508:CLR:H8	1.75	0.41
2:L:74:LEU:HD12	2:L:78:VAL:HG11	2.02	0.41
1:A:92:SER:OG	1:A:93:SER:N	2.54	0.41
1:A:140:ASP:HB3	1:A:146:VAL:HG23	2.02	0.41
1:A:326:LEU:HD23	5:A:502:CLR:H181	2.01	0.41
1:A:359:LEU:HD13	1:A:452:TYR:HB2	2.03	0.41
3:H:119:TYR:HD1	3:H:126:ALA:HB2	1.86	0.41
5:A:506:CLR:H222	5:A:506:CLR:H162	1.77	0.41
6:A:511:AJP:C10	6:A:511:AJP:C81	2.99	0.41
5:A:507:CLR:H162	5:A:507:CLR:H222	1.59	0.40
1:A:76:VAL:HA	1:A:160:TYR:OH	2.22	0.40
5:A:509:CLR:H162	5:A:509:CLR:H222	1.53	0.40
3:H:58:GLN:O	3:H:111:ALA:HB1	2.21	0.40
3:H:138:SER:O	3:H:138:SER:OG	2.35	0.40
1:A:26:LEU:HD23	1:A:26:LEU:HA	1.86	0.40
5:A:503:CLR:H222	5:A:503:CLR:H162	1.78	0.40
3:H:31:VAL:HG23	3:H:136:VAL:HG22	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	426/464 (92%)	414 (97%)	12 (3%)	0	100	100
2	L	105/234 (45%)	100 (95%)	5 (5%)	0	100	100
3	H	117/250 (47%)	111 (95%)	6 (5%)	0	100	100
All	All	648/948 (68%)	625 (96%)	23 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	365/398 (92%)	365 (100%)	0	100	100
2	L	92/204 (45%)	92 (100%)	0	100	100
3	H	102/215 (47%)	102 (100%)	0	100	100
All	All	559/817 (68%)	559 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	12	GLN
1	A	24	GLN
1	A	121	HIS
1	A	247	HIS
2	L	111	HIS
3	H	52	ASN
3	H	78	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 1 is monoatomic - leaving 11 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	CLR	A	510	-	31,31,31	0.64	1 (3%)	48,48,48	1.50	6 (12%)
5	CLR	A	502	-	31,31,31	0.64	0	48,48,48	1.52	7 (14%)
5	CLR	A	503	-	31,31,31	0.66	1 (3%)	48,48,48	1.47	6 (12%)
5	CLR	A	507	-	31,31,31	0.63	1 (3%)	48,48,48	1.52	6 (12%)
5	CLR	A	505	-	31,31,31	0.68	1 (3%)	48,48,48	1.47	8 (16%)
4	O50	A	501	-	33,33,33	1.55	5 (15%)	45,45,45	2.08	17 (37%)
5	CLR	A	506	-	31,31,31	0.66	1 (3%)	48,48,48	1.55	9 (18%)
5	CLR	A	508	-	31,31,31	0.81	2 (6%)	48,48,48	1.55	6 (12%)
6	AJP	A	511	-	83,83,95	7.06	36 (43%)	125,131,149	2.35	33 (26%)
5	CLR	A	504	-	31,31,31	0.64	1 (3%)	48,48,48	1.44	8 (16%)
5	CLR	A	509	-	31,31,31	0.63	1 (3%)	48,48,48	1.55	8 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	CLR	A	510	-	-	5/10/68/68	0/4/4/4
5	CLR	A	502	-	-	5/10/68/68	0/4/4/4
5	CLR	A	503	-	-	6/10/68/68	0/4/4/4
5	CLR	A	507	-	-	7/10/68/68	0/4/4/4
4	O50	A	501	-	-	2/16/16/16	0/4/4/4
5	CLR	A	505	-	-	5/10/68/68	0/4/4/4
5	CLR	A	506	-	-	5/10/68/68	0/4/4/4
5	CLR	A	508	-	-	4/10/68/68	0/4/4/4
6	AJP	A	511	-	29/29/33/38	11/22/194/220	1/10/10/11
5	CLR	A	504	-	-	4/10/68/68	0/4/4/4
5	CLR	A	509	-	-	5/10/68/68	0/4/4/4

All (50) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	511	AJP	O09-C08	-26.11	0.99	1.43
6	A	511	AJP	C07-C08	25.94	1.98	1.53
6	A	511	AJP	O84-C05	-22.05	1.08	1.42
6	A	511	AJP	C12-C07	-18.00	1.19	1.56
6	A	511	AJP	O09-C05	17.04	1.79	1.42
6	A	511	AJP	C04-C05	-16.97	1.24	1.52
6	A	511	AJP	C03-C02	-13.98	1.14	1.52
6	A	511	AJP	C01-C02	13.25	1.94	1.52
6	A	511	AJP	C12-C11	11.85	1.80	1.56
6	A	511	AJP	C16-C15	11.43	1.75	1.53
6	A	511	AJP	C85-C02	-11.21	1.23	1.51
6	A	511	AJP	C10-C08	-9.60	1.31	1.52
6	A	511	AJP	C11-C10	9.29	1.71	1.53
6	A	511	AJP	O84-C85	7.96	1.55	1.43
6	A	511	AJP	C13-C12	-6.62	1.42	1.54
6	A	511	AJP	C14-C15	6.43	1.64	1.53
6	A	511	AJP	C16-C11	-5.80	1.46	1.54
6	A	511	AJP	C20-C15	-5.36	1.46	1.56
4	A	501	O50	C08-C07	4.74	1.54	1.49
4	A	501	O50	C16-N18	4.61	1.45	1.35
6	A	511	AJP	O25-C23	-4.57	1.36	1.44
6	A	511	AJP	C18-C19	4.51	1.64	1.53
6	A	511	AJP	C07-C06	-4.36	1.40	1.54
6	A	511	AJP	C24-C23	4.27	1.60	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	511	AJP	O50-C49	3.48	1.49	1.43
6	A	511	AJP	C17-C16	-3.37	1.47	1.53
6	A	511	AJP	C48-C47	-3.28	1.47	1.52
6	A	511	AJP	C18-C17	3.08	1.60	1.52
6	A	511	AJP	O40-C35	2.88	1.49	1.41
6	A	511	AJP	O50-C45	2.79	1.47	1.41
6	A	511	AJP	O64-C57	2.74	1.49	1.43
6	A	511	AJP	O79-C22	-2.58	1.37	1.43
4	A	501	O50	C19-N18	2.56	1.46	1.40
4	A	501	O50	C22-C25	2.48	1.52	1.48
6	A	511	AJP	C58-C57	-2.48	1.46	1.52
6	A	511	AJP	C28-C29	-2.39	1.45	1.52
6	A	511	AJP	O60-C55	2.37	1.47	1.41
4	A	501	O50	O17-C16	-2.28	1.18	1.23
5	A	504	CLR	C10-C9	-2.23	1.52	1.56
6	A	511	AJP	C37-C36	-2.23	1.47	1.52
5	A	506	CLR	C10-C9	-2.22	1.52	1.56
6	A	511	AJP	O44-C37	2.20	1.49	1.43
5	A	505	CLR	C10-C9	-2.18	1.52	1.56
5	A	510	CLR	C10-C9	-2.12	1.52	1.56
5	A	503	CLR	C10-C9	-2.09	1.52	1.56
5	A	508	CLR	C13-C14	-2.06	1.51	1.55
5	A	508	CLR	C10-C9	-2.06	1.52	1.56
5	A	509	CLR	C10-C9	-2.05	1.52	1.56
6	A	511	AJP	C22-C23	2.03	1.55	1.52
5	A	507	CLR	C10-C9	-2.01	1.52	1.56

All (114) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	511	AJP	O84-C05-C04	10.89	120.89	110.77
6	A	511	AJP	C03-C02-C85	9.38	121.58	108.56
6	A	511	AJP	O09-C08-C10	7.18	124.94	110.17
6	A	511	AJP	C13-C12-C07	6.91	126.51	115.46
6	A	511	AJP	C81-C12-C13	-5.48	101.93	110.59
4	A	501	O50	C02-C07-N06	-5.11	118.62	123.05
5	A	506	CLR	C13-C17-C20	-5.06	111.56	119.49
5	A	508	CLR	C13-C17-C20	-4.93	111.77	119.49
5	A	509	CLR	C13-C17-C20	-4.81	111.95	119.49
5	A	507	CLR	C13-C17-C20	-4.77	112.01	119.49
6	A	511	AJP	C21-C20-C19	4.63	112.35	107.14
5	A	505	CLR	C13-C17-C20	-4.50	112.44	119.49

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	502	CLR	C13-C17-C20	-4.49	112.45	119.49
6	A	511	AJP	C13-C12-C11	4.26	116.70	108.19
5	A	508	CLR	C13-C14-C8	-4.24	108.11	114.38
6	A	511	AJP	O40-C35-C36	4.04	117.52	109.51
5	A	510	CLR	C13-C17-C20	-3.98	113.25	119.49
5	A	503	CLR	C13-C17-C20	-3.94	113.31	119.49
6	A	511	AJP	C06-C07-C08	-3.94	97.18	104.34
5	A	504	CLR	C19-C10-C9	-3.92	107.00	111.68
6	A	511	AJP	C12-C07-C08	-3.79	100.78	104.88
5	A	510	CLR	C19-C10-C9	-3.76	107.20	111.68
5	A	503	CLR	C19-C10-C9	-3.73	107.24	111.68
4	A	501	O50	C03-C02-C07	3.72	119.49	117.12
6	A	511	AJP	C13-C14-C15	-3.69	106.72	113.11
4	A	501	O50	C08-C09-C10	-3.69	118.58	120.23
5	A	506	CLR	C19-C10-C9	-3.68	107.29	111.68
6	A	511	AJP	C20-C15-C16	-3.66	108.58	112.42
6	A	511	AJP	C35-O34-C29	-3.63	108.98	117.96
5	A	505	CLR	C19-C10-C9	-3.61	107.37	111.68
5	A	508	CLR	C17-C13-C14	3.61	104.35	100.07
6	A	511	AJP	C26-O25-C23	-3.56	109.83	115.33
6	A	511	AJP	C05-C06-C07	3.49	109.05	103.37
5	A	502	CLR	C19-C10-C9	-3.45	107.56	111.68
5	A	507	CLR	C19-C10-C9	-3.43	107.60	111.68
6	A	511	AJP	C12-C11-C16	3.42	118.72	113.82
5	A	509	CLR	C19-C10-C9	-3.39	107.64	111.68
4	A	501	O50	C05-N06-C07	3.27	123.87	117.95
4	A	501	O50	C13-C12-N11	-3.27	119.90	123.96
4	A	501	O50	C21-N20-C19	3.14	121.00	117.82
4	A	501	O50	C24-C23-C22	-3.13	116.63	121.13
6	A	511	AJP	C81-C12-C11	-3.09	104.10	111.63
6	A	511	AJP	C21-C20-C15	3.06	114.66	110.08
6	A	511	AJP	C20-C21-C22	-3.04	109.11	114.09
5	A	502	CLR	C13-C14-C8	-3.03	109.90	114.38
5	A	506	CLR	C13-C14-C8	-3.00	109.93	114.38
5	A	509	CLR	C13-C14-C8	-2.95	110.01	114.38
5	A	502	CLR	C9-C10-C5	2.90	114.19	109.65
5	A	503	CLR	C13-C14-C8	-2.89	110.10	114.38
6	A	511	AJP	O09-C05-C06	-2.88	100.19	104.47
4	A	501	O50	C09-C08-C07	2.88	125.69	120.15
5	A	507	CLR	C13-C14-C8	-2.87	110.13	114.38
4	A	501	O50	C02-C03-C04	-2.86	118.90	122.21
5	A	508	CLR	C11-C12-C13	-2.78	108.01	112.78

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	510	CLR	C13-C14-C8	-2.77	110.28	114.38
6	A	511	AJP	C12-C07-C06	2.76	129.94	120.56
5	A	503	CLR	C9-C10-C5	2.75	113.97	109.65
6	A	511	AJP	C01-C02-C85	-2.70	106.42	111.18
4	A	501	O50	C19-N18-C16	-2.63	123.55	128.25
5	A	504	CLR	C13-C14-C8	-2.61	110.51	114.38
5	A	504	CLR	C15-C14-C8	-2.61	114.78	119.08
6	A	511	AJP	C11-C12-C07	-2.51	95.90	100.19
4	A	501	O50	C04-C05-N06	-2.49	120.03	123.95
5	A	504	CLR	C18-C13-C14	-2.48	107.08	111.71
4	A	501	O50	C03-C04-C05	2.46	119.09	116.71
5	A	502	CLR	C21-C20-C17	-2.46	109.15	112.92
5	A	505	CLR	C13-C14-C8	-2.46	110.74	114.38
5	A	509	CLR	C9-C10-C5	2.44	113.48	109.65
5	A	507	CLR	C9-C10-C5	2.44	113.47	109.65
5	A	502	CLR	C8-C7-C6	-2.43	109.25	112.73
6	A	511	AJP	C35-C36-C37	2.42	115.58	110.75
4	A	501	O50	C13-C08-C07	-2.39	116.82	120.61
6	A	511	AJP	C45-O44-C37	-2.38	112.06	117.96
5	A	506	CLR	C21-C20-C17	-2.36	109.31	112.92
6	A	511	AJP	C04-C03-C02	2.32	116.69	111.81
5	A	509	CLR	C3-C4-C5	-2.32	108.10	112.03
5	A	507	CLR	C3-C4-C5	-2.29	108.14	112.03
5	A	508	CLR	C4-C5-C10	2.25	119.41	116.42
5	A	504	CLR	C16-C17-C20	-2.23	108.69	112.15
5	A	510	CLR	C4-C5-C6	-2.22	117.41	120.61
6	A	511	AJP	C85-O84-C05	2.20	117.89	113.72
5	A	504	CLR	C3-C4-C5	-2.19	108.30	112.03
4	A	501	O50	N18-C19-N20	2.17	121.82	115.06
4	A	501	O50	C30-C25-C22	-2.17	119.19	122.06
6	A	511	AJP	C49-C48-C47	2.17	112.33	109.67
6	A	511	AJP	C41-C39-C38	-2.15	107.96	113.00
5	A	505	CLR	C21-C20-C17	-2.15	109.63	112.92
5	A	506	CLR	C23-C22-C20	-2.14	108.87	115.03
5	A	510	CLR	C3-C4-C5	-2.14	108.39	112.03
5	A	505	CLR	C4-C5-C6	-2.12	117.55	120.61
6	A	511	AJP	C14-C13-C12	-2.12	109.14	112.78
5	A	509	CLR	C8-C7-C6	-2.12	109.69	112.73
5	A	510	CLR	C15-C14-C13	-2.11	101.30	103.84
5	A	505	CLR	C14-C8-C9	-2.11	106.27	109.09
4	A	501	O50	C28-N29-C30	2.10	120.49	116.85
6	A	511	AJP	C80-C20-C19	-2.10	106.81	110.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	506	CLR	C3-C4-C5	-2.09	108.47	112.03
5	A	504	CLR	C4-C5-C6	-2.09	117.59	120.61
5	A	504	CLR	C9-C10-C5	2.09	112.93	109.65
5	A	503	CLR	C14-C8-C9	-2.09	106.30	109.09
5	A	509	CLR	C21-C20-C17	-2.09	109.73	112.92
5	A	508	CLR	C10-C9-C8	-2.08	109.61	112.73
5	A	507	CLR	C21-C20-C17	-2.08	109.73	112.92
5	A	503	CLR	C15-C14-C13	-2.08	101.34	103.84
4	A	501	O50	C27-C28-N29	-2.08	119.36	121.95
5	A	502	CLR	C3-C4-C5	-2.07	108.50	112.03
5	A	506	CLR	C9-C10-C5	2.06	112.89	109.65
5	A	505	CLR	C9-C10-C5	2.04	112.86	109.65
6	A	511	AJP	O31-C30-C32	2.04	111.51	106.44
5	A	506	CLR	C4-C5-C6	-2.04	117.67	120.61
5	A	509	CLR	C4-C5-C6	-2.03	117.68	120.61
5	A	506	CLR	C11-C9-C10	-2.03	110.41	113.08
5	A	505	CLR	C15-C14-C13	-2.02	101.41	103.84
6	A	511	AJP	C03-C04-C05	2.02	115.42	111.93

All (29) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
6	A	511	AJP	C47
6	A	511	AJP	C11
6	A	511	AJP	C15
6	A	511	AJP	C02
6	A	511	AJP	C27
6	A	511	AJP	C46
6	A	511	AJP	C45
6	A	511	AJP	C26
6	A	511	AJP	C16
6	A	511	AJP	C59
6	A	511	AJP	C23
6	A	511	AJP	C20
6	A	511	AJP	C30
6	A	511	AJP	C37
6	A	511	AJP	C12
6	A	511	AJP	C05
6	A	511	AJP	C22
6	A	511	AJP	C38
6	A	511	AJP	C10
6	A	511	AJP	C39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atom
6	A	511	AJP	C57
6	A	511	AJP	C19
6	A	511	AJP	C55
6	A	511	AJP	C35
6	A	511	AJP	C36
6	A	511	AJP	C56
6	A	511	AJP	C07
6	A	511	AJP	C28
6	A	511	AJP	C48

All (59) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	504	CLR	C17-C20-C22-C23
6	A	511	AJP	O60-C55-O54-C36
5	A	508	CLR	C13-C17-C20-C21
6	A	511	AJP	O50-C45-O44-C37
5	A	508	CLR	C16-C17-C20-C21
5	A	508	CLR	C13-C17-C20-C22
6	A	511	AJP	C30-C29-O34-C35
5	A	505	CLR	C13-C17-C20-C21
5	A	507	CLR	C13-C17-C20-C21
5	A	506	CLR	C13-C17-C20-C21
5	A	510	CLR	C17-C20-C22-C23
5	A	510	CLR	C21-C20-C22-C23
5	A	508	CLR	C16-C17-C20-C22
5	A	505	CLR	C13-C17-C20-C22
6	A	511	AJP	C46-C45-O44-C37
5	A	502	CLR	C13-C17-C20-C21
5	A	507	CLR	C21-C20-C22-C23
6	A	511	AJP	O31-C30-C32-O33
5	A	507	CLR	C17-C20-C22-C23
5	A	503	CLR	C20-C22-C23-C24
5	A	507	CLR	C20-C22-C23-C24
5	A	509	CLR	C13-C17-C20-C21
6	A	511	AJP	O60-C59-C61-O62
5	A	507	CLR	C13-C17-C20-C22
5	A	502	CLR	C13-C17-C20-C22
5	A	506	CLR	C13-C17-C20-C22
4	A	501	O50	N20-C19-N18-C16
6	A	511	AJP	O31-C26-O25-C23
5	A	505	CLR	C21-C20-C22-C23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	A	511	AJP	O40-C39-C41-O42
4	A	501	O50	C24-C19-N18-C16
6	A	511	AJP	C29-C30-C32-O33
5	A	505	CLR	C16-C17-C20-C21
5	A	507	CLR	C16-C17-C20-C21
5	A	509	CLR	C13-C17-C20-C22
6	A	511	AJP	C56-C55-O54-C36
5	A	502	CLR	C16-C17-C20-C21
5	A	506	CLR	C16-C17-C20-C21
5	A	509	CLR	C16-C17-C20-C21
5	A	503	CLR	C22-C23-C24-C25
5	A	509	CLR	C20-C22-C23-C24
5	A	510	CLR	C22-C23-C24-C25
5	A	505	CLR	C16-C17-C20-C22
5	A	507	CLR	C16-C17-C20-C22
5	A	503	CLR	C13-C17-C20-C21
6	A	511	AJP	C28-C29-O34-C35
5	A	510	CLR	C13-C17-C20-C21
5	A	502	CLR	C16-C17-C20-C22
5	A	503	CLR	C23-C24-C25-C26
5	A	503	CLR	C23-C24-C25-C27
5	A	506	CLR	C16-C17-C20-C22
5	A	502	CLR	C21-C20-C22-C23
5	A	504	CLR	C20-C22-C23-C24
5	A	509	CLR	C16-C17-C20-C22
5	A	503	CLR	C13-C17-C20-C22
5	A	510	CLR	C13-C17-C20-C22
5	A	504	CLR	C21-C20-C22-C23
5	A	504	CLR	C22-C23-C24-C25
5	A	506	CLR	C23-C24-C25-C26

All (1) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	511	AJP	C19-C20-C21-C22-C23-C24

10 monomers are involved in 45 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	510	CLR	1	0
5	A	502	CLR	2	0
5	A	503	CLR	2	0


Continued on next page...




Continued from previous page...




Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	507	CLR	1	0
5	A	505	CLR	1	0
5	A	506	CLR	2	0
5	A	508	CLR	5	0
6	A	511	AJP	28	0
5	A	504	CLR	2	0
5	A	509	CLR	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-26708. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 140




Y Index: 140




Z Index: 140


6.2.2 Raw map



X Index: 140



Y Index: 140




Z Index: 140


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 143




Y Index: 126




Z Index: 157


6.3.2 Raw map



X Index: 143



Y Index: 129




Z Index: 156

The images above show the largest variance slices of the map in three orthogonal directions.


6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.5. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.5 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 29 nm³; this corresponds to an approximate mass of 26 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.318 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.318 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.14	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.99	4.57	4.05

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.99 differs from the reported value 3.14 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-26708 and PDB model 7URC. Per-residue inclusion information can be found in section 3 on page 6.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.5 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.5).









9.4 Atom inclusion [i](#)



At the recommended contour level, 78% of all backbone atoms, 73% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary [i](#)

The table lists the average atom inclusion at the recommended contour level (0.5) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7253	 0.5320
A	 0.7170	 0.5220
H	 0.7580	 0.5580
L	 0.7271	 0.5480

