

Feb 15, 2024 – 10:35 AM EST

PDB ID	:	8URW
EMDB ID	:	EMD-42502
Title	:	Cyanobacterial RNA polymerase elongation complex with NusG and CTP
Authors	:	Qayyum, M.Z.; Imashimizu, M.; Leanca, M.; Vishwakarma, R.K.; Bradley
		Riaz, A.; Yuzenkova, Y.; Murakami, K.S.
Deposited on	:	2023-10-26
Resolution	:	2.79 Å(reported)
This is	s a I	Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/EMValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

EMDB validation analysis	:	0.0.1.dev70
Mogul	:	1.8.5 (274361), CSD as541be (2020)
MolProbity	:	4.02b-467
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ	:	1.9.9
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $ELECTRON\ MICROSCOPY$

The reported resolution of this entry is 2.79 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f EM\ structures}\ (\#{f Entries})$		
Clashscore	158937	4297		
Ramachandran outliers	154571	4023		
Sidechain outliers	154315	3826		
RNA backbone	4643	859		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for $\geq=3, 2, 1$ and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq=5\%$ The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
1	А	309	61% 109	% • 27%
1	В	309	63% 1	0% 27%
2	С	1100	83%	14% ••
3	D	624	83%	15% ••
4	Е	76	70%	14% • 14%
5	Ζ	1318	74%	18% • 6%
6	G	205	37% 19% ·	41%



Mol	Chain	Length	Quality of chain					
_	D.T.	10	15%					
1	N	40	32%		68	3%		
	-	10	8%					
8	Τ	40	48%			52%		
9	R	21	38%	10%	19%	33%		



2 Entry composition (i)

There are 12 unique types of molecules in this entry. The entry contains 29896 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called DNA-directed RNA polymerase subunit alpha.

Mol	Chain	Residues		Ate	AltConf	Trace			
1	Δ	227	Total	С	Ν	0	S	0	0
	Л	221	1738	1086	307	340	5	0	0
1	В	В 227	Total	С	Ν	0	S	0	0
			1738	1086	307	340	5		U

• Molecule 2 is a protein called DNA-directed RNA polymerase subunit beta.

Mol	Chain	Residues		Α	AltConf	Trace			
2	С	1080	Total 8529	$\begin{array}{c} \mathrm{C} \\ 5357 \end{array}$	N 1509	O 1636	S 27	0	0

• Molecule 3 is a protein called DNA-directed RNA polymerase subunit gamma.

Mol	Chain	Residues		At	AltConf	Trace			
3	D	620	Total 4961	C 3127	N 901	0 912	S 21	0	0

• Molecule 4 is a protein called DNA-directed RNA polymerase subunit omega.

Mol	Chain	Residues		Ate	oms	AltConf	Trace		
4	Е	65	Total 529	C 329	N 92	O 106	${ m S} { m 2}$	0	0

• Molecule 5 is a protein called DNA-directed RNA polymerase subunit beta'.

Mol	Chain	Residues		Α	AltConf	Trace			
5	Ζ	1235	Total 9461	C 5888	N 1681	O 1870	S 22	0	0

• Molecule 6 is a protein called Transcription termination/antitermination protein NusG.



Mol	Chain	Residues		At	oms	AltConf	Trace		
6	G	120	Total 957	C 606	N 179	O 169	${ m S} { m 3}$	0	0

• Molecule 7 is a DNA chain called DNA (40-MER).

Mol	Chain	Residues		\mathbf{A}	toms	AltConf	Trace		
7	N	40	Total 825	C 388	N 158	O 239	Р 40	0	0

• Molecule 8 is a DNA chain called DNA (40-MER).

Mol	Chain	Residues	Atoms			AltConf	Trace		
8	Т	40	Total 815	C 385	N 149	0 241	Р 40	0	0

• Molecule 9 is a RNA chain called RNA (5'-R(P*AP*AP*AP*GP*AP*GP*AP*GP*AP*GP*AP*GP*AP)-3').

Mol	Chain	Residues	Atoms			AltConf	Trace		
9	R	14	Total 311	C 139	N 67	0 91	Р 14	0	0

• Molecule 10 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	AltConf
10	D	1	Total Mg 1 1	0

• Molecule 11 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	AltConf
11	D	1	Total Zn 1 1	0
11	Z	1	Total Zn 1 1	0

• Molecule 12 is CYTIDINE-5'-TRIPHOSPHATE (three-letter code: CTP) (formula: $C_9H_{16}N_3O_{14}P_3$).





Mol	Chain	Residues		At	oms	5		AltConf
12	R	1	Total	С	N	0	Р	0
			29	9	3	14	3	



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: DNA-directed RNA polymerase subunit alpha









• Molecule 4: DNA-directed RNA polymerase subunit omega











<mark>61</mark> 62 63 65 65 71 78 69 69 69	C10 111 114 116 116 116 116 116 116 116 116	C22 C22 C22 C22 C27 A26 A26 A26 C27 C27 C22 C32	633 637 C38 C40 C40		
• Molecule 8: I	DNA (40-MER)				
Chain T:	48%			52%	
61 62 63 63 63 61 61 61 2	115 119 119 121 121 121 121 122 122 122 122	Aso (331) (332) (332) (337) (337) (338) (337) (338) (3	G		
• Molecule 9: 1	RNA $(5'-R(P^*$	AP*AP*AP	*GP*AP*	GP*GP*AP*GI	P*AI
Chain R:	38%	10%	19%	33%	
A C C A A A A C C C C C C C C C C C C C	A11 G12 A20				



4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	132172	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING ONLY	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose $(e^-/\text{\AA}^2)$	40	Depositor
Minimum defocus (nm)	750	Depositor
Maximum defocus (nm)	1750	Depositor
Magnification	Not provided	
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	1.289	Depositor
Minimum map value	-0.553	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.035	Depositor
Recommended contour level	0.102	Depositor
Map size (Å)	342.0, 342.0, 342.0	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.855, 0.855, 0.855	Depositor



5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, CTP, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bo	ond angles
MOI		RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.25	0/1767	0.55	1/2408~(0.0%)
1	В	0.24	0/1767	0.53	0/2408
2	С	0.25	0/8692	0.52	1/11772~(0.0%)
3	D	0.25	0/5056	0.53	1/6842~(0.0%)
4	Е	0.27	0/534	0.50	0/718
5	Ζ	0.24	0/9585	0.52	0/12985
6	G	0.24	0/976	0.51	0/1317
7	N	0.49	0/926	0.85	0/1428
8	Т	0.53	0/912	0.89	0/1404
9	R	0.33	0/351	0.92	0/547
All	All	0.27	0/30566	0.56	3/41829~(0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	А	161	ASP	CB-CG-OD2	5.55	123.30	118.30
3	D	261	LEU	CA-CB-CG	5.42	127.75	115.30
2	С	243	LEU	CA-CB-CG	5.04	126.90	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	1738	0	1722	20	0
1	В	1738	0	1722	10	0
2	С	8529	0	8498	88	0
3	D	4961	0	4991	49	0
4	Е	529	0	527	6	0
5	Ζ	9461	0	9563	136	0
6	G	957	0	987	26	0
7	N	825	0	447	18	0
8	Т	815	0	448	15	0
9	R	311	0	152	11	0
10	D	1	0	0	0	0
11	D	1	0	0	0	0
11	Ζ	1	0	0	0	0
12	R	29	0	12	0	0
All	All	29896	0	29069	359	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (359) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
3:D:261:LEU:HD13	3:D:262:ASP:H	1.39	0.87
2:C:110:THR:HG22	2:C:112:ARG:H	1.54	0.73
1:A:41:ARG:NH2	2:C:840:ASP:OD1	2.24	0.71
2:C:577:MET:SD	2:C:577:MET:N	2.64	0.71
5:Z:18:LYS:HE2	5:Z:18:LYS:H	1.54	0.70
5:Z:780:PHE:HB3	5:Z:785:ARG:HB2	1.73	0.70
2:C:614:ARG:NH1	2:C:618:ASP:OD1	2.25	0.69
2:C:333:GLU:OE2	2:C:337:ARG:NH2	2.24	0.69
5:Z:523:VAL:HG22	5:Z:526:GLY:H	1.56	0.69
5:Z:773:ARG:H	5:Z:799:LEU:HD13	1.57	0.69
5:Z:454:ARG:NH1	5:Z:939:GLU:OE2	2.26	0.68
5:Z:691:GLY:HA2	5:Z:743:ARG:HH12	1.60	0.67
6:G:56:VAL:HG12	6:G:86:VAL:HG22	1.77	0.67
6:G:93:ASP:O	6:G:97:ILE:HD12	1.96	0.66
5:Z:63:LEU:O	5:Z:171:ARG:NH1	2.27	0.66
9:R:9:A:O2'	9:R:10:G:N2	2.29	0.65
5:Z:73:LEU:O	5:Z:77:GLU:HG2	1.97	0.64
4:E:59:ARG:O	4:E:63:GLU:HG2	1.96	0.64
5:Z:1091:ASP:OD1	5:Z:1091:ASP:N	2.29	0.64
5:Z:365:LYS:HB3	5:Z:393:VAL:HB	1.79	0.64



	ous page	Interatomic	Clash
Atom-1	Atom-2	distance $(Å)$	overlap (Å)
3:D:154:GLU:N	3:D:154:GLU:OE2	2.31	0.63
5:Z:924:ALA:H	5:Z:937:SER:HB3	1.63	0.63
2:C:1087:TYR:HB3	3:D:400:ILE:HD13	1.81	0.63
5:Z:520:GLY:N	5:Z:864:LYS:O	2.31	0.63
6:G:32:CYS:SG	6:G:35:ARG:NH2	2.71	0.63
6:G:65:LYS:NZ	6:G:77:GLU:OE1	2.32	0.63
5:Z:550:THR:HA	5:Z:826:LEU:HB2	1.79	0.62
5:Z:664:LYS:HG2	5:Z:665:ASP:H	1.65	0.62
1:A:1:MET:HG2	1:A:2:THR:HG23	1.82	0.62
1:B:186:GLU:OE2	3:D:376:ARG:NH1	2.34	0.61
2:C:44:THR:HG22	2:C:51:GLU:HG2	1.82	0.61
7:N:37:DG:H2'	7:N:38:DC:C6	2.36	0.61
5:Z:650:VAL:HG22	5:Z:673:ILE:HD11	1.80	0.61
5:Z:1018:GLY:HA2	5:Z:1060:VAL:H	1.65	0.61
2:C:538:ASP:HB3	2:C:541:ARG:HG2	1.81	0.61
8:T:32:DC:H2"	8:T:33:DA:C8	2.36	0.61
6:G:52:ARG:NH1	6:G:93:ASP:OD2	2.34	0.61
5:Z:214:VAL:HG13	5:Z:300:SER:HB2	1.83	0.60
5:Z:89:ARG:NH1	5:Z:91:GLU:OE2	2.34	0.60
2:C:40:PHE:CE1	2:C:329:LEU:HD13	2.36	0.60
2:C:770:ARG:NH2	9:R:9:A:OP1	2.34	0.60
5:Z:551:VAL:HG12	5:Z:564:ILE:HG12	1.82	0.60
2:C:910:ARG:HD3	2:C:919:PHE:HB3	1.84	0.59
5:Z:663:VAL:HG13	5:Z:664:LYS:H	1.67	0.59
5:Z:763:GLN:HE21	5:Z:771:ARG:HD3	1.68	0.59
5:Z:456:GLN:OE1	5:Z:481:TRP:NE1	2.36	0.59
3:D:261:LEU:HD13	3:D:262:ASP:N	2.15	0.58
5:Z:770:ILE:O	5:Z:771:ARG:HD2	2.02	0.58
2:C:603:GLU:OE1	2:C:603:GLU:N	2.29	0.58
3:D:326:ASN:OD1	3:D:327:ASN:N	2.36	0.58
5:Z:270:ASP:OD1	5:Z:270:ASP:N	2.29	0.58
5:Z:223:THR:HG22	5:Z:225:ARG:H	1.68	0.58
5:Z:658:ALA:HB1	5:Z:668:CYS:H	1.67	0.58
2:C:74:ARG:NH2	2:C:796:ASP:OD1	2.36	0.58
5:Z:777:ARG:HG3	5:Z:778:LEU:H	1.69	0.57
6:G:66:LEU:HA	6:G:72:ARG:HA	1.85	0.57
9:R:8:A:H4'	9:R:9:A:OP1	2.03	0.57
2:C:111:ASP:N	2:C:111:ASP:OD1	2.38	0.57
5:Z:910:VAL:HG23	5:Z:945:PRO:HA	1.86	0.57
5:Z:704:LYS:HD2	5:Z:717:VAL:HG12	1.86	0.57
5:Z:16:ASP:OD1	5:Z:16:ASP:N	2.35	0.56



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
5:Z:236:ASP:N	5:Z:236:ASP:OD1	2.38	0.56	
5:Z:266:GLU:OE2	5:Z:266:GLU:N	2.38	0.56	
5:Z:520:GLY:HA2	5:Z:861:GLN:HA	1.87	0.56	
2:C:825:ARG:NH2	2:C:870:GLU:OE2	2.33	0.56	
2:C:403:ARG:HD3	7:N:27:DC:H2'	1.87	0.56	
5:Z:458:ILE:HA	5:Z:476:ARG:O	2.05	0.56	
2:C:711:PRO:HG3	2:C:767:ARG:HD3	1.86	0.56	
5:Z:515:LEU:HD12	5:Z:870:ALA:HA	1.88	0.56	
2:C:426:GLU:OE1	2:C:547:ASN:ND2	2.39	0.55	
5:Z:820:SER:HB3	5:Z:823:PRO:HD2	1.87	0.55	
1:A:60:VAL:HG11	1:A:74:VAL:HG21	1.88	0.55	
2:C:828:ASN:OD1	2:C:828:ASN:N	2.40	0.55	
6:G:40:LEU:HD23	6:G:56:VAL:HG11	1.88	0.55	
2:C:22:ARG:NH2	2:C:111:ASP:O	2.36	0.55	
2:C:187:LYS:NZ	2:C:216:PHE:O	2.38	0.55	
5:Z:299:ARG:NE	5:Z:299:ARG:HA	2.22	0.55	
6:G:44:VAL:HG21	6:G:53:ILE:HB	1.88	0.55	
1:A:41:ARG:HH11	1:B:34:THR:HG22	1.72	0.55	
5:Z:880:GLY:HA3	5:Z:898:GLU:O	2.06	0.55	
1:B:191:ASP:N	1:B:191:ASP:OD1	2.39	0.54	
5:Z:997:ARG:NH1	5:Z:1000:GLU:OE1	2.39	0.54	
5:Z:242:ILE:HG22	5:Z:280:GLU:HG3	1.89	0.54	
3:D:164:ASP:O	3:D:168:GLU:HG2	2.08	0.54	
4:E:54:ILE:HD12	4:E:59:ARG:HG2	1.88	0.54	
5:Z:164:LEU:HD12	5:Z:165:PRO:HD2	1.89	0.54	
5:Z:818:PRO:HB2	5:Z:827:ARG:H	1.72	0.54	
5:Z:1154:GLU:HB3	5:Z:1157:GLU:HG3	1.90	0.54	
5:Z:299:ARG:HA	5:Z:299:ARG:HE	1.73	0.53	
6:G:132:GLU:O	6:G:136:ILE:HD12	2.07	0.53	
5:Z:523:VAL:HB	5:Z:859:ASP:O	2.08	0.53	
5:Z:854:GLU:HG3	5:Z:856:ARG:HB2	1.90	0.53	
8:T:11:DC:H2'	8:T:12:DG:C8	2.43	0.53	
3:D:432:ALA:HB3	3:D:433:PRO:HD3	1.90	0.53	
5:Z:763:GLN:NE2	5:Z:771:ARG:HD3	2.22	0.53	
3:D:36:GLY:HA2	3:D:61:ILE:HG23	1.91	0.53	
5:Z:542:ALA:HB2	5:Z:765:SER:HB2	1.90	0.53	
5:Z:645:ILE:O	5:Z:649:ASN:ND2	2.39	0.53	
9:R:10:G:N2	9:R:10:G:OP2	2.31	0.53	
1:B:155:ASP:HB2	3:D:533:TYR:HB2	1.91	0.53	
5:Z:1144:ASP:OD1	5:Z:1144:ASP:N	2.42	0.53	
5:Z:656:VAL:HG22	5:Z:674:VAL:HA	1.90	0.53	



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
3:D:319:GLY:O	6:G:118:ARG:NH1	2.42	0.52
2:C:646:GLU:HG3	2:C:647:LYS:H	1.73	0.52
2:C:926:LYS:HE3	5:Z:59:SER:HB2	1.91	0.52
5:Z:490:LEU:HD11	5:Z:895:LEU:HG	1.90	0.52
5:Z:845:ASP:OD2	5:Z:847:THR:OG1	2.26	0.52
5:Z:858:LYS:HA	5:Z:869:ILE:HA	1.92	0.52
5:Z:1148:LEU:HD23	5:Z:1149:PRO:HD2	1.91	0.52
2:C:59:TYR:O	2:C:59:TYR:CG	2.61	0.52
5:Z:576:ALA:HB2	5:Z:588:VAL:HG21	1.90	0.52
3:D:45:ASN:OD1	3:D:47:ARG:N	2.40	0.52
5:Z:1068:ASP:OD1	5:Z:1069:GLY:N	2.41	0.52
1:A:182:ALA:HB3	1:A:190:ILE:HG22	1.92	0.52
2:C:88:LEU:HB2	2:C:350:PRO:HG3	1.92	0.52
1:A:103:PRO:HG3	1:A:131:GLU:HA	1.92	0.51
4:E:36:ARG:NH2	4:E:67:GLU:OE1	2.43	0.51
5:Z:1180:LEU:HD22	5:Z:1184:LYS:HD3	1.92	0.51
1:B:94:GLN:N	1:B:94:GLN:OE1	2.44	0.51
5:Z:542:ALA:O	5:Z:762:SER:OG	2.28	0.51
5:Z:854:GLU:OE1	5:Z:873:GLN:NE2	2.32	0.51
1:A:61:ASN:N	1:A:61:ASN:OD1	2.42	0.51
2:C:881:ASP:N	2:C:881:ASP:OD1	2.43	0.51
2:C:962:ALA:HB2	3:D:378:MET:HG2	1.92	0.51
2:C:1080:ARG:HG3	2:C:1082:PRO:HD3	1.93	0.51
7:N:11:DT:H2"	7:N:12:DG:C8	2.45	0.51
2:C:988:GLY:N	2:C:991:GLU:OE1	2.42	0.51
1:A:13:GLU:O	1:A:15:ASP:N	2.43	0.51
3:D:251:ILE:HG12	3:D:252:PRO:HD2	1.92	0.51
5:Z:1032:ILE:HD11	5:Z:1052:LEU:HD21	1.93	0.51
2:C:722:ASP:O	2:C:724:ASN:N	2.44	0.50
5:Z:664:LYS:HG2	5:Z:665:ASP:N	2.26	0.50
2:C:259:VAL:HG21	2:C:313:ARG:HD2	1.92	0.50
5:Z:1094:ALA:O	5:Z:1098:SER:OG	2.29	0.50
1:B:161:ASP:OD1	1:B:161:ASP:N	2.43	0.50
5:Z:929:VAL:HG13	5:Z:931:GLY:H	1.76	0.50
1:A:177:TYR:HB3	1:A:195:LEU:HD12	1.94	0.49
2:C:37:LEU:HA	2:C:40:PHE:HE1	1.76	0.49
3:D:595:THR:OG1	3:D:596:GLU:N	2.45	0.49
5:Z:524:ARG:HH11	5:Z:862:LYS:HE3	1.76	0.49
5:Z:709:ARG:NH2	5:Z:729:ALA:O	2.45	0.49
2:C:970:LEU:HD12	9:R:11:A:H4'	1.93	0.49
5:Z:527:GLU:HB2	5:Z:532:SER:HB3	1.94	0.49



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
5:Z:1145:THR:OG1	5:Z:1146:ILE:N	2.45	0.49	
2:C:646:GLU:O	2:C:648:GLY:N	2.46	0.49	
5:Z:687:VAL:HG13	5:Z:689:LYS:HG3	1.93	0.49	
6:G:114:ARG:HD3	6:G:115:PRO:HD2	1.94	0.49	
7:N:14:DT:H2"	7:N:15:DC:C6	2.48	0.49	
3:D:432:ALA:HB1	8:T:16:DA:H1'	1.95	0.48	
5:Z:759:GLN:OE1	5:Z:771:ARG:HG3	2.13	0.48	
5:Z:759:GLN:O	5:Z:771:ARG:HG2	2.13	0.48	
5:Z:822:ASP:HB3	5:Z:823:PRO:HD3	1.95	0.48	
5:Z:518:GLU:HG3	5:Z:519:ARG:HG3	1.95	0.48	
5:Z:603:LEU:HA	5:Z:785:ARG:HH12	1.78	0.48	
2:C:197:TYR:OH	2:C:207:GLN:OE1	2.31	0.48	
5:Z:907:ASP:OD1	5:Z:907:ASP:N	2.40	0.48	
3:D:399:ASN:OD1	3:D:399:ASN:N	2.46	0.48	
9:R:11:A:H2'	9:R:12:G:C8	2.48	0.48	
2:C:656:ILE:HD11	2:C:949:MET:HG3	1.96	0.48	
5:Z:109:ASN:O	5:Z:113:THR:HG22	2.14	0.48	
5:Z:658:ALA:HB1	5:Z:667:PHE:HB2	1.96	0.48	
5:Z:856:ARG:HG3	5:Z:857:VAL:H	1.78	0.48	
2:C:81:GLN:HG2	2:C:102:PHE:HE1	1.78	0.48	
3:D:225:LYS:HE3	3:D:225:LYS:HB3	1.64	0.48	
5:Z:820:SER:HA	5:Z:827:ARG:HH21	1.78	0.48	
3:D:71:HIS:HB2	3:D:90:VAL:HG21	1.96	0.48	
3:D:456:HIS:HE1	3:D:458:LEU:HD12	1.79	0.48	
9:R:11:A:H2'	9:R:12:G:H8	1.79	0.48	
5:Z:369:LYS:HE2	5:Z:369:LYS:HB2	1.75	0.47	
5:Z:397:LYS:H	5:Z:397:LYS:HD2	1.79	0.47	
2:C:337:ARG:HG3	2:C:337:ARG:HH11	1.78	0.47	
2:C:470:THR:HG22	2:C:471:ALA:H	1.78	0.47	
2:C:403:ARG:HH11	7:N:27:DC:H3'	1.79	0.47	
3:D:118:LYS:HB3	3:D:118:LYS:HE3	1.53	0.47	
8:T:15:DT:H2'	8:T:16:DA:H8	1.78	0.47	
9:R:9:A:OP2	9:R:9:A:H3'	2.15	0.47	
2:C:20:ILE:H	2:C:20:ILE:HG13	1.25	0.47	
1:A:99:ARG:HG2	1:A:99:ARG:HH11	1.78	0.47	
2:C:1019:ASN:N	2:C:1019:ASN:OD1	2.47	0.47	
5:Z:1009:GLU:HB2	5:Z:1070:PRO:HD2	1.97	0.47	
2:C:199:LYS:HG3	2:C:285:LEU:HD13	1.97	0.47	
2:C:271:ASN:OD1	2:C:271:ASN:N	2.47	0.47	
2:C:529:SER:O	2:C:565:THR:HG21	2.15	0.47	
5:Z:856:ARG:HA	5:Z:856:ARG:HD3	1.71	0.47	



	us page	Interatomic	Clash	
Atom-1	Atom-2	distance $(Å)$	overlap (Å)	
5:Z:809:GLN:H	5:Z:809:GLN:HG3	1.58	0.46	
7:N:19:DG:H2'	7:N:20:DA:N7	2.30	0.46	
3:D:76:LYS:O	3:D:79:ARG:NH1	2.47	0.46	
5:Z:462:GLU:OE2	5:Z:470:THR:OG1	2.30	0.46	
5:Z:625:VAL:HG22	5:Z:628:GLY:H	1.80	0.46	
5:Z:775:VAL:HG23	5:Z:799:LEU:HA	1.97	0.46	
5:Z:1041:GLN:O	5:Z:1043:ASP:N	2.48	0.46	
7:N:32:DC:H2"	7:N:33:DG:C8	2.51	0.46	
5:Z:1016:ARG:N	5:Z:1017:PRO:HD2	2.31	0.46	
5:Z:389:ASN:OD1	5:Z:389:ASN:N	2.37	0.46	
5:Z:637:GLU:H	5:Z:689:LYS:HD3	1.80	0.46	
5:Z:709:ARG:HG2	5:Z:711:VAL:HG23	1.97	0.46	
6:G:38:ALA:O	6:G:41:GLU:HG3	2.15	0.46	
7:N:2:DG:H2"	7:N:3:DG:C8	2.50	0.46	
2:C:859:VAL:HB	2:C:860:PRO:HD3	1.98	0.46	
3:D:256:ARG:HH11	3:D:272:ASN:HD21	1.63	0.46	
8:T:38:DC:H2"	8:T:39:DC:C5	2.51	0.46	
5:Z:163:ASP:OD1	5:Z:163:ASP:N	2.44	0.46	
5:Z:451:GLY:HA3	5:Z:483:LEU:O	2.16	0.46	
5:Z:1137:VAL:HG22	5:Z:1175:PHE:HB2	1.98	0.46	
2:C:403:ARG:NH1	7:N:28:DA:OP2	2.49	0.45	
5:Z:366:LEU:HD12	5:Z:415:ASP:HB3	1.98	0.45	
1:B:3:PHE:HA	1:B:26:PRO:HD2	1.99	0.45	
3:D:511:ASP:OD1	3:D:511:ASP:N	2.49	0.45	
7:N:4:DC:H2"	7:N:5:DG:C8	2.51	0.45	
5:Z:665:ASP:OD1	5:Z:666:ILE:N	2.48	0.45	
2:C:228:LYS:HE3	2:C:228:LYS:HB3	1.70	0.45	
8:T:3:DG:H2'	8:T:4:DC:C5	2.52	0.45	
3:D:259:VAL:HG11	9:R:11:A:N3	2.31	0.45	
5:Z:146:GLN:OE1	5:Z:151:ARG:NH1	2.49	0.45	
8:T:19:DT:H2'	8:T:20:DC:H6	1.82	0.45	
2:C:1014:ASP:O	2:C:1018:ARG:HG3	2.17	0.45	
6:G:65:LYS:HG3	6:G:75:ALA:HB3	1.99	0.45	
6:G:105:ILE:HG12	7:N:19:DG:H21	1.82	0.45	
2:C:585:GLY:HA3	2:C:599:ALA:HA	1.99	0.45	
3:D:143:SER:OG	3:D:161:LEU:O	2.34	0.45	
5:Z:761:SER:HB3	5:Z:771:ARG:HH21	1.82	0.45	
2:C:131:SER:O	2:C:135:TYR:OH	2.23	0.45	
3:D:498:SER:HB2	3:D:505:ILE:HD13	1.99	0.45	
5:Z:510:LEU:HD12	5:Z:874:ILE:HG22	1.99	0.45	
8:T:29:DC:H2"	8:T:30:DA:C8	2.52	0.45	



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
2:C:1084:ARG:NH2	9:R:10:G:H1	2.15	0.44	
3:D:470:ASP:N	3:D:470:ASP:OD1	2.50	0.44	
5:Z:906:LEU:HD12	5:Z:948:LEU:HB3	1.99	0.44	
6:G:33:GLU:OE1	6:G:78:LYS:NZ	2.43	0.44	
6:G:66:LEU:HB2	6:G:72:ARG:HD2	1.97	0.44	
1:A:99:ARG:HG2	1:A:99:ARG:NH1	2.32	0.44	
2:C:49:LYS:HD2	2:C:91:LYS:HB3	2.00	0.44	
8:T:36:DC:H2"	8:T:37:DG:C8	2.52	0.44	
2:C:821:LYS:HD3	2:C:952:LEU:HD12	2.00	0.44	
5:Z:497:THR:HG23	5:Z:511:ALA:HA	2.00	0.44	
6:G:93:ASP:N	6:G:93:ASP:OD1	2.50	0.44	
2:C:884:PHE:CE1	2:C:905:LYS:HD2	2.51	0.44	
8:T:8:DC:H2"	8:T:9:DG:C8	2.51	0.44	
4:E:41:ARG:HE	4:E:41:ARG:HB3	1.74	0.44	
5:Z:542:ALA:HB3	5:Z:768:ARG:HH21	1.83	0.44	
6:G:23:TRP:CD1	6:G:133:VAL:HG21	2.52	0.44	
2:C:243:LEU:O	2:C:247:ARG:HB2	2.17	0.44	
3:D:164:ASP:OD2	3:D:164:ASP:N	2.50	0.44	
1:A:116:GLU:OE2	1:A:116:GLU:N	2.50	0.44	
2:C:1019:ASN:ND2	2:C:1082:PRO:HG2	2.32	0.44	
3:D:45:ASN:OD1	3:D:46:TYR:N	2.50	0.44	
5:Z:647:LEU:H	5:Z:647:LEU:HG	1.64	0.44	
5:Z:711:VAL:HG11	5:Z:728:TRP:CG	2.53	0.44	
8:T:15:DT:H2'	8:T:16:DA:C8	2.52	0.44	
2:C:694:ILE:HG22	2:C:806:VAL:HB	1.98	0.44	
2:C:758:LEU:HD12	2:C:758:LEU:HA	1.84	0.44	
7:N:21:DG:H2"	7:N:22:DA:C8	2.53	0.44	
2:C:677:ARG:O	2:C:681:ASP:HB2	2.18	0.44	
5:Z:801:LEU:HD12	5:Z:801:LEU:HA	1.74	0.44	
2:C:673:LEU:HD12	2:C:834:ARG:HB3	2.00	0.43	
1:A:113:PHE:HB3	1:A:117:VAL:HB	2.00	0.43	
5:Z:415:ASP:OD1	5:Z:415:ASP:N	2.48	0.43	
5:Z:546:LEU:HD11	5:Z:828:LEU:HB3	2.00	0.43	
6:G:63:ILE:HD13	6:G:63:ILE:HA	1.76	0.43	
1:A:159:ALA:HB1	1:A:162:PHE:HB2	2.00	0.43	
2:C:693:GLU:HG3	2:C:807:ARG:HG3	2.00	0.43	
2:C:791:THR:HG22	2:C:804:MET:HG3	2.01	0.43	
2:C:658:VAL:HG23	2:C:852:ILE:HG23	2.00	0.43	
5:Z:156:ASN:HD21	5:Z:160:GLU:HB2	1.82	0.43	
7:N:6:DC:H2"	7:N:7:DA:C8	2.53	0.43	
2:C:464:LEU:HD23	2:C:464:LEU:HA	1.77	0.43	



	las page	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
5:Z:433:ARG:H	5:Z:433:ARG:HG2	1.61	0.43
7:N:8:DT:H2"	7:N:9:DG:C8	2.54	0.43
1:A:103:PRO:HA	1:A:129:LEU:O	2.18	0.43
2:C:1012:SER:OG	3:D:352:ARG:O	2.30	0.43
3:D:300:ASN:O	3:D:304:MET:HG3	2.19	0.43
5:Z:821:LYS:H	5:Z:821:LYS:HG3	1.64	0.43
5:Z:1018:GLY:O	5:Z:1059:THR:HA	2.19	0.43
7:N:16:DT:H4'	7:N:17:DA:H5'	2.01	0.43
7:N:23:DG:H4'	7:N:25:DT:N3	2.34	0.43
5:Z:643:LYS:HB2	5:Z:643:LYS:HE2	1.85	0.43
6:G:63:ILE:O	6:G:74:SER:HA	2.18	0.43
2:C:309:LEU:HD23	2:C:309:LEU:HA	1.80	0.42
2:C:591:ASP:OD1	2:C:592:ALA:N	2.51	0.42
5:Z:519:ARG:HA	5:Z:863:VAL:O	2.19	0.42
3:D:342:GLY:O	3:D:346:GLN:HB2	2.19	0.42
3:D:397:ILE:O	3:D:398:ASN:HB2	2.19	0.42
5:Z:544:VAL:H	5:Z:768:ARG:HH22	1.67	0.42
1:A:56:ARG:HG3	1:A:161:ASP:OD2	2.19	0.42
5:Z:442:THR:HG22	5:Z:982:VAL:HG22	2.00	0.42
2:C:614:ARG:HG3	2:C:689:ILE:HB	2.01	0.42
5:Z:618:LYS:HA	5:Z:618:LYS:HD3	1.67	0.42
2:C:745:PRO:HA	2:C:769:VAL:HG12	2.02	0.42
6:G:63:ILE:HB	6:G:77:GLU:OE1	2.19	0.42
6:G:65:LYS:H	6:G:74:SER:H	1.67	0.42
5:Z:566:THR:OG1	5:Z:567:LYS:N	2.52	0.42
5:Z:591:LEU:HD23	5:Z:591:LEU:HA	1.88	0.42
5:Z:689:LYS:HD2	5:Z:743:ARG:NH2	2.35	0.42
5:Z:773:ARG:HD3	5:Z:773:ARG:HA	1.93	0.42
5:Z:786:ILE:H	5:Z:786:ILE:HG13	1.37	0.42
2:C:51:GLU:HB2	2:C:89:ILE:HD11	2.01	0.42
2:C:208:LYS:HE2	2:C:208:LYS:HB3	1.77	0.42
2:C:697:ARG:NH2	2:C:800:PRO:O	2.52	0.42
3:D:296:ILE:HD11	6:G:109:GLY:HA2	2.01	0.42
3:D:326:ASN:O	3:D:328:ARG:N	2.51	0.42
8:T:21:DT:H2'	8:T:22:DC:C6	2.54	0.42
2:C:63:ARG:HA	2:C:63:ARG:HD2	1.70	0.42
2:C:46:TYR:HE2	6:G:46:THR:HG21	1.84	0.42
2:C:280:THR:OG1	2:C:283:ASP:OD1	2.38	0.42
8:T:8:DC:H2"	8:T:9:DG:H8	1.84	0.42
8:T:25:DA:H5"	8:T:25:DA:C8	2.55	0.42
2:C:1072:LEU:HD23	2:C:1072:LEU:HA	1.86	0.41



	us page	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
3:D:508:PRO:HB3	3:D:512:MET:HB2	2.02	0.41	
5:Z:929:VAL:HG22	5:Z:930:ASP:H	1.85	0.41	
3:D:363:VAL:HB	3:D:467:PHE:CE2	2.55	0.41	
3:D:405:LYS:HE2	3:D:405:LYS:HB2	1.61	0.41	
4:E:10:GLN:O	4:E:14:PHE:HD1	2.04	0.41	
3:D:160:LEU:HD23	3:D:160:LEU:HA	1.91	0.41	
4:E:12:LEU:HD13	4:E:58:LEU:HD22	2.01	0.41	
5:Z:772:LEU:HD22	5:Z:799:LEU:HD11	2.01	0.41	
5:Z:880:GLY:CA	5:Z:898:GLU:O	2.68	0.41	
6:G:34:LYS:NZ	6:G:60:GLU:OE2	2.53	0.41	
7:N:18:DG:H4'	7:N:19:DG:O5'	2.20	0.41	
1:A:94:GLN:OE1	1:A:94:GLN:N	2.53	0.41	
1:A:98:LEU:HD12	1:A:111:VAL:HG22	2.01	0.41	
2:C:65:LYS:HB3	2:C:65:LYS:HE2	1.74	0.41	
2:C:450:THR:HG23	2:C:452:PHE:CE2	2.56	0.41	
3:D:37:GLU:HG3	3:D:104:PHE:CE1	2.56	0.41	
3:D:281:ARG:HA	3:D:281:ARG:HD3	1.83	0.41	
1:A:76:ASP:OD1	1:A:76:ASP:N	2.54	0.41	
2:C:641:ASP:N	2:C:641:ASP:OD1	2.52	0.41	
2:C:752:PRO:HA	2:C:753:PRO:HD3	1.86	0.41	
5:Z:609:VAL:HG21	5:Z:623:TYR:CE2	2.56	0.41	
5:Z:1146:ILE:O	5:Z:1147:MET:HG3	2.21	0.41	
8:T:21:DT:H2'	8:T:22:DC:H6	1.84	0.41	
3:D:202:ASN:O	3:D:206:GLU:HG2	2.21	0.41	
1:B:140:LYS:NZ	1:B:142:GLU:OE2	2.40	0.41	
1:B:150:ILE:HG13	1:B:151:ASP:H	1.86	0.41	
2:C:46:TYR:HD2	2:C:47:THR:HG22	1.86	0.41	
2:C:695:GLU:OE2	2:C:695:GLU:N	2.54	0.41	
5:Z:57:SER:OG	5:Z:58:ILE:N	2.54	0.41	
5:Z:516:THR:HB	5:Z:866:GLY:HA2	2.03	0.41	
2:C:868:VAL:O	2:C:872:MET:HG3	2.20	0.41	
3:D:398:ASN:HB3	3:D:399:ASN:H	1.78	0.41	
3:D:456:HIS:CD2	3:D:457:PRO:HD2	2.56	0.41	
5:Z:653:GLY:HA2	5:Z:673:ILE:HG23	2.02	0.41	
2:C:279:LEU:HD23	2:C:279:LEU:HA	1.83	0.40	
3:D:173:ILE:HD13	3:D:180:LEU:HB3	2.04	0.40	
3:D:611:ARG:O	3:D:615:ASN:ND2	2.47	0.40	
5:Z:524:ARG:HD3	5:Z:862:LYS:HE3	2.02	0.40	
1:A:156:GLU:HG3	1:A:158:THR:HG23	2.04	0.40	
3:D:190:GLU:O	3:D:192:LEU:N	2.55	0.40	
6:G:49:ALA:HB1	6:G:52:ARG:HE	1.86	0.40	



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:Z:98:PHE:CE1	5:Z:163:ASP:HB3	2.57	0.40
5:Z:232:MET:HB3	5:Z:240:ILE:HB	2.02	0.40
5:Z:940:VAL:HA	5:Z:950:LEU:HD23	2.03	0.40
9:R:7:A:H2'	9:R:7:A:N3	2.35	0.40
2:C:234:PRO:HA	2:C:235:PRO:HD3	1.92	0.40
2:C:298:LEU:HG	2:C:300:GLY:H	1.86	0.40
3:D:74:LYS:HG2	3:D:75:TYR:CD1	2.56	0.40
1:B:181:ASP:OD2	1:B:182:ALA:N	2.54	0.40
2:C:283:ASP:OD1	2:C:283:ASP:N	2.55	0.40
5:Z:627:LYS:HA	5:Z:627:LYS:HD3	1.87	0.40
7:N:22:DA:H2'	7:N:23:DG:H2'	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	225/309~(73%)	213~(95%)	12 (5%)	0	100	100
1	В	225/309~(73%)	211 (94%)	12 (5%)	2(1%)	17	46
2	С	1078/1100 (98%)	1034 (96%)	43~(4%)	1 (0%)	51	81
3	D	618/624~(99%)	577~(93%)	39~(6%)	2~(0%)	41	72
4	Ε	63/76~(83%)	61 (97%)	2(3%)	0	100	100
5	Z	1233/1318~(94%)	1124 (91%)	102 (8%)	7 (1%)	25	56
6	G	118/205~(58%)	110 (93%)	8 (7%)	0	100	100
All	All	3560/3941~(90%)	3330 (94%)	218 (6%)	12 (0%)	44	72

All (12) Ramachandran outliers are listed below:



Mol	Chain	Res	Type
2	С	723	GLU
3	D	398	ASN
5	Ζ	195	LEU
5	Ζ	932	ILE
5	Ζ	1017	PRO
3	D	259	VAL
1	В	159	ALA
1	В	184	VAL
5	Ζ	284	ILE
5	Ζ	299	ARG
5	Ζ	676	VAL
5	Ζ	868	VAL

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	entiles
1	А	189/262~(72%)	177 (94%)	12~(6%)	18	46
1	В	189/262~(72%)	172 (91%)	17 (9%)	9	28
2	С	921/938~(98%)	866 (94%)	55~(6%)	19	48
3	D	536/539~(99%)	498~(93%)	38~(7%)	14	39
4	Ε	59/68~(87%)	56~(95%)	3~(5%)	24	55
5	Ζ	1022/1093~(94%)	938~(92%)	84 (8%)	11	33
6	G	102/178~(57%)	84 (82%)	18 (18%)	2	5
All	All	3018/3340 (90%)	2791 (92%)	227 (8%)	17	37

All (227) residues with a non-rotameric sidechain are listed below:

Mol	Chain	\mathbf{Res}	Type
1	А	1	MET
1	А	2	THR
1	А	23	SER
1	А	41	ARG
1	А	50	THR
1	А	92	GLN



Mol	Chain	Res	Type
1	А	116	GLU
1	А	145	THR
1	А	155	ASP
1	А	157	THR
1	А	160	LEU
1	А	206	GLN
1	В	2	THR
1	В	23	SER
1	В	34	THR
1	В	50	THR
1	В	55	VAL
1	В	63	GLU
1	В	86	VAL
1	В	101	VAL
1	В	113	PHE
1	В	147	TYR
1	В	148	ARG
1	В	154	HIS
1	В	162	PHE
1	В	168	VAL
1	В	169	PHE
1	В	178	SER
1	В	214	SER
2	С	20	ILE
2	С	45	ASP
2	С	47	THR
2	С	59	TYR
2	С	72	LYS
2	С	99	GLN
2	С	111	ASP
2	С	130	ARG
2	С	140	ARG
2	С	149	ASN
2	С	175	ASP
2	С	178	ARG
2	С	207	GLN
2	С	219	ASP
2	С	223	MET
2	С	247	ARG
2	С	283	ASP
2	С	297	ASP
2	C	346	ASP



Mol	Chain	n Res Type		
2	С	349	SER	
2	С	394	LEU	
2	С	406	PHE	
2	С	426	GLU	
2	С	435	SER	
2	С	438	THR	
2	С	455	VAL	
2	С	476	ASP	
2	С	496	THR	
2	С	534	LEU	
2	С	540	ASN	
2	С	546	SER	
2	С	565	THR	
2	С	577	MET	
2	С	580	THR	
2	С	615	SER	
2	С	626	ILE	
2	С	645	THR	
2	С	716	ASP	
2	С	737	ASP	
2	С	755	GLU	
2	С	771	ASP	
2	С	781	LYS	
2	С	792	ARG	
2	С	797	GLU	
2	С	828	ASN	
2	С	870	GLU	
2	С	881	ASP	
2	С	892	MET	
2	С	911	GLU	
2	С	950	LEU	
2	С	953	VAL	
2	С	998	TYR	
2	С	1012	SER	
2	С	1019	ASN	
2	С	1045	ARG	
3	D	40	LYS	
3	D	48	THR	
3	D	53	MET	
3	D	54	ASP	
3	D	58	CYS	
3	D	67	ASP	



Mol	Chain	Res	Type		
3	D	70	CYS		
3	D	79	ARG		
3	D	87 ARG			
3	D	216	LYS		
3	D	218	GLN		
3	D	220	ARG		
3	D	228	ARG		
3	D	254	ASP		
3	D	287	ARG		
3	D	306	GLN		
3	D	318	ARG		
3	D	328	ARG		
3	D	368	LYS		
3	D	390	ARG		
3	D	395	HIS		
3	D	404	LYS		
3	D	405	LYS		
3	D	419	GLU		
3	D	427	VAL		
3	D	436	HIS		
3	D	446	ILE		
3	D	470	ASP		
3	D	511	ASP		
3	D	524	PRO		
3	D	536	ASN		
3	D	560	ASP		
3	D	566	GLU		
3	D	571	GLU		
3	D	584	THR		
3	D	588	ARG		
3	D	599	GLN		
3	D	602	SER		
4	Е	25	ASN		
4	Е	41	ARG		
4	Е	48	LEU		
5	Ζ	13	ARG		
5	Z	18	LYS		
5	Z	33	THR		
5	Ζ	38	VAL		
5	Z	44	LYS		
5	Ζ	49	ARG		
5	Ζ	52	THR		



Mol	Chain	Res	Type		
5	Ζ	53	ARG		
5	Ζ	61	ASP		
5	Ζ	103	ASP		
5	Ζ	120 PHE			
5	Ζ	123	SER		
5	Ζ	131	MET		
5	Ζ	168	THR		
5	Ζ	171	ARG		
5	Ζ	200	SER		
5	Ζ	212	GLN		
5	Ζ	243	SER		
5	Ζ	270	ASP		
5	Ζ	299	ARG		
5	Ζ	300	SER		
5	Z	304	LYS		
5	Ζ	316	VAL		
5	Ζ	368	LYS		
5	Ζ	378	ARG		
5	Ζ	389	ASN		
5	Ζ	397	LYS		
5	Z	410	THR		
5	Ζ	431	SER		
5	Ζ	433	ARG		
5	Ζ	436	ARG		
5	Ζ	437	THR		
5	Ζ	448	ASP		
5	Z	457	ASP		
5	Z	489	ASN		
5	Ζ	491	LEU		
5	Ζ	498	VAL		
5	Ζ	508	ASP		
5	Ζ	524	ARG		
5	Ζ	525	MET		
5	Z	533	THR		
5	Ζ	535	ARG		
5	Ζ	547 ASP			
5	Z	559	ARG		
5	Ζ	595	ARG		
5	Ζ	603	LEU		
5	Ζ	605	LYS		
5	Ζ	618	LYS		
5	Ζ	633	TRP		



Mol	Chain	Type	
5	Z	645	ILE
5	Ζ	647	LEU
5	Z	664	LYS
5	Z	682	ILE
5	Ζ	684	ARG
5	Z	689	LYS
5	Z	692	ASP
5	Ζ	717	VAL
5	Ζ	749	VAL
5	Ζ	752	ASP
5	Ζ	777	ARG
5	Ζ	786	ILE
5	Ζ	797	THR
5	Z	820	SER
5	Ζ	855	LEU
5	Ζ	893	ARG
5	Ζ	906	LEU
5	Ζ	916	LEU
5	Ζ	923	VAL
5	Ζ	999	GLU
5	Ζ	1011	CYS
5	Ζ	1028	ASP
5	Ζ	1040	THR
5	Ζ	1055	SER
5	Ζ	1091	ASP
5	Ζ	1098	SER
5	Ζ	1105	LEU
5	Ζ	1112	SER
5	Ζ	1114	TYR
5	Z	1123	ASP
5	Z	1145	THR
5	Z	1161	SER
5	Z	1182	ILE
5	Z	1183	THR
5	Z	1221	LYS
6	G	35	ARG
6	G	45	GLN
6	G	46	THR
6	G	47	LEU
6	G	48	ASP
6	G	55	GLN
6	G	57	GLU



Mol	Chain	\mathbf{Res}	Type
6	G	63	ILE
6	G	66	LEU
6	G	71	SER
6	G	72	ARG
6	G	78	LYS
6	G	79	VAL
6	G	90	LEU
6	G	100	ASN
6	G	101	THR
6	G	118	ARG
6	G	129	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
3	D	456	HIS
5	Ζ	973	GLN

5.3.3 RNA (i)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
9	R	12/21~(57%)	4 (33%)	1 (8%)

All (4) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
9	R	8	А
9	R	9	А
9	R	10	G
9	R	11	А

All (1) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
9	R	8	А

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 4 ligands modelled in this entry, 3 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Mol Type Chain Reg Lin		Tink	Bond lengths			Bond angles			
mor Type	Type	Chain	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2
12	CTP	R	101	10	26,30,30	0.53	0	$39,\!47,\!47$	0.49	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
12	CTP	R	101	10	-	8/22/38/38	0/2/2/2

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
12	R	101	CTP	C3'-C4'-C5'-O5'
12	R	101	CTP	O4'-C4'-C5'-O5'
12	R	101	CTP	C5'-O5'-PA-O2A
12	R	101	CTP	PB-O3A-PA-O5'
12	R	101	CTP	PB-O3B-PG-O3G
12	R	101	CTP	C5'-O5'-PA-O3A
12	R	101	CTP	PB-O3B-PG-O1G
12	R	101	CTP	C5'-O5'-PA-O1A



There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-42502. These allow visual inspection of the internal detail of the map and identification of artifacts.

Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections (i)

6.1.1 Primary map



6.1.2 Raw map



The images above show the map projected in three orthogonal directions.



6.2 Central slices (i)

6.2.1 Primary map



X Index: 200





Z Index: 200

6.2.2 Raw map



X Index: 200

Y Index: 200

Z Index: 200 $\,$

The images above show central slices of the map in three orthogonal directions.



6.3 Largest variance slices (i)

6.3.1 Primary map



X Index: 185



Y Index: 195



Z Index: 188

6.3.2 Raw map



X Index: 185

Y Index: 195



The images above show the largest variance slices of the map in three orthogonal directions.



6.4 Orthogonal standard-deviation projections (False-color) (i)

6.4.1 Primary map



6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.



6.5 Orthogonal surface views (i)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.102. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.

6.6 Mask visualisation (i)

This section was not generated. No masks/segmentation were deposited.



7 Map analysis (i)

This section contains the results of statistical analysis of the map.

7.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.



7.2 Volume estimate (i)



The volume at the recommended contour level is 354 nm^3 ; this corresponds to an approximate mass of 320 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



7.3 Rotationally averaged power spectrum (i)



*Reported resolution corresponds to spatial frequency of 0.358 $\mathrm{\AA^{-1}}$



8 Fourier-Shell correlation (i)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC (i)



*Reported resolution corresponds to spatial frequency of 0.358 $\mathrm{\AA^{-1}}$



8.2 Resolution estimates (i)

$\mathbf{B}_{\mathrm{assolution ostimato}}(\mathbf{\hat{\lambda}})$	Estimation criterion (FSC cut-off)			
Resolution estimate (A)	0.143	0.5	Half-bit	
Reported by author	2.79	-	-	
Author-provided FSC curve	-	-	-	
Unmasked-calculated*	3.49	4.20	3.52	

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.49 differs from the reported value 2.79 by more than 10 %



9 Map-model fit (i)

This section contains information regarding the fit between EMDB map EMD-42502 and PDB model 8URW. Per-residue inclusion information can be found in section 3 on page 7.

9.1 Map-model overlay (i)



The images above show the 3D surface view of the map at the recommended contour level 0.102 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.



9.2 Q-score mapped to coordinate model (i)



The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model (i)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.102).



9.4 Atom inclusion (i)



At the recommended contour level, 93% of all backbone atoms, 92% of all non-hydrogen atoms, are inside the map.



Map-model fit summary (i) 9.5

The table lists the average atom inclusion at the recommended contour level (0.102) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score	
All	0.9160	0.5150	1.0
А	0.9790	0.5640	
В	0.9790	0.5490	
С	0.9730	0.5710	
D	0.9760	0.5630	
Е	0.9340	0.5260	
G	0.9430	0.4810	
N	0.7940	0.3470	
R	0.9880	0.5100	0.0
Т	0.8970	0.4140	<0.0
Z	0.8160	0.4520	

