



Full wwPDB X-ray Structure Validation Report ⓘ

May 17, 2020 – 08:14 pm BST

PDB ID : 1UWK
Title : The High Resolution Structure of Urocanate Hydratase from *Pseudomonas putida* in complex with urocanate
Authors : Kessler, D.; Retey, J.; Schulz, G.E.
Deposited on : 2004-02-05
Resolution : 1.19 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.19 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1223 (1.22-1.18)
Clashscore	141614	1286 (1.22-1.18)
Ramachandran outliers	138981	1240 (1.22-1.18)
Sidechain outliers	138945	1239 (1.22-1.18)
RSRZ outliers	127900	1200 (1.22-1.18)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	557	 % 87% 9% ...
1	B	557	 2% 88% 9% ..

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 9437 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called UROCANATE HYDRATASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	554	Total	C	N	O	S	0	4	0
			4250	2667	757	804	22			
1	B	553	Total	C	N	O	S	0	1	0
			4239	2660	754	803	22			

There are 12 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	198	SER	CYS	engineered mutation	UNP P25080
A	455	ALA	ARG	engineered mutation	UNP P25080
B	198	SER	CYS	engineered mutation	UNP P25080
B	455	ALA	ARG	engineered mutation	UNP P25080
A	164	SER	THR	conflict	UNP P25080
A	165	LEU	VAL	conflict	UNP P25080
A	167	GLY	ALA	conflict	UNP P25080
A	338	ASP	ASN	conflict	UNP P25080
B	164	SER	THR	conflict	UNP P25080
B	165	LEU	VAL	conflict	UNP P25080
B	167	GLY	ALA	conflict	UNP P25080
B	338	ASP	ASN	conflict	UNP P25080

- Molecule 2 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: C₂₁H₂₇N₇O₁₄P₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf		
			Total	C	N	O			P	
2	A	1	Total	44	21	7	14	2	0	0
2	B	1	Total	44	21	7	14	2	0	0

- Molecule 3 is (2E)-3-(1H-IMIDAZOL-4-YL)ACRYLIC ACID (three-letter code: URO) (formula: C₆H₆N₂O₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	N	O			
3	A	1	Total	10	6	2	2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
3	B	1	10	6	2	2	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	434	Total 434	O 434	0	0
4	B	406	Total 406	O 406	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: UROCANATE HYDRATASE



- Molecule 1: UROCANATE HYDRATASE



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	111.43Å 71.62Å 129.16Å 90.00° 98.75° 90.00°	Depositor
Resolution (Å)	50.00 – 1.19 19.57 – 1.19	Depositor EDS
% Data completeness (in resolution range)	94.7 (50.00-1.19) 98.8 (19.57-1.19)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.63 (at 1.19Å)	Xtrriage
Refinement program	SHELXL-97	Depositor
R, R_{free}	0.141 , 0.179 0.135 , 0.172	Depositor DCC
R_{free} test set	15983 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	8.2	Xtrriage
Anisotropy	0.248	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.41 , 54.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.28$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.98	EDS
Total number of atoms	9437	wwPDB-VP
Average B, all atoms (Å ²)	12.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.24% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: URO, NAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	2.06	20/4367 (0.5%)	1.60	58/5924 (1.0%)
1	B	0.83	5/4336 (0.1%)	1.31	51/5884 (0.9%)
All	All	1.57	25/8703 (0.3%)	1.46	109/11808 (0.9%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (25) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	168[A]	LYS	CE-NZ	57.87	2.93	1.49
1	A	168[B]	LYS	CE-NZ	57.87	2.93	1.49
1	A	47[A]	LYS	CD-CE	54.25	2.86	1.51
1	A	47[B]	LYS	CD-CE	54.25	2.86	1.51
1	A	236	ILE	CB-CG1	30.99	2.40	1.54
1	A	238	ILE	CB-CG1	30.31	2.38	1.54
1	B	487[A]	SER	CA-CB	23.30	1.88	1.52
1	B	487[B]	SER	CA-CB	23.30	1.88	1.52
1	A	198[A]	SER	CB-OG	20.70	1.69	1.42
1	A	198[B]	SER	CB-OG	20.70	1.69	1.42
1	A	198[A]	SER	CA-CB	-16.04	1.28	1.52
1	A	198[B]	SER	CA-CB	-16.04	1.28	1.52
1	A	18[A]	ASN	CG-OD1	12.55	1.51	1.24
1	A	18[B]	ASN	CG-OD1	12.55	1.51	1.24
1	A	557	GLY	C-OXT	11.79	1.45	1.23
1	A	18[A]	ASN	CB-CG	-9.02	1.30	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	18[B]	ASN	CB-CG	-9.02	1.30	1.51
1	B	487[A]	SER	CB-OG	8.31	1.53	1.42
1	B	487[B]	SER	CB-OG	8.31	1.53	1.42
1	A	557	GLY	C-O	7.40	1.35	1.23
1	B	116	GLU	CD-OE2	6.84	1.33	1.25
1	A	116	GLU	CD-OE2	6.75	1.33	1.25
1	A	116	GLU	CD-OE1	6.14	1.32	1.25
1	A	18[A]	ASN	CA-CB	5.80	1.68	1.53
1	A	18[B]	ASN	CA-CB	5.80	1.68	1.53

All (109) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	47[A]	LYS	CD-CE-NZ	-32.34	37.32	111.70
1	A	47[B]	LYS	CD-CE-NZ	-32.34	37.32	111.70
1	A	168[A]	LYS	CG-CD-CE	-25.30	35.98	111.90
1	A	168[B]	LYS	CG-CD-CE	-25.30	35.98	111.90
1	A	285	ARG	CD-NE-CZ	22.20	154.67	123.60
1	A	168[A]	LYS	CD-CE-NZ	-21.24	62.86	111.70
1	A	168[B]	LYS	CD-CE-NZ	-21.24	62.86	111.70
1	A	18[A]	ASN	CA-CB-CG	-16.46	77.19	113.40
1	A	18[B]	ASN	CA-CB-CG	-16.46	77.19	113.40
1	B	285	ARG	NE-CZ-NH2	-13.43	113.59	120.30
1	A	322	ASP	CB-CG-OD2	12.43	129.49	118.30
1	A	4	ASN	C-N-CA	11.89	151.43	121.70
1	A	285	ARG	NE-CZ-NH2	-10.96	114.82	120.30
1	B	164	SER	CA-C-N	10.89	141.16	117.20
1	B	285	ARG	NE-CZ-NH1	10.53	125.56	120.30
1	A	254	ARG	NE-CZ-NH2	-10.22	115.19	120.30
1	A	47[A]	LYS	CG-CD-CE	-9.76	82.63	111.90
1	A	47[B]	LYS	CG-CD-CE	-9.76	82.63	111.90
1	B	74	ARG	NE-CZ-NH2	9.60	125.10	120.30
1	B	485	TRP	CA-CB-CG	9.45	131.66	113.70
1	A	57	ARG	NE-CZ-NH2	9.25	124.93	120.30
1	A	18[A]	ASN	CB-CA-C	-9.21	91.97	110.40
1	A	18[B]	ASN	CB-CA-C	-9.21	91.97	110.40
1	B	285	ARG	CD-NE-CZ	9.19	136.47	123.60
1	B	487[A]	SER	CA-CB-OG	-8.72	87.65	111.20
1	B	487[B]	SER	CA-CB-OG	-8.72	87.65	111.20
1	B	16	ARG	NE-CZ-NH1	-8.38	116.11	120.30
1	A	322	ASP	CB-CG-OD1	-8.35	110.78	118.30
1	B	74	ARG	NE-CZ-NH1	-8.27	116.17	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	18[A]	ASN	OD1-CG-ND2	-8.05	103.38	121.90
1	A	18[B]	ASN	OD1-CG-ND2	-8.05	103.38	121.90
1	B	16	ARG	NE-CZ-NH2	8.04	124.32	120.30
1	A	485	TRP	CA-CB-CG	8.03	128.95	113.70
1	B	206	ARG	NE-CZ-NH1	-7.86	116.37	120.30
1	B	57	ARG	NE-CZ-NH2	-7.78	116.41	120.30
1	A	93	LYS	CD-CE-NZ	7.66	129.31	111.70
1	A	18[A]	ASN	CB-CG-OD1	7.64	136.87	121.60
1	A	18[B]	ASN	CB-CG-OD1	7.64	136.87	121.60
1	A	520	ARG	NE-CZ-NH2	-7.57	116.51	120.30
1	A	57	ARG	NE-CZ-NH1	-7.48	116.56	120.30
1	A	409	ARG	NE-CZ-NH1	7.44	124.02	120.30
1	A	74	ARG	CD-NE-CZ	-7.42	113.22	123.60
1	B	392	ARG	CD-NE-CZ	7.42	133.98	123.60
1	A	323	TYR	CB-CG-CD2	7.39	125.43	121.00
1	B	205	PHE	CB-CG-CD1	7.16	125.81	120.80
1	B	164	SER	O-C-N	-7.15	111.25	122.70
1	A	122	ASP	CB-CG-OD2	7.09	124.68	118.30
1	B	225	ARG	NE-CZ-NH2	-7.06	116.77	120.30
1	B	253	LYS	CG-CD-CE	7.00	132.91	111.90
1	B	362	ARG	NE-CZ-NH1	-6.97	116.81	120.30
1	B	323	TYR	CB-CG-CD2	6.87	125.12	121.00
1	A	356	ARG	CD-NE-CZ	6.86	133.20	123.60
1	A	442	ARG	NE-CZ-NH2	-6.85	116.87	120.30
1	B	356	ARG	NE-CZ-NH1	6.77	123.69	120.30
1	B	118	PHE	CB-CG-CD1	6.74	125.52	120.80
1	B	520	ARG	NE-CZ-NH1	-6.69	116.95	120.30
1	A	287	ARG	NE-CZ-NH2	-6.68	116.96	120.30
1	A	400	ARG	CD-NE-CZ	6.64	132.90	123.60
1	B	122	ASP	CB-CG-OD1	6.61	124.25	118.30
1	A	538	TYR	CB-CG-CD1	-6.49	117.10	121.00
1	B	274	TYR	CG-CD2-CE2	6.46	126.46	121.30
1	B	74	ARG	CG-CD-NE	6.45	125.35	111.80
1	B	351	ARG	NE-CZ-NH1	6.38	123.49	120.30
1	A	208	GLU	CA-CB-CG	6.37	127.41	113.40
1	A	206	ARG	NE-CZ-NH2	6.28	123.44	120.30
1	A	285	ARG	NH1-CZ-NH2	6.18	126.20	119.40
1	B	206	ARG	NE-CZ-NH2	6.16	123.38	120.30
1	B	430	ARG	NE-CZ-NH1	-6.12	117.24	120.30
1	A	5	ASN	CA-CB-CG	6.12	126.86	113.40
1	B	116	GLU	OE1-CD-OE2	6.09	130.61	123.30
1	B	164	SER	CA-C-O	-6.05	107.40	120.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	392	ARG	NE-CZ-NH2	6.04	123.32	120.30
1	B	362	ARG	NE-CZ-NH2	6.04	123.32	120.30
1	A	517	ARG	NE-CZ-NH1	-5.94	117.33	120.30
1	B	354	PHE	CB-CG-CD2	-5.91	116.66	120.80
1	A	78	ASP	CB-CG-OD1	5.89	123.61	118.30
1	A	205	PHE	CB-CG-CD1	5.88	124.92	120.80
1	A	205	PHE	CB-CG-CD2	-5.88	116.68	120.80
1	B	487[A]	SER	N-CA-CB	5.86	119.30	110.50
1	B	487[B]	SER	N-CA-CB	5.86	119.30	110.50
1	A	398	ARG	NE-CZ-NH2	5.84	123.22	120.30
1	A	32	ARG	NE-CZ-NH1	5.83	123.22	120.30
1	B	118	PHE	CG-CD1-CE1	5.77	127.14	120.80
1	B	356	ARG	CD-NE-CZ	5.76	131.67	123.60
1	B	257	ARG	NE-CZ-NH1	-5.69	117.46	120.30
1	A	60	ARG	NE-CZ-NH1	-5.65	117.47	120.30
1	B	32	ARG	NE-CZ-NH2	-5.62	117.49	120.30
1	B	274	TYR	CB-CG-CD2	5.61	124.36	121.00
1	B	274	TYR	CZ-CE2-CD2	-5.57	114.79	119.80
1	B	516	GLU	OE1-CD-OE2	-5.51	116.69	123.30
1	B	52	TYR	CZ-CE2-CD2	5.44	124.69	119.80
1	A	328	ARG	NE-CZ-NH2	-5.43	117.58	120.30
1	A	374	TYR	CB-CG-CD1	5.23	124.14	121.00
1	B	321	PHE	CB-CG-CD2	-5.20	117.16	120.80
1	A	229	TYR	CB-CG-CD2	-5.19	117.89	121.00
1	B	520	ARG	NH1-CZ-NH2	5.18	125.10	119.40
1	A	393	TRP	CA-CB-CG	-5.17	103.87	113.70
1	A	6	LYS	N-CA-CB	5.16	119.89	110.60
1	A	274	TYR	CB-CG-CD2	5.16	124.10	121.00
1	B	374	TYR	CB-CG-CD1	5.15	124.09	121.00
1	B	393	TRP	CA-CB-CG	-5.14	103.93	113.70
1	A	395	ASP	CB-CG-OD2	-5.13	113.68	118.30
1	B	260	MET	CG-SD-CE	-5.11	92.03	100.20
1	A	122	ASP	OD1-CG-OD2	-5.09	113.63	123.30
1	A	74	ARG	NE-CZ-NH2	-5.09	117.75	120.30
1	B	287	ARG	NE-CZ-NH2	5.08	122.84	120.30
1	A	323	TYR	CG-CD1-CE1	5.07	125.36	121.30
1	A	443	ASP	CB-CG-OD1	5.02	122.82	118.30
1	B	13	ARG	NE-CZ-NH2	-5.00	117.80	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	4	ASN	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4250	0	4148	84	0
1	B	4239	0	4143	36	0
2	A	44	0	26	3	0
2	B	44	0	26	4	0
3	A	10	0	4	1	0
3	B	10	0	5	1	0
4	A	434	0	0	11	0
4	B	406	0	0	9	0
All	All	9437	0	8352	117	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (117) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:198[A]:SER:OG	1:A:198[A]:SER:CB	1.69	1.41
1:A:18[B]:ASN:CB	1:A:18[B]:ASN:CG	2.02	1.26
1:A:168[B]:LYS:HE2	1:A:168[B]:LYS:NZ	1.47	1.09
1:A:168[B]:LYS:NZ	1:A:168[B]:LYS:HE3	1.47	1.07
1:A:47[B]:LYS:CE	1:A:47[B]:LYS:HD2	1.52	1.03
1:A:47[B]:LYS:CE	1:A:47[B]:LYS:HD3	1.52	1.03
1:A:238:ILE:CB	1:A:238:ILE:CG1	2.38	1.01
1:A:236:ILE:CB	1:A:236:ILE:CG1	2.40	0.99
1:A:47[B]:LYS:CE	1:A:47[B]:LYS:NZ	2.29	0.96
1:A:324:GLY:HA3	2:A:1558:NAD:H71N	1.34	0.91
1:A:168[B]:LYS:NZ	1:A:168[B]:LYS:CE	0.73	0.89
1:B:324:GLY:HA3	2:B:1558:NAD:H71N	1.50	0.76
1:B:6:LYS:HD2	4:B:2001:HOH:O	1.85	0.75
1:A:324:GLY:HA3	2:A:1558:NAD:N7N	2.02	0.75
1:B:253:LYS:HD2	4:B:2218:HOH:O	1.86	0.75

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:47[A]:LYS:HD2	1:A:47[A]:LYS:NZ	2.06	0.68
1:A:168[B]:LYS:HZ2	1:A:168[B]:LYS:CE	1.33	0.68
4:A:2433:HOH:O	1:B:178:MET:HG3	1.94	0.68
1:B:324:GLY:HA3	2:B:1558:NAD:N7N	2.09	0.66
1:A:490:HIS:CE1	1:A:497:GLY:H	2.13	0.66
1:A:168[B]:LYS:HZ1	1:A:168[B]:LYS:CE	1.33	0.66
1:A:287:ARG:HD2	4:A:2243:HOH:O	1.96	0.66
1:A:168[B]:LYS:CE	1:A:168[B]:LYS:HZ3	1.33	0.66
1:B:228:LYS:O	1:B:232:GLU:HG3	1.97	0.64
1:B:21:THR:HG23	4:B:2024:HOH:O	1.99	0.61
1:A:443:ASP:OD2	3:B:1559:URO:HAF	2.01	0.61
1:B:540:ILE:HB	4:B:2390:HOH:O	2.01	0.61
1:B:249:PRO:O	1:B:253:LYS:HD3	2.03	0.59
3:A:1559:URO:HAF	1:B:443:ASP:OD2	2.03	0.59
1:A:106:SER:O	1:A:490:HIS:HD2	1.87	0.58
1:A:198[A]:SER:HG	1:A:198[A]:SER:CB	2.12	0.58
1:B:280:THR:OG1	1:B:282:GLU:HG3	2.04	0.57
1:A:5:ASN:HB2	4:A:2003:HOH:O	2.05	0.56
1:B:384:ILE:O	1:B:391:HIS:HE1	1.89	0.56
1:A:47[A]:LYS:HE2	4:A:2012:HOH:O	2.06	0.56
1:A:391:HIS:HD2	4:A:2316:HOH:O	1.89	0.55
1:A:198[B]:SER:HB3	1:A:275:LEU:HD22	1.90	0.54
1:A:384:ILE:O	1:A:391:HIS:HE1	1.91	0.54
1:B:253:LYS:HD3	1:B:253:LYS:N	2.21	0.54
1:A:324:GLY:O	2:A:1558:NAD:H2N	2.07	0.53
1:A:21:THR:HG22	4:A:2032:HOH:O	2.09	0.53
1:A:9:ASP:OD2	1:A:47[A]:LYS:HE2	2.08	0.52
1:B:282:GLU:HG3	1:B:283:GLN:H	1.75	0.52
1:A:490:HIS:HE1	1:A:497:GLY:H	1.54	0.51
4:A:2433:HOH:O	2:B:1558:NAD:H5N	2.10	0.51
1:B:93:LYS:HE2	4:B:2090:HOH:O	2.10	0.51
1:B:253:LYS:H	1:B:253:LYS:HD3	1.76	0.50
1:A:285:ARG:NE	1:A:285:ARG:HA	2.26	0.50
1:A:12:ILE:O	1:A:39:ASP:HA	2.13	0.49
1:B:391:HIS:HD2	4:B:2292:HOH:O	1.95	0.49
1:A:328:ARG:HB2	4:A:2272:HOH:O	2.13	0.48
1:A:226:ILE:CD1	1:A:238:ILE:HD12	2.43	0.48
1:A:93:LYS:CE	1:B:520:ARG:HD3	2.44	0.48
1:A:93:LYS:HE3	1:B:520:ARG:HD3	1.95	0.48
1:A:19:LYS:HZ2	1:A:19:LYS:H	1.62	0.47
1:A:427:GLU:O	1:A:427:GLU:HG3	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:10:VAL:O	1:A:47[A]:LYS:HE3	2.15	0.46
1:B:323:TYR:O	2:B:1558:NAD:N7N	2.49	0.46
1:A:6:LYS:O	1:A:48:GLU:HA	2.16	0.46
1:B:297:LYS:HE3	1:B:297:LYS:HB3	1.55	0.46
1:A:4:ASN:HA	1:A:61:ASN:CG	2.37	0.45
1:B:540:ILE:HD12	4:B:2390:HOH:O	2.16	0.45
1:A:447:SER:OG	1:A:529:GLY:HA3	2.17	0.45
1:B:282:GLU:HG3	1:B:283:GLN:N	2.30	0.45
1:A:316:GLN:OE1	1:A:316:GLN:N	2.49	0.45
1:A:540:ILE:HG21	1:A:540:ILE:HD13	1.72	0.45
1:B:447:SER:OG	1:B:529:GLY:HA3	2.18	0.44
1:A:226:ILE:HD13	1:A:238:ILE:HD12	2.00	0.44
1:B:445:LEU:O	1:B:445:LEU:HD23	2.18	0.44
1:A:6:LYS:HB2	4:A:2006:HOH:O	2.17	0.44
1:A:119:ASN:ND2	4:A:2119:HOH:O	2.50	0.44
1:A:9:ASP:HA	1:A:47[B]:LYS:HE2	2.00	0.44
1:A:229:TYR:CD1	1:A:236:ILE:HD12	2.53	0.43
1:B:12:ILE:O	1:B:39:ASP:HA	2.18	0.43
1:B:540:ILE:HG21	1:B:540:ILE:HD13	1.83	0.43
1:B:291:GLU:HG3	1:B:291:GLU:O	2.18	0.43
1:A:93:LYS:HE2	1:B:520:ARG:HB3	2.00	0.43
1:A:6:LYS:N	4:A:2006:HOH:O	2.50	0.42
1:A:196:ILE:HD12	1:A:240:LEU:HD23	2.02	0.41
1:B:195:ASN:HB3	4:B:2173:HOH:O	2.20	0.41
1:A:489:HIS:HB2	1:A:501:HIS:CE1	2.55	0.41
1:A:93:LYS:NZ	1:B:516:GLU:OE1	2.49	0.40
1:B:109:VAL:HA	1:B:110:PRO:HD3	1.98	0.40
1:B:47:LYS:NZ	4:B:2041:HOH:O	2.49	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	556/557 (100%)	537 (97%)	18 (3%)	1 (0%)	47	19
1	B	552/557 (99%)	531 (96%)	21 (4%)	0	100	100
All	All	1108/1114 (100%)	1068 (96%)	39 (4%)	1 (0%)	51	19

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	5	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	438/438 (100%)	427 (98%)	11 (2%)	47	10
1	B	435/438 (99%)	427 (98%)	8 (2%)	59	21
All	All	873/876 (100%)	854 (98%)	19 (2%)	52	14

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	19	LYS
1	A	21	THR
1	A	93	LYS
1	A	205	PHE
1	A	206	ARG
1	A	285	ARG
1	A	297	LYS
1	A	315	LYS
1	A	316	GLN
1	A	334	GLU
1	A	532	ARG
1	B	6	LYS
1	B	205	PHE
1	B	206	ARG
1	B	282	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	289	GLN
1	B	297	LYS
1	B	402	SER
1	B	532	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	5	ASN
1	A	119	ASN
1	A	268	HIS
1	A	391	HIS
1	A	490	HIS
1	B	199	GLN
1	B	264	GLN
1	B	268	HIS
1	B	391	HIS
1	B	500	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAD	B	1558	-	42,48,48	1.86	6 (14%)	50,73,73	2.56	16 (32%)
2	NAD	A	1558	-	42,48,48	1.63	4 (9%)	50,73,73	2.08	12 (24%)
3	URO	B	1559	-	5,10,10	2.50	2 (40%)	4,12,12	3.39	2 (50%)
3	URO	A	1559	-	5,10,10	2.68	2 (40%)	4,12,12	5.16	2 (50%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAD	B	1558	-	-	5/26/62/62	0/5/5/5
2	NAD	A	1558	-	-	4/26/62/62	0/5/5/5
3	URO	B	1559	-	-	1/1/5/5	0/1/1/1
3	URO	A	1559	-	-	1/1/5/5	0/1/1/1

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1558	NAD	C3N-C7N	-7.19	1.39	1.50
2	A	1558	NAD	C3N-C7N	-7.02	1.40	1.50
2	B	1558	NAD	O4D-C1D	6.42	1.50	1.41
3	A	1559	URO	CAJ-CAD	-4.62	1.35	1.47
3	B	1559	URO	CAJ-CAD	-4.13	1.36	1.47
2	B	1558	NAD	C2N-N1N	3.77	1.39	1.35
2	A	1558	NAD	C2N-N1N	3.59	1.39	1.35
3	A	1559	URO	CAF-CAJ	-3.56	1.31	1.37
2	A	1558	NAD	O4D-C1D	3.40	1.45	1.41
3	B	1559	URO	CAF-CAJ	-3.17	1.32	1.37
2	B	1558	NAD	C2A-N1A	3.03	1.39	1.33
2	A	1558	NAD	C2A-N1A	2.92	1.39	1.33
2	B	1558	NAD	O4B-C1B	2.58	1.44	1.41
2	B	1558	NAD	C5N-C4N	-2.48	1.33	1.38

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1559	URO	CAJ-CAD-CAC	7.72	156.46	125.32
2	A	1558	NAD	O7N-C7N-N7N	-7.57	111.83	122.58
2	B	1558	NAD	O7N-C7N-C3N	7.14	128.17	119.63
3	A	1559	URO	CAI-CAC-CAD	6.61	137.81	123.69
2	A	1558	NAD	C3N-C7N-N7N	6.60	125.67	117.75
2	B	1558	NAD	C6N-C5N-C4N	6.53	128.93	119.44
2	B	1558	NAD	C6N-N1N-C2N	-6.36	116.18	121.97
2	B	1558	NAD	C5N-C4N-C3N	-6.25	112.95	120.34
2	B	1558	NAD	O4D-C1D-C2D	-5.27	99.22	106.93
3	B	1559	URO	CAJ-CAD-CAC	5.14	146.05	125.32
2	B	1558	NAD	C4N-C3N-C7N	-4.64	108.63	121.04
2	A	1558	NAD	O4D-C1D-C2D	-3.99	101.09	106.93
3	B	1559	URO	CAI-CAC-CAD	3.98	132.19	123.69
2	A	1558	NAD	C2N-C3N-C7N	3.80	130.51	119.46
2	A	1558	NAD	C4N-C3N-C7N	-3.75	110.99	121.04
2	B	1558	NAD	C2N-C3N-C7N	3.71	130.23	119.46
2	B	1558	NAD	C3N-C7N-N7N	-3.28	113.81	117.75
2	B	1558	NAD	O7N-C7N-N7N	-3.22	118.01	122.58
2	A	1558	NAD	N3A-C2A-N1A	-3.15	123.75	128.68
2	A	1558	NAD	C3N-C2N-N1N	-2.90	117.59	120.43
2	B	1558	NAD	C2N-N1N-C1D	2.87	125.53	119.14
2	B	1558	NAD	C5A-C6A-N6A	2.62	124.33	120.35
2	A	1558	NAD	C5A-C6A-N6A	2.56	124.25	120.35
2	B	1558	NAD	C2N-C3N-C4N	2.49	121.08	118.26
2	B	1558	NAD	C3D-C2D-C1D	-2.42	97.34	100.98
2	A	1558	NAD	O7N-C7N-C3N	2.39	122.49	119.63
2	A	1558	NAD	C6N-N1N-C2N	2.35	124.12	121.97
2	B	1558	NAD	C5A-C6A-N1A	-2.31	115.13	120.35
2	B	1558	NAD	C3N-C2N-N1N	2.27	122.65	120.43
2	A	1558	NAD	C5A-C6A-N1A	-2.17	115.42	120.35
2	A	1558	NAD	O4B-C1B-C2B	-2.12	103.83	106.93
2	B	1558	NAD	O4B-C1B-C2B	-2.06	103.92	106.93

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	1558	NAD	O4D-C1D-N1N-C2N
2	B	1558	NAD	O4D-C1D-N1N-C6N
2	B	1558	NAD	C2D-C1D-N1N-C2N
2	B	1558	NAD	C2D-C1D-N1N-C6N
2	A	1558	NAD	O4D-C1D-N1N-C2N
2	A	1558	NAD	O4D-C1D-N1N-C6N

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	A	1558	NAD	C2D-C1D-N1N-C2N
3	B	1559	URO	CAI-CAC-CAD-CAJ
3	A	1559	URO	CAI-CAC-CAD-CAJ
2	A	1558	NAD	O4B-C4B-C5B-O5B
2	B	1558	NAD	O4B-C4B-C5B-O5B


There are no ring outliers.

4 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	1558	NAD	4	0
2	A	1558	NAD	3	0
3	B	1559	URO	1	0
3	A	1559	URO	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2	OWAB(Å ²)	Q < 0.9
1	A	554/557 (99%)	-0.30	6 (1%) 80 80	5, 9, 21, 34	0
1	B	553/557 (99%)	-0.25	9 (1%) 72 72	6, 10, 23, 44	0
All	All	1107/1114 (99%)	-0.28	15 (1%) 75 75	5, 10, 22, 44	0

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	4	ASN	4.3
1	B	164	SER	3.6
1	B	290	THR	3.2
1	A	557	GLY	3.0
1	B	282	GLU	3.0
1	B	10	VAL	2.9
1	B	289	GLN	2.8
1	A	5	ASN	2.7
1	B	557	GLY	2.3
1	A	430	ARG	2.2
1	A	21	THR	2.2
1	B	9	ASP	2.2
1	B	21	THR	2.2
1	A	18[A]	ASN	2.1
1	B	286	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no carbohydrates in this entry.


6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	URO	A	1559	10/10	0.85	0.26	16,42,48,52	0
3	URO	B	1559	10/10	0.90	0.28	12,51,61,61	0
2	NAD	B	1558	44/44	0.99	0.06	7,8,39,74	0
2	NAD	A	1558	44/44	0.99	0.06	5,6,47,73	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.