



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 5, 2023 – 02:24 PM EDT

PDB ID : 6V24
Title : Complex of mutant (K162M) of E. coli L-asparaginase II with L-Asp. Covalent acyl-enzyme intermediate.
Authors : Lubkowski, J.; Wlodawer, A.
Deposited on : 2019-11-22
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.35.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	6207 (1.90-1.90)
Clashscore	141614	6847 (1.90-1.90)
Ramachandran outliers	138981	6760 (1.90-1.90)
Sidechain outliers	138945	6760 (1.90-1.90)
RSRZ outliers	127900	6082 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	334	
1	D	334	
2	B	333	
2	C	333	

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 10844 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called L-asparaginase 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	327	Total	C	N	O	S	0	0	0
			2435	1519	415	492	9			
1	D	327	Total	C	N	O	S	0	2	0
			2462	1535	421	497	9			

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-6	MET	-	expression tag	UNP P00805
A	-5	HIS	-	expression tag	UNP P00805
A	-4	HIS	-	expression tag	UNP P00805
A	-3	HIS	-	expression tag	UNP P00805
A	-2	HIS	-	expression tag	UNP P00805
A	-1	HIS	-	expression tag	UNP P00805
A	0	HIS	-	expression tag	UNP P00805
A	162	MET	LYS	engineered mutation	UNP P00805
D	-6	MET	-	expression tag	UNP P00805
D	-5	HIS	-	expression tag	UNP P00805
D	-4	HIS	-	expression tag	UNP P00805
D	-3	HIS	-	expression tag	UNP P00805
D	-2	HIS	-	expression tag	UNP P00805
D	-1	HIS	-	expression tag	UNP P00805
D	0	HIS	-	expression tag	UNP P00805
D	162	MET	LYS	engineered mutation	UNP P00805


- Molecule 2 is a protein called L-asparaginase 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	327	Total	C	N	O	S	0	0	0
			2448	1526	418	495	9			
2	C	327	Total	C	N	O	S	0	1	0
			2455	1531	420	495	9			

There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	-6	MET	-	expression tag	UNP P00805
B	-5	HIS	-	expression tag	UNP P00805
B	-4	HIS	-	expression tag	UNP P00805
B	-3	HIS	-	expression tag	UNP P00805
B	-2	HIS	-	expression tag	UNP P00805
B	-1	HIS	-	expression tag	UNP P00805
B	0	HIS	-	expression tag	UNP P00805
B	12	AEI	THR	conflict	UNP P00805
B	162	MET	LYS	engineered mutation	UNP P00805
C	-6	MET	-	expression tag	UNP P00805
C	-5	HIS	-	expression tag	UNP P00805
C	-4	HIS	-	expression tag	UNP P00805
C	-3	HIS	-	expression tag	UNP P00805
C	-2	HIS	-	expression tag	UNP P00805
C	-1	HIS	-	expression tag	UNP P00805
C	0	HIS	-	expression tag	UNP P00805
C	12	AEI	THR	conflict	UNP P00805
C	162	MET	LYS	engineered mutation	UNP P00805


- Molecule 3 is ASPARTIC ACID (three-letter code: ASP) (formula: C₄H₇NO₄).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
3	A	1	9	4	1	4	0	0
3	D	1	9	4	1	4	0	0

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	258	Total 260	O 260	0	2
4	B	255	Total 260	O 260	0	5
4	C	252	Total 258	O 258	0	6
4	D	246	Total 248	O 248	0	2



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	62.33Å 126.12Å 76.19Å 90.00° 96.32° 90.00°	Depositor
Resolution (Å)	39.58 – 1.90 39.54 – 1.90	Depositor EDS
% Data completeness (in resolution range)	97.6 (39.58-1.90) 97.7 (39.54-1.90)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.88 (at 1.89Å)	Xtrriage
Refinement program	REFMAC 5.8.0253	Depositor
R, R_{free}	0.143 , 0.190 0.155 , 0.199	Depositor DCC
R_{free} test set	4455 reflections (4.96%)	wwPDB-VP
Wilson B-factor (Å ²)	21.6	Xtrriage
Anisotropy	0.038	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 51.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	10844	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.94% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: AEI

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.96	1/2472 (0.0%)	1.06	5/3367 (0.1%)
1	D	0.92	0/2488	1.06	7/3387 (0.2%)
2	B	0.93	0/2470	1.06	4/3362 (0.1%)
2	C	0.95	1/2481 (0.0%)	1.06	6/3377 (0.2%)
All	All	0.94	2/9911 (0.0%)	1.06	22/13493 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	33	GLU	CD-OE1	5.89	1.32	1.25
2	C	93	GLU	CD-OE2	-5.81	1.19	1.25

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	144	ARG	NE-CZ-NH2	-7.72	116.44	120.30
1	D	191	ARG	NE-CZ-NH2	-7.42	116.59	120.30
2	B	18	ASP	CB-CA-C	-7.13	96.13	110.40
1	D	68	THR	CA-CB-OG1	-6.94	94.43	109.00
2	C	195	ARG	NE-CZ-NH2	-6.77	116.91	120.30
2	C	315	ASP	CB-CG-OD1	-6.58	112.38	118.30
1	A	112	VAL	CB-CA-C	-6.45	99.14	111.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	144	ARG	NE-CZ-NH2	-6.25	117.17	120.30
1	A	144	ARG	NE-CZ-NH1	6.24	123.42	120.30
1	D	61	MET	CG-SD-CE	6.13	110.01	100.20
2	C	237	ASP	CB-CG-OD1	-5.99	112.91	118.30
1	A	112	VAL	CG1-CB-CG2	5.98	120.46	110.90
2	C	144	ARG	NE-CZ-NH1	5.93	123.27	120.30
2	B	78	ASP	CB-CA-C	5.90	122.19	110.40
1	D	116	ARG	NE-CZ-NH2	-5.64	117.48	120.30
1	A	121	MET	CG-SD-CE	5.54	109.07	100.20
2	C	195	ARG	NE-CZ-NH1	5.48	123.04	120.30
2	B	22	LYS	N-CA-CB	-5.47	100.75	110.60
2	B	269	ARG	NE-CZ-NH1	5.43	123.02	120.30
1	D	100	ASP	CB-CG-OD2	-5.40	113.44	118.30
2	C	310	LEU	CB-CG-CD1	5.26	119.94	111.00
1	D	152	ASP	CB-CG-OD1	5.07	122.86	118.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	D	12[B]	AEI	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2435	0	2422	11	0
1	D	2462	0	2441	23	0
2	B	2448	0	2430	14	0
2	C	2455	0	2437	17	0
3	A	9	0	3	2	0
3	D	9	0	3	1	0
4	A	260	0	0	0	0
4	B	260	0	0	3	0
4	C	258	0	0	3	0
4	D	248	0	0	5	0
All	All	10844	0	9736	62	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (62) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:12[A]:THR:C	1:D:13:ILE:N	1.99	1.17
1:A:12:THR:OG1	3:A:401:ASP:CG	2.22	0.78
2:C:12:AEI:CD	4:C:444:HOH:O	2.33	0.75
2:C:76:ASP:OD1	2:C:79:LYS:HE2	1.89	0.73
4:C:523:HOH:O	1:D:21:THR:HG21	1.90	0.71
2:C:300:GLN:H	2:C:300:GLN:HE21	1.40	0.68
2:B:12:AEI:CD	4:B:468:HOH:O	2.42	0.68
1:D:27:VAL:HG21	1:D:57:GLY:HA2	1.75	0.68
1:D:12[A]:THR:HG22	1:D:12[A]:THR:O	1.95	0.67
1:D:313:THR:OG1	1:D:318:GLN:NE2	2.33	0.62
1:D:183[B]:HIS:CE1	4:D:634:HOH:O	2.55	0.59
1:D:12[A]:THR:C	1:D:15:GLY:H	2.06	0.59
2:C:72:LYS:HE2	4:C:546:HOH:O	2.02	0.58
2:C:300:GLN:H	2:C:300:GLN:NE2	2.02	0.57
1:D:149:VAL:HG12	4:D:533:HOH:O	2.03	0.57
2:C:103:VAL:O	2:C:198:THR:HA	2.06	0.56
1:D:12[A]:THR:O	1:D:12[A]:THR:CG2	2.53	0.56
2:C:21:THR:HG22	2:C:121:MET:CE	2.37	0.54
2:C:285:ASP:OD2	2:C:288:LYS:HB2	2.07	0.54
1:A:21:THR:CG2	1:A:121:MET:CE	2.86	0.54
1:D:25:TYR:CD2	1:D:117:PRO:HG3	2.43	0.54
1:D:30:VAL:HG13	1:D:34:ASN:HB2	1.90	0.53
1:D:103:VAL:O	1:D:198:THR:HA	2.08	0.53
1:A:23:SER:OG	2:B:184:ASN:HB2	2.10	0.51
1:A:22:LYS:HE2	2:B:184:ASN:HD21	1.75	0.51
1:A:103:VAL:O	1:A:198:THR:HA	2.11	0.50
1:D:262:LYS:HE3	4:D:531:HOH:O	2.10	0.50
1:D:12[A]:THR:N	1:D:13:ILE:N	2.60	0.50
2:B:283:GLU:OE2	3:D:401:ASP:N	2.44	0.49
2:B:227:PRO:HB3	1:D:227:PRO:HB3	1.95	0.48
2:B:27:VAL:HG12	2:B:28:GLY:N	2.28	0.48
1:A:27:VAL:HG11	1:A:57:GLY:HA3	1.95	0.48
2:B:248:ASN:C	2:B:249:LEU:HD12	2.34	0.48
2:B:325:GLN:NE2	4:B:408:HOH:O	2.46	0.48
1:D:38:ALA:C	1:D:40:PRO:HD3	2.34	0.48
1:D:12[A]:THR:CA	1:D:13:ILE:N	2.67	0.48
1:D:58:SER:HB3	1:D:88:GLY:HA3	1.96	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:8:ALA:HA	1:D:86:THR:OG1	2.14	0.46
1:A:84:VAL:HA	1:A:110:VAL:O	2.16	0.46
3:A:401:ASP:N	2:C:283:GLU:OE2	2.49	0.46
1:D:20:ALA:HA	1:D:120:SER:HA	1.96	0.46
1:D:34:ASN:OD1	4:D:501:HOH:O	2.20	0.46
2:C:51:GLU:OE1	2:C:72:LYS:CE	2.64	0.45
1:D:262:LYS:CE	4:D:531:HOH:O	2.64	0.45
2:B:103:VAL:O	2:B:198:THR:HA	2.16	0.45
2:C:76:ASP:CG	2:C:79:LYS:HE2	2.37	0.45
1:D:2:PRO:HG2	1:D:137:ALA:HB1	1.98	0.45
2:C:73:ILE:HD11	2:C:85:ILE:HD11	1.99	0.44
2:C:226:LEU:HB2	2:C:227:PRO:HD3	2.00	0.44
2:B:26:THR:HB	2:B:29:LYS:HE3	1.99	0.44
2:B:64:ASN:ND2	4:B:411:HOH:O	2.49	0.44
1:A:51:GLU:OE1	1:A:72:LYS:NZ	2.43	0.44
2:B:8:ALA:HA	2:B:86:THR:OG1	2.18	0.43
1:A:21:THR:HG22	1:A:121:MET:HE3	1.99	0.43
2:B:226:LEU:HB2	2:B:227:PRO:HD3	2.01	0.43
1:A:21:THR:HG22	1:A:121:MET:CE	2.48	0.42
2:B:66:TRP:HB3	2:B:98:PHE:CE2	2.53	0.42
2:C:8:ALA:HA	2:C:86:THR:OG1	2.20	0.42
2:C:84:VAL:HA	2:C:110:VAL:O	2.19	0.42
2:C:6:ILE:HA	2:C:84:VAL:O	2.19	0.41
2:C:21:THR:CG2	2:C:121:MET:CE	2.98	0.41
1:A:214:VAL:HA	1:A:238:GLY:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	325/334 (97%)	318 (98%)	7 (2%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	D	325/334 (97%)	316 (97%)	9 (3%)	0	100	100
2	B	324/333 (97%)	320 (99%)	4 (1%)	0	100	100
2	C	325/333 (98%)	317 (98%)	8 (2%)	0	100	100
All	All	1299/1334 (97%)	1271 (98%)	28 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	266/273 (97%)	256 (96%)	10 (4%)	33	24
1	D	268/273 (98%)	257 (96%)	11 (4%)	30	21
2	B	266/272 (98%)	258 (97%)	8 (3%)	41	33
2	C	267/272 (98%)	258 (97%)	9 (3%)	37	28
All	All	1067/1090 (98%)	1029 (96%)	38 (4%)	35	26

All (38) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	24	ASN
1	A	29	LYS
1	A	33	GLU
1	A	112	VAL
1	A	162	MET
1	A	222	ASN
1	A	254	PHE
1	A	262	LYS
1	A	300	GLN
1	A	312	GLN
2	B	0	HIS
2	B	29	LYS
2	B	49	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	139	LYS
2	B	201	THR
2	B	222	ASN
2	B	254	PHE
2	B	312	GLN
2	C	35	LEU
2	C	139	LYS
2	C	186	LYS
2	C	201	THR
2	C	222	ASN
2	C	288	LYS
2	C	300	GLN
2	C	310	LEU
2	C	314	LYS
1	D	21	THR
1	D	26	THR
1	D	27	VAL
1	D	30	VAL
1	D	35	LEU
1	D	222	ASN
1	D	254	PHE
1	D	262	LYS
1	D	312	GLN
1	D	314	LYS
1	D	317	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	34	ASN
1	A	64	ASN
1	A	190	GLN
1	A	300	GLN
1	A	312	GLN
1	A	317	GLN
2	B	64	ASN
2	B	312	GLN
2	B	318	GLN
2	B	325	GLN
2	C	34	ASN
2	C	64	ASN
2	C	300	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	34	ASN
1	D	64	ASN
1	D	209	ASN
1	D	317	GLN
1	D	318	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

3 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	AEI	C	12	2	11,14,15	1.74	2 (18%)	14,18,20	1.70	4 (28%)
1	AEI	D	12[B]	1	11,14,15	1.81	1 (9%)	14,18,20	2.32	7 (50%)
2	AEI	B	12	2	11,14,15	2.11	2 (18%)	14,18,20	2.39	4 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	AEI	C	12	2	-	5/16/18/20	-
1	AEI	D	12[B]	1	-	4/16/18/20	-
2	AEI	B	12	2	-	5/16/18/20	-

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	12	AEI	OG1-CD	6.09	1.51	1.34
1	D	12[B]	AEI	OG1-CD	5.32	1.49	1.34
2	C	12	AEI	OG1-CD	4.17	1.46	1.34
2	C	12	AEI	CG2-CB	2.14	1.56	1.51
2	B	12	AEI	OG1-CB	-2.07	1.43	1.46

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	12	AEI	CZ-CE2-CD	-5.13	102.00	112.85
2	B	12	AEI	OE1-CD-CE2	-4.48	114.83	124.73
1	D	12[B]	AEI	OG1-CD-CE2	3.92	118.66	111.46
1	D	12[B]	AEI	OG1-CB-CA	3.89	114.74	105.89
1	D	12[B]	AEI	CG2-CB-CA	-3.67	105.93	113.16
2	C	12	AEI	CZ-CE2-CD	-3.40	105.67	112.85
2	B	12	AEI	CB-OG1-CD	-3.35	112.53	118.55
2	C	12	AEI	CG2-CB-CA	-2.98	107.29	113.16
2	B	12	AEI	OG1-CD-CE2	2.84	116.68	111.46
1	D	12[B]	AEI	OT2-CH2-CZ	2.64	122.36	113.38
1	D	12[B]	AEI	OT1-CH2-CZ	-2.46	113.46	122.14
1	D	12[B]	AEI	CZ-CE2-CD	-2.35	107.88	112.85
2	C	12	AEI	OT1-CH2-CZ	-2.13	114.61	122.14
1	D	12[B]	AEI	OG1-CB-CG2	2.07	112.33	108.21
2	C	12	AEI	OT2-CH2-CZ	2.06	120.41	113.38

There are no chirality outliers.

All (14) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	D	12[B]	AEI	OT1-CH2-CZ-NH1
2	B	12	AEI	O-C-CA-CB
2	C	12	AEI	O-C-CA-CB
2	C	12	AEI	OT1-CH2-CZ-NH1
1	D	12[B]	AEI	OT2-CH2-CZ-NH1
2	C	12	AEI	OT2-CH2-CZ-NH1
2	B	12	AEI	OT2-CH2-CZ-NH1
2	B	12	AEI	OT1-CH2-CZ-NH1
1	D	12[B]	AEI	OE1-CD-CE2-CZ
2	C	12	AEI	OE1-CD-CE2-CZ
2	B	12	AEI	OE1-CD-CE2-CZ
1	D	12[B]	AEI	OG1-CD-CE2-CZ
2	B	12	AEI	OG1-CD-CE2-CZ
2	C	12	AEI	OG1-CD-CE2-CZ

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	12	AEI	1	0
2	B	12	AEI	1	0

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	ASP	A	401	-	6,8,8	2.86	1 (16%)	8,10,10	1.05	1 (12%)
3	ASP	D	401	-	6,8,8	1.14	0	8,10,10	1.90	2 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ASP	A	401	-	-	3/8/8/8	-
3	ASP	D	401	-	-	2/8/8/8	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	401	ASP	OD1-CG	6.19	1.42	1.22

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	401	ASP	OXT-C-O	-3.43	116.31	124.09
3	D	401	ASP	OXT-C-CA	3.32	124.70	113.38
3	A	401	ASP	OD1-CG-CB	-2.01	116.35	122.80

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	D	401	ASP	O-C-CA-N
3	A	401	ASP	OXT-C-CA-N
3	D	401	ASP	OXT-C-CA-N
3	A	401	ASP	O-C-CA-N
3	A	401	ASP	OXT-C-CA-CB

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	401	ASP	2	0
3	D	401	ASP	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	D	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	D	12[A]:THR	C	13:ILE	N	1.99

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	328/334 (98%)	-0.06	11 (3%) 45 48	13, 20, 42, 79	0
1	D	326/334 (97%)	0.13	20 (6%) 21 24	13, 22, 50, 86	0
2	B	326/333 (97%)	-0.04	1 (0%) 94 94	13, 20, 38, 56	0
2	C	326/333 (97%)	0.05	4 (1%) 79 81	13, 20, 38, 57	0
All	All	1306/1334 (97%)	0.02	36 (2%) 53 56	13, 20, 42, 86	0

All (36) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	23	SER	5.4
1	D	18	ASP	5.1
1	D	19	SER	4.9
1	D	23	SER	4.4
1	A	18	ASP	4.3
1	D	30	VAL	4.0
1	D	16	GLY	3.7
1	A	17	GLY	3.6
1	D	15	GLY	3.6
1	D	28	GLY	3.6
1	A	19	SER	3.6
1	A	21	THR	3.5
1	D	27	VAL	3.3
1	D	26	THR	3.3
1	A	22	LYS	3.2
1	D	17	GLY	3.2
1	D	0	HIS	3.2
1	D	21	THR	3.2
1	D	29	LYS	3.0
1	A	24	ASN	2.9
1	A	16	GLY	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	25	TYR	2.8
2	C	21	THR	2.7
1	D	24	ASN	2.7
1	D	22	LYS	2.6
2	B	0	HIS	2.5
1	D	35	LEU	2.3
1	A	26	THR	2.3
2	C	0	HIS	2.2
1	D	31	GLY	2.1
1	D	317	GLN	2.1
1	A	20	ALA	2.1
1	D	20	ALA	2.1
1	A	78	ASP	2.1
2	C	263	THR	2.1
2	C	179	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	AEI	D	12[B]	15/16	0.96	0.10	16,19,24,24	15
2	AEI	B	12	15/16	0.96	0.09	14,16,18,18	0
2	AEI	C	12	15/16	0.96	0.08	17,21,26,27	0

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	ASP	A	401	9/9	0.95	0.11	16,16,19,24	0
3	ASP	D	401	9/9	0.96	0.10	11,15,17,17	9

6.5 Other polymers [i](#)

There are no such residues in this entry.