



Full wwPDB EM Validation Report ⓘ

May 5, 2024 – 08:55 PM EDT

PDB ID : 4V6Q
EMDB ID : EMD-5363
Title : Structural characterization of mRNA-tRNA translocation intermediates (class 5 of the six classes)
Authors : Agirrezabala, X.; Liao, H.; Schreiner, E.; Fu, J.; Ortiz-Meoz, R.F.; Schulten, K.; Green, R.; Frank, J.
Deposited on : 2011-12-08
Resolution : 11.50 Å (reported)
Based on initial model : 2I2U

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev92
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.2


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 11.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AA	1542	
2	AB	76	
3	AC	47	
4	AD	77	
5	AE	240	
6	AF	232	
7	AG	205	
8	AH	166	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	AI	135	 70% 29%
10	AJ	178	 76% 19%
11	AK	129	 82% 15%
12	AL	129	 71% 23% 5%
13	AM	103	 73% 24%
14	AN	128	 80% 19%
15	AO	123	 72% 24% 5%
16	AP	117	 87% 11%
17	AQ	100	 71% 24%
18	AR	88	 78% 18%
19	AS	82	 74% 23%
20	AT	83	 80% 20%
21	AU	74	 72% 23%
22	AV	91	 76% 22%
23	AW	86	 88% 10%
24	AX	70	 74% 21%
25	BA	120	 37% 52% 11%
26	BB	2904	 33% 54% 12%
27	BC	234	 85% 13%
28	BD	272	 72% 25%
29	BE	209	 72% 25%
30	BF	201	 76% 21%
31	BG	178	 69% 25% 5%
32	BH	176	 79% 18%
33	BI	149	 12% 78% 21%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	BJ	164	 9% 82% 16%
35	BK	141	 88% 12%
36	BL	142	 73% 23%
37	BM	123	 76% 18% 6%
38	BN	144	 76% 20%
39	BO	136	 76% 20%
40	BP	127	 76% 20%
41	BQ	117	 82% 14%
42	BR	114	 73% 25%
43	BS	117	 75% 21%
44	BT	103	 73% 21% 6%
45	BU	110	 77% 18% 5%
46	BV	100	 74% 22%
47	BW	103	 83% 16%
48	BX	94	 80% 17%
49	BY	84	 77% 18% 5%
50	BZ	77	 71% 23% 5%
51	B0	63	 78% 17% 5%
52	B1	58	 81% 14% 5%
53	B2	70	 74% 23%
54	B3	56	 80% 18%
55	B4	54	 80% 17%
56	B5	46	 72% 22% 7%
57	B6	64	 80% 17%
58	B7	38	 76% 18% 5%

2 Entry composition

There are 60 unique types of molecules in this entry. The entry contains 152351 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
1	AA	1542	33089	14767	6064	10717	1541	0	0

- Molecule 2 is a RNA chain called A site tRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	N	O	P	S		
2	AB	76	1627	731	287	532	75	2	0	0

- Molecule 3 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
3	AC	47	993	445	167	335	46	0	0

- Molecule 4 is a RNA chain called P site tRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	N	O	P	S		
4	AD	77	1641	734	297	533	76	1	0	0

- Molecule 5 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	AE	240	1872	1180	332	352	8	0	0

- Molecule 6 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	AF	232	1822	1149	346	323	4	0	0

- Molecule 7 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	AG	205	1643	1026	315	298	4	0	0

- Molecule 8 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	AH	166	1225	761	232	226	6	0	0

- Molecule 9 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	AI	135	1101	677	198	219	7	0	0

- Molecule 10 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	AJ	178	1400	874	269	253	4	0	0

- Molecule 11 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	AK	129	979	616	173	184	6	0	0

- Molecule 12 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	AL	129	1036	642	208	183	3	0	0

- Molecule 13 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	AM	103	825	514	158	151	2	0	0

- Molecule 14 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
14	AN	128	965	595	196	171	3	0	0

- Molecule 15 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	AO	123	955	590	196	165	4	0	0

- Molecule 16 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
16	AP	117	910	564	183	160	3	0	0

- Molecule 17 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
17	AQ	100	805	499	164	139	3	0	0

- Molecule 18 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
18	AR	88	716	440	146	129	1	0	0

- Molecule 19 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
19	AS	82	649	406	128	114	1	0	0

- Molecule 20 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
20	AT	83	672	425	124	120	3	0	0

- Molecule 21 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	AU	74	Total	C	N	O	S	0	0
			626	395	123	107	1		

- Molecule 22 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	AV	91	Total	C	N	O	S	0	0
			727	464	139	122	2		

- Molecule 23 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	AW	86	Total	C	N	O	S	0	0
			670	414	138	115	3		

- Molecule 24 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	AX	70	Total	C	N	O	S	0	0
			590	366	125	98	1		

- Molecule 25 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	BA	120	Total	C	N	O	P	0	0
			2566	1144	468	835	119		

- Molecule 26 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	BB	2904	Total	C	N	O	P	0	0
			62351	27824	11469	20155	2903		

- Molecule 27 is a protein called 50S ribosomal protein L1.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	BC	234	Total	C	N	O	S	0	0
			1733	1081	315	330	7		

- Molecule 28 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	BD	272	Total	C	N	O	S	0	0
			2092	1294	425	366	7		

- Molecule 29 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	BE	209	Total	C	N	O	S	0	0
			1565	979	288	294	4		

- Molecule 30 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	BF	201	Total	C	N	O	S	0	0
			1552	974	283	290	5		

- Molecule 31 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	BG	178	Total	C	N	O	S	0	0
			1420	905	251	258	6		

- Molecule 32 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	BH	176	Total	C	N	O	S	0	0
			1323	832	243	246	2		

- Molecule 33 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	BI	149	Total	C	N	O	S	0	0
			1111	699	197	214	1		

- Molecule 34 is a protein called 50S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	BJ	164	Total	C	N	O	S	0	0
			1233	776	220	231	6		

- Molecule 35 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
35	BK	141	1032	651	179	196	6	0	0

- Molecule 36 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
36	BL	142	1129	714	212	199	4	0	0

- Molecule 37 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
37	BM	123	947	593	181	167	6	0	0

- Molecule 38 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
38	BN	144	1053	654	207	190	2	0	0

- Molecule 39 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
39	BO	136	1074	686	205	177	6	0	0

- Molecule 40 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
40	BP	127	1008	621	204	178	5	0	0

- Molecule 41 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
41	BQ	117	900	557	179	163	1	0	0

- Molecule 42 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
42	BR	114	917	574	179	163	1	0	0

- Molecule 43 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
43	BS	117	947	604	192	151		0	0

- Molecule 44 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
44	BT	103	816	516	153	145	2	0	0

- Molecule 45 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
45	BU	110	857	532	166	156	3	0	0

- Molecule 46 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
46	BV	100	787	496	146	143	2	0	0

- Molecule 47 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
47	BW	103	789	498	148	143		0	0

- Molecule 48 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
48	BX	94	753	479	137	134	3	0	0

- Molecule 49 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	BY	84	Total	C	N	O	S	0	0
			634	391	129	113	1		

- Molecule 50 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	BZ	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 51 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	B0	63	Total	C	N	O	S	0	0
			509	313	99	95	2		

- Molecule 52 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	B1	58	Total	C	N	O	S	0	0
			449	281	87	79	2		

- Molecule 53 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	B2	70	Total	C	N	O	S	0	0
			549	339	104	100	6		

- Molecule 54 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	B3	56	Total	C	N	O	S	0	0
			444	269	94	80	1		

- Molecule 55 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
55	B4	54	Total	C	N	O	0	0
			441	284	81	76		

- Molecule 56 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
56	B5	46	377	228	90	57	2	0	0


- Molecule 57 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
57	B6	64	504	323	105	74	2	0	0

- Molecule 58 is a protein called 50S ribosomal protein L36.


Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
58	B7	38	302	185	65	48	4	0	0

- Molecule 59 is TRYPTOPHAN (three-letter code: TRP) (formula: $C_{11}H_{12}N_2O_2$).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
59	AB	1	14	11	2	1	0

- Molecule 60 is N-FORMYLMETHIONINE (three-letter code: FME) (formula: $C_6H_{11}NO_3S$).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	S	
60	BB	1	10	6	1	2	1	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 16S ribosomal RNA




A781	A782	A783	A784	A785	A786	A787	A788	A789	A790	A791	A792	A793	A794	A795	A796	A797	A798	A799	A800	A801	A802	A803	A804	A805	A806	A807	A808	A809	A810	A811	A812	A813	A814	A815	A816	A817	A818	A819	A820	A821	A822	A823	A824	A825	A826	A827	A828	A829	A830	A831	A832	A833	A834	A835	A836	A837	A838	A839	A840	A841	A842	A843	A844	A845	A846	A847	A848	A849	A850	A851	A852	A853	A854	A855	A856	A857	A858	A859	A860	A861	A862	A863	A864	A865	A866	A867	A868	A869	A870	A871	A872	A873	A874	A875	A876	A877	A878	A879	A880	A881	A882	A883	A884	A885	A886	A887	A888	A889	A890	A891	A892	A893	A894	A895	A896	A897	A898	A899	A900
A901	A902	A903	A904	A905	A906	A907	A908	A909	A910	A911	A912	A913	A914	A915	A916	A917	A918	A919	A920	A921	A922	A923	A924	A925	A926	A927	A928	A929	A930	A931	A932	A933	A934	A935	A936	A937	A938	A939	A940	A941	A942	A943	A944	A945	A946	A947	A948	A949	A950	A951	A952	A953	A954	A955	A956	A957	A958	A959	A960	A961	A962	A963	A964	A965	A966	A967	A968	A969	A970	A971	A972	A973	A974	A975	A976	A977	A978	A979	A980	A981	A982	A983	A984	A985	A986	A987	A988	A989	A990																														
U961	U962	U963	U964	U965	U966	U967	U968	U969	U970	U971	U972	U973	U974	U975	U976	U977	U978	U979	U980	U981	U982	U983	U984	U985	U986	U987	U988	U989	U990	U991	U992	U993	U994	U995	U996	U997	U998	U999	A1000	A1001	A1002	A1003	A1004	A1005	A1006	A1007	A1008	A1009	A1010	A1011	A1012	A1013	A1014	A1015	A1016	A1017	A1018	A1019	A1020																																																												
A1021	A1022	A1023	A1024	A1025	A1026	A1027	A1028	A1029	A1030	A1031	A1032	A1033	A1034	A1035	A1036	A1037	A1038	A1039	A1040	A1041	A1042	A1043	A1044	A1045	A1046	A1047	A1048	A1049	A1050	A1051	A1052	A1053	A1054	A1055	A1056	A1057	A1058	A1059	A1060	A1061	A1062	A1063	A1064	A1065	A1066	A1067	A1068	A1069	A1070	A1071	A1072	A1073	A1074	A1075	A1076	A1077	A1078	A1079	A1080																																																												
A1081	A1082	A1083	A1084	A1085	A1086	A1087	A1088	A1089	A1090	A1091	A1092	A1093	A1094	A1095	A1096	A1097	A1098	A1099	A1100	A1101	A1102	A1103	A1104	A1105	A1106	A1107	A1108	A1109	A1110	A1111	A1112	A1113	A1114	A1115	A1116	A1117	A1118	A1119	A1120	A1121	A1122	A1123	A1124	A1125	A1126	A1127	A1128	A1129	A1130	A1131	A1132	A1133	A1134	A1135	A1136	A1137	A1138	A1139	A1140																																																												
C1141	C1142	C1143	C1144	C1145	C1146	C1147	C1148	C1149	C1150	C1151	C1152	C1153	C1154	C1155	C1156	C1157	C1158	C1159	C1160	C1161	C1162	C1163	C1164	C1165	C1166	C1167	C1168	C1169	C1170	C1171	C1172	C1173	C1174	C1175	C1176	C1177	C1178	C1179	C1180	C1181	C1182	C1183	C1184	C1185	C1186	C1187	C1188	C1189	C1190	C1191	C1192	C1193	C1194	C1195	C1196	C1197	C1198	C1199	C1200																																																												
A1201	A1202	A1203	A1204	A1205	A1206	A1207	A1208	A1209	A1210	A1211	A1212	A1213	A1214	A1215	A1216	A1217	A1218	A1219	A1220	A1221	A1222	A1223	A1224	A1225	A1226	A1227	A1228	A1229	A1230	A1231	A1232	A1233	A1234	A1235	A1236	A1237	A1238	A1239	A1240	A1241	A1242	A1243	A1244	A1245	A1246	A1247	A1248	A1249	A1250	A1251	A1252	A1253	A1254	A1255	A1256	A1257	A1258	A1259	A1260																																																												
C1261	C1262	C1263	C1264	C1265	C1266	C1267	C1268	C1269	C1270	C1271	C1272	C1273	C1274	C1275	C1276	C1277	C1278	C1279	A1280	C1281	C1282	C1283	C1284	C1285	C1286	C1287	C1288	C1289	C1290	C1291	C1292	C1293	C1294	C1295	C1296	C1297	C1298	C1299	C1300	C1301	C1302	C1303	C1304	C1305	C1306	C1307	C1308	C1309	C1310	C1311	C1312	C1313	C1314	C1315	C1316	C1317	C1318	C1319	C1320																																																												
U1321	U1322	U1323	U1324	U1325	U1326	U1327	U1328	U1329	U1330	U1331	U1332	U1333	U1334	U1335	U1336	U1337	U1338	U1339	U1340	U1341	U1342	U1343	U1344	U1345	U1346	U1347	U1348	U1349	U1350	U1351	U1352	U1353	U1354	U1355	U1356	U1357	U1358	U1359	U1360	U1361	U1362	U1363	U1364	U1365	U1366	U1367	U1368	U1369	U1370	U1371	U1372	U1373	U1374	U1375	U1376	U1377	U1378	U1379	U1380																																																												
U1381	U1382	U1383	U1384	U1385	U1386	U1387	U1388	U1389	U1390	U1391	U1392	U1393	U1394	U1395	U1396	U1397	U1398	U1399	U1400	U1401	U1402	U1403	U1404	U1405	U1406	U1407	U1408	U1409	U1410	U1411	U1412	U1413	U1414	U1415	U1416	U1417	U1418	U1419	U1420	U1421	U1422	U1423	U1424	U1425	U1426	U1427	U1428	U1429	U1430	U1431	U1432	U1433	U1434	U1435	U1436	U1437	U1438	U1439	U1440																																																												
A1441	A1442	A1443	A1444	A1445	A1446	A1447	A1448	A1449	A1450	A1451	A1452	A1453	A1454	A1455	A1456	A1457	A1458	A1459	A1460	A1461	A1462	A1463	A1464	A1465	A1466	A1467	A1468	A1469	A1470	A1471	A1472	A1473	A1474	A1475	A1476	A1477	A1478	A1479	A1480	A1481	A1482	A1483	A1484	A1485	A1486	A1487	A1488	A1489	A1490	A1491	A1492	A1493	A1494	A1495	A1496	A1497	A1498	A1499	A1500																																																												
C1501	A1503	A1504	A1505	A1506	A1507	A1508	A1509	C1510	C1511	C1512	C1513	C1514	C1515	C1516	C1517	C1518	C1519	C1520	C1521	C1522	C1523	C1524	C1525	C1526	C1527	C1528	C1529	C1530	C1531	C1532	C1533	C1534	C1535	C1536	C1537	C1538	C1539	C1540	C1541	C1542	C1543	C1544	C1545	C1546	C1547	C1548	C1549	C1550	C1551	C1552	C1553	C1554	C1555	C1556	C1557	C1558	C1559	C1560	C1561	C1562	C1563	C1564	C1565	C1566	C1567	C1568	C1569	C1570	C1571	C1572	C1573	C1574	C1575	C1576	C1577	C1578	C1579	C1580																																									

• Molecule 2: A site tRNA




A1	A2	A3	A4	A5	A6	A7	A8	A9	A10	A11	A12	A13	A14	A15	A16	A17	A18	A19	A20	A21	A22	A23	A24	A25	A26	A27	A28	A29	A30	A31	A32	A33	A34	A35	A36	A37	A38	A39	A40	A41	A42	A43	A44	A45	A46	A47	A48	A49	A50	A51	A52	A53	A54	A55	A56	A57	A58	A59	A60
C63	U62	C63	U64	C65	C66	C67	C68	C69	C70	C71	U72	C73	C74	C75	A76																																												

• Molecule 3: mRNA









• Molecule 4: P site tRNA





• Molecule 5: 30S ribosomal protein S2




• Molecule 6: 30S ribosomal protein S3




• Molecule 7: 30S ribosomal protein S4




• Molecule 8: 30S ribosomal protein S5







- Molecule 9: 30S ribosomal protein S6



- Molecule 10: 30S ribosomal protein S7




- Molecule 11: 30S ribosomal protein S8




- Molecule 12: 30S ribosomal protein S9



- Molecule 13: 30S ribosomal protein S10




- Molecule 14: 30S ribosomal protein S11

Chain AN:  80% 19%





- Molecule 15: 30S ribosomal protein S12

Chain AO:  72% 24% 5%



- Molecule 16: 30S ribosomal protein S13

Chain AP:  87% 11%




- Molecule 17: 30S ribosomal protein S14

Chain AQ:  71% 24%



- Molecule 18: 30S ribosomal protein S15

Chain AR:  78% 18%




- Molecule 19: 30S ribosomal protein S16

Chain AS:  74% 23%



- Molecule 20: 30S ribosomal protein S17



Chain AT:  80% 20%



• Molecule 21: 30S ribosomal protein S18





• Molecule 22: 30S ribosomal protein S19



• Molecule 23: 30S ribosomal protein S20



• Molecule 24: 30S ribosomal protein S21



• Molecule 25: 5S ribosomal RNA



• Molecule 26: 23S ribosomal RNA





U1141	U1081	A1021	C901	G841	A781	A721	A661	C601	A541	G481	C421	G361	G301	A241	A181	G121
A1142	U1082	G1022	C902	U842	A782	A722	A662	A602	C542	A482	A422	G362	C302	G242	A182	G122
A1143	U1083	U1023	C903	G843	A783	C723	A663	A603	C543	A483	A423	G363	G303	U243	A183	G123
A1144	A1084	A1024	G904	A844	G784	U724	A664	U604	C544	A484	A424	G364	U304	A244	C184	G124
C1145	A1085	G1025	A905	A845	G785	G725	A665	U605	C545	A485	G425	U365	C305	U245	G185	A125
C1146	A1086	U1026	A906	U846	G786	G726	A666	U606	C546	A486	C426	C366	C306	C246	G186	A126
A1147	G1087	A1027	G907	U847	C787	A727	U667	U607	A547	A487	U427	G367	G307	G247	G187	A127
U1148	A1088	A1028	C908	C848	A788	G728	A668	A608	C548	A488	A428	G368	G308	G248	G188	C128
U1149	A1089	A1029	A909	A849	A789	G729	A669	A609	C549	A489	A429	U369	A309	C249	G189	C129
C1150	A1090	A1030	A910	U850	U790	A730	A670	C610	C550	A490	A430	G370	A310	G250	A190	C130
A1151	G1091	G1031	A911	C851	C791	C731	C671	C611	C551	C491	U431	G371	A311	A251	A191	A131
C1152	C1092	A1032	C912	U852	A792	C732	C672	G612	U552	A492	A432	G372	G312	G252	G192	G132
C1153	G1093	A973	C913	C853	A793	G733	C673	A613	C553	G493	C433	U373	G313	C253	U193	U133
G1154	U1094	G1034	G914	C854	A794	A734	G674	A614	U554	A494	U434	A374	C314	C254	G194	G134
A1155	A1095	U1035	C915	G855	C795	A735	A675	U615	C555	A495	C435	G375	G315	A255	A195	U135
A1156	A1096	U1036	C916	G856	C796	A736	A676	U616	A556	A496	C436	G376	A316	A256	G196	G136
G1157	U1097	G1037	A917	G857	G797	C737	A677	G617	C557	A497	U437	G377	G317	C257	A197	U137
C1158	A1098	A1038	A918	G858	G798	G738	C678	C618	U558	A498	C438	G378	G318	G258	C198	U138
U1159	G1099	A1039	U919	G859	G799	A739	C679	G619	C559	U499	A439	G379	G319	G259	U199	U139
G1160	C1100	A1040	A920	U860	A800	C740	C680	G620	C560	G500	C440	G380	A320	G260	U200	C140
C1161	U1101	A981	C921	A861	A801	U741	C681	G621	C561	G501	C441	G381	U321	G261	C201	G141
G1162	C1102	G1042	C922	G862	A802	A742	C682	G622	U562	A502	G442	A322	A322	A262	U202	C142
G1163	A1103	A1043	G923	A863	U803	A743	C683	C623	C563	A503	A443	C383	C323	G263	A203	C143
C1164	C1104	C1044	G924	G864	A804	U744	C684	C624	C564	A504	C444	A384	C324	C264	A204	C144
A1165	U1105	C1045	A925	C865	G805	G745	A685	G625	C565	A505	C445	A385	G325	A265	G205	A145
G1166	G1106	A1046	G926	A866	C806	U746	U686	A626	U566	G506	G446	G386	G326	C266	U206	A146
C1167	U1107	G1047	A927	C867	U807	U747	C687	A627	C567	A507	A447	U387	G327	C267	C207	C147
G1168	U1108	A1048	A928	U868	G808	G748	U688	G628	U568	A508	U448	G388	U328	A278	U208	G148
A1169	C1109	A1049	U929	G869	U809	A749	A689	G629	C569	C509	A449	G389	G329	C269	C209	A149
C1170	U1110	A1050	G930	U870	G810	U750	C690	G630	C570	C510	A450	U390	A330	A270	C210	U150
C1171	A1111	G1051	U931	U871	U811	A751	C691	A631	U571	U511	U451	A391	C331	G271	C211	C151
G1172	G1112	C1052	C932	U872	G812	A752	C692	A632	A572	G512	A452	U392	A332	A272	G212	A152
U1173	U1113	C1053	A933	C873	U813	A753	C693	A633	U573	A513	A453	C393	A333	G273	A213	U153
A1174	C1114	A1054	U934	G874	C814	U754	U694	C634	C574	A514	A454	C394	C334	C274	G214	U154
A1175	G1115	G1055	C935	G875	C815	U755	A695	C635	C575	A515	A455	U395	C335	C275	G215	A155
U1176	C1116	A1056	A936	C876	C816	A756	G696	G636	U576	C516	C456	G396	C336	U276	A216	A156
G1177	G1117	A1057	C937	A877	C817	G757	G697	A637	G577	C517	A457	U397	C337	G277	A217	G157
C1178	U1118	U1058	G938	A878	G818	C758	C698	G638	G578	G518	A458	C398	G338	A278	U218	U158
G1179	U1119	G1059	U939	G879	A819	G759	A699	U639	C579	U519	U459	U399	U339	A279	G219	G159
U1180	C1120	U1060	G940	G880	A820	U760	G700	C640	U580	G520	A460	G400	A340	U280	G220	A160
A1181	G1121	A1061	A941	G881	A821	A761	G701	U641	C581	U521	C461	A401	C341	C281	A221	A161
G1182	C1122	G1062	G942	G882	G822	U762	U702	U642	A582	A522	A462	A402	A342	A282	A222	U162
U1183	G1123	G1063	A943	G883	G823	G763	U703	G643	C583	C523	G463	U403	C343	G283	A223	C163
G1184	G1124	C1064	C944	U884	U824	A764	G704	A644	C584	G524	U464	A404	A344	U284	U224	C164
G1185	G1125	U1065	A945	C885	A825	C765	A705	C645	C585	U525	A465	U405	A345	G285	C225	A165
G1186	A1126	A1066	C946	A886	U826	U766	A706	U646	A586	A526	A466	A406	A346	U286	A226	U166
G1187	U1127	A1067	A947	U887	U827	U767	G707	G647	C587	C527	G467	G407	A347	G287	A227	A167
U1188	G1128	G1068	C948	G888	U828	G768	U708	U648	U588	A528	C468	G408	A348	U288	C228	G168
A1189	A1129	A1069	G949	C889	A829	U769	U709	G649	U589	A529	A469	G409	U349	G289	C229	G169
G1190	U1130	U1070	G950	C890	G830	G770	U710	C650	A590	G530	A470	G410	G350	U290	G230	U170
G1191	G1131	G1071	C951	G891	G831	G771	G711	G651	U591	C531	A471	G411	C351	G291	A231	U171
G1192	U1132	C1072	G952	U892	U832	C772	G712	U652	A592	A532	A472	U412	A352	U292	G232	A172
A1193	A1133	A1073	G953	C893	A833	U773	G713	U653	U593	C533	G473	C413	C353	U293	A233	A173
A1194	A1134	G1074	A954	U894	G834	G774	U714	A654	U594	U534	C474	C414	C354	U294	U234	U174
G1195	G1135	C1075	U955	U895	A835	G775	A715	A655	C595	C535	C475	A415	U355	G295	U235	G175
C1196	G1136	U1076	G956	A896	G836	G776	A716	G656	U596	U536	G476	U416	G356	U296	C236	A176
G1197	G1137	A1077	C957	C897	C837	G777	C717	U657	G597	G537	A477	C417	C357	G297	G237	G177
U1198	G1138	U1078	U958	U898	C838	G778	A718	U658	U598	A538	A478	U418	U358	G298	C238	G178
U1199	A1139	C1079	A959	U899	U839	U779	A719	G659	A599	G539	A479	U419	U359	G299	C239	C179
C1200	C1140	A1080	A960	A900	C840	G780	U720	C660	G600	C540	A480	A420	U360	A240	C180	G120

C2161	A2101	U2041	A1981	G1921	G1861	A1801	G1741	U1621	C1561	A1501	G1441	G1381	A1321	C1261	U1201
G2162	G2102	A2042	U1982	G1922	G1862	A1802	U1742	G1622	U1562	A1502	U1442	G1382	A1322	A1262	G1202
A2163	C2103	C2043	G1983	U1923	G1863	A1803	G1743	G1623	U1563	A1503	U1443	A1383	C1323	U1263	U1203
C2164	C2104	C2044	G1984	U1924	G1864	A1804	A1744	U1624	C1564	A1504	G1444	A1385	U1324	A1264	A1204
C2165	U2105	C2045	G1985	U1925	U1865	A1805	A1745	G1625	C1565	A1505	G1445	A1385	U1325	A1265	G1205
U2166	U2106	G2046	G1986	U1926	G1866	A1806	A1746	A1626	A1566	A1506	G1446	A1387	U1326	G1266	A1206
U2167	G2107	C2047	A1987	A1927	G1867	A1807	U1747	G1627	G1567	C1507	G1447	A1387	A1327	U1267	C1207
G2168	A2108	G2048	G1988	U1928	U1868	A1808	C1748	G1628	G1568	A1508	G1448	A1388	A1328	A1268	C1208
A2169	U2109	G2049	G1989	G1929	G1869	A1809	A1749	U1629	U1569	A1509	G1449	A1389	U1329	A1269	U1209
A2170	C2050	A2050	G1990	A1930	A1870	A1810	G1750	A1630	A1570	A1510	A1450	A1390	C1330	G1270	G1210
A2171	U2111	A2051	U1991	U1931	A1871	A1811	U1751	G1631	A1571	G1511	C1451	A1391	G1331	G1271	C1211
U2172	G2112	G2052	G1992	A1932	A1872	U1812	G1752	A1632	A1572	C1512	G1452	A1392	G1332	A1272	A1212
A2173	U2113	G2053	U1993	G1933	G1873	G1813	G1753	G1633	A1573	U1513	A1453	A1393	G1333	U1273	G1213
C2174	A2114	A2054	C1994	C1934	C1874	G1814	A1754	A1634	C1574	G1514	G1454	U1394	G1334	A1274	A1214
C2175	G2115	C2055	U1995	G1935	A1875	A1815	A1755	A1635	U1575	A1515	G1455	A1395	C1335	A1275	G1215
A2176	G2116	G2056	G1996	A1936	A1876	C1816	G1756	U1636	U1576	G1516	A1456	A1396	A1336	A1276	G1216
C2177	A2117	G2057	U1997	A1937	A1877	A1817	A1757	G1637	C1577	G1517	U1457	A1397	G1337	G1277	U1217
C2178	U2118	A2058	A1998	A1938	G1878	U1818	U1758	C1638	U1578	C1518	A1458	A1398	G1338	C1278	G1218
C2179	A2119	A2059	G1999	U1939	A1879	A1819	A1759	U1639	U1579	G1519	G1459	A1399	G1339	G1279	U1219
U2180	G2120	A2060	C2000	U1940	C1880	U1820	C1760	A1640	A1580	U1520	U1460	U1400	U1340	G1280	U1220
U2181	G2121	G2061	C2001	C1941	C1881	A1821	C1761	A1641	A1581	G1521	C1461	G1401	G1341	G1281	C1221
U2182	U2122	A2062	G2002	C1942	U1882	C1822	A1762	G1642	C1582	U1522	C1462	A1402	A1342	U1282	U1222
A2183	G2123	C2063	A2003	U1943	U1883	G1823	G1763	G1643	A1583	U1523	C1463	A1403	G1343	G1283	G1223
A2184	G2124	C2064	G2004	U1944	G1884	A1824	C1764	G1644	U1584	U1524	G1464	A1404	U1344	A1284	U1224
U2185	G2125	C2065	A2005	G1945	A1885	G1825	U1765	G1645	U1585	A1525	G1465	A1405	C1345	A1285	G1225
G2186	A2126	C2066	C2006	U1946	U1886	G1826	G1766	C1646	A1586	C1526	U1466	U1406	G1346	A1286	A1226
U2187	G2127	G2067	U2007	C1947	C1887	U1827	G1767	U1647	G1587	U1527	U1467	G1407	A1347	A1287	G1227
U2188	G2128	U2068	C2008	U1948	G1888	U1828	G1768	U1648	U1588	A1528	U1468	A1408	G1348	G1288	U1228
U2189	C2069	G2069	A2009	G1949	A1889	A1829	U1769	U1649	U1589	G1529	A1469	A1409	C1349	A1289	C1229
U2190	U2130	A2070	G2010	U1950	A1890	C1830	G1770	A1650	U1590	G1530	A1470	A1410	C1350	C1290	A1230
A2191	U2131	C2071	U2011	U1951	G1891	A1831	G1771	G1651	A1591	C1531	G1471	U1411	C1351	C1291	U1231
U2192	U2132	C2072	G2012	A1952	C1892	C1832	A1772	U1652	C1592	A1532	C1472	U1412	U1352	G1292	G1232
U2193	C2073	C2073	A2013	A1953	C1893	C1833	A1773	G1653	U1593	C1533	G1473	U1413	C1353	C1293	C1233
U2194	A2074	U2074	A2014	U1954	C1894	U1834	C1774	A1654	U1594	U1534	U1474	A1414	A1354	U1294	U1234
U2195	A2135	U2075	A2015	U1955	C1895	G1835	U1775	A1655	U1595	A1535	G1475	U1415	G1355	C1295	G1235
C2196	G2136	U2076	U2016	U1956	G1896	C1836	G1776	G1656	A1596	C1536	U1476	G1416	G1356	G1296	U1236
U2197	U2137	A2077	U2017	G1957	G1897	C1837	U1777	U1657	U1597	G1537	A1477	G1417	G1357	G1297	A1237
G2198	G2138	C2078	G2018	C1958	U1898	C1838	U1778	G1658	A1598	U1538	G1478	U1418	G1358	G1298	G1238
A2199	U2139	U2079	A2019	G1959	A1899	G1839	U1779	G1659	U1599	U1539	G1479	U1419	A1359	G1299	U1239
C2200	G2140	A2080	A2020	A1960	A1900	G1840	A1780	G1660	C1600	G1540	C1480	A1420	G1360	G1300	U1240
G2201	G2141	U2081	C2021	C1961	A1901	U1841	U1781	U1661	G1601	C1541	U1481	G1421	C1361	A1301	A1241
U2202	A2142	A2082	U2022	C1962	C1902	G1842	U1782	U1662	U1602	U1542	G1482	G1422	C1362	A1302	U1242
G2203	G2143	G2083	C2023	U1963	G1903	C1843	A1783	G1663	A1603	G1543	G1483	A1423	C1363	G1303	C1243
G2204	G2144	C2084	C2024	G1964	C1904	C1844	A1784	A1664	C1604	A1544	U1484	G1424	G1364	A1304	A1244
A2205	C2145	U2085	C2025	C1965	C1905	G1845	A1785	A1665	C1605	A1545	U1485	G1425	A1365	C1305	G1245
C2206	G2146	U2086	U2026	A1966	G1906	G1846	A1786	G1666	C1606	G1546	U1486	G1426	A1366	C1306	A1246
C2207	A2147	G2087	G2027	C1967	G1907	A1847	A1787	G1667	C1607	C1547	U1487	A1427	A1367	A1307	A1247
C2208	U2148	A2088	U2028	G1968	C1908	A1848	C1788	A1668	A1608	A1548	C1488	G1428	A1368	A1308	G1248
G2209	U2149	C2089	G2029	A1969	G1909	G1849	A1789	A1669	A1609	A1549	C1489	G1429	G1369	G1309	U1249
U2210	C2150	A2090	A2030	A1970	G1910	G1850	U1790	C1670	A1610	C1550	A1490	G1430	C1370	G1310	G1250
A2211	U2151	C2091	A2031	U1971	U1911	U1851	A1791	U1671	C1611	A1551	G1491	A1431	G1371	G1311	G1251
A2212	G2152	G2092	G2032	U1972	A1912	U1852	G1792	A1672	A1612	A1552	G1492	G1432	U1372	U1312	G1252
U2213	C2153	G2093	A2033	G1973	A1913	A1853	C1793	G1673	G1613	A1553	C1493	A1433	C1373	C1313	A1253
C2214	A2154	A2094	U2034	C1974	C1914	A1854	A1794	G1674	A1614	U1554	A1494	G1434	G1374	C1314	A1254
C2215	U2155	A2095	G2035	G1975	3TD1915	U1855	G1795	C1675	C1615	G1555	A1495	G1435	U1375	U1315	U1255
G2216	G2156	C2096	C2036	U1976	A1916	U1856	U1796	A1676	A1616	U1556	A1496	G1436	G1376	U1316	G1256
G2217	G2157	A2097	A2037	A1977	U1917	G1857	G1797	A1677	C1617	C1557	U1497	G1437	G1377	G1317	C1257
G2218	A2158	U2098	G2038	A1978	A1918	U1858	U1798	A1678	A1618	C1558	C1498	U1438	A1378	U1318	G1258
U2219	G2159	U2099	U2039	U1979	A1919	U1859	A1799	A1679	G1619	U1559	C1499	A1439	A1379	G1319	G1259
U2220	G2160	G2100	G2040	G1980	C1920	G1860	C1800	U1680	G1620	G1560	G1500	U1440	G1380	C1320	A1260


G2221	A2281	G2341	U2401	A2461	C2521	G2581	G2641	U2701	A2761	A2821	U2881
C2222	G2281	C2342	U2402	C2462	U2522	G2582	G2642	G2702	C2762	G2822	A2882
G2223	A2283	G2343	C2403	G2463	G2523	G2583	G2643	C2703	G2763	A2823	A2883
A2224	G2285	U2344	U2404	G2464	G2524	U2585	U2644	C2704	A2764	C2824	G2884
A2225	C2286	G2345	G2405	C2465	G2525	U2586	G2645	A2705	A2765	G2825	G2885
C2226	G2287	G2346	G2406	C2466	G2526	U2587	U2646	A2706	A2766	A2826	A2886
A2227	A2287	C2347	A2407	C2467	C2527	G2588	U2647	U2707	C2767	C2827	A2887
G2228	A2288	U2348	U2408	A2468	U2528	G2589	G2648	G2708	U2768	G2828	C2888
U2229	G2289	G2349	G2409	A2469	G2529	A2590	A2590	C2710	G2770	A2829	C2889
G2230	G2290	C2350	G2410	G2470	A2530	C2591	U2650	C2711	G2771	C2830	G2890
U2231	U2291	G2351	A2411	A2471	G2531	U2592	C2651	C2712	C2772	G2831	U2891
C2232	U2292	A2352	A2412	G2472	G2532	G2593	G2652	U2713	C2773	U2832	G2892
U2233	G2293	G2353	G2413	U2473	U2533	U2594	U2653	U2714	C2774	G2834	A2893
G2234	G2294	C2354	G2414	U2474	A2534	C2594	A2654	G2715	C2775	G2835	G2894
U2235	G2295	G2355	G2415	G2475	G2535	U2595	G2655	C2716	A2775	U2836	C2895
U2236	U2296	U2356	A2416	A2476	G2536	U2596	G2656	C2717	G2776	U2837	G2896
G2237	A2297	G2357	C2417	U2477	U2537	G2597	G2657	G2718	A2777	G2838	U2897
A2238	A2298	A2358	A2418	A2478	C2538	A2598	G2658	G2719	A2778	G2839	A2898
G2239	U2299	C2359	U2419	U2479	G2539	G2599	G2659	C2720	U2779	C2840	A2899
U2240	C2300	G2360	C2420	C2480	C2540	A2600	A2660	U2721	G2780	C2841	A2900
A2241	C2301	G2361	G2421	C2481	A2541	C2601	G2661	A2722	A2781	C2842	C2901
G2242	U2302	C2362	A2422	C2482	A2542	A2602	A2662	G2723	G2782	G2843	C2902
U2243	G2303	G2363	U2423	C2483	C2543	G2603	G2663	C2724	U2783	G2844	U2903
U2244	G2304	C2364	A2424	G2484	G2544	U2604	G2664	U2725	U2784	U2845	U2904
U2245	U2305	G2365	U2425	G2485	G2545	U2605	A2665	A2726	G2785	G2846	
G2246	C2306	A2366	A2426	C2486	U2546	C2606	C2666		U2786		
A2247	G2307	G2367	U2427	G2487	A2547	G2607	G2667	C2727	C2787	U2847	
U2248	C2308	C2368	G2428	C2488	U2548	G2608	G2668	U2728	C2788	U2848	
U2249	A2309	A2369	A2429	U2489	G2549	U2609	G2669	G2729	C2789	U2849	
U2250	G2310	G2370	G2430	U2490	G2550	C2610	A2670	C2730	U2790	A2850	
A2251	A2311	G2371	U2431	U2491	U2551	G2611	G2671	G2731	G2791	G2851	
G2252	U2312	U2372	A2432	U2492	U2552	C2612	U2672	G2732	A2792	C2852	
G2253	C2313	G2373	A2433	U2493	G2553	U2613	G2673	A2733	C2793	C2853	
A2254	A2314	C2374	A2434	G2494	G2554	A2614	G2674	A2734	C2794	G2854	
G2255	G2315	G2375	A2435	C2495	U2555	U2615	A2675	G2735	C2795	C2855	
U2256	G2316	A2376	G2436	C2496	C2556	G2616	G2676	A2736	U2796	A2856	
C2257	A2317	A2377	U2437	U2497	G2557	U2617	G2677	G2737	U2797	G2857	
U2258	G2318	A2378	U2438	C2498	C2558	G2618	G2678	A2738	U2798	C2858	
U2259	G2319	G2379	A2439	C2499	C2559	C2619	A2679	U2739	A2799	G2859	
C2260	U2320	C2380	C2440	U2500	A2560	C2620	U2680	A2740	A2800	A2860	
C2261	U2321	A2381	U2441	C2501	U2561	G2621	C2681	A2741	G2801	U2861	
U2262	A2322	G2382	C2442	G2502	U2562	U2622	A2682	G2742	G2802	C2862	
C2263	G2323	G2383	C2443	A2503	U2563	G2623	C2683	U2743	G2803	C2863	
G2264	U2324	U2384	G2444	U2504	A2564	G2624	U2684	G2744	U2804	G2864	
U2265	G2325	C2385	G2445	G2505	A2565	G2625	G2685	C2745	C2805	U2865	
A2266	C2326	A2386	G2446	U2506	A2566	C2626	G2686	U2746	C2806	U2866	
A2267	A2327	U2387	G2447	C2507	G2567	G2627	U2687	G2747	U2807	G2867	
A2268	A2328	A2388	A2448	G2508	U2568	C2628	G2688	A2748	G2808	A2868	
G2269	U2329	G2389	U2449	G2509	G2569	U2629	U2689	A2749	A2809	G2869	
A2270	G2330	U2390	A2450	C2510	G2570	G2630	U2690	A2750	A2810	C2870	
G2271	G2331	G2391	A2451	U2511	A2571	G2631	C2691	G2751	G2811	U2871	
U2272	C2332	A2392	A2452	C2512	A2572	A2632	G2692	C2752	G2812	A2872	
A2273	A2333	A2393	A2453	A2513	G2573	G2633	G2693	A2753	A2813	A2873	
A2274	U2334	C2394	G2454	U2514	G2574	A2634	G2694	U2754	A2814	C2874	
C2275	A2335	G2395	G2455	C2515	C2575	U2635	U2695	G2755	U2815	C2875	
G2276	A2336	G2396	G2456	A2516	G2576	C2636	C2696	U2756	U2816	G2876	
G2277	G2337	G2397	U2457	C2517	A2577	U2637	G2697	A2757	U2817	G2877	
A2278	C2338	U2398	G2458	A2518	G2578	A2638	U2698	A2758	U2818	U2878	
G2279	G2339	U2399	A2459	C2519	A2579	G2639	G2699	G2759	G2819	A2879	
G2280	A2340	G2400	U2460	C2520	U2580	G2640	A2700	C2760	A2820	C2880	

• Molecule 27: 50S ribosomal protein L1





• Molecule 28: 50S ribosomal protein L2








• Molecule 29: 50S ribosomal protein L3





• Molecule 30: 50S ribosomal protein L4





• Molecule 31: 50S ribosomal protein L5





• Molecule 32: 50S ribosomal protein L6





• Molecule 33: 50S ribosomal protein L9





• Molecule 34: 50S ribosomal protein L10




• Molecule 35: 50S ribosomal protein L11




• Molecule 36: 50S ribosomal protein L13



• Molecule 37: 50S ribosomal protein L14





• Molecule 38: 50S ribosomal protein L15







- Molecule 39: 50S ribosomal protein L16



- Molecule 40: 50S ribosomal protein L17




- Molecule 41: 50S ribosomal protein L18





- Molecule 42: 50S ribosomal protein L19




- Molecule 43: 50S ribosomal protein L20



- Molecule 44: 50S ribosomal protein L21




- Molecule 45: 50S ribosomal protein L22

Chain BU:  77% 18% 5%




- Molecule 46: 50S ribosomal protein L23

Chain BV:  74% 22% 4%





- Molecule 47: 50S ribosomal protein L24

Chain BW:  83% 16% 1%




- Molecule 48: 50S ribosomal protein L25

Chain BX:  80% 17% 3%



- Molecule 49: 50S ribosomal protein L27

Chain BY:  77% 18% 5%




- Molecule 50: 50S ribosomal protein L28

Chain BZ:  71% 23% 6%




- Molecule 51: 50S ribosomal protein L29

Chain B0:  78% 17% 5%




- Molecule 52: 50S ribosomal protein L30

Chain B1:  81% 14% 5%





- Molecule 53: 50S ribosomal protein L31

Chain B2:  74% 23% .



- Molecule 54: 50S ribosomal protein L32

Chain B3:  80% 18% .




- Molecule 55: 50S ribosomal protein L33

Chain B4:  80% 17% .




- Molecule 56: 50S ribosomal protein L34

Chain B5:  72% 22% 7%



- Molecule 57: 50S ribosomal protein L35

Chain B6:  80% 17% .



- Molecule 58: 50S ribosomal protein L36

Chain B7:  76% 18% 5%



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	40000	Depositor
Resolution determination method	FSC 0.5 CUT-OFF	Depositor
CTF correction method	Volumes were CTF-corrected in defocus groups	Depositor
Microscope	FEI TECNAI F30	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	25	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	4000	Depositor
Magnification	58269	Depositor
Image detector	TVIPS TEMCAM-F415 (4k x 4k)	Depositor
Maximum map value	1.481	Depositor
Minimum map value	-0.504	Depositor
Average map value	0.029	Depositor
Map value standard deviation	0.201	Depositor
Recommended contour level	0.1	Depositor
Map size (Å)	375.0, 375.0, 375.0	wwPDB
Map dimensions	250, 250, 250	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.5, 1.5, 1.5	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: OMC, 2MA, 6MZ, H2U, 1MG, UR3, MIA, 4SU, FME, MA6, 7MG, OMU, OMG, 5MC, 3TD, 5MU, PSU, CH, 4OC, 2MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	AA	3.07	3887/36769 (10.6%)	3.55	8401/57354 (14.6%)
2	AB	3.08	186/1600 (11.6%)	3.55	373/2492 (15.0%)
3	AC	3.05	112/1108 (10.1%)	3.41	210/1724 (12.2%)
4	AD	2.99	170/1721 (9.9%)	3.48	380/2683 (14.2%)
5	AE	1.48	5/1904 (0.3%)	1.91	50/2565 (1.9%)
6	AF	1.48	11/1852 (0.6%)	2.01	58/2490 (2.3%)
7	AG	1.54	5/1665 (0.3%)	2.05	55/2227 (2.5%)
8	AH	1.53	5/1239 (0.4%)	1.91	30/1664 (1.8%)
9	AI	1.54	5/1121 (0.4%)	2.02	30/1509 (2.0%)
10	AJ	1.54	9/1422 (0.6%)	1.97	38/1908 (2.0%)
11	AK	1.50	3/989 (0.3%)	1.90	19/1326 (1.4%)
12	AL	1.58	6/1048 (0.6%)	2.12	34/1394 (2.4%)
13	AM	1.49	3/835 (0.4%)	2.05	23/1127 (2.0%)
14	AN	1.52	4/982 (0.4%)	1.95	24/1323 (1.8%)
15	AO	1.56	7/969 (0.7%)	2.02	29/1300 (2.2%)
16	AP	1.50	1/919 (0.1%)	1.82	17/1226 (1.4%)
17	AQ	1.53	3/817 (0.4%)	1.97	28/1088 (2.6%)
18	AR	1.49	0/724	1.90	16/966 (1.7%)
19	AS	1.57	5/659 (0.8%)	1.97	17/884 (1.9%)
20	AT	1.52	3/681 (0.4%)	1.93	13/913 (1.4%)
21	AU	1.49	2/637 (0.3%)	2.13	17/851 (2.0%)
22	AV	1.46	2/744 (0.3%)	2.10	18/995 (1.8%)
23	AW	1.47	1/676 (0.1%)	1.92	14/895 (1.6%)
24	AX	1.61	3/598 (0.5%)	2.14	16/792 (2.0%)
25	BA	3.11	315/2869 (11.0%)	3.52	638/4474 (14.3%)
26	BB	3.08	7296/69257 (10.5%)	3.51	15472/108040 (14.3%)
27	BC	1.41	4/1748 (0.2%)	1.90	27/2355 (1.1%)
28	BD	1.59	15/2131 (0.7%)	2.01	74/2863 (2.6%)
29	BE	1.50	7/1586 (0.4%)	1.92	42/2134 (2.0%)
30	BF	1.47	2/1571 (0.1%)	2.10	41/2113 (1.9%)
31	BG	1.54	6/1444 (0.4%)	2.14	52/1937 (2.7%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
32	BH	1.49	5/1343 (0.4%)	1.94	26/1816 (1.4%)
33	BI	1.46	2/1122 (0.2%)	1.88	25/1515 (1.7%)
34	BJ	1.52	5/1247 (0.4%)	1.92	29/1679 (1.7%)
35	BK	1.50	2/1046 (0.2%)	1.73	13/1410 (0.9%)
36	BL	1.52	7/1152 (0.6%)	2.06	33/1551 (2.1%)
37	BM	1.43	3/956 (0.3%)	1.98	28/1279 (2.2%)
38	BN	1.60	7/1062 (0.7%)	1.94	30/1413 (2.1%)
39	BO	1.54	7/1093 (0.6%)	2.13	38/1460 (2.6%)
40	BP	1.50	3/1021 (0.3%)	2.07	33/1364 (2.4%)
41	BQ	1.52	4/910 (0.4%)	1.97	21/1219 (1.7%)
42	BR	1.55	5/929 (0.5%)	2.02	27/1242 (2.2%)
43	BS	1.52	4/960 (0.4%)	2.00	27/1278 (2.1%)
44	BT	1.50	4/829 (0.5%)	1.93	22/1107 (2.0%)
45	BU	1.44	2/864 (0.2%)	1.98	24/1156 (2.1%)
46	BV	1.49	0/794	1.92	23/1060 (2.2%)
47	BW	1.45	2/797 (0.3%)	1.79	10/1062 (0.9%)
48	BX	1.47	5/766 (0.7%)	1.99	18/1025 (1.8%)
49	BY	1.47	1/642 (0.2%)	2.11	19/848 (2.2%)
50	BZ	1.47	2/635 (0.3%)	2.07	22/848 (2.6%)
51	B0	1.50	1/510 (0.2%)	2.11	15/677 (2.2%)
52	B1	1.54	6/453 (1.3%)	1.89	7/605 (1.2%)
53	B2	1.45	1/559 (0.2%)	2.22	15/745 (2.0%)
54	B3	1.51	3/450 (0.7%)	1.94	7/599 (1.2%)
55	B4	1.48	2/448 (0.4%)	2.10	7/594 (1.2%)
56	B5	1.48	0/380	2.06	15/498 (3.0%)
57	B6	1.56	7/513 (1.4%)	1.97	12/676 (1.8%)
58	B7	1.49	1/303 (0.3%)	1.91	6/397 (1.5%)
All	All	2.69	12174/164069 (7.4%)	3.17	26808/244735 (11.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	AA	0	907
2	AB	0	36
3	AC	0	31
4	AD	0	44
5	AE	0	5
6	AF	0	2
7	AG	0	7

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
8	AH	0	6
9	AI	0	5
10	AJ	0	5
11	AK	0	2
12	AL	0	6
13	AM	0	1
14	AN	0	1
15	AO	0	7
16	AP	0	1
17	AQ	0	3
18	AR	0	5
19	AS	0	2
21	AU	0	5
22	AV	0	3
23	AW	0	1
24	AX	0	3
25	BA	0	66
26	BB	0	1683
27	BC	0	3
28	BD	0	10
29	BE	0	5
30	BF	0	3
31	BG	0	9
32	BH	0	4
33	BI	0	2
34	BJ	0	5
35	BK	0	1
36	BL	0	9
37	BM	0	7
38	BN	0	5
39	BO	0	2
40	BP	0	3
41	BQ	0	4
42	BR	0	2
43	BS	0	2
44	BT	0	2
45	BU	0	4
46	BV	0	2
47	BW	0	2
48	BX	0	1
49	BY	0	7
50	BZ	0	2

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
52	B1	0	1
53	B2	0	4
54	B3	0	2
55	B4	0	2
56	B5	0	1
57	B6	0	1
58	B7	0	1
All	All	0	2945

All (12174) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2297	A	N3-C4	17.57	1.45	1.34
26	BB	764	A	N3-C4	15.94	1.44	1.34
26	BB	453	A	N3-C4	15.86	1.44	1.34
1	AA	914	A	N3-C4	15.76	1.44	1.34
26	BB	1972	G	C8-N7	15.68	1.40	1.30
26	BB	142	A	N3-C4	15.26	1.44	1.34
1	AA	808	C	N1-C6	15.20	1.46	1.37
1	AA	80	A	N9-C4	15.15	1.47	1.37
1	AA	1261	A	N3-C4	15.08	1.43	1.34
26	BB	1186	G	C6-N1	14.77	1.49	1.39
26	BB	896	A	P-O5'	14.68	1.74	1.59
26	BB	2411	A	N3-C4	14.63	1.43	1.34
26	BB	111	A	P-O5'	14.58	1.74	1.59
26	BB	2619	C	N1-C6	14.58	1.45	1.37
26	BB	295	G	C8-N7	14.58	1.39	1.30
26	BB	2288	A	C6-N1	-14.44	1.25	1.35
26	BB	2721	A	N3-C4	14.43	1.43	1.34
26	BB	403	U	P-O5'	14.37	1.74	1.59
26	BB	2070	A	N3-C4	14.27	1.43	1.34
26	BB	96	C	N3-C4	14.26	1.44	1.33
1	AA	459	A	N3-C4	-14.25	1.26	1.34
1	AA	1244	G	N7-C5	-14.15	1.30	1.39
26	BB	942	G	N7-C5	-14.09	1.30	1.39
26	BB	520	G	N7-C5	14.06	1.47	1.39
26	BB	1508	A	N7-C5	14.01	1.47	1.39
1	AA	1109	C	P-O5'	13.86	1.73	1.59
26	BB	389	G	C6-N1	13.81	1.49	1.39
26	BB	2054	A	N7-C5	13.71	1.47	1.39
26	BB	2217	G	C2-N3	13.69	1.43	1.32
26	BB	1616	A	N3-C4	13.67	1.43	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	120	A	N3-C4	13.63	1.43	1.34
26	BB	1496	A	C6-N6	-13.59	1.23	1.33
26	BB	2657	A	N7-C5	-13.46	1.31	1.39
1	AA	1311	A	N3-C4	13.42	1.43	1.34
26	BB	1484	U	P-O5'	13.38	1.73	1.59
26	BB	2056	G	N7-C5	13.37	1.47	1.39
26	BB	2480	C	P-O5'	13.36	1.73	1.59
1	AA	946	A	N3-C4	13.31	1.42	1.34
1	AA	294	U	C2-N3	13.31	1.47	1.37
26	BB	1021	A	N3-C4	13.30	1.42	1.34
1	AA	1194	U	C2-N3	13.26	1.47	1.37
26	BB	2458	G	C2-N3	13.25	1.43	1.32
26	BB	1119	U	P-O5'	13.21	1.73	1.59
26	BB	1161	C	N1-C6	13.17	1.45	1.37
1	AA	122	G	C5-C4	13.17	1.47	1.38
26	BB	596	U	C2-N3	13.13	1.47	1.37
1	AA	317	U	C2-N3	13.12	1.47	1.37
26	BB	2742	G	N7-C5	13.11	1.47	1.39
1	AA	1362	A	N3-C4	13.11	1.42	1.34
26	BB	2896	C	P-O5'	13.11	1.72	1.59
26	BB	2459	A	N7-C5	-13.10	1.31	1.39
26	BB	737	C	N1-C6	13.08	1.45	1.37
1	AA	1102	A	N3-C4	13.04	1.42	1.34
1	AA	705	G	N1-C2	13.02	1.48	1.37
1	AA	10	A	N3-C4	12.98	1.42	1.34
26	BB	1581	G	N9-C4	12.95	1.48	1.38
1	AA	43	C	N1-C6	12.94	1.45	1.37
1	AA	303	A	N7-C5	-12.94	1.31	1.39
3	AC	36	U	P-O5'	12.94	1.72	1.59
26	BB	470	A	C8-N7	-12.90	1.22	1.31
1	AA	228	A	N7-C5	-12.89	1.31	1.39
3	AC	51	C	N1-C6	12.82	1.44	1.37
1	AA	1154	G	P-O5'	12.81	1.72	1.59
26	BB	2505	G	C2-N3	12.81	1.43	1.32
1	AA	341	C	N1-C6	12.80	1.44	1.37
1	AA	1293	C	N1-C6	12.79	1.44	1.37
1	AA	1160	G	C8-N7	-12.79	1.23	1.30
1	AA	191	G	C2-N3	12.76	1.43	1.32
4	AD	9	G	C2-N3	12.73	1.43	1.32
26	BB	1025	G	C6-N1	12.72	1.48	1.39
26	BB	2386	A	N3-C4	12.71	1.42	1.34
26	BB	893	C	N1-C6	12.71	1.44	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	561	U	C2-N3	12.69	1.46	1.37
1	AA	788	U	C2-N3	12.66	1.46	1.37
26	BB	355	U	C2-N3	12.66	1.46	1.37
1	AA	867	G	P-O5'	12.64	1.72	1.59
26	BB	1315	C	C5-C6	12.63	1.44	1.34
26	BB	1215	G	C2-N3	12.62	1.42	1.32
26	BB	1384	A	N9-C4	12.59	1.45	1.37
26	BB	1872	A	O3'-P	12.59	1.76	1.61
26	BB	2787	C	P-O5'	12.59	1.72	1.59
26	BB	1784	A	N3-C4	12.55	1.42	1.34
26	BB	1502	A	N7-C5	12.54	1.46	1.39
26	BB	71	A	N7-C5	12.53	1.46	1.39
1	AA	1022	A	N3-C4	12.53	1.42	1.34
1	AA	802	A	C8-N7	-12.49	1.22	1.31
26	BB	1306	C	N1-C6	12.41	1.44	1.37
26	BB	1916	A	P-O5'	12.41	1.72	1.59
26	BB	1056	G	N7-C5	-12.40	1.31	1.39
1	AA	1261	A	N7-C5	12.39	1.46	1.39
26	BB	1634	A	N7-C5	12.38	1.46	1.39
1	AA	530	G	N7-C5	-12.37	1.31	1.39
1	AA	705	G	P-O5'	12.37	1.72	1.59
26	BB	14	A	N7-C5	-12.37	1.31	1.39
26	BB	1261	C	P-O5'	12.36	1.72	1.59
25	BA	107	G	N9-C8	12.36	1.46	1.37
26	BB	960	A	N3-C4	12.34	1.42	1.34
1	AA	169	C	N1-C6	12.34	1.44	1.37
26	BB	1974	C	C2-N3	12.32	1.45	1.35
26	BB	329	G	C2-N3	12.31	1.42	1.32
26	BB	46	G	N1-C2	12.31	1.47	1.37
1	AA	775	G	C2-N3	12.29	1.42	1.32
1	AA	1055	A	N7-C5	12.29	1.46	1.39
26	BB	2816	G	N7-C5	12.26	1.46	1.39
26	BB	2237	G	C2-N3	12.25	1.42	1.32
26	BB	884	U	P-O5'	12.24	1.72	1.59
26	BB	1727	C	N1-C6	12.23	1.44	1.37
1	AA	1392	G	C6-N1	-12.21	1.31	1.39
1	AA	202	G	N7-C5	12.20	1.46	1.39
26	BB	1505	A	N3-C4	12.20	1.42	1.34
26	BB	1337	G	C6-N1	12.19	1.48	1.39
26	BB	2444	G	C8-N7	-12.19	1.23	1.30
26	BB	1825	U	P-O5'	12.19	1.72	1.59
26	BB	2014	A	N3-C4	12.19	1.42	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1452	G	C8-N7	-12.18	1.23	1.30
1	AA	1465	A	N3-C4	12.17	1.42	1.34
26	BB	1427	A	N3-C4	12.17	1.42	1.34
26	BB	1336	A	N3-C4	12.16	1.42	1.34
26	BB	1794	A	N3-C4	12.15	1.42	1.34
26	BB	1163	G	N7-C5	-12.13	1.31	1.39
26	BB	303	G	C8-N7	12.12	1.38	1.30
26	BB	154	U	P-O5'	12.11	1.71	1.59
1	AA	223	A	N3-C4	12.10	1.42	1.34
1	AA	1017	U	O3'-P	12.09	1.75	1.61
1	AA	1161	C	C2-N3	12.06	1.45	1.35
25	BA	15	A	N3-C4	12.06	1.42	1.34
26	BB	2852	G	N3-C4	12.06	1.43	1.35
26	BB	1440	U	N1-C2	12.05	1.49	1.38
26	BB	52	A	N3-C4	12.05	1.42	1.34
26	BB	2210	U	P-O5'	12.04	1.71	1.59
1	AA	327	A	N9-C4	-12.02	1.30	1.37
1	AA	88	U	C2-N3	12.01	1.46	1.37
1	AA	1232	U	C2-N3	12.00	1.46	1.37
26	BB	2077	A	N3-C4	11.97	1.42	1.34
26	BB	2470	G	P-O5'	11.95	1.71	1.59
26	BB	600	G	O3'-P	11.95	1.75	1.61
26	BB	189	G	N7-C5	-11.94	1.32	1.39
26	BB	94	A	N7-C5	-11.94	1.32	1.39
1	AA	443	C	N1-C6	11.93	1.44	1.37
26	BB	532	A	N9-C4	11.91	1.45	1.37
1	AA	891	U	P-O5'	11.91	1.71	1.59
26	BB	1041	G	N3-C4	11.91	1.43	1.35
26	BB	281	C	N1-C6	11.88	1.44	1.37
1	AA	685	G	N7-C5	-11.83	1.32	1.39
26	BB	1532	A	N7-C5	-11.83	1.32	1.39
26	BB	282	A	N3-C4	11.81	1.42	1.34
26	BB	1928	A	N3-C4	11.80	1.42	1.34
26	BB	2515	C	P-O5'	11.79	1.71	1.59
26	BB	904	G	N3-C4	11.78	1.43	1.35
26	BB	528	A	C3'-C2'	11.78	1.66	1.52
26	BB	1830	C	P-O5'	11.78	1.71	1.59
3	AC	58	C	N3-C4	11.77	1.42	1.33
26	BB	940	G	N7-C5	-11.74	1.32	1.39
26	BB	528	A	P-O5'	11.74	1.71	1.59
26	BB	2579	C	N1-C6	11.72	1.44	1.37
26	BB	2463	C	N3-C4	11.70	1.42	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2241	A	N3-C4	11.69	1.41	1.34
1	AA	898	G	C6-N1	11.68	1.47	1.39
26	BB	905	A	N3-C4	11.67	1.41	1.34
1	AA	1507	A	P-O5'	11.67	1.71	1.59
1	AA	257	G	N7-C5	-11.66	1.32	1.39
1	AA	526	C	C4-C5	11.64	1.52	1.43
26	BB	1664	A	N9-C4	-11.64	1.30	1.37
26	BB	1482	G	P-O5'	11.63	1.71	1.59
1	AA	225	C	C5-C6	11.62	1.43	1.34
26	BB	1739	A	N3-C4	11.60	1.41	1.34
26	BB	1358	G	P-O5'	11.60	1.71	1.59
26	BB	896	A	N3-C4	11.59	1.41	1.34
25	BA	34	A	N7-C5	11.58	1.46	1.39
26	BB	2215	C	N3-C4	11.58	1.42	1.33
1	AA	426	U	P-O5'	11.57	1.71	1.59
26	BB	1907	G	N3-C4	11.57	1.43	1.35
26	BB	2563	U	P-O5'	11.57	1.71	1.59
1	AA	6	G	C6-N1	11.55	1.47	1.39
26	BB	91	A	N9-C4	11.55	1.44	1.37
1	AA	790	A	N3-C4	11.54	1.41	1.34
1	AA	1348	U	P-O5'	11.53	1.71	1.59
1	AA	395	C	C2-N3	11.53	1.45	1.35
1	AA	1047	G	C6-N1	11.52	1.47	1.39
1	AA	364	A	N3-C4	11.51	1.41	1.34
26	BB	1773	A	P-O5'	11.51	1.71	1.59
1	AA	1532	U	C2-N3	11.50	1.45	1.37
1	AA	901	A	N9-C4	11.47	1.44	1.37
26	BB	343	C	P-O5'	11.46	1.71	1.59
26	BB	838	C	N3-C4	11.45	1.42	1.33
1	AA	580	C	N1-C6	11.44	1.44	1.37
26	BB	1843	C	C2-N3	11.44	1.44	1.35
26	BB	71	A	P-O5'	11.43	1.71	1.59
26	BB	1804	C	C2-N3	11.42	1.44	1.35
25	BA	78	A	N7-C5	-11.42	1.32	1.39
26	BB	1183	U	C2-N3	11.42	1.45	1.37
26	BB	1850	G	N7-C5	-11.39	1.32	1.39
1	AA	1173	U	O3'-P	11.38	1.74	1.61
1	AA	1134	G	C2-N3	11.38	1.41	1.32
26	BB	2804	U	C5'-C4'	11.37	1.65	1.51
26	BB	135	U	C2-N3	11.36	1.45	1.37
1	AA	854	U	C2-N3	11.36	1.45	1.37
26	BB	931	U	C2-N3	11.36	1.45	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	AD	48	U	P-O5'	11.35	1.71	1.59
26	BB	2088	A	N3-C4	11.33	1.41	1.34
26	BB	1674	G	P-O5'	11.33	1.71	1.59
26	BB	2593	U	C2-N3	11.31	1.45	1.37
26	BB	2843	G	N3-C4	11.29	1.43	1.35
1	AA	596	A	N9-C8	11.28	1.46	1.37
26	BB	1981	A	P-O5'	11.28	1.71	1.59
1	AA	1285	A	N3-C4	11.27	1.41	1.34
26	BB	309	A	C8-N7	-11.27	1.23	1.31
25	BA	107	G	P-O5'	11.25	1.71	1.59
26	BB	2896	C	C5'-C4'	11.25	1.64	1.51
26	BB	972	A	P-O5'	11.25	1.71	1.59
26	BB	1869	G	C2-N3	11.24	1.41	1.32
26	BB	2101	A	N9-C4	11.24	1.44	1.37
26	BB	2856	A	C5-C4	-11.24	1.30	1.38
1	AA	593	U	P-O5'	11.24	1.71	1.59
1	AA	606	G	C8-N7	11.23	1.37	1.30
1	AA	833	G	N7-C5	-11.23	1.32	1.39
26	BB	822	G	N3-C4	11.22	1.43	1.35
26	BB	590	A	N3-C4	11.21	1.41	1.34
26	BB	1979	U	N1-C6	-11.21	1.27	1.38
26	BB	821	A	P-O5'	11.20	1.71	1.59
1	AA	293	G	N1-C2	11.19	1.46	1.37
1	AA	1208	C	N1-C6	11.18	1.43	1.37
26	BB	1666	G	C2-N3	11.18	1.41	1.32
26	BB	644	A	N3-C4	11.18	1.41	1.34
1	AA	1006	G	N9-C8	-11.16	1.30	1.37
1	AA	540	G	N7-C5	-11.15	1.32	1.39
1	AA	1487	G	N1-C2	11.15	1.46	1.37
26	BB	1878	G	N9-C8	-11.14	1.30	1.37
1	AA	639	G	P-O5'	11.12	1.70	1.59
26	BB	1689	A	N3-C4	11.11	1.41	1.34
26	BB	2321	U	C5-C6	11.11	1.44	1.34
26	BB	1073	A	N7-C5	-11.10	1.32	1.39
1	AA	193	C	N1-C6	11.09	1.43	1.37
26	BB	1988	G	N9-C8	11.09	1.45	1.37
26	BB	119	A	N9-C4	-11.08	1.31	1.37
26	BB	1664	A	N3-C4	11.07	1.41	1.34
1	AA	1203	C	C5-C6	11.07	1.43	1.34
1	AA	198	G	P-O5'	11.07	1.70	1.59
26	BB	1811	G	P-O5'	11.06	1.70	1.59
26	BB	2206	C	N3-C4	11.06	1.41	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	80	A	N7-C5	-11.06	1.32	1.39
25	BA	109	A	P-O5'	11.05	1.70	1.59
26	BB	252	G	N7-C5	11.05	1.45	1.39
1	AA	546	A	C6-N1	-11.03	1.27	1.35
26	BB	2571	U	C4-C5	11.03	1.53	1.43
26	BB	996	A	N3-C4	11.02	1.41	1.34
1	AA	1531	A	N3-C4	11.02	1.41	1.34
25	BA	53	A	N9-C4	11.02	1.44	1.37
1	AA	545	C	N1-C6	11.00	1.43	1.37
26	BB	740	C	N3-C4	11.00	1.41	1.33
26	BB	778	G	C6-N1	11.00	1.47	1.39
1	AA	397	A	P-O5'	10.98	1.70	1.59
1	AA	371	A	C6-N1	-10.98	1.27	1.35
26	BB	509	C	N3-C4	10.98	1.41	1.33
26	BB	687	C	C4-C5	10.97	1.51	1.43
1	AA	932	C	N1-C6	10.97	1.43	1.37
26	BB	147	C	N3-C4	10.97	1.41	1.33
1	AA	1110	A	N7-C5	-10.96	1.32	1.39
26	BB	1213	A	N9-C4	10.96	1.44	1.37
1	AA	507	C	N1-C6	10.96	1.43	1.37
26	BB	1111	A	N7-C5	-10.96	1.32	1.39
26	BB	490	C	N1-C6	10.95	1.43	1.37
1	AA	474	G	N7-C5	-10.94	1.32	1.39
1	AA	421	U	N1-C2	10.94	1.48	1.38
25	BA	37	C	N1-C6	10.92	1.43	1.37
26	BB	579	G	C2-N3	10.91	1.41	1.32
26	BB	2571	U	C2-N3	10.91	1.45	1.37
26	BB	1705	A	N3-C4	10.91	1.41	1.34
1	AA	1179	A	N9-C4	-10.90	1.31	1.37
1	AA	566	G	N9-C4	-10.90	1.29	1.38
1	AA	591	U	C4-C5	10.89	1.53	1.43
3	AC	59	A	P-O5'	10.88	1.70	1.59
26	BB	1263	U	C4-O4	-10.88	1.15	1.23
26	BB	2664	G	N7-C5	-10.87	1.32	1.39
26	BB	1972	G	N7-C5	-10.86	1.32	1.39
26	BB	2558	C	N1-C6	10.85	1.43	1.37
26	BB	2819	G	N9-C8	-10.85	1.30	1.37
1	AA	211	G	N3-C4	10.84	1.43	1.35
1	AA	267	C	N1-C6	10.84	1.43	1.37
26	BB	2296	U	O3'-P	-10.83	1.48	1.61
1	AA	1177	G	C2-N3	10.82	1.41	1.32
1	AA	566	G	N7-C5	-10.82	1.32	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	120	A	N7-C5	-10.82	1.32	1.39
1	AA	1322	C	C2-N3	10.81	1.44	1.35
26	BB	728	G	C2-N3	10.81	1.41	1.32
26	BB	2005	A	N7-C5	-10.80	1.32	1.39
26	BB	2176	A	C6-N1	-10.80	1.27	1.35
26	BB	703	U	C2-N3	10.80	1.45	1.37
1	AA	563	A	N9-C4	10.78	1.44	1.37
1	AA	894	G	N7-C5	-10.77	1.32	1.39
26	BB	627	A	N3-C4	10.76	1.41	1.34
26	BB	2450	A	N9-C4	10.76	1.44	1.37
26	BB	2672	U	C2-N3	10.76	1.45	1.37
1	AA	246	A	C6-N1	10.76	1.43	1.35
4	AD	13	C	N1-C6	10.75	1.43	1.37
26	BB	2799	A	N7-C5	10.75	1.45	1.39
26	BB	1977	A	C5-C4	-10.75	1.31	1.38
26	BB	2798	U	C2-N3	10.74	1.45	1.37
26	BB	1505	A	N7-C5	10.72	1.45	1.39
1	AA	572	A	N3-C4	10.72	1.41	1.34
26	BB	2538	C	N1-C6	10.72	1.43	1.37
26	BB	1147	A	P-O5'	10.72	1.70	1.59
26	BB	715	A	N7-C5	-10.71	1.32	1.39
26	BB	2614	A	N3-C4	10.71	1.41	1.34
1	AA	80	A	N3-C4	10.70	1.41	1.34
26	BB	279	A	C8-N7	-10.69	1.24	1.31
26	BB	2189	U	P-O5'	10.68	1.70	1.59
26	BB	2513	A	P-O5'	10.67	1.70	1.59
26	BB	2156	G	C8-N7	-10.67	1.24	1.30
26	BB	1587	G	C8-N7	10.67	1.37	1.30
1	AA	588	G	C6-N1	-10.65	1.32	1.39
26	BB	1686	C	N3-C4	-10.65	1.26	1.33
1	AA	622	A	P-O5'	10.64	1.70	1.59
1	AA	255	G	C6-N1	10.64	1.47	1.39
1	AA	844	G	P-O5'	10.63	1.70	1.59
1	AA	1330	U	O3'-P	10.63	1.74	1.61
1	AA	192	A	N3-C4	10.63	1.41	1.34
26	BB	1177	G	N7-C5	-10.63	1.32	1.39
26	BB	2046	G	N3-C4	10.63	1.42	1.35
26	BB	2619	C	C2-N3	10.63	1.44	1.35
1	AA	89	U	C2-N3	10.62	1.45	1.37
26	BB	716	A	N7-C5	10.62	1.45	1.39
25	BA	29	A	N7-C5	-10.61	1.32	1.39
1	AA	3	A	N3-C4	10.61	1.41	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2141	G	N7-C5	10.61	1.45	1.39
1	AA	384	G	P-O5'	10.60	1.70	1.59
26	BB	2903	U	C4'-O4'	-10.60	1.31	1.45
1	AA	381	C	N1-C6	10.60	1.43	1.37
4	AD	48	U	C2-N3	10.60	1.45	1.37
26	BB	865	C	C2'-C1'	-10.59	1.41	1.53
26	BB	993	G	C6-N1	10.59	1.47	1.39
1	AA	783	C	C2-N3	10.58	1.44	1.35
26	BB	290	U	C2-N3	10.58	1.45	1.37
26	BB	2304	G	C8-N7	-10.57	1.24	1.30
26	BB	1327	A	N3-C4	10.56	1.41	1.34
26	BB	1291	C	N1-C6	10.54	1.43	1.37
26	BB	1737	G	C6-N1	10.54	1.47	1.39
1	AA	612	C	C2-N3	10.54	1.44	1.35
1	AA	282	A	P-O5'	10.53	1.70	1.59
26	BB	1949	G	C6-N1	10.53	1.47	1.39
1	AA	414	A	N3-C4	10.52	1.41	1.34
26	BB	1535	A	N3-C4	10.52	1.41	1.34
26	BB	2704	C	N3-C4	10.52	1.41	1.33
26	BB	2162	G	C8-N7	10.51	1.37	1.30
1	AA	141	G	N7-C5	10.51	1.45	1.39
26	BB	2413	G	N7-C5	10.51	1.45	1.39
26	BB	823	C	C4-C5	10.49	1.51	1.43
26	BB	1782	U	C2-N3	10.47	1.45	1.37
26	BB	1999	C	P-O5'	10.46	1.70	1.59
26	BB	612	G	C8-N7	-10.45	1.24	1.30
26	BB	2716	C	C2-O2	-10.44	1.15	1.24
1	AA	819	A	P-O5'	10.43	1.70	1.59
1	AA	457	G	N7-C5	-10.43	1.32	1.39
26	BB	1634	A	C4'-O4'	-10.43	1.31	1.45
1	AA	626	G	O3'-P	10.42	1.73	1.61
26	BB	1473	G	C8-N7	-10.41	1.24	1.30
26	BB	2066	C	P-O5'	10.41	1.70	1.59
1	AA	41	G	N7-C5	10.40	1.45	1.39
26	BB	83	A	N9-C4	-10.38	1.31	1.37
26	BB	891	G	C2-N3	10.38	1.41	1.32
1	AA	1482	G	N3-C4	10.38	1.42	1.35
1	AA	1371	G	C2-N3	10.38	1.41	1.32
26	BB	2398	U	C2-N3	10.38	1.45	1.37
1	AA	909	A	N9-C4	10.38	1.44	1.37
26	BB	761	A	N3-C4	10.38	1.41	1.34
1	AA	58	C	N3-C4	10.38	1.41	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1530	G	O3'-P	10.37	1.73	1.61
26	BB	1901	A	P-O5'	10.38	1.70	1.59
26	BB	888	C	P-O5'	10.36	1.70	1.59
1	AA	16	A	P-O5'	10.36	1.70	1.59
26	BB	690	G	C8-N7	-10.36	1.24	1.30
26	BB	1828	G	N7-C5	10.35	1.45	1.39
26	BB	2092	U	C2-N3	10.35	1.45	1.37
1	AA	468	A	O3'-P	10.34	1.73	1.61
1	AA	487	A	C5-C4	-10.33	1.31	1.38
1	AA	933	G	N3-C4	10.33	1.42	1.35
1	AA	151	A	N7-C5	10.33	1.45	1.39
1	AA	493	A	N9-C4	10.33	1.44	1.37
26	BB	1112	G	N9-C4	10.33	1.46	1.38
26	BB	1428	C	N1-C6	10.33	1.43	1.37
26	BB	984	A	N3-C4	10.32	1.41	1.34
26	BB	2651	C	C4-C5	10.32	1.51	1.43
1	AA	1225	A	C8-N7	-10.31	1.24	1.31
1	AA	366	A	C6-N1	10.30	1.42	1.35
1	AA	123	U	N3-C4	10.29	1.47	1.38
1	AA	515	G	N3-C4	10.28	1.42	1.35
26	BB	1637	A	N7-C5	10.28	1.45	1.39
26	BB	2079	U	C2-N3	10.27	1.45	1.37
1	AA	96	U	P-O5'	10.27	1.70	1.59
26	BB	1653	G	N9-C8	10.27	1.45	1.37
26	BB	1698	A	C6-N1	-10.27	1.28	1.35
26	BB	2336	A	N9-C4	10.26	1.44	1.37
26	BB	1293	C	C5'-C4'	10.26	1.63	1.51
26	BB	82	U	N1-C2	10.25	1.47	1.38
1	AA	934	C	P-O5'	10.25	1.70	1.59
1	AA	1014	A	N3-C4	10.25	1.41	1.34
26	BB	1707	G	N1-C2	10.25	1.46	1.37
1	AA	414	A	N7-C5	10.24	1.45	1.39
26	BB	1792	G	N1-C2	10.24	1.46	1.37
1	AA	907	A	N3-C4	10.23	1.41	1.34
26	BB	18	U	C2-N3	10.23	1.45	1.37
1	AA	1385	G	C6-N1	10.22	1.46	1.39
26	BB	2463	C	C5-C6	10.22	1.42	1.34
26	BB	2425	A	N3-C4	10.22	1.41	1.34
26	BB	2015	A	N3-C4	10.21	1.41	1.34
26	BB	2063	C	C2'-C1'	10.21	1.64	1.53
26	BB	2569	G	C2-N3	10.21	1.41	1.32
1	AA	1105	A	N7-C5	-10.20	1.33	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	470	A	N9-C4	10.20	1.44	1.37
26	BB	8	C	C2-N3	10.20	1.44	1.35
25	BA	29	A	N9-C4	-10.20	1.31	1.37
26	BB	416	U	C4-C5	10.20	1.52	1.43
26	BB	706	A	C8-N7	-10.20	1.24	1.31
1	AA	119	A	N3-C4	10.18	1.41	1.34
1	AA	417	G	N1-C2	10.18	1.45	1.37
26	BB	2560	A	N7-C5	10.17	1.45	1.39
1	AA	1178	G	C2-N3	10.17	1.40	1.32
1	AA	553	A	N3-C4	10.16	1.41	1.34
26	BB	1468	U	C2-N3	10.16	1.44	1.37
26	BB	2438	U	C2-O2	10.16	1.31	1.22
26	BB	2463	C	O3'-P	10.16	1.73	1.61
26	BB	757	G	P-O5'	10.15	1.70	1.59
1	AA	1465	A	C8-N7	-10.15	1.24	1.31
26	BB	325	G	N1-C2	10.15	1.45	1.37
26	BB	1570	A	C4'-C3'	10.15	1.64	1.53
26	BB	2600	A	N9-C4	-10.14	1.31	1.37
3	AC	32	U	N3-C4	10.14	1.47	1.38
26	BB	2040	G	N3-C4	-10.14	1.28	1.35
1	AA	1429	A	C8-N7	-10.14	1.24	1.31
26	BB	421	C	N3-C4	10.13	1.41	1.33
26	BB	237	C	O3'-P	10.13	1.73	1.61
26	BB	2766	A	N9-C4	-10.13	1.31	1.37
26	BB	93	G	N3-C4	10.13	1.42	1.35
26	BB	2758	A	N3-C4	10.12	1.41	1.34
1	AA	732	C	N3-C4	10.12	1.41	1.33
26	BB	612	G	N3-C4	10.11	1.42	1.35
26	BB	908	C	C4-N4	10.10	1.43	1.33
26	BB	2074	U	C2-N3	10.10	1.44	1.37
26	BB	2779	U	P-O5'	10.10	1.69	1.59
26	BB	1202	G	N9-C8	10.10	1.45	1.37
26	BB	2226	C	N3-C4	10.10	1.41	1.33
1	AA	1044	A	N7-C5	10.10	1.45	1.39
1	AA	818	G	N3-C4	10.08	1.42	1.35
26	BB	794	A	P-O5'	10.08	1.69	1.59
26	BB	1714	U	P-O5'	10.08	1.69	1.59
1	AA	299	G	N3-C4	10.08	1.42	1.35
1	AA	691	G	N7-C5	10.07	1.45	1.39
26	BB	1111	A	N3-C4	10.07	1.40	1.34
25	BA	116	G	N7-C5	-10.06	1.33	1.39
25	BA	58	A	N7-C5	-10.06	1.33	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1006	C	C2-N3	10.06	1.43	1.35
26	BB	1690	A	N3-C4	10.05	1.40	1.34
26	BB	1136	G	N3-C4	10.04	1.42	1.35
26	BB	866	A	N9-C4	10.04	1.43	1.37
26	BB	1987	A	N3-C4	10.04	1.40	1.34
26	BB	2885	G	N9-C8	-10.04	1.30	1.37
1	AA	394	G	N1-C2	10.04	1.45	1.37
26	BB	98	G	N9-C4	10.04	1.46	1.38
1	AA	1039	G	C6-N1	10.03	1.46	1.39
26	BB	564	C	N1-C6	10.03	1.43	1.37
26	BB	2802	G	N7-C5	10.03	1.45	1.39
1	AA	15	G	C5-C4	10.03	1.45	1.38
26	BB	819	A	N3-C4	10.02	1.40	1.34
26	BB	375	G	N7-C5	-10.01	1.33	1.39
1	AA	1090	U	P-O5'	10.01	1.69	1.59
26	BB	2309	A	N3-C4	10.00	1.40	1.34
1	AA	444	G	C5'-C4'	10.00	1.63	1.51
26	BB	2875	C	N1-C6	10.00	1.43	1.37
26	BB	1275	A	N7-C5	9.99	1.45	1.39
26	BB	1799	G	C4'-C3'	9.99	1.64	1.53
26	BB	2778	A	P-O5'	9.99	1.69	1.59
1	AA	285	C	N1-C6	9.99	1.43	1.37
1	AA	920	U	P-O5'	9.98	1.69	1.59
26	BB	1539	U	N3-C4	9.98	1.47	1.38
26	BB	494	G	C8-N7	-9.98	1.25	1.30
26	BB	552	U	P-O5'	9.98	1.69	1.59
26	BB	1199	U	P-O5'	9.98	1.69	1.59
26	BB	594	U	C5-C6	9.98	1.43	1.34
26	BB	696	G	C2-N3	9.97	1.40	1.32
4	AD	47	A	C6-N1	-9.97	1.28	1.35
1	AA	1458	G	P-O5'	-9.96	1.49	1.59
26	BB	2429	G	C6-N1	-9.96	1.32	1.39
26	BB	720	U	P-O5'	9.95	1.69	1.59
1	AA	1155	A	N9-C4	-9.95	1.31	1.37
26	BB	1077	A	N9-C8	-9.95	1.29	1.37
1	AA	1002	G	C5-C6	9.95	1.52	1.42
1	AA	1257	A	N3-C4	9.94	1.40	1.34
26	BB	1244	A	N3-C4	9.93	1.40	1.34
1	AA	579	A	N7-C5	-9.93	1.33	1.39
26	BB	1644	C	N1-C6	9.93	1.43	1.37
1	AA	197	A	N3-C4	9.92	1.40	1.34
1	AA	1022	A	C8-N7	-9.92	1.24	1.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2673	G	N7-C5	-9.92	1.33	1.39
1	AA	334	C	P-O5'	9.92	1.69	1.59
1	AA	740	U	C2-O2	9.91	1.31	1.22
26	BB	482	A	C5-C4	-9.90	1.31	1.38
26	BB	2540	C	C2-N3	9.90	1.43	1.35
26	BB	150	U	C2-N3	9.90	1.44	1.37
1	AA	716	A	C6-N1	9.89	1.42	1.35
26	BB	2087	G	P-O5'	9.89	1.69	1.59
1	AA	353	A	C5-C4	-9.89	1.31	1.38
26	BB	1916	A	C6-N6	9.89	1.41	1.33
1	AA	574	A	N7-C5	9.88	1.45	1.39
26	BB	1384	A	N3-C4	9.88	1.40	1.34
26	BB	2154	A	N3-C4	9.88	1.40	1.34
2	AB	47	U	C4'-O4'	-9.88	1.32	1.45
26	BB	1215	G	P-O5'	9.87	1.69	1.59
1	AA	1084	G	N3-C4	9.87	1.42	1.35
26	BB	1299	G	N7-C5	-9.87	1.33	1.39
26	BB	1252	G	N3-C4	9.86	1.42	1.35
26	BB	1976	U	P-O5'	9.86	1.69	1.59
26	BB	1536	C	P-O5'	9.85	1.69	1.59
26	BB	1235	G	C2-N3	9.85	1.40	1.32
26	BB	773	U	C5'-C4'	9.85	1.63	1.51
26	BB	954	G	P-O5'	9.84	1.69	1.59
26	BB	1531	C	P-O5'	9.83	1.69	1.59
26	BB	1669	A	N3-C4	9.83	1.40	1.34
1	AA	250	A	N3-C4	9.83	1.40	1.34
1	AA	635	A	N3-C4	9.83	1.40	1.34
25	BA	86	G	N9-C8	-9.83	1.30	1.37
26	BB	2376	A	N3-C4	9.83	1.40	1.34
26	BB	1263	U	C2-N3	9.83	1.44	1.37
1	AA	163	C	C2-N3	9.83	1.43	1.35
3	AC	18	A	N9-C4	9.82	1.43	1.37
26	BB	1517	G	C8-N7	9.82	1.36	1.30
26	BB	2777	G	N3-C4	9.82	1.42	1.35
26	BB	1135	C	N1-C6	9.81	1.43	1.37
1	AA	382	A	N7-C5	-9.81	1.33	1.39
1	AA	1237	C	P-O5'	9.81	1.69	1.59
1	AA	194	C	N1-C6	-9.81	1.31	1.37
26	BB	1563	U	C2-N3	9.80	1.44	1.37
1	AA	242	G	N1-C2	9.79	1.45	1.37
1	AA	509	A	N3-C4	9.79	1.40	1.34
26	BB	744	U	P-O5'	-9.79	1.50	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	302	G	C8-N7	9.79	1.36	1.30
26	BB	1168	G	N7-C5	-9.78	1.33	1.39
1	AA	98	A	N9-C8	-9.77	1.29	1.37
26	BB	89	A	C5'-C4'	9.77	1.63	1.51
26	BB	2699	C	N3-C4	9.77	1.40	1.33
26	BB	708	G	C8-N7	-9.76	1.25	1.30
26	BB	790	U	N3-C4	9.76	1.47	1.38
26	BB	2812	G	N3-C4	9.76	1.42	1.35
26	BB	1001	A	O3'-P	9.76	1.72	1.61
1	AA	196	A	C5-C4	-9.75	1.31	1.38
26	BB	2704	C	N1-C6	9.75	1.43	1.37
1	AA	27	G	C6-N1	9.75	1.46	1.39
1	AA	1511	G	C5'-C4'	9.74	1.63	1.51
26	BB	1373	A	P-O5'	9.74	1.69	1.59
25	BA	78	A	N3-C4	9.74	1.40	1.34
1	AA	1019	A	N3-C4	9.74	1.40	1.34
26	BB	1040	A	N3-C4	9.74	1.40	1.34
1	AA	424	G	C8-N7	-9.73	1.25	1.30
26	BB	682	G	C8-N7	-9.73	1.25	1.30
26	BB	2058	A	O4'-C1'	9.73	1.54	1.41
1	AA	577	G	C2-N3	9.72	1.40	1.32
26	BB	549	G	C4'-C3'	9.72	1.63	1.53
26	BB	76	C	P-O5'	9.72	1.69	1.59
1	AA	1281	C	C2-N3	9.72	1.43	1.35
1	AA	1488	G	N7-C5	-9.71	1.33	1.39
26	BB	2029	G	P-O5'	9.71	1.69	1.59
26	BB	2134	A	N7-C5	-9.71	1.33	1.39
26	BB	1567	G	P-O5'	9.71	1.69	1.59
1	AA	963	G	P-O5'	9.71	1.69	1.59
26	BB	1691	C	N3-C4	9.71	1.40	1.33
26	BB	2373	G	N1-C2	9.71	1.45	1.37
26	BB	33	C	P-O5'	9.70	1.69	1.59
26	BB	1283	G	N3-C4	9.68	1.42	1.35
26	BB	1557	C	N3-C4	9.68	1.40	1.33
26	BB	17	G	P-O5'	9.68	1.69	1.59
26	BB	1237	A	N9-C8	9.68	1.45	1.37
26	BB	1908	C	N1-C6	9.68	1.43	1.37
26	BB	1503	A	C5-C4	-9.68	1.31	1.38
26	BB	1789	A	N3-C4	9.67	1.40	1.34
26	BB	2168	G	C2-N3	9.67	1.40	1.32
1	AA	321	A	P-O5'	9.66	1.69	1.59
26	BB	346	A	C6-N6	-9.66	1.26	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	550	C	C3'-C2'	9.66	1.63	1.52
26	BB	1738	G	N1-C2	9.66	1.45	1.37
26	BB	1119	U	C2-N3	9.65	1.44	1.37
1	AA	661	G	C6-N1	9.65	1.46	1.39
1	AA	151	A	P-O5'	9.65	1.69	1.59
1	AA	1075	U	C2-N3	-9.65	1.30	1.37
2	AB	14	A	N7-C5	-9.65	1.33	1.39
26	BB	1903	G	P-O5'	9.65	1.69	1.59
26	BB	2152	G	C2-N3	9.64	1.40	1.32
1	AA	1006	G	N7-C5	-9.64	1.33	1.39
26	BB	558	U	O3'-P	9.64	1.72	1.61
26	BB	1759	A	N7-C5	9.64	1.45	1.39
26	BB	2870	C	P-O5'	9.64	1.69	1.59
26	BB	1664	A	N9-C8	9.63	1.45	1.37
26	BB	1048	A	C5'-C4'	9.63	1.62	1.51
1	AA	1009	U	C5-C6	9.62	1.42	1.34
26	BB	1396	U	O3'-P	9.62	1.72	1.61
26	BB	172	A	N3-C4	9.62	1.40	1.34
25	BA	45	A	C6-N6	-9.61	1.26	1.33
1	AA	1239	A	N3-C4	9.61	1.40	1.34
25	BA	107	G	C4'-C3'	9.61	1.63	1.53
26	BB	1492	G	N1-C2	9.61	1.45	1.37
26	BB	2176	A	N7-C5	9.61	1.45	1.39
1	AA	583	A	N9-C4	-9.60	1.32	1.37
1	AA	712	A	N3-C4	9.60	1.40	1.34
26	BB	1947	C	O3'-P	9.60	1.72	1.61
26	BB	1672	A	N3-C4	9.60	1.40	1.34
1	AA	1189	U	C2-N3	9.59	1.44	1.37
1	AA	1442	G	N9-C8	-9.59	1.31	1.37
1	AA	601	G	P-O5'	9.59	1.69	1.59
26	BB	1205	A	N9-C4	9.59	1.43	1.37
26	BB	84	A	N3-C4	9.58	1.40	1.34
26	BB	1305	C	O4'-C1'	9.58	1.54	1.41
1	AA	104	G	P-O5'	9.58	1.69	1.59
1	AA	299	G	C5'-C4'	9.58	1.62	1.51
26	BB	2176	A	N9-C4	9.57	1.43	1.37
1	AA	1447	A	N3-C4	9.57	1.40	1.34
26	BB	292	U	C4-C5	9.57	1.52	1.43
1	AA	421	U	C2-N3	9.57	1.44	1.37
26	BB	1946	U	C2-N3	9.56	1.44	1.37
26	BB	1215	G	C6-N1	9.56	1.46	1.39
26	BB	2496	C	N1-C6	9.56	1.42	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	786	C	C2-N3	9.56	1.43	1.35
26	BB	2502	G	C6-N1	9.56	1.46	1.39
1	AA	1509	C	C2'-C1'	9.55	1.63	1.53
26	BB	1235	G	C6-N1	9.55	1.46	1.39
26	BB	194	G	C5-C4	-9.54	1.31	1.38
26	BB	1098	A	C5'-C4'	9.54	1.62	1.51
26	BB	2304	G	N7-C5	9.54	1.45	1.39
1	AA	756	C	N1-C6	9.54	1.42	1.37
26	BB	207	A	N7-C5	9.53	1.45	1.39
26	BB	1014	A	N9-C4	9.53	1.43	1.37
26	BB	2613	U	C2-N3	9.52	1.44	1.37
1	AA	1000	A	C5-C4	-9.52	1.32	1.38
25	BA	8	C	N3-C4	9.52	1.40	1.33
26	BB	1511	G	C8-N7	-9.52	1.25	1.30
2	AB	30	G	C5-C4	-9.52	1.31	1.38
26	BB	171	U	P-O5'	9.52	1.69	1.59
2	AB	63	C	N1-C6	9.51	1.42	1.37
26	BB	165	A	C5-C4	9.51	1.45	1.38
26	BB	1454	C	P-O5'	9.51	1.69	1.59
26	BB	2326	C	N3-C4	9.51	1.40	1.33
26	BB	343	C	N1-C6	9.51	1.42	1.37
26	BB	1214	A	C8-N7	9.51	1.38	1.31
26	BB	2493	U	C2-N3	9.51	1.44	1.37
1	AA	1408	A	N7-C5	9.50	1.45	1.39
1	AA	478	A	N7-C5	-9.50	1.33	1.39
26	BB	655	A	C6-N1	-9.50	1.28	1.35
26	BB	789	A	N3-C4	9.50	1.40	1.34
26	BB	2252	G	N3-C4	9.50	1.42	1.35
26	BB	2336	A	N3-C4	9.49	1.40	1.34
1	AA	924	C	P-O5'	-9.49	1.50	1.59
1	AA	1192	C	O3'-P	9.49	1.72	1.61
1	AA	38	G	N3-C4	9.49	1.42	1.35
26	BB	31	C	N3-C4	9.49	1.40	1.33
26	BB	2042	A	N3-C4	9.49	1.40	1.34
26	BB	2681	C	P-O5'	9.49	1.69	1.59
1	AA	726	C	N1-C6	9.48	1.42	1.37
1	AA	1306	A	N3-C4	9.48	1.40	1.34
26	BB	1650	A	N9-C4	9.48	1.43	1.37
26	BB	2884	U	N1-C2	9.48	1.47	1.38
26	BB	1038	G	C8-N7	9.47	1.36	1.30
26	BB	1020	A	N3-C4	9.47	1.40	1.34
26	BB	1546	G	C5-C4	-9.46	1.31	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1833	C	N3-C4	9.46	1.40	1.33
1	AA	1498	UR3	O3'-P	9.46	1.72	1.61
1	AA	371	A	N9-C8	9.45	1.45	1.37
26	BB	2154	A	N7-C5	9.46	1.45	1.39
26	BB	1894	C	N1-C6	9.45	1.42	1.37
26	BB	2037	A	N7-C5	-9.45	1.33	1.39
26	BB	699	A	C5-C4	-9.44	1.32	1.38
1	AA	1007	U	N1-C2	9.44	1.47	1.38
1	AA	1453	G	N7-C5	-9.44	1.33	1.39
26	BB	432	A	P-O5'	9.44	1.69	1.59
26	BB	1561	C	N3-C4	9.44	1.40	1.33
26	BB	2469	A	N9-C4	9.43	1.43	1.37
26	BB	708	G	N1-C2	9.43	1.45	1.37
26	BB	2644	G	O3'-P	9.43	1.72	1.61
1	AA	94	G	C8-N7	-9.43	1.25	1.30
1	AA	325	A	N3-C4	9.42	1.40	1.34
1	AA	1174	G	N9-C8	-9.42	1.31	1.37
1	AA	445	G	N7-C5	9.41	1.44	1.39
26	BB	1374	G	N7-C5	-9.41	1.33	1.39
26	BB	2146	C	N1-C6	9.41	1.42	1.37
26	BB	2837	A	P-O5'	9.41	1.69	1.59
1	AA	762	U	C2-N3	9.40	1.44	1.37
1	AA	661	G	N3-C4	9.40	1.42	1.35
26	BB	263	G	C8-N7	-9.40	1.25	1.30
26	BB	1252	G	C8-N7	-9.40	1.25	1.30
26	BB	2307	G	P-O5'	9.39	1.69	1.59
1	AA	495	A	C8-N7	-9.39	1.25	1.31
26	BB	660	C	N1-C6	9.39	1.42	1.37
26	BB	1131	G	P-O5'	9.39	1.69	1.59
26	BB	316	C	N3-C4	9.39	1.40	1.33
26	BB	1329	U	C2'-C1'	9.39	1.63	1.53
26	BB	2817	U	N1-C2	9.39	1.47	1.38
26	BB	1213	A	N3-C4	9.38	1.40	1.34
1	AA	799	G	C8-N7	-9.38	1.25	1.30
1	AA	898	G	C2-N3	9.38	1.40	1.32
26	BB	1678	A	C8-N7	-9.38	1.25	1.31
26	BB	2892	G	N1-C2	9.38	1.45	1.37
26	BB	2813	A	P-O5'	9.38	1.69	1.59
26	BB	1393	A	P-O5'	9.37	1.69	1.59
26	BB	1841	U	O3'-P	9.37	1.72	1.61
25	BA	78	A	C6-N6	-9.37	1.26	1.33
1	AA	282	A	C8-N7	-9.37	1.25	1.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	721	A	C5-C6	9.37	1.49	1.41
26	BB	1336	A	P-O5'	9.37	1.69	1.59
1	AA	639	G	C6-N1	9.36	1.46	1.39
26	BB	1142	A	N3-C4	9.36	1.40	1.34
26	BB	1820	U	C4-C5	9.36	1.51	1.43
1	AA	228	A	N3-C4	9.35	1.40	1.34
1	AA	762	U	O3'-P	9.35	1.72	1.61
26	BB	592	A	N7-C5	-9.35	1.33	1.39
26	BB	1333	G	N3-C4	9.35	1.42	1.35
26	BB	557	C	C2-N3	9.35	1.43	1.35
26	BB	939	G	C6-N1	9.35	1.46	1.39
26	BB	1186	G	C8-N7	-9.35	1.25	1.30
26	BB	729	G	N3-C4	9.35	1.42	1.35
2	AB	18	G	C2'-C1'	9.34	1.63	1.53
26	BB	1350	C	P-O5'	9.34	1.69	1.59
1	AA	406	G	N7-C5	-9.34	1.33	1.39
1	AA	126	G	P-O5'	9.34	1.69	1.59
26	BB	1591	A	N3-C4	9.34	1.40	1.34
1	AA	876	C	N3-C4	9.34	1.40	1.33
26	BB	1970	A	C6-N1	9.34	1.42	1.35
26	BB	2690	U	P-O5'	9.33	1.69	1.59
26	BB	2665	A	C5-C4	-9.33	1.32	1.38
1	AA	1410	A	N7-C5	-9.33	1.33	1.39
1	AA	30	U	N1-C2	9.32	1.47	1.38
26	BB	1886	U	C2-N3	9.32	1.44	1.37
26	BB	1550	C	C5-C6	9.31	1.41	1.34
3	AC	21	U	N1-C2	9.31	1.47	1.38
26	BB	1155	A	C6-N1	-9.31	1.29	1.35
2	AB	40	C	C5'-C4'	9.31	1.62	1.51
26	BB	651	G	C5-C4	9.31	1.44	1.38
26	BB	706	A	N9-C4	9.31	1.43	1.37
26	BB	1881	C	C2-N3	9.30	1.43	1.35
26	BB	2382	G	C6-N1	9.30	1.46	1.39
1	AA	113	G	C5'-C4'	9.30	1.62	1.51
1	AA	353	A	N3-C4	9.29	1.40	1.34
2	AB	57	G	N7-C5	9.29	1.44	1.39
26	BB	1309	G	N7-C5	9.29	1.44	1.39
1	AA	477	C	P-O5'	9.29	1.69	1.59
26	BB	2518	A	N9-C4	9.29	1.43	1.37
25	BA	7	G	P-O5'	9.29	1.69	1.59
26	BB	1960	A	N3-C4	9.28	1.40	1.34
26	BB	1708	C	C5-C6	9.28	1.41	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	848	C	C2-N3	9.27	1.43	1.35
26	BB	2570	G	C2-N3	9.27	1.40	1.32
26	BB	2571	U	P-O5'	9.27	1.69	1.59
26	BB	1517	G	P-O5'	9.27	1.69	1.59
1	AA	57	G	C6-N1	9.27	1.46	1.39
26	BB	962	G	C8-N7	9.26	1.36	1.30
26	BB	1818	U	C2-N3	9.26	1.44	1.37
1	AA	194	C	C5-C6	9.26	1.41	1.34
25	BA	52	A	N9-C4	-9.26	1.32	1.37
26	BB	1130	U	P-O5'	9.25	1.69	1.59
1	AA	295	C	C5'-C4'	9.25	1.62	1.51
1	AA	703	G	C2-N3	9.25	1.40	1.32
1	AA	1186	G	P-O5'	9.25	1.69	1.59
1	AA	1225	A	N9-C4	9.25	1.43	1.37
26	BB	1134	A	P-O5'	9.25	1.69	1.59
26	BB	278	A	N7-C5	-9.24	1.33	1.39
26	BB	1227	G	O3'-P	9.24	1.72	1.61
26	BB	2275	C	O3'-P	9.24	1.72	1.61
26	BB	2360	G	C8-N7	-9.23	1.25	1.30
26	BB	2531	A	N9-C8	9.23	1.45	1.37
1	AA	1178	G	N7-C5	9.23	1.44	1.39
26	BB	2879	A	N7-C5	-9.23	1.33	1.39
26	BB	244	A	C6-N1	-9.23	1.29	1.35
26	BB	771	G	C8-N7	9.23	1.36	1.30
26	BB	698	C	P-O5'	9.22	1.69	1.59
26	BB	854	C	N1-C2	9.22	1.49	1.40
1	AA	74	A	N1-C2	-9.22	1.26	1.34
1	AA	386	C	P-O5'	9.22	1.69	1.59
1	AA	757	U	O3'-P	9.22	1.72	1.61
26	BB	316	C	O3'-P	9.21	1.72	1.61
26	BB	1759	A	N3-C4	9.21	1.40	1.34
26	BB	2226	C	N1-C6	9.21	1.42	1.37
26	BB	2893	A	C5'-C4'	9.21	1.62	1.51
1	AA	1331	G	N9-C8	9.21	1.44	1.37
1	AA	1438	G	C2-N3	9.21	1.40	1.32
26	BB	892	A	C5'-C4'	9.21	1.62	1.51
26	BB	1337	G	C2-N3	9.21	1.40	1.32
26	BB	2117	A	C5'-C4'	9.21	1.62	1.51
26	BB	926	G	C5-C4	-9.21	1.31	1.38
26	BB	2364	C	P-O5'	9.20	1.69	1.59
26	BB	2671	G	P-O5'	9.21	1.69	1.59
26	BB	757	G	N3-C4	9.20	1.41	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1065	U	C2-N3	-9.19	1.31	1.37
26	BB	163	C	N1-C6	9.20	1.42	1.37
26	BB	57	C	N1-C2	9.19	1.49	1.40
26	BB	1727	C	N3-C4	9.19	1.40	1.33
26	BB	2255	G	C2-N3	9.19	1.40	1.32
1	AA	1178	G	N1-C2	9.18	1.45	1.37
26	BB	914	G	O3'-P	9.18	1.72	1.61
1	AA	1109	C	C5'-C4'	9.18	1.62	1.51
26	BB	1981	A	N3-C4	9.18	1.40	1.34
1	AA	803	G	N3-C4	9.18	1.41	1.35
26	BB	816	C	N1-C6	9.18	1.42	1.37
26	BB	1866	A	N7-C5	9.17	1.44	1.39
1	AA	425	G	C2-N3	9.17	1.40	1.32
1	AA	480	U	C5-C6	9.17	1.42	1.34
26	BB	385	C	N1-C6	9.17	1.42	1.37
26	BB	1369	G	P-O5'	9.17	1.69	1.59
26	BB	1534	U	C2-N3	9.17	1.44	1.37
2	AB	7	G	P-O5'	9.16	1.69	1.59
1	AA	654	G	N1-C2	9.16	1.45	1.37
26	BB	383	C	C5-C6	9.16	1.41	1.34
26	BB	1381	G	C2-N3	9.16	1.40	1.32
26	BB	1229	C	C2-O2	-9.16	1.16	1.24
26	BB	1281	G	C6-N1	9.16	1.46	1.39
26	BB	2377	A	N3-C4	9.16	1.40	1.34
1	AA	523	A	P-O5'	9.16	1.69	1.59
1	AA	672	U	P-O5'	9.16	1.69	1.59
26	BB	1948	G	P-O5'	9.16	1.69	1.59
26	BB	2447	G	N1-C2	9.16	1.45	1.37
1	AA	224	U	C2-N3	9.15	1.44	1.37
26	BB	1200	C	O3'-P	9.15	1.72	1.61
26	BB	217	A	P-O5'	9.15	1.69	1.59
26	BB	2685	G	P-O5'	9.15	1.69	1.59
1	AA	22	G	C8-N7	-9.15	1.25	1.30
26	BB	857	G	C2-N3	9.15	1.40	1.32
26	BB	875	G	C2-N3	9.15	1.40	1.32
26	BB	1568	G	N7-C5	9.15	1.44	1.39
1	AA	182	A	N3-C4	9.15	1.40	1.34
26	BB	807	U	N1-C2	9.15	1.46	1.38
1	AA	271	C	N1-C6	-9.14	1.31	1.37
26	BB	936	A	C8-N7	-9.14	1.25	1.31
26	BB	432	A	N9-C4	9.14	1.43	1.37
26	BB	1594	U	P-O5'	9.14	1.68	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	632	A	N3-C4	9.14	1.40	1.34
4	AD	60	A	N7-C5	-9.14	1.33	1.39
1	AA	67	C	C4-C5	9.13	1.50	1.43
1	AA	27	G	N9-C8	-9.13	1.31	1.37
25	BA	16	G	C6-N1	9.13	1.46	1.39
26	BB	5	A	C8-N7	-9.13	1.25	1.31
26	BB	1590	A	N7-C5	9.13	1.44	1.39
1	AA	245	U	N3-C4	9.13	1.46	1.38
26	BB	1421	G	C5-C4	9.13	1.44	1.38
26	BB	1647	U	C5'-C4'	9.13	1.62	1.51
26	BB	2757	A	N9-C4	9.13	1.43	1.37
1	AA	122	G	P-O5'	9.12	1.68	1.59
1	AA	715	A	P-O5'	9.13	1.68	1.59
1	AA	1050	G	C4'-O4'	-9.12	1.33	1.45
26	BB	189	G	P-O5'	9.12	1.68	1.59
1	AA	342	C	C5-C6	9.12	1.41	1.34
1	AA	412	A	N3-C4	9.12	1.40	1.34
26	BB	483	A	N3-C4	9.12	1.40	1.34
26	BB	1310	G	O3'-P	9.12	1.72	1.61
1	AA	335	C	N1-C6	9.12	1.42	1.37
26	BB	900	A	N9-C4	9.12	1.43	1.37
26	BB	1150	C	O3'-P	9.12	1.72	1.61
26	BB	2342	C	N3-C4	9.12	1.40	1.33
26	BB	821	A	C6-N1	9.12	1.42	1.35
26	BB	1076	C	P-O5'	9.11	1.68	1.59
1	AA	1226	C	C2-N3	9.10	1.43	1.35
26	BB	2368	C	C2-N3	-9.10	1.28	1.35
26	BB	2814	A	N7-C5	9.10	1.44	1.39
1	AA	716	A	P-O5'	9.10	1.68	1.59
1	AA	989	U	C2-N3	9.10	1.44	1.37
1	AA	570	G	P-O5'	9.10	1.68	1.59
26	BB	2676	C	C2-N3	9.09	1.43	1.35
1	AA	812	G	N3-C4	9.09	1.41	1.35
1	AA	1087	G	N7-C5	9.09	1.44	1.39
26	BB	2240	U	N1-C2	9.09	1.46	1.38
26	BB	303	G	O3'-P	-9.08	1.50	1.61
26	BB	2566	A	N9-C4	9.08	1.43	1.37
1	AA	146	G	N3-C4	9.08	1.41	1.35
1	AA	296	U	N3-C4	9.08	1.46	1.38
26	BB	1408	G	N3-C4	9.08	1.41	1.35
26	BB	1830	C	C4'-O4'	-9.08	1.33	1.45
26	BB	2100	G	C8-N7	-9.08	1.25	1.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	989	G	N9-C8	9.08	1.44	1.37
3	AC	55	A	C5-C4	-9.07	1.32	1.38
26	BB	1193	G	N9-C4	9.07	1.45	1.38
26	BB	1249	U	C4-C5	9.07	1.51	1.43
1	AA	711	G	N7-C5	9.07	1.44	1.39
26	BB	560	C	N1-C6	9.07	1.42	1.37
26	BB	2825	G	C4'-O4'	-9.07	1.33	1.45
1	AA	444	G	N7-C5	9.07	1.44	1.39
26	BB	2193	G	N1-C2	9.07	1.45	1.37
26	BB	1285	A	C5-C6	9.07	1.49	1.41
26	BB	1907	G	P-O5'	9.07	1.68	1.59
26	BB	595	C	N3-C4	9.06	1.40	1.33
26	BB	599	A	C5-C4	-9.06	1.32	1.38
1	AA	361	G	C5-C4	-9.06	1.32	1.38
1	AA	150	U	C5-C6	9.06	1.42	1.34
1	AA	1206	G	C6-N1	9.06	1.45	1.39
26	BB	1655	A	C5-C4	-9.06	1.32	1.38
1	AA	1445	U	P-O5'	9.05	1.68	1.59
3	AC	33	A	N9-C4	9.05	1.43	1.37
3	AC	41	A	N3-C4	9.05	1.40	1.34
26	BB	1188	U	C4'-C3'	-9.06	1.43	1.53
1	AA	1009	U	N1-C6	9.05	1.46	1.38
1	AA	1152	A	C6-N1	-9.05	1.29	1.35
26	BB	1319	C	P-O5'	9.05	1.68	1.59
1	AA	433	G	N1-C2	9.04	1.45	1.37
26	BB	441	U	N1-C2	9.04	1.46	1.38
26	BB	1383	A	N9-C4	9.05	1.43	1.37
25	BA	101	A	C6-N1	9.04	1.41	1.35
26	BB	1848	A	P-O5'	9.04	1.68	1.59
1	AA	14	U	C4'-C3'	-9.04	1.43	1.53
1	AA	223	A	N7-C5	-9.04	1.33	1.39
1	AA	395	C	C4-C5	9.04	1.50	1.43
26	BB	2696	U	N1-C2	9.04	1.46	1.38
26	BB	209	C	N1-C2	9.03	1.49	1.40
26	BB	1900	A	O3'-P	9.03	1.72	1.61
26	BB	1997	C	C4-C5	9.03	1.50	1.43
26	BB	643	A	P-O5'	9.03	1.68	1.59
1	AA	1045	C	P-O5'	9.03	1.68	1.59
1	AA	1066	C	C2-N3	9.03	1.43	1.35
26	BB	2630	G	P-O5'	9.03	1.68	1.59
1	AA	196	A	N9-C4	-9.02	1.32	1.37
26	BB	843	G	C6-N1	9.02	1.45	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2678	C	O3'-P	9.02	1.72	1.61
26	BB	1779	U	C2-N3	9.02	1.44	1.37
26	BB	2640	G	P-O5'	9.02	1.68	1.59
1	AA	1147	C	C4'-O4'	-9.02	1.33	1.45
26	BB	887	U	C2-N3	9.02	1.44	1.37
26	BB	110	G	N3-C4	9.01	1.41	1.35
26	BB	1576	U	C2-N3	9.01	1.44	1.37
26	BB	1753	G	C6-O6	-9.01	1.16	1.24
26	BB	2381	A	N3-C4	9.01	1.40	1.34
1	AA	726	C	N3-C4	9.01	1.40	1.33
26	BB	270	A	N3-C4	9.01	1.40	1.34
1	AA	821	G	N3-C4	9.01	1.41	1.35
26	BB	1308	A	P-O5'	9.00	1.68	1.59
1	AA	241	G	P-O5'	9.00	1.68	1.59
1	AA	1171	A	N1-C2	-9.00	1.26	1.34
26	BB	1625	C	N1-C6	9.00	1.42	1.37
26	BB	518	G	N7-C5	9.00	1.44	1.39
26	BB	2859	G	N7-C5	9.00	1.44	1.39
26	BB	740	C	P-O5'	9.00	1.68	1.59
26	BB	1506	U	C4-C5	9.00	1.51	1.43
26	BB	2587	A	C3'-C2'	-9.00	1.42	1.52
1	AA	139	A	N3-C4	8.99	1.40	1.34
1	AA	274	A	P-O5'	8.99	1.68	1.59
26	BB	1679	A	C5'-C4'	8.99	1.62	1.51
1	AA	1320	C	N1-C6	8.99	1.42	1.37
26	BB	1666	G	C6-N1	8.99	1.45	1.39
26	BB	340	A	C8-N7	-8.98	1.25	1.31
26	BB	409	G	C6-N1	-8.98	1.33	1.39
4	AD	10	G	N3-C4	8.98	1.41	1.35
26	BB	1949	G	C2-N3	8.98	1.40	1.32
1	AA	1255	G	C6-N1	-8.98	1.33	1.39
26	BB	638	G	C6-N1	8.98	1.45	1.39
26	BB	2719	G	C2-N3	8.97	1.40	1.32
26	BB	412	A	N3-C4	8.97	1.40	1.34
26	BB	1784	A	N9-C4	8.97	1.43	1.37
1	AA	769	G	N9-C8	-8.97	1.31	1.37
3	AC	46	C	P-O5'	8.97	1.68	1.59
26	BB	1654	A	P-O5'	8.97	1.68	1.59
1	AA	1141	C	C4-C5	8.97	1.50	1.43
26	BB	2879	A	N9-C4	8.97	1.43	1.37
1	AA	1005	A	N9-C4	8.97	1.43	1.37
26	BB	252	G	C5-C4	-8.97	1.32	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	648	G	N3-C4	8.97	1.41	1.35
26	BB	1815	A	C6-N6	8.97	1.41	1.33
26	BB	1165	A	N9-C4	-8.96	1.32	1.37
26	BB	1820	U	N1-C2	8.96	1.46	1.38
26	BB	2661	G	N3-C4	8.96	1.41	1.35
1	AA	1147	C	P-O5'	8.96	1.68	1.59
26	BB	1918	A	N9-C4	8.96	1.43	1.37
1	AA	519	C	C2-N3	8.96	1.43	1.35
1	AA	1005	A	C8-N7	-8.96	1.25	1.31
1	AA	1492	A	C5'-C4'	8.96	1.62	1.51
26	BB	2582	G	N7-C5	-8.95	1.33	1.39
1	AA	1267	C	N1-C6	8.95	1.42	1.37
26	BB	2061	G	C5'-C4'	8.95	1.62	1.51
1	AA	714	G	N7-C5	8.95	1.44	1.39
2	AB	50	G	N9-C8	-8.94	1.31	1.37
26	BB	1341	G	C2-N3	8.94	1.40	1.32
26	BB	1395	A	N9-C4	8.94	1.43	1.37
26	BB	1944	U	P-O5'	8.93	1.68	1.59
1	AA	1111	A	C6-N6	8.93	1.41	1.33
26	BB	2443	C	C5-C6	8.93	1.41	1.34
1	AA	1421	G	C8-N7	-8.93	1.25	1.30
4	AD	10	G	P-O5'	8.93	1.68	1.59
26	BB	1004	U	P-O5'	8.93	1.68	1.59
26	BB	1103	A	N7-C5	-8.93	1.33	1.39
26	BB	1225	G	C8-N7	8.93	1.36	1.30
26	BB	1794	A	C5-C6	8.92	1.49	1.41
26	BB	2570	G	N1-C2	8.92	1.44	1.37
26	BB	2578	G	C8-N7	-8.92	1.25	1.30
1	AA	109	A	C6-N1	8.92	1.41	1.35
26	BB	1099	G	N1-C2	8.91	1.44	1.37
1	AA	1022	A	N9-C4	8.91	1.43	1.37
26	BB	554	U	C2-N3	8.91	1.44	1.37
26	BB	1094	U	P-O5'	8.91	1.68	1.59
26	BB	2666	C	C4'-C3'	8.91	1.62	1.53
26	BB	986	C	P-O5'	8.91	1.68	1.59
1	AA	535	A	N3-C4	8.90	1.40	1.34
26	BB	1574	C	C2-N3	8.90	1.42	1.35
26	BB	2546	U	P-O5'	8.90	1.68	1.59
1	AA	1216	A	N3-C4	8.90	1.40	1.34
26	BB	1735	A	C6-N1	-8.90	1.29	1.35
26	BB	1800	C	C4'-O4'	-8.90	1.33	1.45
1	AA	396	C	P-O5'	8.90	1.68	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	546	A	P-O5'	8.90	1.68	1.59
26	BB	1566	A	N3-C4	8.90	1.40	1.34
25	BA	86	G	C5'-C4'	8.89	1.62	1.51
26	BB	1042	G	N1-C2	8.89	1.44	1.37
26	BB	1529	G	P-O5'	8.89	1.68	1.59
26	BB	1853	A	O3'-P	8.89	1.71	1.61
2	AB	43	G	C2-N3	8.89	1.39	1.32
26	BB	1494	A	N3-C4	8.89	1.40	1.34
26	BB	1039	A	O3'-P	8.88	1.71	1.61
1	AA	731	G	P-O5'	8.88	1.68	1.59
26	BB	1805	A	N9-C4	8.88	1.43	1.37
26	BB	2702	G	C8-N7	-8.88	1.25	1.30
26	BB	1401	G	C4'-C3'	8.88	1.62	1.53
26	BB	1046	A	C6-N6	-8.87	1.26	1.33
1	AA	178	C	N3-C4	8.87	1.40	1.33
1	AA	57	G	C5-C4	-8.87	1.32	1.38
26	BB	235	U	N1-C6	8.86	1.46	1.38
26	BB	849	A	N3-C4	8.86	1.40	1.34
26	BB	1743	G	N3-C4	-8.86	1.29	1.35
26	BB	2635	A	N9-C4	8.86	1.43	1.37
26	BB	1163	G	C6-N1	8.86	1.45	1.39
4	AD	61	U	P-O5'	8.86	1.68	1.59
26	BB	176	A	N7-C5	-8.86	1.33	1.39
1	AA	1248	A	N9-C8	8.85	1.44	1.37
26	BB	1449	G	N7-C5	8.85	1.44	1.39
1	AA	1048	G	P-O5'	8.85	1.68	1.59
26	BB	683	U	P-O5'	8.85	1.68	1.59
1	AA	1206	G	C2-N3	8.85	1.39	1.32
26	BB	921	C	C2-N3	8.85	1.42	1.35
26	BB	1642	G	P-O5'	8.85	1.68	1.59
26	BB	1718	G	N9-C8	8.85	1.44	1.37
26	BB	2088	A	P-O5'	8.84	1.68	1.59
26	BB	2754	U	C2-N3	8.84	1.44	1.37
1	AA	616	G	N1-C2	8.84	1.44	1.37
26	BB	2764	A	P-O5'	8.84	1.68	1.59
26	BB	927	A	N9-C4	8.84	1.43	1.37
1	AA	125	U	C5'-C4'	8.84	1.61	1.51
26	BB	3	U	C2-N3	8.84	1.44	1.37
26	BB	828	U	C2-N3	8.84	1.44	1.37
26	BB	2465	C	C2-N3	8.84	1.42	1.35
1	AA	1436	U	C2-N3	8.83	1.44	1.37
26	BB	137	U	N1-C6	8.83	1.45	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	283	G	C2'-C1'	8.83	1.63	1.53
26	BB	2885	G	P-O5'	8.83	1.68	1.59
1	AA	11	G	C5'-C4'	8.83	1.61	1.51
1	AA	430	A	C6-N6	-8.83	1.26	1.33
1	AA	722	G	C6-N1	8.83	1.45	1.39
1	AA	801	U	C4'-O4'	-8.83	1.34	1.45
1	AA	1176	A	N7-C5	-8.83	1.33	1.39
26	BB	1672	A	N7-C5	-8.83	1.33	1.39
26	BB	2364	C	C5'-C4'	8.83	1.61	1.51
25	BA	82	U	P-O5'	8.83	1.68	1.59
1	AA	1508	A	N9-C4	-8.82	1.32	1.37
25	BA	41	G	C4'-C3'	8.82	1.62	1.53
4	AD	18	U	C4-C5	8.82	1.51	1.43
1	AA	1531	A	C5-C6	8.82	1.49	1.41
25	BA	119	A	C6-N6	8.82	1.41	1.33
1	AA	616	G	P-O5'	8.82	1.68	1.59
26	BB	831	G	N3-C4	8.82	1.41	1.35
26	BB	1132	U	C2-N3	8.82	1.44	1.37
26	BB	2093	G	O3'-P	8.81	1.71	1.61
26	BB	974	G	N3-C4	8.81	1.41	1.35
1	AA	968	A	N3-C4	8.81	1.40	1.34
2	AB	72	U	C2-N3	-8.81	1.31	1.37
26	BB	235	U	C2-N3	8.81	1.44	1.37
26	BB	751	A	N7-C5	8.81	1.44	1.39
26	BB	1948	G	C2-N3	8.81	1.39	1.32
26	BB	368	A	C5-C6	8.81	1.49	1.41
1	AA	1284	C	P-O5'	8.81	1.68	1.59
26	BB	2547	A	N3-C4	8.81	1.40	1.34
1	AA	376	G	N9-C8	-8.80	1.31	1.37
1	AA	701	U	C2-N3	8.81	1.44	1.37
1	AA	247	G	C8-N7	-8.80	1.25	1.30
26	BB	1934	C	P-O5'	8.80	1.68	1.59
1	AA	1186	G	C8-N7	8.80	1.36	1.30
1	AA	372	C	N3-C4	8.80	1.40	1.33
4	AD	14	A	N7-C5	8.80	1.44	1.39
26	BB	1053	C	C2-N3	8.80	1.42	1.35
26	BB	2678	C	C3'-C2'	8.80	1.62	1.52
1	AA	540	G	N3-C4	-8.79	1.29	1.35
1	AA	1348	U	C2-N3	8.79	1.44	1.37
26	BB	323	C	C5'-C4'	8.79	1.61	1.51
26	BB	1052	C	O3'-P	8.79	1.71	1.61
1	AA	608	A	P-O5'	8.79	1.68	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	356	G	C6-N1	8.79	1.45	1.39
26	BB	434	U	C3'-O3'	8.79	1.54	1.42
26	BB	2370	G	C6-N1	-8.79	1.33	1.39
26	BB	776	G	N3-C4	8.78	1.41	1.35
26	BB	1653	G	C6-N1	8.79	1.45	1.39
26	BB	1172	C	C4-N4	-8.78	1.26	1.33
26	BB	1253	A	N9-C4	-8.78	1.32	1.37
26	BB	1497	U	C5'-C4'	8.78	1.61	1.51
26	BB	2391	G	N3-C4	8.78	1.41	1.35
1	AA	1526	G	C5-C6	8.78	1.51	1.42
26	BB	1545	A	C5'-C4'	8.78	1.61	1.51
1	AA	841	C	C4-C5	8.78	1.50	1.43
26	BB	921	C	P-O5'	8.78	1.68	1.59
26	BB	928	A	C8-N7	-8.78	1.25	1.31
1	AA	957	U	C4-C5	8.77	1.51	1.43
1	AA	289	G	P-O5'	8.77	1.68	1.59
26	BB	414	C	N3-C4	8.77	1.40	1.33
1	AA	1486	G	C2-N3	8.77	1.39	1.32
1	AA	1496	C	C5-C6	8.77	1.41	1.34
26	BB	2224	G	C8-N7	8.77	1.36	1.30
26	BB	2669	G	N9-C8	-8.77	1.31	1.37
26	BB	1061	U	C2-N3	8.77	1.43	1.37
26	BB	2765	A	N7-C5	8.77	1.44	1.39
1	AA	407	U	P-O5'	8.76	1.68	1.59
4	AD	12	G	N7-C5	8.76	1.44	1.39
2	AB	41	C	C4-C5	8.76	1.50	1.43
26	BB	1993	U	N3-C4	8.76	1.46	1.38
1	AA	581	G	C6-N1	8.76	1.45	1.39
25	BA	41	G	N3-C4	8.76	1.41	1.35
26	BB	279	A	P-O5'	8.76	1.68	1.59
26	BB	2333	A	P-O5'	-8.76	1.50	1.59
26	BB	2639	A	N9-C4	8.76	1.43	1.37
26	BB	1984	G	C6-N1	8.76	1.45	1.39
26	BB	2654	A	N7-C5	8.75	1.44	1.39
26	BB	2264	C	C2-N3	8.75	1.42	1.35
26	BB	1875	G	C6-N1	8.75	1.45	1.39
26	BB	1994	C	P-O5'	8.75	1.68	1.59
1	AA	615	G	P-O5'	8.74	1.68	1.59
1	AA	1445	U	C2-N3	8.74	1.43	1.37
3	AC	57	C	O3'-P	8.74	1.71	1.61
26	BB	46	G	C4'-O4'	-8.74	1.34	1.45
26	BB	2179	C	N3-C4	8.74	1.40	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BA	65	U	C5-C6	8.74	1.42	1.34
1	AA	638	U	P-O5'	8.74	1.68	1.59
26	BB	75	G	C2-N3	8.74	1.39	1.32
1	AA	423	G	P-O5'	8.74	1.68	1.59
26	BB	309	A	C6-N6	8.74	1.41	1.33
1	AA	1067	A	C4'-O4'	-8.73	1.34	1.45
26	BB	2061	G	C6-N1	-8.73	1.33	1.39
1	AA	78	A	N3-C4	8.73	1.40	1.34
26	BB	1469	A	N3-C4	8.73	1.40	1.34
26	BB	1702	G	C2-N3	8.73	1.39	1.32
26	BB	2120	G	N1-C2	8.73	1.44	1.37
1	AA	135	C	C5-C6	8.73	1.41	1.34
26	BB	2399	G	N7-C5	-8.73	1.34	1.39
1	AA	1376	U	P-O5'	8.72	1.68	1.59
26	BB	12	U	C2-N3	8.72	1.43	1.37
1	AA	3	A	C6-N1	-8.72	1.29	1.35
1	AA	1426	G	P-O5'	8.72	1.68	1.59
26	BB	1294	U	C2-N3	8.72	1.43	1.37
26	BB	1685	C	P-O5'	8.72	1.68	1.59
1	AA	394	G	P-O5'	8.71	1.68	1.59
1	AA	363	A	C5'-C4'	8.71	1.61	1.51
26	BB	2846	G	C5'-C4'	8.71	1.61	1.51
3	AC	47	C	C2'-C1'	-8.71	1.43	1.53
26	BB	2171	A	N3-C4	8.71	1.40	1.34
1	AA	316	C	C5'-C4'	8.70	1.61	1.51
1	AA	337	G	C8-N7	8.70	1.36	1.30
1	AA	1509	C	C4-C5	8.70	1.50	1.43
26	BB	1059	G	C5-C4	-8.70	1.32	1.38
1	AA	213	G	N1-C2	8.70	1.44	1.37
1	AA	1507	A	C5-C4	-8.70	1.32	1.38
26	BB	1042	G	N3-C4	8.70	1.41	1.35
1	AA	1456	A	C3'-C2'	8.70	1.62	1.52
26	BB	611	C	P-O5'	8.70	1.68	1.59
26	BB	2033	A	N7-C5	-8.69	1.34	1.39
26	BB	622	G	N7-C5	8.69	1.44	1.39
26	BB	1996	C	N1-C6	8.69	1.42	1.37
26	BB	2379	G	C5-C4	8.69	1.44	1.38
4	AD	30	G	C2-N3	8.69	1.39	1.32
26	BB	1421	G	N7-C5	-8.69	1.34	1.39
26	BB	1969	A	P-O5'	8.69	1.68	1.59
26	BB	701	G	C6-O6	-8.69	1.16	1.24
1	AA	855	U	C5'-C4'	8.68	1.61	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1859	U	P-O5'	8.68	1.68	1.59
26	BB	2555	U	C2-N3	8.68	1.43	1.37
26	BB	686	U	N1-C2	8.68	1.46	1.38
1	AA	571	U	C2-O2	8.68	1.30	1.22
26	BB	2547	A	O3'-P	8.68	1.71	1.61
53	B2	9	TYR	CE1-CZ	8.68	1.49	1.38
26	BB	500	G	N1-C2	8.68	1.44	1.37
2	AB	68	C	N1-C6	8.68	1.42	1.37
25	BA	42	C	N1-C6	8.68	1.42	1.37
26	BB	1603	A	N3-C4	8.68	1.40	1.34
1	AA	17	U	C2-N3	8.67	1.43	1.37
26	BB	1508	A	N9-C4	8.67	1.43	1.37
26	BB	91	A	C4'-O4'	-8.67	1.34	1.45
26	BB	952	G	N9-C8	-8.67	1.31	1.37
1	AA	200	G	N1-C2	8.67	1.44	1.37
2	AB	13	C	N3-C4	8.67	1.40	1.33
26	BB	2243	U	N3-C4	8.67	1.46	1.38
1	AA	1265	C	N1-C6	8.67	1.42	1.37
26	BB	995	C	N1-C6	8.67	1.42	1.37
26	BB	2358	A	N7-C5	8.67	1.44	1.39
26	BB	752	A	O3'-P	8.67	1.71	1.61
26	BB	1647	U	O3'-P	8.66	1.71	1.61
1	AA	236	A	N9-C4	8.66	1.43	1.37
1	AA	1426	G	N3-C4	8.66	1.41	1.35
25	BA	106	G	N3-C4	8.66	1.41	1.35
26	BB	777	G	N9-C4	-8.66	1.31	1.38
26	BB	1217	U	C2-N3	8.66	1.43	1.37
26	BB	2409	G	N7-C5	-8.66	1.34	1.39
1	AA	1341	U	C2-N3	8.66	1.43	1.37
2	AB	2	G	N1-C2	8.66	1.44	1.37
1	AA	580	C	O3'-P	8.65	1.71	1.61
26	BB	2060	A	C5-C6	8.65	1.48	1.41
1	AA	1480	A	N7-C5	8.65	1.44	1.39
26	BB	1458	U	C4'-O4'	-8.65	1.34	1.45
26	BB	2153	C	C4-C5	-8.65	1.36	1.43
26	BB	666	A	C5-C4	-8.65	1.32	1.38
26	BB	979	A	N7-C5	8.65	1.44	1.39
1	AA	237	G	N9-C8	-8.64	1.31	1.37
1	AA	1093	A	N3-C4	-8.64	1.29	1.34
2	AB	19	G	C4'-O4'	-8.64	1.34	1.45
26	BB	2339	C	N1-C6	8.64	1.42	1.37
26	BB	1258	U	P-O5'	8.64	1.68	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1280	A	N3-C4	8.64	1.40	1.34
26	BB	112	U	C2-N3	8.64	1.43	1.37
1	AA	1477	U	N1-C2	8.64	1.46	1.38
26	BB	1469	A	O3'-P	8.63	1.71	1.61
26	BB	2230	G	P-O5'	8.63	1.68	1.59
26	BB	2240	U	C2-N3	8.64	1.43	1.37
26	BB	670	A	C5'-C4'	8.63	1.61	1.51
1	AA	199	A	C6-N1	-8.63	1.29	1.35
26	BB	700	G	N7-C5	-8.63	1.34	1.39
26	BB	2318	G	P-O5'	8.63	1.68	1.59
26	BB	2635	A	N3-C4	8.63	1.40	1.34
1	AA	98	A	N7-C5	-8.63	1.34	1.39
26	BB	756	A	C6-N6	8.63	1.40	1.33
26	BB	2437	G	C5'-C4'	8.63	1.61	1.51
26	BB	2639	A	C2'-C1'	8.63	1.62	1.53
26	BB	848	C	N1-C6	8.62	1.42	1.37
1	AA	643	C	C4-C5	8.62	1.49	1.43
1	AA	1251	A	P-O5'	8.62	1.68	1.59
26	BB	572	A	N3-C4	8.62	1.40	1.34
26	BB	2099	U	N1-C6	8.62	1.45	1.38
1	AA	1297	G	P-O5'	8.61	1.68	1.59
26	BB	445	C	C5-C6	8.61	1.41	1.34
26	BB	2340	A	C8-N7	-8.61	1.25	1.31
1	AA	282	A	N7-C5	-8.61	1.34	1.39
1	AA	1111	A	N3-C4	8.61	1.40	1.34
26	BB	1434	A	N9-C4	-8.61	1.32	1.37
1	AA	356	A	P-O5'	8.61	1.68	1.59
26	BB	651	G	P-O5'	8.61	1.68	1.59
26	BB	2639	A	P-O5'	8.61	1.68	1.59
26	BB	131	A	N7-C5	8.61	1.44	1.39
26	BB	125	A	N9-C4	8.60	1.43	1.37
26	BB	2117	A	N3-C4	8.60	1.40	1.34
26	BB	2588	G	N3-C4	8.60	1.41	1.35
1	AA	365	U	C5-C6	8.60	1.41	1.34
26	BB	2305	U	P-O5'	8.60	1.68	1.59
26	BB	450	G	N9-C8	-8.60	1.31	1.37
26	BB	2349	G	C6-N1	8.60	1.45	1.39
26	BB	2549	G	C5-C6	8.60	1.50	1.42
1	AA	1197	A	N3-C4	8.60	1.40	1.34
26	BB	2738	A	N3-C4	8.60	1.40	1.34
1	AA	1299	A	C5-C4	-8.59	1.32	1.38
26	BB	1182	G	P-O5'	8.59	1.68	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1187	G	P-O5'	8.59	1.68	1.59
26	BB	1246	A	C8-N7	-8.59	1.25	1.31
26	BB	2048	G	C6-N1	8.59	1.45	1.39
26	BB	906	U	C2-N3	8.58	1.43	1.37
26	BB	1430	G	N1-C2	8.58	1.44	1.37
25	BA	3	C	C2-O2	-8.58	1.16	1.24
1	AA	31	G	N7-C5	8.58	1.44	1.39
1	AA	1415	G	N3-C4	8.58	1.41	1.35
26	BB	672	C	C2-N3	8.58	1.42	1.35
26	BB	804	A	N7-C5	8.58	1.44	1.39
26	BB	2079	U	N1-C2	8.58	1.46	1.38
25	BA	21	G	N7-C5	-8.57	1.34	1.39
1	AA	429	U	P-O5'	8.57	1.68	1.59
26	BB	569	U	C5'-C4'	8.57	1.61	1.51
26	BB	1957	C	C5-C6	8.57	1.41	1.34
26	BB	2091	C	N3-C4	8.57	1.40	1.33
26	BB	2236	U	C2-O2	8.57	1.30	1.22
1	AA	1109	C	N1-C6	8.57	1.42	1.37
2	AB	13	C	C4-C5	8.57	1.49	1.43
3	AC	32	U	N1-C6	8.57	1.45	1.38
26	BB	1036	G	N7-C5	-8.57	1.34	1.39
26	BB	1456	G	C4'-O4'	-8.57	1.34	1.45
26	BB	462	C	C5-C6	8.56	1.41	1.34
26	BB	711	G	N7-C5	8.56	1.44	1.39
26	BB	2812	G	O3'-P	8.56	1.71	1.61
1	AA	302	G	C6-N1	-8.56	1.33	1.39
1	AA	325	A	P-O5'	8.56	1.68	1.59
1	AA	1169	A	C6-N6	8.56	1.40	1.33
1	AA	423	G	N1-C2	8.55	1.44	1.37
1	AA	776	G	N7-C5	-8.55	1.34	1.39
26	BB	1567	G	C6-N1	8.55	1.45	1.39
26	BB	530	G	C6-N1	-8.55	1.33	1.39
1	AA	27	G	P-O5'	8.55	1.68	1.59
1	AA	1005	A	N7-C5	-8.55	1.34	1.39
25	BA	39	A	C6-N1	-8.54	1.29	1.35
26	BB	1978	A	O4'-C1'	8.54	1.52	1.41
1	AA	614	C	N3-C4	8.54	1.40	1.33
26	BB	499	U	O3'-P	8.54	1.71	1.61
26	BB	2578	G	N7-C5	8.54	1.44	1.39
1	AA	1075	U	C4'-O4'	-8.53	1.34	1.45
2	AB	61	C	C2-N3	8.53	1.42	1.35
1	AA	983	A	P-O5'	8.53	1.68	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2724	U	P-O5'	8.53	1.68	1.59
26	BB	157	C	O3'-P	8.53	1.71	1.61
26	BB	1320	C	N3-C4	8.53	1.40	1.33
26	BB	2549	G	N9-C4	-8.53	1.31	1.38
26	BB	2835	A	O3'-P	8.53	1.71	1.61
26	BB	1617	C	C2-N3	8.52	1.42	1.35
26	BB	2618	G	C5'-C4'	8.52	1.61	1.51
26	BB	493	G	C8-N7	-8.52	1.25	1.30
1	AA	196	A	N3-C4	8.52	1.40	1.34
26	BB	489	G	P-O5'	8.52	1.68	1.59
26	BB	1529	G	N3-C4	8.52	1.41	1.35
26	BB	2786	U	C5-C6	8.52	1.41	1.34
26	BB	411	G	C2-N3	8.51	1.39	1.32
26	BB	489	G	N3-C4	8.51	1.41	1.35
1	AA	892	A	P-O5'	8.51	1.68	1.59
26	BB	1661	G	C5'-C4'	8.51	1.61	1.51
1	AA	1175	G	P-O5'	8.51	1.68	1.59
26	BB	450	G	C6-N1	8.51	1.45	1.39
26	BB	816	C	P-O5'	8.51	1.68	1.59
26	BB	2179	C	P-O5'	8.51	1.68	1.59
26	BB	2731	G	N1-C2	8.51	1.44	1.37
1	AA	1030	U	C4-C5	8.51	1.51	1.43
26	BB	1546	G	C2'-C1'	-8.51	1.44	1.53
26	BB	1781	U	C5'-C4'	8.51	1.61	1.51
26	BB	946	C	P-O5'	8.50	1.68	1.59
26	BB	2243	U	P-O5'	8.50	1.68	1.59
26	BB	126	A	N9-C4	8.50	1.43	1.37
26	BB	249	C	O3'-P	8.50	1.71	1.61
26	BB	489	G	N1-C2	8.50	1.44	1.37
26	BB	1636	U	C2-N3	8.50	1.43	1.37
1	AA	1456	A	C6-N1	-8.49	1.29	1.35
4	AD	14	A	N9-C4	8.49	1.43	1.37
26	BB	2170	A	N3-C4	8.49	1.40	1.34
1	AA	1144	G	N7-C5	8.49	1.44	1.39
26	BB	2437	G	C6-O6	-8.49	1.16	1.24
26	BB	1117	C	P-O5'	8.48	1.68	1.59
26	BB	1718	G	N1-C2	8.48	1.44	1.37
26	BB	1975	G	C5-C4	-8.48	1.32	1.38
26	BB	1214	A	P-O5'	8.48	1.68	1.59
26	BB	417	C	N3-C4	8.48	1.39	1.33
26	BB	989	G	N7-C5	8.48	1.44	1.39
26	BB	1176	U	P-O5'	8.48	1.68	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	213	A	N3-C4	8.48	1.40	1.34
26	BB	1870	C	N1-C6	8.48	1.42	1.37
1	AA	1470	U	C2-N3	8.48	1.43	1.37
26	BB	1945	G	C4'-C3'	8.48	1.62	1.53
26	BB	2472	G	N9-C8	8.48	1.43	1.37
1	AA	755	G	P-O5'	8.47	1.68	1.59
26	BB	881	G	C6-N1	8.47	1.45	1.39
26	BB	1750	G	C2'-C1'	8.47	1.62	1.53
25	BA	86	G	N7-C5	-8.47	1.34	1.39
26	BB	1043	C	C2'-C1'	8.47	1.62	1.53
26	BB	1369	G	C2-N2	-8.47	1.26	1.34
1	AA	656	G	C8-N7	8.47	1.36	1.30
2	AB	73	G	P-O5'	8.47	1.68	1.59
26	BB	981	A	C8-N7	-8.47	1.25	1.31
26	BB	1707	G	C8-N7	8.47	1.36	1.30
25	BA	71	C	C4'-C3'	-8.46	1.43	1.53
26	BB	204	A	C2-N3	-8.46	1.25	1.33
1	AA	901	A	C2'-C1'	-8.46	1.44	1.53
26	BB	2573	C	N3-C4	8.46	1.39	1.33
1	AA	1080	A	P-O5'	8.46	1.68	1.59
26	BB	422	A	N7-C5	8.46	1.44	1.39
26	BB	793	A	C6-N1	-8.46	1.29	1.35
26	BB	831	G	N7-C5	-8.46	1.34	1.39
26	BB	1032	A	N9-C4	8.46	1.43	1.37
26	BB	1288	G	N3-C4	8.46	1.41	1.35
26	BB	2840	C	C4-C5	8.46	1.49	1.43
1	AA	707	U	P-O5'	8.46	1.68	1.59
26	BB	1247	A	N9-C8	-8.46	1.30	1.37
1	AA	750	C	C5-C6	8.46	1.41	1.34
26	BB	700	G	N3-C4	8.46	1.41	1.35
26	BB	1537	G	N7-C5	-8.45	1.34	1.39
26	BB	47	C	N1-C6	8.45	1.42	1.37
26	BB	56	A	C4'-O4'	-8.45	1.34	1.45
26	BB	1465	G	C2'-C1'	-8.45	1.44	1.53
26	BB	1817	G	C5'-C4'	8.45	1.61	1.51
26	BB	2629	U	N3-C4	8.45	1.46	1.38
26	BB	2686	G	N9-C8	8.45	1.43	1.37
1	AA	830	G	C6-N1	8.44	1.45	1.39
1	AA	1309	G	N7-C5	-8.44	1.34	1.39
26	BB	2095	A	N7-C5	8.44	1.44	1.39
1	AA	28	A	O3'-P	8.44	1.71	1.61
26	BB	549	G	N9-C8	-8.44	1.31	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2450	A	N3-C4	8.44	1.40	1.34
26	BB	2775	G	C8-N7	8.44	1.36	1.30
26	BB	2812	G	N1-C2	8.44	1.44	1.37
26	BB	50	U	C5-C6	8.44	1.41	1.34
26	BB	1906	G	N9-C8	-8.44	1.31	1.37
26	BB	2273	A	C8-N7	-8.44	1.25	1.31
26	BB	230	G	C2-N3	8.43	1.39	1.32
26	BB	2356	U	P-O5'	8.43	1.68	1.59
26	BB	196	A	N9-C4	-8.43	1.32	1.37
26	BB	2341	G	P-O5'	8.43	1.68	1.59
26	BB	2054	A	N9-C4	8.43	1.43	1.37
1	AA	1020	G	N3-C4	8.43	1.41	1.35
26	BB	1009	A	C6-N1	8.43	1.41	1.35
1	AA	688	G	P-O5'	8.43	1.68	1.59
26	BB	51	G	C5-C6	8.42	1.50	1.42
1	AA	1136	C	N1-C6	-8.42	1.32	1.37
26	BB	819	A	N7-C5	-8.42	1.34	1.39
26	BB	1003	G	C5'-C4'	8.42	1.61	1.51
26	BB	2301	C	C5-C6	8.42	1.41	1.34
1	AA	566	G	P-O5'	8.42	1.68	1.59
26	BB	1381	G	N3-C4	8.42	1.41	1.35
26	BB	2003	A	N7-C5	-8.42	1.34	1.39
26	BB	802	A	N3-C4	8.41	1.39	1.34
26	BB	2003	A	N3-C4	8.41	1.39	1.34
26	BB	2707	U	C4-C5	8.41	1.51	1.43
26	BB	376	G	P-O5'	8.41	1.68	1.59
26	BB	2510	C	C4-C5	-8.41	1.36	1.43
26	BB	1967	C	C5'-C4'	8.41	1.61	1.51
26	BB	2181	U	N1-C2	8.41	1.46	1.38
1	AA	780	A	C8-N7	-8.40	1.25	1.31
1	AA	895	G	N7-C5	-8.40	1.34	1.39
26	BB	2132	U	N1-C2	8.40	1.46	1.38
26	BB	214	G	N7-C5	8.40	1.44	1.39
26	BB	2419	U	N1-C2	8.40	1.46	1.38
4	AD	74	A	P-O5'	8.40	1.68	1.59
26	BB	903	C	C5'-C4'	8.40	1.61	1.51
42	BR	30	TRP	CG-CD1	-8.40	1.25	1.36
1	AA	580	C	P-O5'	-8.39	1.51	1.59
4	AD	38	A	O3'-P	8.39	1.71	1.61
26	BB	1503	A	N3-C4	8.39	1.39	1.34
26	BB	2072	C	C5-C6	8.39	1.41	1.34
26	BB	2181	U	C2-N3	8.39	1.43	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	424	G	N9-C8	-8.39	1.31	1.37
26	BB	109	C	N3-C4	8.39	1.39	1.33
26	BB	611	C	C2-O2	-8.39	1.17	1.24
26	BB	1623	G	N9-C4	-8.39	1.31	1.38
26	BB	741	U	C4'-C3'	-8.38	1.44	1.53
26	BB	2893	A	N9-C4	-8.38	1.32	1.37
1	AA	127	G	C8-N7	-8.38	1.25	1.30
26	BB	1836	C	N3-C4	8.38	1.39	1.33
26	BB	364	C	O3'-P	8.38	1.71	1.61
1	AA	1524	C	C2-N3	8.38	1.42	1.35
26	BB	1339	G	C2-N3	8.38	1.39	1.32
26	BB	1482	G	N9-C8	8.38	1.43	1.37
4	AD	43	G	N3-C4	8.37	1.41	1.35
26	BB	983	A	N9-C4	8.37	1.42	1.37
1	AA	146	G	P-O5'	8.37	1.68	1.59
26	BB	230	G	O3'-P	8.37	1.71	1.61
1	AA	373	A	C5-C6	8.36	1.48	1.41
26	BB	73	A	C5'-C4'	8.36	1.61	1.51
2	AB	47	U	N3-C4	8.36	1.46	1.38
26	BB	696	G	N7-C5	-8.36	1.34	1.39
1	AA	69	G	N7-C5	-8.36	1.34	1.39
26	BB	275	C	C4-C5	8.36	1.49	1.43
26	BB	1367	A	P-O5'	-8.36	1.51	1.59
26	BB	2100	G	N7-C5	-8.36	1.34	1.39
26	BB	2799	A	C5'-C4'	8.36	1.61	1.51
1	AA	473	U	P-O5'	8.35	1.68	1.59
26	BB	1923	U	N1-C2	8.35	1.46	1.38
1	AA	885	G	C8-N7	8.35	1.35	1.30
4	AD	11	A	C8-N7	-8.35	1.25	1.31
26	BB	281	C	O3'-P	8.35	1.71	1.61
26	BB	446	G	C6-N1	8.35	1.45	1.39
26	BB	1543	G	N9-C4	8.35	1.44	1.38
26	BB	1888	G	N9-C8	-8.35	1.32	1.37
26	BB	2609	U	P-O5'	8.35	1.68	1.59
1	AA	164	G	P-O5'	8.35	1.68	1.59
1	AA	393	A	C5-C4	-8.35	1.32	1.38
1	AA	1142	G	N7-C5	-8.35	1.34	1.39
26	BB	2803	G	N1-C2	8.35	1.44	1.37
26	BB	833	A	C6-N1	8.35	1.41	1.35
25	BA	69	G	C2-N2	8.35	1.42	1.34
26	BB	2654	A	P-O5'	8.35	1.68	1.59
26	BB	206	U	O3'-P	8.34	1.71	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	402	G	N3-C4	8.34	1.41	1.35
26	BB	352	A	C6-N6	-8.34	1.27	1.33
26	BB	1198	U	C2-N3	8.34	1.43	1.37
1	AA	344	A	N9-C8	-8.34	1.31	1.37
2	AB	22	G	N3-C4	8.34	1.41	1.35
26	BB	391	A	P-O5'	8.34	1.68	1.59
26	BB	1522	A	N3-C4	8.34	1.39	1.34
26	BB	199	A	C3'-C2'	8.34	1.62	1.52
26	BB	488	G	P-O5'	8.34	1.68	1.59
26	BB	1742	U	C5'-C4'	8.34	1.61	1.51
1	AA	759	A	C5-C4	-8.34	1.32	1.38
26	BB	1626	A	N3-C4	8.34	1.39	1.34
1	AA	167	A	N3-C4	8.34	1.39	1.34
1	AA	267	C	C2-N3	8.34	1.42	1.35
26	BB	1363	C	C2-N3	8.34	1.42	1.35
26	BB	1525	A	C8-N7	-8.34	1.25	1.31
26	BB	2130	U	C4'-C3'	8.34	1.62	1.53
1	AA	55	A	N3-C4	8.33	1.39	1.34
26	BB	1432	G	N3-C4	8.33	1.41	1.35
26	BB	1918	A	N7-C5	8.33	1.44	1.39
1	AA	235	C	C5'-C4'	8.33	1.61	1.51
1	AA	350	G	C5-C4	8.33	1.44	1.38
1	AA	931	C	N1-C6	8.33	1.42	1.37
1	AA	86	G	P-O5'	8.33	1.68	1.59
26	BB	1186	G	N7-C5	8.33	1.44	1.39
26	BB	1758	U	C2-N3	8.33	1.43	1.37
26	BB	1965	C	C5-C6	8.33	1.41	1.34
1	AA	25	C	N1-C6	8.32	1.42	1.37
1	AA	1200	C	C4-C5	8.32	1.49	1.43
1	AA	193	C	P-O5'	8.32	1.68	1.59
1	AA	1250	A	N9-C4	8.32	1.42	1.37
26	BB	447	A	N9-C4	8.32	1.42	1.37
25	BA	101	A	C2-N3	8.32	1.41	1.33
26	BB	559	G	O3'-P	8.32	1.71	1.61
26	BB	2360	G	P-O5'	8.32	1.68	1.59
1	AA	597	G	N3-C4	8.32	1.41	1.35
1	AA	1222	G	C5-C6	8.32	1.50	1.42
1	AA	1251	A	C3'-C2'	-8.32	1.43	1.52
26	BB	1370	C	C2-N3	8.32	1.42	1.35
26	BB	1772	A	N7-C5	8.32	1.44	1.39
1	AA	1275	A	N7-C5	-8.31	1.34	1.39
26	BB	923	G	N7-C5	8.31	1.44	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2276	G	N3-C4	8.31	1.41	1.35
26	BB	2727	A	P-O5'	8.31	1.68	1.59
1	AA	44	A	N3-C4	8.31	1.39	1.34
2	AB	60	U	C4'-O4'	-8.31	1.34	1.45
26	BB	1478	G	N3-C4	8.31	1.41	1.35
26	BB	2446	G	N3-C4	8.31	1.41	1.35
26	BB	2446	G	N7-C5	8.31	1.44	1.39
26	BB	472	A	C5-C4	-8.31	1.32	1.38
26	BB	809	G	N3-C4	8.31	1.41	1.35
26	BB	1353	A	C5'-C4'	8.31	1.61	1.51
26	BB	1581	G	C8-N7	8.31	1.35	1.30
26	BB	2005	A	N3-C4	8.30	1.39	1.34
26	BB	2898	U	N1-C2	8.30	1.46	1.38
1	AA	315	A	N9-C4	8.30	1.42	1.37
1	AA	628	G	C2-N3	8.30	1.39	1.32
26	BB	614	A	C2-N3	-8.30	1.26	1.33
26	BB	1661	G	C2-N3	8.30	1.39	1.32
1	AA	1086	U	C2-N3	8.30	1.43	1.37
1	AA	1410	A	N3-C4	8.30	1.39	1.34
26	BB	270	A	P-O5'	8.30	1.68	1.59
26	BB	2138	G	P-O5'	8.30	1.68	1.59
26	BB	2301	C	C5'-C4'	8.30	1.61	1.51
1	AA	1138	G	P-O5'	8.29	1.68	1.59
26	BB	970	U	C2-N3	8.29	1.43	1.37
26	BB	2050	C	C5'-C4'	8.29	1.61	1.51
1	AA	1016	A	P-O5'	8.29	1.68	1.59
26	BB	879	G	P-O5'	8.29	1.68	1.59
26	BB	322	A	N3-C4	8.29	1.39	1.34
26	BB	1064	C	P-O5'	8.29	1.68	1.59
26	BB	1611	C	O4'-C1'	8.29	1.52	1.41
26	BB	2188	U	C5'-C4'	-8.29	1.41	1.51
1	AA	662	U	P-O5'	8.29	1.68	1.59
26	BB	241	A	N9-C4	-8.29	1.32	1.37
26	BB	1546	G	N7-C5	8.29	1.44	1.39
26	BB	1869	G	C3'-C2'	-8.29	1.43	1.52
1	AA	642	A	N3-C4	8.29	1.39	1.34
26	BB	1685	C	N1-C2	8.29	1.48	1.40
26	BB	2557	G	C6-N1	8.29	1.45	1.39
26	BB	1039	A	N3-C4	8.29	1.39	1.34
26	BB	600	G	C8-N7	8.28	1.35	1.30
26	BB	961	C	C5-C6	8.28	1.41	1.34
26	BB	2681	C	C4'-C3'	8.28	1.62	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2791	G	N3-C4	8.28	1.41	1.35
26	BB	1500	G	N9-C8	8.28	1.43	1.37
26	BB	1752	C	O3'-P	8.28	1.71	1.61
26	BB	2216	G	N3-C4	8.28	1.41	1.35
1	AA	1435	G	N7-C5	-8.28	1.34	1.39
4	AD	75	C	C2'-C1'	-8.28	1.44	1.53
26	BB	1944	U	C5-C6	8.28	1.41	1.34
26	BB	2735	G	C2-N3	8.28	1.39	1.32
26	BB	961	C	P-O5'	8.28	1.68	1.59
1	AA	1099	G	C4'-O4'	-8.27	1.34	1.45
1	AA	292	G	P-O5'	8.27	1.68	1.59
26	BB	1002	G	C3'-C2'	-8.27	1.43	1.52
26	BB	1044	C	C2-N3	8.27	1.42	1.35
26	BB	2100	G	N3-C4	8.27	1.41	1.35
26	BB	2860	A	P-O5'	8.27	1.68	1.59
26	BB	738	G	C3'-C2'	8.26	1.62	1.52
26	BB	2072	C	C4-C5	8.26	1.49	1.43
26	BB	2261	C	N1-C6	8.26	1.42	1.37
1	AA	1140	C	C2-N3	8.26	1.42	1.35
4	AD	28	U	C2-N3	8.26	1.43	1.37
26	BB	1849	G	N9-C8	8.26	1.43	1.37
26	BB	233	A	N9-C4	-8.26	1.32	1.37
26	BB	1296	G	N1-C2	8.26	1.44	1.37
26	BB	1929	G	P-O5'	8.26	1.68	1.59
26	BB	409	G	C2-N3	8.25	1.39	1.32
26	BB	1845	G	N3-C4	8.25	1.41	1.35
26	BB	579	G	N7-C5	-8.25	1.34	1.39
26	BB	1948	G	C6-N1	8.25	1.45	1.39
26	BB	2673	G	C2-N3	8.25	1.39	1.32
26	BB	2370	G	C8-N7	-8.25	1.26	1.30
1	AA	704	A	N3-C4	8.25	1.39	1.34
1	AA	1457	G	N7-C5	8.25	1.44	1.39
26	BB	257	C	C5-C6	8.25	1.41	1.34
26	BB	996	A	N9-C4	-8.25	1.32	1.37
26	BB	1524	G	N3-C4	8.25	1.41	1.35
1	AA	482	A	P-O5'	8.24	1.68	1.59
1	AA	971	G	P-O5'	8.24	1.68	1.59
1	AA	564	C	C5-C6	8.24	1.41	1.34
26	BB	1031	G	O3'-P	8.24	1.71	1.61
1	AA	754	C	P-O5'	8.24	1.68	1.59
1	AA	1136	C	P-O5'	8.24	1.68	1.59
2	AB	11	U	C2-N3	8.24	1.43	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1567	G	N3-C4	8.24	1.41	1.35
1	AA	1340	A	N7-C5	8.24	1.44	1.39
26	BB	1740	G	N3-C4	8.23	1.41	1.35
1	AA	1254	A	N7-C5	8.23	1.44	1.39
1	AA	1431	A	N7-C5	8.23	1.44	1.39
26	BB	2279	G	N1-C2	8.23	1.44	1.37
26	BB	2378	A	N3-C4	8.23	1.39	1.34
26	BB	154	U	C2-N3	8.23	1.43	1.37
26	BB	10	A	C5'-C4'	8.23	1.61	1.51
1	AA	232	G	N9-C4	8.23	1.44	1.38
1	AA	1480	A	N9-C4	8.23	1.42	1.37
1	AA	554	A	N9-C4	-8.23	1.32	1.37
1	AA	1478	U	P-O5'	8.23	1.68	1.59
5	AE	61	SER	CB-OG	-8.23	1.31	1.42
26	BB	1783	A	N9-C4	8.23	1.42	1.37
1	AA	195	A	N3-C4	8.22	1.39	1.34
1	AA	359	G	C8-N7	8.22	1.35	1.30
1	AA	745	G	N7-C5	-8.22	1.34	1.39
26	BB	578	G	C2-N3	8.22	1.39	1.32
26	BB	1499	C	N1-C6	8.22	1.42	1.37
26	BB	2447	G	C8-N7	8.22	1.35	1.30
26	BB	2497	A	C6-N1	-8.22	1.29	1.35
26	BB	972	A	C5-C4	-8.22	1.32	1.38
26	BB	2282	G	N7-C5	8.22	1.44	1.39
1	AA	1050	G	P-O5'	8.22	1.68	1.59
26	BB	1866	A	N3-C4	8.22	1.39	1.34
1	AA	1299	A	N3-C4	8.22	1.39	1.34
3	AC	54	U	N1-C2	8.21	1.46	1.38
26	BB	1717	A	N3-C4	8.21	1.39	1.34
26	BB	1840	G	C2-N3	8.21	1.39	1.32
26	BB	2488	G	C8-N7	-8.21	1.26	1.30
1	AA	926	G	N9-C8	8.21	1.43	1.37
3	AC	48	C	C4-C5	8.21	1.49	1.43
26	BB	396	G	C3'-C2'	-8.21	1.43	1.52
26	BB	1980	G	N7-C5	-8.21	1.34	1.39
1	AA	464	U	C2-N3	8.21	1.43	1.37
26	BB	1549	A	P-O5'	8.20	1.68	1.59
26	BB	1703	G	C6-N1	8.21	1.45	1.39
26	BB	2814	A	N3-C4	8.21	1.39	1.34
1	AA	416	G	N7-C5	-8.20	1.34	1.39
26	BB	1855	U	O3'-P	8.20	1.71	1.61
26	BB	2550	G	C2-N3	8.20	1.39	1.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	540	G	N1-C2	8.20	1.44	1.37
1	AA	1514	G	C6-N1	-8.20	1.33	1.39
26	BB	2649	C	N1-C6	8.20	1.42	1.37
1	AA	162	A	C6-N1	8.20	1.41	1.35
1	AA	1314	C	C2-N3	8.20	1.42	1.35
1	AA	1345	U	C2-N3	8.20	1.43	1.37
26	BB	36	G	C8-N7	8.20	1.35	1.30
26	BB	578	G	N9-C4	8.20	1.44	1.38
26	BB	10	A	C2'-C1'	-8.19	1.44	1.53
26	BB	2623	G	O3'-P	8.20	1.71	1.61
26	BB	2893	A	N3-C4	8.20	1.39	1.34
26	BB	814	C	N1-C6	8.19	1.42	1.37
26	BB	1763	G	N1-C2	8.19	1.44	1.37
1	AA	1331	G	C6-N1	8.19	1.45	1.39
26	BB	1553	A	P-O5'	8.19	1.68	1.59
26	BB	2436	G	N3-C4	-8.19	1.29	1.35
26	BB	2669	G	N1-C2	8.19	1.44	1.37
3	AC	35	G	P-O5'	8.19	1.68	1.59
26	BB	957	C	C4-C5	8.19	1.49	1.43
26	BB	1661	G	C6-N1	8.19	1.45	1.39
1	AA	1017	U	C3'-C2'	-8.19	1.43	1.52
26	BB	110	G	N7-C5	8.19	1.44	1.39
26	BB	1351	C	O3'-P	8.19	1.71	1.61
26	BB	949	G	N7-C5	8.18	1.44	1.39
1	AA	1446	A	C8-N7	-8.18	1.25	1.31
26	BB	1521	G	C8-N7	8.18	1.35	1.30
1	AA	88	U	C4-C5	8.18	1.50	1.43
4	AD	60	A	C5'-C4'	8.18	1.61	1.51
26	BB	1850	G	C5'-C4'	8.18	1.61	1.51
1	AA	609	A	O3'-P	8.18	1.71	1.61
25	BA	22	U	O3'-P	8.18	1.71	1.61
26	BB	2089	C	N1-C6	8.18	1.42	1.37
26	BB	236	C	N3-C4	8.18	1.39	1.33
26	BB	950	G	N1-C2	8.18	1.44	1.37
1	AA	480	U	C2-N3	8.17	1.43	1.37
26	BB	1764	C	P-O5'	8.17	1.68	1.59
1	AA	666	G	C8-N7	-8.17	1.26	1.30
1	AA	1275	A	P-O5'	8.17	1.68	1.59
26	BB	956	G	N9-C4	-8.17	1.31	1.38
26	BB	2343	U	C2-N3	8.17	1.43	1.37
26	BB	2547	A	C2-N3	8.17	1.41	1.33
1	AA	281	G	P-O5'	8.17	1.68	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	AD	7	G	P-O5'	8.17	1.68	1.59
26	BB	1552	A	C2-N3	8.17	1.41	1.33
26	BB	2807	U	N1-C2	8.17	1.46	1.38
26	BB	523	C	C2-O2	-8.17	1.17	1.24
26	BB	1221	C	N1-C6	8.17	1.42	1.37
26	BB	1495	A	N7-C5	8.16	1.44	1.39
26	BB	1733	G	C8-N7	8.16	1.35	1.30
25	BA	60	C	C4'-O4'	-8.16	1.34	1.45
26	BB	289	G	N7-C5	-8.16	1.34	1.39
26	BB	2758	A	N7-C5	8.16	1.44	1.39
26	BB	1295	C	P-O5'	8.16	1.68	1.59
26	BB	2116	G	C8-N7	-8.16	1.26	1.30
26	BB	2343	U	C2'-C1'	8.16	1.62	1.53
1	AA	97	G	C8-N7	8.16	1.35	1.30
1	AA	388	G	N7-C5	8.16	1.44	1.39
26	BB	1294	U	C2-O2	8.16	1.29	1.22
1	AA	305	G	N9-C8	-8.15	1.32	1.37
26	BB	386	G	C6-N1	8.15	1.45	1.39
26	BB	2336	A	C5-C6	8.15	1.48	1.41
26	BB	1560	G	N9-C4	8.15	1.44	1.38
1	AA	1447	A	N9-C8	-8.15	1.31	1.37
1	AA	18	C	N1-C6	8.14	1.42	1.37
1	AA	207	C	P-O5'	8.14	1.67	1.59
1	AA	468	A	N7-C5	8.14	1.44	1.39
26	BB	1292	G	N3-C4	8.14	1.41	1.35
26	BB	1096	A	C8-N7	-8.14	1.25	1.31
26	BB	2186	G	P-O5'	8.14	1.67	1.59
26	BB	1723	G	C5-C4	-8.14	1.32	1.38
26	BB	2313	C	N1-C6	8.14	1.42	1.37
26	BB	1205	A	C6-N1	8.14	1.41	1.35
1	AA	618	C	O3'-P	8.13	1.71	1.61
26	BB	2188	U	P-O5'	8.13	1.67	1.59
1	AA	100	G	C6-O6	-8.13	1.16	1.24
1	AA	139	A	C5-C4	-8.13	1.33	1.38
1	AA	785	G	C2-N3	8.13	1.39	1.32
1	AA	785	G	C6-N1	8.13	1.45	1.39
26	BB	245	G	C8-N7	-8.13	1.26	1.30
26	BB	2242	G	C8-N7	-8.13	1.26	1.30
26	BB	2535	G	C8-N7	8.13	1.35	1.30
1	AA	853	C	P-O5'	8.13	1.67	1.59
1	AA	1360	A	P-O5'	8.13	1.67	1.59
26	BB	312	G	C8-N7	-8.13	1.26	1.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	964	C	N3-C4	8.13	1.39	1.33
26	BB	1978	A	P-O5'	8.13	1.67	1.59
25	BA	37	C	C4'-O4'	-8.13	1.34	1.45
26	BB	471	A	N3-C4	8.12	1.39	1.34
26	BB	1235	G	N9-C8	8.12	1.43	1.37
26	BB	1416	G	C2-N3	8.12	1.39	1.32
26	BB	541	A	N3-C4	8.12	1.39	1.34
26	BB	2877	G	C2-N3	8.12	1.39	1.32
1	AA	1495	U	C4-C5	8.12	1.50	1.43
26	BB	72	U	C2'-C1'	8.12	1.62	1.53
26	BB	2796	U	C2-N3	8.12	1.43	1.37
1	AA	1060	U	C4-C5	8.12	1.50	1.43
26	BB	621	A	N3-C4	8.12	1.39	1.34
26	BB	1437	C	C5'-C4'	8.12	1.61	1.51
26	BB	1974	C	P-O5'	8.12	1.67	1.59
26	BB	2371	G	C6-N1	8.12	1.45	1.39
1	AA	205	A	C5'-C4'	8.12	1.61	1.51
26	BB	453	A	C5'-C4'	8.12	1.61	1.51
26	BB	638	G	C5'-C4'	8.12	1.61	1.51
26	BB	2177	C	C5'-C4'	8.12	1.61	1.51
26	BB	2832	U	N1-C6	8.12	1.45	1.38
26	BB	39	G	C4'-O4'	-8.11	1.35	1.45
26	BB	179	C	N1-C6	8.11	1.42	1.37
1	AA	932	C	N3-C4	8.11	1.39	1.33
26	BB	2566	A	C6-N1	8.11	1.41	1.35
1	AA	1176	A	N3-C4	8.11	1.39	1.34
4	AD	69	C	N1-C6	8.11	1.42	1.37
26	BB	1851	U	O3'-P	8.11	1.70	1.61
1	AA	1097	C	C5-C6	8.10	1.40	1.34
1	AA	1239	A	C5-C6	8.10	1.48	1.41
1	AA	1408	A	C6-N1	-8.10	1.29	1.35
26	BB	2835	A	N7-C5	8.10	1.44	1.39
1	AA	113	G	P-O5'	8.10	1.67	1.59
1	AA	725	G	P-O5'	8.10	1.67	1.59
26	BB	896	A	N9-C8	8.10	1.44	1.37
26	BB	2088	A	N9-C4	8.10	1.42	1.37
26	BB	1883	U	C2-N3	8.10	1.43	1.37
26	BB	2072	C	O3'-P	8.10	1.70	1.61
1	AA	664	G	N9-C8	-8.10	1.32	1.37
1	AA	1405	G	C8-N7	-8.10	1.26	1.30
26	BB	944	C	C4-C5	8.10	1.49	1.43
26	BB	906	U	C5-C6	8.10	1.41	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1666	G	C8-N7	-8.10	1.26	1.30
26	BB	2223	G	N3-C4	8.10	1.41	1.35
1	AA	110	C	N1-C6	8.10	1.42	1.37
1	AA	180	U	C4-C5	8.09	1.50	1.43
1	AA	581	G	P-O5'	8.09	1.67	1.59
26	BB	74	A	N3-C4	8.09	1.39	1.34
25	BA	48	U	O4'-C1'	8.09	1.52	1.41
26	BB	449	A	N9-C4	8.09	1.42	1.37
26	BB	1347	A	C6-N6	8.09	1.40	1.33
1	AA	1115	U	C5-C6	8.09	1.41	1.34
25	BA	4	C	C4-C5	8.09	1.49	1.43
26	BB	1905	C	C2-N3	8.09	1.42	1.35
1	AA	1310	G	P-O5'	8.09	1.67	1.59
1	AA	1342	C	C3'-C2'	8.09	1.61	1.52
25	BA	14	U	C5-C6	8.09	1.41	1.34
26	BB	751	A	C6-N6	8.09	1.40	1.33
26	BB	1082	U	C2-N3	8.09	1.43	1.37
26	BB	2791	G	C8-N7	-8.09	1.26	1.30
26	BB	2395	C	N1-C6	8.09	1.42	1.37
25	BA	78	A	C6-N1	-8.08	1.29	1.35
26	BB	2510	C	C2-N3	8.08	1.42	1.35
1	AA	1018	G	N3-C4	8.08	1.41	1.35
2	AB	9	A	P-O5'	8.08	1.67	1.59
26	BB	218	A	C8-N7	-8.08	1.25	1.31
26	BB	636	G	C8-N7	-8.08	1.26	1.30
1	AA	1040	U	N1-C6	8.08	1.45	1.38
1	AA	1350	A	C8-N7	-8.08	1.25	1.31
26	BB	1074	G	N9-C4	-8.07	1.31	1.38
26	BB	1807	G	C8-N7	-8.07	1.26	1.30
26	BB	1891	G	C2-N2	8.07	1.42	1.34
26	BB	525	U	C4-O4	-8.07	1.17	1.23
26	BB	1955	U	N3-C4	-8.07	1.31	1.38
26	BB	2542	A	N7-C5	8.07	1.44	1.39
1	AA	659	U	P-O5'	8.07	1.67	1.59
1	AA	700	G	C5'-C4'	8.07	1.61	1.51
1	AA	1027	C	P-O5'	8.07	1.67	1.59
26	BB	1064	C	C4-C5	-8.07	1.36	1.43
26	BB	2088	A	N7-C5	8.07	1.44	1.39
4	AD	20	G	C5-C6	8.07	1.50	1.42
25	BA	97	C	N1-C6	8.07	1.42	1.37
26	BB	609	A	C5-C6	8.07	1.48	1.41
1	AA	451	A	C5'-C4'	8.06	1.61	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2808	G	N7-C5	8.06	1.44	1.39
26	BB	2649	C	C2-N3	8.06	1.42	1.35
1	AA	396	C	N1-C6	8.06	1.42	1.37
26	BB	2644	G	N3-C4	8.06	1.41	1.35
26	BB	302	C	N1-C2	8.06	1.48	1.40
1	AA	122	G	C2'-C1'	-8.05	1.44	1.53
26	BB	15	G	C6-N1	8.05	1.45	1.39
26	BB	734	A	C5-C4	-8.06	1.33	1.38
26	BB	1268	A	N7-C5	8.06	1.44	1.39
1	AA	768	A	N7-C5	8.05	1.44	1.39
26	BB	490	C	C5-C6	8.05	1.40	1.34
26	BB	1734	G	N9-C8	8.05	1.43	1.37
1	AA	1035	A	O3'-P	8.05	1.70	1.61
1	AA	1061	G	N7-C5	8.05	1.44	1.39
26	BB	2623	G	N3-C4	8.05	1.41	1.35
26	BB	567	U	C2-N3	8.05	1.43	1.37
26	BB	2132	U	N1-C6	8.05	1.45	1.38
26	BB	2355	G	N1-C2	8.05	1.44	1.37
1	AA	1420	U	C4-C5	8.04	1.50	1.43
26	BB	713	G	C5'-C4'	8.04	1.61	1.51
26	BB	1926	U	P-O5'	8.04	1.67	1.59
26	BB	1461	C	N1-C6	8.04	1.42	1.37
1	AA	1540	U	C4-C5	8.04	1.50	1.43
1	AA	457	G	N9-C4	8.04	1.44	1.38
26	BB	603	A	C8-N7	-8.04	1.25	1.31
26	BB	2873	A	C6-N1	8.04	1.41	1.35
1	AA	5	U	C2'-C1'	8.04	1.62	1.53
1	AA	50	A	N9-C4	8.04	1.42	1.37
26	BB	1879	C	C2-O2	-8.04	1.17	1.24
1	AA	256	U	C4-O4	8.04	1.30	1.23
25	BA	23	G	N1-C2	8.04	1.44	1.37
26	BB	1075	C	C4-C5	8.04	1.49	1.43
26	BB	2466	C	P-O5'	8.04	1.67	1.59
26	BB	207	A	N9-C4	8.03	1.42	1.37
26	BB	467	G	N9-C8	-8.03	1.32	1.37
26	BB	2566	A	C4'-O4'	-8.03	1.35	1.45
26	BB	2831	G	C6-N1	-8.03	1.33	1.39
1	AA	511	C	N1-C6	8.03	1.42	1.37
1	AA	1130	A	C4'-O4'	-8.03	1.35	1.45
1	AA	1528	U	N1-C2	8.03	1.45	1.38
25	BA	16	G	N9-C8	-8.03	1.32	1.37
26	BB	45	G	C6-N1	8.03	1.45	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1033	G	C5-C4	-8.03	1.32	1.38
26	BB	1544	A	C8-N7	8.03	1.37	1.31
1	AA	765	G	C5'-C4'	8.02	1.60	1.51
26	BB	1288	G	C3'-C2'	-8.02	1.44	1.52
26	BB	1636	U	P-O5'	8.02	1.67	1.59
26	BB	795	C	P-O5'	8.02	1.67	1.59
26	BB	1268	A	N9-C4	-8.02	1.33	1.37
1	AA	710	G	N1-C2	8.02	1.44	1.37
26	BB	2851	A	C6-N1	8.02	1.41	1.35
1	AA	742	G	C6-N1	8.02	1.45	1.39
26	BB	894	U	C3'-C2'	8.02	1.61	1.52
26	BB	17	G	C4'-O4'	-8.02	1.35	1.45
26	BB	2679	A	P-O5'	8.01	1.67	1.59
1	AA	119	A	C8-N7	-8.01	1.25	1.31
4	AD	15	G	N3-C4	8.01	1.41	1.35
26	BB	723	C	C4'-O4'	-8.01	1.35	1.45
1	AA	1424	U	C4-C5	8.01	1.50	1.43
26	BB	210	C	P-O5'	8.01	1.67	1.59
26	BB	1067	A	P-O5'	8.00	1.67	1.59
26	BB	2010	G	C8-N7	-8.00	1.26	1.30
26	BB	2515	C	N1-C6	8.00	1.42	1.37
1	AA	783	C	P-O5'	8.00	1.67	1.59
25	BA	20	G	N7-C5	8.00	1.44	1.39
26	BB	181	A	P-O5'	8.00	1.67	1.59
26	BB	1880	U	C2-N3	8.00	1.43	1.37
26	BB	2350	C	P-O5'	8.00	1.67	1.59
26	BB	2370	G	P-O5'	8.00	1.67	1.59
1	AA	939	G	C8-N7	-8.00	1.26	1.30
26	BB	471	A	O3'-P	8.00	1.70	1.61
26	BB	294	A	N7-C5	8.00	1.44	1.39
26	BB	1731	G	N9-C4	-8.00	1.31	1.38
26	BB	2850	A	N9-C4	8.00	1.42	1.37
25	BA	83	G	O3'-P	8.00	1.70	1.61
26	BB	369	U	C2'-C1'	8.00	1.62	1.53
26	BB	2540	C	P-O5'	8.00	1.67	1.59
1	AA	858	G	C8-N7	7.99	1.35	1.30
26	BB	1091	G	P-O5'	7.99	1.67	1.59
26	BB	1739	A	C6-N6	-7.99	1.27	1.33
26	BB	2267	A	C5-C6	7.99	1.48	1.41
26	BB	1103	A	P-O5'	7.99	1.67	1.59
1	AA	1066	C	N1-C6	7.99	1.42	1.37
1	AA	1365	G	C2-N3	7.99	1.39	1.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
28	BD	166	ARG	CZ-NH2	7.99	1.43	1.33
26	BB	399	U	C5'-C4'	7.99	1.60	1.51
26	BB	1416	G	C6-N1	7.99	1.45	1.39
26	BB	2039	U	O3'-P	7.99	1.70	1.61
4	AD	60	A	N3-C4	-7.98	1.30	1.34
26	BB	2718	G	O3'-P	7.98	1.70	1.61
26	BB	2891	U	C5'-C4'	7.98	1.60	1.51
1	AA	1146	A	N3-C4	7.98	1.39	1.34
26	BB	2441	U	C2-O2	7.98	1.29	1.22
1	AA	515	G	N9-C8	7.97	1.43	1.37
1	AA	1505	G	N7-C5	-7.97	1.34	1.39
1	AA	999	C	N1-C6	-7.97	1.32	1.37
26	BB	190	A	C8-N7	-7.97	1.25	1.31
26	BB	411	G	N1-C2	7.97	1.44	1.37
26	BB	500	G	C8-N7	7.97	1.35	1.30
1	AA	1140	C	P-O5'	7.97	1.67	1.59
26	BB	2127	G	N3-C4	7.97	1.41	1.35
26	BB	2321	U	O3'-P	7.97	1.70	1.61
1	AA	251	G	N7-C5	7.97	1.44	1.39
26	BB	749	A	N7-C5	7.97	1.44	1.39
26	BB	2300	C	C2'-C1'	7.97	1.62	1.53
26	BB	2562	U	P-O5'	7.97	1.67	1.59
1	AA	180	U	C2-N3	7.97	1.43	1.37
26	BB	786	C	P-O5'	7.97	1.67	1.59
26	BB	1744	A	P-O5'	7.96	1.67	1.59
26	BB	2755	C	C4-C5	7.96	1.49	1.43
1	AA	550	G	N3-C4	7.96	1.41	1.35
26	BB	1444	G	C6-O6	7.96	1.31	1.24
25	BA	81	G	N7-C5	7.96	1.44	1.39
26	BB	723	C	N1-C6	7.96	1.42	1.37
26	BB	1163	G	N1-C2	7.96	1.44	1.37
26	BB	2124	G	N7-C5	-7.96	1.34	1.39
26	BB	151	C	C4-C5	7.96	1.49	1.43
1	AA	812	G	C5-C6	7.95	1.50	1.42
26	BB	1509	A	N1-C2	7.95	1.41	1.34
26	BB	2738	A	C6-N6	7.95	1.40	1.33
1	AA	318	G	P-O5'	7.95	1.67	1.59
26	BB	1282	U	C2-N3	7.95	1.43	1.37
26	BB	1498	C	C4-C5	7.95	1.49	1.43
26	BB	1695	G	C2-N3	7.95	1.39	1.32
1	AA	1124	G	N1-C2	7.95	1.44	1.37
26	BB	437	U	N1-C2	7.95	1.45	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1421	G	C4'-O4'	-7.95	1.35	1.45
1	AA	517	G	C6-N1	7.95	1.45	1.39
1	AA	699	C	C4-N4	-7.95	1.26	1.33
26	BB	263	G	N7-C5	-7.95	1.34	1.39
26	BB	1536	C	C5'-C4'	7.95	1.60	1.51
26	BB	2277	G	C6-N1	7.95	1.45	1.39
26	BB	2281	A	N3-C4	7.95	1.39	1.34
26	BB	2752	C	N1-C2	7.95	1.48	1.40
26	BB	1983	G	N3-C4	7.94	1.41	1.35
26	BB	168	G	C8-N7	7.94	1.35	1.30
26	BB	1821	A	N7-C5	7.94	1.44	1.39
26	BB	1877	A	C5-C4	-7.94	1.33	1.38
26	BB	2011	U	N1-C2	7.94	1.45	1.38
26	BB	218	A	C6-N6	7.94	1.40	1.33
1	AA	399	G	N9-C8	7.94	1.43	1.37
26	BB	299	A	C5'-C4'	7.94	1.60	1.51
26	BB	740	C	C2-N3	7.94	1.42	1.35
1	AA	260	G	N9-C8	7.94	1.43	1.37
26	BB	426	C	O3'-P	7.93	1.70	1.61
26	BB	734	A	N3-C4	7.93	1.39	1.34
26	BB	449	A	P-O5'	7.93	1.67	1.59
26	BB	1444	G	C8-N7	7.93	1.35	1.30
26	BB	1876	A	N9-C4	7.93	1.42	1.37
1	AA	988	G	N1-C2	7.93	1.44	1.37
26	BB	1645	G	N3-C4	7.93	1.41	1.35
1	AA	1405	G	C2-N3	7.93	1.39	1.32
25	BA	110	C	N1-C6	7.93	1.42	1.37
26	BB	1651	G	N9-C8	7.93	1.43	1.37
1	AA	829	G	N9-C8	-7.92	1.32	1.37
26	BB	588	U	C2-N3	7.92	1.43	1.37
26	BB	2814	A	N9-C8	7.92	1.44	1.37
1	AA	904	U	C4-C5	7.92	1.50	1.43
1	AA	1101	A	N9-C4	-7.92	1.33	1.37
2	AB	24	G	O3'-P	7.92	1.70	1.61
26	BB	21	A	C6-N1	-7.92	1.30	1.35
26	BB	207	A	N3-C4	7.92	1.39	1.34
1	AA	233	C	C4-C5	7.92	1.49	1.43
3	AC	30	U	C5-C6	7.92	1.41	1.34
1	AA	372	C	P-O5'	7.92	1.67	1.59
26	BB	934	U	N1-C2	7.92	1.45	1.38
26	BB	2369	A	N9-C8	7.92	1.44	1.37
1	AA	1232	U	P-O5'	-7.92	1.51	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BA	119	A	P-O5'	7.92	1.67	1.59
26	BB	466	A	O3'-P	7.91	1.70	1.61
26	BB	2714	G	P-O5'	7.91	1.67	1.59
1	AA	985	C	N3-C4	7.91	1.39	1.33
26	BB	749	A	N3-C4	7.91	1.39	1.34
26	BB	2001	C	N1-C6	-7.91	1.32	1.37
26	BB	606	U	P-O5'	7.91	1.67	1.59
1	AA	1256	A	C5-C4	-7.91	1.33	1.38
25	BA	119	A	C6-N1	7.91	1.41	1.35
1	AA	65	A	N3-C4	7.91	1.39	1.34
1	AA	52	C	N3-C4	7.90	1.39	1.33
1	AA	164	G	O3'-P	7.90	1.70	1.61
26	BB	937	C	C5-C6	7.90	1.40	1.34
26	BB	2305	U	C2-N3	7.90	1.43	1.37
1	AA	837	U	C4'-O4'	-7.90	1.35	1.45
26	BB	1570	A	N7-C5	7.90	1.44	1.39
26	BB	2132	U	C2-N3	7.90	1.43	1.37
26	BB	2196	C	N3-C4	7.90	1.39	1.33
26	BB	2847	U	C2'-C1'	7.90	1.62	1.53
26	BB	1786	A	C4'-C3'	7.90	1.61	1.53
26	BB	2865	U	P-O5'	7.90	1.67	1.59
1	AA	72	A	P-O5'	7.89	1.67	1.59
1	AA	927	G	C3'-C2'	-7.89	1.44	1.52
26	BB	2130	U	C4'-O4'	-7.89	1.35	1.45
1	AA	21	G	P-O5'	7.89	1.67	1.59
1	AA	1275	A	N3-C4	7.89	1.39	1.34
26	BB	2250	G	C6-N1	-7.89	1.34	1.39
26	BB	2512	C	P-O5'	7.89	1.67	1.59
26	BB	1869	G	C5-C4	-7.89	1.32	1.38
26	BB	2197	U	N1-C2	7.89	1.45	1.38
1	AA	74	A	N3-C4	7.89	1.39	1.34
1	AA	606	G	N1-C2	-7.89	1.31	1.37
1	AA	1485	U	P-O5'	7.89	1.67	1.59
1	AA	798	U	N3-C4	7.88	1.45	1.38
26	BB	93	G	C6-N1	7.88	1.45	1.39
26	BB	561	G	C2-N3	7.88	1.39	1.32
26	BB	1349	C	P-O5'	7.88	1.67	1.59
26	BB	1015	U	P-O5'	7.88	1.67	1.59
26	BB	437	U	C2-N3	7.88	1.43	1.37
1	AA	359	G	N7-C5	7.88	1.44	1.39
26	BB	185	G	C5-C4	7.88	1.43	1.38
1	AA	1002	G	O3'-P	7.88	1.70	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	46	G	N7-C5	7.88	1.44	1.39
26	BB	615	U	C2-N3	-7.88	1.32	1.37
1	AA	623	C	O4'-C1'	7.87	1.51	1.41
26	BB	2002	G	C4'-C3'	7.87	1.61	1.53
26	BB	2640	G	N9-C8	-7.87	1.32	1.37
26	BB	1816	C	C5-C6	7.87	1.40	1.34
1	AA	127	G	O3'-P	7.87	1.70	1.61
26	BB	175	G	N7-C5	-7.87	1.34	1.39
26	BB	2753	A	N7-C5	-7.87	1.34	1.39
26	BB	998	C	O3'-P	7.87	1.70	1.61
26	BB	1231	U	C4-C5	7.87	1.50	1.43
1	AA	394	G	N7-C5	7.86	1.44	1.39
1	AA	1216	A	C2-N3	7.86	1.40	1.33
26	BB	59	U	C2-N3	7.86	1.43	1.37
26	BB	241	A	C5'-C4'	7.86	1.60	1.51
26	BB	23	G	C4'-C3'	7.86	1.61	1.53
26	BB	1376	C	N1-C2	7.86	1.48	1.40
26	BB	1823	G	P-O5'	7.86	1.67	1.59
26	BB	2061	G	N9-C8	-7.86	1.32	1.37
25	BA	40	U	O3'-P	7.86	1.70	1.61
1	AA	1159	U	N3-C4	7.86	1.45	1.38
26	BB	292	U	C4'-O4'	-7.86	1.35	1.45
26	BB	630	G	C5-C4	-7.86	1.32	1.38
26	BB	691	C	C4-C5	7.86	1.49	1.43
1	AA	100	G	N9-C8	-7.86	1.32	1.37
26	BB	1450	G	C5-C6	7.86	1.50	1.42
26	BB	1513	U	P-O5'	7.86	1.67	1.59
1	AA	140	U	C3'-C2'	-7.85	1.44	1.52
26	BB	1277	G	P-O5'	7.85	1.67	1.59
1	AA	85	U	O3'-P	7.85	1.70	1.61
26	BB	49	A	N9-C4	7.85	1.42	1.37
26	BB	2176	A	N9-C8	-7.85	1.31	1.37
1	AA	683	G	C2-N3	7.85	1.39	1.32
1	AA	992	U	C4'-O4'	-7.85	1.35	1.45
4	AD	34	U	C2'-O2'	7.85	1.51	1.41
26	BB	1736	U	C4'-O4'	-7.85	1.35	1.45
26	BB	2070	A	C6-N1	7.85	1.41	1.35
26	BB	2082	A	C3'-C2'	7.85	1.61	1.52
26	BB	2299	U	O3'-P	7.85	1.70	1.61
2	AB	5	G	C2-N2	7.85	1.42	1.34
26	BB	1044	C	C4-C5	7.85	1.49	1.43
1	AA	442	G	N1-C2	7.84	1.44	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	233	A	N7-C5	7.84	1.44	1.39
26	BB	944	C	C5'-C4'	7.84	1.60	1.51
26	BB	1189	A	N9-C4	7.84	1.42	1.37
26	BB	1217	U	N1-C2	7.84	1.45	1.38
26	BB	2885	G	C5-C4	-7.84	1.32	1.38
1	AA	1346	A	N3-C4	7.84	1.39	1.34
1	AA	224	U	P-O5'	7.84	1.67	1.59
1	AA	229	U	C5'-C4'	7.84	1.60	1.51
1	AA	1041	G	P-O5'	7.84	1.67	1.59
26	BB	923	G	C2-N3	7.84	1.39	1.32
26	BB	1511	G	C6-N1	7.84	1.45	1.39
26	BB	2300	C	P-O5'	7.84	1.67	1.59
26	BB	2713	U	P-O5'	7.84	1.67	1.59
1	AA	1536	C	C4'-O4'	-7.83	1.35	1.45
26	BB	1754	A	C5-C4	-7.83	1.33	1.38
26	BB	2531	A	C5-C4	7.83	1.44	1.38
26	BB	2760	C	N3-C4	7.83	1.39	1.33
26	BB	230	G	N1-C2	7.83	1.44	1.37
26	BB	1953	A	N9-C4	-7.83	1.33	1.37
26	BB	134	G	N7-C5	7.83	1.44	1.39
26	BB	516	C	N1-C6	-7.83	1.32	1.37
26	BB	820	A	N9-C4	7.83	1.42	1.37
26	BB	1248	G	C8-N7	-7.83	1.26	1.30
1	AA	1027	C	N1-C6	7.83	1.41	1.37
1	AA	383	A	N3-C4	7.83	1.39	1.34
1	AA	423	G	C6-N1	7.83	1.45	1.39
1	AA	1160	G	C6-N1	-7.83	1.34	1.39
25	BA	112	G	C2-N3	7.83	1.39	1.32
26	BB	360	U	C4-C5	-7.83	1.36	1.43
1	AA	938	A	N7-C5	-7.82	1.34	1.39
1	AA	1256	A	C8-N7	-7.82	1.26	1.31
1	AA	1378	C	N1-C6	7.82	1.41	1.37
26	BB	2369	A	P-O5'	7.82	1.67	1.59
26	BB	2419	U	C2-N3	7.82	1.43	1.37
1	AA	1036	A	N9-C4	7.82	1.42	1.37
2	AB	2	G	N7-C5	-7.82	1.34	1.39
26	BB	862	G	P-O5'	7.82	1.67	1.59
26	BB	1414	C	C2'-C1'	-7.82	1.44	1.53
26	BB	2574	G	C5-C4	-7.82	1.32	1.38
26	BB	2644	G	C5-C6	7.82	1.50	1.42
26	BB	1312	U	C4'-O4'	-7.82	1.35	1.45
26	BB	1796	U	P-O5'	7.82	1.67	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	642	A	C6-N1	7.81	1.41	1.35
1	AA	1307	U	P-O5'	7.81	1.67	1.59
26	BB	2185	U	N1-C2	7.81	1.45	1.38
26	BB	2475	C	P-O5'	7.81	1.67	1.59
1	AA	41	G	C5-C4	7.81	1.43	1.38
26	BB	791	C	C2-N3	7.81	1.42	1.35
26	BB	1660	G	N1-C2	7.81	1.44	1.37
26	BB	104	A	N7-C5	7.81	1.44	1.39
26	BB	1872	A	N7-C5	-7.81	1.34	1.39
26	BB	2039	U	C4-O4	-7.81	1.17	1.23
26	BB	2282	G	C5-C6	7.80	1.50	1.42
26	BB	76	C	N1-C6	7.80	1.41	1.37
26	BB	450	G	P-O5'	7.80	1.67	1.59
1	AA	990	C	C2-N3	7.80	1.42	1.35
2	AB	58	A	C6-N1	-7.80	1.30	1.35
26	BB	1693	U	C4-C5	7.80	1.50	1.43
25	BA	81	G	C3'-C2'	7.80	1.61	1.52
1	AA	417	G	C5'-C4'	7.80	1.60	1.51
26	BB	815	C	C4-C5	7.80	1.49	1.43
26	BB	1230	A	C2'-C1'	-7.80	1.44	1.53
26	BB	1405	U	C2-N3	7.80	1.43	1.37
26	BB	2235	G	C8-N7	7.80	1.35	1.30
1	AA	369	G	C8-N7	-7.79	1.26	1.30
26	BB	196	A	C6-N1	-7.79	1.30	1.35
26	BB	1815	A	C4'-O4'	-7.79	1.35	1.45
26	BB	2084	C	C4'-C3'	-7.79	1.44	1.53
25	BA	15	A	C5'-C4'	7.79	1.60	1.51
26	BB	767	U	C5'-C4'	7.79	1.60	1.51
26	BB	1325	U	C2-N3	7.79	1.43	1.37
26	BB	2701	U	N3-C4	7.79	1.45	1.38
26	BB	1682	G	O3'-P	7.79	1.70	1.61
1	AA	1032	G	C2-N3	7.79	1.39	1.32
26	BB	833	A	C5-C4	-7.79	1.33	1.38
1	AA	878	A	C6-N1	7.79	1.41	1.35
1	AA	194	C	C2-O2	-7.79	1.17	1.24
1	AA	632	U	N1-C2	7.79	1.45	1.38
26	BB	223	A	N9-C4	-7.79	1.33	1.37
26	BB	1760	C	N3-C4	7.79	1.39	1.33
26	BB	1875	G	N9-C8	7.79	1.43	1.37
3	AC	51	C	P-O5'	7.78	1.67	1.59
4	AD	43	G	N1-C2	7.78	1.44	1.37
26	BB	1517	G	N7-C5	-7.78	1.34	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1613	G	N9-C8	7.78	1.43	1.37
26	BB	2584	U	C2'-C1'	7.78	1.61	1.53
26	BB	516	C	C5-C6	7.78	1.40	1.34
1	AA	332	G	N7-C5	-7.78	1.34	1.39
1	AA	674	G	C5-C4	-7.78	1.32	1.38
26	BB	674	G	N7-C5	7.78	1.44	1.39
26	BB	2404	U	P-O5'	7.78	1.67	1.59
1	AA	991	U	C4-C5	7.78	1.50	1.43
26	BB	1687	G	C8-N7	-7.78	1.26	1.30
26	BB	11	C	C4'-O4'	-7.78	1.35	1.45
26	BB	479	A	N3-C4	7.78	1.39	1.34
26	BB	942	G	C2-N3	7.78	1.39	1.32
26	BB	2340	A	N7-C5	-7.78	1.34	1.39
26	BB	2691	C	C5-C6	7.78	1.40	1.34
1	AA	12	U	C5'-C4'	7.78	1.60	1.51
4	AD	54	G	C5-C4	-7.78	1.32	1.38
26	BB	502	A	C8-N7	7.78	1.36	1.31
26	BB	979	A	O3'-P	7.77	1.70	1.61
1	AA	970	C	C4-C5	7.77	1.49	1.43
26	BB	185	G	N9-C8	-7.77	1.32	1.37
26	BB	1375	U	C4-C5	7.77	1.50	1.43
26	BB	2584	U	C4-C5	7.77	1.50	1.43
26	BB	2007	U	C2-N3	-7.77	1.32	1.37
1	AA	1223	C	N1-C6	7.77	1.41	1.37
26	BB	1492	G	C8-N7	-7.77	1.26	1.30
26	BB	2844	G	C5-C6	7.77	1.50	1.42
26	BB	2080	A	O3'-P	7.77	1.70	1.61
1	AA	1156	G	C4'-O4'	-7.76	1.35	1.45
1	AA	1175	G	N9-C8	7.76	1.43	1.37
25	BA	30	C	C4'-C3'	7.76	1.61	1.53
1	AA	511	C	N3-C4	7.76	1.39	1.33
26	BB	170	U	C5'-C4'	7.76	1.60	1.51
26	BB	682	G	P-O5'	7.76	1.67	1.59
26	BB	919	U	P-O5'	7.76	1.67	1.59
26	BB	2688	G	O3'-P	-7.76	1.51	1.61
1	AA	212	G	P-O5'	7.76	1.67	1.59
1	AA	356	A	N3-C4	7.76	1.39	1.34
4	AD	36	A	N1-C2	-7.76	1.27	1.34
26	BB	1212	G	N7-C5	7.76	1.44	1.39
26	BB	1230	A	C6-N1	7.76	1.41	1.35
26	BB	84	A	N7-C5	7.76	1.44	1.39
1	AA	1447	A	C4'-C3'	7.76	1.61	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2668	G	C6-N1	-7.76	1.34	1.39
26	BB	525	U	C2-N3	7.75	1.43	1.37
1	AA	715	A	N9-C4	7.75	1.42	1.37
26	BB	441	U	C4-C5	7.75	1.50	1.43
26	BB	1547	C	N3-C4	7.75	1.39	1.33
26	BB	2555	U	C4-C5	7.75	1.50	1.43
26	BB	2726	A	C8-N7	7.75	1.36	1.31
1	AA	969	A	C3'-C2'	7.75	1.61	1.52
3	AC	29	G	N3-C4	7.75	1.40	1.35
26	BB	763	G	C6-N1	7.75	1.45	1.39
26	BB	846	U	P-O5'	7.75	1.67	1.59
26	BB	1122	G	C8-N7	-7.75	1.26	1.30
26	BB	1438	U	C2-N3	-7.75	1.32	1.37
26	BB	1671	U	C2-N3	7.75	1.43	1.37
1	AA	210	C	O3'-P	7.75	1.70	1.61
26	BB	639	U	C2-O2	7.75	1.29	1.22
26	BB	2119	A	N3-C4	7.75	1.39	1.34
26	BB	1001	A	N3-C4	7.75	1.39	1.34
26	BB	2620	C	P-O5'	7.75	1.67	1.59
1	AA	224	U	N1-C2	7.75	1.45	1.38
1	AA	507	C	C5'-C4'	7.74	1.60	1.51
26	BB	1970	A	N3-C4	7.74	1.39	1.34
26	BB	2753	A	P-O5'	7.74	1.67	1.59
1	AA	694	A	P-O5'	7.74	1.67	1.59
1	AA	1182	G	N7-C5	7.74	1.43	1.39
26	BB	326	G	N9-C4	-7.74	1.31	1.38
26	BB	1625	C	C4'-C3'	7.74	1.61	1.53
26	BB	2241	A	P-O5'	7.74	1.67	1.59
1	AA	318	G	C6-N1	7.74	1.45	1.39
1	AA	905	U	C5-C6	7.74	1.41	1.34
4	AD	77	A	C5'-C4'	7.74	1.60	1.51
26	BB	285	G	C4'-C3'	7.74	1.61	1.53
26	BB	993	G	N1-C2	7.74	1.44	1.37
26	BB	2275	C	N1-C2	7.74	1.47	1.40
26	BB	2465	C	N1-C6	7.74	1.41	1.37
26	BB	264	C	P-O5'	7.74	1.67	1.59
26	BB	2200	C	P-O5'	7.74	1.67	1.59
26	BB	1884	G	P-O5'	7.74	1.67	1.59
26	BB	2610	C	P-O5'	7.74	1.67	1.59
26	BB	2648	G	N9-C8	-7.74	1.32	1.37
1	AA	248	C	C4-C5	7.73	1.49	1.43
26	BB	2877	G	N3-C4	7.73	1.40	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1447	C	C5'-C4'	7.73	1.60	1.51
1	AA	1072	G	C5-C4	-7.73	1.32	1.38
1	AA	1487	G	O3'-P	7.73	1.70	1.61
26	BB	1181	U	C5-C6	7.73	1.41	1.34
26	BB	1435	G	N1-C2	7.73	1.44	1.37
26	BB	2184	A	N9-C8	7.73	1.44	1.37
26	BB	771	G	P-O5'	7.73	1.67	1.59
26	BB	1279	G	C2-N3	7.73	1.39	1.32
1	AA	913	A	N3-C4	7.72	1.39	1.34
1	AA	233	C	P-O5'	7.72	1.67	1.59
1	AA	783	C	C2'-C1'	7.72	1.61	1.53
26	BB	833	A	P-O5'	7.72	1.67	1.59
26	BB	2295	C	C4-N4	-7.72	1.26	1.33
26	BB	2028	U	P-O5'	7.72	1.67	1.59
1	AA	277	C	C4-N4	7.72	1.40	1.33
25	BA	95	U	C4'-C3'	7.72	1.61	1.53
26	BB	245	G	N1-C2	7.72	1.44	1.37
26	BB	1381	G	C8-N7	-7.72	1.26	1.30
1	AA	466	A	C5-C4	-7.72	1.33	1.38
26	BB	1960	A	N7-C5	-7.72	1.34	1.39
1	AA	495	A	C5'-C4'	7.72	1.60	1.51
26	BB	277	G	C4'-O4'	-7.72	1.35	1.45
26	BB	852	U	C4-O4	-7.72	1.17	1.23
26	BB	876	C	N3-C4	7.72	1.39	1.33
26	BB	1560	G	C2-N3	7.72	1.39	1.32
26	BB	1604	C	C4-N4	7.72	1.40	1.33
26	BB	1957	C	C2-N3	7.72	1.42	1.35
1	AA	12	U	O3'-P	-7.71	1.51	1.61
1	AA	676	A	N1-C2	7.71	1.41	1.34
25	BA	59	A	C6-N1	7.71	1.41	1.35
26	BB	1711	A	C4'-O4'	-7.71	1.35	1.45
1	AA	845	A	N9-C4	-7.71	1.33	1.37
2	AB	41	C	N1-C6	7.71	1.41	1.37
26	BB	562	U	C2'-C1'	7.71	1.61	1.53
26	BB	2681	C	N3-C4	-7.71	1.28	1.33
1	AA	205	A	C4'-C3'	-7.71	1.44	1.53
26	BB	30	G	C4'-O4'	-7.71	1.35	1.45
1	AA	1278	G	N7-C5	7.71	1.43	1.39
26	BB	1186	G	C5'-C4'	7.71	1.60	1.51
26	BB	1944	U	C4'-C3'	7.71	1.61	1.53
26	BB	1980	G	P-O5'	7.71	1.67	1.59
26	BB	68	G	C5'-C4'	7.70	1.60	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	830	G	C4'-O4'	-7.70	1.35	1.45
4	AD	10	G	C4'-C3'	7.70	1.61	1.53
26	BB	1224	U	P-O5'	7.70	1.67	1.59
26	BB	2799	A	N3-C4	7.70	1.39	1.34
1	AA	210	C	P-O5'	7.70	1.67	1.59
1	AA	1130	A	N3-C4	7.70	1.39	1.34
1	AA	1423	G	N1-C2	-7.70	1.31	1.37
1	AA	1493	A	P-O5'	7.70	1.67	1.59
4	AD	63	C	C2'-C1'	7.70	1.61	1.53
26	BB	2335	A	O3'-P	-7.70	1.51	1.61
26	BB	2570	G	P-O5'	7.70	1.67	1.59
26	BB	2784	U	C5'-C4'	7.70	1.60	1.51
1	AA	113	G	N3-C4	7.70	1.40	1.35
26	BB	1446	C	N1-C6	7.70	1.41	1.37
1	AA	459	A	C4'-C3'	-7.70	1.44	1.53
1	AA	161	A	C6-N1	-7.69	1.30	1.35
1	AA	645	G	N9-C8	-7.69	1.32	1.37
2	AB	63	C	C2-N3	7.69	1.42	1.35
26	BB	2287	A	C6-N1	-7.69	1.30	1.35
26	BB	2422	C	C4-C5	7.69	1.49	1.43
26	BB	2870	C	C4-C5	7.69	1.49	1.43
26	BB	1259	G	C5-C6	7.69	1.50	1.42
26	BB	1260	A	N3-C4	7.69	1.39	1.34
26	BB	2077	A	N9-C4	7.69	1.42	1.37
26	BB	1302	A	N7-C5	7.69	1.43	1.39
26	BB	1581	G	N3-C4	-7.69	1.30	1.35
4	AD	28	U	N3-C4	7.68	1.45	1.38
26	BB	638	G	P-O5'	7.68	1.67	1.59
26	BB	653	U	C2'-O2'	7.68	1.51	1.41
26	BB	1239	G	C5-C6	7.68	1.50	1.42
26	BB	2688	G	C2-N3	7.68	1.38	1.32
1	AA	298	A	O3'-P	7.68	1.70	1.61
1	AA	451	A	C6-N1	-7.68	1.30	1.35
1	AA	518	C	N1-C2	-7.68	1.32	1.40
26	BB	522	A	O3'-P	7.68	1.70	1.61
26	BB	931	U	C4'-O4'	-7.68	1.35	1.45
26	BB	1888	G	C8-N7	-7.68	1.26	1.30
1	AA	756	C	N3-C4	-7.68	1.28	1.33
1	AA	942	G	C2-N3	7.68	1.38	1.32
3	AC	45	G	N1-C2	7.68	1.43	1.37
26	BB	98	G	N1-C2	7.68	1.43	1.37
26	BB	1853	A	C5'-C4'	7.68	1.60	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	430	A	C8-N7	-7.68	1.26	1.31
1	AA	617	G	N7-C5	7.67	1.43	1.39
3	AC	45	G	P-O5'	7.67	1.67	1.59
26	BB	1279	G	N3-C4	7.67	1.40	1.35
26	BB	2404	U	C2-N3	7.67	1.43	1.37
1	AA	333	U	C5'-C4'	7.67	1.60	1.51
26	BB	791	C	N3-C4	7.67	1.39	1.33
26	BB	1571	A	N9-C8	-7.67	1.31	1.37
1	AA	675	A	N7-C5	-7.67	1.34	1.39
1	AA	1397	C	C4'-C3'	7.67	1.61	1.53
1	AA	836	G	C5-C6	-7.67	1.34	1.42
26	BB	353	C	C2-N3	7.67	1.41	1.35
26	BB	1525	A	C4'-O4'	-7.67	1.35	1.45
26	BB	1909	C	C5'-C4'	7.67	1.60	1.51
26	BB	1940	U	C2'-C1'	7.67	1.61	1.53
26	BB	1765	U	C2-N3	7.67	1.43	1.37
26	BB	1807	G	C5-C4	-7.67	1.32	1.38
26	BB	589	U	N1-C2	7.66	1.45	1.38
26	BB	1807	G	C4'-O4'	-7.66	1.35	1.45
26	BB	2090	A	N7-C5	-7.66	1.34	1.39
26	BB	2198	A	N3-C4	7.66	1.39	1.34
26	BB	2882	A	N7-C5	7.66	1.43	1.39
26	BB	1111	A	C5-C6	-7.66	1.34	1.41
26	BB	1256	G	C2-N3	7.66	1.38	1.32
26	BB	2268	A	N7-C5	7.66	1.43	1.39
26	BB	2281	A	C5'-C4'	7.66	1.60	1.51
26	BB	364	C	N1-C6	-7.66	1.32	1.37
26	BB	2820	A	C6-N1	-7.66	1.30	1.35
1	AA	1238	A	C5-C4	7.65	1.44	1.38
1	AA	1431	A	C6-N1	7.65	1.41	1.35
1	AA	711	G	N9-C8	-7.65	1.32	1.37
1	AA	719	C	P-O5'	7.65	1.67	1.59
1	AA	912	C	P-O5'	7.65	1.67	1.59
26	BB	1225	G	C2-N3	7.65	1.38	1.32
26	BB	1616	A	N9-C4	-7.65	1.33	1.37
1	AA	1182	G	C4'-C3'	7.65	1.61	1.53
26	BB	477	A	P-O5'	7.65	1.67	1.59
26	BB	2009	A	C4'-C3'	7.65	1.61	1.53
26	BB	2381	A	C4'-O4'	-7.65	1.35	1.45
26	BB	2717	C	C4-C5	7.65	1.49	1.43
1	AA	179	A	C6-N1	7.65	1.41	1.35
1	AA	864	A	C4'-O4'	-7.65	1.35	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	304	U	P-O5'	7.65	1.67	1.59
26	BB	352	A	P-O5'	7.65	1.67	1.59
26	BB	1535	A	C6-N6	7.65	1.40	1.33
26	BB	2781	A	P-O5'	7.65	1.67	1.59
26	BB	2822	G	C2-N3	7.65	1.38	1.32
1	AA	348	G	N9-C4	-7.65	1.31	1.38
1	AA	744	C	C5'-C4'	7.65	1.60	1.51
26	BB	1750	G	N3-C4	7.65	1.40	1.35
26	BB	724	U	C2-N3	7.64	1.43	1.37
26	BB	819	A	C5-C4	7.64	1.44	1.38
1	AA	448	A	C6-N1	-7.64	1.30	1.35
26	BB	130	C	C2-N3	7.64	1.41	1.35
26	BB	316	C	P-O5'	7.64	1.67	1.59
26	BB	852	U	C4-C5	7.64	1.50	1.43
26	BB	1603	A	P-O5'	7.64	1.67	1.59
26	BB	2864	G	O3'-P	7.64	1.70	1.61
26	BB	2138	G	N3-C4	7.64	1.40	1.35
26	BB	2587	A	C6-N6	7.64	1.40	1.33
1	AA	102	G	N9-C8	7.64	1.43	1.37
25	BA	66	A	C2'-C1'	7.64	1.61	1.53
26	BB	151	C	C4-N4	7.64	1.40	1.33
26	BB	2639	A	N3-C4	-7.64	1.30	1.34
1	AA	1156	G	N7-C5	-7.64	1.34	1.39
1	AA	1529	G	C6-N1	-7.64	1.34	1.39
26	BB	1684	G	O4'-C1'	7.64	1.51	1.41
26	BB	1382	G	C8-N7	7.64	1.35	1.30
26	BB	2282	G	N1-C2	7.64	1.43	1.37
26	BB	2395	C	C4-N4	-7.64	1.27	1.33
1	AA	1520	C	N1-C6	7.63	1.41	1.37
26	BB	1165	A	P-O5'	7.63	1.67	1.59
1	AA	1003	G	N9-C8	7.63	1.43	1.37
1	AA	1248	A	N7-C5	7.63	1.43	1.39
26	BB	1217	U	P-O5'	7.63	1.67	1.59
1	AA	1432	G	C5'-C4'	7.63	1.60	1.51
26	BB	1673	G	C6-N1	7.63	1.44	1.39
26	BB	2051	A	C2'-C1'	-7.63	1.45	1.53
26	BB	2259	U	C4-C5	-7.63	1.36	1.43
26	BB	682	G	O3'-P	7.63	1.70	1.61
26	BB	1011	G	C5-C4	7.63	1.43	1.38
26	BB	2035	G	N1-C2	7.63	1.43	1.37
1	AA	362	G	O3'-P	7.62	1.70	1.61
26	BB	971	G	C6-N1	7.62	1.44	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1545	A	N3-C4	7.62	1.39	1.34
1	AA	202	G	N9-C4	7.62	1.44	1.38
1	AA	723	U	P-O5'	7.62	1.67	1.59
26	BB	32	C	N1-C6	-7.62	1.32	1.37
1	AA	868	C	C2-N3	7.62	1.41	1.35
1	AA	1191	A	C6-N1	7.62	1.40	1.35
26	BB	2497	A	N9-C4	-7.62	1.33	1.37
1	AA	1228	C	C4'-O4'	-7.62	1.35	1.45
1	AA	1442	G	N1-C2	7.62	1.43	1.37
4	AD	5	G	P-O5'	7.62	1.67	1.59
25	BA	54	G	C8-N7	7.62	1.35	1.30
26	BB	1528	A	C6-N1	-7.62	1.30	1.35
26	BB	2567	G	C6-N1	7.62	1.44	1.39
26	BB	2585	U	C3'-C2'	7.62	1.61	1.52
1	AA	481	G	N7-C5	7.62	1.43	1.39
26	BB	1104	C	C3'-C2'	7.62	1.61	1.52
26	BB	2071	A	N9-C4	7.62	1.42	1.37
1	AA	920	U	C2-N3	7.61	1.43	1.37
4	AD	9	G	C5'-C4'	7.61	1.60	1.51
26	BB	2252	G	C2'-C1'	-7.61	1.45	1.53
26	BB	2676	C	N1-C6	7.61	1.41	1.37
1	AA	1525	G	O3'-P	7.61	1.70	1.61
26	BB	1296	G	C2-N3	7.61	1.38	1.32
26	BB	1571	A	N3-C4	7.61	1.39	1.34
26	BB	2120	G	C6-N1	7.61	1.44	1.39
26	BB	2699	C	C5'-C4'	7.61	1.60	1.51
3	AC	28	U	C2-N3	7.61	1.43	1.37
26	BB	791	C	N1-C6	7.61	1.41	1.37
26	BB	1044	C	C4'-O4'	-7.61	1.35	1.45
26	BB	1161	C	P-O5'	7.61	1.67	1.59
26	BB	1399	C	O3'-P	7.61	1.70	1.61
26	BB	2592	G	N1-C2	7.61	1.43	1.37
24	AX	36	PHE	CG-CD1	7.61	1.50	1.38
25	BA	30	C	P-O5'	7.61	1.67	1.59
26	BB	103	A	C4'-O4'	-7.61	1.35	1.45
26	BB	121	G	C4'-O4'	-7.61	1.35	1.45
26	BB	963	U	N3-C4	7.61	1.45	1.38
26	BB	1453	A	C5-C4	-7.61	1.33	1.38
26	BB	2365	G	O3'-P	7.61	1.70	1.61
26	BB	2485	G	O3'-P	7.61	1.70	1.61
26	BB	2581	G	N3-C4	7.61	1.40	1.35
26	BB	2838	G	C6-N1	7.61	1.44	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	361	G	N7-C5	-7.61	1.34	1.39
26	BB	1337	G	C6-O6	-7.61	1.17	1.24
26	BB	1663	G	N1-C2	-7.61	1.31	1.37
1	AA	694	A	N3-C4	7.60	1.39	1.34
26	BB	2522	U	C2-N3	7.60	1.43	1.37
4	AD	76	C	C4-C5	7.60	1.49	1.43
26	BB	182	A	P-O5'	7.60	1.67	1.59
1	AA	1525	G	N7-C5	-7.60	1.34	1.39
26	BB	1054	A	C5'-C4'	7.60	1.60	1.51
1	AA	182	A	C8-N7	-7.60	1.26	1.31
1	AA	662	U	O3'-P	7.60	1.70	1.61
26	BB	315	G	N3-C4	7.60	1.40	1.35
26	BB	550	C	C5-C6	7.60	1.40	1.34
1	AA	13	U	C4-C5	7.60	1.50	1.43
26	BB	13	A	N9-C4	7.60	1.42	1.37
26	BB	422	A	N9-C4	7.60	1.42	1.37
26	BB	839	U	O3'-P	-7.59	1.52	1.61
26	BB	974	G	C5-C4	7.59	1.43	1.38
26	BB	2610	C	C4'-C3'	7.59	1.61	1.53
1	AA	137	U	P-O5'	7.59	1.67	1.59
26	BB	987	C	N1-C6	7.59	1.41	1.37
26	BB	1812	U	C4-C5	7.59	1.50	1.43
26	BB	2426	A	C5-C4	7.59	1.44	1.38
1	AA	877	G	P-O5'	7.59	1.67	1.59
2	AB	3	G	O3'-P	7.59	1.70	1.61
26	BB	1737	G	C3'-C2'	7.59	1.61	1.52
1	AA	45	G	C2-N3	7.59	1.38	1.32
1	AA	129	A	C8-N7	-7.59	1.26	1.31
26	BB	2049	G	C5-C6	7.59	1.50	1.42
1	AA	1346	A	P-O5'	7.58	1.67	1.59
26	BB	1099	G	N3-C4	7.58	1.40	1.35
1	AA	347	G	P-O5'	7.58	1.67	1.59
26	BB	131	A	O4'-C1'	7.58	1.51	1.41
26	BB	1037	G	C2-N3	7.58	1.38	1.32
26	BB	968	C	O3'-P	7.58	1.70	1.61
26	BB	1141	U	C4-O4	7.58	1.29	1.23
26	BB	492	A	N7-C5	-7.58	1.34	1.39
26	BB	1162	G	C5-C4	7.58	1.43	1.38
26	BB	2641	G	C4'-O4'	-7.58	1.35	1.45
1	AA	524	G	C8-N7	-7.57	1.26	1.30
26	BB	1889	A	N7-C5	7.57	1.43	1.39
26	BB	1943	U	N1-C2	7.57	1.45	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2855	C	N3-C4	7.57	1.39	1.33
26	BB	1029	A	C5'-C4'	7.57	1.60	1.51
1	AA	472	U	O3'-P	7.57	1.70	1.61
26	BB	1549	A	C4'-C3'	7.57	1.61	1.53
26	BB	475	C	C2-N3	7.57	1.41	1.35
26	BB	1143	A	N3-C4	7.57	1.39	1.34
1	AA	39	G	P-O5'	7.56	1.67	1.59
1	AA	655	A	C8-N7	-7.56	1.26	1.31
26	BB	2788	C	C5-C6	7.56	1.40	1.34
1	AA	465	A	C8-N7	-7.56	1.26	1.31
1	AA	1049	U	C2-N3	7.56	1.43	1.37
26	BB	446	G	N9-C8	-7.56	1.32	1.37
26	BB	2214	C	N1-C6	-7.56	1.32	1.37
26	BB	1706	C	C4-C5	7.56	1.49	1.43
1	AA	1466	C	N3-C4	7.56	1.39	1.33
26	BB	1190	G	N7-C5	-7.56	1.34	1.39
26	BB	1230	A	N9-C4	7.56	1.42	1.37
26	BB	1583	A	C2-N3	-7.56	1.26	1.33
26	BB	2209	G	C8-N7	-7.56	1.26	1.30
26	BB	129	C	C5-C6	7.56	1.40	1.34
26	BB	788	A	N3-C4	7.56	1.39	1.34
26	BB	814	C	P-O5'	7.56	1.67	1.59
26	BB	2180	U	C2-N3	7.56	1.43	1.37
1	AA	149	A	N3-C4	7.55	1.39	1.34
1	AA	655	A	N3-C4	-7.55	1.30	1.34
1	AA	921	U	N1-C2	7.55	1.45	1.38
26	BB	513	A	C2-N3	7.55	1.40	1.33
26	BB	1241	A	C5'-C4'	7.55	1.60	1.51
26	BB	2857	G	N1-C2	7.55	1.43	1.37
1	AA	108	G	N9-C8	-7.55	1.32	1.37
26	BB	609	A	C8-N7	-7.55	1.26	1.31
26	BB	2728	U	P-O5'	7.55	1.67	1.59
1	AA	791	G	P-O5'	7.55	1.67	1.59
26	BB	1387	A	N7-C5	7.55	1.43	1.39
26	BB	2073	C	C5'-C4'	7.55	1.60	1.51
1	AA	338	A	N7-C5	-7.55	1.34	1.39
1	AA	1193	G	N7-C5	7.55	1.43	1.39
1	AA	1357	A	C6-N1	-7.55	1.30	1.35
3	AC	40	G	C4'-O4'	-7.55	1.35	1.45
26	BB	50	U	N3-C4	7.55	1.45	1.38
26	BB	111	A	C5'-C4'	7.55	1.60	1.51
26	BB	2705	A	P-O5'	7.55	1.67	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1499	C	C4'-O4'	-7.55	1.35	1.45
26	BB	1735	A	C6-N6	7.55	1.40	1.33
26	BB	1952	A	N3-C4	7.55	1.39	1.34
26	BB	2148	G	C6-N1	7.55	1.44	1.39
1	AA	164	G	C8-N7	-7.54	1.26	1.30
26	BB	41	C	C5-C6	7.54	1.40	1.34
26	BB	202	U	C2-N3	7.54	1.43	1.37
26	BB	2359	C	N1-C6	7.54	1.41	1.37
1	AA	64	G	O3'-P	7.54	1.70	1.61
26	BB	448	U	C5-C6	7.54	1.41	1.34
26	BB	2822	G	N3-C4	-7.54	1.30	1.35
26	BB	1020	A	P-O5'	7.54	1.67	1.59
26	BB	1114	C	C4-C5	-7.54	1.36	1.43
26	BB	2693	G	C8-N7	-7.54	1.26	1.30
1	AA	99	C	C5'-C4'	7.54	1.60	1.51
42	BR	97	TYR	CE1-CZ	7.54	1.48	1.38
1	AA	799	G	C2-N2	-7.54	1.27	1.34
1	AA	526	C	P-O5'	7.53	1.67	1.59
1	AA	956	U	C2-O2	7.53	1.29	1.22
2	AB	70	C	P-O5'	7.53	1.67	1.59
26	BB	289	G	C5'-C4'	7.53	1.60	1.51
26	BB	335	C	C4-C5	-7.53	1.36	1.43
26	BB	598	U	N3-C4	7.53	1.45	1.38
26	BB	1358	G	C5-C6	7.53	1.49	1.42
26	BB	1660	G	C8-N7	7.53	1.35	1.30
1	AA	625	U	N1-C2	7.53	1.45	1.38
1	AA	659	U	C2-N3	7.53	1.43	1.37
26	BB	998	C	P-O5'	7.53	1.67	1.59
26	BB	2784	U	N1-C2	7.53	1.45	1.38
1	AA	1316	G	N7-C5	-7.53	1.34	1.39
4	AD	44	A	N3-C4	7.53	1.39	1.34
26	BB	381	G	C2-N3	7.53	1.38	1.32
1	AA	38	G	O4'-C1'	7.53	1.51	1.41
1	AA	230	G	N7-C5	-7.53	1.34	1.39
1	AA	832	G	C6-N1	7.52	1.44	1.39
25	BA	91	C	N1-C2	7.52	1.47	1.40
1	AA	1387	G	N3-C4	7.52	1.40	1.35
26	BB	561	G	N7-C5	7.52	1.43	1.39
26	BB	1177	G	C5-C6	7.52	1.49	1.42
26	BB	2793	C	C5'-C4'	7.52	1.60	1.51
26	BB	1832	C	P-O5'	7.52	1.67	1.59
1	AA	1426	G	O3'-P	-7.52	1.52	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2099	U	C2-O2	7.52	1.29	1.22
26	BB	2146	C	C2-N3	7.52	1.41	1.35
26	BB	2184	A	N7-C5	-7.52	1.34	1.39
26	BB	2661	G	N1-C2	7.52	1.43	1.37
25	BA	33	G	C4'-C3'	7.52	1.61	1.53
26	BB	1006	C	N3-C4	7.52	1.39	1.33
26	BB	1555	G	P-O5'	7.52	1.67	1.59
26	BB	1936	A	P-O5'	7.52	1.67	1.59
2	AB	60	U	C4-C5	7.51	1.50	1.43
25	BA	109	A	N9-C8	-7.51	1.31	1.37
26	BB	2276	G	C2-N3	7.51	1.38	1.32
2	AB	12	U	C2-O2	7.51	1.29	1.22
1	AA	1432	G	N7-C5	-7.51	1.34	1.39
1	AA	499	A	C2'-C1'	-7.51	1.45	1.53
26	BB	1344	U	N1-C2	7.51	1.45	1.38
26	BB	2271	G	C2-N3	7.51	1.38	1.32
26	BB	2234	G	C5-C4	7.51	1.43	1.38
1	AA	1413	A	O3'-P	7.51	1.70	1.61
26	BB	1184	U	C4-O4	-7.51	1.17	1.23
26	BB	1631	G	C2'-O2'	7.51	1.51	1.41
26	BB	2571	U	N1-C2	7.51	1.45	1.38
1	AA	759	A	N9-C4	7.50	1.42	1.37
26	BB	2453	A	N9-C8	-7.50	1.31	1.37
1	AA	274	A	N1-C2	-7.50	1.27	1.34
1	AA	1507	A	N1-C2	-7.50	1.27	1.34
26	BB	513	A	N3-C4	7.50	1.39	1.34
26	BB	1098	A	N3-C4	7.50	1.39	1.34
26	BB	2487	G	C2-N3	7.50	1.38	1.32
26	BB	1028	A	N9-C4	-7.50	1.33	1.37
26	BB	1877	A	O3'-P	7.50	1.70	1.61
1	AA	1416	G	N9-C8	-7.50	1.32	1.37
26	BB	2624	G	C2'-C1'	7.50	1.61	1.53
1	AA	1145	A	N7-C5	7.50	1.43	1.39
2	AB	34	C	C4-C5	7.50	1.49	1.43
26	BB	545	U	P-O5'	7.50	1.67	1.59
26	BB	895	U	C2-N3	7.50	1.43	1.37
1	AA	497	G	N3-C4	7.50	1.40	1.35
26	BB	333	G	C2-N3	7.50	1.38	1.32
26	BB	1701	A	N3-C4	7.50	1.39	1.34
26	BB	2073	C	O5'-C5'	-7.50	1.30	1.42
26	BB	834	G	C2-N3	7.49	1.38	1.32
1	AA	321	A	C5-C4	-7.49	1.33	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	371	A	N3-C4	7.49	1.39	1.34
26	BB	783	A	N3-C4	7.49	1.39	1.34
25	BA	71	C	N1-C6	7.49	1.41	1.37
26	BB	392	U	C4-O4	-7.49	1.17	1.23
26	BB	522	A	C5'-C4'	7.49	1.60	1.51
26	BB	956	G	C6-N1	7.49	1.44	1.39
26	BB	2434	A	N3-C4	7.49	1.39	1.34
26	BB	1906	G	N7-C5	-7.49	1.34	1.39
26	BB	2729	G	C8-N7	7.49	1.35	1.30
1	AA	1190	G	C5-C4	-7.49	1.33	1.38
26	BB	280	U	N1-C2	7.49	1.45	1.38
26	BB	447	A	C8-N7	-7.49	1.26	1.31
26	BB	2083	G	C8-N7	-7.48	1.26	1.30
26	BB	1101	U	C2-N3	7.48	1.43	1.37
26	BB	968	C	N3-C4	7.48	1.39	1.33
26	BB	1155	A	P-O5'	7.48	1.67	1.59
26	BB	346	A	O3'-P	7.48	1.70	1.61
1	AA	241	G	N7-C5	-7.48	1.34	1.39
1	AA	631	C	N3-C4	7.48	1.39	1.33
26	BB	622	G	C2-N3	7.48	1.38	1.32
26	BB	920	A	N3-C4	7.48	1.39	1.34
26	BB	2764	A	C5'-C4'	7.48	1.60	1.51
26	BB	1230	A	N3-C4	7.47	1.39	1.34
26	BB	2407	A	N3-C4	7.47	1.39	1.34
26	BB	2807	U	C2-N3	7.47	1.43	1.37
1	AA	1534	A	N3-C4	7.47	1.39	1.34
26	BB	123	G	N7-C5	-7.47	1.34	1.39
26	BB	586	A	N3-C4	7.47	1.39	1.34
26	BB	739	A	N3-C4	7.47	1.39	1.34
26	BB	1546	G	N1-C2	7.47	1.43	1.37
26	BB	1938	A	N9-C4	7.47	1.42	1.37
2	AB	43	G	N3-C4	7.47	1.40	1.35
26	BB	956	G	N3-C4	7.47	1.40	1.35
26	BB	2637	U	P-O5'	7.47	1.67	1.59
26	BB	672	C	O3'-P	7.47	1.70	1.61
1	AA	1059	C	C2'-C1'	7.46	1.61	1.53
1	AA	1239	A	N7-C5	7.46	1.43	1.39
2	AB	10	G	N3-C4	-7.46	1.30	1.35
1	AA	557	G	N7-C5	7.46	1.43	1.39
1	AA	607	A	P-O5'	7.46	1.67	1.59
1	AA	830	G	N1-C2	7.46	1.43	1.37
1	AA	1163	A	N3-C4	7.46	1.39	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2134	A	C8-N7	-7.46	1.26	1.31
26	BB	2824	C	C5-C6	7.46	1.40	1.34
1	AA	463	U	C4-C5	7.46	1.50	1.43
1	AA	822	U	C2-N3	7.46	1.43	1.37
26	BB	1179	G	P-O5'	7.46	1.67	1.59
26	BB	1486	U	C4-C5	7.46	1.50	1.43
26	BB	2234	G	C6-N1	-7.46	1.34	1.39
10	AJ	110	ARG	NE-CZ	7.46	1.42	1.33
26	BB	2406	A	P-O5'	7.46	1.67	1.59
26	BB	2832	U	C2-N3	7.46	1.43	1.37
1	AA	637	C	C2-N3	7.46	1.41	1.35
26	BB	2434	A	C5-C6	7.46	1.47	1.41
26	BB	2604	U	C2'-C1'	7.46	1.61	1.53
26	BB	2772	C	C4'-O4'	-7.46	1.35	1.45
26	BB	757	G	N9-C4	-7.46	1.31	1.38
1	AA	1142	G	N3-C4	-7.45	1.30	1.35
1	AA	1150	A	C2'-C1'	7.45	1.61	1.53
26	BB	1365	A	P-O5'	-7.45	1.52	1.59
26	BB	1465	G	O3'-P	7.45	1.70	1.61
1	AA	1397	C	C2-N3	7.45	1.41	1.35
26	BB	1733	G	P-O5'	7.45	1.67	1.59
26	BB	2691	C	C4-N4	7.45	1.40	1.33
26	BB	61	C	C5-C6	7.45	1.40	1.34
26	BB	843	G	N3-C4	7.45	1.40	1.35
26	BB	1115	G	C4'-O4'	-7.45	1.35	1.45
1	AA	853	C	N1-C6	7.45	1.41	1.37
1	AA	1050	G	C2-N3	7.45	1.38	1.32
26	BB	14	A	O4'-C1'	7.45	1.51	1.41
26	BB	1870	C	C5-C6	7.45	1.40	1.34
1	AA	190	A	N3-C4	7.45	1.39	1.34
26	BB	57	C	C4'-O4'	-7.45	1.35	1.45
26	BB	1499	C	C5'-C4'	7.45	1.60	1.51
26	BB	1963	U	C4'-O4'	-7.45	1.35	1.45
26	BB	2825	G	P-O5'	7.45	1.67	1.59
1	AA	301	G	N7-C5	-7.44	1.34	1.39
1	AA	511	C	O3'-P	-7.44	1.52	1.61
1	AA	1081	A	N3-C4	7.44	1.39	1.34
26	BB	247	G	C6-O6	-7.44	1.17	1.24
1	AA	1107	C	N1-C6	-7.44	1.32	1.37
26	BB	388	G	C5'-C4'	7.44	1.60	1.51
26	BB	945	A	C5-C4	-7.44	1.33	1.38
26	BB	2159	G	N9-C8	-7.44	1.32	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
28	BD	226	PRO	N-CD	-7.44	1.37	1.47
26	BB	968	C	C2-N3	7.44	1.41	1.35
26	BB	1067	A	N3-C4	7.44	1.39	1.34
26	BB	2358	A	C5-C4	-7.44	1.33	1.38
26	BB	1128	G	P-O5'	7.44	1.67	1.59
1	AA	16	A	N9-C4	-7.44	1.33	1.37
1	AA	755	G	N9-C4	7.44	1.43	1.38
1	AA	1088	G	N7-C5	-7.44	1.34	1.39
1	AA	1289	A	N7-C5	7.44	1.43	1.39
26	BB	15	G	O3'-P	7.44	1.70	1.61
26	BB	917	A	N3-C4	7.44	1.39	1.34
26	BB	2146	C	P-O5'	7.44	1.67	1.59
26	BB	2501	C	P-O5'	7.44	1.67	1.59
1	AA	153	C	C2'-C1'	7.44	1.61	1.53
1	AA	356	A	N9-C4	-7.44	1.33	1.37
26	BB	1349	C	N1-C6	7.44	1.41	1.37
1	AA	420	U	O3'-P	7.43	1.70	1.61
26	BB	712	G	N7-C5	7.43	1.43	1.39
26	BB	1495	A	C5-C4	-7.43	1.33	1.38
26	BB	1497	U	C2-N3	7.43	1.43	1.37
26	BB	2793	C	P-O5'	7.43	1.67	1.59
1	AA	433	G	N7-C5	7.43	1.43	1.39
1	AA	520	A	C5'-C4'	7.43	1.60	1.51
1	AA	1527	U	C2-N3	7.43	1.43	1.37
26	BB	1048	A	C8-N7	-7.43	1.26	1.31
26	BB	2025	C	C5'-C4'	7.43	1.60	1.51
1	AA	140	U	C4-C5	7.43	1.50	1.43
25	BA	76	G	C6-N1	7.43	1.44	1.39
26	BB	1499	C	C4-C5	7.43	1.48	1.43
26	BB	1955	U	C2-N3	7.43	1.43	1.37
25	BA	64	G	P-O5'	7.43	1.67	1.59
26	BB	432	A	C4'-C3'	7.43	1.61	1.53
26	BB	1372	U	C5-C6	7.43	1.40	1.34
26	BB	1470	A	C5-C4	-7.43	1.33	1.38
1	AA	430	A	N9-C4	-7.42	1.33	1.37
1	AA	1482	G	C6-N1	7.42	1.44	1.39
26	BB	363	G	C4'-O4'	-7.42	1.35	1.45
26	BB	2581	G	C8-N7	-7.42	1.26	1.30
26	BB	2697	G	N1-C2	-7.42	1.31	1.37
1	AA	1028	C	O3'-P	7.42	1.70	1.61
1	AA	587	G	C4'-C3'	7.42	1.61	1.53
1	AA	676	A	C5'-C4'	7.42	1.60	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	10	A	N9-C4	7.42	1.42	1.37
26	BB	1669	A	C4'-O4'	-7.42	1.35	1.45
26	BB	1907	G	C6-O6	-7.42	1.17	1.24
26	BB	2446	G	N9-C8	7.42	1.43	1.37
26	BB	2800	A	N7-C5	7.42	1.43	1.39
1	AA	861	G	C2-N3	7.42	1.38	1.32
1	AA	751	U	P-O5'	7.42	1.67	1.59
1	AA	763	G	C4'-O4'	-7.42	1.35	1.45
1	AA	1145	A	N3-C4	7.42	1.39	1.34
26	BB	434	U	C4-O4	-7.42	1.17	1.23
26	BB	1071	G	N7-C5	7.42	1.43	1.39
26	BB	1321	A	P-O5'	7.42	1.67	1.59
26	BB	2547	A	P-O5'	7.42	1.67	1.59
29	BE	135	GLY	N-CA	7.42	1.57	1.46
1	AA	411	A	N3-C4	7.42	1.39	1.34
26	BB	2454	G	C2-N3	7.42	1.38	1.32
26	BB	1020	A	C5'-C4'	7.41	1.60	1.51
26	BB	1149	G	C4'-C3'	7.41	1.61	1.53
26	BB	1859	U	C2-N3	7.41	1.43	1.37
1	AA	576	C	N1-C2	7.41	1.47	1.40
1	AA	1428	A	C4'-O4'	-7.41	1.35	1.45
26	BB	2594	C	C4'-O4'	-7.41	1.35	1.45
1	AA	1062	U	N1-C6	7.41	1.44	1.38
1	AA	1324	A	N3-C4	7.41	1.39	1.34
26	BB	535	G	N3-C4	7.41	1.40	1.35
26	BB	1026	G	N9-C8	-7.41	1.32	1.37
26	BB	2134	A	P-O5'	7.41	1.67	1.59
26	BB	2303	G	C2-N3	7.41	1.38	1.32
1	AA	1484	C	C2-O2	-7.41	1.17	1.24
26	BB	328	U	C4-C5	7.41	1.50	1.43
26	BB	947	A	C5-C4	7.41	1.44	1.38
26	BB	2748	A	P-O5'	7.41	1.67	1.59
26	BB	340	A	P-O5'	7.40	1.67	1.59
26	BB	1237	A	O3'-P	7.40	1.70	1.61
26	BB	1899	A	O3'-P	7.40	1.70	1.61
1	AA	870	U	C2'-C1'	7.40	1.61	1.53
26	BB	186	G	C8-N7	-7.40	1.26	1.30
26	BB	188	G	N7-C5	7.40	1.43	1.39
26	BB	194	G	C6-N1	-7.40	1.34	1.39
26	BB	2833	U	N1-C2	7.40	1.45	1.38
26	BB	526	A	P-O5'	7.40	1.67	1.59
26	BB	2046	G	C2-N3	7.40	1.38	1.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	670	A	C5-C6	7.40	1.47	1.41
26	BB	716	A	O3'-P	7.40	1.70	1.61
26	BB	2084	C	C2-N3	7.40	1.41	1.35
26	BB	488	G	N9-C8	7.40	1.43	1.37
1	AA	73	C	N1-C6	-7.40	1.32	1.37
26	BB	1693	U	P-O5'	7.40	1.67	1.59
1	AA	1531	A	C4'-O4'	-7.39	1.35	1.45
1	AA	106	C	C4-C5	7.39	1.48	1.43
1	AA	634	C	C2-N3	7.39	1.41	1.35
26	BB	182	A	N9-C4	7.39	1.42	1.37
26	BB	423	A	N3-C4	7.39	1.39	1.34
26	BB	918	A	N9-C4	7.39	1.42	1.37
26	BB	1622	G	O3'-P	7.39	1.70	1.61
26	BB	2171	A	C6-N6	7.39	1.39	1.33
26	BB	2836	U	C2-N3	7.39	1.43	1.37
1	AA	685	G	C2-N3	7.39	1.38	1.32
26	BB	1164	C	P-O5'	7.39	1.67	1.59
26	BB	1989	G	N9-C4	-7.39	1.32	1.38
26	BB	2064	C	C4'-O4'	-7.39	1.35	1.45
1	AA	57	G	C8-N7	7.39	1.35	1.30
26	BB	2526	G	N3-C4	-7.39	1.30	1.35
4	AD	2	G	C4'-O4'	-7.39	1.35	1.45
26	BB	2823	A	C5'-C4'	7.39	1.60	1.51
1	AA	1371	G	N7-C5	7.39	1.43	1.39
26	BB	1569	A	C6-N6	-7.39	1.28	1.33
26	BB	1858	A	N3-C4	7.39	1.39	1.34
26	BB	2261	C	C5-C6	-7.39	1.28	1.34
1	AA	179	A	N7-C5	7.38	1.43	1.39
1	AA	905	U	P-O5'	7.38	1.67	1.59
4	AD	53	G	C5'-C4'	7.38	1.60	1.51
26	BB	284	U	C4-C5	7.38	1.50	1.43
26	BB	2324	U	O3'-P	7.38	1.70	1.61
26	BB	2821	A	P-O5'	7.38	1.67	1.59
26	BB	925	A	N7-C5	7.38	1.43	1.39
26	BB	1903	G	C2-N3	7.38	1.38	1.32
1	AA	646	G	N3-C4	7.38	1.40	1.35
1	AA	1289	A	N9-C4	-7.38	1.33	1.37
26	BB	1201	U	C4'-O4'	-7.38	1.35	1.45
26	BB	2203	U	N1-C6	-7.38	1.31	1.38
1	AA	292	G	C8-N7	-7.38	1.26	1.30
1	AA	1369	C	C4-C5	7.38	1.48	1.43
26	BB	699	A	C2'-C1'	-7.38	1.45	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	951	C	C2-N3	7.38	1.41	1.35
1	AA	803	G	P-O5'	7.38	1.67	1.59
26	BB	1819	A	O3'-P	7.38	1.70	1.61
1	AA	1325	C	C4'-O4'	-7.38	1.35	1.45
26	BB	937	C	P-O5'	7.38	1.67	1.59
26	BB	1598	A	N3-C4	7.38	1.39	1.34
26	BB	2620	C	C4'-O4'	-7.38	1.35	1.45
1	AA	198	G	N7-C5	7.38	1.43	1.39
1	AA	1363	A	N9-C4	7.38	1.42	1.37
1	AA	1505	G	P-O5'	7.37	1.67	1.59
26	BB	1176	U	C2'-C1'	7.37	1.61	1.53
26	BB	81	G	N9-C4	-7.37	1.32	1.38
26	BB	2152	G	C8-N7	7.37	1.35	1.30
26	BB	2786	U	C5'-C4'	7.37	1.60	1.51
1	AA	696	A	P-O5'	7.37	1.67	1.59
26	BB	2403	C	C2-N3	7.37	1.41	1.35
26	BB	600	G	C5-C4	7.37	1.43	1.38
26	BB	2113	U	C5'-C4'	7.37	1.60	1.51
26	BB	2148	G	N7-C5	7.37	1.43	1.39
1	AA	213	G	C2-N3	7.37	1.38	1.32
1	AA	255	G	C5-C4	-7.37	1.33	1.38
1	AA	704	A	N7-C5	7.37	1.43	1.39
26	BB	1448	G	C2-N3	7.37	1.38	1.32
26	BB	1960	A	C5'-C4'	7.37	1.60	1.51
26	BB	664	G	C8-N7	7.36	1.35	1.30
1	AA	351	G	C6-N1	7.36	1.44	1.39
26	BB	2695	U	C5'-C4'	7.36	1.60	1.51
1	AA	296	U	O4'-C1'	7.36	1.51	1.41
1	AA	1447	A	C5'-C4'	7.36	1.60	1.51
26	BB	585	G	O3'-P	7.36	1.70	1.61
1	AA	323	U	C5'-C4'	7.36	1.60	1.51
1	AA	907	A	O3'-P	7.36	1.70	1.61
25	BA	54	G	C6-N1	7.36	1.44	1.39
26	BB	1579	A	N7-C5	7.36	1.43	1.39
1	AA	1302	C	C2-N3	7.36	1.41	1.35
26	BB	1233	C	C5-C6	7.36	1.40	1.34
26	BB	1738	G	P-O5'	7.36	1.67	1.59
4	AD	29	C	O3'-P	7.36	1.70	1.61
26	BB	708	G	C4'-C3'	-7.36	1.45	1.53
26	BB	774	G	C5-C4	-7.36	1.33	1.38
26	BB	1402	U	C5-C6	7.36	1.40	1.34
26	BB	2514	U	N3-C4	7.36	1.45	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	115	G	N9-C4	7.35	1.43	1.38
26	BB	491	G	O3'-P	7.35	1.70	1.61
1	AA	964	A	O3'-P	-7.35	1.52	1.61
1	AA	1257	A	O3'-P	7.35	1.70	1.61
1	AA	1389	C	N1-C6	7.35	1.41	1.37
26	BB	1815	A	C5-C6	7.35	1.47	1.41
26	BB	2826	A	C5-C6	-7.35	1.34	1.41
26	BB	136	G	P-O5'	7.35	1.67	1.59
26	BB	2810	A	C6-N6	7.35	1.39	1.33
1	AA	1092	A	C8-N7	-7.35	1.26	1.31
26	BB	1616	A	C8-N7	-7.35	1.26	1.31
26	BB	1941	C	C4'-O4'	-7.35	1.35	1.45
26	BB	2276	G	N1-C2	7.35	1.43	1.37
26	BB	2529	G	P-O5'	7.35	1.67	1.59
1	AA	290	C	C4-C5	7.35	1.48	1.43
1	AA	441	A	C5-C4	-7.34	1.33	1.38
26	BB	936	A	N3-C4	7.34	1.39	1.34
26	BB	939	G	N9-C8	7.34	1.43	1.37
26	BB	1684	G	N3-C4	7.34	1.40	1.35
26	BB	2868	A	C6-N6	-7.34	1.28	1.33
26	BB	2633	G	C2-N3	7.34	1.38	1.32
26	BB	2746	U	C4'-O4'	-7.34	1.36	1.45
1	AA	945	G	N3-C4	7.34	1.40	1.35
1	AA	1241	G	N9-C4	7.34	1.43	1.38
1	AA	141	G	C5-C6	7.34	1.49	1.42
1	AA	1491	G	P-O5'	7.34	1.67	1.59
25	BA	82	U	N3-C4	7.34	1.45	1.38
26	BB	1634	A	C5'-C4'	7.34	1.60	1.51
26	BB	1811	G	C6-O6	-7.34	1.17	1.24
26	BB	1813	G	C6-N1	-7.34	1.34	1.39
26	BB	1896	G	N3-C4	7.34	1.40	1.35
26	BB	2652	C	P-O5'	7.34	1.67	1.59
1	AA	32	A	C5-C4	-7.34	1.33	1.38
1	AA	1355	G	C8-N7	-7.34	1.26	1.30
26	BB	2097	A	C8-N7	-7.34	1.26	1.31
1	AA	510	A	P-O5'	7.34	1.67	1.59
1	AA	822	U	N1-C2	7.34	1.45	1.38
1	AA	910	C	C4-C5	7.34	1.48	1.43
1	AA	1126	U	C2-N3	7.34	1.42	1.37
26	BB	285	G	C5-C6	7.34	1.49	1.42
26	BB	753	A	C5-C6	7.34	1.47	1.41
26	BB	1815	A	N7-C5	-7.33	1.34	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	578	C	C2-N3	7.33	1.41	1.35
26	BB	386	G	C2-N3	7.33	1.38	1.32
26	BB	1165	A	C5-C4	-7.33	1.33	1.38
1	AA	584	G	O3'-P	7.33	1.70	1.61
26	BB	1250	G	C2-N3	7.33	1.38	1.32
26	BB	1376	C	N1-C6	7.33	1.41	1.37
26	BB	2519	U	C4-O4	-7.33	1.17	1.23
26	BB	2741	A	N7-C5	-7.33	1.34	1.39
1	AA	703	G	N7-C5	7.33	1.43	1.39
1	AA	1397	C	P-O5'	7.33	1.67	1.59
26	BB	28	A	C5'-C4'	7.33	1.60	1.51
26	BB	790	U	N1-C6	7.33	1.44	1.38
26	BB	2230	G	C2-N3	7.33	1.38	1.32
25	BA	115	A	P-O5'	7.33	1.67	1.59
26	BB	1713	A	C4'-O4'	-7.33	1.36	1.45
1	AA	613	C	N3-C4	7.32	1.39	1.33
1	AA	721	G	C5'-C4'	7.32	1.60	1.51
1	AA	1196	A	N9-C8	-7.32	1.31	1.37
1	AA	1397	C	C5'-C4'	7.32	1.60	1.51
25	BA	30	C	C4-C5	7.32	1.48	1.43
26	BB	1260	A	C8-N7	-7.32	1.26	1.31
26	BB	1641	A	N3-C4	7.32	1.39	1.34
26	BB	2018	G	N7-C5	7.32	1.43	1.39
26	BB	2389	G	C5'-C4'	7.32	1.60	1.51
25	BA	49	C	N1-C6	7.32	1.41	1.37
26	BB	1151	A	N7-C5	7.32	1.43	1.39
1	AA	746	A	C4'-O4'	-7.32	1.36	1.45
1	AA	1157	A	P-O5'	-7.32	1.52	1.59
26	BB	866	A	C6-N6	7.32	1.39	1.33
25	BA	83	G	C2-N3	7.31	1.38	1.32
26	BB	258	G	C8-N7	7.31	1.35	1.30
1	AA	950	U	O3'-P	7.31	1.70	1.61
26	BB	267	C	N1-C6	7.31	1.41	1.37
26	BB	649	G	C4'-C3'	7.31	1.61	1.53
25	BA	106	G	N9-C4	-7.31	1.32	1.38
26	BB	2815	C	P-O5'	7.31	1.67	1.59
1	AA	823	C	O3'-P	7.31	1.70	1.61
1	AA	1058	G	C8-N7	-7.31	1.26	1.30
26	BB	777	G	C5'-C4'	7.31	1.60	1.51
26	BB	1000	A	N7-C5	7.31	1.43	1.39
26	BB	1222	U	C5-C6	7.31	1.40	1.34
26	BB	1845	G	C4'-O4'	-7.31	1.36	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2657	A	P-O5'	7.31	1.67	1.59
1	AA	721	G	N3-C4	7.31	1.40	1.35
26	BB	514	A	N3-C4	7.31	1.39	1.34
1	AA	56	U	C4'-O4'	-7.30	1.36	1.45
1	AA	776	G	C6-N1	7.30	1.44	1.39
1	AA	1285	A	C5'-C4'	7.30	1.60	1.51
4	AD	40	C	N1-C6	7.30	1.41	1.37
26	BB	45	G	C5'-C4'	7.30	1.60	1.51
26	BB	270	A	C6-N1	-7.30	1.30	1.35
26	BB	1290	C	C5'-C4'	7.30	1.60	1.51
26	BB	1664	A	C8-N7	-7.30	1.26	1.31
26	BB	66	C	C5-C6	7.30	1.40	1.34
26	BB	252	G	N1-C2	7.30	1.43	1.37
26	BB	947	A	C2'-C1'	7.30	1.61	1.53
26	BB	1439	A	N3-C4	7.30	1.39	1.34
1	AA	823	C	C5-C6	7.30	1.40	1.34
26	BB	628	G	N7-C5	7.30	1.43	1.39
26	BB	886	A	C4'-C3'	7.30	1.61	1.53
26	BB	1083	U	P-O5'	7.30	1.67	1.59
26	BB	1169	A	N3-C4	7.30	1.39	1.34
26	BB	2779	U	C2-N3	7.30	1.42	1.37
1	AA	34	C	C4-C5	7.30	1.48	1.43
1	AA	601	G	C6-N1	7.30	1.44	1.39
1	AA	1016	A	O3'-P	7.30	1.70	1.61
26	BB	686	U	C2-N3	7.30	1.42	1.37
26	BB	1088	A	C4'-O4'	-7.30	1.36	1.45
26	BB	1482	G	C2-N3	7.30	1.38	1.32
26	BB	2107	G	C5'-C4'	7.30	1.60	1.51
1	AA	1470	U	P-O5'	7.30	1.67	1.59
26	BB	147	C	C5-C6	7.30	1.40	1.34
26	BB	254	G	N7-C5	7.30	1.43	1.39
26	BB	2059	A	O3'-P	7.30	1.70	1.61
1	AA	1480	A	C5-C6	7.29	1.47	1.41
26	BB	1053	C	C4'-C3'	-7.29	1.45	1.53
26	BB	1063	G	C2-N3	7.29	1.38	1.32
1	AA	99	C	C4-N4	7.29	1.40	1.33
1	AA	1032	G	C4'-O4'	-7.29	1.36	1.45
25	BA	20	G	C6-N1	7.29	1.44	1.39
25	BA	108	A	P-O5'	7.29	1.67	1.59
26	BB	1929	G	N3-C4	7.29	1.40	1.35
26	BB	2215	C	O4'-C1'	7.29	1.51	1.41
26	BB	2474	U	C2-N3	7.29	1.42	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	489	C	N1-C6	7.29	1.41	1.37
1	AA	673	A	C5-C4	-7.29	1.33	1.38
3	AC	17	U	P-O5'	7.29	1.67	1.59
21	AU	42	ARG	CZ-NH1	7.29	1.42	1.33
26	BB	2089	C	P-O5'	7.29	1.67	1.59
26	BB	2462	C	N3-C4	7.29	1.39	1.33
26	BB	2721	A	C4'-O4'	-7.29	1.36	1.45
1	AA	167	A	C5'-C4'	7.29	1.60	1.51
1	AA	1011	C	N3-C4	7.29	1.39	1.33
1	AA	1168	U	C2-N3	7.29	1.42	1.37
26	BB	798	G	C8-N7	7.29	1.35	1.30
26	BB	1334	G	C8-N7	7.29	1.35	1.30
26	BB	1391	U	N1-C6	7.29	1.44	1.38
1	AA	920	U	C5'-C4'	7.29	1.60	1.51
26	BB	872	U	C4'-O4'	-7.29	1.36	1.45
26	BB	2020	A	N7-C5	7.29	1.43	1.39
1	AA	320	A	C4'-O4'	-7.28	1.36	1.45
1	AA	807	A	C5'-C4'	7.28	1.60	1.51
26	BB	819	A	P-O5'	7.28	1.67	1.59
26	BB	1329	U	C2-N3	7.28	1.42	1.37
1	AA	629	A	C6-N6	-7.28	1.28	1.33
26	BB	2131	U	C2'-C1'	7.28	1.61	1.53
1	AA	255	G	C2-N3	7.28	1.38	1.32
26	BB	122	G	P-O5'	7.28	1.67	1.59
26	BB	370	G	C5-C6	7.28	1.49	1.42
26	BB	1893	C	C2-N3	7.28	1.41	1.35
26	BB	2113	U	C5-C6	7.28	1.40	1.34
26	BB	2038	G	C6-N1	-7.28	1.34	1.39
26	BB	2800	A	C6-N1	-7.28	1.30	1.35
1	AA	102	G	C6-O6	-7.28	1.17	1.24
26	BB	520	G	C2-N3	7.28	1.38	1.32
26	BB	1814	G	N9-C8	7.28	1.43	1.37
26	BB	2183	A	C2'-C1'	-7.28	1.45	1.53
1	AA	1356	G	N9-C8	-7.27	1.32	1.37
26	BB	1626	A	C6-N6	7.27	1.39	1.33
26	BB	1715	G	N3-C4	7.27	1.40	1.35
26	BB	2829	A	C4'-O4'	-7.27	1.36	1.45
1	AA	651	C	N1-C2	-7.27	1.32	1.40
4	AD	50	G	C8-N7	-7.27	1.26	1.30
8	AH	49	TYR	CE1-CZ	7.27	1.48	1.38
26	BB	1829	A	C4'-O4'	-7.27	1.36	1.45
1	AA	683	G	C8-N7	7.27	1.35	1.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	AD	49	C	C5'-C4'	7.27	1.60	1.51
26	BB	1635	A	N3-C4	7.27	1.39	1.34
26	BB	2146	C	C5-C6	7.27	1.40	1.34
26	BB	2759	G	C8-N7	-7.27	1.26	1.30
26	BB	1038	G	C6-N1	7.27	1.44	1.39
26	BB	1091	G	N3-C4	7.27	1.40	1.35
1	AA	1244	G	O5'-C5'	-7.26	1.31	1.42
26	BB	467	G	N3-C4	7.26	1.40	1.35
26	BB	505	A	C5-C4	-7.26	1.33	1.38
26	BB	1487	U	C2'-C1'	7.26	1.61	1.53
26	BB	598	U	P-O5'	7.26	1.67	1.59
26	BB	1413	A	N3-C4	7.26	1.39	1.34
26	BB	1670	C	C4-C5	7.26	1.48	1.43
26	BB	793	A	O5'-C5'	-7.26	1.31	1.42
1	AA	406	G	C4'-O4'	-7.26	1.36	1.45
1	AA	562	U	C2-N3	7.26	1.42	1.37
1	AA	721	G	C4'-O4'	-7.26	1.36	1.45
1	AA	1155	A	N7-C5	-7.26	1.34	1.39
26	BB	196	A	N3-C4	7.26	1.39	1.34
26	BB	586	A	N7-C5	-7.26	1.34	1.39
26	BB	1583	A	N3-C4	7.26	1.39	1.34
26	BB	1746	A	P-O5'	7.26	1.67	1.59
26	BB	2722	G	C5-C4	-7.26	1.33	1.38
26	BB	2870	C	C2-N3	7.26	1.41	1.35
26	BB	2178	C	P-O5'	7.26	1.67	1.59
1	AA	172	A	N7-C5	7.26	1.43	1.39
1	AA	1437	A	N3-C4	7.26	1.39	1.34
26	BB	337	C	C4'-O4'	-7.26	1.36	1.45
26	BB	1242	U	C2'-C1'	-7.26	1.45	1.53
25	BA	23	G	N3-C4	7.25	1.40	1.35
26	BB	293	U	C2-N3	7.25	1.42	1.37
1	AA	700	G	C5-C6	7.25	1.49	1.42
1	AA	720	C	N1-C6	7.25	1.41	1.37
1	AA	1395	C	N1-C6	7.25	1.41	1.37
26	BB	62	U	C4-C5	7.25	1.50	1.43
26	BB	240	C	P-O5'	7.25	1.67	1.59
26	BB	954	G	C2-N3	7.25	1.38	1.32
1	AA	53	A	C6-N1	7.25	1.40	1.35
1	AA	254	G	C8-N7	7.25	1.35	1.30
1	AA	268	U	P-O5'	7.25	1.67	1.59
1	AA	468	A	C6-N1	-7.25	1.30	1.35
1	AA	1078	U	C5-C6	7.25	1.40	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	AD	15	G	C5'-C4'	7.25	1.60	1.51
26	BB	2770	G	N9-C4	7.25	1.43	1.38
1	AA	772	U	C2-N3	7.25	1.42	1.37
26	BB	605	G	P-O5'	7.25	1.67	1.59
26	BB	2670	A	N9-C4	-7.25	1.33	1.37
1	AA	700	G	N1-C2	7.25	1.43	1.37
1	AA	751	U	C2-N3	7.25	1.42	1.37
1	AA	1015	G	C8-N7	-7.25	1.26	1.30
26	BB	697	G	C6-O6	-7.25	1.17	1.24
26	BB	2849	U	P-O5'	7.25	1.67	1.59
26	BB	1719	G	P-O5'	7.25	1.67	1.59
26	BB	2464	G	N1-C2	7.25	1.43	1.37
1	AA	23	C	C4-C5	7.24	1.48	1.43
6	AF	87	ARG	NE-CZ	7.24	1.42	1.33
26	BB	351	C	P-O5'	7.24	1.67	1.59
26	BB	806	C	C4'-C3'	7.24	1.61	1.53
26	BB	1289	C	C2'-C1'	7.24	1.61	1.53
1	AA	220	G	N7-C5	-7.24	1.34	1.39
1	AA	237	G	C2-N3	7.24	1.38	1.32
1	AA	729	A	C5'-C4'	7.24	1.60	1.51
1	AA	1299	A	N9-C4	7.24	1.42	1.37
26	BB	2219	U	P-O5'	7.24	1.67	1.59
26	BB	2341	G	C2-N3	7.24	1.38	1.32
26	BB	2425	A	O3'-P	7.24	1.69	1.61
26	BB	844	A	P-O5'	7.24	1.67	1.59
26	BB	1428	C	N3-C4	7.24	1.39	1.33
26	BB	1921	G	C5-C6	7.24	1.49	1.42
26	BB	2279	G	O3'-P	7.24	1.69	1.61
26	BB	1364	G	N3-C4	7.24	1.40	1.35
1	AA	997	U	C2-N3	7.24	1.42	1.37
1	AA	1293	C	C5'-C4'	7.24	1.60	1.51
26	BB	1743	G	C6-O6	-7.24	1.17	1.24
26	BB	1867	G	N9-C8	-7.24	1.32	1.37
1	AA	915	A	N9-C4	7.23	1.42	1.37
1	AA	251	G	N3-C4	-7.23	1.30	1.35
1	AA	378	G	N9-C4	7.23	1.43	1.38
26	BB	74	A	P-O5'	7.23	1.67	1.59
26	BB	1279	G	P-O5'	7.23	1.67	1.59
26	BB	1516	G	C8-N7	-7.23	1.26	1.30
26	BB	959	A	C5'-C4'	7.23	1.60	1.51
26	BB	1866	A	C8-N7	-7.23	1.26	1.31
1	AA	278	G	C6-N1	7.23	1.44	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	929	G	C6-N1	7.23	1.44	1.39
26	BB	686	U	N3-C4	7.23	1.45	1.38
1	AA	168	G	P-O5'	7.23	1.67	1.59
26	BB	409	G	C8-N7	-7.23	1.26	1.30
26	BB	864	G	P-O5'	7.23	1.67	1.59
26	BB	917	A	C4'-O4'	-7.23	1.36	1.45
26	BB	2897	U	C4-C5	7.23	1.50	1.43
26	BB	244	A	N9-C8	-7.23	1.31	1.37
26	BB	1437	C	O3'-P	7.23	1.69	1.61
26	BB	2014	A	C3'-C2'	7.23	1.60	1.52
1	AA	481	G	C2-N3	7.22	1.38	1.32
26	BB	1071	G	N1-C2	7.22	1.43	1.37
26	BB	1709	U	C4-O4	-7.22	1.17	1.23
26	BB	1779	U	C4-C5	7.22	1.50	1.43
26	BB	2353	G	C2'-C1'	7.22	1.61	1.53
26	BB	2664	G	C4'-O4'	-7.22	1.36	1.45
1	AA	932	C	C4-C5	7.22	1.48	1.43
1	AA	1049	U	C2'-C1'	-7.22	1.45	1.53
2	AB	19	G	C6-N1	-7.22	1.34	1.39
26	BB	2487	G	C4'-O4'	-7.22	1.36	1.45
26	BB	2780	G	C5'-C4'	7.22	1.60	1.51
1	AA	922	G	C2-N3	7.22	1.38	1.32
1	AA	1295	U	C4-C5	7.22	1.50	1.43
1	AA	1393	U	C2-N3	7.22	1.42	1.37
26	BB	2091	C	N1-C6	7.22	1.41	1.37
26	BB	595	C	C4-N4	7.22	1.40	1.33
26	BB	2178	C	O3'-P	7.22	1.69	1.61
1	AA	138	G	C6-N1	-7.22	1.34	1.39
1	AA	587	G	C8-N7	7.22	1.35	1.30
1	AA	1055	A	P-O5'	7.22	1.67	1.59
2	AB	10	G	N9-C8	-7.22	1.32	1.37
26	BB	61	C	C4-C5	7.22	1.48	1.43
26	BB	2220	U	P-O5'	7.22	1.67	1.59
1	AA	492	C	C4-N4	-7.21	1.27	1.33
1	AA	1282	C	C2-N3	7.21	1.41	1.35
26	BB	2431	U	C5'-C4'	7.21	1.60	1.51
1	AA	1192	C	P-O5'	7.21	1.67	1.59
26	BB	754	U	P-O5'	7.21	1.67	1.59
26	BB	1977	A	O3'-P	7.21	1.69	1.61
26	BB	2773	C	C4-C5	7.21	1.48	1.43
26	BB	1966	A	C6-N6	7.21	1.39	1.33
1	AA	506	G	N1-C2	7.21	1.43	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	AB	59	G	C2'-C1'	-7.21	1.45	1.53
26	BB	1699	G	C8-N7	-7.21	1.26	1.30
1	AA	1287	A	N3-C4	7.21	1.39	1.34
1	AA	1470	U	N1-C2	7.21	1.45	1.38
25	BA	71	C	C5'-C4'	7.21	1.59	1.51
26	BB	52	A	C5'-C4'	7.20	1.59	1.51
26	BB	611	C	C3'-O3'	7.20	1.52	1.42
26	BB	1435	G	C2'-C1'	7.20	1.61	1.53
26	BB	2814	A	C8-N7	-7.20	1.26	1.31
1	AA	1118	U	N1-C2	7.20	1.45	1.38
1	AA	67	C	N1-C2	7.20	1.47	1.40
1	AA	79	G	C2-N3	7.20	1.38	1.32
1	AA	528	C	C4-C5	-7.20	1.37	1.43
1	AA	1337	G	N9-C4	7.20	1.43	1.38
26	BB	1870	C	P-O5'	7.20	1.67	1.59
1	AA	502	A	N9-C4	7.20	1.42	1.37
1	AA	819	A	C6-N6	7.20	1.39	1.33
25	BA	105	G	N3-C4	7.20	1.40	1.35
26	BB	1272	A	N3-C4	7.20	1.39	1.34
26	BB	1414	C	C2-N3	7.20	1.41	1.35
26	BB	2848	G	C5'-C4'	7.20	1.59	1.51
26	BB	2895	G	C8-N7	7.20	1.35	1.30
1	AA	603	U	C4'-C3'	-7.19	1.45	1.53
26	BB	2100	G	C6-N1	7.19	1.44	1.39
26	BB	2318	G	N9-C8	-7.19	1.32	1.37
2	AB	14	A	N3-C4	7.19	1.39	1.34
26	BB	1357	C	C2-N3	7.19	1.41	1.35
26	BB	1530	G	P-O5'	7.19	1.67	1.59
26	BB	2645	G	C4'-O4'	-7.19	1.36	1.45
1	AA	1389	C	P-O5'	7.19	1.67	1.59
26	BB	776	G	N9-C8	-7.19	1.32	1.37
26	BB	2644	G	C8-N7	7.19	1.35	1.30
1	AA	169	C	C5'-C4'	7.19	1.59	1.51
2	AB	70	C	O3'-P	7.19	1.69	1.61
26	BB	34	U	C2-N3	7.19	1.42	1.37
26	BB	1141	U	C4-C5	7.19	1.50	1.43
26	BB	1298	C	C2-O2	-7.19	1.18	1.24
26	BB	1416	G	N1-C2	7.19	1.43	1.37
26	BB	2610	C	C4-N4	7.19	1.40	1.33
1	AA	389	A	C6-N6	-7.19	1.28	1.33
26	BB	570	G	N1-C2	7.19	1.43	1.37
26	BB	2097	A	N3-C4	7.19	1.39	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	155	A	N9-C8	7.18	1.43	1.37
26	BB	535	G	C2'-C1'	7.18	1.61	1.53
26	BB	753	A	C8-N7	-7.18	1.26	1.31
26	BB	923	G	N9-C4	-7.18	1.32	1.38
26	BB	1470	A	N7-C5	7.18	1.43	1.39
26	BB	2873	A	C5-C4	-7.18	1.33	1.38
57	B6	44	ARG	NE-CZ	7.18	1.42	1.33
3	AC	43	U	C2-N3	7.18	1.42	1.37
3	AC	49	U	C4-O4	-7.18	1.18	1.23
25	BA	96	G	N7-C5	-7.18	1.34	1.39
26	BB	253	C	C2-N3	7.18	1.41	1.35
26	BB	704	G	C5'-C4'	7.18	1.59	1.51
4	AD	60	A	C6-N6	7.18	1.39	1.33
26	BB	645	C	C4'-O4'	-7.18	1.36	1.45
1	AA	427	U	N3-C4	7.18	1.45	1.38
1	AA	1468	A	O3'-P	7.18	1.69	1.61
26	BB	1460	U	C2-O2	7.18	1.28	1.22
1	AA	584	G	N3-C4	7.17	1.40	1.35
1	AA	1494	G	C2-N3	7.17	1.38	1.32
26	BB	753	A	N3-C4	7.17	1.39	1.34
26	BB	1096	A	N3-C4	7.17	1.39	1.34
26	BB	1131	G	N7-C5	7.17	1.43	1.39
26	BB	2349	G	C5-C4	-7.17	1.33	1.38
1	AA	689	C	C5-C6	7.17	1.40	1.34
26	BB	1766	G	C6-O6	-7.17	1.17	1.24
26	BB	1865	U	N3-C4	7.17	1.45	1.38
26	BB	2397	G	C8-N7	7.17	1.35	1.30
1	AA	948	C	O3'-P	7.17	1.69	1.61
26	BB	447	A	N7-C5	-7.17	1.34	1.39
26	BB	1079	C	C4-N4	7.17	1.40	1.33
26	BB	1197	G	C3'-O3'	7.17	1.52	1.42
26	BB	2606	C	P-O5'	7.17	1.67	1.59
26	BB	906	U	C5'-C4'	7.17	1.59	1.51
26	BB	1921	G	N7-C5	-7.17	1.34	1.39
26	BB	2305	U	C5-C6	7.17	1.40	1.34
1	AA	1523	G	O3'-P	7.17	1.69	1.61
26	BB	1088	A	C5'-C4'	7.17	1.59	1.51
26	BB	1306	C	P-O5'	7.17	1.67	1.59
26	BB	2272	U	N1-C2	7.17	1.45	1.38
26	BB	2833	U	C2-N3	-7.17	1.32	1.37
1	AA	349	A	P-O5'	7.17	1.67	1.59
25	BA	67	G	N7-C5	-7.17	1.34	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2840	C	N1-C6	7.17	1.41	1.37
1	AA	898	G	C5-C4	-7.16	1.33	1.38
2	AB	9	A	C4'-C3'	7.16	1.61	1.53
26	BB	1264	A	N3-C4	7.16	1.39	1.34
26	BB	1354	A	P-O5'	7.16	1.67	1.59
26	BB	1587	G	N1-C2	7.16	1.43	1.37
1	AA	376	G	N1-C2	7.16	1.43	1.37
4	AD	62	C	N1-C6	7.16	1.41	1.37
26	BB	287	G	C6-N1	-7.16	1.34	1.39
26	BB	1679	A	C4'-O4'	-7.16	1.36	1.45
26	BB	2009	A	N7-C5	-7.16	1.34	1.39
1	AA	913	A	N9-C4	-7.16	1.33	1.37
26	BB	527	C	P-O5'	7.16	1.67	1.59
26	BB	2483	C	C4'-C3'	7.16	1.61	1.53
26	BB	2384	U	P-O5'	7.16	1.67	1.59
26	BB	2883	A	C6-N1	7.16	1.40	1.35
26	BB	516	C	P-O5'	7.16	1.67	1.59
26	BB	1314	C	P-O5'	7.16	1.67	1.59
26	BB	1340	U	C2'-O2'	-7.16	1.32	1.41
26	BB	1735	A	N7-C5	7.16	1.43	1.39
26	BB	1924	C	O3'-P	7.16	1.69	1.61
26	BB	2106	U	C4'-O4'	-7.16	1.36	1.45
26	BB	2479	U	C4-O4	-7.16	1.18	1.23
1	AA	846	G	C8-N7	-7.15	1.26	1.30
26	BB	233	A	P-O5'	7.15	1.67	1.59
26	BB	463	G	N9-C4	7.15	1.43	1.38
26	BB	540	C	C2-N3	7.15	1.41	1.35
26	BB	1368	G	P-O5'	7.15	1.67	1.59
26	BB	2364	C	C4'-O4'	-7.15	1.36	1.45
26	BB	2781	A	N3-C4	7.15	1.39	1.34
1	AA	139	A	C2'-C1'	7.15	1.61	1.53
1	AA	680	C	C3'-C2'	7.15	1.60	1.52
26	BB	320	A	N3-C4	7.15	1.39	1.34
26	BB	1538	G	P-O5'	7.15	1.66	1.59
26	BB	2036	C	C4-C5	7.15	1.48	1.43
26	BB	2663	G	C5-C4	-7.15	1.33	1.38
1	AA	18	C	C2-O2	-7.15	1.18	1.24
1	AA	35	G	N7-C5	-7.15	1.34	1.39
1	AA	1190	G	C2-N3	7.15	1.38	1.32
26	BB	875	G	C3'-C2'	7.15	1.60	1.52
1	AA	964	A	C8-N7	-7.15	1.26	1.31
1	AA	1364	U	N1-C2	7.15	1.45	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1490	U	C4-O4	-7.15	1.18	1.23
3	AC	32	U	C5-C6	7.15	1.40	1.34
4	AD	75	C	C4'-O4'	-7.15	1.36	1.45
26	BB	2490	G	C6-N1	7.15	1.44	1.39
1	AA	857	C	C2-N3	7.14	1.41	1.35
26	BB	199	A	N9-C4	7.14	1.42	1.37
1	AA	240	G	C8-N7	-7.14	1.26	1.30
26	BB	2035	G	C8-N7	7.14	1.35	1.30
26	BB	1894	C	N3-C4	7.14	1.39	1.33
26	BB	2129	C	C4-C5	7.14	1.48	1.43
26	BB	2736	A	N9-C4	7.14	1.42	1.37
1	AA	912	C	C5-C6	7.14	1.40	1.34
26	BB	100	U	C3'-C2'	7.14	1.60	1.52
1	AA	241	G	C5-C4	7.14	1.43	1.38
26	BB	2219	U	O3'-P	7.14	1.69	1.61
1	AA	1187	G	N3-C4	7.13	1.40	1.35
1	AA	1241	G	C2-N3	7.13	1.38	1.32
26	BB	127	A	N3-C4	7.13	1.39	1.34
26	BB	1023	U	N3-C4	-7.13	1.32	1.38
26	BB	1572	A	P-O5'	7.13	1.66	1.59
26	BB	2277	G	P-O5'	7.13	1.66	1.59
1	AA	395	C	P-O5'	7.13	1.66	1.59
26	BB	547	A	N3-C4	7.13	1.39	1.34
26	BB	2763	G	C5'-C4'	7.13	1.59	1.51
1	AA	273	U	N1-C6	7.13	1.44	1.38
1	AA	1497	G	N7-C5	7.13	1.43	1.39
26	BB	1421	G	C8-N7	7.13	1.35	1.30
26	BB	1570	A	C8-N7	-7.13	1.26	1.31
26	BB	1991	U	C4-C5	7.13	1.50	1.43
26	BB	2087	G	C2-N2	-7.13	1.27	1.34
1	AA	280	C	C4-C5	7.13	1.48	1.43
25	BA	61	G	N9-C4	-7.13	1.32	1.38
26	BB	1236	G	P-O5'	7.13	1.66	1.59
26	BB	1601	G	N9-C4	7.13	1.43	1.38
26	BB	53	A	N7-C5	7.12	1.43	1.39
26	BB	464	U	C2-N3	7.12	1.42	1.37
26	BB	1963	U	N1-C2	7.12	1.45	1.38
26	BB	2824	C	C3'-C2'	7.12	1.60	1.52
1	AA	337	G	N3-C4	7.12	1.40	1.35
1	AA	980	C	C2-N3	7.12	1.41	1.35
1	AA	1413	A	N3-C4	7.12	1.39	1.34
26	BB	786	C	O3'-P	7.12	1.69	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2333	A	C2'-C1'	7.12	1.61	1.53
1	AA	372	C	C4-C5	7.12	1.48	1.43
26	BB	2835	A	N3-C4	7.12	1.39	1.34
1	AA	1268	G	P-O5'	7.12	1.66	1.59
26	BB	731	C	P-O5'	7.12	1.66	1.59
26	BB	1285	A	O3'-P	7.12	1.69	1.61
26	BB	437	U	C5-C6	7.12	1.40	1.34
26	BB	847	U	N1-C2	7.12	1.45	1.38
26	BB	1837	C	O3'-P	-7.12	1.52	1.61
26	BB	2674	G	N9-C8	7.12	1.42	1.37
26	BB	2700	A	P-O5'	7.12	1.66	1.59
26	BB	2765	A	C4'-O4'	-7.12	1.36	1.45
1	AA	753	A	N3-C4	7.11	1.39	1.34
26	BB	690	G	N9-C8	7.11	1.42	1.37
26	BB	799	G	N1-C2	7.11	1.43	1.37
26	BB	1380	G	N3-C4	-7.11	1.30	1.35
26	BB	2226	C	C2-N3	7.11	1.41	1.35
26	BB	2423	U	C2-N3	7.11	1.42	1.37
26	BB	2735	G	N9-C8	-7.11	1.32	1.37
26	BB	1357	C	O4'-C1'	7.11	1.50	1.41
26	BB	927	A	N7-C5	-7.11	1.34	1.39
26	BB	1656	C	N1-C6	7.11	1.41	1.37
4	AD	60	A	P-O5'	7.11	1.66	1.59
25	BA	58	A	N3-C4	7.11	1.39	1.34
26	BB	932	U	N1-C2	7.11	1.45	1.38
26	BB	2678	C	P-O5'	7.11	1.66	1.59
25	BA	63	C	C4-C5	7.11	1.48	1.43
26	BB	294	A	N9-C4	7.11	1.42	1.37
26	BB	1776	G	P-O5'	7.11	1.66	1.59
26	BB	2324	U	O4'-C1'	7.11	1.50	1.41
26	BB	717	C	C2'-C1'	-7.10	1.45	1.53
26	BB	1103	A	N9-C8	7.10	1.43	1.37
26	BB	548	G	C8-N7	-7.10	1.26	1.30
26	BB	868	U	C4-O4	-7.10	1.18	1.23
26	BB	1753	G	N9-C4	7.10	1.43	1.38
26	BB	2253	G	N9-C4	7.10	1.43	1.38
1	AA	918	A	N3-C4	7.10	1.39	1.34
26	BB	129	C	C4-N4	-7.10	1.27	1.33
26	BB	259	G	N9-C8	7.10	1.42	1.37
26	BB	681	G	P-O5'	7.10	1.66	1.59
34	BJ	50	TYR	CG-CD2	7.10	1.48	1.39
1	AA	472	U	C4'-O4'	-7.10	1.36	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	488	G	N7-C5	-7.10	1.34	1.39
26	BB	620	G	C4'-C3'	-7.10	1.45	1.53
26	BB	1038	G	C5-C4	-7.10	1.33	1.38
26	BB	1411	U	C4-C5	7.10	1.50	1.43
26	BB	1512	C	N3-C4	7.10	1.39	1.33
26	BB	2836	U	N1-C2	7.10	1.45	1.38
26	BB	649	G	C2-N2	-7.10	1.27	1.34
26	BB	879	G	C4'-C3'	7.10	1.60	1.53
1	AA	928	G	P-O5'	7.09	1.66	1.59
1	AA	953	G	P-O5'	7.09	1.66	1.59
1	AA	1072	G	C2-N3	7.09	1.38	1.32
1	AA	1442	G	N9-C4	7.09	1.43	1.38
26	BB	40	U	N1-C2	7.09	1.45	1.38
26	BB	649	G	P-O5'	7.09	1.66	1.59
26	BB	1007	C	C4'-C3'	7.09	1.60	1.53
26	BB	1017	G	C2-N3	7.09	1.38	1.32
26	BB	1560	G	N7-C5	7.09	1.43	1.39
26	BB	1953	A	C5'-C4'	7.09	1.59	1.51
1	AA	1164	G	N9-C8	-7.09	1.32	1.37
26	BB	217	A	N3-C4	-7.09	1.30	1.34
26	BB	734	A	C6-N1	-7.09	1.30	1.35
26	BB	1516	G	C6-N1	-7.09	1.34	1.39
26	BB	580	U	N1-C2	7.09	1.45	1.38
26	BB	1827	U	C4-C5	7.09	1.50	1.43
1	AA	665	A	N7-C5	7.09	1.43	1.39
1	AA	1071	C	N3-C4	7.09	1.39	1.33
1	AA	1234	C	O3'-P	7.09	1.69	1.61
1	AA	599	C	C2-N3	7.09	1.41	1.35
1	AA	1211	U	C4'-C3'	7.09	1.60	1.53
26	BB	247	G	N3-C4	-7.09	1.30	1.35
26	BB	639	U	C2-N3	7.09	1.42	1.37
26	BB	1167	C	N1-C6	7.09	1.41	1.37
1	AA	321	A	C6-N6	7.08	1.39	1.33
1	AA	559	A	P-O5'	7.08	1.66	1.59
1	AA	666	G	N1-C2	7.08	1.43	1.37
26	BB	173	A	C5-C4	-7.08	1.33	1.38
26	BB	1355	G	O4'-C1'	7.08	1.50	1.41
26	BB	1964	G	N7-C5	7.08	1.43	1.39
1	AA	1486	G	C8-N7	-7.08	1.26	1.30
25	BA	74	U	C2'-C1'	7.08	1.61	1.53
26	BB	492	A	C8-N7	-7.08	1.26	1.31
26	BB	1231	U	C2-N3	7.08	1.42	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1651	G	O3'-P	7.08	1.69	1.61
1	AA	898	G	C5'-C4'	7.08	1.59	1.51
26	BB	1079	C	N1-C6	7.08	1.41	1.37
26	BB	2589	A	O3'-P	7.08	1.69	1.61
1	AA	389	A	C8-N7	-7.08	1.26	1.31
1	AA	1166	G	C8-N7	-7.08	1.26	1.30
1	AA	1339	A	C6-N6	-7.08	1.28	1.33
1	AA	1451	U	C4'-O4'	-7.08	1.36	1.45
26	BB	453	A	C8-N7	-7.08	1.26	1.31
26	BB	1592	C	P-O5'	7.08	1.66	1.59
26	BB	1876	A	N3-C4	7.08	1.39	1.34
26	BB	1909	C	O3'-P	7.08	1.69	1.61
26	BB	2710	C	N1-C6	7.08	1.41	1.37
25	BA	10	G	C2-N3	7.07	1.38	1.32
26	BB	1433	A	C6-N1	7.07	1.40	1.35
26	BB	1386	C	C2-N3	-7.07	1.30	1.35
1	AA	893	C	C4-C5	7.07	1.48	1.43
1	AA	1139	G	N7-C5	-7.07	1.35	1.39
4	AD	32	G	P-O5'	7.07	1.66	1.59
26	BB	1235	G	N3-C4	7.07	1.40	1.35
26	BB	1532	A	C5'-C4'	7.07	1.59	1.51
26	BB	2764	A	C8-N7	-7.07	1.26	1.31
1	AA	58	C	C4-N4	7.07	1.40	1.33
1	AA	499	A	P-O5'	7.07	1.66	1.59
1	AA	1036	A	C5-C4	-7.07	1.33	1.38
1	AA	1215	G	C5'-C4'	7.07	1.59	1.51
4	AD	1	C	C4-N4	7.07	1.40	1.33
26	BB	2584	U	C3'-C2'	7.07	1.60	1.52
26	BB	2115	G	C2'-O2'	7.07	1.50	1.41
1	AA	469	C	C2-N3	7.07	1.41	1.35
1	AA	550	G	N1-C2	7.07	1.43	1.37
1	AA	1027	C	N3-C4	7.07	1.38	1.33
26	BB	1732	C	C4-N4	-7.07	1.27	1.33
26	BB	1770	G	C3'-C2'	-7.07	1.45	1.52
26	BB	1950	G	C5'-C4'	7.07	1.59	1.51
26	BB	212	G	C6-N1	7.06	1.44	1.39
26	BB	920	A	C8-N7	-7.06	1.26	1.31
26	BB	2439	A	C4'-C3'	7.06	1.60	1.53
1	AA	934	C	N3-C4	7.06	1.38	1.33
1	AA	1139	G	C8-N7	7.06	1.35	1.30
2	AB	71	C	P-O5'	7.06	1.66	1.59
26	BB	593	U	N3-C4	7.06	1.44	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	835	C	N1-C6	7.06	1.41	1.37
26	BB	32	C	C4-C5	-7.06	1.37	1.43
26	BB	2887	A	C5-C6	7.06	1.47	1.41
1	AA	693	G	C4'-C3'	7.06	1.60	1.53
1	AA	826	C	P-O5'	7.06	1.66	1.59
1	AA	898	G	C4'-O4'	-7.06	1.36	1.45
26	BB	216	A	O4'-C1'	7.06	1.50	1.41
1	AA	594	U	C2-O2	7.06	1.28	1.22
1	AA	1414	U	P-O5'	7.05	1.66	1.59
26	BB	46	G	P-O5'	7.05	1.66	1.59
26	BB	111	A	N7-C5	7.05	1.43	1.39
26	BB	256	A	C6-N6	7.05	1.39	1.33
26	BB	933	A	C5-C6	7.05	1.47	1.41
1	AA	46	G	N3-C4	7.05	1.40	1.35
1	AA	865	A	C4'-O4'	-7.05	1.36	1.45
26	BB	114	U	C5-C6	7.05	1.40	1.34
26	BB	535	G	C2-N3	7.05	1.38	1.32
26	BB	1739	A	N9-C4	-7.05	1.33	1.37
1	AA	1114	C	N1-C6	7.05	1.41	1.37
25	BA	73	A	N9-C4	7.05	1.42	1.37
26	BB	2015	A	C6-N1	-7.05	1.30	1.35
26	BB	2543	G	C3'-C2'	7.05	1.60	1.52
26	BB	2165	C	N1-C6	-7.05	1.32	1.37
26	BB	2125	G	O3'-P	7.05	1.69	1.61
26	BB	2583	G	O3'-P	7.05	1.69	1.61
1	AA	436	C	C2-N3	7.04	1.41	1.35
1	AA	549	C	C4-C5	7.04	1.48	1.43
26	BB	328	U	C2-N3	7.04	1.42	1.37
26	BB	2471	A	N9-C4	-7.04	1.33	1.37
1	AA	877	G	N3-C4	7.04	1.40	1.35
26	BB	543	G	P-O5'	7.04	1.66	1.59
26	BB	1218	G	O5'-C5'	-7.04	1.31	1.42
26	BB	1829	A	N7-C5	-7.04	1.35	1.39
26	BB	67	U	C4'-O4'	-7.04	1.36	1.45
26	BB	924	G	N1-C2	7.04	1.43	1.37
26	BB	2794	C	P-O5'	7.04	1.66	1.59
1	AA	178	C	C4'-O4'	-7.04	1.36	1.45
1	AA	1241	G	N7-C5	-7.04	1.35	1.39
26	BB	652	U	C4-C5	7.04	1.49	1.43
26	BB	200	U	N1-C2	7.04	1.44	1.38
26	BB	276	U	C5-C6	7.04	1.40	1.34
26	BB	1499	C	P-O5'	7.04	1.66	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1704	C	N1-C6	7.04	1.41	1.37
26	BB	2260	C	P-O5'	7.04	1.66	1.59
26	BB	2732	G	C4'-C3'	7.04	1.60	1.53
26	BB	2900	A	C5-C4	-7.04	1.33	1.38
1	AA	13	U	P-O5'	7.04	1.66	1.59
15	AO	94	TYR	CE2-CZ	7.04	1.47	1.38
1	AA	559	A	N9-C4	7.04	1.42	1.37
1	AA	1233	G	C8-N7	7.04	1.35	1.30
1	AA	1534	A	N9-C4	-7.04	1.33	1.37
26	BB	1296	G	C5-C6	7.04	1.49	1.42
26	BB	2289	G	N7-C5	7.04	1.43	1.39
1	AA	176	C	C2-O2	-7.03	1.18	1.24
26	BB	635	C	C2-N3	7.03	1.41	1.35
26	BB	1048	A	P-O5'	7.03	1.66	1.59
26	BB	2316	G	C5'-C4'	7.03	1.59	1.51
26	BB	2576	G	C6-N1	-7.03	1.34	1.39
1	AA	693	G	N3-C4	7.03	1.40	1.35
1	AA	904	U	O3'-P	7.03	1.69	1.61
1	AA	977	A	P-O5'	7.03	1.66	1.59
1	AA	1270	G	N1-C2	7.03	1.43	1.37
26	BB	710	U	C2-N3	7.03	1.42	1.37
26	BB	1060	U	N1-C2	7.03	1.44	1.38
26	BB	2803	G	C8-N7	-7.03	1.26	1.30
4	AD	42	C	N1-C6	7.03	1.41	1.37
26	BB	855	G	C5-C6	7.03	1.49	1.42
26	BB	1078	U	P-O5'	7.03	1.66	1.59
26	BB	1089	A	C8-N7	-7.03	1.26	1.31
26	BB	2872	A	C5-C6	7.03	1.47	1.41
1	AA	1132	C	O5'-C5'	-7.03	1.31	1.42
26	BB	1343	G	P-O5'	-7.03	1.52	1.59
26	BB	1757	A	N9-C4	7.03	1.42	1.37
1	AA	114	U	C4'-O4'	-7.02	1.36	1.45
26	BB	1443	U	C4-C5	7.02	1.49	1.43
26	BB	2750	A	N7-C5	-7.02	1.35	1.39
1	AA	860	A	C3'-C2'	-7.02	1.45	1.52
26	BB	205	G	C2-N3	7.02	1.38	1.32
26	BB	374	A	C3'-C2'	7.02	1.60	1.52
26	BB	1556	C	C2-N3	7.02	1.41	1.35
26	BB	2385	C	N3-C4	7.02	1.38	1.33
26	BB	2529	G	C6-O6	-7.02	1.17	1.24
26	BB	2704	C	C4-C5	7.02	1.48	1.43
26	BB	2750	A	N9-C8	7.02	1.43	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	32	A	N7-C5	7.02	1.43	1.39
1	AA	47	C	C4-C5	-7.02	1.37	1.43
1	AA	380	G	C5-C6	7.02	1.49	1.42
1	AA	769	G	P-O5'	7.02	1.66	1.59
1	AA	1366	C	C5'-C4'	7.02	1.59	1.51
2	AB	7	G	N1-C2	-7.02	1.32	1.37
26	BB	813	U	O3'-P	7.02	1.69	1.61
26	BB	2315	G	N1-C2	7.02	1.43	1.37
26	BB	2365	G	N9-C8	-7.02	1.32	1.37
1	AA	1266	G	P-O5'	7.02	1.66	1.59
26	BB	221	A	C5'-C4'	7.02	1.59	1.51
26	BB	522	A	C5-C4	-7.02	1.33	1.38
26	BB	966	G	N9-C8	-7.02	1.32	1.37
26	BB	1814	G	N3-C4	7.02	1.40	1.35
26	BB	2687	U	O3'-P	7.02	1.69	1.61
1	AA	546	A	O4'-C1'	7.02	1.50	1.41
1	AA	1200	C	C3'-O3'	7.02	1.51	1.42
26	BB	286	U	N1-C2	7.02	1.44	1.38
26	BB	434	U	C3'-C2'	7.02	1.60	1.52
26	BB	1274	A	C8-N7	-7.02	1.26	1.31
26	BB	1328	A	N9-C4	7.02	1.42	1.37
1	AA	717	U	O3'-P	7.02	1.69	1.61
26	BB	1824	G	N7-C5	-7.02	1.35	1.39
1	AA	571	U	N3-C4	7.01	1.44	1.38
26	BB	1978	A	N3-C4	7.01	1.39	1.34
26	BB	2704	C	C5'-C4'	7.01	1.59	1.51
25	BA	58	A	C4'-O4'	-7.01	1.36	1.45
26	BB	2214	C	C3'-C2'	7.01	1.60	1.52
1	AA	878	A	C8-N7	-7.01	1.26	1.31
1	AA	1279	G	C3'-C2'	7.01	1.60	1.52
1	AA	1438	G	C4'-C3'	7.01	1.60	1.53
26	BB	2268	A	N3-C4	7.01	1.39	1.34
1	AA	365	U	P-O5'	7.01	1.66	1.59
1	AA	438	U	C4-O4	-7.01	1.18	1.23
1	AA	601	G	N9-C8	-7.01	1.32	1.37
1	AA	767	A	C6-N1	-7.01	1.30	1.35
26	BB	1736	U	C5'-C4'	7.01	1.59	1.51
26	BB	2437	G	C2'-C1'	-7.01	1.45	1.53
1	AA	546	A	N9-C4	-7.00	1.33	1.37
26	BB	194	G	C2-N3	7.00	1.38	1.32
26	BB	321	U	N3-C4	7.00	1.44	1.38
26	BB	2851	A	P-O5'	7.00	1.66	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	521	G	C3'-C2'	-7.00	1.45	1.52
26	BB	2297	A	C4'-C3'	-7.00	1.45	1.53
26	BB	2481	G	N9-C8	7.00	1.42	1.37
26	BB	2868	A	N9-C4	7.00	1.42	1.37
1	AA	1029	U	C2'-C1'	7.00	1.61	1.53
1	AA	1033	G	C5-C6	7.00	1.49	1.42
1	AA	776	G	C8-N7	-7.00	1.26	1.30
26	BB	1697	G	C2-N2	-7.00	1.27	1.34
26	BB	2182	U	N1-C2	7.00	1.44	1.38
26	BB	2265	U	C2-N3	7.00	1.42	1.37
1	AA	1319	A	C6-N6	-7.00	1.28	1.33
25	BA	84	G	N7-C5	-7.00	1.35	1.39
26	BB	2263	C	C4-C5	7.00	1.48	1.43
1	AA	1345	U	N1-C2	7.00	1.44	1.38
26	BB	541	A	N7-C5	-7.00	1.35	1.39
26	BB	921	C	C4-C5	7.00	1.48	1.43
1	AA	1129	C	N1-C6	6.99	1.41	1.37
4	AD	54	G	C8-N7	6.99	1.35	1.30
26	BB	1709	U	C4-C5	6.99	1.49	1.43
1	AA	765	G	C6-O6	-6.99	1.17	1.24
26	BB	584	C	P-O5'	6.99	1.66	1.59
26	BB	1477	A	N9-C8	-6.99	1.32	1.37
1	AA	1255	G	P-O5'	6.99	1.66	1.59
26	BB	709	U	C4'-O4'	-6.99	1.36	1.45
26	BB	2296	U	C2-N3	6.99	1.42	1.37
26	BB	2371	G	C2-N2	6.99	1.41	1.34
1	AA	41	G	N3-C4	-6.99	1.30	1.35
1	AA	1151	A	C8-N7	-6.99	1.26	1.31
25	BA	16	G	C8-N7	-6.99	1.26	1.30
26	BB	352	A	N9-C4	6.99	1.42	1.37
26	BB	1233	C	N1-C6	6.99	1.41	1.37
1	AA	1426	G	C8-N7	-6.99	1.26	1.30
26	BB	2486	C	O5'-C5'	6.99	1.55	1.44
26	BB	197	A	C6-N1	-6.99	1.30	1.35
26	BB	691	C	C5-C6	6.99	1.40	1.34
26	BB	2219	U	C5-C6	6.99	1.40	1.34
26	BB	2465	C	C3'-C2'	6.99	1.60	1.52
26	BB	2573	C	C3'-C2'	6.99	1.60	1.52
26	BB	2781	A	O3'-P	6.99	1.69	1.61
1	AA	341	C	P-O5'	6.98	1.66	1.59
1	AA	452	A	N3-C4	6.98	1.39	1.34
1	AA	321	A	C4'-C3'	-6.98	1.45	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	586	C	O3'-P	6.98	1.69	1.61
1	AA	1370	G	C8-N7	6.98	1.35	1.30
26	BB	382	A	C6-N6	6.98	1.39	1.33
26	BB	1008	A	C3'-C2'	6.98	1.60	1.52
26	BB	2591	C	P-O5'	6.98	1.66	1.59
1	AA	154	U	C2-N3	6.98	1.42	1.37
1	AA	566	G	C4'-O4'	-6.98	1.36	1.45
26	BB	763	G	C2'-C1'	6.98	1.61	1.53
1	AA	226	G	N1-C2	6.98	1.43	1.37
1	AA	353	A	P-O5'	6.98	1.66	1.59
1	AA	1002	G	N3-C4	-6.98	1.30	1.35
26	BB	672	C	C5-C6	6.98	1.40	1.34
26	BB	1273	U	N1-C2	6.98	1.44	1.38
26	BB	1733	G	N9-C4	6.98	1.43	1.38
26	BB	1959	G	C8-N7	-6.98	1.26	1.30
26	BB	2463	C	N1-C6	6.98	1.41	1.37
1	AA	1150	A	C5'-C4'	6.98	1.59	1.51
1	AA	1451	U	C4-C5	6.98	1.49	1.43
26	BB	1540	G	C8-N7	6.98	1.35	1.30
1	AA	281	G	N1-C2	6.97	1.43	1.37
1	AA	481	G	C4'-O4'	-6.97	1.36	1.45
1	AA	645	G	C6-N1	6.97	1.44	1.39
26	BB	312	G	C5-C4	-6.97	1.33	1.38
26	BB	598	U	C2-N3	6.97	1.42	1.37
26	BB	1589	U	C2-N3	6.97	1.42	1.37
26	BB	1897	G	C2-N3	6.97	1.38	1.32
26	BB	1240	U	C4-C5	6.97	1.49	1.43
26	BB	1339	G	N3-C4	6.97	1.40	1.35
26	BB	2010	G	P-O5'	6.97	1.66	1.59
26	BB	2173	A	O4'-C1'	-6.97	1.32	1.41
2	AB	22	G	C2-N2	-6.97	1.27	1.34
26	BB	1043	C	C4'-O4'	-6.97	1.36	1.45
26	BB	26	G	O3'-P	6.97	1.69	1.61
26	BB	263	G	N9-C4	-6.97	1.32	1.38
26	BB	1896	G	C8-N7	6.97	1.35	1.30
26	BB	2858	C	P-O5'	6.97	1.66	1.59
1	AA	758	C	N3-C4	6.96	1.38	1.33
1	AA	869	G	N9-C4	6.96	1.43	1.38
1	AA	1349	A	C8-N7	-6.96	1.26	1.31
1	AA	1537	U	C5-C6	6.96	1.40	1.34
26	BB	439	A	C4'-C3'	6.96	1.60	1.53
26	BB	914	G	N3-C4	6.96	1.40	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1193	G	N3-C4	6.96	1.40	1.35
26	BB	2468	A	N3-C4	6.96	1.39	1.34
26	BB	2692	G	N9-C4	6.96	1.43	1.38
1	AA	299	G	C2-N3	6.96	1.38	1.32
26	BB	1383	A	C3'-C2'	6.96	1.60	1.52
26	BB	2054	A	C5-C4	-6.96	1.33	1.38
26	BB	2665	A	N3-C4	6.96	1.39	1.34
26	BB	691	C	C2-N3	6.96	1.41	1.35
26	BB	1453	A	C6-N1	6.96	1.40	1.35
26	BB	1721	G	N7-C5	6.96	1.43	1.39
1	AA	1171	A	C6-N1	6.96	1.40	1.35
1	AA	1422	G	C4'-O4'	-6.96	1.36	1.45
26	BB	962	G	P-O5'	6.96	1.66	1.59
26	BB	2389	G	C2-N3	6.96	1.38	1.32
26	BB	2601	C	C5-C6	6.96	1.40	1.34
1	AA	1452	C	C4'-O4'	-6.96	1.36	1.45
26	BB	645	C	O3'-P	6.96	1.69	1.61
26	BB	841	G	C2-N3	6.96	1.38	1.32
26	BB	1717	A	N9-C4	6.96	1.42	1.37
26	BB	2288	A	C5'-C4'	6.96	1.59	1.51
1	AA	419	C	C4-N4	6.96	1.40	1.33
1	AA	735	C	N1-C6	6.96	1.41	1.37
1	AA	1250	A	N3-C4	6.96	1.39	1.34
3	AC	40	G	N7-C5	-6.96	1.35	1.39
26	BB	67	U	C2-N3	6.96	1.42	1.37
26	BB	1290	C	N3-C4	-6.96	1.29	1.33
26	BB	1757	A	C4'-O4'	-6.96	1.36	1.45
1	AA	1491	G	C2'-O2'	-6.96	1.32	1.41
26	BB	12	U	C2'-O2'	-6.96	1.32	1.41
1	AA	337	G	C4'-O4'	-6.95	1.36	1.45
26	BB	1159	U	P-O5'	6.95	1.66	1.59
26	BB	1215	G	N9-C4	6.95	1.43	1.38
26	BB	1686	C	C5-C6	6.95	1.40	1.34
1	AA	1540	U	P-O5'	6.95	1.66	1.59
1	AA	840	C	C4'-O4'	-6.95	1.36	1.45
1	AA	1477	U	C2-N3	6.95	1.42	1.37
26	BB	1068	G	C6-N1	-6.95	1.34	1.39
26	BB	2339	C	C5-C6	6.95	1.40	1.34
1	AA	915	A	C5-C4	-6.95	1.33	1.38
26	BB	44	A	N9-C4	-6.95	1.33	1.37
26	BB	2358	A	C4'-C3'	-6.95	1.45	1.53
26	BB	2496	C	C4'-C3'	-6.95	1.45	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2658	C	C2'-C1'	6.95	1.60	1.53
1	AA	1276	G	C8-N7	6.95	1.35	1.30
26	BB	567	U	C5-C6	6.95	1.40	1.34
26	BB	944	C	C4'-C3'	6.95	1.60	1.53
26	BB	2071	A	C4'-O4'	-6.95	1.36	1.45
3	AC	43	U	C4-O4	6.95	1.29	1.23
4	AD	64	G	O3'-P	6.95	1.69	1.61
26	BB	531	C	N3-C4	6.95	1.38	1.33
26	BB	989	G	C2-N3	6.95	1.38	1.32
26	BB	1336	A	N7-C5	6.95	1.43	1.39
1	AA	1462	C	N3-C4	6.94	1.38	1.33
1	AA	1531	A	C6-N1	6.94	1.40	1.35
26	BB	49	A	N3-C4	6.94	1.39	1.34
26	BB	876	C	N1-C6	6.94	1.41	1.37
4	AD	40	C	N3-C4	6.94	1.38	1.33
1	AA	1244	G	C2-N2	-6.94	1.27	1.34
26	BB	1063	G	N9-C4	-6.94	1.32	1.38
26	BB	1565	C	P-O5'	6.94	1.66	1.59
1	AA	774	G	C5-C4	-6.94	1.33	1.38
25	BA	32	U	C4'-O4'	-6.94	1.36	1.45
26	BB	63	A	N3-C4	6.94	1.39	1.34
26	BB	108	G	C6-O6	-6.94	1.18	1.24
26	BB	232	G	C6-O6	6.94	1.30	1.24
26	BB	2087	G	N3-C4	6.94	1.40	1.35
26	BB	2682	A	C2-N3	6.94	1.39	1.33
1	AA	1412	C	N1-C2	6.94	1.47	1.40
1	AA	18	C	P-O5'	6.93	1.66	1.59
1	AA	1186	G	C2'-C1'	6.93	1.60	1.53
1	AA	1187	G	O3'-P	-6.93	1.52	1.61
17	AQ	58	ARG	CZ-NH2	6.93	1.42	1.33
26	BB	675	A	N9-C8	-6.93	1.32	1.37
26	BB	1551	A	O3'-P	-6.93	1.52	1.61
1	AA	1104	G	C2-N3	6.93	1.38	1.32
1	AA	1256	A	N7-C5	6.93	1.43	1.39
26	BB	1850	G	N9-C8	-6.93	1.32	1.37
1	AA	1250	A	C6-N1	-6.93	1.30	1.35
2	AB	69	C	C2'-C1'	6.93	1.60	1.53
26	BB	40	U	C2'-C1'	6.93	1.60	1.53
26	BB	1293	C	O3'-P	6.93	1.69	1.61
26	BB	1659	G	C5-C4	-6.93	1.33	1.38
26	BB	1993	U	C5'-C4'	6.93	1.59	1.51
26	BB	120	U	C3'-C2'	-6.93	1.45	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2229	U	C4'-O4'	-6.93	1.36	1.45
26	BB	1697	G	C3'-C2'	6.93	1.60	1.52
26	BB	1812	U	C4'-O4'	-6.93	1.36	1.45
1	AA	336	A	N3-C4	6.93	1.39	1.34
1	AA	1461	G	C5-C6	6.93	1.49	1.42
26	BB	932	U	N3-C4	6.93	1.44	1.38
26	BB	1051	G	O3'-P	6.93	1.69	1.61
26	BB	2266	A	C5'-C4'	6.93	1.59	1.51
1	AA	1225	A	N3-C4	6.92	1.39	1.34
2	AB	4	G	O3'-P	-6.92	1.52	1.61
3	AC	26	U	C2-N3	6.92	1.42	1.37
26	BB	357	C	N1-C6	6.92	1.41	1.37
26	BB	1904	G	C2-N3	6.92	1.38	1.32
1	AA	40	C	C5'-C4'	6.92	1.59	1.51
26	BB	1890	A	C5'-C4'	6.92	1.59	1.51
1	AA	537	G	C4'-O4'	-6.92	1.36	1.45
1	AA	689	C	C4-N4	6.92	1.40	1.33
1	AA	1134	G	P-O5'	6.92	1.66	1.59
1	AA	1164	G	P-O5'	6.92	1.66	1.59
26	BB	612	G	C6-O6	6.92	1.30	1.24
26	BB	1901	A	C5-C6	6.92	1.47	1.41
1	AA	38	G	N9-C8	-6.92	1.33	1.37
1	AA	1180	A	C2-N3	6.92	1.39	1.33
26	BB	633	A	N3-C4	6.92	1.39	1.34
26	BB	2263	C	C4'-C3'	-6.92	1.45	1.53
1	AA	780	A	C6-N1	-6.92	1.30	1.35
26	BB	84	A	P-O5'	6.92	1.66	1.59
26	BB	530	G	N1-C2	6.92	1.43	1.37
26	BB	2155	U	C5-C6	6.92	1.40	1.34
3	AC	24	A	C4'-O4'	-6.92	1.36	1.45
26	BB	1829	A	C1'-N9	6.92	1.59	1.48
1	AA	1123	U	P-O5'	6.92	1.66	1.59
1	AA	1280	A	C6-N1	6.92	1.40	1.35
2	AB	48	U	N1-C2	6.92	1.44	1.38
26	BB	2856	A	C3'-C2'	6.92	1.60	1.52
1	AA	397	A	N9-C4	6.91	1.42	1.37
26	BB	851	C	N3-C4	6.91	1.38	1.33
26	BB	982	C	P-O5'	6.91	1.66	1.59
26	BB	2464	G	C2'-C1'	-6.91	1.45	1.53
1	AA	1277	C	N1-C2	6.91	1.47	1.40
1	AA	215	C	C4-C5	6.91	1.48	1.43
1	AA	1285	A	P-O5'	6.91	1.66	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	397	U	P-O5'	-6.91	1.52	1.59
26	BB	775	G	C2-N3	6.91	1.38	1.32
26	BB	1989	G	C2-N3	6.91	1.38	1.32
26	BB	2003	A	C4'-C3'	6.91	1.60	1.53
26	BB	2280	G	C5-C6	6.91	1.49	1.42
26	BB	2302	U	C5'-C4'	6.91	1.59	1.51
26	BB	2758	A	P-O5'	6.91	1.66	1.59
1	AA	432	A	N7-C5	6.91	1.43	1.39
2	AB	9	A	N9-C4	6.91	1.42	1.37
26	BB	242	G	N9-C8	6.91	1.42	1.37
26	BB	2578	G	C2'-C1'	6.91	1.60	1.53
26	BB	2858	C	C2-O2	-6.91	1.18	1.24
1	AA	799	G	C6-N1	-6.91	1.34	1.39
26	BB	67	U	C5'-C4'	6.91	1.59	1.51
26	BB	494	G	C2-N3	6.91	1.38	1.32
26	BB	2902	C	C4'-C3'	6.91	1.60	1.53
1	AA	582	C	N1-C6	6.91	1.41	1.37
26	BB	1953	A	N7-C5	6.91	1.43	1.39
1	AA	1334	G	C4'-O4'	-6.90	1.36	1.45
26	BB	1496	A	N7-C5	-6.90	1.35	1.39
1	AA	266	G	C6-N1	-6.90	1.34	1.39
1	AA	919	A	C4'-O4'	-6.90	1.36	1.45
26	BB	573	U	P-O5'	6.90	1.66	1.59
26	BB	980	A	N7-C5	6.90	1.43	1.39
26	BB	1434	A	N9-C8	6.90	1.43	1.37
26	BB	1444	G	C2-N3	6.90	1.38	1.32
26	BB	1593	A	C6-N6	6.90	1.39	1.33
26	BB	1833	C	P-O5'	6.90	1.66	1.59
1	AA	1089	G	P-O5'	6.90	1.66	1.59
26	BB	231	A	N9-C4	6.90	1.42	1.37
26	BB	637	A	N3-C4	6.90	1.39	1.34
26	BB	1546	G	C4'-C3'	-6.90	1.45	1.53
26	BB	1657	U	N1-C2	6.90	1.44	1.38
1	AA	197	A	C6-N1	-6.90	1.30	1.35
1	AA	848	C	P-O5'	6.90	1.66	1.59
26	BB	148	U	C2-N3	6.90	1.42	1.37
26	BB	234	U	N1-C2	6.90	1.44	1.38
26	BB	658	U	N3-C4	6.90	1.44	1.38
2	AB	25	C	C2-N3	6.90	1.41	1.35
25	BA	36	C	N3-C4	6.90	1.38	1.33
25	BA	81	G	C8-N7	-6.90	1.26	1.30
26	BB	348	A	P-O5'	6.90	1.66	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	882	G	C6-N1	6.90	1.44	1.39
26	BB	2611	C	C4'-O4'	-6.90	1.36	1.45
1	AA	1455	G	N3-C4	6.90	1.40	1.35
1	AA	115	G	N1-C2	6.89	1.43	1.37
1	AA	312	C	C4-C5	6.89	1.48	1.43
1	AA	968	A	N9-C4	6.89	1.42	1.37
26	BB	1404	C	N3-C4	6.89	1.38	1.33
26	BB	1635	A	C4'-O4'	-6.89	1.36	1.45
26	BB	1793	C	C4-C5	6.89	1.48	1.43
26	BB	2857	G	C6-N1	6.89	1.44	1.39
1	AA	79	G	C3'-O3'	6.89	1.51	1.42
1	AA	222	C	C2'-C1'	6.89	1.60	1.53
1	AA	1455	G	N7-C5	6.89	1.43	1.39
26	BB	285	G	C2'-O2'	6.89	1.50	1.41
26	BB	1578	U	N1-C2	6.89	1.44	1.38
26	BB	1945	G	N7-C5	-6.89	1.35	1.39
26	BB	2097	A	O3'-P	-6.89	1.52	1.61
25	BA	7	G	C6-N1	6.89	1.44	1.39
1	AA	672	U	C2'-C1'	6.89	1.60	1.53
4	AD	70	C	N1-C6	6.89	1.41	1.37
26	BB	1148	U	C4'-C3'	6.89	1.60	1.53
26	BB	1868	C	C2-N3	6.89	1.41	1.35
1	AA	24	U	C5'-C4'	6.89	1.59	1.51
1	AA	1098	C	C2-N3	6.89	1.41	1.35
1	AA	1180	A	N3-C4	6.89	1.39	1.34
1	AA	1272	G	N9-C4	-6.89	1.32	1.38
10	AJ	57	GLU	CG-CD	6.89	1.62	1.51
26	BB	632	A	C8-N7	-6.89	1.26	1.31
26	BB	706	A	C6-N6	-6.89	1.28	1.33
26	BB	843	G	O4'-C1'	6.89	1.50	1.41
26	BB	2093	G	C2'-C1'	6.89	1.60	1.53
26	BB	2781	A	C4'-O4'	-6.89	1.36	1.45
1	AA	322	C	N1-C6	6.88	1.41	1.37
1	AA	589	U	C5'-C4'	6.88	1.59	1.51
1	AA	921	U	C2-N3	6.88	1.42	1.37
1	AA	776	G	C5-C4	-6.88	1.33	1.38
26	BB	2380	C	N1-C6	6.88	1.41	1.37
4	AD	24	C	C5'-C4'	6.88	1.59	1.51
26	BB	737	C	C4-C5	6.88	1.48	1.43
26	BB	2061	G	O3'-P	6.88	1.69	1.61
26	BB	2489	U	C4'-O4'	-6.88	1.36	1.45
26	BB	2509	G	C5'-C4'	6.88	1.59	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BA	32	U	C5-C6	6.88	1.40	1.34
26	BB	1107	G	N1-C2	6.88	1.43	1.37
1	AA	127	G	N7-C5	-6.88	1.35	1.39
1	AA	1108	G	P-O5'	6.88	1.66	1.59
1	AA	1535	C	C5'-C4'	6.88	1.59	1.51
26	BB	693	A	N9-C4	6.88	1.42	1.37
26	BB	1034	G	N7-C5	6.88	1.43	1.39
26	BB	2420	C	C2-O2	-6.88	1.18	1.24
1	AA	555	U	N1-C2	6.88	1.44	1.38
26	BB	54	G	C4'-O4'	-6.88	1.36	1.45
26	BB	124	G	N9-C8	6.88	1.42	1.37
26	BB	2568	U	C4'-C3'	-6.88	1.45	1.53
1	AA	530	G	N9-C4	6.87	1.43	1.38
1	AA	571	U	C4'-C3'	6.87	1.60	1.53
1	AA	1013	G	C6-O6	-6.87	1.18	1.24
1	AA	1133	G	C5-C6	6.87	1.49	1.42
1	AA	1349	A	N9-C4	-6.87	1.33	1.37
26	BB	1003	G	C8-N7	-6.87	1.26	1.30
26	BB	1483	G	C2-N3	6.87	1.38	1.32
26	BB	1824	G	C5'-C4'	6.87	1.59	1.51
26	BB	2866	U	C5'-C4'	6.87	1.59	1.51
1	AA	77	A	C4'-O4'	-6.87	1.36	1.45
1	AA	196	A	P-O5'	6.87	1.66	1.59
1	AA	280	C	O3'-P	-6.87	1.52	1.61
26	BB	1523	U	N1-C2	6.87	1.44	1.38
26	BB	1845	G	N7-C5	-6.87	1.35	1.39
26	BB	2126	A	N9-C8	6.87	1.43	1.37
26	BB	2336	A	C3'-C2'	6.87	1.60	1.52
1	AA	117	G	C8-N7	-6.87	1.26	1.30
1	AA	990	C	P-O5'	6.87	1.66	1.59
1	AA	1131	G	C2'-C1'	6.87	1.60	1.53
26	BB	765	C	N3-C4	6.87	1.38	1.33
26	BB	2274	A	C5-C6	6.87	1.47	1.41
26	BB	68	G	O3'-P	6.87	1.69	1.61
26	BB	1104	C	O3'-P	-6.87	1.52	1.61
26	BB	2495	G	C2-N3	6.87	1.38	1.32
1	AA	873	A	N7-C5	6.87	1.43	1.39
1	AA	1028	C	O4'-C1'	6.87	1.50	1.41
26	BB	1698	A	P-O5'	6.87	1.66	1.59
26	BB	2559	C	C4-C5	6.87	1.48	1.43
1	AA	39	G	N7-C5	-6.86	1.35	1.39
25	BA	53	A	C4'-C3'	6.86	1.60	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1252	G	N7-C5	-6.86	1.35	1.39
1	AA	59	A	N1-C2	-6.86	1.28	1.34
1	AA	461	A	C2-N3	6.86	1.39	1.33
1	AA	548	G	C2'-C1'	6.86	1.60	1.53
1	AA	1030	U	N1-C2	6.86	1.44	1.38
1	AA	1399	C	N1-C2	6.86	1.47	1.40
26	BB	644	A	N7-C5	-6.86	1.35	1.39
26	BB	1199	U	C2-N3	6.86	1.42	1.37
26	BB	2248	C	C3'-C2'	6.86	1.60	1.52
26	BB	2282	G	O3'-P	6.86	1.69	1.61
26	BB	2441	U	C4-C5	6.86	1.49	1.43
26	BB	2526	G	O4'-C1'	6.86	1.50	1.41
1	AA	1047	G	C5-C4	-6.86	1.33	1.38
1	AA	1216	A	O3'-P	6.86	1.69	1.61
1	AA	183	C	C4-N4	6.86	1.40	1.33
1	AA	1075	U	C4-C5	6.86	1.49	1.43
26	BB	272	A	N3-C4	6.86	1.39	1.34
26	BB	1673	G	O3'-P	6.86	1.69	1.61
1	AA	386	C	C5-C6	6.86	1.39	1.34
1	AA	812	G	C3'-C2'	6.86	1.60	1.52
26	BB	128	C	P-O5'	6.86	1.66	1.59
26	BB	2169	A	C4'-O4'	-6.86	1.36	1.45
26	BB	2253	G	P-O5'	6.86	1.66	1.59
26	BB	651	G	C8-N7	-6.85	1.26	1.30
26	BB	1166	G	C6-O6	-6.85	1.18	1.24
26	BB	468	G	N7-C5	6.85	1.43	1.39
26	BB	855	G	N3-C4	6.85	1.40	1.35
26	BB	1128	G	C5-C4	-6.85	1.33	1.38
1	AA	1151	A	P-O5'	6.85	1.66	1.59
25	BA	95	U	N1-C6	6.85	1.44	1.38
26	BB	2676	C	C2'-C1'	-6.85	1.45	1.53
1	AA	541	G	N3-C4	-6.85	1.30	1.35
2	AB	34	C	O3'-P	-6.85	1.52	1.61
4	AD	14	A	C3'-O3'	6.85	1.51	1.42
25	BA	7	G	C3'-C2'	6.85	1.60	1.52
26	BB	123	G	C8-N7	-6.85	1.26	1.30
26	BB	245	G	C4'-C3'	6.85	1.60	1.53
26	BB	570	G	C3'-C2'	6.85	1.60	1.52
26	BB	906	U	C4'-C3'	-6.85	1.45	1.53
26	BB	1999	C	N1-C6	6.85	1.41	1.37
26	BB	2574	G	C2'-C1'	6.85	1.60	1.53
1	AA	239	U	P-O5'	6.85	1.66	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	995	C	C5-C6	6.85	1.39	1.34
26	BB	1176	U	C3'-C2'	-6.85	1.45	1.52
1	AA	435	A	P-O5'	6.84	1.66	1.59
1	AA	707	U	O3'-P	6.84	1.69	1.61
2	AB	53	G	C5'-C4'	6.84	1.59	1.51
26	BB	434	U	C5'-C4'	6.84	1.59	1.51
26	BB	1224	U	C4-C5	6.84	1.49	1.43
26	BB	1530	G	N7-C5	6.84	1.43	1.39
1	AA	1494	G	C6-N1	-6.84	1.34	1.39
26	BB	1140	C	N3-C4	6.84	1.38	1.33
26	BB	1557	C	C4'-C3'	6.84	1.60	1.53
26	BB	2772	C	N1-C6	6.84	1.41	1.37
1	AA	382	A	N3-C4	6.84	1.39	1.34
26	BB	313	G	O3'-P	6.84	1.69	1.61
26	BB	1349	C	C2'-C1'	6.84	1.60	1.53
26	BB	2391	G	N1-C2	6.84	1.43	1.37
26	BB	2612	C	C4'-O4'	-6.84	1.36	1.45
6	AF	131	ARG	CZ-NH1	6.84	1.42	1.33
26	BB	602	A	C2'-C1'	-6.84	1.45	1.53
26	BB	1283	G	C6-N1	-6.84	1.34	1.39
26	BB	1860	G	P-O5'	6.84	1.66	1.59
26	BB	1938	A	C5'-C4'	6.84	1.59	1.51
1	AA	519	C	C4'-C3'	6.84	1.60	1.53
1	AA	750	C	C4-C5	6.84	1.48	1.43
26	BB	860	U	C5-C6	6.84	1.40	1.34
26	BB	90	U	O3'-P	6.84	1.69	1.61
26	BB	797	G	C4'-O4'	-6.84	1.36	1.45
26	BB	1013	C	P-O5'	6.84	1.66	1.59
26	BB	1667	G	O3'-P	-6.84	1.52	1.61
31	BG	83	PRO	N-CD	-6.84	1.38	1.47
1	AA	528	C	N1-C6	6.83	1.41	1.37
1	AA	845	A	C4'-O4'	-6.83	1.36	1.45
1	AA	1209	C	P-O5'	6.83	1.66	1.59
1	AA	1385	G	C5-C6	6.83	1.49	1.42
26	BB	1013	C	N3-C4	6.83	1.38	1.33
26	BB	1607	C	O3'-P	6.83	1.69	1.61
1	AA	1387	G	N9-C4	6.83	1.43	1.38
26	BB	77	G	O4'-C1'	-6.83	1.32	1.41
26	BB	646	U	C4-C5	6.83	1.49	1.43
26	BB	1674	G	N1-C2	6.83	1.43	1.37
26	BB	1570	A	C6-N1	-6.83	1.30	1.35
26	BB	1875	G	N7-C5	6.83	1.43	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	309	A	N9-C4	-6.83	1.33	1.37
26	BB	698	C	C5-C6	6.83	1.39	1.34
1	AA	951	G	C8-N7	-6.83	1.26	1.30
26	BB	1362	C	C5'-C4'	6.83	1.59	1.51
26	BB	1953	A	P-O5'	6.83	1.66	1.59
26	BB	2569	G	P-O5'	6.83	1.66	1.59
1	AA	655	A	N7-C5	6.83	1.43	1.39
1	AA	980	C	C4'-C3'	-6.83	1.45	1.53
26	BB	1281	G	C8-N7	6.83	1.35	1.30
1	AA	800	G	C2'-O2'	6.83	1.50	1.41
1	AA	1109	C	C5-C6	6.83	1.39	1.34
26	BB	701	G	C6-N1	6.83	1.44	1.39
26	BB	2416	C	C2-N3	6.83	1.41	1.35
26	BB	2458	G	C5-C6	6.83	1.49	1.42
1	AA	762	U	C5-C6	6.82	1.40	1.34
1	AA	1024	G	C4'-O4'	-6.82	1.36	1.45
26	BB	232	G	C4'-C3'	-6.82	1.45	1.53
26	BB	1556	C	P-O5'	6.82	1.66	1.59
26	BB	2215	C	O3'-P	6.82	1.69	1.61
26	BB	2253	G	O3'-P	6.82	1.69	1.61
26	BB	2715	C	C3'-C2'	6.82	1.60	1.52
1	AA	144	G	P-O5'	6.82	1.66	1.59
1	AA	778	G	P-O5'	6.82	1.66	1.59
26	BB	2595	G	P-O5'	-6.82	1.52	1.59
26	BB	2804	U	C4'-O4'	-6.82	1.36	1.45
1	AA	902	G	C2'-O2'	6.82	1.50	1.41
26	BB	619	G	P-O5'	6.82	1.66	1.59
26	BB	663	G	C5-C4	6.82	1.43	1.38
26	BB	1301	A	C5-C6	6.82	1.47	1.41
26	BB	1585	C	C5-C6	6.82	1.39	1.34
26	BB	2663	G	C2'-C1'	-6.82	1.45	1.53
26	BB	1719	G	N1-C2	6.82	1.43	1.37
1	AA	507	C	C4'-C3'	6.82	1.60	1.53
1	AA	722	G	N9-C8	-6.82	1.33	1.37
1	AA	810	C	C5'-C4'	6.82	1.59	1.51
1	AA	825	A	C6-N1	6.82	1.40	1.35
26	BB	1457	U	C4'-O4'	-6.82	1.36	1.45
26	BB	1773	A	C5-C4	-6.82	1.33	1.38
26	BB	1786	A	O3'-P	6.82	1.69	1.61
26	BB	1337	G	N9-C8	6.82	1.42	1.37
26	BB	2336	A	C5'-C4'	6.82	1.59	1.51
1	AA	534	U	P-O5'	6.81	1.66	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	187	G	O3'-P	6.81	1.69	1.61
26	BB	2341	G	C5'-C4'	6.81	1.59	1.51
26	BB	2596	U	P-O5'	6.81	1.66	1.59
1	AA	276	G	N1-C2	6.81	1.43	1.37
1	AA	593	U	C4-C5	6.81	1.49	1.43
26	BB	1260	A	C5-C6	6.81	1.47	1.41
26	BB	1051	G	C5'-C4'	6.81	1.59	1.51
26	BB	1157	G	P-O5'	6.81	1.66	1.59
26	BB	1552	A	N3-C4	6.81	1.39	1.34
1	AA	26	A	N9-C8	6.81	1.43	1.37
1	AA	247	G	P-O5'	6.81	1.66	1.59
25	BA	70	C	P-O5'	6.81	1.66	1.59
26	BB	1098	A	N9-C8	-6.81	1.32	1.37
26	BB	2650	U	P-O5'	6.81	1.66	1.59
2	AB	40	C	C5-C6	6.81	1.39	1.34
25	BA	25	U	C2-N3	-6.81	1.32	1.37
26	BB	743	A	C4'-O4'	-6.81	1.36	1.45
26	BB	896	A	C6-N6	-6.81	1.28	1.33
26	BB	1517	G	C2'-C1'	6.81	1.60	1.53
1	AA	584	G	C5-C6	6.81	1.49	1.42
1	AA	1097	C	C4-N4	6.81	1.40	1.33
26	BB	641	U	C5'-C4'	6.81	1.59	1.51
1	AA	1271	A	C2'-C1'	-6.80	1.45	1.53
26	BB	27	G	C6-N1	6.80	1.44	1.39
26	BB	322	A	C6-N1	6.80	1.40	1.35
26	BB	390	U	C5'-C4'	6.80	1.59	1.51
26	BB	1785	A	C8-N7	-6.80	1.26	1.31
1	AA	759	A	N7-C5	6.80	1.43	1.39
26	BB	743	A	C5-C4	-6.80	1.33	1.38
1	AA	940	C	C4-C5	-6.80	1.37	1.43
1	AA	1374	A	O3'-P	6.80	1.69	1.61
2	AB	19	G	P-O5'	6.80	1.66	1.59
26	BB	766	U	C2-N3	6.80	1.42	1.37
26	BB	383	C	C2-N3	6.80	1.41	1.35
26	BB	1343	G	N9-C8	6.80	1.42	1.37
1	AA	499	A	C2-N3	-6.80	1.27	1.33
1	AA	1396	A	P-O5'	6.80	1.66	1.59
26	BB	553	G	O3'-P	6.80	1.69	1.61
26	BB	846	U	N1-C2	6.80	1.44	1.38
26	BB	1664	A	N7-C5	6.80	1.43	1.39
26	BB	1828	G	C5'-C4'	6.80	1.59	1.51
26	BB	2265	U	C4-O4	-6.80	1.18	1.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2354	C	N3-C4	6.80	1.38	1.33
26	BB	2568	U	C2-O2	6.80	1.28	1.22
1	AA	186	C	C2-N3	6.79	1.41	1.35
1	AA	219	U	C5-C6	6.79	1.40	1.34
26	BB	1980	G	C5-C6	6.79	1.49	1.42
26	BB	2549	G	C8-N7	-6.79	1.26	1.30
26	BB	2562	U	C2-O2	6.79	1.28	1.22
1	AA	355	C	C5'-C4'	6.79	1.59	1.51
1	AA	565	U	C3'-C2'	6.79	1.60	1.52
1	AA	673	A	N3-C4	6.79	1.39	1.34
1	AA	892	A	C6-N1	6.79	1.40	1.35
4	AD	27	G	C3'-C2'	-6.79	1.45	1.52
4	AD	65	G	P-O5'	6.79	1.66	1.59
26	BB	840	C	N1-C2	6.79	1.47	1.40
26	BB	1762	A	C8-N7	-6.79	1.26	1.31
25	BA	44	G	N7-C5	6.79	1.43	1.39
26	BB	1231	U	C3'-C2'	6.79	1.60	1.52
1	AA	789	U	C5'-C4'	6.79	1.59	1.51
26	BB	60	G	P-O5'	6.79	1.66	1.59
26	BB	326	G	N9-C8	6.79	1.42	1.37
26	BB	519	U	C4-O4	-6.79	1.18	1.23
26	BB	985	C	C5-C6	-6.79	1.28	1.34
26	BB	1616	A	C6-N6	6.79	1.39	1.33
26	BB	2104	C	P-O5'	6.79	1.66	1.59
1	AA	182	A	C2-N3	6.79	1.39	1.33
26	BB	2381	A	N1-C2	6.79	1.40	1.34
1	AA	259	G	P-O5'	6.79	1.66	1.59
1	AA	470	C	P-O5'	6.79	1.66	1.59
1	AA	1032	G	P-O5'	6.79	1.66	1.59
1	AA	1126	U	C2'-C1'	6.79	1.60	1.53
26	BB	1403	A	C5'-C4'	6.79	1.59	1.51
55	B4	48	TYR	CB-CG	6.79	1.61	1.51
1	AA	151	A	N3-C4	6.78	1.39	1.34
26	BB	1328	A	N3-C4	6.78	1.39	1.34
26	BB	1877	A	C4'-O4'	-6.78	1.36	1.45
26	BB	2107	G	N3-C4	6.78	1.40	1.35
1	AA	570	G	C4'-O4'	-6.78	1.36	1.45
26	BB	457	A	P-O5'	6.78	1.66	1.59
26	BB	704	G	N7-C5	6.78	1.43	1.39
26	BB	1004	U	O3'-P	6.78	1.69	1.61
26	BB	1304	A	C3'-C2'	6.78	1.60	1.52
26	BB	1334	G	C5-C6	6.78	1.49	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	886	A	C4'-O4'	-6.78	1.36	1.45
26	BB	1273	U	C4-C5	6.78	1.49	1.43
26	BB	1433	A	P-O5'	6.78	1.66	1.59
26	BB	1485	U	C2-N3	6.78	1.42	1.37
1	AA	949	A	N3-C4	6.78	1.39	1.34
1	AA	1190	G	C6-N1	6.78	1.44	1.39
26	BB	8	C	C2'-C1'	6.78	1.60	1.53
26	BB	30	G	C2-N3	6.78	1.38	1.32
26	BB	113	U	C4-O4	-6.78	1.18	1.23
26	BB	348	A	N3-C4	6.78	1.39	1.34
26	BB	864	G	O3'-P	6.78	1.69	1.61
26	BB	1960	A	N9-C8	-6.78	1.32	1.37
1	AA	40	C	N1-C6	6.78	1.41	1.37
26	BB	2487	G	N9-C8	-6.78	1.33	1.37
26	BB	2050	C	C2-N3	-6.77	1.30	1.35
26	BB	2354	C	P-O5'	6.77	1.66	1.59
1	AA	35	G	C3'-C2'	6.77	1.60	1.52
25	BA	5	U	C2-N3	6.77	1.42	1.37
26	BB	91	A	C6-N6	6.77	1.39	1.33
26	BB	146	A	N9-C8	-6.77	1.32	1.37
26	BB	324	A	C4'-C3'	6.77	1.60	1.53
26	BB	1042	G	P-O5'	6.77	1.66	1.59
26	BB	1597	A	N3-C4	6.77	1.39	1.34
26	BB	1897	G	O3'-P	6.77	1.69	1.61
26	BB	2466	C	C3'-C2'	-6.77	1.45	1.52
43	BS	24	TYR	CE2-CZ	6.77	1.47	1.38
26	BB	1954	G	N7-C5	6.77	1.43	1.39
1	AA	196	A	O3'-P	6.77	1.69	1.61
1	AA	324	G	N3-C4	6.77	1.40	1.35
1	AA	650	G	C6-N1	6.77	1.44	1.39
1	AA	1284	C	O3'-P	6.77	1.69	1.61
1	AA	1495	U	C5'-C4'	6.77	1.59	1.51
26	BB	702	U	N1-C2	6.77	1.44	1.38
26	BB	1142	A	C4'-O4'	-6.77	1.36	1.45
26	BB	2872	A	P-O5'	6.77	1.66	1.59
1	AA	190	A	N9-C4	-6.77	1.33	1.37
1	AA	303	A	C8-N7	-6.77	1.26	1.31
1	AA	1252	A	C2-N3	6.77	1.39	1.33
26	BB	30	G	N1-C2	6.77	1.43	1.37
26	BB	2636	C	N3-C4	6.77	1.38	1.33
1	AA	89	U	C2'-C1'	6.77	1.60	1.53
26	BB	275	C	C2-N3	-6.77	1.30	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1008	A	P-O5'	-6.77	1.52	1.59
26	BB	1439	A	P-O5'	6.77	1.66	1.59
26	BB	1992	G	C2-N3	6.77	1.38	1.32
1	AA	581	G	C5-C6	6.76	1.49	1.42
1	AA	596	A	O3'-P	-6.76	1.53	1.61
26	BB	410	G	C5-C6	6.76	1.49	1.42
26	BB	1408	G	N9-C8	6.76	1.42	1.37
26	BB	1413	A	C5'-C4'	6.76	1.59	1.51
26	BB	1678	A	N9-C4	6.76	1.42	1.37
26	BB	1965	C	C5'-C4'	6.76	1.59	1.51
1	AA	41	G	C5'-C4'	6.76	1.59	1.51
1	AA	947	G	C8-N7	-6.76	1.26	1.30
26	BB	79	C	C4-C5	-6.76	1.37	1.43
26	BB	680	C	O3'-P	6.76	1.69	1.61
26	BB	2086	U	P-O5'	-6.76	1.52	1.59
1	AA	460	A	N9-C4	-6.76	1.33	1.37
1	AA	699	C	C4'-C3'	6.76	1.60	1.53
1	AA	1114	C	C4-N4	6.76	1.40	1.33
26	BB	1732	C	N1-C6	6.76	1.41	1.37
1	AA	1122	U	C5'-C4'	6.76	1.59	1.51
1	AA	1506	U	N3-C4	6.76	1.44	1.38
2	AB	10	G	C5-C4	6.76	1.43	1.38
26	BB	1730	C	P-O5'	6.76	1.66	1.59
26	BB	2000	C	C4'-O4'	-6.76	1.36	1.45
26	BB	2560	A	N3-C4	6.76	1.39	1.34
26	BB	2624	G	N3-C4	6.76	1.40	1.35
26	BB	959	A	C2'-C1'	-6.76	1.46	1.53
26	BB	2403	C	C5-C6	6.76	1.39	1.34
1	AA	819	A	C6-N1	-6.76	1.30	1.35
1	AA	1186	G	N3-C4	6.76	1.40	1.35
26	BB	1895	C	C2-N3	-6.76	1.30	1.35
26	BB	2178	C	N1-C6	6.76	1.41	1.37
26	BB	2454	G	P-O5'	6.76	1.66	1.59
1	AA	1266	G	N7-C5	-6.75	1.35	1.39
1	AA	1332	A	N7-C5	6.75	1.43	1.39
5	AE	21	TYR	CB-CG	-6.75	1.41	1.51
26	BB	2675	A	C2'-C1'	6.75	1.60	1.53
1	AA	344	A	N7-C5	-6.75	1.35	1.39
1	AA	930	C	C2-N3	6.75	1.41	1.35
26	BB	1043	C	C5'-C4'	6.75	1.59	1.51
26	BB	1881	C	C4-C5	6.75	1.48	1.43
26	BB	2631	G	C8-N7	-6.75	1.26	1.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	592	G	C2-N3	6.75	1.38	1.32
1	AA	1281	C	N1-C6	6.75	1.41	1.37
1	AA	1282	C	C5-C6	6.75	1.39	1.34
26	BB	628	G	N1-C2	6.75	1.43	1.37
26	BB	2078	C	N1-C6	-6.75	1.33	1.37
38	BN	40	SER	CB-OG	6.75	1.51	1.42
25	BA	80	U	C5-C6	6.75	1.40	1.34
26	BB	2022	U	C4'-C3'	6.75	1.60	1.53
26	BB	2690	U	C4'-C3'	6.75	1.60	1.53
1	AA	483	C	C4'-O4'	-6.75	1.36	1.45
1	AA	712	A	C6-N6	-6.75	1.28	1.33
1	AA	877	G	C8-N7	6.75	1.34	1.30
1	AA	1046	A	C4'-C3'	-6.75	1.45	1.53
1	AA	1308	U	N1-C2	6.75	1.44	1.38
1	AA	1401	G	C1'-N9	6.75	1.58	1.48
2	AB	58	A	N9-C4	6.75	1.41	1.37
25	BA	53	A	C6-N1	-6.75	1.30	1.35
26	BB	1784	A	C6-N6	6.75	1.39	1.33
26	BB	1932	A	N9-C4	-6.75	1.33	1.37
26	BB	2280	G	N3-C4	6.75	1.40	1.35
1	AA	104	G	C4'-O4'	-6.75	1.36	1.45
26	BB	2239	G	P-O5'	-6.75	1.53	1.59
26	BB	2830	C	O3'-P	6.75	1.69	1.61
1	AA	1055	A	N3-C4	6.75	1.38	1.34
25	BA	9	G	C4'-C3'	6.75	1.60	1.53
1	AA	339	C	C2-N3	6.74	1.41	1.35
1	AA	821	G	N9-C4	-6.74	1.32	1.38
1	AA	954	G	O3'-P	6.74	1.69	1.61
1	AA	1180	A	C5'-C4'	6.74	1.59	1.51
1	AA	1359	C	C2-N3	6.74	1.41	1.35
26	BB	2437	G	P-O5'	6.74	1.66	1.59
1	AA	236	A	C8-N7	-6.74	1.26	1.31
1	AA	564	C	N1-C6	6.74	1.41	1.37
1	AA	1267	C	P-O5'	6.74	1.66	1.59
2	AB	30	G	O3'-P	6.74	1.69	1.61
6	AF	168	ARG	CZ-NH1	6.74	1.41	1.33
26	BB	144	A	C3'-C2'	6.74	1.60	1.52
26	BB	278	A	C8-N7	-6.74	1.26	1.31
26	BB	521	U	C4-C5	6.74	1.49	1.43
26	BB	1423	G	P-O5'	6.74	1.66	1.59
26	BB	2484	G	O3'-P	6.74	1.69	1.61
1	AA	1019	A	O3'-P	6.74	1.69	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	41	C	C2-O2	-6.74	1.18	1.24
26	BB	2207	C	N1-C6	6.74	1.41	1.37
1	AA	1260	G	C5'-C4'	6.74	1.59	1.51
25	BA	2	G	N9-C8	6.74	1.42	1.37
26	BB	1568	G	N3-C4	6.74	1.40	1.35
26	BB	2830	C	C5-C6	6.74	1.39	1.34
1	AA	1342	C	P-O5'	6.74	1.66	1.59
26	BB	1216	G	N1-C2	6.74	1.43	1.37
26	BB	2068	U	N1-C6	6.74	1.44	1.38
26	BB	2379	G	N7-C5	6.74	1.43	1.39
25	BA	22	U	C5-C6	6.73	1.40	1.34
26	BB	25	U	P-O5'	-6.73	1.53	1.59
26	BB	2569	G	C5'-C4'	-6.73	1.43	1.51
25	BA	64	G	N9-C4	6.73	1.43	1.38
26	BB	145	C	N3-C4	6.73	1.38	1.33
1	AA	432	A	C6-N6	6.73	1.39	1.33
1	AA	673	A	C2'-C1'	-6.73	1.46	1.53
1	AA	729	A	C5-C4	-6.73	1.34	1.38
1	AA	1294	G	C2-N3	6.73	1.38	1.32
1	AA	1308	U	C3'-C2'	6.73	1.60	1.52
26	BB	1211	C	N1-C6	-6.73	1.33	1.37
26	BB	1324	G	C2-N3	6.73	1.38	1.32
1	AA	706	A	C8-N7	6.73	1.36	1.31
1	AA	1268	G	C4'-O4'	-6.73	1.36	1.45
26	BB	715	A	C5'-C4'	6.73	1.59	1.51
26	BB	760	G	C8-N7	-6.73	1.26	1.30
26	BB	1677	A	P-O5'	6.73	1.66	1.59
26	BB	2199	A	P-O5'	6.73	1.66	1.59
26	BB	1014	A	C2-N3	6.73	1.39	1.33
26	BB	1243	C	N1-C2	-6.73	1.33	1.40
26	BB	2719	G	N7-C5	-6.73	1.35	1.39
1	AA	121	U	C4-C5	6.72	1.49	1.43
1	AA	481	G	C8-N7	-6.72	1.26	1.30
1	AA	1018	G	C4'-C3'	-6.72	1.45	1.53
26	BB	1158	C	N1-C6	6.72	1.41	1.37
26	BB	1570	A	N3-C4	6.72	1.38	1.34
1	AA	709	U	O3'-P	6.72	1.69	1.61
26	BB	1829	A	C2'-C1'	-6.72	1.46	1.53
26	BB	2053	G	N7-C5	6.72	1.43	1.39
26	BB	2192	U	C2'-O2'	-6.72	1.32	1.41
26	BB	2562	U	N1-C6	6.72	1.44	1.38
1	AA	354	G	N1-C2	6.72	1.43	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	536	C	C4-C5	6.72	1.48	1.43
26	BB	575	A	C6-N1	-6.72	1.30	1.35
26	BB	652	U	C5'-C4'	6.72	1.59	1.51
26	BB	1575	C	C2'-C1'	-6.72	1.46	1.53
1	AA	695	A	N3-C4	6.72	1.38	1.34
1	AA	703	G	O3'-P	6.72	1.69	1.61
1	AA	1072	G	C2-N2	-6.72	1.27	1.34
1	AA	1377	A	P-O5'	6.72	1.66	1.59
26	BB	1422	G	O3'-P	6.72	1.69	1.61
1	AA	538	G	N9-C4	6.72	1.43	1.38
25	BA	89	U	C2-N3	6.72	1.42	1.37
26	BB	144	A	C6-N6	6.72	1.39	1.33
26	BB	1916	A	C2'-C1'	-6.72	1.46	1.53
1	AA	473	U	C5-C6	6.72	1.40	1.34
1	AA	840	C	O3'-P	6.72	1.69	1.61
1	AA	1236	A	C3'-O3'	-6.72	1.32	1.42
1	AA	1328	C	N3-C4	6.72	1.38	1.33
4	AD	23	G	C3'-O3'	6.72	1.51	1.42
26	BB	890	C	C3'-C2'	6.72	1.60	1.52
26	BB	1209	U	O3'-P	6.72	1.69	1.61
26	BB	2316	G	C3'-C2'	6.72	1.60	1.52
1	AA	1202	U	C4-C5	6.71	1.49	1.43
1	AA	1374	A	N3-C4	-6.71	1.30	1.34
1	AA	1412	C	N3-C4	-6.71	1.29	1.33
2	AB	4	G	C2-N3	6.71	1.38	1.32
26	BB	102	U	C5'-C4'	6.71	1.59	1.51
26	BB	386	G	C2'-C1'	6.71	1.60	1.53
26	BB	928	A	N3-C4	6.71	1.38	1.34
26	BB	1740	G	C5-C4	6.71	1.43	1.38
26	BB	1776	G	C4'-O4'	-6.71	1.36	1.45
1	AA	213	G	C6-N1	6.71	1.44	1.39
1	AA	249	U	C2-N3	6.71	1.42	1.37
1	AA	256	U	C2-N3	6.71	1.42	1.37
26	BB	1724	G	C4'-O4'	-6.71	1.36	1.45
26	BB	2757	A	C5-C4	-6.71	1.34	1.38
1	AA	545	C	N3-C4	6.71	1.38	1.33
1	AA	829	G	N1-C2	6.71	1.43	1.37
26	BB	237	C	C2-N3	6.71	1.41	1.35
26	BB	1932	A	C5'-C4'	6.71	1.59	1.51
1	AA	1185	G	N9-C4	-6.71	1.32	1.38
26	BB	34	U	C4'-O4'	-6.71	1.36	1.45
26	BB	775	G	N3-C4	6.71	1.40	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1149	G	N1-C2	6.71	1.43	1.37
26	BB	1381	G	C5-C6	6.71	1.49	1.42
26	BB	2638	G	N9-C4	6.71	1.43	1.38
26	BB	1972	G	C2-N3	6.71	1.38	1.32
26	BB	2335	A	N3-C4	6.71	1.38	1.34
26	BB	2600	A	C3'-O3'	-6.71	1.32	1.42
1	AA	130	A	O3'-P	-6.71	1.53	1.61
1	AA	533	A	C6-N6	-6.71	1.28	1.33
1	AA	1343	G	C5-C6	6.71	1.49	1.42
1	AA	1375	A	O3'-P	6.71	1.69	1.61
25	BA	69	G	C5'-C4'	6.71	1.59	1.51
26	BB	1668	A	P-O5'	-6.71	1.53	1.59
26	BB	1983	G	C5'-C4'	6.71	1.59	1.51
26	BB	2345	G	C5'-C4'	6.71	1.59	1.51
26	BB	880	G	N3-C4	6.71	1.40	1.35
26	BB	110	G	C2-N3	6.70	1.38	1.32
26	BB	701	G	O3'-P	6.70	1.69	1.61
26	BB	990	A	N7-C5	6.70	1.43	1.39
26	BB	1643	G	C6-O6	6.70	1.30	1.24
26	BB	2558	C	C2'-C1'	6.70	1.60	1.53
1	AA	183	C	N1-C6	6.70	1.41	1.37
1	AA	548	G	C8-N7	6.70	1.34	1.30
4	AD	27	G	N1-C2	6.70	1.43	1.37
26	BB	2212	A	C5-C6	6.70	1.47	1.41
1	AA	490	C	N3-C4	6.70	1.38	1.33
1	AA	502	A	N3-C4	6.70	1.38	1.34
1	AA	1380	U	P-O5'	6.70	1.66	1.59
26	BB	63	A	C2'-C1'	6.70	1.60	1.53
26	BB	94	A	C6-N1	-6.70	1.30	1.35
26	BB	1212	G	C5-C6	6.70	1.49	1.42
26	BB	2142	A	C6-N1	-6.70	1.30	1.35
1	AA	21	G	C2-N3	6.70	1.38	1.32
4	AD	7	G	N1-C2	6.70	1.43	1.37
26	BB	53	A	C8-N7	-6.70	1.26	1.31
26	BB	363	G	N9-C4	6.70	1.43	1.38
26	BB	934	U	C4'-O4'	-6.70	1.36	1.45
26	BB	1244	A	C5-C4	-6.70	1.34	1.38
26	BB	1426	G	C6-O6	-6.70	1.18	1.24
26	BB	2409	G	C2-N3	6.70	1.38	1.32
26	BB	2524	G	C2'-C1'	-6.70	1.46	1.53
26	BB	2554	U	O4'-C1'	6.70	1.50	1.41
26	BB	1421	G	C6-N1	6.70	1.44	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1480	C	O4'-C1'	6.70	1.50	1.41
26	BB	2644	G	P-O5'	6.70	1.66	1.59
26	BB	2317	A	P-O5'	6.70	1.66	1.59
1	AA	574	A	C5-C4	-6.69	1.34	1.38
1	AA	106	C	N3-C4	6.69	1.38	1.33
1	AA	357	G	N1-C2	6.69	1.43	1.37
1	AA	866	C	C4-N4	-6.69	1.27	1.33
26	BB	430	A	N3-C4	6.69	1.38	1.34
26	BB	1370	C	N1-C6	6.69	1.41	1.37
26	BB	1953	A	C4'-C3'	6.69	1.60	1.53
26	BB	2863	C	C2-N3	6.69	1.41	1.35
1	AA	174	A	N9-C4	-6.69	1.33	1.37
1	AA	819	A	C5-C4	-6.69	1.34	1.38
1	AA	856	C	N1-C6	6.69	1.41	1.37
26	BB	1475	G	C6-N1	6.69	1.44	1.39
26	BB	2007	U	C5'-C4'	6.69	1.59	1.51
25	BA	52	A	C5'-C4'	6.69	1.59	1.51
1	AA	866	C	C2-O2	-6.69	1.18	1.24
4	AD	69	C	C2-N3	6.69	1.41	1.35
26	BB	91	A	C8-N7	6.69	1.36	1.31
26	BB	741	U	C2-N3	6.69	1.42	1.37
26	BB	953	G	C5-C6	6.69	1.49	1.42
26	BB	1215	G	C2'-O2'	6.69	1.50	1.41
26	BB	1894	C	P-O5'	6.69	1.66	1.59
1	AA	179	A	O3'-P	6.69	1.69	1.61
1	AA	587	G	P-O5'	6.68	1.66	1.59
1	AA	819	A	N9-C8	6.68	1.43	1.37
26	BB	780	G	P-O5'	6.68	1.66	1.59
26	BB	1972	G	C6-O6	-6.68	1.18	1.24
1	AA	172	A	C8-N7	-6.68	1.26	1.31
1	AA	398	U	C2-N3	6.68	1.42	1.37
1	AA	755	G	C2-N2	6.68	1.41	1.34
1	AA	914	A	N9-C4	-6.68	1.33	1.37
1	AA	1540	U	C2-N3	6.68	1.42	1.37
3	AC	56	G	N9-C4	6.68	1.43	1.38
25	BA	96	G	N9-C8	-6.68	1.33	1.37
26	BB	1619	G	N7-C5	6.68	1.43	1.39
1	AA	115	G	N9-C8	6.68	1.42	1.37
26	BB	85	G	N9-C4	6.68	1.43	1.38
26	BB	2070	A	N7-C5	-6.68	1.35	1.39
26	BB	2434	A	P-O5'	6.68	1.66	1.59
26	BB	2592	G	C5'-C4'	6.68	1.59	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	837	U	C5-C6	6.68	1.40	1.34
1	AA	852	G	N3-C4	-6.68	1.30	1.35
1	AA	1036	A	C2'-C1'	6.68	1.60	1.53
2	AB	14	A	P-O5'	6.68	1.66	1.59
26	BB	57	C	C5'-C4'	6.68	1.59	1.51
26	BB	73	A	C5-C6	6.68	1.47	1.41
26	BB	135	U	C4'-O4'	-6.68	1.36	1.45
26	BB	180	G	N7-C5	6.68	1.43	1.39
26	BB	1992	G	N3-C4	6.68	1.40	1.35
26	BB	2242	G	C5-C4	-6.68	1.33	1.38
26	BB	2521	C	P-O5'	6.68	1.66	1.59
41	BQ	99	TYR	CE2-CZ	6.68	1.47	1.38
1	AA	1255	G	C8-N7	-6.68	1.26	1.30
26	BB	1003	G	C2'-C1'	-6.68	1.46	1.53
26	BB	1945	G	C5-C4	-6.68	1.33	1.38
26	BB	2043	C	C4-C5	6.68	1.48	1.43
26	BB	2362	C	N1-C6	6.68	1.41	1.37
1	AA	951	G	C2-N3	6.68	1.38	1.32
1	AA	1026	G	C2-N3	6.68	1.38	1.32
26	BB	1128	G	N9-C8	6.68	1.42	1.37
26	BB	1977	A	N7-C5	6.68	1.43	1.39
2	AB	12	U	C4'-O4'	-6.67	1.36	1.45
26	BB	622	G	P-O5'	6.67	1.66	1.59
1	AA	1237	C	C4'-O4'	-6.67	1.36	1.45
1	AA	1384	C	N1-C2	6.67	1.46	1.40
26	BB	2045	C	C4-N4	6.67	1.40	1.33
26	BB	2570	G	O3'-P	6.67	1.69	1.61
1	AA	648	A	O3'-P	6.67	1.69	1.61
1	AA	732	C	C5-C6	6.67	1.39	1.34
1	AA	1101	A	C6-N6	6.67	1.39	1.33
1	AA	1469	C	C5'-C4'	6.67	1.59	1.51
26	BB	1745	A	C5-C4	6.67	1.43	1.38
26	BB	1195	G	C6-O6	-6.67	1.18	1.24
26	BB	2361	G	C6-N1	-6.67	1.34	1.39
26	BB	2363	G	N1-C2	6.67	1.43	1.37
25	BA	85	G	N7-C5	-6.67	1.35	1.39
26	BB	407	G	C6-N1	6.67	1.44	1.39
26	BB	1704	C	N3-C4	6.67	1.38	1.33
1	AA	24	U	N3-C4	6.67	1.44	1.38
4	AD	2	G	C3'-C2'	6.67	1.60	1.52
26	BB	236	C	N1-C2	6.67	1.46	1.40
26	BB	577	G	N1-C2	6.67	1.43	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1055	G	C2-N3	6.67	1.38	1.32
26	BB	2109	U	N1-C2	6.67	1.44	1.38
26	BB	2497	A	N3-C4	6.67	1.38	1.34
26	BB	2822	G	O3'-P	6.67	1.69	1.61
1	AA	68	G	C5-C4	6.67	1.43	1.38
1	AA	817	C	N1-C6	6.67	1.41	1.37
1	AA	844	G	C6-N1	-6.67	1.34	1.39
26	BB	341	C	C4'-O4'	-6.67	1.36	1.45
26	BB	402	A	P-O5'	6.67	1.66	1.59
26	BB	1539	U	P-O5'	-6.67	1.53	1.59
26	BB	1633	G	N3-C4	6.67	1.40	1.35
26	BB	2391	G	C6-N1	-6.67	1.34	1.39
1	AA	156	C	N1-C6	6.66	1.41	1.37
1	AA	509	A	C2'-C1'	6.66	1.60	1.53
1	AA	625	U	C3'-C2'	6.66	1.60	1.52
26	BB	926	G	C2'-C1'	6.66	1.60	1.53
26	BB	2339	C	P-O5'	6.66	1.66	1.59
26	BB	2838	G	C2-N3	6.66	1.38	1.32
1	AA	49	U	C5'-C4'	6.66	1.59	1.51
1	AA	1480	A	C5-C4	-6.66	1.34	1.38
26	BB	1437	C	C4'-O4'	-6.66	1.36	1.45
26	BB	1559	U	C5-C6	6.66	1.40	1.34
1	AA	430	A	N3-C4	6.66	1.38	1.34
1	AA	958	A	C8-N7	-6.66	1.26	1.31
4	AD	6	G	P-O5'	6.66	1.66	1.59
26	BB	27	G	C2-N3	6.66	1.38	1.32
1	AA	403	C	P-O5'	6.66	1.66	1.59
1	AA	804	U	N1-C2	6.66	1.44	1.38
26	BB	1275	A	N3-C4	6.66	1.38	1.34
26	BB	1651	G	C4'-C3'	-6.66	1.45	1.53
26	BB	2525	G	C4'-O4'	-6.66	1.36	1.45
1	AA	710	G	C8-N7	-6.66	1.26	1.30
26	BB	2124	G	O3'-P	-6.66	1.53	1.61
1	AA	1359	C	N1-C6	6.66	1.41	1.37
26	BB	1257	C	C4-C5	6.66	1.48	1.43
26	BB	1658	C	O3'-P	-6.66	1.53	1.61
26	BB	1745	A	N7-C5	-6.66	1.35	1.39
26	BB	2670	A	P-O5'	6.65	1.66	1.59
1	AA	782	A	N7-C5	-6.65	1.35	1.39
26	BB	283	G	C5-C4	-6.65	1.33	1.38
26	BB	2839	G	C6-N1	6.65	1.44	1.39
2	AB	66	C	C2-N3	6.65	1.41	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BA	79	G	C8-N7	-6.65	1.26	1.30
25	BA	117	G	C8-N7	-6.65	1.26	1.30
1	AA	438	U	C2-N3	6.65	1.42	1.37
1	AA	532	A	C6-N6	-6.65	1.28	1.33
1	AA	1037	C	C2-N3	6.65	1.41	1.35
1	AA	1093	A	N7-C5	6.65	1.43	1.39
26	BB	334	C	C4'-O4'	-6.65	1.36	1.45
26	BB	1389	G	C3'-C2'	6.65	1.60	1.52
26	BB	1646	C	C4-C5	6.65	1.48	1.43
26	BB	1656	C	P-O5'	6.65	1.66	1.59
26	BB	2205	A	P-O5'	6.65	1.66	1.59
1	AA	26	A	N3-C4	6.65	1.38	1.34
1	AA	189	A	C5-C4	6.65	1.43	1.38
1	AA	1090	U	C4'-C3'	6.65	1.60	1.53
26	BB	1622	G	N9-C8	6.65	1.42	1.37
26	BB	1892	C	C3'-O3'	6.65	1.51	1.42
26	BB	2509	G	N1-C2	6.65	1.43	1.37
1	AA	915	A	N3-C4	6.64	1.38	1.34
1	AA	1180	A	C5-C6	6.64	1.47	1.41
1	AA	1191	A	C5-C6	6.64	1.47	1.41
26	BB	47	C	N3-C4	6.64	1.38	1.33
26	BB	172	A	N9-C4	6.64	1.41	1.37
26	BB	815	C	C5'-C4'	6.64	1.59	1.51
26	BB	937	C	C2'-C1'	-6.64	1.46	1.53
26	BB	1808	A	N7-C5	-6.64	1.35	1.39
26	BB	2015	A	P-O5'	6.64	1.66	1.59
26	BB	202	U	C4'-O4'	-6.64	1.36	1.45
26	BB	918	A	C8-N7	-6.64	1.26	1.31
26	BB	1223	G	C5'-C4'	6.64	1.59	1.51
26	BB	1659	G	N1-C2	6.64	1.43	1.37
26	BB	2874	C	C2'-C1'	6.64	1.60	1.53
1	AA	10	A	C5'-C4'	6.64	1.59	1.51
1	AA	108	G	C6-O6	6.64	1.30	1.24
1	AA	1114	C	N3-C4	6.64	1.38	1.33
26	BB	740	C	C5'-C4'	6.64	1.59	1.51
26	BB	753	A	C6-N6	-6.64	1.28	1.33
26	BB	1236	G	N7-C5	6.64	1.43	1.39
26	BB	2271	G	N7-C5	-6.64	1.35	1.39
1	AA	1031	C	C3'-C2'	-6.64	1.45	1.52
26	BB	2293	G	N7-C5	6.64	1.43	1.39
38	BN	139	GLY	CA-C	6.64	1.62	1.51
1	AA	770	C	C2-N3	6.63	1.41	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1521	G	N3-C4	-6.63	1.30	1.35
25	BA	57	A	N9-C4	6.63	1.41	1.37
1	AA	127	G	P-O5'	-6.63	1.53	1.59
1	AA	451	A	P-O5'	6.63	1.66	1.59
26	BB	447	A	C4'-O4'	-6.63	1.36	1.45
26	BB	2334	U	N1-C2	6.63	1.44	1.38
26	BB	2474	U	C4-O4	6.63	1.28	1.23
1	AA	1009	U	P-O5'	6.63	1.66	1.59
1	AA	1427	C	C5-C6	6.63	1.39	1.34
26	BB	909	A	N1-C2	-6.63	1.28	1.34
26	BB	1062	G	N1-C2	6.63	1.43	1.37
26	BB	2091	C	C3'-C2'	-6.63	1.45	1.52
26	BB	2112	G	N3-C4	6.63	1.40	1.35
26	BB	2421	G	N3-C4	6.63	1.40	1.35
26	BB	2431	U	C3'-C2'	6.63	1.60	1.52
55	B4	20	TYR	CE1-CZ	6.63	1.47	1.38
1	AA	131	A	C4'-O4'	-6.63	1.36	1.45
26	BB	629	G	N9-C4	6.63	1.43	1.38
26	BB	1065	U	C3'-C2'	-6.63	1.45	1.52
26	BB	2056	G	C2-N3	6.63	1.38	1.32
26	BB	2512	C	C5'-C4'	6.63	1.59	1.51
1	AA	867	G	C4'-O4'	-6.62	1.36	1.45
26	BB	2656	U	N3-C4	6.62	1.44	1.38
1	AA	1460	C	C2-O2	-6.62	1.18	1.24
26	BB	1	G	C5'-C4'	6.62	1.59	1.51
26	BB	81	G	C2-N3	6.62	1.38	1.32
26	BB	787	C	P-O5'	6.62	1.66	1.59
26	BB	2481	G	N7-C5	-6.62	1.35	1.39
1	AA	1005	A	P-O5'	6.62	1.66	1.59
16	AP	75	SER	CB-OG	6.62	1.50	1.42
26	BB	604	G	C5'-C4'	-6.62	1.43	1.51
26	BB	730	A	N7-C5	-6.62	1.35	1.39
26	BB	1142	A	N7-C5	6.62	1.43	1.39
26	BB	1896	G	C6-N1	6.62	1.44	1.39
26	BB	2218	G	C3'-C2'	6.62	1.60	1.52
26	BB	2683	C	N1-C6	6.62	1.41	1.37
26	BB	805	G	C2-N3	6.62	1.38	1.32
26	BB	1005	C	C4-N4	-6.62	1.27	1.33
26	BB	2138	G	C2-N3	6.62	1.38	1.32
1	AA	964	A	P-O5'	6.62	1.66	1.59
1	AA	1521	C	N1-C6	6.62	1.41	1.37
26	BB	648	G	N9-C4	-6.62	1.32	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1355	G	C6-N1	6.62	1.44	1.39
26	BB	2093	G	C2'-O2'	6.62	1.50	1.41
26	BB	2374	C	P-O5'	6.62	1.66	1.59
26	BB	2884	U	N3-C4	6.62	1.44	1.38
1	AA	10	A	C6-N6	-6.62	1.28	1.33
1	AA	474	G	C2'-C1'	-6.62	1.46	1.53
1	AA	1014	A	O3'-P	6.62	1.69	1.61
26	BB	183	C	C5'-C4'	-6.62	1.43	1.51
26	BB	327	G	N9-C8	6.62	1.42	1.37
26	BB	989	G	C4'-C3'	6.62	1.60	1.53
26	BB	1094	U	C5-C6	6.62	1.40	1.34
26	BB	2684	U	O3'-P	6.62	1.69	1.61
10	AJ	160	SER	CB-OG	6.61	1.50	1.42
26	BB	1033	U	C5'-C4'	6.61	1.59	1.51
26	BB	2719	G	P-O5'	6.61	1.66	1.59
1	AA	161	A	N9-C4	-6.61	1.33	1.37
26	BB	2055	C	N3-C4	-6.61	1.29	1.33
1	AA	181	A	C4'-O4'	-6.61	1.36	1.45
1	AA	391	G	N1-C2	6.61	1.43	1.37
2	AB	72	U	C4-O4	-6.61	1.18	1.23
26	BB	1314	C	O3'-P	6.61	1.69	1.61
26	BB	1425	G	C5-C6	-6.61	1.35	1.42
26	BB	1527	G	N9-C8	6.61	1.42	1.37
26	BB	1701	A	N7-C5	-6.61	1.35	1.39
26	BB	1782	U	C3'-C2'	6.61	1.60	1.52
1	AA	83	C	N1-C6	6.61	1.41	1.37
1	AA	1147	C	C2-N3	6.61	1.41	1.35
26	BB	439	A	N9-C4	6.61	1.41	1.37
26	BB	155	A	C5-C4	-6.61	1.34	1.38
26	BB	1647	U	N1-C6	6.61	1.43	1.38
26	BB	2390	U	P-O5'	6.61	1.66	1.59
26	BB	2468	A	N7-C5	6.61	1.43	1.39
26	BB	2674	G	C4'-C3'	6.61	1.60	1.53
26	BB	2714	G	N9-C8	-6.61	1.33	1.37
1	AA	1015	G	N1-C2	6.61	1.43	1.37
1	AA	1191	A	N9-C4	6.61	1.41	1.37
1	AA	1274	A	C8-N7	-6.61	1.26	1.31
26	BB	1645	G	C8-N7	-6.61	1.26	1.30
26	BB	1411	U	N3-C4	6.60	1.44	1.38
26	BB	1486	U	P-O5'	-6.60	1.53	1.59
26	BB	2782	G	P-O5'	6.60	1.66	1.59
1	AA	1052	U	C4'-C3'	6.60	1.60	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1450	U	N1-C6	6.60	1.43	1.38
3	AC	15	G	C8-N7	-6.60	1.26	1.30
1	AA	893	C	C2-N3	6.60	1.41	1.35
26	BB	434	U	C4'-C3'	6.60	1.60	1.53
1	AA	92	U	P-O5'	6.60	1.66	1.59
1	AA	586	C	C4'-O4'	-6.60	1.36	1.45
4	AD	11	A	P-O5'	6.60	1.66	1.59
26	BB	542	C	N3-C4	6.60	1.38	1.33
26	BB	2667	C	N3-C4	6.60	1.38	1.33
1	AA	1195	C	C2-N3	6.60	1.41	1.35
26	BB	142	A	C5'-C4'	6.60	1.59	1.51
26	BB	2345	G	C5-C6	6.60	1.49	1.42
1	AA	160	A	N3-C4	6.59	1.38	1.34
25	BA	74	U	C4-O4	-6.59	1.18	1.23
26	BB	1621	U	C5-C6	6.59	1.40	1.34
1	AA	779	C	C2-N3	6.59	1.41	1.35
25	BA	45	A	O3'-P	6.59	1.69	1.61
26	BB	665	U	N1-C2	6.59	1.44	1.38
26	BB	2814	A	P-O5'	6.59	1.66	1.59
1	AA	684	U	C5'-C4'	6.59	1.59	1.51
1	AA	943	U	O5'-C5'	-6.59	1.32	1.42
1	AA	1375	A	C5-C4	-6.59	1.34	1.38
26	BB	218	A	C6-N1	6.59	1.40	1.35
26	BB	244	A	C5-C6	6.59	1.47	1.41
26	BB	477	A	N1-C2	-6.59	1.28	1.34
26	BB	1418	G	C4'-O4'	-6.59	1.36	1.45
1	AA	250	A	N7-C5	6.59	1.43	1.39
1	AA	666	G	O3'-P	6.59	1.69	1.61
1	AA	1160	G	C2-N3	6.59	1.38	1.32
26	BB	272	A	C6-N6	6.59	1.39	1.33
26	BB	578	G	P-O5'	6.59	1.66	1.59
26	BB	1471	G	N1-C2	-6.59	1.32	1.37
26	BB	1594	U	C5-C6	6.59	1.40	1.34
26	BB	2599	G	C6-N1	6.59	1.44	1.39
1	AA	79	G	C5'-C4'	6.59	1.59	1.51
26	BB	1710	G	C5-C6	6.59	1.49	1.42
26	BB	1945	G	N9-C8	-6.59	1.33	1.37
1	AA	646	G	N1-C2	-6.59	1.32	1.37
1	AA	1104	G	P-O5'	6.59	1.66	1.59
1	AA	1180	A	C3'-C2'	6.59	1.60	1.52
1	AA	1526	G	C6-N1	-6.59	1.34	1.39
26	BB	512	G	N3-C4	6.59	1.40	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	799	G	P-O5'	6.59	1.66	1.59
26	BB	2493	U	C5-C6	6.59	1.40	1.34
26	BB	52	A	C6-N6	-6.58	1.28	1.33
1	AA	319	G	C2-N3	6.58	1.38	1.32
1	AA	804	U	C2-N3	6.58	1.42	1.37
1	AA	1002	G	N9-C8	6.58	1.42	1.37
4	AD	70	C	O3'-P	6.58	1.69	1.61
26	BB	796	C	N3-C4	6.58	1.38	1.33
26	BB	2495	G	P-O5'	6.58	1.66	1.59
26	BB	2864	G	N7-C5	6.58	1.43	1.39
1	AA	588	G	N9-C4	-6.58	1.32	1.38
1	AA	706	A	N7-C5	-6.58	1.35	1.39
3	AC	47	C	C2-N3	6.58	1.41	1.35
25	BA	4	C	P-O5'	-6.58	1.53	1.59
26	BB	203	A	N9-C4	6.58	1.41	1.37
26	BB	344	A	C5'-C4'	6.58	1.59	1.51
26	BB	2078	C	O5'-C5'	-6.58	1.32	1.42
26	BB	1564	C	C2-N3	6.58	1.41	1.35
26	BB	2554	U	C4'-C3'	6.58	1.60	1.53
26	BB	94	A	O4'-C1'	6.58	1.50	1.41
26	BB	936	A	N7-C5	6.58	1.43	1.39
26	BB	1250	G	C6-O6	-6.58	1.18	1.24
26	BB	1663	G	C4'-C3'	-6.58	1.46	1.53
52	B1	36	GLU	CG-CD	6.58	1.61	1.51
1	AA	548	G	N9-C4	6.58	1.43	1.38
8	AH	159	SER	CB-OG	6.58	1.50	1.42
26	BB	593	U	P-O5'	6.58	1.66	1.59
26	BB	918	A	P-O5'	6.58	1.66	1.59
26	BB	1708	C	C2-N3	6.58	1.41	1.35
26	BB	2378	A	P-O5'	-6.58	1.53	1.59
26	BB	2523	G	C8-N7	-6.58	1.27	1.30
1	AA	130	A	P-O5'	6.58	1.66	1.59
1	AA	309	A	N3-C4	6.58	1.38	1.34
1	AA	1258	G	C5-C4	6.58	1.43	1.38
1	AA	1269	A	C6-N1	-6.58	1.30	1.35
1	AA	1368	A	N9-C8	6.58	1.43	1.37
26	BB	562	U	C2-N3	-6.58	1.33	1.37
26	BB	1174	U	C4-C5	6.58	1.49	1.43
1	AA	431	A	C6-N1	6.57	1.40	1.35
1	AA	468	A	N3-C4	6.57	1.38	1.34
1	AA	529	G	C3'-O3'	-6.57	1.32	1.42
1	AA	629	A	C5-C6	-6.57	1.35	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1509	C	C5'-C4'	6.57	1.59	1.51
26	BB	1524	G	C5-C6	-6.57	1.35	1.42
26	BB	2038	G	C2-N3	6.57	1.38	1.32
34	BJ	78	PRO	N-CD	-6.57	1.38	1.47
2	AB	42	G	C6-N1	-6.57	1.34	1.39
26	BB	595	C	N1-C6	6.57	1.41	1.37
26	BB	1966	A	C3'-C2'	6.57	1.60	1.52
26	BB	2515	C	N3-C4	6.57	1.38	1.33
1	AA	45	G	P-O5'	6.57	1.66	1.59
1	AA	51	A	N3-C4	6.57	1.38	1.34
1	AA	953	G	C8-N7	-6.57	1.27	1.30
25	BA	61	G	C6-N1	-6.57	1.34	1.39
26	BB	169	G	N9-C4	6.57	1.43	1.38
26	BB	706	A	C6-N1	-6.57	1.30	1.35
26	BB	153	U	C5-C6	6.57	1.40	1.34
26	BB	1054	A	C6-N1	-6.57	1.30	1.35
26	BB	1515	A	C6-N1	-6.57	1.30	1.35
1	AA	366	A	C5-C6	6.57	1.47	1.41
1	AA	1160	G	C4'-O4'	-6.57	1.37	1.45
4	AD	42	C	C3'-C2'	-6.57	1.45	1.52
26	BB	1801	A	C5-C6	6.57	1.47	1.41
1	AA	1507	A	C2-N3	6.57	1.39	1.33
25	BA	103	U	C5'-C4'	6.57	1.59	1.51
26	BB	338	G	O3'-P	6.57	1.69	1.61
26	BB	1424	G	P-O5'	6.57	1.66	1.59
26	BB	1519	G	C2'-C1'	-6.57	1.46	1.53
26	BB	415	A	P-O5'	6.56	1.66	1.59
26	BB	2528	U	N1-C2	6.56	1.44	1.38
1	AA	274	A	N7-C5	-6.56	1.35	1.39
1	AA	779	C	C2'-C1'	6.56	1.60	1.53
25	BA	7	G	C2-N3	6.56	1.38	1.32
26	BB	425	G	C5-C4	-6.56	1.33	1.38
26	BB	443	A	P-O5'	6.56	1.66	1.59
26	BB	1106	G	C2-N3	6.56	1.38	1.32
26	BB	1333	G	C8-N7	6.56	1.34	1.30
26	BB	1436	G	C5-C6	6.56	1.49	1.42
26	BB	2114	A	N9-C4	-6.56	1.33	1.37
1	AA	132	C	C1'-N1	6.56	1.58	1.48
26	BB	802	A	C2-N3	-6.56	1.27	1.33
26	BB	1893	C	O3'-P	6.56	1.69	1.61
1	AA	55	A	C4'-C3'	-6.56	1.46	1.53
1	AA	476	U	P-O5'	6.56	1.66	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	487	C	C2'-C1'	-6.56	1.46	1.53
26	BB	751	A	C5-C6	6.56	1.47	1.41
26	BB	1050	A	P-O5'	6.56	1.66	1.59
26	BB	1579	A	C4'-O4'	-6.56	1.37	1.45
26	BB	2267	A	N3-C4	6.56	1.38	1.34
1	AA	27	G	C5-C4	-6.56	1.33	1.38
1	AA	395	C	C4'-C3'	6.56	1.60	1.53
1	AA	696	A	O3'-P	6.56	1.69	1.61
1	AA	1233	G	N1-C2	6.56	1.43	1.37
3	AC	32	U	C2-N3	6.56	1.42	1.37
26	BB	1276	A	C3'-C2'	6.56	1.60	1.52
1	AA	906	A	C6-N6	6.56	1.39	1.33
1	AA	977	A	C6-N1	-6.56	1.30	1.35
26	BB	1135	C	C5-C6	6.56	1.39	1.34
26	BB	2535	G	C5-C4	6.56	1.43	1.38
26	BB	2830	C	C2-O2	-6.56	1.18	1.24
1	AA	1298	U	C2'-O2'	6.55	1.50	1.41
26	BB	132	G	N7-C5	-6.55	1.35	1.39
26	BB	901	C	N1-C6	6.55	1.41	1.37
26	BB	1698	A	N9-C8	-6.55	1.32	1.37
26	BB	2881	U	C4'-C3'	6.55	1.60	1.53
26	BB	748	G	C3'-C2'	6.55	1.60	1.52
26	BB	2111	U	C2-O2	6.55	1.28	1.22
26	BB	2391	G	C5-C4	6.55	1.43	1.38
26	BB	2488	G	C2-N3	6.55	1.38	1.32
1	AA	601	G	N3-C4	6.55	1.40	1.35
1	AA	1226	C	C4-C5	6.55	1.48	1.43
1	AA	1439	G	C2'-C1'	6.55	1.60	1.53
25	BA	104	A	P-O5'	6.55	1.66	1.59
26	BB	672	C	C4-C5	6.55	1.48	1.43
1	AA	331	G	N9-C4	6.55	1.43	1.38
1	AA	557	G	C8-N7	6.55	1.34	1.30
1	AA	577	G	C6-N1	6.55	1.44	1.39
1	AA	577	G	N7-C5	-6.55	1.35	1.39
26	BB	2199	A	C2'-C1'	6.55	1.60	1.53
1	AA	1044	A	N9-C4	6.55	1.41	1.37
1	AA	1309	G	P-O5'	6.55	1.66	1.59
1	AA	384	G	C5-C6	6.55	1.48	1.42
1	AA	774	G	C8-N7	-6.55	1.27	1.30
1	AA	1041	G	C2-N3	6.55	1.38	1.32
1	AA	1211	U	C5-C6	6.55	1.40	1.34
1	AA	1421	G	C5'-C4'	6.55	1.59	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1795	C	N1-C6	-6.55	1.33	1.37
26	BB	2236	U	C4'-O4'	-6.55	1.37	1.45
26	BB	2595	G	N7-C5	-6.55	1.35	1.39
4	AD	71	G	N3-C4	6.54	1.40	1.35
26	BB	543	G	C4'-O4'	-6.54	1.37	1.45
26	BB	712	G	C4'-C3'	6.54	1.60	1.53
26	BB	1532	A	C8-N7	-6.54	1.26	1.31
26	BB	1596	A	N3-C4	6.54	1.38	1.34
26	BB	2081	U	C2-N3	6.54	1.42	1.37
1	AA	601	G	N9-C4	6.54	1.43	1.38
2	AB	19	G	N1-C2	6.54	1.43	1.37
26	BB	876	C	C3'-C2'	6.54	1.60	1.52
26	BB	1112	G	P-O5'	6.54	1.66	1.59
26	BB	1349	C	C3'-C2'	6.54	1.60	1.52
26	BB	1651	G	N7-C5	-6.54	1.35	1.39
26	BB	2132	U	N3-C4	-6.54	1.32	1.38
1	AA	825	A	N3-C4	6.54	1.38	1.34
1	AA	869	G	C2-N3	6.54	1.38	1.32
1	AA	1153	G	C4'-C3'	6.54	1.60	1.53
1	AA	1375	A	N7-C5	-6.54	1.35	1.39
3	AC	35	G	C2-N3	6.54	1.38	1.32
4	AD	49	C	N1-C6	6.54	1.41	1.37
26	BB	468	G	C4'-O4'	-6.54	1.37	1.45
26	BB	1198	U	P-O5'	6.54	1.66	1.59
26	BB	1473	G	C2-N3	6.54	1.38	1.32
26	BB	1780	A	N3-C4	6.54	1.38	1.34
26	BB	2302	U	N1-C6	-6.54	1.32	1.38
26	BB	2348	U	N3-C4	6.54	1.44	1.38
26	BB	2783	U	C2-N3	6.54	1.42	1.37
13	AM	43	PRO	N-CD	-6.54	1.38	1.47
26	BB	283	G	C6-N1	-6.54	1.34	1.39
26	BB	738	G	P-O5'	6.54	1.66	1.59
1	AA	609	A	N9-C4	6.54	1.41	1.37
1	AA	722	G	C4'-O4'	-6.54	1.37	1.45
4	AD	42	C	C5-C6	6.54	1.39	1.34
26	BB	1603	A	O3'-P	6.54	1.69	1.61
1	AA	781	A	C3'-C2'	6.54	1.60	1.52
25	BA	45	A	P-O5'	6.54	1.66	1.59
26	BB	571	U	C4-O4	6.54	1.28	1.23
26	BB	733	G	C5-C4	6.54	1.43	1.38
26	BB	1706	C	C2-O2	-6.54	1.18	1.24
26	BB	2630	G	C5'-C4'	6.54	1.59	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	170	U	C4-O4	6.54	1.28	1.23
1	AA	985	C	C4-N4	6.54	1.39	1.33
1	AA	1385	G	C8-N7	6.54	1.34	1.30
1	AA	1493	A	C8-N7	-6.54	1.26	1.31
26	BB	329	G	P-O5'	6.54	1.66	1.59
26	BB	345	A	C4'-O4'	-6.54	1.37	1.45
26	BB	555	G	C4'-C3'	-6.54	1.46	1.53
26	BB	2769	U	C5-C6	6.54	1.40	1.34
1	AA	84	U	C5-C6	6.53	1.40	1.34
1	AA	692	U	C4'-C3'	6.53	1.60	1.53
25	BA	72	G	N3-C4	-6.53	1.30	1.35
26	BB	264	C	C5-C6	6.53	1.39	1.34
26	BB	623	C	C4'-O4'	-6.53	1.37	1.45
26	BB	1144	A	O3'-P	6.53	1.69	1.61
26	BB	1814	G	N9-C4	-6.53	1.32	1.38
26	BB	2886	A	N9-C8	6.53	1.43	1.37
1	AA	1022	A	C3'-C2'	6.53	1.60	1.52
1	AA	1423	G	C4'-O4'	-6.53	1.37	1.45
1	AA	1492	A	C8-N7	-6.53	1.26	1.31
1	AA	1067	A	C2'-C1'	-6.53	1.46	1.53
1	AA	1128	C	P-O5'	6.53	1.66	1.59
4	AD	43	G	C5'-C4'	6.53	1.59	1.51
38	BN	50	PHE	CG-CD1	6.53	1.48	1.38
1	AA	411	A	C2'-C1'	6.53	1.60	1.53
1	AA	658	C	N1-C6	6.53	1.41	1.37
1	AA	722	G	N1-C2	6.53	1.43	1.37
26	BB	2234	G	O3'-P	6.53	1.69	1.61
26	BB	2534	A	P-O5'	6.53	1.66	1.59
1	AA	529	G	N7-C5	6.53	1.43	1.39
1	AA	593	U	N1-C2	6.53	1.44	1.38
26	BB	1350	C	N3-C4	6.53	1.38	1.33
26	BB	1558	C	C4-C5	6.53	1.48	1.43
26	BB	1879	C	N1-C6	6.53	1.41	1.37
26	BB	1490	A	C4'-O4'	-6.52	1.37	1.45
1	AA	107	G	C2'-C1'	-6.52	1.46	1.53
1	AA	586	C	C2-O2	-6.52	1.18	1.24
1	AA	846	G	N9-C8	6.52	1.42	1.37
26	BB	1187	G	P-O5'	6.52	1.66	1.59
26	BB	1791	A	C6-N6	-6.52	1.28	1.33
26	BB	2430	A	P-O5'	6.52	1.66	1.59
26	BB	2676	C	C4-C5	6.52	1.48	1.43
1	AA	200	G	C6-N1	6.52	1.44	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	331	G	C2-N3	6.52	1.38	1.32
25	BA	119	A	N3-C4	6.52	1.38	1.34
26	BB	342	A	C6-N1	-6.52	1.30	1.35
26	BB	1674	G	C2-N3	6.52	1.38	1.32
26	BB	37	C	N1-C6	6.52	1.41	1.37
26	BB	1634	A	P-O5'	6.52	1.66	1.59
26	BB	1815	A	C8-N7	-6.52	1.26	1.31
1	AA	201	G	C2'-O2'	6.52	1.50	1.41
1	AA	212	G	C5'-C4'	6.52	1.59	1.51
1	AA	714	G	C2-N3	6.52	1.38	1.32
26	BB	1219	U	C5'-C4'	6.52	1.59	1.51
1	AA	235	C	C4'-O4'	-6.52	1.37	1.45
1	AA	1119	C	C5-C6	6.52	1.39	1.34
26	BB	69	C	P-O5'	6.52	1.66	1.59
26	BB	1019	U	C5-C6	6.52	1.40	1.34
26	BB	1767	G	P-O5'	-6.52	1.53	1.59
1	AA	951	G	C4'-C3'	6.51	1.60	1.53
26	BB	1977	A	C5'-C4'	6.51	1.59	1.51
26	BB	2042	A	N7-C5	-6.51	1.35	1.39
25	BA	10	G	N1-C2	6.51	1.43	1.37
26	BB	2382	G	P-O5'	6.51	1.66	1.59
26	BB	2769	U	P-O5'	6.51	1.66	1.59
1	AA	707	U	C3'-O3'	-6.51	1.33	1.42
1	AA	743	A	N7-C5	6.51	1.43	1.39
1	AA	903	G	C5-C4	-6.51	1.33	1.38
1	AA	1106	G	P-O5'	6.51	1.66	1.59
1	AA	1352	C	N1-C6	6.51	1.41	1.37
1	AA	1431	A	C3'-O3'	6.51	1.51	1.42
26	BB	71	A	C5-C4	-6.51	1.34	1.38
26	BB	1454	C	O3'-P	6.51	1.69	1.61
26	BB	1583	A	P-O5'	6.51	1.66	1.59
26	BB	2406	A	C4'-O4'	-6.51	1.37	1.45
1	AA	19	A	C6-N1	6.51	1.40	1.35
1	AA	560	A	C8-N7	-6.51	1.26	1.31
1	AA	1029	U	P-O5'	6.51	1.66	1.59
1	AA	1287	A	P-O5'	6.51	1.66	1.59
11	AK	104	SER	CB-OG	-6.51	1.33	1.42
26	BB	730	A	C8-N7	-6.51	1.26	1.31
26	BB	776	G	C4'-C3'	6.51	1.60	1.53
26	BB	930	G	C6-N1	6.51	1.44	1.39
26	BB	1749	A	C6-N6	6.51	1.39	1.33
26	BB	1914	C	N1-C6	6.51	1.41	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2002	G	N9-C8	6.51	1.42	1.37
26	BB	2765	A	C2-N3	6.51	1.39	1.33
1	AA	280	C	N3-C4	6.51	1.38	1.33
1	AA	555	U	N3-C4	6.51	1.44	1.38
26	BB	383	C	N1-C6	-6.51	1.33	1.37
26	BB	1792	G	C3'-C2'	-6.51	1.45	1.52
1	AA	120	A	N9-C8	-6.51	1.32	1.37
1	AA	818	G	C6-N1	6.51	1.44	1.39
1	AA	963	G	C3'-C2'	-6.51	1.45	1.52
1	AA	1006	G	P-O5'	6.51	1.66	1.59
1	AA	1177	G	C5'-C4'	6.51	1.59	1.51
26	BB	618	G	C5-C4	-6.51	1.33	1.38
26	BB	663	G	C5'-C4'	6.51	1.59	1.51
26	BB	1353	A	P-O5'	6.51	1.66	1.59
26	BB	2540	C	N1-C6	6.51	1.41	1.37
26	BB	1062	G	N9-C8	6.50	1.42	1.37
26	BB	2365	G	C8-N7	6.50	1.34	1.30
26	BB	2776	A	C5-C6	-6.50	1.35	1.41
3	AC	15	G	N7-C5	-6.50	1.35	1.39
25	BA	114	C	C5'-C4'	6.50	1.59	1.51
26	BB	193	U	C4-C5	6.50	1.49	1.43
26	BB	1215	G	C5'-C4'	6.50	1.59	1.51
26	BB	1714	U	C5-C6	6.50	1.40	1.34
26	BB	2621	G	N9-C8	6.50	1.42	1.37
26	BB	2624	G	C6-O6	-6.50	1.18	1.24
1	AA	762	U	C4'-O4'	-6.50	1.37	1.45
25	BA	85	G	P-O5'	6.50	1.66	1.59
26	BB	2319	G	C5-C6	6.50	1.48	1.42
1	AA	408	A	C6-N1	6.50	1.40	1.35
1	AA	494	G	C8-N7	-6.50	1.27	1.30
26	BB	397	U	C4-C5	6.50	1.49	1.43
26	BB	2505	G	N9-C8	6.50	1.42	1.37
1	AA	1535	C	C2-N3	6.50	1.41	1.35
26	BB	486	C	P-O5'	6.50	1.66	1.59
26	BB	1264	A	C8-N7	-6.50	1.27	1.31
26	BB	1516	G	C2-N3	6.50	1.38	1.32
26	BB	1770	G	C3'-O3'	-6.50	1.33	1.42
26	BB	2361	G	C4'-O4'	-6.50	1.37	1.45
1	AA	108	G	C5-C4	-6.50	1.33	1.38
3	AC	22	G	N7-C5	-6.50	1.35	1.39
26	BB	247	G	N9-C4	6.50	1.43	1.38
26	BB	484	C	P-O5'	6.50	1.66	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1031	G	C5'-C4'	6.50	1.59	1.51
26	BB	2127	G	C2-N2	6.50	1.41	1.34
29	BE	124	ARG	NE-CZ	6.50	1.41	1.33
3	AC	33	A	O4'-C1'	6.50	1.50	1.41
26	BB	1391	U	C3'-C2'	6.50	1.60	1.52
26	BB	1682	G	C4'-C3'	-6.50	1.46	1.53
1	AA	270	A	P-O5'	-6.49	1.53	1.59
1	AA	499	A	N9-C4	6.49	1.41	1.37
1	AA	633	G	C2-N3	6.49	1.38	1.32
1	AA	965	U	P-O5'	6.49	1.66	1.59
1	AA	1070	U	C2-N3	6.49	1.42	1.37
1	AA	1455	G	C4'-O4'	-6.49	1.37	1.45
26	BB	466	A	C6-N1	6.49	1.40	1.35
26	BB	1051	G	C3'-C2'	6.49	1.60	1.52
54	B3	13	GLY	CA-C	6.49	1.62	1.51
1	AA	347	G	C2-N2	6.49	1.41	1.34
26	BB	1084	A	C5'-C4'	6.49	1.59	1.51
26	BB	2444	G	P-O5'	6.49	1.66	1.59
2	AB	69	C	N1-C6	6.49	1.41	1.37
25	BA	54	G	C2-N3	6.49	1.38	1.32
25	BA	120	U	P-O5'	6.49	1.66	1.59
26	BB	512	G	C8-N7	6.49	1.34	1.30
26	BB	628	G	N3-C4	6.49	1.40	1.35
26	BB	1000	A	C5'-C4'	6.49	1.59	1.51
26	BB	1722	A	N9-C4	-6.49	1.33	1.37
26	BB	2315	G	C5'-C4'	6.49	1.59	1.51
26	BB	2885	G	C3'-O3'	6.49	1.51	1.42
26	BB	579	G	O4'-C1'	-6.49	1.33	1.41
26	BB	1818	U	C4-C5	6.49	1.49	1.43
26	BB	2495	G	N7-C5	-6.49	1.35	1.39
1	AA	594	U	C4-C5	6.49	1.49	1.43
1	AA	803	G	N7-C5	6.49	1.43	1.39
1	AA	1174	G	C4'-O4'	-6.49	1.37	1.45
26	BB	138	U	C2'-C1'	6.49	1.60	1.53
26	BB	483	A	P-O5'	6.49	1.66	1.59
26	BB	825	A	P-O5'	6.49	1.66	1.59
26	BB	1432	G	N1-C2	6.49	1.43	1.37
26	BB	1780	A	C6-N6	6.49	1.39	1.33
26	BB	1871	A	P-O5'	6.49	1.66	1.59
26	BB	2324	U	C4-C5	6.49	1.49	1.43
1	AA	206	C	C2-N3	6.48	1.41	1.35
26	BB	467	G	N1-C2	6.48	1.43	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	509	C	N1-C6	6.48	1.41	1.37
1	AA	146	G	N9-C8	6.48	1.42	1.37
1	AA	227	G	C3'-C2'	6.48	1.60	1.52
1	AA	602	A	C2'-O2'	6.48	1.50	1.41
1	AA	745	G	N9-C4	-6.48	1.32	1.38
25	BA	46	A	C8-N7	-6.48	1.27	1.31
26	BB	943	A	N3-C4	6.48	1.38	1.34
26	BB	1003	G	P-O5'	6.48	1.66	1.59
26	BB	2724	U	C4'-O4'	-6.48	1.37	1.45
1	AA	715	A	C5-C6	6.48	1.46	1.41
1	AA	1452	C	C2-O2	6.48	1.30	1.24
26	BB	635	C	P-O5'	6.48	1.66	1.59
26	BB	643	A	C5-C4	6.48	1.43	1.38
26	BB	2544	G	N3-C4	6.48	1.40	1.35
26	BB	2755	C	C2'-C1'	6.48	1.60	1.53
26	BB	859	G	C6-N1	6.48	1.44	1.39
29	BE	46	ARG	CZ-NH1	6.48	1.41	1.33
3	AC	24	A	C5-C4	6.48	1.43	1.38
26	BB	297	G	P-O5'	6.48	1.66	1.59
26	BB	1672	A	C4'-C3'	6.48	1.60	1.53
26	BB	1697	G	N9-C4	-6.48	1.32	1.38
1	AA	200	G	C5'-C4'	6.48	1.59	1.51
26	BB	1814	G	C2-N3	6.48	1.38	1.32
1	AA	1494	G	N7-C5	6.47	1.43	1.39
26	BB	256	A	C4'-O4'	-6.47	1.37	1.45
26	BB	298	G	N1-C2	6.47	1.43	1.37
26	BB	583	G	C6-O6	-6.47	1.18	1.24
26	BB	695	G	C4'-C3'	6.47	1.60	1.53
26	BB	1175	A	N3-C4	6.47	1.38	1.34
26	BB	1303	G	C5-C6	6.47	1.48	1.42
26	BB	2544	G	C4'-O4'	-6.47	1.37	1.45
1	AA	226	G	N3-C4	-6.47	1.30	1.35
1	AA	346	G	C8-N7	-6.47	1.27	1.30
26	BB	194	G	C8-N7	-6.47	1.27	1.30
26	BB	1092	C	N1-C6	6.47	1.41	1.37
26	BB	2738	A	N9-C4	-6.47	1.33	1.37
2	AB	53	G	N1-C2	6.47	1.43	1.37
19	AS	44	SER	CB-OG	-6.47	1.33	1.42
26	BB	2347	C	N3-C4	-6.47	1.29	1.33
1	AA	183	C	C2-O2	-6.47	1.18	1.24
1	AA	891	U	C4-O4	-6.47	1.18	1.23
26	BB	588	U	C4-C5	6.47	1.49	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	800	A	N3-C4	6.47	1.38	1.34
26	BB	2023	C	C2-O2	6.47	1.30	1.24
26	BB	2346	A	N9-C4	6.47	1.41	1.37
25	BA	23	G	P-O5'	6.47	1.66	1.59
26	BB	463	G	C8-N7	-6.47	1.27	1.30
26	BB	970	U	C2-O2	6.47	1.28	1.22
26	BB	1134	A	C5-C6	6.47	1.46	1.41
26	BB	1735	A	N9-C8	-6.47	1.32	1.37
26	BB	2400	G	C4'-O4'	-6.47	1.37	1.45
1	AA	861	G	C2-N2	-6.46	1.28	1.34
1	AA	1357	A	P-O5'	6.46	1.66	1.59
2	AB	76	A	P-O5'	6.46	1.66	1.59
26	BB	2166	U	N1-C2	6.46	1.44	1.38
26	BB	2175	C	C2-N3	6.46	1.41	1.35
26	BB	2385	C	C5-C6	6.46	1.39	1.34
1	AA	960	U	P-O5'	6.46	1.66	1.59
2	AB	51	G	N9-C8	-6.46	1.33	1.37
26	BB	1988	G	C8-N7	-6.46	1.27	1.30
26	BB	2404	U	C5'-C4'	6.46	1.59	1.51
26	BB	2541	A	N3-C4	-6.46	1.30	1.34
1	AA	564	C	P-O5'	6.46	1.66	1.59
1	AA	244	U	C2-N3	6.46	1.42	1.37
1	AA	768	A	C4'-O4'	-6.46	1.37	1.45
1	AA	1022	A	N9-C8	-6.46	1.32	1.37
26	BB	1492	G	N7-C5	6.46	1.43	1.39
26	BB	1662	U	C3'-O3'	6.46	1.51	1.42
26	BB	1772	A	N9-C4	-6.46	1.33	1.37
1	AA	1204	A	C4'-C3'	6.46	1.60	1.53
1	AA	1418	A	C4'-O4'	6.46	1.53	1.45
26	BB	1766	G	N1-C2	-6.46	1.32	1.37
26	BB	1856	U	C2-N3	6.46	1.42	1.37
26	BB	2326	C	C5'-C4'	6.46	1.59	1.51
26	BB	2564	A	N3-C4	-6.46	1.30	1.34
1	AA	58	C	C2-N3	6.45	1.41	1.35
1	AA	1127	G	C4'-O4'	-6.45	1.37	1.45
1	AA	1327	C	C4'-O4'	-6.45	1.37	1.45
2	AB	65	C	C2-N3	6.45	1.41	1.35
26	BB	117	G	N3-C4	6.45	1.40	1.35
26	BB	2764	A	C4'-O4'	-6.45	1.37	1.45
26	BB	2797	U	N3-C4	6.45	1.44	1.38
26	BB	2835	A	C6-N6	-6.45	1.28	1.33
26	BB	970	U	C4-C5	6.45	1.49	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2789	C	N1-C6	6.45	1.41	1.37
1	AA	220	G	P-O5'	6.45	1.66	1.59
1	AA	932	C	C2-N3	6.45	1.41	1.35
1	AA	1275	A	N9-C4	6.45	1.41	1.37
26	BB	476	G	N3-C4	6.45	1.40	1.35
26	BB	888	C	N3-C4	6.45	1.38	1.33
26	BB	1769	U	C5'-C4'	-6.45	1.43	1.51
26	BB	1881	C	C2-O2	-6.45	1.18	1.24
1	AA	86	G	N7-C5	6.45	1.43	1.39
1	AA	208	U	C5-C6	6.45	1.40	1.34
26	BB	175	G	C3'-C2'	6.45	1.60	1.52
26	BB	1451	C	C2'-O2'	6.45	1.50	1.41
26	BB	2291	U	C2-N3	6.45	1.42	1.37
1	AA	187	G	C3'-C2'	6.45	1.60	1.52
1	AA	1412	C	C5'-C4'	6.45	1.59	1.51
26	BB	1907	G	C2-N3	6.45	1.38	1.32
1	AA	795	C	C2'-C1'	-6.45	1.46	1.53
1	AA	893	C	C3'-C2'	-6.45	1.45	1.52
3	AC	54	U	C3'-C2'	-6.45	1.45	1.52
25	BA	35	C	O3'-P	-6.45	1.53	1.61
26	BB	78	U	C4'-O4'	-6.45	1.37	1.45
26	BB	148	U	C5-C6	6.45	1.40	1.34
26	BB	323	C	C3'-C2'	6.45	1.60	1.52
26	BB	430	A	C4'-C3'	-6.45	1.46	1.53
26	BB	841	G	C3'-O3'	6.45	1.51	1.42
26	BB	2590	A	P-O5'	6.45	1.66	1.59
26	BB	2771	C	N3-C4	6.45	1.38	1.33
1	AA	1004	A	N3-C4	6.44	1.38	1.34
1	AA	1494	G	C8-N7	-6.44	1.27	1.30
25	BA	44	G	C2'-C1'	-6.44	1.46	1.53
26	BB	42	A	C4'-O4'	-6.44	1.37	1.45
26	BB	1708	C	P-O5'	6.44	1.66	1.59
1	AA	141	G	C3'-C2'	6.44	1.60	1.52
1	AA	383	A	N7-C5	-6.44	1.35	1.39
1	AA	1238	A	C6-N1	6.44	1.40	1.35
1	AA	1333	A	C8-N7	-6.44	1.27	1.31
2	AB	63	C	C4'-O4'	-6.44	1.37	1.45
26	BB	716	A	N1-C2	-6.44	1.28	1.34
26	BB	1116	G	C5-C6	6.44	1.48	1.42
26	BB	2866	U	C2-N3	6.44	1.42	1.37
1	AA	181	A	P-O5'	6.44	1.66	1.59
1	AA	297	G	C6-N1	-6.44	1.35	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1142	G	N9-C8	6.44	1.42	1.37
1	AA	1398	A	O3'-P	6.44	1.68	1.61
4	AD	3	C	C4'-O4'	-6.44	1.37	1.45
26	BB	627	A	P-O5'	-6.44	1.53	1.59
26	BB	634	C	O3'-P	6.44	1.68	1.61
26	BB	1012	U	C2-N3	6.44	1.42	1.37
26	BB	1392	A	P-O5'	6.44	1.66	1.59
2	AB	67	G	C2-N3	6.44	1.38	1.32
26	BB	1489	C	O3'-P	6.44	1.68	1.61
1	AA	791	G	C4'-C3'	6.44	1.60	1.53
1	AA	1438	G	N7-C5	-6.44	1.35	1.39
3	AC	22	G	N3-C4	6.44	1.40	1.35
26	BB	112	U	N1-C2	6.44	1.44	1.38
26	BB	925	A	C5'-C4'	6.44	1.59	1.51
26	BB	2308	G	C2-N3	6.44	1.37	1.32
1	AA	1374	A	C6-N1	6.44	1.40	1.35
26	BB	1245	G	C2-N3	6.44	1.37	1.32
4	AD	68	C	C4-C5	6.43	1.48	1.43
26	BB	648	G	C5'-C4'	6.43	1.59	1.51
26	BB	1860	G	N3-C4	6.43	1.40	1.35
26	BB	2198	A	P-O5'	6.43	1.66	1.59
1	AA	1247	U	N1-C2	6.43	1.44	1.38
4	AD	28	U	C4'-C3'	-6.43	1.46	1.53
26	BB	292	U	C3'-C2'	-6.43	1.45	1.52
26	BB	695	G	C5-C4	6.43	1.42	1.38
1	AA	673	A	P-O5'	6.43	1.66	1.59
1	AA	696	A	C5-C6	-6.43	1.35	1.41
1	AA	718	A	N9-C4	6.43	1.41	1.37
26	BB	48	G	C5-C4	6.43	1.42	1.38
26	BB	1325	U	C5-C6	6.43	1.40	1.34
26	BB	1346	G	N1-C2	-6.43	1.32	1.37
26	BB	2018	G	N3-C4	6.43	1.40	1.35
1	AA	81	A	C6-N1	-6.43	1.31	1.35
26	BB	270	A	N7-C5	-6.43	1.35	1.39
26	BB	559	G	C5-C4	-6.43	1.33	1.38
26	BB	2838	G	C5'-C4'	6.43	1.59	1.51
1	AA	28	A	N9-C8	6.43	1.42	1.37
1	AA	344	A	P-O5'	6.43	1.66	1.59
1	AA	362	G	N7-C5	-6.43	1.35	1.39
1	AA	955	U	C4-O4	6.43	1.28	1.23
4	AD	31	G	N9-C8	-6.43	1.33	1.37
26	BB	2027	G	C4'-C3'	-6.43	1.46	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2186	G	C5-C4	-6.43	1.33	1.38
54	B3	39	ARG	CZ-NH1	6.43	1.41	1.33
1	AA	866	C	N1-C2	6.42	1.46	1.40
26	BB	1074	G	N1-C2	6.42	1.42	1.37
26	BB	2553	G	P-O5'	6.42	1.66	1.59
1	AA	712	A	C5'-C4'	6.42	1.59	1.51
25	BA	11	C	C4-N4	6.42	1.39	1.33
26	BB	1929	G	C3'-O3'	-6.42	1.33	1.42
26	BB	2092	U	P-O5'	-6.42	1.53	1.59
26	BB	2720	U	C3'-O3'	6.42	1.51	1.42
2	AB	53	G	C8-N7	6.42	1.34	1.30
25	BA	86	G	C2-N3	6.42	1.37	1.32
26	BB	1741	C	C2-O2	-6.42	1.18	1.24
26	BB	1779	U	P-O5'	6.42	1.66	1.59
26	BB	2568	U	P-O5'	6.42	1.66	1.59
1	AA	514	C	C4'-O4'	-6.42	1.37	1.45
26	BB	2225	A	P-O5'	6.42	1.66	1.59
1	AA	330	C	C2-N3	6.42	1.40	1.35
1	AA	769	G	N3-C4	6.42	1.40	1.35
1	AA	792	A	P-O5'	6.42	1.66	1.59
1	AA	1251	A	N3-C4	6.42	1.38	1.34
26	BB	495	G	C8-N7	6.42	1.34	1.30
26	BB	925	A	O3'-P	6.42	1.68	1.61
26	BB	1045	C	P-O5'	6.42	1.66	1.59
26	BB	1256	G	C6-N1	-6.42	1.35	1.39
26	BB	1309	G	N3-C4	6.42	1.40	1.35
26	BB	2353	G	C4'-C3'	6.42	1.60	1.53
36	BL	75	TYR	CB-CG	6.42	1.61	1.51
1	AA	572	A	N9-C8	-6.42	1.32	1.37
1	AA	681	A	C3'-C2'	-6.42	1.45	1.52
1	AA	900	A	C2'-C1'	6.42	1.60	1.53
1	AA	959	A	N9-C4	6.42	1.41	1.37
1	AA	1019	A	C8-N7	-6.42	1.27	1.31
26	BB	636	G	C6-N1	-6.42	1.35	1.39
26	BB	1623	G	C2-N3	6.42	1.37	1.32
26	BB	1813	G	P-O5'	6.42	1.66	1.59
26	BB	2295	C	C2-N3	6.42	1.40	1.35
26	BB	2510	C	C2-O2	-6.42	1.18	1.24
1	AA	406	G	C2-N3	6.42	1.37	1.32
26	BB	1374	G	C5-C4	6.42	1.42	1.38
1	AA	736	C	P-O5'	6.41	1.66	1.59
4	AD	3	C	C2-N3	-6.41	1.30	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1113	U	O4'-C1'	6.41	1.50	1.41
26	BB	1284	A	N3-C4	6.41	1.38	1.34
26	BB	1404	C	O3'-P	6.41	1.68	1.61
26	BB	1781	U	O4'-C1'	6.41	1.50	1.41
26	BB	2	G	C6-N1	6.41	1.44	1.39
26	BB	768	G	N9-C4	6.41	1.43	1.38
26	BB	2408	U	N3-C4	6.41	1.44	1.38
1	AA	1118	U	P-O5'	6.41	1.66	1.59
3	AC	55	A	P-O5'	-6.41	1.53	1.59
26	BB	128	C	C4-N4	6.41	1.39	1.33
26	BB	1274	A	N3-C4	6.41	1.38	1.34
26	BB	1580	A	N9-C8	-6.41	1.32	1.37
26	BB	1783	A	N3-C4	6.41	1.38	1.34
26	BB	2769	U	C2-N3	6.41	1.42	1.37
25	BA	24	G	N9-C4	-6.41	1.32	1.38
26	BB	1248	G	C3'-C2'	6.41	1.60	1.52
26	BB	1261	C	C3'-C2'	6.41	1.59	1.52
26	BB	2004	G	C6-N1	-6.41	1.35	1.39
26	BB	2131	U	O3'-P	6.41	1.68	1.61
25	BA	7	G	O3'-P	6.41	1.68	1.61
25	BA	30	C	N1-C6	-6.41	1.33	1.37
1	AA	371	A	N9-C4	-6.41	1.34	1.37
1	AA	432	A	C6-N1	6.41	1.40	1.35
1	AA	537	G	C5-C4	-6.41	1.33	1.38
1	AA	730	G	C6-N1	6.41	1.44	1.39
1	AA	1530	G	P-O5'	6.41	1.66	1.59
26	BB	947	A	C3'-C2'	6.41	1.59	1.52
26	BB	1502	A	N1-C2	-6.41	1.28	1.34
26	BB	2118	U	C4'-O4'	-6.41	1.37	1.45
26	BB	2195	U	C2-N3	6.41	1.42	1.37
26	BB	2600	A	C8-N7	-6.41	1.27	1.31
1	AA	76	G	N9-C8	-6.40	1.33	1.37
1	AA	693	G	P-O5'	6.40	1.66	1.59
1	AA	1294	G	N1-C2	6.40	1.42	1.37
26	BB	530	G	N9-C8	6.40	1.42	1.37
26	BB	759	G	C8-N7	-6.40	1.27	1.30
26	BB	2383	G	N9-C8	6.40	1.42	1.37
26	BB	2698	U	C5'-C4'	6.40	1.59	1.51
1	AA	421	U	P-O5'	6.40	1.66	1.59
1	AA	690	G	C4'-C3'	6.40	1.60	1.53
1	AA	839	C	C5-C6	-6.40	1.29	1.34
1	AA	1189	U	C2'-C1'	6.40	1.60	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1743	G	C4'-O4'	-6.40	1.37	1.45
1	AA	453	G	C5-C6	6.40	1.48	1.42
1	AA	918	A	C8-N7	-6.40	1.27	1.31
26	BB	98	G	C3'-C2'	6.40	1.59	1.52
26	BB	403	U	C2-N3	6.40	1.42	1.37
26	BB	1247	A	O3'-P	6.40	1.68	1.61
26	BB	2758	A	C8-N7	-6.40	1.27	1.31
1	AA	814	A	C8-N7	-6.40	1.27	1.31
26	BB	2421	G	C6-N1	6.40	1.44	1.39
1	AA	1044	A	C4'-O4'	-6.40	1.37	1.45
3	AC	17	U	C5-C6	6.40	1.40	1.34
25	BA	101	A	P-O5'	-6.40	1.53	1.59
26	BB	1797	G	C8-N7	-6.40	1.27	1.30
26	BB	2622	U	C3'-O3'	6.40	1.51	1.42
26	BB	2901	C	N1-C6	-6.40	1.33	1.37
1	AA	1285	A	C5-C4	-6.40	1.34	1.38
2	AB	44	G	N7-C5	6.40	1.43	1.39
26	BB	661	A	N9-C4	-6.40	1.34	1.37
26	BB	2799	A	C4'-O4'	-6.40	1.37	1.45
1	AA	1271	A	N9-C4	6.39	1.41	1.37
3	AC	43	U	C2-O2	6.39	1.28	1.22
26	BB	953	G	N7-C5	-6.39	1.35	1.39
26	BB	2305	U	N3-C4	6.39	1.44	1.38
26	BB	2653	U	P-O5'	6.39	1.66	1.59
26	BB	2742	G	C6-N1	6.39	1.44	1.39
1	AA	493	A	C4'-O4'	-6.39	1.37	1.45
1	AA	943	U	O4'-C1'	6.39	1.50	1.41
26	BB	2033	A	C5-C4	-6.39	1.34	1.38
1	AA	594	U	P-O5'	6.39	1.66	1.59
1	AA	815	A	N3-C4	6.39	1.38	1.34
2	AB	56	C	C4-C5	6.39	1.48	1.43
2	AB	58	A	N3-C4	6.39	1.38	1.34
26	BB	20	C	C4-C5	6.39	1.48	1.43
26	BB	992	C	C4-C5	6.39	1.48	1.43
26	BB	2228	G	N1-C2	6.39	1.42	1.37
1	AA	351	G	C4'-O4'	-6.39	1.37	1.45
1	AA	411	A	N7-C5	-6.39	1.35	1.39
1	AA	603	U	C2-N3	-6.39	1.33	1.37
1	AA	1118	U	N3-C4	6.39	1.44	1.38
1	AA	1368	A	C2-N3	6.39	1.39	1.33
26	BB	446	G	P-O5'	6.39	1.66	1.59
26	BB	737	C	N1-C2	6.39	1.46	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1297	C	C2-N3	6.39	1.40	1.35
26	BB	2110	G	C2-N3	6.39	1.37	1.32
1	AA	546	A	N7-C5	-6.39	1.35	1.39
26	BB	152	A	C3'-C2'	6.39	1.59	1.52
26	BB	2374	C	C4-C5	6.39	1.48	1.43
26	BB	2392	A	C8-N7	-6.39	1.27	1.31
26	BB	2528	U	C5'-C4'	6.39	1.59	1.51
26	BB	2795	C	C2-N3	6.39	1.40	1.35
1	AA	391	G	O3'-P	6.38	1.68	1.61
26	BB	1308	A	C1'-N9	6.38	1.58	1.48
26	BB	2735	G	C5'-C4'	6.38	1.59	1.51
26	BB	2753	A	C5-C4	-6.38	1.34	1.38
1	AA	603	U	C3'-C2'	6.38	1.59	1.52
26	BB	283	G	C5'-C4'	6.38	1.59	1.51
26	BB	545	U	C4-C5	6.38	1.49	1.43
26	BB	2117	A	C2'-C1'	-6.38	1.46	1.53
26	BB	2897	U	C2-N3	6.38	1.42	1.37
26	BB	658	U	C4-O4	-6.38	1.18	1.23
26	BB	1122	G	C5-C4	-6.38	1.33	1.38
26	BB	2052	A	C6-N1	6.38	1.40	1.35
26	BB	2646	C	C2-O2	-6.38	1.18	1.24
26	BB	2767	C	C5-C6	6.38	1.39	1.34
26	BB	2788	C	C4'-O4'	-6.38	1.37	1.45
26	BB	2798	U	C5-C6	6.38	1.39	1.34
1	AA	418	C	C5-C6	6.38	1.39	1.34
1	AA	851	G	N9-C8	6.38	1.42	1.37
1	AA	1018	G	N9-C4	-6.38	1.32	1.38
1	AA	1274	A	N9-C8	6.38	1.42	1.37
3	AC	49	U	C4-C5	6.38	1.49	1.43
26	BB	275	C	C3'-O3'	-6.38	1.33	1.42
26	BB	971	G	P-O5'	-6.38	1.53	1.59
26	BB	1933	G	N9-C4	-6.38	1.32	1.38
26	BB	2176	A	N3-C4	6.38	1.38	1.34
26	BB	2459	A	C5'-C4'	6.38	1.59	1.51
26	BB	3	U	O3'-P	6.38	1.68	1.61
26	BB	115	C	C4-C5	6.38	1.48	1.43
26	BB	586	A	C8-N7	-6.38	1.27	1.31
26	BB	597	G	N7-C5	6.38	1.43	1.39
26	BB	1349	C	C4'-C3'	-6.38	1.46	1.53
26	BB	2247	A	N9-C4	-6.38	1.34	1.37
26	BB	2313	C	C4'-O4'	-6.38	1.37	1.45
1	AA	1133	G	N3-C4	6.38	1.40	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BA	90	C	O3'-P	6.38	1.68	1.61
26	BB	64	A	C3'-C2'	6.38	1.59	1.52
26	BB	2826	A	N3-C4	6.38	1.38	1.34
1	AA	450	G	O3'-P	-6.37	1.53	1.61
26	BB	153	U	C2-N3	6.37	1.42	1.37
26	BB	693	A	O3'-P	6.37	1.68	1.61
1	AA	118	U	N1-C2	6.37	1.44	1.38
1	AA	617	G	C6-N1	6.37	1.44	1.39
1	AA	1539	C	N1-C6	6.37	1.41	1.37
26	BB	879	G	N3-C4	-6.37	1.30	1.35
26	BB	986	C	C5-C6	6.37	1.39	1.34
1	AA	897	C	C5-C6	6.37	1.39	1.34
1	AA	1456	A	N9-C4	-6.37	1.34	1.37
26	BB	487	C	O3'-P	6.37	1.68	1.61
26	BB	2140	G	P-O5'	6.37	1.66	1.59
1	AA	176	C	N3-C4	6.37	1.38	1.33
1	AA	316	C	N3-C4	6.37	1.38	1.33
4	AD	18	U	C4'-C3'	6.37	1.60	1.53
26	BB	615	U	C4-C5	6.37	1.49	1.43
26	BB	1801	A	C3'-C2'	-6.37	1.45	1.52
26	BB	2880	C	O3'-P	6.37	1.68	1.61
1	AA	483	C	N1-C6	6.37	1.41	1.37
25	BA	62	C	N3-C4	6.37	1.38	1.33
26	BB	455	C	O5'-C5'	-6.37	1.32	1.42
26	BB	893	C	C2'-C1'	6.37	1.60	1.53
1	AA	35	G	O4'-C1'	6.37	1.50	1.41
1	AA	465	A	N3-C4	6.37	1.38	1.34
1	AA	1059	C	C2-N3	6.37	1.40	1.35
1	AA	1449	C	N1-C6	6.37	1.41	1.37
1	AA	1473	G	N7-C5	6.37	1.43	1.39
26	BB	483	A	C8-N7	6.37	1.36	1.31
26	BB	533	G	C4'-O4'	-6.37	1.37	1.45
26	BB	831	G	N1-C2	6.37	1.42	1.37
26	BB	920	A	O4'-C1'	6.37	1.50	1.41
26	BB	1243	C	C5'-C4'	6.37	1.58	1.51
26	BB	1910	G	N3-C4	6.37	1.40	1.35
1	AA	56	U	C5-C6	6.36	1.39	1.34
1	AA	508	U	N1-C6	-6.36	1.32	1.38
26	BB	359	G	N9-C4	6.36	1.43	1.38
26	BB	645	C	N1-C6	6.36	1.41	1.37
26	BB	908	C	C4-C5	6.36	1.48	1.43
26	BB	1490	A	C6-N6	-6.36	1.28	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1225	G	N9-C4	-6.36	1.32	1.38
1	AA	958	A	P-O5'	6.36	1.66	1.59
1	AA	998	C	O3'-P	6.36	1.68	1.61
3	AC	25	U	C2-N3	6.36	1.42	1.37
26	BB	768	G	C6-O6	-6.36	1.18	1.24
26	BB	1981	A	N9-C4	6.36	1.41	1.37
1	AA	410	G	C5-C4	-6.36	1.33	1.38
1	AA	1036	A	C5'-C4'	6.36	1.58	1.51
25	BA	86	G	N9-C4	6.36	1.43	1.38
26	BB	1302	A	C2'-C1'	-6.36	1.46	1.53
1	AA	211	G	N9-C4	6.36	1.43	1.38
1	AA	753	A	N7-C5	6.36	1.43	1.39
26	BB	860	U	C2-N3	6.36	1.42	1.37
4	AD	60	A	C2-N3	-6.36	1.27	1.33
26	BB	2709	G	C2-N2	6.36	1.41	1.34
1	AA	532	A	N9-C4	6.35	1.41	1.37
26	BB	1135	C	C4-N4	-6.35	1.28	1.33
26	BB	1368	G	C2-N3	6.35	1.37	1.32
26	BB	1773	A	N9-C8	-6.35	1.32	1.37
1	AA	79	G	N3-C4	6.35	1.39	1.35
26	BB	43	G	C8-N7	-6.35	1.27	1.30
26	BB	201	C	P-O5'	6.35	1.66	1.59
26	BB	1601	G	O4'-C1'	6.35	1.50	1.41
26	BB	2516	A	P-O5'	6.35	1.66	1.59
1	AA	94	G	N3-C4	6.35	1.39	1.35
1	AA	334	C	C5-C6	6.35	1.39	1.34
1	AA	1276	G	C6-O6	-6.35	1.18	1.24
2	AB	28	C	O4'-C1'	6.35	1.50	1.41
26	BB	1861	G	C3'-C2'	6.35	1.59	1.52
26	BB	2800	A	C4'-O4'	-6.35	1.37	1.45
1	AA	938	A	C5-C4	-6.35	1.34	1.38
26	BB	166	U	C2-N3	6.35	1.42	1.37
26	BB	1401	G	P-O5'	6.35	1.66	1.59
26	BB	1502	A	C6-N6	6.35	1.39	1.33
26	BB	1856	U	C5-C6	6.35	1.39	1.34
26	BB	1910	G	C2-N3	6.35	1.37	1.32
26	BB	2524	G	P-O5'	-6.35	1.53	1.59
1	AA	1500	A	N1-C2	-6.35	1.28	1.34
26	BB	2383	G	C8-N7	6.35	1.34	1.30
1	AA	1086	U	C5-C6	6.34	1.39	1.34
1	AA	1117	A	N9-C8	6.34	1.42	1.37
25	BA	85	G	C5-C6	6.34	1.48	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1232	G	C6-N1	-6.34	1.35	1.39
26	BB	2058	A	C2'-O2'	-6.34	1.33	1.41
58	B7	6	SER	CA-CB	6.34	1.62	1.52
1	AA	856	C	C5'-C4'	6.34	1.58	1.51
1	AA	1339	A	C2-N3	6.34	1.39	1.33
26	BB	384	A	N3-C4	6.34	1.38	1.34
26	BB	651	G	C6-N1	6.34	1.44	1.39
26	BB	1378	A	C5-C4	-6.34	1.34	1.38
26	BB	1432	G	C6-N1	6.34	1.44	1.39
26	BB	1557	C	C2-N3	6.34	1.40	1.35
1	AA	658	C	C5-C6	6.34	1.39	1.34
26	BB	784	G	C5'-C4'	6.34	1.58	1.51
26	BB	1111	A	N9-C4	-6.34	1.34	1.37
26	BB	1160	G	C5'-C4'	6.34	1.58	1.51
26	BB	1471	G	C5-C4	-6.34	1.33	1.38
26	BB	2093	G	C2-N3	6.34	1.37	1.32
26	BB	2228	G	C2-N3	6.34	1.37	1.32
26	BB	1207	C	C2'-O2'	-6.34	1.33	1.41
1	AA	115	G	C3'-C2'	6.34	1.59	1.52
1	AA	957	U	C5'-C4'	6.34	1.58	1.51
15	AO	13	ARG	NE-CZ	6.34	1.41	1.33
26	BB	789	A	N9-C8	-6.34	1.32	1.37
26	BB	1159	U	C2-O2	6.34	1.28	1.22
26	BB	2276	G	C5-C4	-6.34	1.33	1.38
26	BB	2817	U	C4-O4	-6.34	1.18	1.23
26	BB	2828	G	P-OP1	-6.34	1.38	1.49
1	AA	88	U	P-O5'	6.33	1.66	1.59
26	BB	1614	A	C4'-C3'	-6.33	1.46	1.53
26	BB	2233	U	C2-N3	6.33	1.42	1.37
26	BB	1328	A	C3'-C2'	6.33	1.59	1.52
26	BB	1424	G	N1-C2	6.33	1.42	1.37
26	BB	1995	U	C2-N3	6.33	1.42	1.37
26	BB	2095	A	P-O5'	6.33	1.66	1.59
26	BB	2136	G	N7-C5	-6.33	1.35	1.39
26	BB	2536	G	N9-C8	6.33	1.42	1.37
26	BB	2718	G	C4'-O4'	-6.33	1.37	1.45
26	BB	2880	C	P-O5'	6.33	1.66	1.59
1	AA	887	G	P-O5'	6.33	1.66	1.59
1	AA	890	G	N9-C8	-6.33	1.33	1.37
2	AB	50	G	N7-C5	6.33	1.43	1.39
26	BB	942	G	C5-C6	6.33	1.48	1.42
26	BB	1609	A	C6-N1	-6.33	1.31	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1660	G	C6-N1	-6.33	1.35	1.39
26	BB	2745	C	C4-C5	-6.33	1.37	1.43
1	AA	818	G	O3'-P	6.33	1.68	1.61
2	AB	10	G	C2-N3	6.33	1.37	1.32
26	BB	180	G	C8-N7	6.33	1.34	1.30
26	BB	392	U	N3-C4	6.33	1.44	1.38
26	BB	2812	G	C2-N3	6.33	1.37	1.32
1	AA	1141	C	N1-C2	6.33	1.46	1.40
26	BB	103	A	C6-N1	-6.33	1.31	1.35
26	BB	2020	A	P-O5'	6.33	1.66	1.59
1	AA	1029	U	C4'-C3'	6.33	1.60	1.53
3	AC	28	U	C2-O2	6.33	1.28	1.22
26	BB	1219	U	C2-N3	6.33	1.42	1.37
1	AA	175	C	P-O5'	6.33	1.66	1.59
1	AA	416	G	C5'-C4'	6.33	1.58	1.51
1	AA	822	U	O5'-C5'	-6.33	1.32	1.42
26	BB	536	G	C2-N2	-6.33	1.28	1.34
26	BB	652	U	C4'-O4'	-6.33	1.37	1.45
26	BB	1168	G	C8-N7	6.33	1.34	1.30
26	BB	1172	C	P-O5'	6.33	1.66	1.59
26	BB	1459	G	N9-C4	6.33	1.43	1.38
26	BB	1840	G	C5-C4	6.33	1.42	1.38
26	BB	2139	U	N1-C2	6.33	1.44	1.38
26	BB	2595	G	N3-C4	6.33	1.39	1.35
1	AA	455	G	P-O5'	6.32	1.66	1.59
1	AA	778	G	C5-C4	6.32	1.42	1.38
1	AA	894	G	C6-N1	-6.32	1.35	1.39
8	AH	161	GLU	CG-CD	6.32	1.61	1.51
25	BA	50	A	P-O5'	6.32	1.66	1.59
26	BB	591	U	C4-O4	6.32	1.28	1.23
26	BB	1336	A	O3'-P	6.32	1.68	1.61
26	BB	1412	U	C2-N3	-6.32	1.33	1.37
26	BB	1415	U	C2-N3	6.32	1.42	1.37
26	BB	2033	A	O3'-P	6.32	1.68	1.61
26	BB	6	A	C8-N7	-6.32	1.27	1.31
26	BB	81	G	C4'-O4'	-6.32	1.37	1.45
1	AA	139	A	C3'-C2'	-6.32	1.45	1.52
26	BB	181	A	C3'-C2'	6.32	1.59	1.52
26	BB	1147	A	C2-N3	6.32	1.39	1.33
1	AA	548	G	C2-N3	6.32	1.37	1.32
1	AA	1499	A	C6-N6	6.32	1.39	1.33
26	BB	2474	U	C4'-O4'	-6.32	1.37	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2781	A	C4'-C3'	6.32	1.60	1.53
26	BB	106	C	C5'-C4'	6.32	1.58	1.51
26	BB	673	C	C2-N3	6.32	1.40	1.35
26	BB	783	A	O3'-P	6.32	1.68	1.61
26	BB	1493	C	C5-C6	6.32	1.39	1.34
26	BB	1949	G	P-O5'	6.32	1.66	1.59
41	BQ	99	TYR	CB-CG	6.32	1.61	1.51
26	BB	1934	C	C5'-C4'	6.32	1.58	1.51
26	BB	2357	G	C6-O6	-6.32	1.18	1.24
26	BB	2539	C	C4-N4	-6.32	1.28	1.33
26	BB	119	A	N3-C4	6.31	1.38	1.34
26	BB	201	C	C4-C5	6.31	1.48	1.43
26	BB	721	A	C5-C4	-6.31	1.34	1.38
26	BB	1279	G	O4'-C1'	6.31	1.49	1.41
26	BB	1350	C	C2-O2	-6.31	1.18	1.24
26	BB	1418	G	C6-N1	6.31	1.44	1.39
1	AA	411	A	N9-C4	6.31	1.41	1.37
1	AA	821	G	C5'-C4'	6.31	1.58	1.51
1	AA	1243	C	C4-C5	-6.31	1.37	1.43
26	BB	524	G	C3'-C2'	6.31	1.59	1.52
26	BB	849	A	C4'-C3'	-6.31	1.46	1.53
26	BB	976	G	N9-C8	6.31	1.42	1.37
26	BB	2175	C	C5-C6	6.31	1.39	1.34
26	BB	2393	U	C4-O4	6.31	1.28	1.23
26	BB	2683	C	C4-N4	-6.31	1.28	1.33
1	AA	1483	A	C3'-O3'	6.31	1.50	1.42
1	AA	205	A	C4'-O4'	-6.31	1.37	1.45
1	AA	727	G	N9-C4	-6.31	1.32	1.38
2	AB	21	A	N3-C4	6.31	1.38	1.34
26	BB	784	G	N1-C2	6.31	1.42	1.37
26	BB	1157	G	C5'-C4'	6.31	1.58	1.51
26	BB	2173	A	N7-C5	6.31	1.43	1.39
26	BB	2509	G	C4'-C3'	6.31	1.60	1.53
1	AA	611	C	N1-C6	6.31	1.41	1.37
1	AA	660	C	C5'-C4'	6.31	1.58	1.51
1	AA	669	G	C5-C4	-6.31	1.33	1.38
1	AA	1335	U	C4-O4	-6.31	1.18	1.23
2	AB	36	A	C6-N1	-6.31	1.31	1.35
26	BB	332	A	C4'-C3'	6.31	1.60	1.53
26	BB	810	U	C4-C5	6.31	1.49	1.43
26	BB	999	U	C3'-C2'	6.31	1.59	1.52
26	BB	2872	A	N3-C4	6.31	1.38	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1154	G	C4'-O4'	-6.31	1.37	1.45
26	BB	1836	C	N1-C6	6.31	1.41	1.37
26	BB	2887	A	N9-C4	-6.31	1.34	1.37
1	AA	378	G	N1-C2	6.30	1.42	1.37
1	AA	952	U	C4-O4	6.30	1.28	1.23
26	BB	1047	G	N7-C5	-6.30	1.35	1.39
26	BB	2638	G	P-O5'	6.30	1.66	1.59
26	BB	156	A	C5-C6	-6.30	1.35	1.41
26	BB	463	G	C6-N1	6.30	1.44	1.39
26	BB	464	U	C4-O4	-6.30	1.18	1.23
26	BB	1840	G	C6-N1	6.30	1.44	1.39
1	AA	35	G	C4'-O4'	-6.30	1.37	1.45
1	AA	533	A	C2'-C1'	6.30	1.60	1.53
1	AA	564	C	C2-N3	6.30	1.40	1.35
1	AA	585	G	N7-C5	6.30	1.43	1.39
1	AA	587	G	N9-C4	6.30	1.43	1.38
1	AA	1061	G	C8-N7	-6.30	1.27	1.30
1	AA	1073	U	C4'-C3'	-6.30	1.46	1.53
1	AA	1521	C	C5'-C4'	6.30	1.58	1.51
26	BB	293	U	O3'-P	6.30	1.68	1.61
26	BB	1637	A	C2'-C1'	6.30	1.60	1.53
26	BB	1912	A	C5-C4	6.30	1.43	1.38
26	BB	2001	C	N3-C4	6.30	1.38	1.33
26	BB	2033	A	C6-N6	-6.30	1.28	1.33
26	BB	2276	G	C6-N1	6.30	1.44	1.39
1	AA	724	G	C2-N3	6.30	1.37	1.32
1	AA	1305	G	C5-C6	6.30	1.48	1.42
26	BB	497	A	C4'-O4'	-6.30	1.37	1.45
26	BB	825	A	N3-C4	6.30	1.38	1.34
26	BB	886	A	C5-C4	-6.30	1.34	1.38
26	BB	1143	A	C5-C6	-6.30	1.35	1.41
26	BB	1570	A	N9-C8	6.30	1.42	1.37
26	BB	1764	C	O3'-P	6.30	1.68	1.61
26	BB	1770	G	C2-N3	6.30	1.37	1.32
26	BB	1975	G	C2-N3	6.30	1.37	1.32
26	BB	2020	A	C8-N7	-6.30	1.27	1.31
1	AA	235	C	C4-C5	6.30	1.48	1.43
1	AA	832	G	C4'-O4'	-6.30	1.37	1.45
26	BB	1494	A	N1-C2	-6.30	1.28	1.34
26	BB	2442	C	C2-N3	6.30	1.40	1.35
26	BB	459	U	P-O5'	6.30	1.66	1.59
26	BB	1728	C	C3'-C2'	6.30	1.59	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1777	U	O4'-C1'	6.30	1.49	1.41
26	BB	1970	A	N9-C4	6.30	1.41	1.37
4	AD	43	G	O3'-P	6.29	1.68	1.61
1	AA	76	G	C6-N1	-6.29	1.35	1.39
1	AA	760	G	N7-C5	6.29	1.43	1.39
26	BB	180	G	C5'-C4'	6.29	1.58	1.51
26	BB	860	U	C4'-C3'	6.29	1.60	1.53
26	BB	1118	C	C4'-C3'	6.29	1.60	1.53
26	BB	1746	A	C5-C4	-6.29	1.34	1.38
26	BB	2814	A	C5'-C4'	6.29	1.58	1.51
1	AA	280	C	N1-C2	6.29	1.46	1.40
1	AA	1269	A	C2'-C1'	-6.29	1.46	1.53
26	BB	2427	C	C5-C6	6.29	1.39	1.34
1	AA	282	A	N3-C4	6.29	1.38	1.34
4	AD	51	U	N3-C4	6.29	1.44	1.38
1	AA	496	A	C8-N7	-6.29	1.27	1.31
1	AA	744	C	C4'-O4'	-6.29	1.37	1.45
1	AA	796	C	N1-C6	6.29	1.41	1.37
1	AA	902	G	C8-N7	-6.29	1.27	1.30
1	AA	1094	G	C5'-C4'	6.29	1.58	1.51
1	AA	1298	U	C2-N3	6.29	1.42	1.37
26	BB	536	G	N7-C5	-6.29	1.35	1.39
26	BB	608	A	N7-C5	6.29	1.43	1.39
26	BB	2255	G	C2-N2	6.29	1.40	1.34
26	BB	2522	U	P-O5'	6.29	1.66	1.59
26	BB	2871	U	C4'-C3'	-6.29	1.46	1.53
26	BB	372	G	P-O5'	6.29	1.66	1.59
26	BB	980	A	P-O5'	6.29	1.66	1.59
26	BB	994	C	C4'-O4'	-6.29	1.37	1.45
26	BB	1566	A	C6-N1	-6.29	1.31	1.35
1	AA	96	U	N1-C6	6.29	1.43	1.38
1	AA	195	A	C2-N3	-6.29	1.27	1.33
1	AA	722	G	O3'-P	6.29	1.68	1.61
1	AA	766	A	C4'-O4'	-6.29	1.37	1.45
1	AA	894	G	C8-N7	6.29	1.34	1.30
1	AA	1182	G	P-O5'	6.29	1.66	1.59
26	BB	2	G	N9-C4	6.29	1.43	1.38
26	BB	76	C	C5-C6	6.29	1.39	1.34
26	BB	999	U	C2-O2	-6.29	1.16	1.22
26	BB	1433	A	N9-C8	-6.29	1.32	1.37
26	BB	1751	U	C4-C5	6.29	1.49	1.43
26	BB	2208	C	C2-N3	6.29	1.40	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2366	A	N3-C4	6.29	1.38	1.34
1	AA	209	U	C3'-C2'	6.28	1.59	1.52
1	AA	1391	U	N1-C6	-6.28	1.32	1.38
26	BB	59	U	C4'-O4'	-6.28	1.37	1.45
26	BB	464	U	C2'-O2'	6.28	1.49	1.41
26	BB	2556	C	N1-C2	6.28	1.46	1.40
26	BB	252	G	C2-N3	6.28	1.37	1.32
26	BB	1212	G	N9-C8	6.28	1.42	1.37
26	BB	2143	C	C5-C6	6.28	1.39	1.34
1	AA	94	G	C5-C4	-6.28	1.33	1.38
1	AA	257	G	P-O5'	6.28	1.66	1.59
1	AA	484	G	N3-C4	6.28	1.39	1.35
26	BB	288	U	C3'-C2'	6.28	1.59	1.52
26	BB	477	A	N9-C4	6.28	1.41	1.37
26	BB	1117	C	C5'-C4'	6.28	1.58	1.51
26	BB	2454	G	N1-C2	6.28	1.42	1.37
1	AA	1064	G	C6-O6	6.28	1.29	1.24
26	BB	1447	C	P-O5'	6.28	1.66	1.59
26	BB	1854	A	C8-N7	-6.28	1.27	1.31
1	AA	1002	G	C4'-C3'	6.28	1.60	1.53
1	AA	1089	G	C2-N3	6.28	1.37	1.32
4	AD	26	C	C5-C6	6.28	1.39	1.34
26	BB	401	A	C2'-C1'	6.28	1.60	1.53
26	BB	749	A	C2'-C1'	-6.28	1.46	1.53
26	BB	1439	A	C6-N1	6.28	1.40	1.35
26	BB	1927	A	C5'-C4'	6.28	1.58	1.51
1	AA	165	G	P-O5'	6.28	1.66	1.59
26	BB	113	U	C2-N3	6.28	1.42	1.37
26	BB	701	G	C5'-C4'	6.28	1.58	1.51
1	AA	453	G	C2'-O2'	6.27	1.49	1.41
26	BB	277	G	N3-C4	6.27	1.39	1.35
26	BB	1806	C	O4'-C1'	6.27	1.49	1.41
26	BB	2463	C	C2'-C1'	6.27	1.60	1.53
26	BB	2618	G	C6-N1	6.27	1.44	1.39
26	BB	2743	U	C2-O2	6.27	1.27	1.22
1	AA	288	A	P-O5'	6.27	1.66	1.59
1	AA	533	A	N9-C4	6.27	1.41	1.37
1	AA	633	G	C5-C4	-6.27	1.33	1.38
1	AA	1168	U	C4'-O4'	-6.27	1.37	1.45
1	AA	1271	A	C4'-O4'	-6.27	1.37	1.45
26	BB	319	G	C2-N3	6.27	1.37	1.32
26	BB	2658	C	C2-N3	6.27	1.40	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	169	C	O3'-P	6.27	1.68	1.61
1	AA	974	A	C2-N3	-6.27	1.27	1.33
1	AA	1515	G	C2-N3	6.27	1.37	1.32
26	BB	857	G	C8-N7	-6.27	1.27	1.30
26	BB	2648	G	C5-C4	-6.27	1.33	1.38
26	BB	2810	A	P-O5'	6.27	1.66	1.59
1	AA	242	G	P-O5'	6.27	1.66	1.59
1	AA	1153	G	C5'-C4'	6.27	1.58	1.51
1	AA	1234	C	N3-C4	6.27	1.38	1.33
12	AL	44	ARG	CZ-NH1	6.27	1.41	1.33
26	BB	173	A	P-O5'	6.27	1.66	1.59
26	BB	469	G	C5-C4	-6.27	1.33	1.38
26	BB	2417	C	P-O5'	6.27	1.66	1.59
1	AA	729	A	N3-C4	-6.27	1.31	1.34
1	AA	1054	C	O5'-C5'	-6.27	1.32	1.42
1	AA	1542	A	P-O5'	6.27	1.66	1.59
26	BB	1530	G	O4'-C1'	6.27	1.49	1.41
26	BB	1869	G	C2-N2	-6.27	1.28	1.34
26	BB	2215	C	P-O5'	6.27	1.66	1.59
1	AA	691	G	O4'-C1'	6.27	1.49	1.41
26	BB	1329	U	C4-C5	6.27	1.49	1.43
26	BB	2675	A	N3-C4	6.27	1.38	1.34
1	AA	1467	C	O3'-P	6.26	1.68	1.61
26	BB	1143	A	C6-N1	6.26	1.40	1.35
26	BB	1177	G	C6-N1	6.26	1.44	1.39
26	BB	1242	U	C5-C6	6.26	1.39	1.34
26	BB	1271	G	C2-N3	-6.26	1.27	1.32
26	BB	1448	G	O3'-P	6.26	1.68	1.61
26	BB	2573	C	P-O5'	6.26	1.66	1.59
26	BB	2785	C	N3-C4	6.26	1.38	1.33
1	AA	614	C	C4-N4	6.26	1.39	1.33
1	AA	407	U	C2'-C1'	-6.26	1.46	1.53
1	AA	737	C	O3'-P	6.26	1.68	1.61
1	AA	1143	G	N1-C2	6.26	1.42	1.37
26	BB	557	C	N1-C6	6.26	1.41	1.37
26	BB	582	A	C5-C6	6.26	1.46	1.41
26	BB	646	U	C3'-O3'	-6.26	1.33	1.42
26	BB	1130	U	C5-C6	6.26	1.39	1.34
26	BB	2887	A	C5'-C4'	6.26	1.58	1.51
1	AA	281	G	O3'-P	6.26	1.68	1.61
1	AA	1033	G	C2'-O2'	6.26	1.49	1.41
1	AA	1085	U	C2-N3	6.26	1.42	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1161	C	P-O5'	6.26	1.66	1.59
2	AB	21	A	N7-C5	-6.26	1.35	1.39
4	AD	50	G	N7-C5	-6.26	1.35	1.39
26	BB	5	A	C3'-C2'	6.26	1.59	1.52
26	BB	822	G	N1-C2	6.26	1.42	1.37
26	BB	301	G	N9-C8	-6.26	1.33	1.37
1	AA	21	G	C5-C6	6.26	1.48	1.42
1	AA	899	C	C4'-O4'	-6.26	1.37	1.45
26	BB	1363	C	N3-C4	6.26	1.38	1.33
26	BB	2049	G	N7-C5	-6.26	1.35	1.39
26	BB	2403	C	O4'-C1'	6.26	1.49	1.41
26	BB	1809	A	N7-C5	6.25	1.43	1.39
26	BB	2136	G	C2-N3	6.25	1.37	1.32
26	BB	2375	G	C6-N1	6.25	1.44	1.39
1	AA	11	G	C4'-O4'	-6.25	1.37	1.45
1	AA	658	C	C3'-C2'	-6.25	1.45	1.52
1	AA	786	G	C4'-O4'	-6.25	1.37	1.45
25	BA	101	A	N9-C8	6.25	1.42	1.37
26	BB	603	A	N7-C5	6.25	1.43	1.39
26	BB	749	A	C6-N1	6.25	1.40	1.35
26	BB	1322	A	C4'-O4'	-6.25	1.37	1.45
26	BB	2200	C	C2-O2	6.25	1.30	1.24
26	BB	2493	U	C4-C5	6.25	1.49	1.43
1	AA	607	A	C6-N6	6.25	1.39	1.33
1	AA	954	G	N1-C2	6.25	1.42	1.37
2	AB	59	G	N1-C2	6.25	1.42	1.37
3	AC	41	A	O3'-P	6.25	1.68	1.61
26	BB	148	U	O3'-P	6.25	1.68	1.61
26	BB	191	A	C5'-C4'	6.25	1.58	1.51
26	BB	634	C	C2-N3	6.25	1.40	1.35
26	BB	1842	G	C5'-C4'	6.25	1.58	1.51
26	BB	2135	A	P-O5'	6.25	1.66	1.59
1	AA	1487	G	N3-C4	6.25	1.39	1.35
25	BA	9	G	C5'-C4'	6.25	1.58	1.51
26	BB	55	G	C5'-C4'	6.25	1.58	1.51
26	BB	1171	G	N7-C5	6.25	1.43	1.39
1	AA	1270	G	C2'-C1'	6.25	1.60	1.53
1	AA	1358	U	P-O5'	6.25	1.66	1.59
26	BB	101	A	C6-N6	-6.25	1.28	1.33
26	BB	1208	C	C4-C5	6.25	1.48	1.43
1	AA	108	G	O3'-P	6.25	1.68	1.61
1	AA	730	G	N9-C8	-6.25	1.33	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1067	A	C5-C6	6.25	1.46	1.41
26	BB	342	A	N7-C5	6.25	1.43	1.39
26	BB	1022	G	N1-C2	6.25	1.42	1.37
26	BB	2303	G	N7-C5	-6.25	1.35	1.39
3	AC	25	U	C2'-C1'	6.25	1.60	1.53
26	BB	1765	U	C4'-C3'	6.25	1.60	1.53
26	BB	1812	U	C5'-C4'	6.25	1.58	1.51
26	BB	2277	G	N3-C4	6.25	1.39	1.35
1	AA	743	A	C4'-C3'	6.24	1.60	1.53
26	BB	152	A	O5'-C5'	6.24	1.54	1.44
26	BB	265	A	N9-C4	6.24	1.41	1.37
26	BB	592	A	N3-C4	6.24	1.38	1.34
26	BB	1205	A	C4'-O4'	-6.24	1.37	1.45
26	BB	1317	G	C3'-C2'	6.24	1.59	1.52
26	BB	1474	U	N1-C2	6.24	1.44	1.38
26	BB	2802	G	C4'-O4'	-6.24	1.37	1.45
1	AA	1367	C	C4'-O4'	-6.24	1.37	1.45
26	BB	259	G	N3-C4	6.24	1.39	1.35
26	BB	421	C	C2-O2	-6.24	1.18	1.24
26	BB	1483	G	N7-C5	6.24	1.43	1.39
26	BB	2106	U	O3'-P	6.24	1.68	1.61
1	AA	633	G	N7-C5	-6.24	1.35	1.39
3	AC	34	U	C5'-C4'	6.24	1.58	1.51
26	BB	432	A	C4'-O4'	-6.24	1.37	1.45
26	BB	1906	G	C5'-C4'	6.24	1.58	1.51
26	BB	1968	G	C2-N3	6.24	1.37	1.32
26	BB	2111	U	C4'-C3'	-6.24	1.46	1.53
26	BB	2654	A	C4'-C3'	6.24	1.60	1.53
1	AA	834	U	O4'-C1'	-6.24	1.33	1.41
26	BB	1112	G	C5-C4	-6.24	1.33	1.38
26	BB	1293	C	C4'-O4'	-6.24	1.37	1.45
1	AA	1052	U	C3'-C2'	6.24	1.59	1.52
26	BB	165	A	N7-C5	-6.24	1.35	1.39
26	BB	288	U	P-O5'	6.24	1.66	1.59
26	BB	1605	C	N3-C4	6.24	1.38	1.33
26	BB	2056	G	N1-C2	6.24	1.42	1.37
26	BB	2570	G	N7-C5	6.24	1.43	1.39
26	BB	253	C	N3-C4	6.24	1.38	1.33
26	BB	915	C	C2-N3	6.24	1.40	1.35
26	BB	2819	G	C6-O6	-6.24	1.18	1.24
1	AA	882	C	C4-C5	6.23	1.48	1.43
26	BB	1409	U	C2-N3	6.23	1.42	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1536	C	C2-N3	6.23	1.40	1.35
1	AA	450	G	C8-N7	6.23	1.34	1.30
1	AA	1159	U	C4-C5	6.23	1.49	1.43
3	AC	40	G	C6-N1	6.23	1.44	1.39
26	BB	1212	G	O3'-P	6.23	1.68	1.61
26	BB	1356	G	C6-O6	-6.23	1.18	1.24
26	BB	1713	A	N9-C4	-6.23	1.34	1.37
26	BB	2096	C	P-O5'	6.23	1.66	1.59
26	BB	2268	A	P-O5'	6.23	1.66	1.59
26	BB	2465	C	C2'-O2'	6.23	1.49	1.41
26	BB	2845	U	C2-N3	6.23	1.42	1.37
1	AA	1313	U	O3'-P	-6.23	1.53	1.61
26	BB	547	A	C2-N3	6.23	1.39	1.33
26	BB	1522	A	C5-C4	-6.23	1.34	1.38
26	BB	1666	G	N3-C4	-6.23	1.31	1.35
26	BB	2200	C	N1-C6	6.23	1.40	1.37
1	AA	878	A	C4'-O4'	-6.23	1.37	1.45
1	AA	1458	G	C4'-O4'	-6.23	1.37	1.45
26	BB	24	G	C2-N3	6.23	1.37	1.32
26	BB	319	G	C8-N7	-6.23	1.27	1.30
1	AA	99	C	N1-C6	-6.23	1.33	1.37
1	AA	666	G	C3'-C2'	6.23	1.59	1.52
1	AA	785	G	N7-C5	-6.23	1.35	1.39
1	AA	1047	G	N3-C4	6.23	1.39	1.35
26	BB	715	A	P-O5'	6.23	1.66	1.59
26	BB	1120	G	C6-O6	-6.23	1.18	1.24
1	AA	1110	A	C6-N6	6.23	1.39	1.33
1	AA	1199	U	C5-C6	6.23	1.39	1.34
25	BA	34	A	P-O5'	6.23	1.66	1.59
26	BB	728	G	N9-C4	6.23	1.43	1.38
1	AA	923	A	N3-C4	-6.22	1.31	1.34
25	BA	18	G	C8-N7	-6.22	1.27	1.30
26	BB	57	C	C4-N4	-6.22	1.28	1.33
26	BB	759	G	N1-C2	6.22	1.42	1.37
26	BB	888	C	N1-C6	6.22	1.40	1.37
26	BB	1025	G	O3'-P	6.22	1.68	1.61
26	BB	1061	U	C4'-O4'	-6.22	1.37	1.45
26	BB	1461	C	C2-N3	6.22	1.40	1.35
26	BB	2311	A	N9-C4	-6.22	1.34	1.37
1	AA	439	U	O5'-C5'	-6.22	1.32	1.42
1	AA	455	G	C4'-O4'	-6.22	1.37	1.45
1	AA	538	G	C6-N1	6.22	1.44	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1140	C	C4'-C3'	-6.22	1.46	1.53
1	AA	1243	C	C4'-O4'	-6.22	1.37	1.45
1	AA	1465	A	N7-C5	-6.22	1.35	1.39
1	AA	1485	U	C2'-C1'	-6.22	1.46	1.53
13	AM	5	ARG	CZ-NH2	6.22	1.41	1.33
26	BB	354	A	C5'-C4'	6.22	1.58	1.51
26	BB	1331	G	C5'-C4'	6.22	1.58	1.51
26	BB	1571	A	P-O5'	6.22	1.66	1.59
26	BB	2546	U	C2-N3	6.22	1.42	1.37
26	BB	2603	G	C6-O6	-6.22	1.18	1.24
1	AA	609	A	C3'-O3'	6.22	1.50	1.42
26	BB	1539	U	C2'-O2'	6.22	1.49	1.41
1	AA	319	G	N3-C4	6.22	1.39	1.35
26	BB	613	A	P-O5'	-6.22	1.53	1.59
26	BB	831	G	C3'-C2'	6.22	1.59	1.52
26	BB	1122	G	N1-C2	6.22	1.42	1.37
26	BB	1745	A	C6-N1	6.22	1.40	1.35
26	BB	2508	G	N3-C4	6.22	1.39	1.35
1	AA	580	C	N3-C4	6.22	1.38	1.33
1	AA	795	C	P-O5'	6.22	1.66	1.59
1	AA	1204	A	N3-C4	6.22	1.38	1.34
26	BB	152	A	N7-C5	6.22	1.43	1.39
26	BB	1072	C	C2-N3	-6.22	1.30	1.35
26	BB	2581	G	N9-C8	-6.22	1.33	1.37
1	AA	276	G	N7-C5	-6.22	1.35	1.39
1	AA	979	C	C4'-O4'	-6.22	1.37	1.45
1	AA	1328	C	O4'-C1'	6.22	1.49	1.41
26	BB	190	A	C5-C4	-6.22	1.34	1.38
26	BB	551	G	C2-N3	6.22	1.37	1.32
26	BB	561	G	N9-C4	-6.22	1.32	1.38
26	BB	906	U	P-O5'	6.22	1.66	1.59
26	BB	1066	U	C3'-C2'	6.22	1.59	1.52
26	BB	1150	C	C2-O2	-6.22	1.18	1.24
26	BB	2036	C	C5'-C4'	6.22	1.58	1.51
26	BB	2662	A	C6-N1	-6.22	1.31	1.35
1	AA	697	U	C4'-O4'	-6.21	1.37	1.45
1	AA	882	C	C4'-O4'	-6.21	1.37	1.45
1	AA	1497	G	N9-C8	-6.21	1.33	1.37
26	BB	107	G	N1-C2	6.21	1.42	1.37
26	BB	619	G	N3-C4	6.21	1.39	1.35
26	BB	972	A	C4'-O4'	-6.21	1.37	1.45
26	BB	1826	G	N9-C8	6.21	1.42	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	709	U	C4'-O4'	-6.21	1.37	1.45
26	BB	454	A	C8-N7	-6.21	1.27	1.31
26	BB	1781	U	O3'-P	6.21	1.68	1.61
26	BB	2681	C	C4-C5	6.21	1.48	1.43
1	AA	411	A	N9-C8	-6.21	1.32	1.37
26	BB	96	C	P-O5'	6.21	1.66	1.59
26	BB	413	C	N1-C6	6.21	1.40	1.37
26	BB	512	G	P-O5'	6.21	1.66	1.59
26	BB	910	A	O3'-P	-6.21	1.53	1.61
26	BB	1635	A	C3'-O3'	6.21	1.50	1.42
26	BB	2197	U	C4'-O4'	-6.21	1.37	1.45
26	BB	2696	U	C2-N3	6.21	1.42	1.37
26	BB	2819	G	C4'-O4'	-6.21	1.37	1.45
1	AA	1223	C	C4'-O4'	-6.21	1.37	1.45
1	AA	303	A	P-O5'	6.21	1.66	1.59
1	AA	1249	C	C4'-O4'	-6.21	1.37	1.45
1	AA	1514	G	O3'-P	6.21	1.68	1.61
2	AB	33	U	C2-N3	6.21	1.42	1.37
26	BB	682	G	C6-O6	-6.21	1.18	1.24
26	BB	1364	G	N9-C8	6.21	1.42	1.37
26	BB	2314	A	N3-C4	6.21	1.38	1.34
26	BB	2524	G	C5'-C4'	6.21	1.58	1.51
1	AA	617	G	O3'-P	6.21	1.68	1.61
1	AA	903	G	N9-C4	-6.21	1.32	1.38
26	BB	50	U	C5'-C4'	6.21	1.58	1.51
26	BB	600	G	C5'-C4'	6.21	1.58	1.51
26	BB	873	C	C4-N4	6.21	1.39	1.33
26	BB	1209	U	P-O5'	6.21	1.66	1.59
26	BB	1529	G	N9-C8	6.21	1.42	1.37
26	BB	1941	C	C4-C5	6.21	1.48	1.43
26	BB	2255	G	C5'-C4'	6.21	1.58	1.51
26	BB	2427	C	C2-N3	6.21	1.40	1.35
26	BB	920	A	N9-C8	6.21	1.42	1.37
26	BB	932	U	P-O5'	-6.21	1.53	1.59
17	AQ	80	ARG	NE-CZ	6.20	1.41	1.33
26	BB	375	G	C6-O6	-6.20	1.18	1.24
26	BB	859	G	C2-N3	6.20	1.37	1.32
1	AA	68	G	C2-N3	6.20	1.37	1.32
1	AA	142	G	C2-N3	6.20	1.37	1.32
1	AA	1381	U	C5-C6	6.20	1.39	1.34
26	BB	2040	G	P-O5'	6.20	1.66	1.59
1	AA	954	G	O4'-C1'	6.20	1.49	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	AD	9	G	N9-C8	6.20	1.42	1.37
26	BB	144	A	N3-C4	6.20	1.38	1.34
26	BB	1001	A	C6-N6	-6.20	1.28	1.33
26	BB	1227	G	C6-N1	-6.20	1.35	1.39
26	BB	1486	U	C4-O4	-6.20	1.18	1.23
26	BB	2679	A	N9-C4	6.20	1.41	1.37
1	AA	371	A	P-O5'	6.20	1.66	1.59
1	AA	1005	A	C3'-C2'	6.20	1.59	1.52
1	AA	546	A	C5-C6	6.20	1.46	1.41
1	AA	1204	A	C5-C6	-6.20	1.35	1.41
1	AA	1398	A	P-O5'	6.20	1.66	1.59
26	BB	1	G	N3-C4	6.20	1.39	1.35
26	BB	1361	G	C5-C4	-6.20	1.34	1.38
26	BB	1575	C	N1-C6	6.20	1.40	1.37
26	BB	2850	A	P-O5'	6.20	1.66	1.59
1	AA	901	A	C8-N7	-6.19	1.27	1.31
1	AA	1062	U	C4-C5	6.19	1.49	1.43
26	BB	168	G	C4'-O4'	-6.19	1.37	1.45
26	BB	487	C	O4'-C1'	6.19	1.49	1.41
26	BB	2035	G	O4'-C1'	6.19	1.49	1.41
1	AA	1203	C	C4-C5	6.19	1.48	1.43
26	BB	940	G	C5-C4	6.19	1.42	1.38
26	BB	1867	G	C2-N3	6.19	1.37	1.32
26	BB	1890	A	C5-C6	6.19	1.46	1.41
26	BB	2492	U	N1-C6	-6.19	1.32	1.38
1	AA	302	G	C6-O6	-6.19	1.18	1.24
1	AA	616	G	N3-C4	-6.19	1.31	1.35
1	AA	753	A	C2'-O2'	-6.19	1.33	1.41
1	AA	871	U	C3'-C2'	-6.19	1.46	1.52
1	AA	935	A	C2'-C1'	-6.19	1.46	1.53
1	AA	1538	C	C5-C6	6.19	1.39	1.34
9	AI	130	GLU	CD-OE2	-6.19	1.18	1.25
26	BB	1619	G	N9-C8	-6.19	1.33	1.37
26	BB	1805	A	N3-C4	6.19	1.38	1.34
1	AA	1009	U	C2-N3	6.19	1.42	1.37
26	BB	1365	A	C2'-C1'	6.19	1.60	1.53
1	AA	1048	G	C2-N3	6.19	1.37	1.32
1	AA	1393	U	C4'-O4'	-6.19	1.37	1.45
1	AA	1484	C	O3'-P	6.19	1.68	1.61
25	BA	24	G	P-O5'	-6.19	1.53	1.59
26	BB	22	C	P-O5'	6.19	1.66	1.59
26	BB	2394	C	N1-C6	6.19	1.40	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1682	G	N1-C2	6.19	1.42	1.37
26	BB	1784	A	N7-C5	6.19	1.43	1.39
1	AA	621	A	C4'-O4'	6.18	1.53	1.45
1	AA	1292	G	N9-C4	-6.18	1.33	1.38
1	AA	1511	G	N1-C2	6.18	1.42	1.37
26	BB	503	A	N3-C4	6.18	1.38	1.34
26	BB	1382	G	C5-C6	6.18	1.48	1.42
26	BB	2064	C	P-O5'	6.18	1.66	1.59
26	BB	2706	A	C5-C4	-6.18	1.34	1.38
1	AA	702	A	C6-N1	6.18	1.39	1.35
1	AA	928	G	C8-N7	-6.18	1.27	1.30
4	AD	11	A	N3-C4	6.18	1.38	1.34
25	BA	92	C	C4'-O4'	-6.18	1.37	1.45
26	BB	867	C	P-O5'	6.18	1.66	1.59
26	BB	926	G	N9-C8	-6.18	1.33	1.37
26	BB	2585	U	C4'-O4'	-6.18	1.37	1.45
26	BB	2699	C	C5-C6	6.18	1.39	1.34
26	BB	2717	C	C5'-C4'	6.18	1.58	1.51
1	AA	173	U	C2-N3	6.18	1.42	1.37
1	AA	741	G	N7-C5	6.18	1.43	1.39
3	AC	19	A	N7-C5	6.18	1.43	1.39
25	BA	34	A	C6-N6	6.18	1.38	1.33
26	BB	2150	C	O3'-P	6.18	1.68	1.61
1	AA	589	U	O3'-P	6.18	1.68	1.61
1	AA	971	G	C5-C4	-6.18	1.34	1.38
1	AA	1378	C	C2-N3	6.18	1.40	1.35
26	BB	480	A	N7-C5	-6.18	1.35	1.39
26	BB	630	G	C2'-O2'	-6.18	1.33	1.41
26	BB	889	C	C2'-O2'	6.18	1.49	1.41
26	BB	2168	G	C4'-O4'	-6.18	1.37	1.45
26	BB	2507	C	N3-C4	6.18	1.38	1.33
1	AA	1140	C	C2'-C1'	6.18	1.60	1.53
26	BB	2869	G	C2-N3	6.18	1.37	1.32
1	AA	101	A	C6-N6	-6.18	1.29	1.33
1	AA	837	U	C4-C5	6.18	1.49	1.43
26	BB	284	U	N1-C2	6.18	1.44	1.38
26	BB	1389	G	C5'-C4'	6.18	1.58	1.51
26	BB	1622	G	N3-C4	6.18	1.39	1.35
26	BB	1629	U	C2'-C1'	6.18	1.60	1.53
1	AA	486	U	C2-N3	6.17	1.42	1.37
1	AA	1196	A	O3'-P	6.17	1.68	1.61
1	AA	1211	U	C4-O4	-6.17	1.18	1.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1318	A	C6-N1	6.17	1.39	1.35
1	AA	1330	U	C4-C5	6.17	1.49	1.43
25	BA	28	C	P-O5'	-6.17	1.53	1.59
26	BB	219	A	N9-C4	6.17	1.41	1.37
26	BB	602	A	O3'-P	6.17	1.68	1.61
26	BB	2289	G	N1-C2	6.17	1.42	1.37
26	BB	2290	G	C2-N3	6.17	1.37	1.32
26	BB	2528	U	N3-C4	6.17	1.44	1.38
1	AA	249	U	C4-C5	6.17	1.49	1.43
1	AA	633	G	P-O5'	6.17	1.66	1.59
1	AA	702	A	C5-C4	-6.17	1.34	1.38
4	AD	17	C	C2-O2	-6.17	1.18	1.24
26	BB	956	G	N1-C2	6.17	1.42	1.37
26	BB	1224	U	C1'-N1	6.17	1.58	1.48
26	BB	1505	A	O3'-P	-6.17	1.53	1.61
26	BB	1602	U	P-O5'	-6.17	1.53	1.59
26	BB	2761	A	C2'-C1'	6.17	1.60	1.53
26	BB	728	G	N9-C8	-6.17	1.33	1.37
1	AA	232	G	N7-C5	6.17	1.43	1.39
1	AA	302	G	C2'-O2'	-6.17	1.33	1.41
1	AA	1054	C	C3'-C2'	6.17	1.59	1.52
1	AA	1146	A	N7-C5	6.17	1.43	1.39
26	BB	85	G	C5-C4	6.17	1.42	1.38
26	BB	570	G	N3-C4	6.17	1.39	1.35
26	BB	1125	G	C8-N7	6.17	1.34	1.30
26	BB	1292	G	N9-C4	-6.17	1.33	1.38
26	BB	1740	G	C4'-O4'	-6.17	1.37	1.45
26	BB	2512	C	C4'-O4'	-6.17	1.37	1.45
4	AD	26	C	P-O5'	6.17	1.66	1.59
25	BA	6	G	C3'-C2'	6.17	1.59	1.52
26	BB	939	G	O3'-P	6.17	1.68	1.61
26	BB	1340	U	O4'-C1'	6.17	1.49	1.41
1	AA	146	G	C8-N7	-6.17	1.27	1.30
1	AA	1330	U	C2'-O2'	6.17	1.49	1.41
4	AD	63	C	C4-C5	6.17	1.47	1.43
1	AA	789	U	C3'-O3'	6.16	1.50	1.42
1	AA	1321	U	N3-C4	6.16	1.44	1.38
2	AB	22	G	C2-N3	6.16	1.37	1.32
4	AD	31	G	P-O5'	6.16	1.66	1.59
26	BB	354	A	N3-C4	6.16	1.38	1.34
26	BB	908	C	P-O5'	6.16	1.66	1.59
26	BB	1857	G	N7-C5	6.16	1.43	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2225	A	C6-N1	-6.16	1.31	1.35
26	BB	2253	G	C2-N3	6.16	1.37	1.32
26	BB	2285	C	C4-C5	6.16	1.47	1.43
26	BB	131	A	N9-C8	6.16	1.42	1.37
26	BB	212	G	P-O5'	6.16	1.66	1.59
1	AA	1312	G	N3-C4	6.16	1.39	1.35
1	AA	1521	C	C2'-C1'	-6.16	1.46	1.53
26	BB	921	C	N3-C4	6.16	1.38	1.33
26	BB	2023	C	N3-C4	6.16	1.38	1.33
26	BB	2293	G	C2-N3	6.16	1.37	1.32
1	AA	141	G	C2'-C1'	6.16	1.60	1.53
1	AA	1412	C	O3'-P	6.16	1.68	1.61
4	AD	36	A	C8-N7	6.16	1.35	1.31
10	AJ	112	ASP	CB-CG	6.16	1.64	1.51
26	BB	520	G	C8-N7	6.16	1.34	1.30
26	BB	660	C	C2-O2	-6.16	1.19	1.24
26	BB	2052	A	C5'-C4'	6.16	1.58	1.51
26	BB	2264	C	N3-C4	6.16	1.38	1.33
26	BB	2341	G	N9-C8	-6.16	1.33	1.37
26	BB	1610	A	N9-C4	6.16	1.41	1.37
26	BB	1751	U	N1-C6	-6.16	1.32	1.38
26	BB	2010	G	C6-N1	6.16	1.43	1.39
26	BB	2484	G	C4'-O4'	-6.16	1.37	1.45
1	AA	143	A	C4'-C3'	6.16	1.59	1.53
1	AA	1177	G	C8-N7	-6.16	1.27	1.30
1	AA	1331	G	N9-C4	6.16	1.42	1.38
26	BB	710	U	C5-C6	6.16	1.39	1.34
26	BB	1404	C	C5-C6	6.16	1.39	1.34
26	BB	1334	G	N7-C5	6.15	1.43	1.39
26	BB	2801	G	C4'-C3'	-6.15	1.46	1.53
1	AA	247	G	N9-C8	6.15	1.42	1.37
1	AA	1387	G	C4'-O4'	-6.15	1.37	1.45
1	AA	1477	U	C4-C5	6.15	1.49	1.43
26	BB	793	A	C8-N7	-6.15	1.27	1.31
26	BB	1037	G	C3'-C2'	-6.15	1.46	1.52
26	BB	1990	C	C4'-O4'	-6.15	1.37	1.45
26	BB	2401	U	O3'-P	-6.15	1.53	1.61
1	AA	643	C	N3-C4	6.15	1.38	1.33
1	AA	880	C	C5'-C4'	6.15	1.58	1.51
26	BB	273	G	C8-N7	6.15	1.34	1.30
26	BB	653	U	C4'-O4'	-6.15	1.37	1.45
26	BB	1506	U	C2'-O2'	-6.15	1.33	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1521	G	C5'-C4'	6.15	1.58	1.51
26	BB	2306	C	O3'-P	-6.15	1.53	1.61
26	BB	693	A	N9-C8	6.15	1.42	1.37
26	BB	1693	U	C2-N3	-6.15	1.33	1.37
26	BB	2645	G	N7-C5	-6.15	1.35	1.39
1	AA	1123	U	C5-C6	6.15	1.39	1.34
26	BB	1554	U	C4-C5	6.15	1.49	1.43
26	BB	1766	G	P-O5'	6.15	1.65	1.59
26	BB	2055	C	N1-C2	6.15	1.46	1.40
26	BB	2358	A	C8-N7	-6.15	1.27	1.31
26	BB	1777	U	C5'-C4'	6.15	1.58	1.51
26	BB	2672	U	C5'-C4'	6.15	1.58	1.51
26	BB	2700	A	C8-N7	-6.15	1.27	1.31
26	BB	2775	G	C2-N2	-6.15	1.28	1.34
1	AA	164	G	C5-C6	6.14	1.48	1.42
1	AA	279	A	N9-C4	6.14	1.41	1.37
1	AA	724	G	N3-C4	6.14	1.39	1.35
2	AB	5	G	O3'-P	6.14	1.68	1.61
2	AB	42	G	N7-C5	6.14	1.43	1.39
26	BB	870	U	P-O5'	6.14	1.65	1.59
26	BB	1189	A	N3-C4	6.14	1.38	1.34
26	BB	1790	C	C5-C6	6.14	1.39	1.34
26	BB	2083	G	N3-C4	6.14	1.39	1.35
26	BB	2444	G	C1'-N9	6.14	1.57	1.48
37	BM	92	GLU	CG-CD	6.14	1.61	1.51
1	AA	437	U	C4-C5	6.14	1.49	1.43
1	AA	669	G	O3'-P	-6.14	1.53	1.61
1	AA	932	C	P-O5'	6.14	1.65	1.59
1	AA	1087	G	O5'-C5'	-6.14	1.33	1.42
1	AA	1469	C	N1-C6	6.14	1.40	1.37
1	AA	1541	U	P-O5'	6.14	1.65	1.59
2	AB	30	G	N3-C4	6.14	1.39	1.35
4	AD	53	G	C6-N1	6.14	1.43	1.39
26	BB	316	C	C3'-O3'	-6.14	1.33	1.42
26	BB	1961	C	C3'-C2'	6.14	1.59	1.52
26	BB	2303	G	P-O5'	6.14	1.65	1.59
1	AA	105	G	C2-N3	6.14	1.37	1.32
1	AA	127	G	C2-N3	6.14	1.37	1.32
1	AA	751	U	C2'-O2'	6.14	1.49	1.41
1	AA	1283	U	P-O5'	6.14	1.65	1.59
25	BA	99	A	N3-C4	-6.14	1.31	1.34
26	BB	1080	A	C6-N6	6.14	1.38	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1533	C	C2'-C1'	6.14	1.60	1.53
26	BB	1770	G	N3-C4	6.14	1.39	1.35
1	AA	1529	G	C2-N3	6.14	1.37	1.32
2	AB	61	C	C5-C6	6.14	1.39	1.34
26	BB	184	C	C3'-C2'	-6.14	1.46	1.52
26	BB	232	G	N9-C8	-6.14	1.33	1.37
26	BB	339	U	O4'-C1'	6.14	1.49	1.41
26	BB	569	U	P-O5'	6.14	1.65	1.59
26	BB	991	C	C5'-C4'	6.14	1.58	1.51
26	BB	2026	U	C5-C6	6.14	1.39	1.34
26	BB	2488	G	N9-C8	6.14	1.42	1.37
1	AA	50	A	C6-N1	6.14	1.39	1.35
3	AC	16	A	C6-N6	6.14	1.38	1.33
26	BB	34	U	P-O5'	6.14	1.65	1.59
26	BB	409	G	P-O5'	6.14	1.65	1.59
3	AC	30	U	C4-O4	-6.14	1.18	1.23
26	BB	261	G	N9-C8	-6.14	1.33	1.37
26	BB	534	U	C2-O2	6.14	1.27	1.22
26	BB	927	A	C5-C4	-6.14	1.34	1.38
26	BB	982	C	C4'-C3'	6.14	1.59	1.53
26	BB	2165	C	C2-N3	6.14	1.40	1.35
26	BB	2516	A	C4'-O4'	-6.14	1.37	1.45
1	AA	321	A	N9-C4	-6.13	1.34	1.37
2	AB	49	G	C4'-O4'	-6.13	1.37	1.45
25	BA	120	U	C1'-N1	6.13	1.57	1.48
26	BB	14	A	N9-C4	-6.13	1.34	1.37
26	BB	574	A	O3'-P	6.13	1.68	1.61
26	BB	915	C	O3'-P	6.13	1.68	1.61
26	BB	1459	G	C4'-O4'	-6.13	1.37	1.45
26	BB	2563	U	C5-C6	6.13	1.39	1.34
26	BB	2857	G	C4'-C3'	-6.13	1.46	1.53
1	AA	665	A	C8-N7	6.13	1.35	1.31
26	BB	406	G	N7-C5	-6.13	1.35	1.39
1	AA	1337	G	P-O5'	6.13	1.65	1.59
1	AA	1397	C	N3-C4	6.13	1.38	1.33
1	AA	1432	G	C5-C4	-6.13	1.34	1.38
2	AB	62	U	N3-C4	6.13	1.44	1.38
26	BB	349	U	C4'-O4'	-6.13	1.37	1.45
26	BB	469	G	N9-C4	-6.13	1.33	1.38
26	BB	1532	A	N9-C4	-6.13	1.34	1.37
26	BB	2090	A	C8-N7	6.13	1.35	1.31
26	BB	1403	A	N7-C5	-6.13	1.35	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	302	G	P-O5'	6.13	1.65	1.59
1	AA	908	A	C5-C6	6.13	1.46	1.41
1	AA	1112	C	P-O5'	6.13	1.65	1.59
25	BA	49	C	C3'-C2'	6.13	1.59	1.52
26	BB	173	A	C5'-C4'	6.13	1.58	1.51
26	BB	536	G	C6-N1	6.13	1.43	1.39
26	BB	2005	A	C6-N6	-6.13	1.29	1.33
1	AA	178	C	C5'-C4'	6.13	1.58	1.51
1	AA	213	G	C8-N7	-6.13	1.27	1.30
1	AA	307	C	C2'-O2'	6.13	1.49	1.41
1	AA	1259	C	C4-C5	6.13	1.47	1.43
1	AA	1528	U	C2'-C1'	-6.13	1.46	1.53
26	BB	1093	G	C2-N3	6.13	1.37	1.32
1	AA	266	G	O4'-C1'	6.12	1.49	1.41
1	AA	506	G	C5-C4	6.12	1.42	1.38
1	AA	862	C	P-O5'	6.12	1.65	1.59
1	AA	1098	C	C4-N4	6.12	1.39	1.33
26	BB	84	A	C3'-C2'	-6.12	1.46	1.52
26	BB	110	G	P-O5'	-6.12	1.53	1.59
26	BB	1603	A	N9-C8	-6.12	1.32	1.37
25	BA	52	A	C4'-C3'	-6.12	1.46	1.53
26	BB	982	C	C2-N3	6.12	1.40	1.35
26	BB	1734	G	C6-O6	-6.12	1.18	1.24
26	BB	1833	C	C5-C6	6.12	1.39	1.34
26	BB	2087	G	C5'-C4'	6.12	1.58	1.51
26	BB	2608	G	P-O5'	6.12	1.65	1.59
1	AA	85	U	O4'-C1'	-6.12	1.33	1.41
1	AA	979	C	N3-C4	6.12	1.38	1.33
1	AA	1509	C	N1-C6	6.12	1.40	1.37
26	BB	165	A	N3-C4	6.12	1.38	1.34
26	BB	307	G	P-O5'	-6.12	1.53	1.59
26	BB	367	G	C4'-O4'	-6.12	1.37	1.45
26	BB	590	A	C2'-O2'	-6.12	1.33	1.41
26	BB	1670	C	C5'-C4'	6.12	1.58	1.51
26	BB	1683	U	P-O5'	6.12	1.65	1.59
26	BB	2174	C	C2-O2	6.12	1.29	1.24
26	BB	2537	U	C5'-C4'	6.12	1.58	1.51
38	BN	69	ARG	CZ-NH2	6.12	1.41	1.33
1	AA	193	C	C5-C6	6.12	1.39	1.34
2	AB	42	G	N1-C2	6.12	1.42	1.37
1	AA	721	G	C4'-C3'	6.12	1.59	1.53
2	AB	6	C	C4-C5	6.12	1.47	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	601	C	N1-C6	-6.12	1.33	1.37
26	BB	925	A	C6-N6	-6.12	1.29	1.33
26	BB	1759	A	N1-C2	-6.12	1.28	1.34
26	BB	2594	C	C2-O2	-6.12	1.19	1.24
26	BB	2774	C	N3-C4	6.12	1.38	1.33
1	AA	797	C	P-O5'	6.12	1.65	1.59
1	AA	1270	G	C5'-C4'	6.12	1.58	1.51
26	BB	117	G	C2'-C1'	6.12	1.60	1.53
26	BB	621	A	P-O5'	6.12	1.65	1.59
26	BB	757	G	O3'-P	6.12	1.68	1.61
26	BB	946	C	N1-C6	6.12	1.40	1.37
26	BB	1096	A	C5-C4	-6.12	1.34	1.38
26	BB	1823	G	N7-C5	6.12	1.43	1.39
1	AA	332	G	N9-C8	-6.11	1.33	1.37
1	AA	390	U	C5-C6	6.11	1.39	1.34
1	AA	820	U	N1-C6	6.11	1.43	1.38
1	AA	1260	G	C2'-C1'	-6.11	1.46	1.53
1	AA	1491	G	C4'-C3'	6.11	1.59	1.53
3	AC	19	A	N3-C4	6.11	1.38	1.34
26	BB	312	G	N7-C5	6.11	1.43	1.39
26	BB	807	U	C5'-C4'	6.11	1.58	1.51
26	BB	1964	G	C6-N1	6.11	1.43	1.39
26	BB	2792	A	C5-C6	6.11	1.46	1.41
1	AA	1297	G	C5'-C4'	6.11	1.58	1.51
4	AD	34	U	C5-C6	6.11	1.39	1.34
25	BA	43	C	C5-C6	6.11	1.39	1.34
26	BB	219	A	P-O5'	6.11	1.65	1.59
26	BB	278	A	C6-N1	-6.11	1.31	1.35
26	BB	618	G	C5'-C4'	6.11	1.58	1.51
26	BB	1072	C	N3-C4	-6.11	1.29	1.33
26	BB	2118	U	N1-C2	6.11	1.44	1.38
26	BB	2505	G	C5-C4	-6.11	1.34	1.38
26	BB	2576	G	O3'-P	-6.11	1.53	1.61
1	AA	374	A	C3'-C2'	-6.11	1.46	1.52
2	AB	42	G	C4'-C3'	6.11	1.59	1.53
26	BB	375	G	C3'-C2'	6.11	1.59	1.52
26	BB	1573	G	C2-N3	6.11	1.37	1.32
26	BB	1865	U	C5-C6	6.11	1.39	1.34
26	BB	2194	U	C2-N3	6.11	1.42	1.37
52	B1	52	PHE	CG-CD1	6.11	1.48	1.38
1	AA	158	G	C2-N3	6.11	1.37	1.32
1	AA	1178	G	C4'-O4'	-6.11	1.37	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	121	G	C8-N7	-6.11	1.27	1.30
26	BB	694	U	C4'-O4'	-6.11	1.37	1.45
26	BB	1744	A	C5-C4	-6.11	1.34	1.38
26	BB	1964	G	N3-C4	6.11	1.39	1.35
1	AA	175	C	C2-N3	6.11	1.40	1.35
1	AA	1127	G	C2-N3	6.11	1.37	1.32
26	BB	11	C	C2-N3	6.11	1.40	1.35
26	BB	733	G	N1-C2	-6.11	1.32	1.37
26	BB	900	A	N1-C2	-6.11	1.28	1.34
26	BB	1275	A	C5'-C4'	6.11	1.58	1.51
26	BB	1964	G	C2-N3	6.11	1.37	1.32
1	AA	1067	A	N3-C4	6.11	1.38	1.34
3	AC	37	G	C2-N3	-6.11	1.27	1.32
25	BA	57	A	C3'-C2'	6.11	1.59	1.52
26	BB	866	A	O4'-C1'	6.11	1.49	1.41
26	BB	1600	C	C4'-O4'	-6.11	1.37	1.45
26	BB	2050	C	C2'-C1'	-6.11	1.46	1.53
26	BB	2061	G	C4'-C3'	6.11	1.59	1.53
26	BB	2129	C	N1-C6	6.11	1.40	1.37
26	BB	2801	G	N7-C5	-6.11	1.35	1.39
1	AA	509	A	N9-C4	-6.10	1.34	1.37
1	AA	1368	A	P-O5'	6.10	1.65	1.59
3	AC	18	A	P-O5'	6.10	1.65	1.59
26	BB	732	C	C5'-C4'	6.10	1.58	1.51
26	BB	835	C	O3'-P	6.10	1.68	1.61
26	BB	1116	G	C2'-C1'	6.10	1.60	1.53
26	BB	1796	U	C2-N3	6.10	1.42	1.37
26	BB	2035	G	P-O5'	6.10	1.65	1.59
1	AA	262	A	N7-C5	6.10	1.43	1.39
1	AA	1002	G	C8-N7	6.10	1.34	1.30
1	AA	1507	A	C4'-O4'	-6.10	1.37	1.45
26	BB	758	C	C4-C5	6.10	1.47	1.43
26	BB	780	G	C2-N3	6.10	1.37	1.32
26	BB	1701	A	C8-N7	-6.10	1.27	1.31
26	BB	1715	G	C5-C6	6.10	1.48	1.42
26	BB	2185	U	C2-N3	6.10	1.42	1.37
26	BB	2188	U	C4-C5	6.10	1.49	1.43
39	BO	28	PHE	CG-CD1	6.10	1.48	1.38
1	AA	1106	G	C8-N7	6.10	1.34	1.30
26	BB	1593	A	C6-N1	-6.10	1.31	1.35
1	AA	360	G	O5'-C5'	-6.10	1.33	1.42
1	AA	884	U	O3'-P	6.10	1.68	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	606	U	C5'-C4'	6.10	1.58	1.51
26	BB	1408	G	C6-N1	6.10	1.43	1.39
26	BB	2023	C	C5'-C4'	6.10	1.58	1.51
1	AA	568	G	O3'-P	6.10	1.68	1.61
1	AA	1021	A	C4'-O4'	-6.10	1.37	1.45
25	BA	61	G	C2-N3	6.10	1.37	1.32
26	BB	446	G	C2'-C1'	-6.10	1.46	1.53
26	BB	1416	G	C2'-C1'	-6.10	1.46	1.53
26	BB	2501	C	N3-C4	6.10	1.38	1.33
26	BB	316	C	C2-N3	6.10	1.40	1.35
26	BB	1543	G	C6-N1	6.10	1.43	1.39
26	BB	1605	C	N1-C2	6.10	1.46	1.40
1	AA	255	G	C4'-O4'	-6.09	1.37	1.45
1	AA	330	C	N1-C6	6.09	1.40	1.37
1	AA	349	A	C2'-C1'	6.09	1.60	1.53
1	AA	974	A	C5'-C4'	6.09	1.58	1.51
1	AA	1275	A	C2'-O2'	6.09	1.49	1.41
26	BB	17	G	C2-N3	6.09	1.37	1.32
26	BB	131	A	O3'-P	6.09	1.68	1.61
26	BB	280	U	C5-C6	6.09	1.39	1.34
26	BB	412	A	P-O5'	6.09	1.65	1.59
26	BB	450	G	N3-C4	6.09	1.39	1.35
26	BB	635	C	C5'-C4'	6.09	1.58	1.51
26	BB	893	C	C4-C5	6.09	1.47	1.43
26	BB	1323	C	C4-C5	6.09	1.47	1.43
26	BB	1425	G	N9-C8	6.09	1.42	1.37
26	BB	1852	U	C1'-N1	6.09	1.57	1.48
26	BB	2526	G	C3'-C2'	6.09	1.59	1.52
1	AA	354	G	C8-N7	-6.09	1.27	1.30
1	AA	1508	A	C5'-C4'	6.09	1.58	1.51
26	BB	48	G	N9-C4	-6.09	1.33	1.38
26	BB	626	A	N9-C4	6.09	1.41	1.37
26	BB	656	G	C6-N1	6.09	1.43	1.39
26	BB	789	A	C2-N3	6.09	1.39	1.33
26	BB	1218	G	N9-C8	-6.09	1.33	1.37
26	BB	1667	G	C5-C6	6.09	1.48	1.42
26	BB	1965	C	P-O5'	6.09	1.65	1.59
26	BB	2029	G	N9-C8	6.09	1.42	1.37
26	BB	2244	U	C3'-O3'	-6.09	1.33	1.42
26	BB	2361	G	N9-C8	6.09	1.42	1.37
26	BB	2701	U	O3'-P	-6.09	1.53	1.61
1	AA	927	G	C8-N7	6.09	1.34	1.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	968	A	C2'-C1'	-6.09	1.46	1.53
26	BB	321	U	C5-C6	6.09	1.39	1.34
26	BB	900	A	C8-N7	-6.09	1.27	1.31
26	BB	1777	U	C4-C5	6.09	1.49	1.43
26	BB	1959	G	C5-C6	6.09	1.48	1.42
39	BO	103	TYR	CE1-CZ	6.09	1.46	1.38
1	AA	350	G	C4'-O4'	-6.09	1.37	1.45
1	AA	997	U	C4-C5	6.09	1.49	1.43
1	AA	1313	U	C4-C5	6.09	1.49	1.43
1	AA	1534	A	N7-C5	6.09	1.43	1.39
26	BB	494	G	N1-C2	6.09	1.42	1.37
26	BB	2082	A	C5-C4	-6.09	1.34	1.38
26	BB	2289	G	C8-N7	6.09	1.34	1.30
1	AA	1142	G	C6-N1	6.08	1.43	1.39
12	AL	37	TYR	CE1-CZ	6.08	1.46	1.38
26	BB	1554	U	C5-C6	6.08	1.39	1.34
26	BB	2172	U	C4-C5	6.08	1.49	1.43
26	BB	2860	A	C2-N3	6.08	1.39	1.33
1	AA	44	A	C5-C4	6.08	1.43	1.38
1	AA	748	G	C5'-C4'	6.08	1.58	1.51
1	AA	790	A	N9-C8	-6.08	1.32	1.37
1	AA	1249	C	C4-C5	6.08	1.47	1.43
1	AA	1412	C	C4-C5	6.08	1.47	1.43
26	BB	1316	U	C2-N3	-6.08	1.33	1.37
26	BB	1390	U	C5'-C4'	6.08	1.58	1.51
26	BB	1548	A	C4'-O4'	-6.08	1.37	1.45
26	BB	1985	C	N1-C6	6.08	1.40	1.37
1	AA	277	C	N1-C6	6.08	1.40	1.37
1	AA	454	G	N1-C2	6.08	1.42	1.37
1	AA	646	G	N7-C5	-6.08	1.35	1.39
26	BB	142	A	P-O5'	6.08	1.65	1.59
26	BB	561	G	C5-C6	6.08	1.48	1.42
26	BB	910	A	N7-C5	6.08	1.42	1.39
3	AC	47	C	N1-C6	6.08	1.40	1.37
26	BB	2147	A	C8-N7	-6.08	1.27	1.31
1	AA	96	U	N3-C4	6.08	1.44	1.38
26	BB	769	U	C2-N3	6.08	1.42	1.37
26	BB	827	U	C4'-O4'	-6.08	1.37	1.45
26	BB	2867	G	P-O5'	6.08	1.65	1.59
1	AA	416	G	O3'-P	6.08	1.68	1.61
1	AA	443	C	C4-C5	6.08	1.47	1.43
1	AA	735	C	C2-N3	6.08	1.40	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	267	C	O3'-P	6.08	1.68	1.61
26	BB	349	U	O4'-C1'	6.08	1.49	1.41
26	BB	1580	A	N7-C5	6.08	1.42	1.39
1	AA	728	A	O3'-P	6.08	1.68	1.61
26	BB	728	G	N1-C2	-6.08	1.32	1.37
26	BB	911	A	N3-C4	-6.08	1.31	1.34
26	BB	2107	G	N7-C5	-6.08	1.35	1.39
1	AA	46	G	C4'-O4'	-6.07	1.37	1.45
1	AA	955	U	C5'-C4'	6.07	1.58	1.51
1	AA	1404	C	N1-C6	6.07	1.40	1.37
26	BB	785	G	P-O5'	6.07	1.65	1.59
26	BB	1269	A	C6-N6	-6.07	1.29	1.33
26	BB	2346	A	C5-C6	6.07	1.46	1.41
26	BB	759	G	N9-C8	-6.07	1.33	1.37
26	BB	1927	A	C5-C6	6.07	1.46	1.41
1	AA	352	C	P-O5'	6.07	1.65	1.59
1	AA	873	A	P-O5'	6.07	1.65	1.59
1	AA	986	U	C4-O4	6.07	1.28	1.23
1	AA	1493	A	C5'-C4'	6.07	1.58	1.51
26	BB	374	A	C4'-O4'	-6.07	1.37	1.45
26	BB	466	A	P-O5'	6.07	1.65	1.59
26	BB	944	C	C5-C6	6.07	1.39	1.34
26	BB	1991	U	P-O5'	6.07	1.65	1.59
26	BB	2136	G	N3-C4	6.07	1.39	1.35
1	AA	320	A	C6-N1	-6.07	1.31	1.35
2	AB	63	C	N3-C4	6.07	1.38	1.33
26	BB	1869	G	O3'-P	-6.07	1.53	1.61
26	BB	1880	U	C1'-N1	6.07	1.57	1.48
1	AA	123	U	C5-C6	6.07	1.39	1.34
1	AA	941	G	C6-N1	6.07	1.43	1.39
4	AD	66	C	C4'-C3'	6.07	1.59	1.53
26	BB	387	U	C4'-C3'	-6.07	1.46	1.53
26	BB	455	C	C1'-N1	6.07	1.57	1.48
26	BB	546	U	C2-N3	-6.07	1.33	1.37
26	BB	659	G	C8-N7	6.07	1.34	1.30
26	BB	662	G	O3'-P	6.07	1.68	1.61
26	BB	925	A	C5-C6	6.07	1.46	1.41
26	BB	1950	G	C6-O6	-6.07	1.18	1.24
26	BB	2425	A	C4'-O4'	-6.07	1.37	1.45
26	BB	2585	U	P-O5'	-6.07	1.53	1.59
1	AA	949	A	N9-C8	-6.07	1.32	1.37
26	BB	414	C	N1-C6	6.07	1.40	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1107	G	P-O5'	-6.07	1.53	1.59
26	BB	1543	G	C3'-O3'	-6.07	1.33	1.42
26	BB	1860	G	N1-C2	6.07	1.42	1.37
26	BB	2283	C	C5-C6	6.07	1.39	1.34
1	AA	584	G	C2-N3	6.06	1.37	1.32
2	AB	38	A	C4'-O4'	-6.06	1.37	1.45
26	BB	1788	C	P-O5'	6.06	1.65	1.59
26	BB	2874	C	C2-N3	6.06	1.40	1.35
1	AA	21	G	N9-C8	-6.06	1.33	1.37
1	AA	846	G	N9-C4	-6.06	1.33	1.38
1	AA	1384	C	C5-C6	6.06	1.39	1.34
26	BB	689	A	N7-C5	6.06	1.42	1.39
26	BB	1308	A	C6-N1	-6.06	1.31	1.35
26	BB	1367	A	C4'-C3'	-6.06	1.46	1.53
26	BB	1399	C	N1-C6	-6.06	1.33	1.37
1	AA	9	G	C2-N3	6.06	1.37	1.32
26	BB	445	C	P-O5'	6.06	1.65	1.59
26	BB	2249	U	C2-N3	6.06	1.42	1.37
26	BB	2545	G	C8-N7	6.06	1.34	1.30
1	AA	463	U	C2-N3	6.06	1.42	1.37
1	AA	695	A	N9-C8	-6.06	1.32	1.37
1	AA	1258	G	C2-N3	6.06	1.37	1.32
1	AA	1282	C	N3-C4	6.06	1.38	1.33
1	AA	1388	C	C2-N3	-6.06	1.30	1.35
26	BB	1382	G	C2-N3	6.06	1.37	1.32
26	BB	1513	U	C2'-C1'	6.06	1.60	1.53
26	BB	1938	A	N3-C4	6.06	1.38	1.34
26	BB	2887	A	C2-N3	6.06	1.39	1.33
1	AA	102	G	C5'-C4'	6.06	1.58	1.51
1	AA	339	C	N3-C4	-6.06	1.29	1.33
1	AA	865	A	C3'-C2'	6.06	1.59	1.52
1	AA	1145	A	N9-C8	6.06	1.42	1.37
1	AA	1534	A	C2'-C1'	6.06	1.60	1.53
26	BB	859	G	P-O5'	6.06	1.65	1.59
26	BB	2016	U	N1-C6	6.06	1.43	1.38
1	AA	1017	U	C2-N3	6.06	1.42	1.37
26	BB	1044	C	O4'-C1'	6.06	1.49	1.41
26	BB	1327	A	N9-C4	-6.06	1.34	1.37
1	AA	177	G	C6-N1	6.05	1.43	1.39
26	BB	51	G	N7-C5	-6.05	1.35	1.39
26	BB	330	A	C5-C4	6.05	1.43	1.38
26	BB	806	C	C2-O2	-6.05	1.19	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1014	A	C5-C4	6.05	1.43	1.38
26	BB	1240	U	C5-C6	6.05	1.39	1.34
26	BB	1719	G	C8-N7	-6.05	1.27	1.30
26	BB	1794	A	C2-N3	6.05	1.39	1.33
26	BB	2050	C	N1-C6	-6.05	1.33	1.37
1	AA	311	C	C4-C5	6.05	1.47	1.43
1	AA	592	G	C6-O6	6.05	1.29	1.24
26	BB	805	G	C4'-C3'	6.05	1.59	1.53
26	BB	1239	G	C5'-C4'	6.05	1.58	1.51
26	BB	1319	C	N3-C4	6.05	1.38	1.33
26	BB	1511	G	N1-C2	6.05	1.42	1.37
26	BB	2329	U	C5'-C4'	6.05	1.58	1.51
26	BB	2512	C	N1-C6	6.05	1.40	1.37
1	AA	80	A	C5-C4	-6.05	1.34	1.38
1	AA	1188	A	N7-C5	6.05	1.42	1.39
1	AA	1338	G	N9-C4	6.05	1.42	1.38
26	BB	726	G	C5'-C4'	6.05	1.58	1.51
26	BB	1886	U	O3'-P	6.05	1.68	1.61
25	BA	98	G	C5-C6	6.05	1.48	1.42
26	BB	485	C	C4-C5	6.05	1.47	1.43
26	BB	2428	G	N7-C5	-6.05	1.35	1.39
26	BB	1347	A	C5'-C4'	6.05	1.58	1.51
26	BB	1545	A	N1-C2	-6.05	1.28	1.34
26	BB	2067	G	N7-C5	6.05	1.42	1.39
26	BB	2505	G	C5-C6	6.05	1.48	1.42
1	AA	495	A	N9-C4	6.05	1.41	1.37
1	AA	570	G	C6-N1	6.05	1.43	1.39
1	AA	861	G	N7-C5	6.05	1.42	1.39
1	AA	1347	G	C6-N1	6.05	1.43	1.39
26	BB	211	C	C3'-C2'	6.05	1.59	1.52
26	BB	1057	A	C2'-C1'	6.05	1.60	1.53
1	AA	1319	A	N7-C5	-6.04	1.35	1.39
26	BB	656	G	C5-C6	6.04	1.48	1.42
26	BB	947	A	N9-C4	-6.04	1.34	1.37
26	BB	1095	A	N3-C4	6.04	1.38	1.34
26	BB	2220	U	C4-C5	6.04	1.49	1.43
1	AA	613	C	O3'-P	-6.04	1.53	1.61
1	AA	882	C	O3'-P	6.04	1.68	1.61
1	AA	1003	G	C6-N1	6.04	1.43	1.39
2	AB	59	G	N3-C4	6.04	1.39	1.35
26	BB	319	G	C4'-O4'	-6.04	1.37	1.45
26	BB	675	A	C4'-O4'	-6.04	1.37	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1858	A	P-O5'	6.04	1.65	1.59
1	AA	1298	U	N1-C2	6.04	1.44	1.38
4	AD	31	G	C4'-O4'	-6.04	1.37	1.45
25	BA	93	C	P-O5'	6.04	1.65	1.59
26	BB	565	C	N1-C6	6.04	1.40	1.37
26	BB	645	C	C2'-C1'	6.04	1.59	1.53
26	BB	2285	C	C2-N3	6.04	1.40	1.35
26	BB	2668	G	N1-C2	6.04	1.42	1.37
1	AA	143	A	C3'-O3'	-6.04	1.33	1.42
26	BB	2140	G	C6-O6	-6.04	1.18	1.24
26	BB	2207	C	P-O5'	6.04	1.65	1.59
1	AA	377	G	C2-N3	6.04	1.37	1.32
2	AB	1	A	C6-N1	6.04	1.39	1.35
26	BB	214	G	C2'-O2'	6.04	1.49	1.41
26	BB	441	U	N1-C6	-6.04	1.32	1.38
26	BB	2071	A	C5-C4	6.04	1.43	1.38
1	AA	349	A	O3'-P	6.04	1.68	1.61
1	AA	405	U	C5-C6	6.04	1.39	1.34
1	AA	680	C	N1-C6	-6.04	1.33	1.37
26	BB	1737	G	C5-C6	6.04	1.48	1.42
26	BB	2365	G	P-O5'	-6.04	1.53	1.59
52	B1	41	PRO	N-CD	-6.04	1.39	1.47
1	AA	925	G	C2-N3	6.03	1.37	1.32
2	AB	43	G	P-O5'	6.03	1.65	1.59
25	BA	39	A	C3'-C2'	6.03	1.59	1.52
26	BB	705	A	N3-C4	6.03	1.38	1.34
26	BB	787	C	C2-O2	-6.03	1.19	1.24
26	BB	885	C	C4-C5	6.03	1.47	1.43
26	BB	1037	G	O3'-P	6.03	1.68	1.61
26	BB	1538	G	C2-N2	-6.03	1.28	1.34
26	BB	1913	A	C4'-O4'	-6.03	1.37	1.45
1	AA	872	A	O3'-P	6.03	1.68	1.61
3	AC	41	A	N7-C5	-6.03	1.35	1.39
26	BB	289	G	C4'-O4'	-6.03	1.37	1.45
1	AA	380	G	C5'-C4'	6.03	1.58	1.51
1	AA	538	G	N3-C4	6.03	1.39	1.35
1	AA	1082	A	C4'-O4'	-6.03	1.37	1.45
1	AA	1319	A	N3-C4	6.03	1.38	1.34
26	BB	285	G	O4'-C1'	6.03	1.49	1.41
26	BB	637	A	C3'-C2'	-6.03	1.46	1.52
26	BB	1386	C	C4-C5	6.03	1.47	1.43
26	BB	2275	C	C4-N4	6.03	1.39	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2652	C	O4'-C1'	6.03	1.49	1.41
1	AA	1475	G	C6-N1	6.03	1.43	1.39
26	BB	1630	A	C4'-C3'	-6.03	1.46	1.53
1	AA	225	C	C1'-N1	6.03	1.57	1.48
26	BB	1318	U	C4-C5	6.03	1.49	1.43
26	BB	2282	G	C3'-C2'	6.03	1.59	1.52
26	BB	2470	G	N1-C2	-6.03	1.32	1.37
1	AA	155	A	C1'-N9	6.03	1.57	1.48
26	BB	784	G	C4'-O4'	-6.03	1.37	1.45
26	BB	874	G	C3'-C2'	6.03	1.59	1.52
26	BB	1384	A	C2'-C1'	-6.03	1.46	1.53
26	BB	1600	C	N3-C4	6.03	1.38	1.33
26	BB	1769	U	P-O5'	6.03	1.65	1.59
26	BB	1921	G	C6-N1	6.03	1.43	1.39
26	BB	654	A	C5-C6	6.02	1.46	1.41
26	BB	1035	U	C4-C5	6.02	1.49	1.43
1	AA	759	A	C6-N1	-6.02	1.31	1.35
1	AA	1288	A	P-O5'	6.02	1.65	1.59
1	AA	1467	C	C2'-C1'	6.02	1.59	1.53
26	BB	138	U	C4'-C3'	6.02	1.59	1.53
26	BB	2582	G	N9-C8	-6.02	1.33	1.37
25	BA	54	G	N9-C8	6.02	1.42	1.37
26	BB	485	C	C4-N4	6.02	1.39	1.33
26	BB	2065	C	C4'-O4'	-6.02	1.37	1.45
1	AA	310	G	N9-C4	6.02	1.42	1.38
25	BA	107	G	C2-N3	6.02	1.37	1.32
26	BB	984	A	N7-C5	-6.02	1.35	1.39
1	AA	57	G	N1-C2	6.02	1.42	1.37
1	AA	307	C	N3-C4	-6.02	1.29	1.33
19	AS	59	HIS	CB-CG	6.02	1.60	1.50
26	BB	999	U	C4-C5	6.02	1.49	1.43
26	BB	1704	C	O3'-P	6.02	1.68	1.61
26	BB	1717	A	N7-C5	6.02	1.42	1.39
26	BB	2692	G	C8-N7	6.02	1.34	1.30
1	AA	643	C	O3'-P	6.02	1.68	1.61
1	AA	823	C	N1-C6	6.02	1.40	1.37
26	BB	841	G	C8-N7	6.02	1.34	1.30
26	BB	2028	U	N3-C4	6.02	1.43	1.38
26	BB	2308	G	C5'-C4'	6.02	1.58	1.51
26	BB	2524	G	N3-C4	6.02	1.39	1.35
1	AA	872	A	N7-C5	-6.01	1.35	1.39
3	AC	23	C	P-O5'	6.01	1.65	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	271	G	N7-C5	6.01	1.42	1.39
26	BB	457	A	N3-C4	6.01	1.38	1.34
26	BB	1543	G	O4'-C1'	6.01	1.49	1.41
26	BB	1590	A	N9-C8	6.01	1.42	1.37
26	BB	1798	U	C5-C6	6.01	1.39	1.34
26	BB	2356	U	N1-C6	-6.01	1.32	1.38
2	AB	36	A	C3'-C2'	6.01	1.59	1.52
26	BB	1689	A	P-O5'	6.01	1.65	1.59
26	BB	1914	C	C2'-C1'	6.01	1.59	1.53
1	AA	696	A	C4'-C3'	6.01	1.59	1.53
1	AA	1317	C	C5-C6	6.01	1.39	1.34
26	BB	378	C	P-O5'	6.01	1.65	1.59
26	BB	385	C	O4'-C1'	-6.01	1.33	1.41
26	BB	393	C	C4'-O4'	-6.01	1.37	1.45
26	BB	1125	G	C5'-C4'	6.01	1.58	1.51
26	BB	1348	C	C2'-C1'	6.01	1.59	1.53
26	BB	1421	G	N9-C4	6.01	1.42	1.38
26	BB	2242	G	C4'-O4'	-6.01	1.37	1.45
37	BM	32	TYR	CG-CD2	6.01	1.47	1.39
1	AA	605	U	P-O5'	6.01	1.65	1.59
1	AA	1450	U	C2-N3	6.01	1.42	1.37
25	BA	80	U	C1'-N1	6.01	1.57	1.48
25	BA	115	A	N9-C4	6.01	1.41	1.37
25	BA	118	C	O3'-P	6.01	1.68	1.61
26	BB	65	U	C5'-C4'	6.01	1.58	1.51
26	BB	1198	U	C4-C5	6.01	1.49	1.43
26	BB	2289	G	P-O5'	6.01	1.65	1.59
26	BB	2389	G	N9-C4	-6.01	1.33	1.38
1	AA	529	G	C5-C4	6.01	1.42	1.38
26	BB	1515	A	C2'-C1'	6.01	1.59	1.53
26	BB	2284	A	C5-C6	-6.01	1.35	1.41
26	BB	2757	A	C6-N1	-6.01	1.31	1.35
26	BB	2832	U	P-O5'	6.01	1.65	1.59
1	AA	2	A	N7-C5	6.01	1.42	1.39
1	AA	324	G	C8-N7	-6.01	1.27	1.30
26	BB	927	A	C5-C6	6.01	1.46	1.41
26	BB	948	C	C3'-O3'	-6.01	1.33	1.42
26	BB	1136	G	C2-N2	-6.01	1.28	1.34
1	AA	1003	G	C2-N3	6.00	1.37	1.32
1	AA	1413	A	P-O5'	6.00	1.65	1.59
2	AB	58	A	N1-C2	6.00	1.39	1.34
1	AA	708	C	C2-N3	6.00	1.40	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	572	A	C3'-C2'	6.00	1.59	1.52
26	BB	2041	U	C2'-C1'	6.00	1.59	1.53
26	BB	2057	G	N7-C5	6.00	1.42	1.39
26	BB	2785	C	C3'-C2'	-6.00	1.46	1.52
26	BB	2807	U	C4-O4	-6.00	1.18	1.23
1	AA	1142	G	C6-O6	-6.00	1.18	1.24
25	BA	76	G	N9-C8	6.00	1.42	1.37
26	BB	109	C	C2-N3	6.00	1.40	1.35
26	BB	296	U	C5'-C4'	6.00	1.58	1.51
26	BB	618	G	N7-C5	-6.00	1.35	1.39
26	BB	1310	G	N9-C4	-6.00	1.33	1.38
26	BB	1627	G	C3'-C2'	6.00	1.59	1.52
26	BB	1702	G	C2-N2	-6.00	1.28	1.34
26	BB	1716	U	C2'-O2'	-6.00	1.33	1.41
26	BB	2183	A	C8-N7	6.00	1.35	1.31
26	BB	2221	G	O3'-P	6.00	1.68	1.61
26	BB	2236	U	C5-C6	6.00	1.39	1.34
26	BB	2780	G	N1-C2	6.00	1.42	1.37
1	AA	355	C	C2'-C1'	6.00	1.59	1.53
1	AA	725	G	N3-C4	6.00	1.39	1.35
1	AA	811	C	N3-C4	6.00	1.38	1.33
26	BB	1484	U	C2-N3	6.00	1.42	1.37
26	BB	2220	U	C2-N3	6.00	1.42	1.37
26	BB	2473	U	C3'-C2'	-6.00	1.46	1.52
1	AA	168	G	C5-C4	-6.00	1.34	1.38
1	AA	420	U	N3-C4	6.00	1.43	1.38
1	AA	435	A	N3-C4	6.00	1.38	1.34
1	AA	1361	G	O4'-C1'	-6.00	1.33	1.41
26	BB	438	G	C8-N7	6.00	1.34	1.30
26	BB	751	A	C6-N1	-6.00	1.31	1.35
26	BB	1986	C	N1-C2	6.00	1.46	1.40
26	BB	2138	G	N1-C2	6.00	1.42	1.37
34	BJ	70	CYS	CB-SG	6.00	1.92	1.82
1	AA	394	G	N9-C8	6.00	1.42	1.37
1	AA	902	G	N3-C4	6.00	1.39	1.35
4	AD	49	C	C5-C6	6.00	1.39	1.34
26	BB	197	A	C1'-N9	6.00	1.57	1.48
26	BB	227	A	N9-C8	-6.00	1.32	1.37
26	BB	756	A	N9-C4	-6.00	1.34	1.37
26	BB	1114	C	C2-N3	6.00	1.40	1.35
26	BB	2391	G	O4'-C1'	6.00	1.49	1.41
26	BB	2640	G	C2-N3	6.00	1.37	1.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	331	G	C8-N7	6.00	1.34	1.30
1	AA	919	A	C5'-C4'	6.00	1.58	1.51
26	BB	165	A	C8-N7	-6.00	1.27	1.31
1	AA	295	C	P-O5'	5.99	1.65	1.59
1	AA	1355	G	O3'-P	5.99	1.68	1.61
25	BA	50	A	N1-C2	-5.99	1.28	1.34
26	BB	773	U	C2-N3	5.99	1.42	1.37
26	BB	1047	G	C6-N1	-5.99	1.35	1.39
26	BB	1483	G	N9-C4	5.99	1.42	1.38
26	BB	1687	G	C2-N3	5.99	1.37	1.32
26	BB	2146	C	C4-N4	5.99	1.39	1.33
26	BB	2155	U	O4'-C1'	-5.99	1.33	1.41
26	BB	2631	G	C2-N3	5.99	1.37	1.32
2	AB	70	C	C3'-C2'	5.99	1.59	1.52
26	BB	379	G	N9-C8	-5.99	1.33	1.37
26	BB	520	G	N3-C4	5.99	1.39	1.35
26	BB	944	C	C2-N3	5.99	1.40	1.35
1	AA	495	A	C6-N6	5.99	1.38	1.33
1	AA	1412	C	C5-C6	5.99	1.39	1.34
1	AA	1426	G	C2-N3	5.99	1.37	1.32
4	AD	11	A	N1-C2	5.99	1.39	1.34
26	BB	179	C	C4-N4	-5.99	1.28	1.33
26	BB	314	C	P-O5'	5.99	1.65	1.59
26	BB	352	A	N3-C4	5.99	1.38	1.34
26	BB	806	C	O3'-P	5.99	1.68	1.61
26	BB	1444	G	C5-C4	-5.99	1.34	1.38
26	BB	1580	A	C5-C6	5.99	1.46	1.41
26	BB	2345	G	C6-O6	5.99	1.29	1.24
26	BB	2557	G	C2'-C1'	5.99	1.59	1.53
26	BB	2638	G	C5-C4	-5.99	1.34	1.38
26	BB	2720	U	C4'-C3'	-5.99	1.46	1.52
1	AA	359	G	N9-C8	-5.99	1.33	1.37
1	AA	797	C	C4-C5	5.99	1.47	1.43
1	AA	814	A	N7-C5	5.99	1.42	1.39
25	BA	24	G	N1-C2	5.99	1.42	1.37
25	BA	102	G	N9-C8	-5.99	1.33	1.37
26	BB	445	C	C2-O2	-5.99	1.19	1.24
26	BB	1710	G	N9-C8	5.99	1.42	1.37
26	BB	1856	U	O3'-P	5.99	1.68	1.61
26	BB	1904	G	O4'-C1'	5.99	1.49	1.41
26	BB	2232	C	N3-C4	-5.99	1.29	1.33
26	BB	2502	G	N9-C8	5.99	1.42	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1452	C	N3-C4	-5.99	1.29	1.33
1	AA	1482	G	C5-C6	5.99	1.48	1.42
26	BB	242	G	C5'-C4'	5.99	1.58	1.51
26	BB	2138	G	C4'-O4'	-5.99	1.37	1.45
1	AA	119	A	C5-C6	5.99	1.46	1.41
1	AA	561	U	O3'-P	5.99	1.68	1.61
1	AA	1316	G	C3'-C2'	5.99	1.59	1.52
3	AC	50	U	N1-C6	5.99	1.43	1.38
26	BB	763	G	N9-C4	5.99	1.42	1.38
26	BB	1861	G	C8-N7	-5.99	1.27	1.30
26	BB	1811	G	C5'-C4'	5.98	1.58	1.51
1	AA	432	A	C2-N3	5.98	1.39	1.33
1	AA	679	C	P-O5'	5.98	1.65	1.59
1	AA	1035	A	C8-N7	-5.98	1.27	1.31
26	BB	533	G	C8-N7	5.98	1.34	1.30
26	BB	1078	U	C2-N3	5.98	1.42	1.37
26	BB	1191	G	N7-C5	-5.98	1.35	1.39
26	BB	1262	A	C6-N1	5.98	1.39	1.35
26	BB	1409	U	C2'-C1'	5.98	1.59	1.53
26	BB	1720	U	P-O5'	5.98	1.65	1.59
1	AA	90	C	C4'-O4'	5.98	1.53	1.45
1	AA	379	C	O3'-P	5.98	1.68	1.61
1	AA	546	A	C5'-C4'	5.98	1.58	1.51
1	AA	639	G	N7-C5	-5.98	1.35	1.39
2	AB	27	C	P-O5'	5.98	1.65	1.59
26	BB	14	A	C4'-C3'	5.98	1.59	1.53
26	BB	473	G	C2-N3	5.98	1.37	1.32
26	BB	657	U	N3-C4	5.98	1.43	1.38
26	BB	1583	A	C6-N1	5.98	1.39	1.35
26	BB	2130	U	C5-C6	5.98	1.39	1.34
1	AA	252	U	N1-C2	5.98	1.44	1.38
1	AA	971	G	N3-C4	5.98	1.39	1.35
1	AA	1180	A	P-O5'	-5.98	1.53	1.59
1	AA	1235	U	O3'-P	5.98	1.68	1.61
26	BB	2644	G	C4'-O4'	-5.98	1.37	1.45
1	AA	69	G	C6-N1	5.98	1.43	1.39
1	AA	455	G	O3'-P	5.98	1.68	1.61
22	AV	75	PRO	N-CD	-5.98	1.39	1.47
26	BB	251	A	C5-C4	-5.98	1.34	1.38
26	BB	411	G	C6-N1	5.98	1.43	1.39
26	BB	725	G	N7-C5	-5.98	1.35	1.39
26	BB	1918	A	C6-N6	5.98	1.38	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2094	A	P-O5'	5.98	1.65	1.59
1	AA	273	U	N3-C4	5.98	1.43	1.38
1	AA	689	C	N3-C4	5.98	1.38	1.33
1	AA	922	G	C3'-C2'	-5.98	1.46	1.52
1	AA	1279	G	C5-C4	5.98	1.42	1.38
26	BB	711	G	N3-C4	5.98	1.39	1.35
26	BB	2648	G	C2-N3	5.98	1.37	1.32
1	AA	902	G	N1-C2	5.97	1.42	1.37
1	AA	1193	G	C2-N3	5.97	1.37	1.32
4	AD	32	G	O4'-C1'	5.97	1.49	1.41
26	BB	315	G	N9-C8	5.97	1.42	1.37
26	BB	1143	A	P-O5'	5.97	1.65	1.59
26	BB	1265	A	O3'-P	5.97	1.68	1.61
26	BB	1766	G	C4'-O4'	-5.97	1.37	1.45
26	BB	1861	G	N9-C4	-5.97	1.33	1.38
26	BB	2133	G	C4'-C3'	-5.97	1.46	1.52
1	AA	216	U	C5-C6	5.97	1.39	1.34
1	AA	976	G	C6-N1	-5.97	1.35	1.39
26	BB	667	U	C5'-C4'	5.97	1.58	1.51
26	BB	796	C	C5'-C4'	5.97	1.58	1.51
26	BB	1121	C	C4-C5	5.97	1.47	1.43
26	BB	1505	A	C8-N7	-5.97	1.27	1.31
26	BB	1644	C	C2-N3	5.97	1.40	1.35
26	BB	1793	C	C3'-O3'	5.97	1.50	1.42
26	BB	1921	G	C8-N7	5.97	1.34	1.30
26	BB	1951	U	C4-O4	5.97	1.28	1.23
26	BB	2128	G	C5-C4	5.97	1.42	1.38
26	BB	2242	G	C6-O6	-5.97	1.18	1.24
26	BB	2541	A	C4'-O4'	-5.97	1.37	1.45
32	BH	68	ARG	NE-CZ	5.97	1.40	1.33
26	BB	481	G	C4'-C3'	5.97	1.59	1.53
26	BB	1317	G	C5'-C4'	5.97	1.58	1.51
26	BB	1625	C	C2-N3	5.97	1.40	1.35
1	AA	711	G	N1-C2	5.97	1.42	1.37
1	AA	749	A	C6-N6	5.97	1.38	1.33
1	AA	778	G	C4'-O4'	-5.97	1.37	1.45
1	AA	873	A	C5'-C4'	5.97	1.58	1.51
1	AA	950	U	N3-C4	5.97	1.43	1.38
1	AA	1477	U	C2'-O2'	5.97	1.49	1.41
1	AA	1539	C	C4'-C3'	5.97	1.59	1.53
26	BB	363	G	C6-N1	-5.97	1.35	1.39
26	BB	587	C	N1-C6	-5.97	1.33	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	795	C	C2-N3	5.97	1.40	1.35
26	BB	986	C	C3'-O3'	5.97	1.50	1.42
26	BB	1108	U	C2-N3	5.97	1.42	1.37
26	BB	1328	A	P-O5'	-5.97	1.53	1.59
26	BB	1374	G	C2'-C1'	5.97	1.59	1.53
26	BB	2730	C	C4-C5	-5.97	1.38	1.43
26	BB	2832	U	N3-C4	5.97	1.43	1.38
1	AA	1482	G	C5-C4	-5.97	1.34	1.38
26	BB	1211	C	N1-C2	5.97	1.46	1.40
26	BB	1384	A	O3'-P	5.97	1.68	1.61
26	BB	1681	G	C2-N3	5.97	1.37	1.32
1	AA	88	U	C4-O4	-5.97	1.18	1.23
1	AA	441	A	C5-C6	5.97	1.46	1.41
1	AA	477	C	O3'-P	5.97	1.68	1.61
1	AA	694	A	N7-C5	5.97	1.42	1.39
1	AA	718	A	C2'-O2'	5.97	1.49	1.41
2	AB	38	A	C5'-C4'	5.97	1.58	1.51
26	BB	723	C	C4-N4	-5.97	1.28	1.33
26	BB	869	G	N3-C4	5.97	1.39	1.35
26	BB	1000	A	N9-C8	-5.97	1.32	1.37
26	BB	2190	G	O3'-P	5.97	1.68	1.61
26	BB	2200	C	N3-C4	5.97	1.38	1.33
26	BB	2286	G	C5-C4	-5.97	1.34	1.38
1	AA	393	A	C4'-C3'	-5.96	1.46	1.52
26	BB	858	G	C2-N2	-5.96	1.28	1.34
26	BB	1015	U	C4'-O4'	-5.96	1.37	1.45
26	BB	1977	A	C8-N7	-5.96	1.27	1.31
26	BB	2074	U	N1-C2	5.96	1.44	1.38
26	BB	2192	U	O3'-P	5.96	1.68	1.61
26	BB	2456	C	O4'-C1'	5.96	1.49	1.41
25	BA	47	C	C2'-C1'	5.96	1.59	1.53
26	BB	1697	G	C8-N7	-5.96	1.27	1.30
1	AA	509	A	P-O5'	-5.96	1.53	1.59
1	AA	665	A	C6-N1	-5.96	1.31	1.35
1	AA	1014	A	C5'-C4'	5.96	1.58	1.51
1	AA	1183	U	O5'-C5'	-5.96	1.33	1.42
26	BB	867	C	C4-C5	5.96	1.47	1.43
26	BB	1305	C	N1-C2	5.96	1.46	1.40
26	BB	1575	C	P-O5'	5.96	1.65	1.59
26	BB	1729	U	C4-O4	5.96	1.28	1.23
26	BB	1744	A	O4'-C1'	5.96	1.49	1.41
26	BB	2711	A	N3-C4	5.96	1.38	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2829	A	C3'-C2'	5.96	1.59	1.52
1	AA	412	A	P-O5'	5.96	1.65	1.59
26	BB	420	C	P-O5'	5.96	1.65	1.59
26	BB	504	A	C2'-C1'	-5.96	1.46	1.53
26	BB	588	U	P-O5'	5.96	1.65	1.59
1	AA	298	A	C8-N7	-5.96	1.27	1.31
1	AA	304	U	C2-N3	5.96	1.42	1.37
1	AA	850	U	O4'-C1'	-5.96	1.33	1.41
1	AA	992	U	C5-C6	5.96	1.39	1.34
1	AA	1102	A	P-O5'	5.96	1.65	1.59
1	AA	1526	G	C2-N3	5.96	1.37	1.32
26	BB	240	C	N3-C4	5.96	1.38	1.33
26	BB	967	U	C4-C5	5.96	1.49	1.43
26	BB	1064	C	C5'-C4'	5.96	1.58	1.51
26	BB	1269	A	C4'-O4'	-5.96	1.37	1.45
26	BB	1387	A	N9-C8	-5.96	1.32	1.37
26	BB	2568	U	N3-C4	-5.96	1.33	1.38
1	AA	614	C	C2'-O2'	5.96	1.49	1.41
1	AA	1231	G	C8-N7	-5.96	1.27	1.30
1	AA	1263	C	C2'-C1'	5.96	1.59	1.53
4	AD	5	G	C6-N1	5.96	1.43	1.39
26	BB	160	A	C8-N7	5.96	1.35	1.31
26	BB	308	G	N9-C4	-5.96	1.33	1.38
26	BB	571	U	N1-C2	5.96	1.44	1.38
26	BB	652	U	C5-C6	5.96	1.39	1.34
26	BB	937	C	C5'-C4'	5.96	1.58	1.51
26	BB	1072	C	C4-C5	5.96	1.47	1.43
26	BB	1558	C	C2-O2	5.96	1.29	1.24
26	BB	1799	G	N1-C2	5.96	1.42	1.37
26	BB	1896	G	C5'-C4'	5.96	1.58	1.51
26	BB	2331	G	N7-C5	5.96	1.42	1.39
26	BB	2766	A	C6-N1	-5.96	1.31	1.35
1	AA	1126	U	C5'-C4'	5.96	1.58	1.51
26	BB	675	A	N3-C4	5.96	1.38	1.34
1	AA	876	C	C5'-C4'	5.95	1.58	1.51
1	AA	881	G	C2-N2	5.95	1.40	1.34
1	AA	977	A	C4'-O4'	-5.95	1.37	1.45
1	AA	1513	A	C5-C4	-5.95	1.34	1.38
4	AD	48	U	C2-O2	5.95	1.27	1.22
26	BB	261	G	C5-C6	5.95	1.48	1.42
26	BB	589	U	C2-N3	5.95	1.42	1.37
26	BB	606	U	N1-C6	5.95	1.43	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	822	G	C5'-C4'	5.95	1.58	1.51
26	BB	1035	U	N1-C6	-5.95	1.32	1.38
26	BB	1047	G	C4'-O4'	-5.95	1.37	1.45
26	BB	1063	G	C6-N1	-5.95	1.35	1.39
26	BB	1590	A	N9-C4	5.95	1.41	1.37
26	BB	1845	G	C8-N7	5.95	1.34	1.30
26	BB	2353	G	O3'-P	-5.95	1.54	1.61
26	BB	2654	A	C5-C4	-5.95	1.34	1.38
35	BK	61	TYR	CE1-CZ	5.95	1.46	1.38
25	BA	94	A	N3-C4	5.95	1.38	1.34
26	BB	434	U	N1-C2	5.95	1.44	1.38
26	BB	1610	A	C6-N6	5.95	1.38	1.33
1	AA	787	A	N3-C4	-5.95	1.31	1.34
1	AA	1042	A	C3'-C2'	5.95	1.59	1.52
1	AA	1308	U	C2'-C1'	5.95	1.59	1.53
26	BB	311	A	C6-N1	5.95	1.39	1.35
26	BB	374	A	C6-N1	-5.95	1.31	1.35
26	BB	483	A	C6-N6	-5.95	1.29	1.33
26	BB	951	C	N1-C6	5.95	1.40	1.37
26	BB	2220	U	C4'-O4'	-5.95	1.37	1.45
26	BB	2442	C	C4-C5	5.95	1.47	1.43
1	AA	630	A	P-O5'	5.95	1.65	1.59
1	AA	1537	U	N1-C6	-5.95	1.32	1.38
2	AB	15	A	N7-C5	-5.95	1.35	1.39
26	BB	694	U	O3'-P	5.95	1.68	1.61
26	BB	809	G	C3'-C2'	-5.95	1.46	1.52
26	BB	1022	G	C8-N7	5.95	1.34	1.30
26	BB	1393	A	C4'-O4'	-5.95	1.37	1.45
26	BB	2287	A	N9-C4	5.95	1.41	1.37
26	BB	2807	U	C4'-O4'	-5.95	1.37	1.45
1	AA	502	A	C4'-C3'	-5.95	1.46	1.52
1	AA	1231	G	N7-C5	5.95	1.42	1.39
1	AA	29	U	C5-C6	5.95	1.39	1.34
1	AA	316	C	C5-C6	5.95	1.39	1.34
1	AA	415	A	N1-C2	5.95	1.39	1.34
1	AA	706	A	C5-C4	5.95	1.43	1.38
1	AA	925	G	C5'-C4'	5.95	1.58	1.51
1	AA	977	A	N3-C4	5.95	1.38	1.34
1	AA	1025	U	N1-C2	5.95	1.44	1.38
1	AA	1164	G	C2-N3	5.95	1.37	1.32
1	AA	1270	G	N9-C8	5.95	1.42	1.37
26	BB	225	C	N1-C6	5.95	1.40	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1676	A	C6-N1	-5.95	1.31	1.35
26	BB	1993	U	C2-N3	5.95	1.42	1.37
1	AA	836	G	C5-C4	5.94	1.42	1.38
2	AB	67	G	N1-C2	5.94	1.42	1.37
25	BA	54	G	C2'-O2'	5.94	1.49	1.41
26	BB	1083	U	C2-O2	5.94	1.27	1.22
26	BB	1474	U	C4-C5	5.94	1.48	1.43
1	AA	671	G	C2-N3	5.94	1.37	1.32
1	AA	1341	U	C3'-C2'	-5.94	1.46	1.52
1	AA	1428	A	C5'-C4'	5.94	1.58	1.51
2	AB	3	G	N7-C5	5.94	1.42	1.39
25	BA	83	G	N7-C5	5.94	1.42	1.39
26	BB	466	A	C8-N7	-5.94	1.27	1.31
26	BB	688	U	N1-C2	5.94	1.43	1.38
26	BB	1500	G	P-O5'	5.94	1.65	1.59
26	BB	2000	C	C2-N3	5.94	1.40	1.35
26	BB	2554	U	C4-O4	5.94	1.28	1.23
1	AA	800	G	C2-N3	5.94	1.37	1.32
1	AA	1162	C	C5-C6	5.94	1.39	1.34
26	BB	470	A	C5-C4	-5.94	1.34	1.38
26	BB	505	A	N7-C5	-5.94	1.35	1.39
26	BB	610	C	N3-C4	5.94	1.38	1.33
26	BB	728	G	C4'-C3'	-5.94	1.46	1.52
26	BB	1643	G	P-O5'	-5.94	1.53	1.59
26	BB	1703	G	N9-C8	5.94	1.42	1.37
26	BB	1996	C	C5'-C4'	5.94	1.58	1.51
26	BB	2052	A	C5-C4	-5.94	1.34	1.38
26	BB	2153	C	C4'-O4'	-5.94	1.37	1.45
1	AA	374	A	N9-C4	-5.94	1.34	1.37
1	AA	1146	A	C4'-O4'	-5.94	1.37	1.45
26	BB	1638	C	N3-C4	5.94	1.38	1.33
26	BB	2434	A	C4'-O4'	-5.94	1.37	1.45
26	BB	2692	G	C6-N1	5.94	1.43	1.39
1	AA	429	U	C5-C6	5.94	1.39	1.34
1	AA	517	G	C8-N7	5.94	1.34	1.30
1	AA	1505	G	O4'-C1'	5.94	1.49	1.41
4	AD	7	G	C5'-C4'	5.94	1.58	1.51
26	BB	2254	C	C2-O2	-5.94	1.19	1.24
1	AA	901	A	O3'-P	5.94	1.68	1.61
3	AC	17	U	C2-N3	5.94	1.42	1.37
26	BB	117	G	N7-C5	-5.94	1.35	1.39
1	AA	616	G	C2-N3	5.93	1.37	1.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	667	G	C1'-N9	5.93	1.57	1.48
1	AA	742	G	C5-C6	5.93	1.48	1.42
1	AA	853	C	C4'-O4'	-5.93	1.37	1.45
1	AA	860	A	N7-C5	5.93	1.42	1.39
1	AA	988	G	C8-N7	-5.93	1.27	1.30
1	AA	1256	A	C4'-C3'	5.93	1.59	1.53
26	BB	378	C	N3-C4	-5.93	1.29	1.33
26	BB	1277	G	N7-C5	5.93	1.42	1.39
26	BB	2731	G	C5'-C4'	5.93	1.58	1.51
1	AA	13	U	C4-O4	-5.93	1.19	1.23
1	AA	1281	C	C2'-C1'	5.93	1.59	1.53
3	AC	39	U	P-O5'	5.93	1.65	1.59
26	BB	763	G	C8-N7	-5.93	1.27	1.30
26	BB	1220	G	C2-N3	5.93	1.37	1.32
26	BB	1531	C	O3'-P	5.93	1.68	1.61
26	BB	2159	G	N7-C5	-5.93	1.35	1.39
26	BB	2337	G	O3'-P	5.93	1.68	1.61
26	BB	2453	A	O3'-P	5.93	1.68	1.61
26	BB	2643	G	C5-C6	5.93	1.48	1.42
1	AA	1293	C	C3'-C2'	5.93	1.59	1.52
26	BB	2331	G	C4'-O4'	-5.93	1.37	1.45
1	AA	1078	U	C2-N3	5.93	1.42	1.37
1	AA	1454	G	C5'-C4'	5.93	1.58	1.51
25	BA	75	G	C8-N7	5.93	1.34	1.30
26	BB	57	C	O4'-C1'	5.93	1.49	1.41
26	BB	289	G	C8-N7	5.93	1.34	1.30
26	BB	360	U	C2'-C1'	-5.93	1.46	1.53
26	BB	752	A	C8-N7	-5.93	1.27	1.31
26	BB	2320	U	C2'-C1'	5.93	1.59	1.53
1	AA	712	A	C8-N7	-5.93	1.27	1.31
1	AA	894	G	C4'-C3'	5.93	1.59	1.53
26	BB	829	A	C6-N1	5.93	1.39	1.35
26	BB	860	U	C5'-C4'	5.93	1.58	1.51
26	BB	900	A	P-O5'	5.93	1.65	1.59
26	BB	2107	G	C6-N1	-5.93	1.35	1.39
1	AA	571	U	C5-C6	5.93	1.39	1.34
1	AA	1290	G	N9-C4	-5.93	1.33	1.38
1	AA	1489	G	O3'-P	5.93	1.68	1.61
26	BB	860	U	C4'-O4'	-5.93	1.37	1.45
1	AA	142	G	C2-N2	-5.92	1.28	1.34
1	AA	454	G	N7-C5	-5.92	1.35	1.39
1	AA	724	G	N7-C5	-5.92	1.35	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1311	A	N9-C4	5.92	1.41	1.37
25	BA	67	G	C6-O6	-5.92	1.18	1.24
26	BB	1688	U	N1-C2	5.92	1.43	1.38
26	BB	1700	A	N1-C2	5.92	1.39	1.34
26	BB	2360	G	N9-C8	-5.92	1.33	1.37
26	BB	2862	G	N9-C8	5.92	1.42	1.37
26	BB	2875	C	P-O5'	-5.92	1.53	1.59
26	BB	50	U	C4'-O4'	-5.92	1.37	1.45
26	BB	512	G	C2-N3	-5.92	1.28	1.32
26	BB	984	A	C8-N7	-5.92	1.27	1.31
26	BB	327	G	O3'-P	-5.92	1.54	1.61
26	BB	1610	A	C4'-O4'	-5.92	1.37	1.45
26	BB	1980	G	C6-N1	5.92	1.43	1.39
26	BB	2186	G	N9-C8	-5.92	1.33	1.37
26	BB	2548	U	O3'-P	5.92	1.68	1.61
1	AA	659	U	C5'-C4'	5.92	1.58	1.51
1	AA	1113	C	O4'-C1'	5.92	1.49	1.41
26	BB	470	A	C5'-C4'	5.92	1.58	1.51
26	BB	1390	U	P-O5'	5.92	1.65	1.59
26	BB	1801	A	C4'-C3'	5.92	1.59	1.53
26	BB	1977	A	C6-N6	5.92	1.38	1.33
1	AA	147	G	C5-C6	5.92	1.48	1.42
1	AA	1306	A	C2'-C1'	-5.92	1.46	1.53
1	AA	1421	G	C4'-O4'	-5.92	1.37	1.45
26	BB	269	C	C4-N4	-5.92	1.28	1.33
26	BB	314	C	O3'-P	5.92	1.68	1.61
26	BB	549	G	N1-C2	5.92	1.42	1.37
26	BB	1045	C	C4'-O4'	-5.92	1.37	1.45
26	BB	1316	U	C4-C5	5.92	1.48	1.43
26	BB	2122	U	C4-O4	5.92	1.28	1.23
26	BB	2316	G	N9-C8	5.92	1.42	1.37
1	AA	976	G	C2-N3	5.92	1.37	1.32
25	BA	40	U	N1-C2	5.92	1.43	1.38
26	BB	517	C	C5'-C4'	5.92	1.58	1.51
1	AA	537	G	N1-C2	5.92	1.42	1.37
26	BB	2250	G	C2'-C1'	-5.92	1.46	1.53
26	BB	2259	U	C4'-C3'	-5.92	1.46	1.52
26	BB	2877	G	C6-N1	5.92	1.43	1.39
1	AA	169	C	N1-C2	5.91	1.46	1.40
1	AA	1434	A	C5-C4	-5.91	1.34	1.38
4	AD	49	C	N3-C4	5.91	1.38	1.33
25	BA	64	G	O3'-P	5.91	1.68	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	415	A	N9-C4	-5.91	1.34	1.37
26	BB	650	C	C2-N3	5.91	1.40	1.35
26	BB	725	G	C2-N3	5.91	1.37	1.32
26	BB	1015	U	C2'-O2'	5.91	1.49	1.41
26	BB	1111	A	C2-N3	-5.91	1.28	1.33
26	BB	1435	G	C2-N3	5.91	1.37	1.32
26	BB	1677	A	C5-C6	5.91	1.46	1.41
26	BB	2272	U	C5'-C4'	5.91	1.58	1.51
26	BB	2480	C	N1-C6	5.91	1.40	1.37
31	BG	82	TYR	CE2-CZ	5.91	1.46	1.38
1	AA	115	G	P-O5'	5.91	1.65	1.59
26	BB	108	G	N3-C4	5.91	1.39	1.35
26	BB	2278	A	N9-C4	5.91	1.41	1.37
26	BB	2641	G	P-O5'	5.91	1.65	1.59
1	AA	23	C	C4'-C3'	-5.91	1.46	1.52
1	AA	691	G	C4'-O4'	-5.91	1.37	1.45
1	AA	1165	U	C4-O4	5.91	1.28	1.23
1	AA	1347	G	O3'-P	5.91	1.68	1.61
1	AA	1464	U	P-O5'	5.91	1.65	1.59
2	AB	12	U	C4-C5	5.91	1.48	1.43
26	BB	13	A	C8-N7	5.91	1.35	1.31
26	BB	1172	C	C4'-C3'	5.91	1.59	1.53
45	BU	108	SER	CA-CB	5.91	1.61	1.52
1	AA	987	G	N9-C8	-5.91	1.33	1.37
1	AA	1500	A	C4'-C3'	5.91	1.59	1.53
2	AB	68	C	O3'-P	5.91	1.68	1.61
26	BB	140	C	P-O5'	-5.91	1.53	1.59
26	BB	1352	U	P-O5'	5.91	1.65	1.59
26	BB	1543	G	N3-C4	5.91	1.39	1.35
26	BB	1584	U	C5'-C4'	5.91	1.58	1.51
26	BB	1803	A	N9-C4	5.91	1.41	1.37
26	BB	2000	C	P-O5'	-5.91	1.53	1.59
26	BB	2126	A	N3-C4	5.91	1.38	1.34
26	BB	2393	U	C5'-C4'	5.91	1.58	1.51
26	BB	2470	G	C6-O6	5.91	1.29	1.24
1	AA	944	G	N1-C2	-5.91	1.33	1.37
26	BB	121	G	N9-C8	-5.91	1.33	1.37
26	BB	374	A	N3-C4	5.91	1.38	1.34
1	AA	310	G	C4'-C3'	5.91	1.59	1.53
1	AA	511	C	C3'-O3'	-5.91	1.33	1.42
1	AA	640	A	N3-C4	5.91	1.38	1.34
1	AA	939	G	C2-N2	-5.91	1.28	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BA	41	G	C5-C4	-5.91	1.34	1.38
25	BA	98	G	N1-C2	5.91	1.42	1.37
26	BB	124	G	C2'-C1'	-5.91	1.46	1.53
26	BB	603	A	P-O5'	5.91	1.65	1.59
26	BB	1037	G	C5'-C4'	5.91	1.58	1.51
26	BB	1383	A	C5-C4	-5.91	1.34	1.38
26	BB	2511	U	C5-C6	5.91	1.39	1.34
26	BB	2823	A	C5-C4	-5.91	1.34	1.38
1	AA	34	C	N1-C6	5.90	1.40	1.37
1	AA	542	G	C5'-C4'	5.90	1.58	1.51
1	AA	745	G	C5-C4	5.90	1.42	1.38
26	BB	689	A	N3-C4	5.90	1.38	1.34
26	BB	1185	G	C2-N3	5.90	1.37	1.32
48	BX	82	TYR	CE2-CZ	5.90	1.46	1.38
1	AA	860	A	P-O5'	5.90	1.65	1.59
1	AA	1165	U	C5-C6	5.90	1.39	1.34
1	AA	1463	U	N3-C4	5.90	1.43	1.38
26	BB	58	G	C4'-O4'	-5.90	1.37	1.45
26	BB	430	A	C5-C4	-5.90	1.34	1.38
26	BB	2068	U	N3-C4	-5.90	1.33	1.38
26	BB	2164	C	C4-C5	5.90	1.47	1.43
26	BB	2352	A	C8-N7	-5.90	1.27	1.31
26	BB	2354	C	O3'-P	5.90	1.68	1.61
1	AA	239	U	C3'-C2'	5.90	1.59	1.52
1	AA	971	G	C5-C6	5.90	1.48	1.42
1	AA	1104	G	N9-C4	-5.90	1.33	1.38
4	AD	76	C	P-O5'	5.90	1.65	1.59
25	BA	29	A	P-O5'	5.90	1.65	1.59
26	BB	658	U	C2-O2	5.90	1.27	1.22
26	BB	681	G	N9-C4	5.90	1.42	1.38
26	BB	1301	A	N1-C2	5.90	1.39	1.34
26	BB	1580	A	N3-C4	5.90	1.38	1.34
26	BB	1938	A	C5-C4	5.90	1.42	1.38
26	BB	2632	A	N3-C4	5.90	1.38	1.34
1	AA	209	U	C2'-C1'	5.90	1.59	1.53
1	AA	1471	U	C2-O2	5.90	1.27	1.22
4	AD	14	A	O5'-C5'	-5.90	1.33	1.42
26	BB	771	G	C2-N3	5.90	1.37	1.32
26	BB	2094	A	C6-N6	5.90	1.38	1.33
26	BB	2226	C	O4'-C1'	5.90	1.49	1.41
1	AA	553	A	C5-C4	-5.90	1.34	1.38
1	AA	1209	C	C2-O2	-5.90	1.19	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1365	G	N7-C5	-5.90	1.35	1.39
26	BB	219	A	C6-N1	-5.90	1.31	1.35
26	BB	446	G	O3'-P	5.90	1.68	1.61
26	BB	674	G	N3-C4	5.90	1.39	1.35
26	BB	782	A	C4'-C3'	-5.90	1.46	1.52
26	BB	1640	A	C6-N6	5.90	1.38	1.33
26	BB	1713	A	C5-C4	-5.90	1.34	1.38
26	BB	2019	A	O3'-P	-5.90	1.54	1.61
26	BB	2278	A	N3-C4	5.90	1.38	1.34
26	BB	2545	G	C2-N3	5.90	1.37	1.32
1	AA	599	C	C5-C6	5.90	1.39	1.34
1	AA	698	G	C3'-C2'	5.90	1.59	1.52
26	BB	218	A	P-O5'	5.90	1.65	1.59
26	BB	533	G	C5'-C4'	5.90	1.58	1.51
26	BB	1391	U	C2'-C1'	5.90	1.59	1.53
25	BA	9	G	C6-O6	5.89	1.29	1.24
26	BB	190	A	N7-C5	5.89	1.42	1.39
26	BB	244	A	N7-C5	-5.89	1.35	1.39
26	BB	1492	G	C2-N2	5.89	1.40	1.34
26	BB	2545	G	N3-C4	5.89	1.39	1.35
1	AA	228	A	C5'-C4'	5.89	1.58	1.51
1	AA	398	U	C5-C6	5.89	1.39	1.34
1	AA	877	G	C5-C4	-5.89	1.34	1.38
1	AA	1148	U	P-O5'	5.89	1.65	1.59
1	AA	1386	G	C5-C4	5.89	1.42	1.38
26	BB	178	G	C5-C4	5.89	1.42	1.38
26	BB	367	G	N1-C2	5.89	1.42	1.37
26	BB	1893	C	N1-C6	5.89	1.40	1.37
26	BB	2370	G	N9-C8	5.89	1.42	1.37
1	AA	432	A	C4'-O4'	-5.89	1.37	1.45
1	AA	1316	G	C4'-O4'	-5.89	1.37	1.45
26	BB	1597	A	C5'-C4'	5.89	1.58	1.51
26	BB	2315	G	C2-N3	5.89	1.37	1.32
1	AA	575	G	C6-O6	-5.89	1.18	1.24
1	AA	866	C	N3-C4	5.89	1.38	1.33
3	AC	18	A	C6-N6	5.89	1.38	1.33
26	BB	440	C	O5'-C5'	-5.89	1.33	1.42
26	BB	936	A	C5'-C4'	5.89	1.58	1.51
26	BB	1103	A	N3-C4	5.89	1.38	1.34
26	BB	1353	A	N9-C8	5.89	1.42	1.37
26	BB	1377	G	N7-C5	-5.89	1.35	1.39
26	BB	1480	C	C2-N3	5.89	1.40	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2211	A	N9-C4	5.89	1.41	1.37
26	BB	2397	G	N3-C4	5.89	1.39	1.35
33	BI	45	GLU	CG-CD	5.89	1.60	1.51
1	AA	20	U	C3'-C2'	5.89	1.59	1.52
1	AA	722	G	C2-N2	-5.89	1.28	1.34
1	AA	784	A	N7-C5	-5.89	1.35	1.39
26	BB	369	U	N3-C4	5.89	1.43	1.38
26	BB	399	U	C2-N3	5.89	1.41	1.37
1	AA	263	A	C2'-C1'	5.89	1.59	1.53
1	AA	524	G	N9-C8	5.89	1.42	1.37
1	AA	728	A	P-O5'	5.89	1.65	1.59
1	AA	748	G	N7-C5	5.89	1.42	1.39
1	AA	1290	G	O4'-C1'	-5.89	1.33	1.41
2	AB	73	G	N3-C4	5.89	1.39	1.35
26	BB	76	C	C5'-C4'	5.89	1.58	1.51
26	BB	822	G	C6-N1	5.89	1.43	1.39
26	BB	1516	G	P-O5'	5.89	1.65	1.59
26	BB	1949	G	C3'-O3'	5.89	1.50	1.42
26	BB	1981	A	C5-C4	-5.89	1.34	1.38
26	BB	2764	A	C2'-C1'	-5.89	1.46	1.53
26	BB	2781	A	N7-C5	5.89	1.42	1.39
1	AA	68	G	N9-C4	5.88	1.42	1.38
1	AA	156	C	C2-N3	5.88	1.40	1.35
1	AA	1151	A	C2'-C1'	-5.88	1.46	1.53
1	AA	1244	G	N3-C4	5.88	1.39	1.35
4	AD	28	U	C5-C6	5.88	1.39	1.34
13	AM	27	GLU	CG-CD	5.88	1.60	1.51
26	BB	176	A	C5-C4	-5.88	1.34	1.38
26	BB	1388	G	C5'-C4'	5.88	1.58	1.51
26	BB	1406	U	N1-C2	5.88	1.43	1.38
26	BB	1974	C	N1-C6	5.88	1.40	1.37
26	BB	2853	C	C5-C6	5.88	1.39	1.34
1	AA	1046	A	N9-C8	-5.88	1.33	1.37
26	BB	243	U	N1-C2	5.88	1.43	1.38
26	BB	1257	C	C2'-C1'	-5.88	1.46	1.53
26	BB	1908	C	N3-C4	5.88	1.38	1.33
26	BB	2564	A	N9-C4	5.88	1.41	1.37
1	AA	238	A	N3-C4	5.88	1.38	1.34
1	AA	490	C	C2'-C1'	5.88	1.59	1.53
1	AA	566	G	C6-N1	-5.88	1.35	1.39
1	AA	1044	A	N9-C8	-5.88	1.33	1.37
1	AA	1290	G	N7-C5	-5.88	1.35	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	AI	134	GLU	CD-OE1	-5.88	1.19	1.25
26	BB	620	G	C6-N1	5.88	1.43	1.39
26	BB	1931	U	C4-O4	-5.88	1.19	1.23
26	BB	2010	G	C2-N3	5.88	1.37	1.32
26	BB	2075	U	P-O5'	5.88	1.65	1.59
26	BB	2252	G	C6-N1	5.88	1.43	1.39
1	AA	932	C	C5'-C4'	5.88	1.58	1.51
26	BB	357	C	O3'-P	5.88	1.68	1.61
26	BB	464	U	C1'-N1	5.88	1.57	1.48
26	BB	498	G	C6-O6	-5.88	1.18	1.24
26	BB	511	U	N3-C4	5.88	1.43	1.38
1	AA	325	A	C8-N7	-5.88	1.27	1.31
1	AA	1505	G	C6-N1	5.88	1.43	1.39
26	BB	97	C	C1'-N1	5.88	1.57	1.48
26	BB	474	G	N9-C4	5.88	1.42	1.38
26	BB	1398	C	N1-C2	5.88	1.46	1.40
26	BB	1970	A	N7-C5	-5.88	1.35	1.39
26	BB	2482	A	C5'-C4'	5.88	1.58	1.51
26	BB	2545	G	C5'-C4'	5.88	1.58	1.51
1	AA	985	C	C3'-O3'	-5.88	1.33	1.42
26	BB	184	C	C2-N3	-5.88	1.31	1.35
26	BB	433	C	O3'-P	5.88	1.68	1.61
26	BB	498	G	P-O5'	5.88	1.65	1.59
26	BB	1107	G	C2-N3	5.88	1.37	1.32
26	BB	1233	C	N3-C4	5.88	1.38	1.33
26	BB	1769	U	N1-C2	5.88	1.43	1.38
26	BB	2082	A	C4'-C3'	5.88	1.59	1.53
26	BB	2145	C	C2-O2	-5.88	1.19	1.24
26	BB	2666	C	C3'-C2'	5.88	1.59	1.52
26	BB	2731	G	C6-N1	5.88	1.43	1.39
1	AA	890	G	C3'-O3'	-5.88	1.33	1.42
26	BB	2334	U	P-O5'	5.88	1.65	1.59
1	AA	872	A	C5-C6	5.87	1.46	1.41
1	AA	1032	G	O3'-P	5.87	1.68	1.61
1	AA	1224	U	N3-C4	5.87	1.43	1.38
4	AD	67	C	C5-C6	-5.87	1.29	1.34
25	BA	111	U	C5'-C4'	5.87	1.58	1.51
26	BB	279	A	C4'-O4'	-5.87	1.38	1.45
26	BB	452	G	C5-C6	5.87	1.48	1.42
26	BB	1126	A	C4'-C3'	-5.87	1.46	1.52
26	BB	1150	C	P-O5'	5.87	1.65	1.59
26	BB	2074	U	N3-C4	-5.87	1.33	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2334	U	N3-C4	5.87	1.43	1.38
27	BC	147	PRO	N-CD	-5.87	1.39	1.47
1	AA	28	A	C6-N6	5.87	1.38	1.33
1	AA	395	C	C2-O2	-5.87	1.19	1.24
1	AA	562	U	C4-O4	5.87	1.28	1.23
26	BB	637	A	N9-C4	-5.87	1.34	1.37
26	BB	994	C	P-O5'	5.87	1.65	1.59
26	BB	1219	U	C2'-O2'	5.87	1.49	1.41
26	BB	2366	A	C8-N7	-5.87	1.27	1.31
26	BB	2445	2MG	O3'-P	5.87	1.68	1.61
26	BB	2540	C	C2'-C1'	5.87	1.59	1.53
26	BB	2610	C	C2-O2	-5.87	1.19	1.24
26	BB	2766	A	P-O5'	5.87	1.65	1.59
1	AA	578	C	N3-C4	5.87	1.38	1.33
1	AA	1099	G	O3'-P	5.87	1.68	1.61
1	AA	1156	G	C8-N7	-5.87	1.27	1.30
1	AA	1419	G	N9-C4	-5.87	1.33	1.38
26	BB	1555	G	N9-C8	-5.87	1.33	1.37
26	BB	2893	A	C4'-C3'	5.87	1.59	1.53
1	AA	686	U	P-O5'	5.87	1.65	1.59
1	AA	895	G	C8-N7	5.87	1.34	1.30
1	AA	1178	G	N3-C4	5.87	1.39	1.35
1	AA	1530	G	C2-N3	5.87	1.37	1.32
26	BB	101	A	C8-N7	-5.87	1.27	1.31
26	BB	988	A	N9-C4	5.87	1.41	1.37
26	BB	1269	A	C5'-C4'	5.87	1.58	1.51
26	BB	1503	A	C8-N7	-5.87	1.27	1.31
26	BB	1635	A	C5-C4	-5.87	1.34	1.38
26	BB	2518	A	C6-N6	5.87	1.38	1.33
1	AA	348	G	C8-N7	-5.87	1.27	1.30
1	AA	1287	A	O3'-P	5.87	1.68	1.61
26	BB	187	G	P-O5'	5.87	1.65	1.59
26	BB	518	G	C2-N3	5.87	1.37	1.32
26	BB	969	G	N3-C4	5.87	1.39	1.35
26	BB	2006	C	C2-O2	5.87	1.29	1.24
26	BB	2855	C	C2'-O2'	-5.87	1.34	1.41
1	AA	1030	U	O3'-P	5.87	1.68	1.61
1	AA	1088	G	C2-N3	5.87	1.37	1.32
1	AA	1096	C	C2-N3	5.87	1.40	1.35
1	AA	1197	A	C6-N6	5.87	1.38	1.33
25	BA	16	G	N9-C4	5.87	1.42	1.38
26	BB	1022	G	C4'-O4'	-5.87	1.38	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1023	U	C5'-C4'	5.87	1.58	1.51
26	BB	1279	G	C2'-C1'	5.87	1.59	1.53
26	BB	2345	G	C2-N3	5.87	1.37	1.32
1	AA	384	G	C5-C4	5.86	1.42	1.38
1	AA	445	G	C4'-O4'	-5.86	1.38	1.45
25	BA	49	C	C4'-O4'	-5.86	1.38	1.45
26	BB	241	A	C4'-C3'	5.86	1.59	1.53
26	BB	1723	G	P-O5'	-5.86	1.53	1.59
26	BB	2086	U	C4-O4	-5.86	1.19	1.23
26	BB	2424	C	C4'-O4'	-5.86	1.38	1.45
26	BB	2444	G	C2-N3	5.86	1.37	1.32
1	AA	850	U	C5-C6	-5.86	1.28	1.34
26	BB	262	A	C5'-C4'	5.86	1.58	1.51
26	BB	1646	C	N1-C6	5.86	1.40	1.37
26	BB	1846	G	C5'-C4'	5.86	1.58	1.51
1	AA	144	G	C2'-C1'	5.86	1.59	1.53
1	AA	1305	G	C2-N3	5.86	1.37	1.32
26	BB	438	G	C5-C6	5.86	1.48	1.42
26	BB	2407	A	C4'-C3'	-5.86	1.46	1.52
26	BB	2424	C	C5-C6	5.86	1.39	1.34
26	BB	188	G	O4'-C1'	5.86	1.49	1.41
26	BB	2583	G	N9-C4	-5.86	1.33	1.38
1	AA	299	G	P-O5'	5.86	1.65	1.59
25	BA	35	C	C5-C6	5.86	1.39	1.34
26	BB	314	C	C4-C5	5.86	1.47	1.43
26	BB	804	A	C3'-C2'	5.86	1.59	1.52
26	BB	1137	G	C8-N7	-5.86	1.27	1.30
26	BB	1267	U	P-O5'	5.86	1.65	1.59
26	BB	1491	G	C6-N1	5.86	1.43	1.39
26	BB	1496	A	N1-C2	-5.86	1.29	1.34
26	BB	1958	C	N3-C4	5.86	1.38	1.33
26	BB	2705	A	N3-C4	5.86	1.38	1.34
26	BB	2901	C	C5'-C4'	5.86	1.58	1.51
26	BB	868	U	C2-N3	5.86	1.41	1.37
26	BB	1173	U	C4'-O4'	-5.86	1.38	1.45
26	BB	1646	C	C5'-C4'	5.86	1.58	1.51
26	BB	1650	A	C5-C6	-5.86	1.35	1.41
26	BB	1784	A	O3'-P	5.86	1.68	1.61
26	BB	2278	A	P-O5'	5.86	1.65	1.59
26	BB	2590	A	C5-C6	-5.86	1.35	1.41
1	AA	474	G	N1-C2	5.85	1.42	1.37
26	BB	2533	U	C4-C5	5.85	1.48	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1095	U	P-O5'	5.85	1.65	1.59
26	BB	177	G	O4'-C1'	5.85	1.49	1.41
26	BB	775	G	C4'-O4'	-5.85	1.38	1.45
26	BB	1038	G	C2-N3	5.85	1.37	1.32
26	BB	1396	U	C4'-O4'	-5.85	1.38	1.45
26	BB	2137	U	C3'-C2'	5.85	1.59	1.52
1	AA	220	G	C8-N7	5.85	1.34	1.30
1	AA	1278	G	N1-C2	-5.85	1.33	1.37
26	BB	782	A	C6-N6	-5.85	1.29	1.33
26	BB	1097	U	C2-N3	5.85	1.41	1.37
26	BB	1737	G	C4'-O4'	-5.85	1.38	1.45
1	AA	117	G	C4'-C3'	5.85	1.59	1.53
1	AA	517	G	N9-C8	5.85	1.42	1.37
24	AX	70	TYR	CG-CD2	5.85	1.46	1.39
26	BB	82	U	C5-C6	5.85	1.39	1.34
26	BB	267	C	C4-N4	-5.85	1.28	1.33
26	BB	327	G	C3'-C2'	-5.85	1.46	1.52
26	BB	663	G	N3-C4	5.85	1.39	1.35
26	BB	907	G	N9-C4	5.85	1.42	1.38
26	BB	938	G	N9-C4	-5.85	1.33	1.38
26	BB	1722	A	P-O5'	5.85	1.65	1.59
26	BB	2501	C	C2-N3	5.85	1.40	1.35
26	BB	2734	A	C5'-C4'	5.85	1.58	1.51
1	AA	113	G	C5-C6	5.85	1.48	1.42
1	AA	402	G	C5-C4	-5.85	1.34	1.38
1	AA	672	U	C4-C5	5.85	1.48	1.43
26	BB	1185	G	C2'-C1'	5.85	1.59	1.53
26	BB	1524	G	P-O5'	5.85	1.65	1.59
26	BB	1588	G	C6-N1	-5.85	1.35	1.39
26	BB	2446	G	N9-C4	5.85	1.42	1.38
26	BB	2893	A	C5-C6	5.85	1.46	1.41
38	BN	48	ARG	NE-CZ	5.85	1.40	1.33
1	AA	1194	U	O3'-P	5.85	1.68	1.61
1	AA	1251	A	C6-N6	5.85	1.38	1.33
26	BB	1228	G	N1-C2	5.85	1.42	1.37
1	AA	308	C	P-O5'	5.84	1.65	1.59
1	AA	1203	C	C2-N3	-5.84	1.31	1.35
4	AD	28	U	P-O5'	-5.84	1.53	1.59
26	BB	405	U	C5'-C4'	5.84	1.58	1.51
26	BB	544	C	C4'-O4'	-5.84	1.38	1.45
26	BB	976	G	N3-C4	-5.84	1.31	1.35
26	BB	1738	G	C5-C4	5.84	1.42	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2037	A	N1-C2	5.84	1.39	1.34
26	BB	2751	G	C2-N2	-5.84	1.28	1.34
1	AA	838	G	O3'-P	5.84	1.68	1.61
1	AA	1129	C	C4-C5	5.84	1.47	1.43
1	AA	1405	G	C2-N2	-5.84	1.28	1.34
3	AC	13	A	N9-C8	-5.84	1.33	1.37
26	BB	230	G	C2'-C1'	5.84	1.59	1.53
1	AA	36	C	C5'-C4'	5.84	1.58	1.51
1	AA	678	U	C2-N3	-5.84	1.33	1.37
1	AA	721	G	C2'-C1'	-5.84	1.47	1.53
26	BB	321	U	N1-C2	5.84	1.43	1.38
26	BB	472	A	O3'-P	5.84	1.68	1.61
26	BB	843	G	P-O5'	5.84	1.65	1.59
26	BB	1156	A	C5'-C4'	5.84	1.58	1.51
26	BB	2227	A	O4'-C1'	5.84	1.49	1.41
26	BB	2509	G	C2-N3	5.84	1.37	1.32
1	AA	152	A	C5-C4	5.84	1.42	1.38
1	AA	184	G	P-O5'	5.84	1.65	1.59
1	AA	1333	A	P-O5'	5.84	1.65	1.59
2	AB	18	G	C4'-O4'	-5.84	1.38	1.45
4	AD	11	A	N7-C5	-5.84	1.35	1.39
25	BA	69	G	N1-C2	-5.84	1.33	1.37
26	BB	1103	A	C2'-C1'	5.84	1.59	1.53
26	BB	1663	G	N9-C8	-5.84	1.33	1.37
26	BB	1857	G	C8-N7	-5.84	1.27	1.30
1	AA	268	U	N1-C2	5.84	1.43	1.38
1	AA	1322	C	N3-C4	5.84	1.38	1.33
26	BB	577	G	C6-O6	-5.84	1.18	1.24
26	BB	1768	C	C2-N3	5.84	1.40	1.35
26	BB	2106	U	C5'-C4'	5.84	1.58	1.51
1	AA	240	G	N3-C4	5.84	1.39	1.35
4	AD	36	A	C5'-C4'	5.84	1.58	1.51
26	BB	228	C	C3'-C2'	-5.84	1.46	1.52
26	BB	547	A	N9-C8	-5.84	1.33	1.37
26	BB	1734	G	C6-N1	5.84	1.43	1.39
26	BB	2373	G	C5-C6	5.84	1.48	1.42
1	AA	1160	G	N1-C2	-5.83	1.33	1.37
26	BB	164	C	C4'-O4'	-5.83	1.38	1.45
26	BB	796	C	C4'-C3'	5.83	1.59	1.53
26	BB	814	C	O4'-C1'	5.83	1.49	1.41
26	BB	2018	G	C2'-C1'	5.83	1.59	1.53
26	BB	2623	G	C2-N3	5.83	1.37	1.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	274	A	C5'-C4'	5.83	1.58	1.51
25	BA	89	U	C5-C6	5.83	1.39	1.34
26	BB	21	A	C5-C6	5.83	1.46	1.41
26	BB	285	G	C5-C4	-5.83	1.34	1.38
26	BB	319	G	C6-N1	5.83	1.43	1.39
26	BB	928	A	P-O5'	5.83	1.65	1.59
26	BB	1150	C	C4'-O4'	-5.83	1.38	1.45
26	BB	1326	U	C2-O2	5.83	1.27	1.22
26	BB	1403	A	C8-N7	5.83	1.35	1.31
26	BB	1734	G	N7-C5	5.83	1.42	1.39
26	BB	1788	C	C2'-C1'	5.83	1.59	1.53
26	BB	2201	G	C6-O6	-5.83	1.18	1.24
26	BB	2653	U	N1-C6	5.83	1.43	1.38
26	BB	2839	G	C4'-O4'	-5.83	1.38	1.45
1	AA	215	C	N1-C6	5.83	1.40	1.37
1	AA	526	C	N1-C6	5.83	1.40	1.37
1	AA	1131	G	P-O5'	5.83	1.65	1.59
1	AA	1380	U	C2-N3	-5.83	1.33	1.37
4	AD	19	G	C6-O6	-5.83	1.19	1.24
26	BB	390	U	C2-N3	5.83	1.41	1.37
26	BB	1149	G	N7-C5	-5.83	1.35	1.39
26	BB	2283	C	C4-C5	5.83	1.47	1.43
1	AA	1408	A	N3-C4	5.83	1.38	1.34
26	BB	698	C	O3'-P	5.83	1.68	1.61
26	BB	2255	G	C8-N7	-5.83	1.27	1.30
26	BB	2756	U	N1-C2	5.83	1.43	1.38
1	AA	384	G	C4'-C3'	-5.83	1.46	1.52
1	AA	686	U	N1-C6	5.83	1.43	1.38
1	AA	1394	A	C4'-O4'	-5.83	1.38	1.45
1	AA	1403	C	N1-C6	5.83	1.40	1.37
3	AC	31	U	C4-C5	5.83	1.48	1.43
26	BB	232	G	C2-N3	5.83	1.37	1.32
26	BB	251	A	N9-C4	5.83	1.41	1.37
26	BB	1306	C	O3'-P	5.83	1.68	1.61
26	BB	1586	A	C4'-C3'	5.83	1.59	1.53
26	BB	2162	G	O3'-P	5.83	1.68	1.61
26	BB	2243	U	C4-C5	5.83	1.48	1.43
26	BB	2682	A	O3'-P	5.83	1.68	1.61
26	BB	2741	A	C6-N1	-5.83	1.31	1.35
26	BB	2878	U	C4-C5	5.83	1.48	1.43
1	AA	1110	A	N9-C4	5.83	1.41	1.37
2	AB	11	U	C4-C5	5.83	1.48	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1600	C	P-O5'	-5.83	1.53	1.59
26	BB	2275	C	C5'-C4'	5.83	1.58	1.51
26	BB	2369	A	C4'-C3'	5.83	1.59	1.53
1	AA	207	C	C1'-N1	5.83	1.57	1.48
1	AA	799	G	C4'-O4'	-5.83	1.38	1.45
1	AA	819	A	C3'-O3'	5.83	1.50	1.42
1	AA	1401	G	C5'-C4'	5.83	1.58	1.51
26	BB	1383	A	O4'-C1'	5.83	1.49	1.41
26	BB	2141	G	C5-C6	5.83	1.48	1.42
26	BB	2597	G	C5'-C4'	5.83	1.58	1.51
26	BB	2621	G	C2-N3	5.83	1.37	1.32
1	AA	327	A	N7-C5	5.82	1.42	1.39
1	AA	503	C	C2-N3	5.82	1.40	1.35
1	AA	671	G	C5-C4	5.82	1.42	1.38
1	AA	861	G	C6-N1	5.82	1.43	1.39
25	BA	86	G	N1-C2	5.82	1.42	1.37
26	BB	250	G	O3'-P	5.82	1.68	1.61
26	BB	286	U	C4-C5	5.82	1.48	1.43
26	BB	1084	A	N3-C4	5.82	1.38	1.34
26	BB	1620	G	N3-C4	5.82	1.39	1.35
26	BB	790	U	C2-N3	5.82	1.41	1.37
26	BB	2602	A	O5'-C5'	-5.82	1.33	1.42
1	AA	134	G	C6-N1	5.82	1.43	1.39
1	AA	957	U	C2-N3	5.82	1.41	1.37
1	AA	1454	G	C4'-C3'	5.82	1.59	1.53
26	BB	160	A	C6-N6	-5.82	1.29	1.33
26	BB	420	C	C4'-O4'	-5.82	1.38	1.45
26	BB	633	A	P-O5'	-5.82	1.53	1.59
26	BB	1430	G	N9-C8	-5.82	1.33	1.37
26	BB	1710	G	C2-N3	-5.82	1.28	1.32
26	BB	2542	A	N3-C4	5.82	1.38	1.34
26	BB	161	A	C5-C4	-5.82	1.34	1.38
26	BB	230	G	P-O5'	5.82	1.65	1.59
26	BB	1677	A	N9-C8	5.82	1.42	1.37
26	BB	2269	G	C2-N3	5.82	1.37	1.32
1	AA	196	A	C6-N6	-5.82	1.29	1.33
1	AA	346	G	O4'-C1'	5.82	1.49	1.41
1	AA	626	G	N9-C4	-5.82	1.33	1.38
26	BB	61	C	C2-O2	-5.82	1.19	1.24
26	BB	191	A	N1-C2	-5.82	1.29	1.34
26	BB	310	A	P-O5'	-5.82	1.53	1.59
1	AA	450	G	N1-C2	5.82	1.42	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	277	G	C2'-O2'	5.82	1.49	1.41
26	BB	2681	C	O4'-C1'	5.82	1.49	1.41
1	AA	68	G	P-O5'	5.81	1.65	1.59
1	AA	1438	G	C8-N7	5.81	1.34	1.30
26	BB	1632	A	N9-C4	-5.81	1.34	1.37
26	BB	1909	C	N1-C6	-5.81	1.33	1.37
26	BB	2577	A	N7-C5	-5.81	1.35	1.39
26	BB	2751	G	C4'-O4'	-5.81	1.38	1.45
31	BG	94	ARG	NE-CZ	5.81	1.40	1.33
1	AA	740	U	C5'-C4'	5.81	1.58	1.51
2	AB	10	G	N7-C5	-5.81	1.35	1.39
25	BA	105	G	N1-C2	5.81	1.42	1.37
26	BB	504	A	N3-C4	5.81	1.38	1.34
26	BB	1065	U	P-O5'	5.81	1.65	1.59
26	BB	1456	G	C2-N2	5.81	1.40	1.34
26	BB	1555	G	C2-N3	5.81	1.37	1.32
1	AA	637	C	C5-C6	5.81	1.39	1.34
1	AA	779	C	C4'-O4'	-5.81	1.38	1.45
26	BB	565	C	C5'-C4'	5.81	1.58	1.51
26	BB	1815	A	C6-N1	-5.81	1.31	1.35
26	BB	2255	G	N1-C2	5.81	1.42	1.37
1	AA	726	C	C4-N4	5.81	1.39	1.33
26	BB	736	C	C2-N3	5.81	1.40	1.35
26	BB	772	C	N3-C4	5.81	1.38	1.33
26	BB	1031	G	P-O5'	5.81	1.65	1.59
26	BB	1414	C	P-O5'	5.81	1.65	1.59
26	BB	1888	G	C2-N2	-5.81	1.28	1.34
26	BB	1913	A	C2'-O2'	-5.81	1.34	1.41
26	BB	2406	A	C5-C4	-5.81	1.34	1.38
1	AA	355	C	C4'-O4'	-5.81	1.38	1.45
1	AA	1304	G	N9-C8	5.81	1.42	1.37
1	AA	1475	G	P-O5'	5.81	1.65	1.59
2	AB	65	C	N3-C4	5.81	1.38	1.33
26	BB	448	U	N1-C2	5.81	1.43	1.38
26	BB	512	G	O3'-P	5.81	1.68	1.61
26	BB	570	G	C5-C6	5.81	1.48	1.42
26	BB	912	C	C2-N3	5.81	1.40	1.35
26	BB	1295	C	N3-C4	5.81	1.38	1.33
26	BB	1572	A	N3-C4	5.81	1.38	1.34
26	BB	1825	U	O3'-P	5.81	1.68	1.61
26	BB	1842	G	C2-N3	5.81	1.37	1.32
26	BB	1978	A	C6-N1	-5.81	1.31	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2199	A	N3-C4	5.81	1.38	1.34
26	BB	2541	A	O3'-P	5.81	1.68	1.61
26	BB	2726	A	N3-C4	5.81	1.38	1.34
26	BB	2808	G	C4'-C3'	5.81	1.59	1.53
1	AA	900	A	C5-C4	-5.81	1.34	1.38
2	AB	59	G	N9-C4	-5.81	1.33	1.38
26	BB	68	G	C6-N1	-5.81	1.35	1.39
26	BB	628	G	C5-C6	5.81	1.48	1.42
26	BB	790	U	P-O5'	5.81	1.65	1.59
26	BB	898	C	N3-C4	5.81	1.38	1.33
26	BB	2557	G	N9-C4	5.81	1.42	1.38
1	AA	474	G	C3'-C2'	5.80	1.59	1.52
1	AA	1033	G	O3'-P	5.80	1.68	1.61
2	AB	75	C	C4'-O4'	-5.80	1.38	1.45
26	BB	65	U	C4'-O4'	-5.80	1.38	1.45
26	BB	1603	A	C2-N3	5.80	1.38	1.33
26	BB	2497	A	C8-N7	-5.80	1.27	1.31
26	BB	211	C	C5'-C4'	5.80	1.58	1.51
26	BB	262	A	C2-N3	5.80	1.38	1.33
26	BB	983	A	N7-C5	-5.80	1.35	1.39
26	BB	1074	G	C5-C4	5.80	1.42	1.38
26	BB	2321	U	C4-C5	5.80	1.48	1.43
26	BB	2384	U	C5'-C4'	5.80	1.58	1.51
1	AA	280	C	C2-N3	5.80	1.40	1.35
1	AA	428	G	N1-C2	5.80	1.42	1.37
1	AA	431	A	C3'-C2'	-5.80	1.46	1.52
1	AA	640	A	C6-N1	-5.80	1.31	1.35
3	AC	39	U	N1-C6	5.80	1.43	1.38
25	BA	81	G	N9-C8	-5.80	1.33	1.37
26	BB	559	G	N9-C8	-5.80	1.33	1.37
26	BB	1420	A	C5-C6	5.80	1.46	1.41
26	BB	1967	C	C2'-C1'	5.80	1.59	1.53
26	BB	2031	A	C2'-O2'	5.80	1.49	1.41
26	BB	2054	A	C2'-C1'	5.80	1.59	1.53
26	BB	2338	C	C5-C6	5.80	1.39	1.34
26	BB	2410	G	O3'-P	5.80	1.68	1.61
26	BB	2812	G	C8-N7	-5.80	1.27	1.30
1	AA	134	G	C2'-C1'	5.80	1.59	1.53
1	AA	532	A	C5-C4	5.80	1.42	1.38
1	AA	864	A	C5-C6	5.80	1.46	1.41
1	AA	990	C	C4'-O4'	-5.80	1.38	1.45
1	AA	1277	C	C4'-O4'	-5.80	1.38	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	94	A	N3-C4	5.80	1.38	1.34
26	BB	1927	A	C6-N6	-5.80	1.29	1.33
23	AW	35	TYR	CE2-CZ	5.80	1.46	1.38
26	BB	443	A	C5-C6	-5.80	1.35	1.41
26	BB	456	C	C5'-C4'	5.80	1.58	1.51
26	BB	1366	A	C6-N6	-5.80	1.29	1.33
1	AA	652	U	C4-C5	5.80	1.48	1.43
1	AA	1006	G	N1-C2	5.80	1.42	1.37
26	BB	61	C	C2'-C1'	5.80	1.59	1.53
26	BB	660	C	C2-N3	5.80	1.40	1.35
26	BB	908	C	C2'-O2'	5.80	1.49	1.41
26	BB	1636	U	C2'-C1'	-5.80	1.47	1.53
26	BB	2397	G	P-O5'	-5.80	1.53	1.59
26	BB	2584	U	N3-C4	5.80	1.43	1.38
26	BB	2854	G	N3-C4	5.80	1.39	1.35
27	BC	213	SER	CA-CB	5.80	1.61	1.52
1	AA	943	U	N1-C2	5.79	1.43	1.38
4	AD	23	G	N7-C5	5.79	1.42	1.39
26	BB	649	G	C3'-C2'	5.79	1.59	1.52
26	BB	875	G	C5-C4	5.79	1.42	1.38
26	BB	2680	U	N1-C6	-5.79	1.32	1.38
26	BB	2730	C	N3-C4	-5.79	1.29	1.33
1	AA	253	A	C4'-O4'	-5.79	1.38	1.45
1	AA	518	C	C4-N4	5.79	1.39	1.33
1	AA	522	C	C4'-O4'	-5.79	1.38	1.45
1	AA	530	G	P-O5'	5.79	1.65	1.59
1	AA	606	G	C6-O6	-5.79	1.19	1.24
1	AA	711	G	O4'-C1'	5.79	1.49	1.41
1	AA	810	C	N3-C4	5.79	1.38	1.33
1	AA	812	G	O4'-C1'	5.79	1.49	1.41
26	BB	176	A	N3-C4	5.79	1.38	1.34
26	BB	1069	A	N9-C4	5.79	1.41	1.37
1	AA	131	A	N9-C4	5.79	1.41	1.37
1	AA	980	C	P-O5'	5.79	1.65	1.59
1	AA	982	U	C5-C6	5.79	1.39	1.34
1	AA	1181	G	C2-N3	5.79	1.37	1.32
1	AA	1194	U	N1-C2	5.79	1.43	1.38
1	AA	1270	G	P-O5'	5.79	1.65	1.59
26	BB	1031	G	N1-C2	5.79	1.42	1.37
26	BB	1504	A	N7-C5	5.79	1.42	1.39
26	BB	1543	G	O3'-P	5.79	1.68	1.61
26	BB	2890	G	C2-N3	5.79	1.37	1.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	605	U	C4-C5	5.79	1.48	1.43
1	AA	838	G	P-O5'	5.79	1.65	1.59
4	AD	7	G	N7-C5	-5.79	1.35	1.39
4	AD	45	A	C5'-C4'	5.79	1.58	1.51
26	BB	124	G	N3-C4	5.79	1.39	1.35
26	BB	646	U	P-O5'	5.79	1.65	1.59
26	BB	1479	G	O3'-P	5.79	1.68	1.61
26	BB	2086	U	C4-C5	5.79	1.48	1.43
26	BB	2892	G	C4'-O4'	-5.79	1.38	1.45
1	AA	405	U	C2-O2	5.79	1.27	1.22
15	AO	82	ARG	CZ-NH1	5.79	1.40	1.33
26	BB	1035	U	C4'-O4'	-5.79	1.38	1.45
26	BB	1403	A	N9-C8	-5.79	1.33	1.37
26	BB	1874	C	C4-N4	-5.79	1.28	1.33
26	BB	2897	U	C5-C6	5.79	1.39	1.34
26	BB	1423	G	C6-O6	-5.79	1.19	1.24
26	BB	2472	G	O3'-P	5.79	1.68	1.61
1	AA	43	C	N3-C4	5.79	1.38	1.33
1	AA	384	G	N7-C5	-5.79	1.35	1.39
1	AA	484	G	C5-C4	-5.79	1.34	1.38
1	AA	772	U	C5-C6	5.79	1.39	1.34
1	AA	1032	G	C8-N7	5.79	1.34	1.30
26	BB	1188	U	C5-C6	5.79	1.39	1.34
26	BB	1710	G	C5'-C4'	5.79	1.58	1.51
26	BB	1716	U	C4'-O4'	-5.79	1.38	1.45
26	BB	1802	A	O3'-P	-5.79	1.54	1.61
26	BB	1853	A	N7-C5	5.79	1.42	1.39
26	BB	1996	C	P-O5'	-5.79	1.53	1.59
26	BB	2105	U	C5'-C4'	5.79	1.58	1.51
26	BB	2312	U	O4'-C1'	-5.79	1.34	1.41
26	BB	2653	U	C5'-C4'	5.79	1.58	1.51
52	B1	10	ARG	NE-CZ	5.79	1.40	1.33
1	AA	93	U	C4'-O4'	-5.78	1.38	1.45
1	AA	608	A	N9-C4	5.78	1.41	1.37
1	AA	739	C	O3'-P	5.78	1.68	1.61
1	AA	765	G	C2-N3	5.78	1.37	1.32
1	AA	1127	G	C2'-O2'	-5.78	1.34	1.41
1	AA	1453	G	N9-C8	-5.78	1.33	1.37
26	BB	377	G	C3'-C2'	5.78	1.59	1.52
26	BB	1594	U	C2-N3	5.78	1.41	1.37
26	BB	2180	U	P-O5'	5.78	1.65	1.59
26	BB	2374	C	C2-N3	5.78	1.40	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2593	U	C4-C5	5.78	1.48	1.43
26	BB	2881	U	N3-C4	5.78	1.43	1.38
26	BB	1205	A	O3'-P	5.78	1.68	1.61
26	BB	2181	U	C4'-O4'	-5.78	1.38	1.45
26	BB	2302	U	O3'-P	5.78	1.68	1.61
26	BB	2673	G	O3'-P	5.78	1.68	1.61
57	B6	13	PHE	CE2-CZ	5.78	1.48	1.37
1	AA	368	U	C4'-O4'	-5.78	1.38	1.45
2	AB	13	C	C4-N4	5.78	1.39	1.33
2	AB	34	C	P-O5'	5.78	1.65	1.59
25	BA	100	G	C2'-O2'	-5.78	1.34	1.41
26	BB	74	A	N7-C5	5.78	1.42	1.39
26	BB	161	A	C2'-C1'	5.78	1.59	1.53
26	BB	428	A	C4'-O4'	-5.78	1.38	1.45
26	BB	727	A	P-O5'	5.78	1.65	1.59
26	BB	2023	C	C4-N4	5.78	1.39	1.33
26	BB	2804	U	P-O5'	5.78	1.65	1.59
1	AA	1151	A	C4'-O4'	-5.78	1.38	1.45
1	AA	1234	C	C4'-C3'	-5.78	1.46	1.52
26	BB	2313	C	C2-N3	5.78	1.40	1.35
1	AA	1411	C	O3'-P	5.78	1.68	1.61
3	AC	49	U	C5'-C4'	5.78	1.58	1.51
3	AC	59	A	N9-C4	5.78	1.41	1.37
26	BB	514	A	P-O5'	5.78	1.65	1.59
26	BB	1764	C	C2-O2	5.78	1.29	1.24
26	BB	2126	A	C2'-C1'	-5.78	1.47	1.53
26	BB	2242	G	C1'-N9	5.78	1.57	1.48
26	BB	2354	C	C4-C5	5.78	1.47	1.43
1	AA	283	U	N1-C6	5.78	1.43	1.38
1	AA	1305	G	C5'-C4'	-5.78	1.44	1.51
1	AA	1370	G	C6-O6	5.78	1.29	1.24
26	BB	472	A	N9-C4	5.78	1.41	1.37
26	BB	657	U	P-O5'	5.78	1.65	1.59
26	BB	1728	C	N3-C4	5.78	1.38	1.33
26	BB	1872	A	C4'-C3'	-5.78	1.46	1.52
26	BB	2037	A	C4'-O4'	-5.78	1.38	1.45
26	BB	1303	G	C2-N3	5.77	1.37	1.32
26	BB	1304	A	C6-N6	5.77	1.38	1.33
26	BB	2885	G	N9-C4	-5.77	1.33	1.38
1	AA	16	A	N9-C8	5.77	1.42	1.37
1	AA	99	C	P-O5'	5.77	1.65	1.59
1	AA	129	A	C3'-C2'	5.77	1.59	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	254	G	N9-C8	5.77	1.41	1.37
1	AA	433	G	C6-N1	-5.77	1.35	1.39
1	AA	611	C	C4-N4	5.77	1.39	1.33
2	AB	52	A	P-O5'	5.77	1.65	1.59
26	BB	245	G	P-O5'	5.77	1.65	1.59
26	BB	509	C	C4-C5	5.77	1.47	1.43
26	BB	544	C	C4-N4	5.77	1.39	1.33
26	BB	1172	C	N1-C6	5.77	1.40	1.37
26	BB	1280	G	C6-N1	5.77	1.43	1.39
26	BB	1679	A	O3'-P	5.77	1.68	1.61
26	BB	1781	U	N1-C2	5.77	1.43	1.38
26	BB	2201	G	O3'-P	-5.77	1.54	1.61
26	BB	2206	C	C1'-N1	5.77	1.57	1.48
26	BB	2333	A	C5'-C4'	5.77	1.58	1.51
26	BB	2682	A	N7-C5	-5.77	1.35	1.39
28	BD	51	ARG	CD-NE	-5.77	1.36	1.46
26	BB	320	A	C4'-C3'	5.77	1.59	1.53
26	BB	1326	U	P-O5'	5.77	1.65	1.59
1	AA	314	C	C2'-C1'	-5.77	1.47	1.53
1	AA	665	A	C3'-C2'	-5.77	1.46	1.52
4	AD	22	A	P-O5'	5.77	1.65	1.59
26	BB	54	G	N7-C5	5.77	1.42	1.39
26	BB	398	C	P-O5'	5.77	1.65	1.59
26	BB	451	U	N1-C2	5.77	1.43	1.38
26	BB	476	G	N9-C8	5.77	1.41	1.37
26	BB	1456	G	N7-C5	5.77	1.42	1.39
1	AA	155	A	N7-C5	5.77	1.42	1.39
1	AA	319	G	C4'-O4'	-5.77	1.38	1.45
1	AA	724	G	C2'-O2'	5.77	1.49	1.41
1	AA	1045	C	C2-N3	5.77	1.40	1.35
26	BB	831	G	C4'-C3'	-5.77	1.46	1.52
26	BB	875	G	C2-N2	-5.77	1.28	1.34
26	BB	1311	G	C2-N3	5.77	1.37	1.32
2	AB	67	G	N9-C8	5.77	1.41	1.37
2	AB	72	U	C4'-O4'	-5.77	1.38	1.45
25	BA	110	C	C4-C5	5.77	1.47	1.43
26	BB	367	G	C2'-C1'	5.77	1.59	1.53
26	BB	948	C	C2'-O2'	5.77	1.49	1.41
26	BB	2715	C	N3-C4	5.77	1.38	1.33
1	AA	367	U	C4'-C3'	-5.76	1.46	1.52
1	AA	470	C	C4-C5	5.76	1.47	1.43
15	AO	120	ARG	CZ-NH2	5.76	1.40	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BA	57	A	P-O5'	5.76	1.65	1.59
26	BB	5	A	C4'-O4'	-5.76	1.38	1.45
26	BB	612	G	N9-C8	-5.76	1.33	1.37
26	BB	630	G	C6-N1	5.76	1.43	1.39
26	BB	872	U	C2-N3	5.76	1.41	1.37
26	BB	1086	A	C2-N3	-5.76	1.28	1.33
26	BB	1128	G	C8-N7	5.76	1.34	1.30
26	BB	1575	C	C4'-O4'	-5.76	1.38	1.45
26	BB	2316	G	N1-C2	5.76	1.42	1.37
28	BD	79	ARG	CZ-NH1	5.76	1.40	1.33
41	BQ	36	TYR	CE2-CZ	5.76	1.46	1.38
1	AA	734	G	C8-N7	-5.76	1.27	1.30
26	BB	2022	U	C3'-O3'	-5.76	1.34	1.42
26	BB	2469	A	C2-N3	5.76	1.38	1.33
1	AA	71	A	N9-C8	5.76	1.42	1.37
1	AA	477	C	C2-N3	5.76	1.40	1.35
1	AA	793	U	C2'-C1'	5.76	1.59	1.53
1	AA	1153	G	N9-C4	5.76	1.42	1.38
25	BA	88	C	N3-C4	5.76	1.38	1.33
26	BB	534	U	C3'-C2'	5.76	1.59	1.52
26	BB	770	G	C5-C4	-5.76	1.34	1.38
26	BB	1801	A	P-O5'	-5.76	1.53	1.59
26	BB	1860	G	C8-N7	-5.76	1.27	1.30
26	BB	2283	C	C2-N3	5.76	1.40	1.35
48	BX	26	PHE	CG-CD2	5.76	1.47	1.38
1	AA	830	G	C5-C4	5.76	1.42	1.38
1	AA	871	U	C5-C6	5.76	1.39	1.34
1	AA	1233	G	C5'-C4'	5.76	1.58	1.51
1	AA	1391	U	C3'-C2'	5.76	1.59	1.52
1	AA	1447	A	N7-C5	-5.76	1.35	1.39
25	BA	88	C	C2'-C1'	-5.76	1.47	1.53
26	BB	706	A	N7-C5	5.76	1.42	1.39
26	BB	1069	A	N1-C2	-5.76	1.29	1.34
26	BB	1943	U	N3-C4	5.76	1.43	1.38
26	BB	2376	A	O3'-P	5.76	1.68	1.61
26	BB	2767	C	N1-C6	-5.76	1.33	1.37
1	AA	1054	C	C4-C5	5.76	1.47	1.43
1	AA	1111	A	N9-C4	5.76	1.41	1.37
26	BB	1521	G	P-O5'	5.76	1.65	1.59
26	BB	1701	A	C5'-C4'	5.76	1.58	1.51
1	AA	19	A	C2'-C1'	5.76	1.59	1.53
1	AA	204	G	C2'-C1'	-5.76	1.47	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	767	A	N1-C2	-5.76	1.29	1.34
1	AA	1161	C	C1'-N1	5.76	1.57	1.48
2	AB	33	U	C2-O2	5.76	1.27	1.22
25	BA	37	C	C5'-C4'	5.76	1.58	1.51
26	BB	43	G	C2-N3	5.76	1.37	1.32
26	BB	143	C	O3'-P	5.76	1.68	1.61
26	BB	323	C	C2-O2	-5.76	1.19	1.24
26	BB	387	U	C2-N3	5.76	1.41	1.37
26	BB	472	A	C2'-O2'	-5.76	1.34	1.41
26	BB	778	G	C2-N3	5.76	1.37	1.32
26	BB	1121	C	O3'-P	5.76	1.68	1.61
1	AA	755	G	N3-C4	5.75	1.39	1.35
4	AD	20	G	N9-C4	-5.75	1.33	1.38
26	BB	376	G	N9-C4	5.75	1.42	1.38
26	BB	711	G	C4'-C3'	-5.75	1.46	1.52
26	BB	1819	A	N3-C4	5.75	1.38	1.34
1	AA	457	G	C2'-C1'	5.75	1.59	1.53
1	AA	810	C	N1-C6	5.75	1.40	1.37
26	BB	78	U	N1-C2	5.75	1.43	1.38
26	BB	316	C	C4-C5	5.75	1.47	1.43
26	BB	381	G	C8-N7	-5.75	1.27	1.30
26	BB	760	G	N7-C5	-5.75	1.35	1.39
26	BB	2188	U	N1-C2	5.75	1.43	1.38
26	BB	2455	G	N7-C5	5.75	1.42	1.39
26	BB	2489	U	P-O5'	5.75	1.65	1.59
1	AA	589	U	C4-C5	5.75	1.48	1.43
1	AA	718	A	C8-N7	-5.75	1.27	1.31
1	AA	874	G	P-O5'	5.75	1.65	1.59
1	AA	1287	A	N9-C8	-5.75	1.33	1.37
1	AA	1325	C	O3'-P	5.75	1.68	1.61
2	AB	53	G	C5-C4	5.75	1.42	1.38
25	BA	43	C	C1'-N1	5.75	1.57	1.48
26	BB	87	U	C4'-O4'	-5.75	1.38	1.45
26	BB	774	G	N9-C4	-5.75	1.33	1.38
26	BB	1315	C	C4'-O4'	-5.75	1.38	1.45
26	BB	2279	G	C8-N7	5.75	1.34	1.30
26	BB	2811	G	N9-C8	-5.75	1.33	1.37
1	AA	401	C	P-O5'	5.75	1.65	1.59
1	AA	1092	A	N7-C5	-5.75	1.35	1.39
1	AA	1349	A	C6-N1	5.75	1.39	1.35
2	AB	71	C	N3-C4	-5.75	1.29	1.33
26	BB	119	A	C2-N3	5.75	1.38	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	908	C	C4'-C3'	5.75	1.59	1.53
26	BB	920	A	N1-C2	-5.75	1.29	1.34
26	BB	920	A	P-O5'	5.75	1.65	1.59
26	BB	1791	A	C5-C6	5.75	1.46	1.41
26	BB	1910	G	N1-C2	5.75	1.42	1.37
26	BB	2557	G	P-O5'	-5.75	1.54	1.59
26	BB	2705	A	C5-C6	5.75	1.46	1.41
26	BB	1576	U	C4'-O4'	-5.75	1.38	1.45
26	BB	2392	A	N1-C2	-5.75	1.29	1.34
26	BB	2519	U	C4'-O4'	-5.75	1.38	1.45
1	AA	25	C	C5-C6	-5.75	1.29	1.34
3	AC	35	G	C8-N7	5.75	1.34	1.30
3	AC	46	C	O3'-P	5.75	1.68	1.61
26	BB	48	G	N7-C5	5.75	1.42	1.39
26	BB	597	G	N9-C4	5.75	1.42	1.38
1	AA	235	C	N1-C6	5.74	1.40	1.37
1	AA	736	C	C5-C6	5.74	1.39	1.34
1	AA	1067	A	C4'-C3'	5.74	1.59	1.53
1	AA	1152	A	C3'-O3'	5.74	1.50	1.42
1	AA	1174	G	C2-N3	5.74	1.37	1.32
2	AB	5	G	C5-C4	-5.74	1.34	1.38
2	AB	42	G	C5'-C4'	5.74	1.58	1.51
26	BB	250	G	C5-C4	5.74	1.42	1.38
26	BB	401	A	O4'-C1'	5.74	1.49	1.41
26	BB	735	A	C5'-C4'	5.74	1.58	1.51
26	BB	780	G	N9-C8	-5.74	1.33	1.37
26	BB	1972	G	C2'-C1'	5.74	1.59	1.53
26	BB	2576	G	C5'-C4'	-5.74	1.44	1.51
1	AA	1001	C	P-O5'	5.74	1.65	1.59
1	AA	1269	A	C6-N6	5.74	1.38	1.33
2	AB	43	G	O4'-C1'	5.74	1.49	1.41
25	BA	48	U	C2'-C1'	5.74	1.59	1.53
26	BB	547	A	N7-C5	5.74	1.42	1.39
26	BB	1194	A	C6-N1	5.74	1.39	1.35
26	BB	1273	U	C5-C6	5.74	1.39	1.34
1	AA	109	A	N9-C4	5.74	1.41	1.37
1	AA	322	C	C4-C5	5.74	1.47	1.43
1	AA	867	G	C6-N1	5.74	1.43	1.39
1	AA	1195	C	C3'-C2'	5.74	1.59	1.52
1	AA	1251	A	N1-C2	5.74	1.39	1.34
4	AD	63	C	C5'-C4'	5.74	1.58	1.51
26	BB	81	G	C5'-C4'	5.74	1.58	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1465	G	C5'-C4'	5.74	1.58	1.51
26	BB	1968	G	P-O5'	5.74	1.65	1.59
26	BB	2389	G	C5-C6	5.74	1.48	1.42
26	BB	2622	U	C2-N3	5.74	1.41	1.37
36	BL	98	GLU	CG-CD	5.74	1.60	1.51
1	AA	160	A	C5-C6	5.74	1.46	1.41
1	AA	959	A	C6-N1	5.74	1.39	1.35
1	AA	1169	A	C5-C6	5.74	1.46	1.41
1	AA	1380	U	N1-C2	5.74	1.43	1.38
1	AA	1495	U	C4'-O4'	-5.74	1.38	1.45
26	BB	246	C	O3'-P	5.74	1.68	1.61
26	BB	448	U	C5'-C4'	5.74	1.58	1.51
26	BB	617	G	C6-N1	5.74	1.43	1.39
26	BB	1360	G	N7-C5	5.74	1.42	1.39
26	BB	1540	G	C2-N3	5.74	1.37	1.32
1	AA	994	A	C8-N7	-5.74	1.27	1.31
1	AA	1362	A	C2'-C1'	-5.74	1.47	1.53
26	BB	245	G	C2-N3	5.74	1.37	1.32
26	BB	1004	U	C4-C5	5.74	1.48	1.43
26	BB	2634	A	C2'-C1'	5.74	1.59	1.53
1	AA	2	A	C5-C6	5.74	1.46	1.41
1	AA	956	U	C4'-O4'	-5.74	1.38	1.45
3	AC	15	G	C2-N3	5.73	1.37	1.32
26	BB	330	A	C2-N3	5.73	1.38	1.33
26	BB	1182	G	C4'-O4'	-5.73	1.38	1.45
26	BB	1431	A	N9-C8	5.73	1.42	1.37
1	AA	1174	G	N7-C5	5.73	1.42	1.39
25	BA	13	G	C4'-O4'	-5.73	1.38	1.45
26	BB	1188	U	P-O5'	5.73	1.65	1.59
26	BB	2712	C	N1-C6	5.73	1.40	1.37
1	AA	72	A	N9-C8	5.73	1.42	1.37
1	AA	118	U	N1-C6	-5.73	1.32	1.38
1	AA	506	G	C6-O6	-5.73	1.19	1.24
1	AA	703	G	N1-C2	5.73	1.42	1.37
1	AA	829	G	C6-N1	-5.73	1.35	1.39
1	AA	1124	G	C2'-O2'	-5.73	1.34	1.41
1	AA	1284	C	N3-C4	-5.73	1.29	1.33
1	AA	1312	G	C2-N2	-5.73	1.28	1.34
1	AA	1491	G	C4'-O4'	-5.73	1.38	1.45
3	AC	58	C	C4'-C3'	5.73	1.59	1.53
26	BB	374	A	P-O5'	5.73	1.65	1.59
26	BB	1385	A	C6-N6	5.73	1.38	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1549	A	N7-C5	-5.73	1.35	1.39
1	AA	124	C	N3-C4	-5.73	1.29	1.33
1	AA	832	G	C3'-C2'	5.73	1.59	1.52
26	BB	319	G	N9-C4	-5.73	1.33	1.38
26	BB	630	G	C3'-C2'	5.73	1.59	1.52
26	BB	640	C	C4-C5	-5.73	1.38	1.43
26	BB	1384	A	C3'-O3'	5.73	1.50	1.42
26	BB	1394	U	N1-C2	5.73	1.43	1.38
26	BB	2022	U	C4-O4	5.73	1.28	1.23
1	AA	167	A	C2'-C1'	-5.73	1.47	1.53
1	AA	192	A	P-O5'	-5.73	1.54	1.59
1	AA	249	U	C3'-C2'	5.73	1.59	1.52
1	AA	901	A	N9-C8	-5.73	1.33	1.37
1	AA	1334	G	P-O5'	5.73	1.65	1.59
1	AA	1456	A	N3-C4	5.73	1.38	1.34
26	BB	167	A	P-O5'	5.73	1.65	1.59
26	BB	364	C	C3'-C2'	5.73	1.59	1.52
26	BB	368	A	C1'-N9	5.73	1.57	1.48
26	BB	660	C	C3'-C2'	5.73	1.59	1.52
26	BB	812	C	C5'-C4'	5.73	1.58	1.51
26	BB	1120	G	C8-N7	5.73	1.34	1.30
26	BB	2095	A	C2'-C1'	5.73	1.59	1.53
26	BB	2569	G	N9-C4	-5.73	1.33	1.38
1	AA	444	G	O4'-C1'	5.73	1.49	1.41
1	AA	1329	A	N7-C5	5.73	1.42	1.39
2	AB	9	A	N3-C4	5.73	1.38	1.34
26	BB	543	G	O4'-C1'	5.73	1.49	1.41
26	BB	1500	G	C5-C6	5.73	1.48	1.42
1	AA	304	U	O5'-C5'	-5.72	1.33	1.42
1	AA	887	G	N9-C4	5.72	1.42	1.38
1	AA	1024	G	N9-C4	5.72	1.42	1.38
1	AA	1403	C	N3-C4	5.72	1.38	1.33
26	BB	298	G	C5'-C4'	5.72	1.58	1.51
26	BB	346	A	P-O5'	5.72	1.65	1.59
26	BB	515	A	C5-C4	5.72	1.42	1.38
26	BB	529	A	C5'-C4'	5.72	1.58	1.51
26	BB	614	A	N3-C4	-5.72	1.31	1.34
26	BB	707	G	C5-C4	5.72	1.42	1.38
26	BB	1289	C	C5'-C4'	5.72	1.58	1.51
26	BB	1365	A	C4'-C3'	-5.72	1.46	1.52
26	BB	1581	G	C2-N3	5.72	1.37	1.32
26	BB	2730	C	C2-O2	-5.72	1.19	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	615	G	C5'-C4'	5.72	1.58	1.51
1	AA	619	U	C2'-O2'	5.72	1.49	1.41
1	AA	620	C	C5-C6	5.72	1.39	1.34
1	AA	1070	U	C4-C5	5.72	1.48	1.43
1	AA	1442	G	P-O5'	5.72	1.65	1.59
26	BB	395	U	N1-C2	5.72	1.43	1.38
26	BB	673	C	C5'-C4'	5.72	1.58	1.51
26	BB	2103	C	N3-C4	5.72	1.38	1.33
26	BB	2435	A	N1-C2	-5.72	1.29	1.34
2	AB	47	U	C2'-O2'	5.72	1.49	1.41
2	AB	62	U	C2-N3	5.72	1.41	1.37
26	BB	498	G	C4'-O4'	-5.72	1.38	1.45
26	BB	974	G	C5-C6	5.72	1.48	1.42
26	BB	2408	U	C3'-C2'	5.72	1.59	1.52
1	AA	129	A	N9-C4	5.72	1.41	1.37
1	AA	133	U	N3-C4	5.72	1.43	1.38
1	AA	160	A	O4'-C1'	-5.72	1.34	1.41
1	AA	1101	A	P-O5'	5.72	1.65	1.59
1	AA	1291	U	C4'-O4'	-5.72	1.38	1.45
1	AA	1538	C	C2-N3	5.72	1.40	1.35
3	AC	21	U	O3'-P	5.72	1.68	1.61
26	BB	57	C	C4-C5	5.72	1.47	1.43
26	BB	492	A	C5-C6	5.72	1.46	1.41
26	BB	514	A	C5-C6	5.72	1.46	1.41
26	BB	1049	C	C4-C5	5.72	1.47	1.43
26	BB	1738	G	C8-N7	-5.72	1.27	1.30
26	BB	2004	G	C5-C6	5.72	1.48	1.42
26	BB	2117	A	C4'-O4'	-5.72	1.38	1.45
1	AA	177	G	N9-C4	-5.72	1.33	1.38
26	BB	1598	A	C8-N7	-5.72	1.27	1.31
4	AD	66	C	N1-C6	5.72	1.40	1.37
26	BB	1437	C	N1-C6	5.72	1.40	1.37
26	BB	1530	G	C5-C6	5.72	1.48	1.42
26	BB	1579	A	N9-C4	-5.72	1.34	1.37
26	BB	2002	G	C5'-C4'	5.72	1.58	1.51
26	BB	2317	A	N3-C4	5.72	1.38	1.34
26	BB	2414	G	N1-C2	5.72	1.42	1.37
36	BL	76	HIS	CB-CG	5.72	1.60	1.50
1	AA	324	G	N7-C5	5.71	1.42	1.39
1	AA	613	C	P-O5'	5.71	1.65	1.59
1	AA	641	U	C4-C5	5.71	1.48	1.43
1	AA	1038	C	C4-N4	5.71	1.39	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1534	A	C6-N6	5.71	1.38	1.33
26	BB	13	A	P-O5'	5.71	1.65	1.59
26	BB	962	G	C2'-C1'	5.71	1.59	1.53
26	BB	1169	A	C5-C6	5.71	1.46	1.41
26	BB	1573	G	C3'-C2'	-5.71	1.46	1.52
26	BB	1655	A	N7-C5	5.71	1.42	1.39
26	BB	1750	G	C6-O6	-5.71	1.19	1.24
26	BB	2184	A	N3-C4	-5.71	1.31	1.34
26	BB	2608	G	N9-C8	-5.71	1.33	1.37
26	BB	2290	G	C5-C4	-5.71	1.34	1.38
26	BB	2708	G	N9-C8	5.71	1.41	1.37
1	AA	50	A	C8-N7	5.71	1.35	1.31
1	AA	1038	C	C2'-C1'	-5.71	1.47	1.53
1	AA	1318	A	C3'-O3'	5.71	1.50	1.42
22	AV	24	SER	CB-OG	-5.71	1.34	1.42
26	BB	10	A	N7-C5	5.71	1.42	1.39
26	BB	267	C	P-O5'	5.71	1.65	1.59
26	BB	1244	A	O4'-C1'	5.71	1.49	1.41
26	BB	1589	U	C2'-O2'	-5.71	1.34	1.41
26	BB	2196	C	C5-C6	5.71	1.39	1.34
26	BB	2736	A	C5-C6	5.71	1.46	1.41
29	BE	139	SER	CB-OG	-5.71	1.34	1.42
26	BB	868	U	C1'-N1	5.71	1.57	1.48
26	BB	2716	C	N1-C6	5.71	1.40	1.37
1	AA	157	U	C2-N3	5.71	1.41	1.37
1	AA	393	A	N9-C4	5.71	1.41	1.37
1	AA	1013	G	C3'-C2'	-5.71	1.46	1.52
1	AA	1418	A	N9-C4	-5.71	1.34	1.37
25	BA	1	U	O3'-P	5.71	1.68	1.61
26	BB	260	G	C6-O6	-5.71	1.19	1.24
26	BB	1299	G	N1-C2	5.71	1.42	1.37
26	BB	1532	A	N3-C4	5.71	1.38	1.34
26	BB	2154	A	C8-N7	-5.71	1.27	1.31
26	BB	2281	A	C2'-C1'	5.71	1.59	1.53
26	BB	2670	A	C5'-C4'	5.71	1.58	1.51
1	AA	35	G	C5'-C4'	5.71	1.58	1.51
1	AA	282	A	C4'-O4'	-5.71	1.38	1.45
1	AA	1126	U	P-O5'	5.71	1.65	1.59
1	AA	1173	U	C2'-C1'	-5.71	1.47	1.53
26	BB	377	G	C2-N3	5.71	1.37	1.32
26	BB	546	U	N1-C2	5.71	1.43	1.38
26	BB	920	A	C3'-O3'	5.71	1.50	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1861	G	C4'-C3'	5.71	1.59	1.53
26	BB	2410	G	C1'-N9	5.71	1.57	1.48
26	BB	2787	C	C3'-C2'	-5.71	1.46	1.52
1	AA	19	A	N7-C5	-5.71	1.35	1.39
1	AA	465	A	C5-C4	-5.71	1.34	1.38
26	BB	54	G	N1-C2	5.71	1.42	1.37
26	BB	807	U	C4-C5	5.71	1.48	1.43
26	BB	1479	G	C5-C4	5.71	1.42	1.38
1	AA	433	G	C2-N3	5.70	1.37	1.32
1	AA	643	C	O4'-C1'	5.70	1.49	1.41
1	AA	1198	G	C4'-O4'	-5.70	1.38	1.45
1	AA	1271	A	N3-C4	5.70	1.38	1.34
1	AA	1275	A	C6-N6	5.70	1.38	1.33
1	AA	1427	C	P-O5'	5.70	1.65	1.59
1	AA	1534	A	C4'-C3'	5.70	1.59	1.53
25	BA	42	C	C2'-O2'	5.70	1.49	1.41
25	BA	111	U	N1-C6	5.70	1.43	1.38
26	BB	649	G	C5'-C4'	5.70	1.58	1.51
26	BB	1292	G	C6-N1	5.70	1.43	1.39
26	BB	1649	G	P-O5'	5.70	1.65	1.59
26	BB	1925	C	P-O5'	5.70	1.65	1.59
26	BB	2026	U	N3-C4	5.70	1.43	1.38
26	BB	2404	U	C5-C6	5.70	1.39	1.34
1	AA	836	G	N9-C4	5.70	1.42	1.38
25	BA	13	G	C6-N1	5.70	1.43	1.39
26	BB	868	U	O3'-P	5.70	1.68	1.61
26	BB	1028	A	C6-N1	-5.70	1.31	1.35
26	BB	1549	A	C6-N1	5.70	1.39	1.35
26	BB	1625	C	C3'-C2'	5.70	1.59	1.52
26	BB	2404	U	C4'-C3'	5.70	1.59	1.53
26	BB	2655	G	P-O5'	5.70	1.65	1.59
1	AA	590	U	C2-O2	5.70	1.27	1.22
1	AA	754	C	C5-C6	5.70	1.39	1.34
4	AD	51	U	C5'-C4'	5.70	1.58	1.51
26	BB	276	U	C4-C5	5.70	1.48	1.43
26	BB	884	U	O4'-C1'	5.70	1.49	1.41
26	BB	1266	G	C2-N2	-5.70	1.28	1.34
26	BB	1697	G	C2-N3	5.70	1.37	1.32
26	BB	2140	G	N3-C4	5.70	1.39	1.35
1	AA	428	G	C2-N3	5.70	1.37	1.32
1	AA	946	A	C5-C6	5.70	1.46	1.41
1	AA	1070	U	N3-C4	5.70	1.43	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1504	G	N1-C2	5.70	1.42	1.37
2	AB	70	C	C4'-C3'	5.70	1.59	1.53
26	BB	429	A	C2-N3	5.70	1.38	1.33
26	BB	707	G	O3'-P	-5.70	1.54	1.61
26	BB	1357	C	C5-C6	5.70	1.39	1.34
26	BB	1637	A	C3'-C2'	5.70	1.59	1.52
26	BB	1970	A	C6-N6	5.70	1.38	1.33
26	BB	2524	G	N7-C5	-5.70	1.35	1.39
1	AA	1061	G	C5-C6	5.70	1.48	1.42
2	AB	5	G	C4'-C3'	5.70	1.59	1.53
26	BB	64	A	C5-C4	5.70	1.42	1.38
26	BB	429	A	C8-N7	5.70	1.35	1.31
26	BB	1075	C	N3-C4	5.70	1.38	1.33
26	BB	1665	A	N9-C4	-5.70	1.34	1.37
2	AB	15	A	C4'-C3'	-5.70	1.46	1.52
26	BB	1495	A	N3-C4	5.70	1.38	1.34
26	BB	2211	A	C5'-C4'	5.70	1.58	1.51
26	BB	2228	G	O3'-P	5.70	1.68	1.61
26	BB	2530	A	C3'-C2'	-5.70	1.46	1.52
26	BB	2210	U	N1-C6	-5.69	1.32	1.38
26	BB	2440	C	C5-C6	5.69	1.39	1.34
1	AA	332	G	N1-C2	5.69	1.42	1.37
1	AA	798	U	C4'-O4'	-5.69	1.38	1.45
3	AC	51	C	C4'-O4'	-5.69	1.38	1.45
25	BA	119	A	C3'-C2'	5.69	1.59	1.52
26	BB	1262	A	N3-C4	5.69	1.38	1.34
26	BB	1344	U	O3'-P	-5.69	1.54	1.61
1	AA	538	G	P-O5'	5.69	1.65	1.59
1	AA	721	G	N7-C5	5.69	1.42	1.39
1	AA	824	G	C4'-O4'	-5.69	1.38	1.45
1	AA	939	G	C6-N1	5.69	1.43	1.39
14	AN	76	TYR	CE1-CZ	5.69	1.46	1.38
26	BB	136	G	C5-C6	5.69	1.48	1.42
26	BB	548	G	O3'-P	5.69	1.68	1.61
26	BB	597	G	C6-N1	-5.69	1.35	1.39
26	BB	750	A	C4'-O4'	-5.69	1.38	1.45
26	BB	867	C	C2-N3	5.69	1.40	1.35
26	BB	1386	C	C4'-C3'	5.69	1.59	1.53
26	BB	2005	A	N9-C8	-5.69	1.33	1.37
26	BB	2736	A	N9-C8	5.69	1.42	1.37
47	BW	59	GLU	CD-OE1	-5.69	1.19	1.25
1	AA	1001	C	O4'-C1'	5.69	1.49	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	AF	228	ARG	CZ-NH2	5.69	1.40	1.33
26	BB	2109	U	C2'-C1'	5.69	1.59	1.53
26	BB	2345	G	C3'-C2'	5.69	1.59	1.52
1	AA	114	U	N3-C4	5.69	1.43	1.38
1	AA	519	C	C4'-O4'	-5.69	1.38	1.45
1	AA	764	C	C4-C5	-5.69	1.38	1.43
1	AA	912	C	C3'-O3'	-5.69	1.34	1.42
26	BB	195	A	C3'-C2'	5.69	1.59	1.52
26	BB	292	U	C2-N3	5.69	1.41	1.37
26	BB	655	A	C8-N7	-5.69	1.27	1.31
26	BB	1032	A	C6-N1	-5.69	1.31	1.35
26	BB	1576	U	N1-C2	-5.69	1.33	1.38
26	BB	1799	G	P-O5'	5.69	1.65	1.59
26	BB	2395	C	O5'-C5'	-5.69	1.33	1.42
1	AA	971	G	C2-N3	5.69	1.37	1.32
4	AD	50	G	P-O5'	5.69	1.65	1.59
26	BB	61	C	P-O5'	5.69	1.65	1.59
26	BB	713	G	N3-C4	5.69	1.39	1.35
26	BB	2040	G	N7-C5	-5.69	1.35	1.39
26	BB	2485	G	N9-C8	-5.69	1.33	1.37
1	AA	416	G	N9-C4	5.68	1.42	1.38
1	AA	892	A	N1-C2	-5.68	1.29	1.34
1	AA	1006	G	C4'-C3'	-5.68	1.46	1.52
1	AA	1030	U	P-O5'	5.68	1.65	1.59
2	AB	44	G	C2-N3	5.68	1.37	1.32
26	BB	960	A	N9-C4	-5.68	1.34	1.37
26	BB	961	C	C4-N4	-5.68	1.28	1.33
26	BB	1725	U	C4-C5	5.68	1.48	1.43
26	BB	2775	G	N9-C4	-5.68	1.33	1.38
1	AA	65	A	O3'-P	5.68	1.68	1.61
1	AA	405	U	C2-N3	5.68	1.41	1.37
1	AA	524	G	P-O5'	-5.68	1.54	1.59
1	AA	1169	A	N9-C8	-5.68	1.33	1.37
26	BB	1952	A	C5'-C4'	5.68	1.58	1.51
1	AA	1406	U	C5-C6	5.68	1.39	1.34
2	AB	62	U	C5-C6	5.68	1.39	1.34
26	BB	934	U	C4-C5	5.68	1.48	1.43
26	BB	1199	U	C4-C5	5.68	1.48	1.43
26	BB	2363	G	P-O5'	5.68	1.65	1.59
1	AA	1283	U	O4'-C1'	5.68	1.49	1.41
1	AA	1385	G	N9-C8	-5.68	1.33	1.37
26	BB	1042	G	N7-C5	5.68	1.42	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1251	C	O4'-C1'	-5.68	1.34	1.41
26	BB	1425	G	N3-C4	5.68	1.39	1.35
26	BB	2776	A	N9-C8	-5.68	1.33	1.37
1	AA	125	U	C3'-C2'	-5.68	1.46	1.52
1	AA	162	A	C2-N3	-5.68	1.28	1.33
1	AA	1224	U	C4-C5	5.68	1.48	1.43
4	AD	43	G	C4'-C3'	-5.68	1.46	1.52
26	BB	45	G	C5-C4	-5.68	1.34	1.38
26	BB	890	C	C2-N3	5.68	1.40	1.35
26	BB	1657	U	N1-C6	5.68	1.43	1.38
26	BB	2489	U	C2-N3	5.68	1.41	1.37
1	AA	728	A	N3-C4	5.68	1.38	1.34
1	AA	914	A	N7-C5	-5.68	1.35	1.39
1	AA	1092	A	C3'-C2'	5.68	1.59	1.52
1	AA	1312	G	N7-C5	5.68	1.42	1.39
1	AA	1336	C	C5-C6	5.68	1.38	1.34
25	BA	109	A	N7-C5	-5.68	1.35	1.39
26	BB	233	A	C4'-C3'	5.68	1.59	1.53
26	BB	659	G	C6-N1	-5.68	1.35	1.39
26	BB	1019	U	C2-N3	5.68	1.41	1.37
26	BB	1564	C	C4-C5	5.68	1.47	1.43
26	BB	2423	U	O3'-P	5.68	1.68	1.61
1	AA	293	G	C8-N7	5.67	1.34	1.30
1	AA	671	G	N7-C5	5.67	1.42	1.39
1	AA	851	G	C6-O6	-5.67	1.19	1.24
1	AA	921	U	N3-C4	5.67	1.43	1.38
2	AB	18	G	C5'-C4'	5.67	1.58	1.51
3	AC	38	G	C4'-C3'	-5.67	1.46	1.52
3	AC	41	A	C5'-C4'	5.67	1.58	1.51
26	BB	96	C	C2-N3	5.67	1.40	1.35
26	BB	1152	C	O3'-P	5.67	1.68	1.61
1	AA	733	G	C2'-C1'	5.67	1.59	1.53
1	AA	903	G	C5-C6	5.67	1.48	1.42
1	AA	961	U	N1-C2	5.67	1.43	1.38
1	AA	1219	A	C8-N7	-5.67	1.27	1.31
2	AB	18	G	N1-C2	-5.67	1.33	1.37
26	BB	2321	U	N1-C2	5.67	1.43	1.38
1	AA	1436	U	O3'-P	5.67	1.68	1.61
1	AA	1472	U	C2'-C1'	5.67	1.59	1.53
26	BB	977	G	C2-N3	5.67	1.37	1.32
26	BB	1520	U	N1-C2	5.67	1.43	1.38
1	AA	1302	C	N1-C6	5.67	1.40	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1204	A	C4'-O4'	-5.67	1.38	1.45
26	BB	1323	C	N1-C6	5.67	1.40	1.37
26	BB	1828	G	C5-C4	5.67	1.42	1.38
26	BB	2421	G	P-O5'	5.67	1.65	1.59
1	AA	203	G	C4'-O4'	-5.67	1.38	1.45
1	AA	567	G	C2-N3	5.67	1.37	1.32
26	BB	2147	A	N9-C4	5.67	1.41	1.37
26	BB	2253	G	C5'-C4'	5.67	1.58	1.51
26	BB	2402	U	C2-O2	5.67	1.27	1.22
1	AA	78	A	C2-N3	-5.67	1.28	1.33
1	AA	170	U	C2'-O2'	5.67	1.49	1.41
1	AA	504	C	N1-C2	5.67	1.45	1.40
1	AA	1069	C	C5-C6	5.67	1.38	1.34
1	AA	1249	C	O3'-P	5.67	1.68	1.61
1	AA	1283	U	C5-C6	5.67	1.39	1.34
3	AC	32	U	P-O5'	5.67	1.65	1.59
4	AD	43	G	C2-N3	5.67	1.37	1.32
26	BB	285	G	C8-N7	-5.67	1.27	1.30
26	BB	424	G	C8-N7	-5.67	1.27	1.30
26	BB	1220	G	C6-N1	-5.67	1.35	1.39
33	BI	113	SER	CA-CB	5.67	1.61	1.52
49	BY	76	ARG	CZ-NH1	5.67	1.40	1.33
1	AA	863	U	C4-C5	5.67	1.48	1.43
1	AA	1018	G	O3'-P	5.67	1.68	1.61
25	BA	33	G	N1-C2	5.67	1.42	1.37
26	BB	1099	G	N9-C8	5.67	1.41	1.37
26	BB	1664	A	O3'-P	-5.67	1.54	1.61
1	AA	365	U	O4'-C1'	5.66	1.49	1.41
2	AB	4	G	C4'-O4'	-5.66	1.38	1.45
26	BB	1302	A	C5-C4	-5.66	1.34	1.38
26	BB	1596	A	N9-C4	-5.66	1.34	1.37
26	BB	1663	G	P-O5'	5.66	1.65	1.59
26	BB	2876	G	O3'-P	5.66	1.68	1.61
1	AA	877	G	C4'-O4'	-5.66	1.38	1.45
1	AA	881	G	N1-C2	5.66	1.42	1.37
26	BB	584	C	C4'-O4'	-5.66	1.38	1.45
26	BB	775	G	C8-N7	-5.66	1.27	1.30
26	BB	1105	U	C2-O2	-5.66	1.17	1.22
26	BB	1129	A	C4'-C3'	5.66	1.59	1.53
26	BB	1395	A	N7-C5	5.66	1.42	1.39
1	AA	108	G	N7-C5	-5.66	1.35	1.39
1	AA	189	A	N7-C5	5.66	1.42	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	594	U	C4'-O4'	-5.66	1.38	1.45
25	BA	64	G	N7-C5	5.66	1.42	1.39
26	BB	386	G	N1-C2	5.66	1.42	1.37
26	BB	424	G	N3-C4	-5.66	1.31	1.35
26	BB	1022	G	C2-N3	5.66	1.37	1.32
26	BB	1246	A	C5-C6	5.66	1.46	1.41
26	BB	1481	U	C2'-C1'	-5.66	1.47	1.53
26	BB	2057	G	P-O5'	5.66	1.65	1.59
26	BB	2315	G	C2-N2	5.66	1.40	1.34
26	BB	2631	G	N3-C4	5.66	1.39	1.35
1	AA	362	G	C2'-O2'	5.66	1.49	1.41
1	AA	536	C	C2'-C1'	-5.66	1.47	1.53
1	AA	720	C	C5'-C4'	5.66	1.58	1.51
1	AA	934	C	N1-C6	5.66	1.40	1.37
26	BB	180	G	N3-C4	5.66	1.39	1.35
26	BB	247	G	C6-N1	5.66	1.43	1.39
26	BB	739	A	P-O5'	5.66	1.65	1.59
26	BB	2314	A	N7-C5	-5.66	1.35	1.39
26	BB	2469	A	C6-N1	5.66	1.39	1.35
26	BB	2770	G	N7-C5	-5.66	1.35	1.39
1	AA	693	G	C2'-C1'	5.66	1.59	1.53
1	AA	1290	G	C5'-C4'	5.66	1.58	1.51
1	AA	1400	C	P-O5'	5.66	1.65	1.59
1	AA	1472	U	C2-N3	-5.66	1.33	1.37
8	AH	67	ARG	CZ-NH1	5.66	1.40	1.33
26	BB	754	U	N1-C2	5.66	1.43	1.38
26	BB	2584	U	C2-N3	-5.66	1.33	1.37
26	BB	2673	G	P-O5'	-5.66	1.54	1.59
25	BA	34	A	N1-C2	-5.66	1.29	1.34
26	BB	561	G	C5'-C4'	5.66	1.58	1.51
26	BB	835	C	N1-C2	5.66	1.45	1.40
26	BB	978	G	N3-C4	5.66	1.39	1.35
26	BB	1340	U	C2-O2	5.66	1.27	1.22
26	BB	1342	A	N9-C8	-5.66	1.33	1.37
26	BB	1562	U	C4'-C3'	-5.66	1.46	1.52
26	BB	1947	C	C4-C5	5.66	1.47	1.43
26	BB	2342	C	C2'-C1'	-5.66	1.47	1.53
1	AA	431	A	O3'-P	5.65	1.68	1.61
1	AA	1197	A	C4'-C3'	5.65	1.59	1.53
26	BB	2478	A	P-O5'	5.65	1.65	1.59
1	AA	196	A	C2'-O2'	-5.65	1.34	1.41
1	AA	893	C	C5-C6	5.65	1.38	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	AB	11	U	C5'-C4'	5.65	1.58	1.51
11	AK	29	SER	CB-OG	-5.65	1.34	1.42
20	AT	71	SER	CB-OG	-5.65	1.34	1.42
26	BB	247	G	C5-C4	5.65	1.42	1.38
26	BB	317	G	C6-O6	-5.65	1.19	1.24
26	BB	1106	G	C6-N1	5.65	1.43	1.39
26	BB	1247	A	N1-C2	-5.65	1.29	1.34
26	BB	1248	G	N9-C8	-5.65	1.33	1.37
26	BB	1568	G	C5'-C4'	5.65	1.58	1.51
26	BB	1791	A	N9-C4	5.65	1.41	1.37
26	BB	1940	U	C3'-C2'	5.65	1.59	1.52
26	BB	2761	A	O3'-P	-5.65	1.54	1.61
1	AA	767	A	N9-C8	5.65	1.42	1.37
1	AA	1011	C	C3'-C2'	5.65	1.59	1.52
1	AA	1401	G	P-O5'	5.65	1.65	1.59
1	AA	1448	C	C2-N3	5.65	1.40	1.35
26	BB	275	C	C4'-O4'	-5.65	1.38	1.45
26	BB	490	C	P-O5'	5.65	1.65	1.59
26	BB	2206	C	O3'-P	-5.65	1.54	1.61
26	BB	2495	G	N1-C2	5.65	1.42	1.37
1	AA	286	C	N1-C6	5.65	1.40	1.37
1	AA	758	C	C4'-O4'	-5.65	1.38	1.45
1	AA	766	A	P-O5'	5.65	1.65	1.59
1	AA	830	G	C3'-O3'	5.65	1.50	1.42
1	AA	1018	G	C2-N3	5.65	1.37	1.32
1	AA	1308	U	C2-O2	5.65	1.27	1.22
3	AC	16	A	C6-N1	-5.65	1.31	1.35
26	BB	593	U	C4-O4	-5.65	1.19	1.23
26	BB	717	C	C5-C6	5.65	1.38	1.34
26	BB	1252	G	C5'-C4'	5.65	1.58	1.51
26	BB	1253	A	O4'-C1'	-5.65	1.34	1.41
26	BB	2439	A	C5-C4	5.65	1.42	1.38
26	BB	2750	A	N3-C4	5.65	1.38	1.34
1	AA	262	A	N3-C4	-5.65	1.31	1.34
1	AA	578	C	N1-C6	5.65	1.40	1.37
1	AA	915	A	P-O5'	5.65	1.65	1.59
1	AA	1133	G	C2'-C1'	5.65	1.59	1.53
25	BA	99	A	N7-C5	-5.65	1.35	1.39
26	BB	177	G	C5-C6	5.65	1.48	1.42
26	BB	360	U	C5'-C4'	5.65	1.58	1.51
26	BB	401	A	C5'-C4'	5.65	1.58	1.51
26	BB	526	A	N3-C4	5.65	1.38	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	447	G	C5-C6	5.65	1.48	1.42
1	AA	691	G	C2-N3	5.65	1.37	1.32
1	AA	1376	U	N1-C6	5.65	1.43	1.38
1	AA	1507	A	C6-N6	5.65	1.38	1.33
1	AA	85	U	C2-O2	-5.64	1.17	1.22
1	AA	418	C	C2-N3	5.64	1.40	1.35
1	AA	431	A	C5'-C4'	5.64	1.58	1.51
1	AA	524	G	N3-C4	5.64	1.39	1.35
1	AA	1157	A	N3-C4	5.64	1.38	1.34
1	AA	1209	C	C5-C6	5.64	1.38	1.34
1	AA	1212	U	N3-C4	5.64	1.43	1.38
1	AA	1421	G	N9-C8	5.64	1.41	1.37
4	AD	23	G	N9-C4	-5.64	1.33	1.38
4	AD	65	G	N1-C2	5.64	1.42	1.37
10	AJ	43	TYR	CE1-CZ	5.64	1.45	1.38
26	BB	690	G	C2'-C1'	5.64	1.59	1.53
26	BB	829	A	C5-C6	5.64	1.46	1.41
26	BB	1515	A	N3-C4	5.64	1.38	1.34
26	BB	1730	C	O3'-P	5.64	1.68	1.61
26	BB	1799	G	C2-N2	5.64	1.40	1.34
26	BB	1935	G	C5-C4	-5.64	1.34	1.38
26	BB	2064	C	C4-N4	-5.64	1.28	1.33
26	BB	2192	U	C4-C5	5.64	1.48	1.43
26	BB	2828	G	N3-C4	5.64	1.39	1.35
1	AA	288	A	C4'-C3'	5.64	1.59	1.53
1	AA	617	G	C5'-C4'	5.64	1.58	1.51
1	AA	1242	G	C4'-O4'	-5.64	1.38	1.45
1	AA	1389	C	C5'-C4'	5.64	1.58	1.51
25	BA	91	C	P-O5'	5.64	1.65	1.59
26	BB	105	C	P-O5'	5.64	1.65	1.59
26	BB	235	U	C3'-C2'	5.64	1.59	1.52
26	BB	349	U	C2-N3	5.64	1.41	1.37
26	BB	467	G	C5-C6	-5.64	1.36	1.42
26	BB	1130	U	C4-C5	-5.64	1.38	1.43
26	BB	1884	G	N9-C4	5.64	1.42	1.38
26	BB	2113	U	C4'-O4'	-5.64	1.38	1.45
26	BB	2244	U	C4'-O4'	-5.64	1.38	1.45
25	BA	119	A	C5-C4	-5.64	1.34	1.38
26	BB	1184	U	P-O5'	5.64	1.65	1.59
26	BB	1762	A	N9-C4	-5.64	1.34	1.37
1	AA	1	A	C6-N6	5.64	1.38	1.33
1	AA	937	A	N9-C8	5.64	1.42	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1124	G	C5'-C4'	5.64	1.58	1.51
2	AB	51	G	C5-C6	5.64	1.48	1.42
14	AN	93	GLU	CD-OE2	-5.64	1.19	1.25
26	BB	702	U	C2-N3	5.64	1.41	1.37
26	BB	756	A	N7-C5	-5.64	1.35	1.39
26	BB	1707	G	P-O5'	5.64	1.65	1.59
26	BB	1852	U	N1-C2	5.64	1.43	1.38
26	BB	2088	A	C5'-C4'	5.64	1.58	1.51
26	BB	2830	C	C4'-C3'	-5.64	1.47	1.52
41	BQ	111	ARG	CZ-NH1	5.64	1.40	1.33
1	AA	243	A	C2'-C1'	5.64	1.59	1.53
1	AA	476	U	C5-C6	5.64	1.39	1.34
3	AC	23	C	N1-C6	5.64	1.40	1.37
26	BB	396	G	C6-N1	5.64	1.43	1.39
26	BB	2324	U	C4'-O4'	-5.64	1.38	1.45
1	AA	362	G	C4'-O4'	-5.64	1.38	1.45
1	AA	857	C	C3'-C2'	5.64	1.59	1.52
1	AA	861	G	P-O5'	5.64	1.65	1.59
1	AA	1127	G	C8-N7	-5.64	1.27	1.30
1	AA	1205	U	C4-C5	5.64	1.48	1.43
1	AA	1385	G	C3'-C2'	-5.64	1.46	1.52
26	BB	221	A	N9-C4	5.64	1.41	1.37
26	BB	281	C	C4-N4	5.64	1.39	1.33
26	BB	483	A	O3'-P	5.64	1.68	1.61
26	BB	1371	G	C8-N7	-5.64	1.27	1.30
26	BB	1395	A	O3'-P	5.64	1.68	1.61
26	BB	1479	G	C4'-O4'	-5.64	1.38	1.45
26	BB	1535	A	N9-C4	5.64	1.41	1.37
26	BB	2350	C	C2'-C1'	5.64	1.59	1.53
26	BB	2557	G	C5'-C4'	5.64	1.58	1.51
26	BB	2808	G	C5-C4	-5.64	1.34	1.38
1	AA	318	G	C5-C4	5.63	1.42	1.38
1	AA	361	G	C3'-C2'	5.63	1.59	1.52
1	AA	742	G	N3-C4	5.63	1.39	1.35
1	AA	1137	C	C3'-C2'	5.63	1.59	1.52
1	AA	1146	A	C5'-C4'	5.63	1.58	1.51
25	BA	79	G	N1-C2	5.63	1.42	1.37
26	BB	701	G	C2-N3	5.63	1.37	1.32
26	BB	1223	G	C6-O6	-5.63	1.19	1.24
26	BB	1715	G	C8-N7	5.63	1.34	1.30
1	AA	280	C	C4-N4	5.63	1.39	1.33
1	AA	761	G	C5-C6	5.63	1.48	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	771	G	N9-C4	5.63	1.42	1.38
26	BB	1536	C	C4-N4	5.63	1.39	1.33
1	AA	1024	G	C6-N1	-5.63	1.35	1.39
1	AA	1042	A	C5-C6	5.63	1.46	1.41
1	AA	1104	G	N3-C4	5.63	1.39	1.35
1	AA	1373	G	P-O5'	5.63	1.65	1.59
26	BB	703	U	N1-C6	5.63	1.43	1.38
26	BB	1256	G	C2'-C1'	5.63	1.59	1.53
26	BB	1616	A	N9-C8	5.63	1.42	1.37
26	BB	1684	G	N1-C2	5.63	1.42	1.37
26	BB	2202	U	C2'-C1'	-5.63	1.47	1.53
26	BB	2284	A	C2-N3	-5.63	1.28	1.33
26	BB	2747	G	C5-C4	-5.63	1.34	1.38
1	AA	593	U	C4'-C3'	5.63	1.59	1.53
1	AA	804	U	C3'-O3'	-5.63	1.34	1.42
26	BB	262	A	N1-C2	-5.63	1.29	1.34
26	BB	616	A	P-O5'	5.63	1.65	1.59
26	BB	2282	G	N9-C8	5.63	1.41	1.37
26	BB	2334	U	C4'-O4'	-5.63	1.38	1.45
26	BB	2569	G	C2-N2	5.63	1.40	1.34
26	BB	2569	G	C3'-C2'	-5.63	1.46	1.52
1	AA	107	G	N7-C5	-5.63	1.35	1.39
1	AA	939	G	N9-C8	-5.63	1.33	1.37
1	AA	1418	A	N3-C4	5.63	1.38	1.34
2	AB	72	U	O3'-P	5.63	1.68	1.61
26	BB	188	G	C2-N3	5.63	1.37	1.32
26	BB	1162	G	C2-N3	5.63	1.37	1.32
26	BB	1351	C	C3'-C2'	5.63	1.59	1.52
26	BB	1385	A	C8-N7	5.63	1.35	1.31
26	BB	2156	G	C6-O6	-5.63	1.19	1.24
26	BB	2555	U	C3'-C2'	5.63	1.59	1.52
26	BB	2799	A	C4'-C3'	5.63	1.59	1.53
1	AA	939	G	N1-C2	5.63	1.42	1.37
1	AA	1255	G	N3-C4	-5.63	1.31	1.35
2	AB	13	C	C5-C6	5.63	1.38	1.34
4	AD	9	G	N3-C4	-5.63	1.31	1.35
26	BB	170	U	C4-C5	5.63	1.48	1.43
26	BB	357	C	P-O5'	-5.63	1.54	1.59
26	BB	1612	C	N1-C2	5.63	1.45	1.40
26	BB	2211	A	C5-C6	5.63	1.46	1.41
26	BB	2451	A	N9-C4	5.63	1.41	1.37
26	BB	2727	A	N9-C4	5.63	1.41	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2881	U	C2-N3	5.63	1.41	1.37
1	AA	718	A	N1-C2	-5.62	1.29	1.34
26	BB	874	G	N9-C8	5.62	1.41	1.37
26	BB	2207	C	C2-N3	-5.62	1.31	1.35
26	BB	2211	A	C5-C4	5.62	1.42	1.38
26	BB	2595	G	O4'-C1'	5.62	1.49	1.41
1	AA	321	A	N9-C8	-5.62	1.33	1.37
1	AA	347	G	C6-N1	-5.62	1.35	1.39
1	AA	1097	C	O4'-C1'	5.62	1.49	1.41
1	AA	1223	C	C4'-C3'	5.62	1.59	1.53
6	AF	140	ALA	N-CA	5.62	1.57	1.46
26	BB	251	A	P-O5'	-5.62	1.54	1.59
26	BB	383	C	C4'-O4'	-5.62	1.38	1.45
26	BB	651	G	N1-C2	5.62	1.42	1.37
26	BB	2530	A	O3'-P	-5.62	1.54	1.61
26	BB	2773	C	C2'-C1'	-5.62	1.47	1.53
28	BD	144	GLU	CD-OE1	5.62	1.31	1.25
1	AA	459	A	N7-C5	-5.62	1.35	1.39
1	AA	482	A	N1-C2	-5.62	1.29	1.34
1	AA	927	G	N3-C4	-5.62	1.31	1.35
26	BB	351	C	C1'-N1	5.62	1.57	1.48
26	BB	918	A	C6-N1	-5.62	1.31	1.35
26	BB	1030	C	N3-C4	5.62	1.37	1.33
26	BB	1416	G	C5-C4	-5.62	1.34	1.38
26	BB	2455	G	O4'-C1'	5.62	1.49	1.41
26	BB	2576	G	C3'-C2'	5.62	1.59	1.52
1	AA	1080	A	C8-N7	-5.62	1.27	1.31
1	AA	1414	U	N1-C2	5.62	1.43	1.38
1	AA	906	A	N3-C4	5.62	1.38	1.34
1	AA	952	U	C2-N3	5.62	1.41	1.37
1	AA	1469	C	C4'-C3'	-5.62	1.47	1.52
25	BA	61	G	C4'-C3'	-5.62	1.47	1.52
26	BB	65	U	P-O5'	5.62	1.65	1.59
26	BB	336	C	O4'-C1'	5.62	1.49	1.41
26	BB	873	C	N3-C4	5.62	1.37	1.33
26	BB	1201	U	C2-N3	5.62	1.41	1.37
26	BB	1372	U	C4'-O4'	-5.62	1.38	1.45
26	BB	1571	A	C5-C4	5.62	1.42	1.38
26	BB	130	C	N3-C4	5.62	1.37	1.33
26	BB	392	U	N1-C2	5.62	1.43	1.38
26	BB	584	C	N1-C6	5.62	1.40	1.37
26	BB	1587	G	N7-C5	-5.62	1.35	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1768	C	N1-C6	5.62	1.40	1.37
1	AA	3	A	N7-C5	5.62	1.42	1.39
1	AA	167	A	C5-C6	5.62	1.46	1.41
1	AA	1210	C	N1-C6	-5.62	1.33	1.37
26	BB	804	A	C6-N6	-5.62	1.29	1.33
26	BB	1138	G	N1-C2	5.62	1.42	1.37
26	BB	1246	A	O3'-P	-5.62	1.54	1.61
26	BB	1327	A	P-O5'	5.62	1.65	1.59
26	BB	1461	C	C4-C5	5.62	1.47	1.43
26	BB	1596	A	C4'-O4'	-5.62	1.38	1.45
26	BB	1971	U	C2-N3	5.62	1.41	1.37
26	BB	2203	U	C5'-C4'	5.62	1.58	1.51
1	AA	88	U	N1-C2	5.61	1.43	1.38
1	AA	1379	G	C5'-C4'	5.61	1.58	1.51
25	BA	21	G	C2-N2	-5.61	1.28	1.34
26	BB	550	C	C2-N3	5.61	1.40	1.35
26	BB	878	A	N1-C2	-5.61	1.29	1.34
26	BB	1155	A	N7-C5	-5.61	1.35	1.39
26	BB	2473	U	C5'-C4'	5.61	1.58	1.51
26	BB	2591	C	C2-N3	5.61	1.40	1.35
1	AA	44	A	N7-C5	5.61	1.42	1.39
1	AA	1133	G	C4'-O4'	-5.61	1.38	1.45
26	BB	2222	C	P-O5'	5.61	1.65	1.59
26	BB	2534	A	C2-N3	5.61	1.38	1.33
26	BB	2670	A	C4'-C3'	5.61	1.59	1.53
1	AA	1116	U	C2-N3	5.61	1.41	1.37
1	AA	1263	C	C5'-C4'	5.61	1.58	1.51
1	AA	1302	C	C4-N4	5.61	1.39	1.33
1	AA	1317	C	C1'-N1	5.61	1.57	1.48
26	BB	151	C	C5-C6	5.61	1.38	1.34
26	BB	797	G	O3'-P	5.61	1.67	1.61
26	BB	1496	A	O3'-P	5.61	1.67	1.61
26	BB	1531	C	N1-C6	5.61	1.40	1.37
26	BB	1580	A	O4'-C1'	5.61	1.49	1.41
26	BB	1647	U	C4-O4	5.61	1.28	1.23
26	BB	2639	A	C4'-C3'	5.61	1.59	1.53
26	BB	2669	G	P-O5'	5.61	1.65	1.59
26	BB	2737	G	N3-C4	5.61	1.39	1.35
1	AA	479	U	C5'-C4'	5.61	1.58	1.51
1	AA	681	A	C5'-C4'	-5.61	1.44	1.51
1	AA	812	G	N9-C4	-5.61	1.33	1.38
4	AD	71	G	N9-C8	-5.61	1.33	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BA	100	G	C6-N1	5.61	1.43	1.39
26	BB	88	G	N9-C4	5.61	1.42	1.38
26	BB	187	G	C2'-C1'	5.61	1.59	1.53
26	BB	749	A	C6-N6	5.61	1.38	1.33
26	BB	2719	G	N3-C4	-5.61	1.31	1.35
26	BB	2796	U	C4'-O4'	-5.61	1.38	1.45
26	BB	2848	G	P-O5'	5.61	1.65	1.59
1	AA	19	A	N9-C4	5.61	1.41	1.37
1	AA	391	G	C6-N1	-5.61	1.35	1.39
1	AA	407	U	C5-C6	5.61	1.39	1.34
1	AA	564	C	O4'-C1'	5.61	1.49	1.41
1	AA	1090	U	C2-N3	5.61	1.41	1.37
1	AA	1503	A	C6-N1	-5.61	1.31	1.35
26	BB	1680	U	N1-C2	5.61	1.43	1.38
26	BB	2115	G	C8-N7	-5.61	1.27	1.30
26	BB	2678	C	N3-C4	5.61	1.37	1.33
26	BB	2695	U	C4-O4	5.61	1.28	1.23
1	AA	53	A	C6-N6	5.61	1.38	1.33
1	AA	163	C	C5-C6	5.61	1.38	1.34
1	AA	484	G	C4'-C3'	5.61	1.59	1.53
1	AA	781	A	P-O5'	5.61	1.65	1.59
1	AA	902	G	C6-O6	-5.61	1.19	1.24
1	AA	992	U	C2'-O2'	5.61	1.49	1.41
1	AA	1420	U	C2'-C1'	-5.61	1.47	1.53
1	AA	1440	U	C4-O4	-5.61	1.19	1.23
26	BB	97	C	N1-C2	5.61	1.45	1.40
26	BB	407	G	P-O5'	5.61	1.65	1.59
26	BB	1321	A	O3'-P	5.61	1.67	1.61
1	AA	1362	A	N9-C4	5.60	1.41	1.37
1	AA	1420	U	N1-C2	5.60	1.43	1.38
26	BB	169	G	C4'-O4'	-5.60	1.38	1.45
26	BB	513	A	C2'-C1'	5.60	1.59	1.53
26	BB	623	C	C5-C6	5.60	1.38	1.34
26	BB	1905	C	P-O5'	5.60	1.65	1.59
26	BB	2542	A	O3'-P	5.60	1.67	1.61
1	AA	1036	A	C2-N3	-5.60	1.28	1.33
26	BB	765	C	N1-C6	-5.60	1.33	1.37
26	BB	1483	G	C4'-O4'	-5.60	1.38	1.45
26	BB	1616	A	P-O5'	5.60	1.65	1.59
26	BB	2035	G	N9-C8	-5.60	1.33	1.37
26	BB	2722	G	N3-C4	5.60	1.39	1.35
26	BB	2754	U	N1-C2	5.60	1.43	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	741	G	C2'-O2'	-5.60	1.34	1.41
26	BB	484	C	O3'-P	5.60	1.67	1.61
26	BB	691	C	C5'-C4'	5.60	1.58	1.51
26	BB	772	C	N1-C6	5.60	1.40	1.37
26	BB	1295	C	N1-C6	-5.60	1.33	1.37
26	BB	1633	G	O5'-C5'	-5.60	1.33	1.42
1	AA	56	U	C2-N3	5.60	1.41	1.37
26	BB	126	A	N3-C4	5.60	1.38	1.34
26	BB	283	G	N1-C2	5.60	1.42	1.37
26	BB	523	C	C5-C6	5.60	1.38	1.34
26	BB	858	G	C4'-C3'	5.60	1.59	1.53
26	BB	1067	A	C3'-C2'	-5.60	1.46	1.52
26	BB	1276	A	C6-N1	-5.60	1.31	1.35
26	BB	1916	A	C6-N1	5.60	1.39	1.35
26	BB	2315	G	N3-C4	-5.60	1.31	1.35
26	BB	2468	A	P-O5'	5.60	1.65	1.59
44	BT	75	VAL	CB-CG1	5.60	1.64	1.52
1	AA	237	G	N3-C4	5.60	1.39	1.35
1	AA	895	G	N1-C2	5.60	1.42	1.37
1	AA	900	A	N3-C4	5.60	1.38	1.34
2	AB	44	G	N3-C4	5.60	1.39	1.35
14	AN	43	TRP	NE1-CE2	5.60	1.44	1.37
26	BB	8	C	N1-C6	5.60	1.40	1.37
26	BB	500	G	N3-C4	-5.60	1.31	1.35
26	BB	767	U	O3'-P	5.60	1.67	1.61
26	BB	1290	C	O3'-P	5.60	1.67	1.61
26	BB	1408	G	C2-N3	5.60	1.37	1.32
26	BB	2667	C	C4'-C3'	5.60	1.59	1.53
26	BB	2770	G	C2-N3	5.60	1.37	1.32
39	BO	9	PHE	CG-CD2	5.60	1.47	1.38
25	BA	87	U	C5-C6	5.60	1.39	1.34
26	BB	463	G	C5-C4	-5.60	1.34	1.38
26	BB	583	G	C2'-C1'	-5.60	1.47	1.53
36	BL	95	ARG	CZ-NH1	5.60	1.40	1.33
1	AA	821	G	C2-N2	-5.59	1.28	1.34
1	AA	1468	A	N7-C5	-5.59	1.35	1.39
26	BB	1486	U	O3'-P	5.59	1.67	1.61
26	BB	1750	G	N9-C4	-5.59	1.33	1.38
1	AA	243	A	C5-C4	5.59	1.42	1.38
1	AA	832	G	O3'-P	5.59	1.67	1.61
26	BB	117	G	C5-C6	5.59	1.48	1.42
26	BB	346	A	C5-C6	5.59	1.46	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	990	A	O3'-P	5.59	1.67	1.61
26	BB	1514	G	C5-C4	5.59	1.42	1.38
26	BB	2523	G	N1-C2	5.59	1.42	1.37
1	AA	521	G	C2'-O2'	-5.59	1.34	1.41
1	AA	1063	C	N1-C2	5.59	1.45	1.40
25	BA	71	C	C5-C6	5.59	1.38	1.34
26	BB	914	G	O4'-C1'	-5.59	1.34	1.41
26	BB	1090	A	P-O5'	5.59	1.65	1.59
26	BB	1120	G	P-O5'	-5.59	1.54	1.59
26	BB	1476	U	C4'-O4'	-5.59	1.38	1.45
26	BB	1632	A	N3-C4	5.59	1.38	1.34
26	BB	1699	G	C5-C6	5.59	1.48	1.42
26	BB	1763	G	N7-C5	-5.59	1.35	1.39
26	BB	2145	C	C4'-C3'	5.59	1.59	1.53
26	BB	2474	U	P-O5'	5.59	1.65	1.59
1	AA	354	G	P-O5'	5.59	1.65	1.59
1	AA	610	U	O4'-C1'	-5.59	1.34	1.41
1	AA	1003	G	C3'-C2'	5.59	1.59	1.52
25	BA	25	U	C5-C6	5.59	1.39	1.34
26	BB	225	C	C2-N3	5.59	1.40	1.35
26	BB	716	A	N9-C4	5.59	1.41	1.37
26	BB	1522	A	C4'-O4'	-5.59	1.38	1.45
26	BB	1711	A	N7-C5	-5.59	1.35	1.39
26	BB	1803	A	O3'-P	5.59	1.67	1.61
26	BB	2304	G	C5-C4	5.59	1.42	1.38
1	AA	1156	G	N3-C4	5.59	1.39	1.35
26	BB	1074	G	N9-C8	5.59	1.41	1.37
1	AA	921	U	C4'-O4'	-5.59	1.38	1.45
1	AA	1001	C	N3-C4	5.59	1.37	1.33
2	AB	67	G	C6-N1	5.59	1.43	1.39
26	BB	1103	A	C5-C6	5.59	1.46	1.41
26	BB	1755	A	N7-C5	-5.59	1.35	1.39
26	BB	2142	A	P-O5'	5.59	1.65	1.59
1	AA	1266	G	C4'-O4'	-5.58	1.38	1.45
25	BA	58	A	P-O5'	5.58	1.65	1.59
26	BB	1188	U	C2'-O2'	-5.58	1.34	1.41
26	BB	1511	G	C3'-C2'	5.58	1.59	1.52
26	BB	1523	U	O3'-P	5.58	1.67	1.61
1	AA	716	A	C4'-C3'	5.58	1.59	1.53
1	AA	766	A	C6-N6	-5.58	1.29	1.33
1	AA	920	U	C5-C6	5.58	1.39	1.34
1	AA	1370	G	N9-C8	5.58	1.41	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BA	63	C	P-O5'	5.58	1.65	1.59
26	BB	173	A	C8-N7	5.58	1.35	1.31
26	BB	1176	U	C2-N3	5.58	1.41	1.37
26	BB	2753	A	N9-C4	-5.58	1.34	1.37
38	BN	76	GLU	CG-CD	5.58	1.60	1.51
1	AA	471	U	C2'-C1'	-5.58	1.47	1.53
1	AA	1045	C	N1-C2	5.58	1.45	1.40
26	BB	487	C	N1-C2	5.58	1.45	1.40
26	BB	804	A	N9-C8	-5.58	1.33	1.37
26	BB	1223	G	O3'-P	5.58	1.67	1.61
26	BB	1236	G	C2'-C1'	-5.58	1.47	1.53
26	BB	1243	C	C2-N3	5.58	1.40	1.35
26	BB	1308	A	C6-N6	-5.58	1.29	1.33
26	BB	2172	U	C2-N3	5.58	1.41	1.37
1	AA	775	G	C8-N7	5.58	1.34	1.30
1	AA	955	U	N1-C2	5.58	1.43	1.38
26	BB	941	A	C6-N6	-5.58	1.29	1.33
26	BB	1538	G	C6-N1	5.58	1.43	1.39
1	AA	974	A	C8-N7	-5.58	1.27	1.31
1	AA	1050	G	C3'-C2'	5.58	1.59	1.52
26	BB	263	G	C2'-O2'	5.58	1.49	1.41
26	BB	291	G	N3-C4	5.58	1.39	1.35
26	BB	371	A	P-O5'	-5.58	1.54	1.59
26	BB	950	G	C3'-C2'	-5.58	1.46	1.52
26	BB	1023	U	C2-N3	5.58	1.41	1.37
1	AA	1096	C	C4-C5	5.58	1.47	1.43
26	BB	696	G	C5'-C4'	5.58	1.58	1.51
26	BB	1174	U	C3'-O3'	-5.58	1.34	1.42
26	BB	2220	U	C4'-C3'	-5.58	1.47	1.52
26	BB	2551	C	C5'-C4'	5.58	1.58	1.51
1	AA	354	G	C2-N3	-5.58	1.28	1.32
1	AA	1079	G	N3-C4	5.58	1.39	1.35
26	BB	207	A	C3'-O3'	-5.58	1.34	1.42
26	BB	549	G	N9-C4	5.58	1.42	1.38
26	BB	1570	A	C5-C6	5.58	1.46	1.41
26	BB	1623	G	C5-C6	5.58	1.48	1.42
26	BB	2038	G	P-O5'	5.58	1.65	1.59
26	BB	2855	C	C4-C5	5.58	1.47	1.43
1	AA	336	A	N1-C2	5.57	1.39	1.34
1	AA	412	A	C5-C6	5.57	1.46	1.41
1	AA	522	C	O5'-C5'	-5.57	1.33	1.42
1	AA	960	U	C5'-C4'	5.57	1.58	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1230	C	C4'-O4'	-5.57	1.38	1.45
26	BB	604	G	C6-N1	5.57	1.43	1.39
26	BB	971	G	N9-C4	5.57	1.42	1.38
26	BB	1139	G	P-O5'	5.57	1.65	1.59
26	BB	1142	A	C3'-O3'	5.57	1.50	1.42
26	BB	1866	A	C2'-C1'	-5.57	1.47	1.53
1	AA	315	A	O3'-P	-5.57	1.54	1.61
1	AA	780	A	N9-C4	5.57	1.41	1.37
1	AA	1198	G	P-O5'	5.57	1.65	1.59
1	AA	1439	G	C4'-O4'	-5.57	1.38	1.45
4	AD	58	A	C6-N1	-5.57	1.31	1.35
1	AA	960	U	C4'-O4'	-5.57	1.38	1.45
26	BB	552	U	N3-C4	5.57	1.43	1.38
26	BB	621	A	C6-N1	5.57	1.39	1.35
26	BB	713	G	C2-N2	-5.57	1.28	1.34
26	BB	981	A	N3-C4	5.57	1.38	1.34
26	BB	1341	G	P-O5'	-5.57	1.54	1.59
1	AA	26	A	C5'-C4'	5.57	1.58	1.51
26	BB	1824	G	N9-C8	5.57	1.41	1.37
1	AA	13	U	O4'-C1'	5.57	1.48	1.41
1	AA	183	C	C4-C5	5.57	1.47	1.43
1	AA	1328	C	N1-C2	-5.57	1.34	1.40
1	AA	1540	U	C5-C6	5.57	1.39	1.34
25	BA	38	C	C2-N3	-5.57	1.31	1.35
26	BB	562	U	C2-O2	5.57	1.27	1.22
26	BB	1013	C	C5-C6	5.57	1.38	1.34
26	BB	1144	A	N3-C4	5.57	1.38	1.34
26	BB	1208	C	C5-C6	5.57	1.38	1.34
26	BB	1959	G	C2-N2	-5.57	1.28	1.34
26	BB	2577	A	N9-C4	5.57	1.41	1.37
26	BB	2852	G	N9-C8	5.57	1.41	1.37
27	BC	12	ARG	CZ-NH2	5.57	1.40	1.33
1	AA	228	A	N9-C4	-5.57	1.34	1.37
1	AA	902	G	N7-C5	-5.57	1.35	1.39
26	BB	602	A	C8-N7	-5.57	1.27	1.31
26	BB	1282	U	C5-C6	5.57	1.39	1.34
1	AA	772	U	P-O5'	5.56	1.65	1.59
26	BB	520	G	P-O5'	5.56	1.65	1.59
26	BB	966	G	C4'-O4'	-5.56	1.38	1.45
26	BB	1506	U	P-O5'	5.56	1.65	1.59
26	BB	1895	C	O3'-P	5.56	1.67	1.61
26	BB	2180	U	C2-O2	5.56	1.27	1.22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2744	G	N3-C4	5.56	1.39	1.35
1	AA	27	G	C5'-C4'	-5.56	1.44	1.51
1	AA	383	A	C3'-C2'	5.56	1.59	1.52
1	AA	1380	U	C5-C6	5.56	1.39	1.34
1	AA	1463	U	C2-N3	5.56	1.41	1.37
1	AA	1514	G	C2-N3	5.56	1.37	1.32
2	AB	69	C	O3'-P	-5.56	1.54	1.61
26	BB	840	C	C5'-C4'	5.56	1.58	1.51
26	BB	1310	G	C2-N3	5.56	1.37	1.32
26	BB	1693	U	C3'-C2'	5.56	1.59	1.52
26	BB	2289	G	N9-C4	5.56	1.42	1.38
26	BB	2325	G	C8-N7	-5.56	1.27	1.30
26	BB	2340	A	C3'-C2'	-5.56	1.46	1.52
1	AA	563	A	C6-N6	-5.56	1.29	1.33
25	BA	19	C	N1-C6	5.56	1.40	1.37
26	BB	162	U	C4'-O4'	-5.56	1.38	1.45
26	BB	469	G	N3-C4	5.56	1.39	1.35
26	BB	1161	C	C4-C5	-5.56	1.38	1.43
26	BB	2698	U	N1-C2	5.56	1.43	1.38
1	AA	86	G	O3'-P	5.56	1.67	1.61
1	AA	854	U	C4'-C3'	-5.56	1.47	1.52
1	AA	1053	G	C2-N3	5.56	1.37	1.32
26	BB	97	C	P-O5'	5.56	1.65	1.59
26	BB	144	A	C8-N7	-5.56	1.27	1.31
26	BB	1056	G	C2-N3	5.56	1.37	1.32
26	BB	1083	U	C2-N3	5.56	1.41	1.37
26	BB	1238	G	P-O5'	5.56	1.65	1.59
26	BB	1634	A	N9-C8	5.56	1.42	1.37
26	BB	1790	C	C2-O2	-5.56	1.19	1.24
26	BB	2130	U	C2-N3	5.56	1.41	1.37
26	BB	2482	A	N3-C4	5.56	1.38	1.34
26	BB	2625	G	C5-C6	5.56	1.48	1.42
26	BB	2697	G	C2-N3	5.56	1.37	1.32
26	BB	2743	U	C5-C6	5.56	1.39	1.34
1	AA	159	G	P-O5'	5.56	1.65	1.59
1	AA	223	A	N1-C2	-5.56	1.29	1.34
1	AA	840	C	N3-C4	5.56	1.37	1.33
1	AA	1161	C	C2'-C1'	5.56	1.59	1.53
1	AA	1472	U	C5-C6	5.56	1.39	1.34
1	AA	1513	A	N9-C8	5.56	1.42	1.37
4	AD	10	G	N9-C8	-5.56	1.33	1.37
26	BB	138	U	C4-C5	5.56	1.48	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	353	C	C5'-C4'	5.56	1.58	1.51
26	BB	435	C	C5-C6	5.56	1.38	1.34
26	BB	783	A	C6-N1	-5.56	1.31	1.35
26	BB	1228	G	C5-C6	5.56	1.48	1.42
26	BB	1684	G	C5-C6	5.56	1.48	1.42
26	BB	2549	G	N3-C4	-5.56	1.31	1.35
26	BB	2800	A	C5-C4	-5.56	1.34	1.38
1	AA	834	U	C4'-O4'	-5.56	1.38	1.45
3	AC	40	G	N9-C8	-5.56	1.33	1.37
26	BB	29	U	C2-N3	5.56	1.41	1.37
26	BB	175	G	N1-C2	-5.56	1.33	1.37
26	BB	570	G	C5'-C4'	5.56	1.58	1.51
26	BB	1069	A	C2'-O2'	5.56	1.48	1.41
26	BB	2793	C	C2-N3	5.56	1.40	1.35
50	BZ	74	GLY	CA-C	5.56	1.60	1.51
1	AA	341	C	N3-C4	5.55	1.37	1.33
1	AA	426	U	C2'-C1'	-5.55	1.47	1.53
1	AA	914	A	C6-N6	5.55	1.38	1.33
1	AA	1311	A	O3'-P	5.55	1.67	1.61
1	AA	1493	A	N1-C2	-5.55	1.29	1.34
2	AB	29	G	C4'-O4'	-5.55	1.38	1.45
2	AB	63	C	C5-C6	5.55	1.38	1.34
26	BB	1215	G	C8-N7	5.55	1.34	1.30
26	BB	1790	C	C2-N3	5.55	1.40	1.35
26	BB	1964	G	C4'-O4'	-5.55	1.38	1.45
26	BB	2756	U	C2-N3	5.55	1.41	1.37
57	B6	44	ARG	C-N	5.55	1.44	1.34
1	AA	137	U	C4-O4	-5.55	1.19	1.23
1	AA	657	U	N3-C4	5.55	1.43	1.38
2	AB	59	G	N7-C5	-5.55	1.35	1.39
4	AD	53	G	N9-C8	-5.55	1.33	1.37
25	BA	33	G	C8-N7	5.55	1.34	1.30
25	BA	90	C	C2-O2	-5.55	1.19	1.24
26	BB	936	A	P-O5'	5.55	1.65	1.59
26	BB	2702	G	C2'-O2'	-5.55	1.34	1.41
26	BB	2758	A	C2'-C1'	-5.55	1.47	1.53
1	AA	493	A	C5-C4	-5.55	1.34	1.38
1	AA	568	G	N1-C2	5.55	1.42	1.37
1	AA	793	U	C5'-C4'	5.55	1.58	1.51
1	AA	1044	A	O3'-P	5.55	1.67	1.61
1	AA	1263	C	C4-C5	5.55	1.47	1.43
1	AA	1391	U	P-O5'	5.55	1.65	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	141	G	C2'-C1'	5.55	1.59	1.53
26	BB	616	A	C2'-C1'	-5.55	1.47	1.53
26	BB	945	A	C4'-O4'	-5.55	1.38	1.45
26	BB	1231	U	O4'-C1'	5.55	1.48	1.41
26	BB	1345	C	C4'-C3'	-5.55	1.47	1.52
26	BB	1643	G	C6-N1	5.55	1.43	1.39
26	BB	2728	U	C2-N3	5.55	1.41	1.37
1	AA	51	A	C4'-O4'	-5.55	1.38	1.45
1	AA	168	G	C6-O6	-5.55	1.19	1.24
1	AA	815	A	C6-N6	-5.55	1.29	1.33
1	AA	872	A	N3-C4	5.55	1.38	1.34
1	AA	1030	U	C5-C6	5.55	1.39	1.34
26	BB	624	C	C2'-C1'	5.55	1.59	1.53
26	BB	735	A	N9-C4	5.55	1.41	1.37
26	BB	1093	G	C2-N2	5.55	1.40	1.34
26	BB	1102	C	C2-N3	5.55	1.40	1.35
26	BB	1621	U	N1-C6	5.55	1.43	1.38
26	BB	1635	A	C2-N3	5.55	1.38	1.33
26	BB	1640	A	C3'-C2'	5.55	1.59	1.52
26	BB	2093	G	C5'-C4'	5.55	1.58	1.51
26	BB	2612	C	N1-C2	5.55	1.45	1.40
26	BB	2677	G	C2'-C1'	-5.55	1.47	1.53
26	BB	317	G	C5-C6	5.55	1.47	1.42
26	BB	1123	C	P-O5'	5.55	1.65	1.59
26	BB	2016	U	C2-N3	-5.55	1.33	1.37
26	BB	2338	C	C5'-C4'	-5.55	1.44	1.51
1	AA	853	C	C3'-O3'	5.55	1.50	1.42
1	AA	1046	A	C4'-O4'	-5.55	1.38	1.45
1	AA	1296	C	C5'-C4'	5.55	1.58	1.51
1	AA	1442	G	N3-C4	5.55	1.39	1.35
1	AA	1484	C	P-O5'	5.55	1.65	1.59
2	AB	33	U	C4-C5	5.55	1.48	1.43
26	BB	99	U	C4'-O4'	-5.55	1.38	1.45
26	BB	426	C	C2-N3	-5.55	1.31	1.35
26	BB	726	G	C2-N3	5.55	1.37	1.32
26	BB	947	A	C8-N7	5.55	1.35	1.31
26	BB	2565	A	C6-N1	-5.55	1.31	1.35
26	BB	2658	C	N1-C6	5.55	1.40	1.37
1	AA	124	C	C5-C6	5.54	1.38	1.34
1	AA	197	A	N7-C5	5.54	1.42	1.39
1	AA	529	G	O3'-P	5.54	1.67	1.61
26	BB	1396	U	N1-C6	5.54	1.43	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1582	C	P-O5'	5.54	1.65	1.59
26	BB	1616	A	C6-N1	5.54	1.39	1.35
26	BB	2119	A	C5-C4	-5.54	1.34	1.38
1	AA	45	G	N3-C4	5.54	1.39	1.35
1	AA	175	C	C3'-O3'	5.54	1.50	1.42
1	AA	325	A	N7-C5	5.54	1.42	1.39
1	AA	521	G	C2-N3	5.54	1.37	1.32
1	AA	598	U	C4'-C3'	-5.54	1.47	1.52
1	AA	601	G	C2'-C1'	5.54	1.59	1.53
1	AA	630	A	N7-C5	-5.54	1.35	1.39
1	AA	1150	A	C6-N6	5.54	1.38	1.33
1	AA	1229	A	N3-C4	5.54	1.38	1.34
1	AA	1528	U	C2-N3	5.54	1.41	1.37
3	AC	23	C	C3'-C2'	-5.54	1.46	1.52
25	BA	49	C	C5'-C4'	5.54	1.58	1.51
26	BB	539	G	N7-C5	-5.54	1.35	1.39
26	BB	660	C	O3'-P	5.54	1.67	1.61
26	BB	1836	C	C2-N3	5.54	1.40	1.35
26	BB	2231	U	C2-N3	5.54	1.41	1.37
26	BB	2559	C	P-O5'	-5.54	1.54	1.59
26	BB	2619	C	C4'-O4'	-5.54	1.38	1.45
26	BB	2881	U	O3'-P	5.54	1.67	1.61
1	AA	1351	U	C2'-C1'	-5.54	1.47	1.53
26	BB	905	A	C2'-C1'	5.54	1.59	1.53
26	BB	2054	A	N3-C4	5.54	1.38	1.34
26	BB	2446	G	N1-C2	5.54	1.42	1.37
26	BB	2513	A	N1-C2	-5.54	1.29	1.34
26	BB	2630	G	N9-C4	-5.54	1.33	1.38
26	BB	2747	G	N3-C4	-5.54	1.31	1.35
1	AA	453	G	C5-C4	-5.54	1.34	1.38
1	AA	618	C	C4-N4	-5.54	1.28	1.33
1	AA	1443	C	C2-N3	5.54	1.40	1.35
7	AG	130	ASN	CB-CG	5.54	1.63	1.51
25	BA	62	C	C3'-O3'	5.54	1.50	1.42
26	BB	2312	U	O3'-P	5.54	1.67	1.61
26	BB	2783	U	C4-C5	5.54	1.48	1.43
1	AA	1353	G	P-O5'	5.54	1.65	1.59
1	AA	1524	C	C2'-C1'	5.54	1.59	1.53
26	BB	453	A	N9-C8	5.54	1.42	1.37
26	BB	662	G	C2-N3	5.54	1.37	1.32
26	BB	864	G	C8-N7	-5.54	1.27	1.30
26	BB	1137	G	N1-C2	-5.54	1.33	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1286	A	N9-C8	5.54	1.42	1.37
26	BB	1324	G	C5'-C4'	5.54	1.57	1.51
26	BB	1476	U	N1-C6	5.54	1.43	1.38
26	BB	1987	A	O3'-P	5.54	1.67	1.61
26	BB	2634	A	N7-C5	-5.54	1.35	1.39
26	BB	2763	G	N7-C5	-5.54	1.35	1.39
1	AA	18	C	O3'-P	5.54	1.67	1.61
1	AA	116	A	C6-N1	-5.54	1.31	1.35
1	AA	737	C	C4'-C3'	-5.54	1.47	1.52
1	AA	973	G	O3'-P	5.54	1.67	1.61
1	AA	1290	G	C2'-C1'	5.54	1.59	1.53
1	AA	1415	G	C8-N7	5.54	1.34	1.30
26	BB	62	U	C3'-C2'	-5.54	1.46	1.52
26	BB	730	A	N9-C4	5.54	1.41	1.37
26	BB	934	U	O3'-P	5.54	1.67	1.61
26	BB	1050	A	C5-C4	-5.54	1.34	1.38
26	BB	1134	A	C8-N7	-5.54	1.27	1.31
26	BB	1707	G	N3-C4	5.54	1.39	1.35
1	AA	113	G	C8-N7	-5.54	1.27	1.30
1	AA	353	A	C2'-C1'	-5.54	1.47	1.53
1	AA	1292	G	N9-C8	5.54	1.41	1.37
1	AA	1458	G	C8-N7	-5.54	1.27	1.30
25	BA	22	U	C4-C5	5.54	1.48	1.43
25	BA	109	A	C2-N3	5.54	1.38	1.33
26	BB	971	G	C5'-C4'	5.54	1.57	1.51
26	BB	1461	C	C5'-C4'	5.54	1.57	1.51
26	BB	2147	A	P-O5'	5.54	1.65	1.59
1	AA	64	G	C1'-N9	5.53	1.57	1.48
1	AA	111	G	C8-N7	-5.53	1.27	1.30
1	AA	338	A	C4'-O4'	-5.53	1.38	1.45
1	AA	348	G	C4'-O4'	-5.53	1.38	1.45
1	AA	525	C	C5-C6	5.53	1.38	1.34
1	AA	540	G	C5-C4	-5.53	1.34	1.38
1	AA	963	G	N9-C8	-5.53	1.33	1.37
26	BB	1179	G	N3-C4	-5.53	1.31	1.35
26	BB	2147	A	C6-N6	5.53	1.38	1.33
26	BB	2438	U	N3-C4	5.53	1.43	1.38
26	BB	2441	U	P-O5'	5.53	1.65	1.59
26	BB	2475	C	C4-C5	5.53	1.47	1.43
26	BB	2811	G	C3'-C2'	5.53	1.59	1.52
1	AA	19	A	N3-C4	-5.53	1.31	1.34
1	AA	354	G	C5'-C4'	5.53	1.57	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	453	G	C5'-C4'	5.53	1.57	1.51
1	AA	674	G	P-O5'	5.53	1.65	1.59
1	AA	722	G	C2-N3	5.53	1.37	1.32
1	AA	1067	A	C5'-C4'	-5.53	1.44	1.51
1	AA	1376	U	C2'-O2'	-5.53	1.34	1.41
26	BB	847	U	C5'-C4'	5.53	1.57	1.51
26	BB	2412	A	C5-C6	5.53	1.46	1.41
1	AA	1029	U	C2-O2	5.53	1.27	1.22
1	AA	1130	A	N1-C2	5.53	1.39	1.34
2	AB	60	U	N1-C2	5.53	1.43	1.38
26	BB	12	U	C4-C5	5.53	1.48	1.43
26	BB	95	A	N9-C8	5.53	1.42	1.37
26	BB	315	G	C6-N1	5.53	1.43	1.39
26	BB	564	C	C5'-C4'	5.53	1.57	1.51
26	BB	1674	G	C5-C6	5.53	1.47	1.42
26	BB	2799	A	O3'-P	5.53	1.67	1.61
1	AA	1024	G	C2-N3	-5.53	1.28	1.32
25	BA	5	U	P-O5'	5.53	1.65	1.59
26	BB	583	G	C3'-C2'	-5.53	1.46	1.52
26	BB	975	A	N3-C4	-5.53	1.31	1.34
1	AA	82	G	C6-O6	5.53	1.29	1.24
1	AA	1093	A	N9-C8	-5.53	1.33	1.37
26	BB	543	G	C6-N1	5.53	1.43	1.39
26	BB	698	C	C2-N3	5.53	1.40	1.35
26	BB	1410	G	C5'-C4'	5.53	1.57	1.51
26	BB	1632	A	C8-N7	5.53	1.35	1.31
26	BB	1788	C	N1-C6	5.53	1.40	1.37
26	BB	2027	G	P-O5'	5.53	1.65	1.59
26	BB	2514	U	C2-N3	5.53	1.41	1.37
1	AA	385	C	C5-C6	5.53	1.38	1.34
1	AA	639	G	C2'-C1'	5.53	1.59	1.53
1	AA	930	C	P-O5'	5.53	1.65	1.59
1	AA	1451	U	O3'-P	5.53	1.67	1.61
26	BB	825	A	N9-C8	-5.53	1.33	1.37
26	BB	940	G	O3'-P	5.53	1.67	1.61
26	BB	1128	G	C5'-C4'	5.53	1.57	1.51
26	BB	1575	C	C4'-C3'	5.53	1.59	1.53
26	BB	1958	C	C4'-C3'	5.53	1.59	1.53
1	AA	227	G	C4'-O4'	-5.52	1.38	1.45
26	BB	125	A	P-O5'	5.52	1.65	1.59
26	BB	1996	C	C4-C5	-5.52	1.38	1.43
26	BB	2572	A	C2-N3	-5.52	1.28	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2808	G	N9-C8	5.52	1.41	1.37
1	AA	279	A	N7-C5	-5.52	1.35	1.39
1	AA	675	A	N9-C4	-5.52	1.34	1.37
2	AB	35	C	N3-C4	5.52	1.37	1.33
11	AK	113	ARG	NE-CZ	5.52	1.40	1.33
25	BA	54	G	O3'-P	-5.52	1.54	1.61
26	BB	432	A	C2'-C1'	-5.52	1.47	1.53
26	BB	590	A	N9-C8	-5.52	1.33	1.37
26	BB	842	U	C4-O4	-5.52	1.19	1.23
26	BB	945	A	P-O5'	5.52	1.65	1.59
26	BB	1322	A	N1-C2	-5.52	1.29	1.34
26	BB	1393	A	N3-C4	5.52	1.38	1.34
26	BB	2204	G	C4'-C3'	5.52	1.59	1.53
26	BB	2616	C	C5-C6	5.52	1.38	1.34
26	BB	2812	G	P-O5'	5.52	1.65	1.59
26	BB	1967	C	N1-C6	5.52	1.40	1.37
26	BB	2663	G	N7-C5	-5.52	1.35	1.39
31	BG	60	SER	CA-CB	5.52	1.61	1.52
1	AA	1298	U	P-O5'	5.52	1.65	1.59
1	AA	1382	C	N1-C6	5.52	1.40	1.37
26	BB	2110	G	C2-N2	-5.52	1.29	1.34
36	BL	75	TYR	CE1-CZ	5.52	1.45	1.38
1	AA	557	G	C4'-O4'	-5.52	1.38	1.45
1	AA	594	U	C4-O4	-5.52	1.19	1.23
1	AA	1060	U	C4'-O4'	-5.52	1.38	1.45
1	AA	1156	G	P-O5'	5.52	1.65	1.59
9	AI	15	SER	CB-OG	5.52	1.49	1.42
26	BB	173	A	N3-C4	5.52	1.38	1.34
26	BB	722	A	N7-C5	5.52	1.42	1.39
26	BB	1117	C	C3'-O3'	5.52	1.49	1.42
26	BB	1121	C	C2-O2	-5.52	1.19	1.24
26	BB	2111	U	O5'-C5'	-5.52	1.34	1.42
1	AA	328	C	N1-C6	5.52	1.40	1.37
26	BB	767	U	C4'-O4'	-5.52	1.38	1.45
26	BB	2587	A	C5'-C4'	5.52	1.57	1.51
26	BB	2874	C	N1-C6	5.52	1.40	1.37
1	AA	502	A	C3'-C2'	5.51	1.59	1.52
1	AA	639	G	C5-C6	5.51	1.47	1.42
1	AA	1098	C	C3'-O3'	-5.51	1.34	1.42
26	BB	43	G	C5'-C4'	5.51	1.57	1.51
26	BB	324	A	P-O5'	5.51	1.65	1.59
26	BB	547	A	N9-C4	5.51	1.41	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	656	G	N3-C4	5.51	1.39	1.35
26	BB	810	U	N1-C2	5.51	1.43	1.38
26	BB	1221	C	C4'-O4'	-5.51	1.38	1.45
26	BB	2417	C	C5-C6	5.51	1.38	1.34
26	BB	2438	U	C4-C5	5.51	1.48	1.43
26	BB	2602	A	C6-N6	5.51	1.38	1.33
1	AA	864	A	N3-C4	5.51	1.38	1.34
1	AA	995	C	C3'-C2'	5.51	1.59	1.52
1	AA	1137	C	C5'-C4'	5.51	1.57	1.51
25	BA	109	A	C3'-C2'	5.51	1.59	1.52
26	BB	571	U	P-O5'	5.51	1.65	1.59
26	BB	739	A	C6-N6	5.51	1.38	1.33
26	BB	1260	A	C4'-C3'	-5.51	1.47	1.52
26	BB	2127	G	N9-C4	5.51	1.42	1.38
26	BB	2841	C	N1-C6	-5.51	1.33	1.37
26	BB	2895	G	C6-N1	5.51	1.43	1.39
1	AA	125	U	P-O5'	5.51	1.65	1.59
1	AA	1319	A	O3'-P	-5.51	1.54	1.61
26	BB	2123	G	C3'-O3'	-5.51	1.34	1.42
26	BB	2369	A	C8-N7	-5.51	1.27	1.31
26	BB	2415	G	C3'-C2'	5.51	1.59	1.52
1	AA	1016	A	N9-C8	5.51	1.42	1.37
25	BA	69	G	N3-C4	5.51	1.39	1.35
26	BB	18	U	O3'-P	-5.51	1.54	1.61
26	BB	74	A	C5-C4	-5.51	1.34	1.38
26	BB	137	U	C4'-O4'	-5.51	1.38	1.45
26	BB	221	A	P-O5'	5.51	1.65	1.59
26	BB	1255	U	C3'-O3'	5.51	1.49	1.42
26	BB	1432	G	C2'-O2'	5.51	1.48	1.41
26	BB	2024	G	C5-C6	5.51	1.47	1.42
26	BB	2660	A	N3-C4	5.51	1.38	1.34
26	BB	2674	G	C8-N7	5.51	1.34	1.30
26	BB	2860	A	O3'-P	5.51	1.67	1.61
32	BH	29	ASN	CA-CB	5.51	1.67	1.53
45	BU	110	ARG	CZ-NH1	5.51	1.40	1.33
1	AA	388	G	C2'-O2'	-5.51	1.34	1.41
1	AA	473	U	C2'-C1'	-5.51	1.47	1.53
26	BB	600	G	C4'-O4'	-5.51	1.38	1.45
26	BB	951	C	C2'-O2'	-5.51	1.34	1.41
26	BB	2098	U	C2-N3	5.51	1.41	1.37
26	BB	2199	A	C4'-C3'	5.51	1.59	1.53
1	AA	414	A	O3'-P	5.51	1.67	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BA	35	C	C2-O2	-5.51	1.19	1.24
26	BB	514	A	C4'-O4'	-5.51	1.38	1.45
26	BB	729	G	C5-C6	5.51	1.47	1.42
26	BB	927	A	C8-N7	-5.51	1.27	1.31
26	BB	1049	C	P-O5'	5.51	1.65	1.59
26	BB	1177	G	C5'-C4'	5.51	1.57	1.51
26	BB	2362	C	C5'-C4'	5.51	1.57	1.51
25	BA	30	C	N1-C2	5.50	1.45	1.40
26	BB	127	A	C6-N1	5.50	1.39	1.35
26	BB	896	A	C4'-C3'	-5.50	1.47	1.52
26	BB	1055	G	C8-N7	5.50	1.34	1.30
26	BB	1099	G	C2-N2	5.50	1.40	1.34
26	BB	1854	A	P-O5'	5.50	1.65	1.59
26	BB	2429	G	N7-C5	5.50	1.42	1.39
1	AA	139	A	N9-C8	5.50	1.42	1.37
1	AA	326	G	C6-N1	5.50	1.43	1.39
1	AA	382	A	C5-C4	-5.50	1.34	1.38
1	AA	757	U	C1'-N1	5.50	1.57	1.48
1	AA	855	U	C4'-O4'	-5.50	1.38	1.45
1	AA	984	C	C4-N4	5.50	1.39	1.33
1	AA	1320	C	N3-C4	5.50	1.37	1.33
26	BB	324	A	N3-C4	5.50	1.38	1.34
26	BB	396	G	C6-O6	-5.50	1.19	1.24
26	BB	411	G	C4'-O4'	-5.50	1.38	1.45
26	BB	514	A	C4'-C3'	5.50	1.59	1.53
26	BB	1637	A	N9-C4	5.50	1.41	1.37
26	BB	1904	G	N1-C2	5.50	1.42	1.37
26	BB	1975	G	C3'-C2'	5.50	1.59	1.52
28	BD	226	PRO	CA-CB	-5.50	1.42	1.53
1	AA	548	G	C4'-O4'	-5.50	1.38	1.45
1	AA	782	A	C2-N3	5.50	1.38	1.33
1	AA	1075	U	N3-C4	5.50	1.43	1.38
1	AA	1133	G	N1-C2	5.50	1.42	1.37
25	BA	69	G	P-O5'	5.50	1.65	1.59
26	BB	1117	C	C2-N3	5.50	1.40	1.35
26	BB	1327	A	N7-C5	-5.50	1.35	1.39
26	BB	1562	U	C5-C6	5.50	1.39	1.34
26	BB	2160	C	P-O5'	5.50	1.65	1.59
1	AA	117	G	C2-N2	-5.50	1.29	1.34
26	BB	345	A	C8-N7	5.50	1.35	1.31
26	BB	1227	G	N7-C5	5.50	1.42	1.39
26	BB	2461	A	C5-C4	-5.50	1.34	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2506	U	N3-C4	5.50	1.43	1.38
1	AA	388	G	C2'-C1'	-5.50	1.47	1.53
1	AA	1316	G	C2-N3	5.50	1.37	1.32
1	AA	1522	U	O4'-C1'	5.50	1.48	1.41
2	AB	28	C	C4-C5	5.50	1.47	1.43
26	BB	114	U	C4-O4	5.50	1.28	1.23
26	BB	156	A	P-O5'	-5.50	1.54	1.59
26	BB	441	U	C2-O2	5.50	1.27	1.22
26	BB	727	A	C6-N1	-5.50	1.31	1.35
26	BB	2120	G	P-O5'	5.50	1.65	1.59
26	BB	2824	C	C4-N4	5.50	1.38	1.33
1	AA	479	U	C3'-O3'	5.50	1.49	1.42
1	AA	543	U	N1-C2	5.50	1.43	1.38
1	AA	993	G	C4'-O4'	-5.50	1.38	1.45
1	AA	1226	C	C4'-O4'	-5.50	1.38	1.45
1	AA	1537	U	C4-O4	-5.50	1.19	1.23
2	AB	34	C	C4-N4	5.50	1.38	1.33
25	BA	4	C	C2-O2	-5.50	1.19	1.24
26	BB	110	G	N1-C2	5.50	1.42	1.37
26	BB	989	G	C5-C6	5.50	1.47	1.42
26	BB	2614	A	P-O5'	5.50	1.65	1.59
1	AA	714	G	N1-C2	5.50	1.42	1.37
26	BB	1386	C	P-O5'	5.50	1.65	1.59
26	BB	2212	A	N9-C4	5.50	1.41	1.37
26	BB	2436	G	C5-C4	5.50	1.42	1.38
1	AA	310	G	C8-N7	-5.49	1.27	1.30
1	AA	480	U	N1-C2	5.49	1.43	1.38
1	AA	764	C	C5'-C4'	5.49	1.57	1.51
1	AA	1227	A	C8-N7	5.49	1.35	1.31
1	AA	1278	G	C8-N7	-5.49	1.27	1.30
26	BB	6	A	P-O5'	5.49	1.65	1.59
26	BB	87	U	N1-C6	5.49	1.42	1.38
26	BB	626	A	C4'-O4'	-5.49	1.38	1.45
26	BB	668	A	C2-N3	5.49	1.38	1.33
26	BB	1340	U	C5'-C4'	-5.49	1.44	1.51
26	BB	1463	C	N1-C2	5.49	1.45	1.40
26	BB	1613	G	C5'-C4'	5.49	1.57	1.51
26	BB	2326	C	C3'-C2'	-5.49	1.46	1.52
1	AA	1132	C	P-O5'	5.49	1.65	1.59
4	AD	68	C	N1-C6	5.49	1.40	1.37
26	BB	948	C	N3-C4	-5.49	1.30	1.33
1	AA	626	G	C6-N1	5.49	1.43	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	834	U	C4-C5	5.49	1.48	1.43
3	AC	50	U	C5'-C4'	5.49	1.57	1.51
25	BA	99	A	C2-N3	5.49	1.38	1.33
26	BB	363	G	C2'-C1'	5.49	1.59	1.53
26	BB	875	G	C4'-C3'	5.49	1.59	1.53
26	BB	905	A	N9-C8	-5.49	1.33	1.37
26	BB	1007	C	C5'-C4'	5.49	1.57	1.51
26	BB	1027	A	C4'-O4'	-5.49	1.38	1.45
26	BB	1313	U	C2-N3	5.49	1.41	1.37
26	BB	1904	G	N9-C8	-5.49	1.34	1.37
26	BB	2042	A	N9-C8	5.49	1.42	1.37
26	BB	2143	C	P-O5'	5.49	1.65	1.59
26	BB	2267	A	C2-N3	5.49	1.38	1.33
1	AA	256	U	P-O5'	5.49	1.65	1.59
1	AA	365	U	C2-N3	5.49	1.41	1.37
1	AA	987	G	O3'-P	5.49	1.67	1.61
1	AA	1149	C	C4-C5	5.49	1.47	1.43
25	BA	35	C	C2-N3	5.49	1.40	1.35
26	BB	87	U	P-O5'	5.49	1.65	1.59
26	BB	452	G	C2-N3	5.49	1.37	1.32
26	BB	1278	C	C5'-C4'	5.49	1.57	1.51
26	BB	1937	A	C5'-C4'	5.49	1.57	1.51
26	BB	2345	G	C6-N1	5.49	1.43	1.39
26	BB	2839	G	O4'-C1'	5.49	1.48	1.41
29	BE	64	GLU	CG-CD	5.49	1.60	1.51
1	AA	907	A	N1-C2	-5.49	1.29	1.34
26	BB	2807	U	C4-C5	5.49	1.48	1.43
1	AA	347	G	N9-C8	-5.49	1.34	1.37
1	AA	617	G	N3-C4	5.49	1.39	1.35
1	AA	776	G	C2-N3	5.49	1.37	1.32
1	AA	1459	G	O3'-P	5.49	1.67	1.61
2	AB	1	A	N9-C4	-5.49	1.34	1.37
26	BB	271	G	N3-C4	5.49	1.39	1.35
26	BB	299	A	C6-N1	-5.49	1.31	1.35
26	BB	667	U	C2-O2	5.49	1.27	1.22
26	BB	1204	A	N9-C4	-5.49	1.34	1.37
26	BB	2729	G	N9-C8	-5.49	1.34	1.37
26	BB	2763	G	C8-N7	5.49	1.34	1.30
1	AA	1360	A	O3'-P	5.48	1.67	1.61
1	AA	1497	G	C5-C4	-5.48	1.34	1.38
1	AA	18	C	C4-C5	5.48	1.47	1.43
1	AA	910	C	N3-C4	-5.48	1.30	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1064	G	C2-N3	5.48	1.37	1.32
1	AA	1219	A	N3-C4	5.48	1.38	1.34
5	AE	21	TYR	CE1-CZ	5.48	1.45	1.38
26	BB	188	G	C6-N1	-5.48	1.35	1.39
26	BB	503	A	C1'-N9	5.48	1.56	1.48
26	BB	2653	U	C2-N3	-5.48	1.33	1.37
26	BB	2692	G	P-O5'	5.48	1.65	1.59
26	BB	2894	G	C8-N7	-5.48	1.27	1.30
1	AA	93	U	C2-O2	5.48	1.27	1.22
1	AA	210	C	C2-N3	5.48	1.40	1.35
1	AA	292	G	C6-N1	5.48	1.43	1.39
1	AA	353	A	O3'-P	-5.48	1.54	1.61
1	AA	610	U	N1-C2	5.48	1.43	1.38
1	AA	965	U	C2-N3	5.48	1.41	1.37
1	AA	1038	C	O4'-C1'	5.48	1.48	1.41
1	AA	1422	G	P-O5'	-5.48	1.54	1.59
1	AA	1448	C	N1-C2	5.48	1.45	1.40
1	AA	1459	G	N7-C5	-5.48	1.35	1.39
26	BB	1021	A	C2'-C1'	5.48	1.59	1.53
26	BB	1021	A	N9-C8	-5.48	1.33	1.37
26	BB	1034	G	N9-C4	5.48	1.42	1.38
26	BB	1455	G	C2-N3	5.48	1.37	1.32
48	BX	82	TYR	CB-CG	5.48	1.59	1.51
1	AA	74	A	C5-C4	5.48	1.42	1.38
1	AA	497	G	C5-C6	5.48	1.47	1.42
1	AA	1160	G	N7-C5	-5.48	1.35	1.39
1	AA	1166	G	N3-C4	5.48	1.39	1.35
26	BB	325	G	C2-N3	5.48	1.37	1.32
26	BB	612	G	C2'-C1'	-5.48	1.47	1.53
26	BB	666	A	N3-C4	5.48	1.38	1.34
26	BB	1659	G	C8-N7	-5.48	1.27	1.30
26	BB	2049	G	C4'-O4'	-5.48	1.38	1.45
26	BB	2359	C	O3'-P	5.48	1.67	1.61
43	BS	6	GLY	CA-C	5.48	1.60	1.51
1	AA	4	U	P-O5'	5.48	1.65	1.59
1	AA	137	U	C5'-C4'	5.48	1.57	1.51
26	BB	331	C	C2-O2	-5.48	1.19	1.24
26	BB	1132	U	C5'-C4'	5.48	1.57	1.51
26	BB	1640	A	N3-C4	5.48	1.38	1.34
26	BB	2459	A	N1-C2	5.48	1.39	1.34
1	AA	628	G	P-O5'	5.47	1.65	1.59
1	AA	880	C	C5-C6	5.47	1.38	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	976	G	C8-N7	5.47	1.34	1.30
1	AA	982	U	C2-N3	5.47	1.41	1.37
3	AC	59	A	N9-C8	5.47	1.42	1.37
25	BA	87	U	C4-C5	5.47	1.48	1.43
26	BB	548	G	N7-C5	-5.47	1.35	1.39
26	BB	2355	G	C5-C4	5.47	1.42	1.38
1	AA	114	U	C4-O4	5.47	1.28	1.23
1	AA	1278	G	P-O5'	5.47	1.65	1.59
26	BB	18	U	P-O5'	5.47	1.65	1.59
26	BB	362	A	N3-C4	5.47	1.38	1.34
26	BB	779	U	C4-C5	5.47	1.48	1.43
26	BB	868	U	C5-C6	5.47	1.39	1.34
26	BB	1210	G	C2-N3	5.47	1.37	1.32
26	BB	1652	A	N9-C4	5.47	1.41	1.37
26	BB	1657	U	N3-C4	5.47	1.43	1.38
26	BB	1852	U	C5'-C4'	5.47	1.57	1.51
1	AA	595	A	N9-C8	5.47	1.42	1.37
19	AS	8	ARG	CZ-NH1	5.47	1.40	1.33
26	BB	365	U	C5-C6	5.47	1.39	1.34
26	BB	2032	G	C3'-O3'	5.47	1.49	1.42
26	BB	2210	U	C5'-C4'	5.47	1.57	1.51
26	BB	2344	U	C5'-C4'	5.47	1.57	1.51
26	BB	2808	G	N1-C2	5.47	1.42	1.37
52	B1	15	ARG	CZ-NH2	5.47	1.40	1.33
1	AA	93	U	C1'-N1	5.47	1.56	1.48
1	AA	683	G	N3-C4	5.47	1.39	1.35
1	AA	860	A	C4'-O4'	-5.47	1.38	1.45
1	AA	1067	A	C6-N1	-5.47	1.31	1.35
25	BA	81	G	O4'-C1'	5.47	1.48	1.41
26	BB	484	C	N1-C6	5.47	1.40	1.37
26	BB	558	U	C4'-O4'	-5.47	1.38	1.45
26	BB	1743	G	O3'-P	5.47	1.67	1.61
26	BB	1888	G	C5-C4	-5.47	1.34	1.38
26	BB	1958	C	O3'-P	5.47	1.67	1.61
26	BB	2144	G	C5'-C4'	5.47	1.57	1.51
26	BB	2752	C	O4'-C1'	5.47	1.48	1.41
26	BB	2273	A	N7-C5	5.47	1.42	1.39
26	BB	2697	G	C2'-C1'	5.47	1.59	1.53
1	AA	690	G	C3'-C2'	-5.47	1.46	1.52
1	AA	779	C	C5-C6	-5.47	1.29	1.34
1	AA	919	A	N7-C5	-5.47	1.35	1.39
1	AA	924	C	N3-C4	-5.47	1.30	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1104	G	N7-C5	5.47	1.42	1.39
1	AA	1523	G	C5'-C4'	5.47	1.57	1.51
25	BA	28	C	O3'-P	-5.47	1.54	1.61
26	BB	55	G	C3'-C2'	-5.47	1.46	1.52
26	BB	922	C	C5'-C4'	5.47	1.57	1.51
26	BB	1021	A	P-O5'	5.47	1.65	1.59
26	BB	1122	G	O3'-P	-5.47	1.54	1.61
26	BB	1481	U	C2-O2	5.47	1.27	1.22
26	BB	1935	G	N3-C4	-5.47	1.31	1.35
26	BB	2319	G	N7-C5	5.47	1.42	1.39
4	AD	35	C	P-O5'	5.46	1.65	1.59
26	BB	12	U	N1-C6	5.46	1.42	1.38
26	BB	537	G	C8-N7	5.46	1.34	1.30
26	BB	750	A	N7-C5	5.46	1.42	1.39
26	BB	943	A	C5'-C4'	5.46	1.57	1.51
26	BB	1480	C	C5'-C4'	5.46	1.57	1.51
26	BB	2353	G	N1-C2	5.46	1.42	1.37
26	BB	2657	A	C2'-O2'	5.46	1.48	1.41
1	AA	789	U	C2-N3	5.46	1.41	1.37
1	AA	1458	G	C2-N3	5.46	1.37	1.32
26	BB	232	G	C2'-C1'	5.46	1.59	1.53
26	BB	1121	C	C1'-N1	5.46	1.56	1.48
1	AA	58	C	C4'-O4'	-5.46	1.38	1.45
1	AA	159	G	N1-C2	-5.46	1.33	1.37
1	AA	475	C	N1-C2	5.46	1.45	1.40
1	AA	774	G	N9-C8	-5.46	1.34	1.37
1	AA	1236	A	C4'-O4'	-5.46	1.38	1.45
1	AA	1424	U	C5'-C4'	5.46	1.57	1.51
26	BB	94	A	P-O5'	-5.46	1.54	1.59
26	BB	217	A	O3'-P	5.46	1.67	1.61
26	BB	793	A	C2'-O2'	5.46	1.48	1.41
4	AD	68	C	P-O5'	5.46	1.65	1.59
26	BB	373	U	C2-N3	-5.46	1.33	1.37
26	BB	455	C	O3'-P	5.46	1.67	1.61
26	BB	1049	C	N1-C2	5.46	1.45	1.40
26	BB	1149	G	N3-C4	5.46	1.39	1.35
26	BB	2806	C	C4-N4	5.46	1.38	1.33
1	AA	119	A	N9-C4	5.46	1.41	1.37
1	AA	254	G	P-O5'	5.46	1.65	1.59
1	AA	768	A	C2-N3	5.46	1.38	1.33
1	AA	793	U	P-O5'	5.46	1.65	1.59
1	AA	1242	G	C2'-C1'	5.46	1.59	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1258	G	C4'-C3'	-5.46	1.47	1.52
2	AB	50	G	O3'-P	5.46	1.67	1.61
3	AC	55	A	N9-C4	5.46	1.41	1.37
26	BB	200	U	C2-N3	5.46	1.41	1.37
26	BB	496	G	C5'-C4'	5.46	1.57	1.51
26	BB	2249	U	P-O5'	5.46	1.65	1.59
26	BB	2466	C	C2-N3	5.46	1.40	1.35
1	AA	888	G	C6-O6	-5.46	1.19	1.24
1	AA	946	A	C6-N6	5.46	1.38	1.33
1	AA	1517	G	C2-N3	5.46	1.37	1.32
26	BB	417	C	C4-C5	5.46	1.47	1.43
26	BB	1076	C	C5'-C4'	5.46	1.57	1.51
26	BB	1146	C	C4-C5	5.46	1.47	1.43
26	BB	1268	A	C6-N1	-5.46	1.31	1.35
26	BB	1683	U	N1-C2	5.46	1.43	1.38
26	BB	2059	A	N9-C4	5.46	1.41	1.37
26	BB	2381	A	C2-N3	-5.46	1.28	1.33
1	AA	4	U	C4'-O4'	-5.46	1.38	1.45
26	BB	599	A	C6-N6	5.46	1.38	1.33
26	BB	1980	G	N9-C8	-5.46	1.34	1.37
1	AA	415	A	P-O5'	-5.45	1.54	1.59
1	AA	1352	C	O3'-P	5.45	1.67	1.61
1	AA	1457	G	O3'-P	5.45	1.67	1.61
25	BA	38	C	C4-C5	5.45	1.47	1.43
26	BB	522	A	C4'-C3'	5.45	1.59	1.53
26	BB	522	A	N1-C2	5.45	1.39	1.34
26	BB	1012	U	N1-C6	5.45	1.42	1.38
26	BB	1695	G	N9-C8	-5.45	1.34	1.37
1	AA	789	U	N3-C4	5.45	1.43	1.38
7	AG	114	ARG	CD-NE	5.45	1.55	1.46
26	BB	411	G	C8-N7	5.45	1.34	1.30
26	BB	868	U	N1-C6	5.45	1.42	1.38
26	BB	1206	G	C5-C6	5.45	1.47	1.42
26	BB	1247	A	N3-C4	5.45	1.38	1.34
26	BB	1651	G	N9-C4	-5.45	1.33	1.38
1	AA	253	A	N3-C4	5.45	1.38	1.34
1	AA	737	C	N1-C2	5.45	1.45	1.40
1	AA	1257	A	C2'-C1'	5.45	1.59	1.53
4	AD	61	U	C5'-C4'	5.45	1.57	1.51
10	AJ	84	TYR	CE1-CZ	5.45	1.45	1.38
26	BB	153	U	C2'-C1'	5.45	1.59	1.53
26	BB	389	G	P-O5'	5.45	1.65	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	531	C	C1'-N1	5.45	1.56	1.48
26	BB	602	A	N3-C4	5.45	1.38	1.34
26	BB	1218	G	O4'-C1'	5.45	1.48	1.41
26	BB	1318	U	C5'-C4'	5.45	1.57	1.51
26	BB	1922	G	P-O5'	-5.45	1.54	1.59
26	BB	2711	A	C2-N3	-5.45	1.28	1.33
26	BB	2780	G	C2-N3	5.45	1.37	1.32
26	BB	2818	U	N1-C2	5.45	1.43	1.38
1	AA	344	A	C5'-C4'	5.45	1.57	1.51
1	AA	438	U	N1-C2	5.45	1.43	1.38
1	AA	939	G	C4'-O4'	-5.45	1.38	1.45
26	BB	41	C	N1-C2	5.45	1.45	1.40
26	BB	902	C	C2'-O2'	5.45	1.48	1.41
26	BB	1194	A	N3-C4	5.45	1.38	1.34
26	BB	1445	G	C2-N2	-5.45	1.29	1.34
26	BB	1802	A	N9-C4	5.45	1.41	1.37
26	BB	2008	C	C4-N4	5.45	1.38	1.33
1	AA	134	G	N3-C4	5.45	1.39	1.35
26	BB	1725	U	P-O5'	5.45	1.65	1.59
26	BB	2429	G	N1-C2	5.45	1.42	1.37
26	BB	2808	G	P-O5'	5.45	1.65	1.59
1	AA	745	G	N3-C4	-5.45	1.31	1.35
1	AA	780	A	P-O5'	5.45	1.65	1.59
1	AA	896	C	C4-C5	-5.45	1.38	1.43
1	AA	960	U	C2'-C1'	5.45	1.59	1.53
1	AA	1542	A	C5'-C4'	5.45	1.57	1.51
3	AC	17	U	O4'-C1'	5.45	1.48	1.41
26	BB	72	U	O3'-P	5.45	1.67	1.61
26	BB	134	G	C8-N7	5.45	1.34	1.30
26	BB	177	G	C8-N7	-5.45	1.27	1.30
26	BB	1000	A	C3'-C2'	5.45	1.58	1.52
26	BB	1133	A	C3'-C2'	5.45	1.58	1.52
26	BB	1887	C	C4-C5	5.45	1.47	1.43
26	BB	2388	A	N7-C5	-5.45	1.35	1.39
26	BB	2558	C	C2'-O2'	5.45	1.48	1.41
26	BB	433	C	C4-C5	5.44	1.47	1.43
26	BB	790	U	C4-O4	5.44	1.28	1.23
1	AA	101	A	C6-N1	5.44	1.39	1.35
1	AA	694	A	C6-N1	5.44	1.39	1.35
1	AA	861	G	N3-C4	5.44	1.39	1.35
1	AA	865	A	C2-N3	-5.44	1.28	1.33
1	AA	928	G	C4'-C3'	5.44	1.59	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	941	G	P-O5'	5.44	1.65	1.59
4	AD	22	A	N1-C2	-5.44	1.29	1.34
26	BB	219	A	N9-C8	-5.44	1.33	1.37
26	BB	859	G	N3-C4	5.44	1.39	1.35
26	BB	1362	C	C4-N4	5.44	1.38	1.33
26	BB	1454	C	C4'-O4'	-5.44	1.38	1.45
26	BB	1695	G	C4'-O4'	-5.44	1.38	1.45
26	BB	1701	A	C2-N3	-5.44	1.28	1.33
26	BB	2314	A	C6-N6	-5.44	1.29	1.33
26	BB	2337	G	C2-N3	5.44	1.37	1.32
1	AA	131	A	N3-C4	5.44	1.38	1.34
1	AA	154	U	C4-C5	5.44	1.48	1.43
1	AA	586	C	O4'-C1'	5.44	1.48	1.41
1	AA	770	C	C2-O2	-5.44	1.19	1.24
1	AA	1036	A	N3-C4	5.44	1.38	1.34
1	AA	1160	G	N9-C8	5.44	1.41	1.37
1	AA	1422	G	C2-N3	5.44	1.37	1.32
25	BA	81	G	C2-N3	5.44	1.37	1.32
26	BB	63	A	C2'-O2'	-5.44	1.34	1.41
26	BB	207	A	P-O5'	5.44	1.65	1.59
26	BB	710	U	N3-C4	5.44	1.43	1.38
26	BB	996	A	C5-C6	-5.44	1.36	1.41
26	BB	1057	A	P-O5'	5.44	1.65	1.59
26	BB	1551	A	P-O5'	-5.44	1.54	1.59
26	BB	2266	A	C4'-C3'	5.44	1.59	1.53
1	AA	469	C	C4-C5	5.44	1.47	1.43
1	AA	786	G	N3-C4	5.44	1.39	1.35
1	AA	786	G	N9-C4	5.44	1.42	1.38
1	AA	1123	U	N1-C2	5.44	1.43	1.38
1	AA	1241	G	C6-N1	-5.44	1.35	1.39
1	AA	1264	U	C2-O2	5.44	1.27	1.22
12	AL	6	TYR	CG-CD2	5.44	1.46	1.39
26	BB	2803	G	C3'-C2'	5.44	1.58	1.52
1	AA	73	C	C4'-O4'	-5.44	1.38	1.45
1	AA	812	G	C5-C4	5.44	1.42	1.38
25	BA	110	C	C2-N3	5.44	1.40	1.35
26	BB	291	G	O3'-P	5.44	1.67	1.61
26	BB	596	U	P-O5'	5.44	1.65	1.59
26	BB	1549	A	C8-N7	5.44	1.35	1.31
26	BB	2338	C	C4'-O4'	-5.44	1.38	1.45
26	BB	2645	G	C5-C6	5.44	1.47	1.42
51	B0	5	GLU	CD-OE2	5.44	1.31	1.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	142	G	C2'-C1'	5.44	1.59	1.53
1	AA	692	U	C4-C5	5.44	1.48	1.43
26	BB	368	A	N3-C4	5.44	1.38	1.34
1	AA	32	A	O4'-C1'	5.43	1.48	1.41
1	AA	120	A	C8-N7	-5.43	1.27	1.31
1	AA	553	A	P-O5'	5.43	1.65	1.59
1	AA	633	G	O3'-P	-5.43	1.54	1.61
1	AA	651	C	N3-C4	-5.43	1.30	1.33
1	AA	653	U	N3-C4	5.43	1.43	1.38
1	AA	816	A	N3-C4	5.43	1.38	1.34
1	AA	1199	U	N1-C2	5.43	1.43	1.38
1	AA	1220	G	N9-C8	5.43	1.41	1.37
1	AA	1499	A	C5-C4	-5.43	1.34	1.38
2	AB	26	A	N3-C4	5.43	1.38	1.34
26	BB	277	G	N7-C5	5.43	1.42	1.39
26	BB	810	U	C5-C6	5.43	1.39	1.34
26	BB	883	G	C8-N7	-5.43	1.27	1.30
26	BB	1419	A	N9-C4	-5.43	1.34	1.37
26	BB	1432	G	C2-N3	5.43	1.37	1.32
26	BB	1992	G	P-O5'	5.43	1.65	1.59
1	AA	238	A	N1-C2	5.43	1.39	1.34
1	AA	255	G	C1'-N9	5.43	1.56	1.48
1	AA	414	A	C4'-O4'	-5.43	1.38	1.45
1	AA	781	A	O4'-C1'	5.43	1.48	1.41
26	BB	1200	C	C4'-O4'	-5.43	1.38	1.45
26	BB	1663	G	N7-C5	5.43	1.42	1.39
26	BB	1976	U	N3-C4	5.43	1.43	1.38
26	BB	2048	G	N9-C8	-5.43	1.34	1.37
26	BB	2557	G	C2-N3	5.43	1.37	1.32
26	BB	2793	C	C4-C5	5.43	1.47	1.43
39	BO	4	PRO	N-CD	-5.43	1.40	1.47
1	AA	186	C	C2'-C1'	5.43	1.59	1.53
1	AA	231	U	O3'-P	5.43	1.67	1.61
26	BB	153	U	N3-C4	5.43	1.43	1.38
26	BB	693	A	C8-N7	5.43	1.35	1.31
26	BB	1920	C	N1-C6	5.43	1.40	1.37
26	BB	2399	G	N3-C4	5.43	1.39	1.35
26	BB	784	G	C5-C6	5.43	1.47	1.42
26	BB	828	U	P-O5'	5.43	1.65	1.59
26	BB	1662	U	C4-C5	5.43	1.48	1.43
26	BB	1879	C	O3'-P	5.43	1.67	1.61
1	AA	137	U	O5'-C5'	-5.43	1.34	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	540	G	P-O5'	-5.43	1.54	1.59
2	AB	50	G	C2'-O2'	5.43	1.48	1.41
26	BB	509	C	C4-N4	5.43	1.38	1.33
26	BB	730	A	N3-C4	5.43	1.38	1.34
26	BB	1068	G	C4'-C3'	5.43	1.59	1.53
26	BB	1333	G	O3'-P	5.43	1.67	1.61
26	BB	1965	C	C3'-O3'	-5.43	1.34	1.42
26	BB	2137	U	C4-C5	5.43	1.48	1.43
26	BB	2671	G	N1-C2	5.43	1.42	1.37
29	BE	151	THR	CB-OG1	-5.43	1.32	1.43
1	AA	88	U	O3'-P	5.43	1.67	1.61
1	AA	336	A	N7-C5	5.43	1.42	1.39
1	AA	647	C	C2-O2	-5.43	1.19	1.24
1	AA	1199	U	O4'-C1'	5.43	1.48	1.41
1	AA	1227	A	N7-C5	-5.43	1.35	1.39
1	AA	1415	G	N9-C8	-5.43	1.34	1.37
26	BB	415	A	N7-C5	5.43	1.42	1.39
26	BB	697	G	N9-C8	5.43	1.41	1.37
1	AA	438	U	C3'-C2'	5.42	1.58	1.52
1	AA	1204	A	N9-C4	5.42	1.41	1.37
25	BA	45	A	N3-C4	5.42	1.38	1.34
26	BB	855	G	C2-N3	5.42	1.37	1.32
26	BB	963	U	O4'-C1'	5.42	1.48	1.41
26	BB	1609	A	C2'-C1'	-5.42	1.47	1.53
26	BB	2360	G	O4'-C1'	5.42	1.48	1.41
1	AA	401	C	C4'-C3'	5.42	1.59	1.53
1	AA	1522	U	C5-C6	5.42	1.39	1.34
26	BB	191	A	N9-C4	-5.42	1.34	1.37
1	AA	10	A	C5-C4	-5.42	1.34	1.38
1	AA	66	A	C6-N6	5.42	1.38	1.33
1	AA	103	U	C5-C6	5.42	1.39	1.34
1	AA	201	G	N7-C5	-5.42	1.35	1.39
1	AA	228	A	N1-C2	-5.42	1.29	1.34
26	BB	53	A	N9-C4	5.42	1.41	1.37
26	BB	1857	G	C5-C4	5.42	1.42	1.38
26	BB	1977	A	C5-C6	-5.42	1.36	1.41
26	BB	2281	A	N7-C5	-5.42	1.35	1.39
26	BB	2308	G	O3'-P	5.42	1.67	1.61
26	BB	2694	G	O5'-C5'	-5.42	1.34	1.42
1	AA	469	C	C5'-C4'	-5.42	1.44	1.51
1	AA	701	U	N1-C2	-5.42	1.33	1.38
1	AA	743	A	C5'-C4'	5.42	1.57	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1286	U	C4'-O4'	-5.42	1.38	1.45
26	BB	195	A	C5'-C4'	5.42	1.57	1.51
26	BB	1432	G	C5-C6	5.42	1.47	1.42
26	BB	1531	C	N1-C2	5.42	1.45	1.40
26	BB	1640	A	N9-C4	5.42	1.41	1.37
1	AA	206	C	P-O5'	5.42	1.65	1.59
1	AA	993	G	O3'-P	-5.42	1.54	1.61
1	AA	1342	C	N1-C6	5.42	1.40	1.37
1	AA	1376	U	C3'-C2'	-5.42	1.46	1.52
26	BB	480	A	N9-C4	5.42	1.41	1.37
26	BB	1162	G	C5-C6	5.42	1.47	1.42
26	BB	1734	G	C2-N2	-5.42	1.29	1.34
26	BB	2264	C	C4'-O4'	-5.42	1.38	1.45
26	BB	2423	U	C4'-O4'	-5.42	1.38	1.45
26	BB	2745	C	C5'-C4'	5.42	1.57	1.51
1	AA	276	G	O4'-C1'	5.42	1.48	1.41
1	AA	621	A	N7-C5	-5.42	1.35	1.39
1	AA	956	U	O4'-C1'	5.42	1.48	1.41
4	AD	6	G	C8-N7	-5.42	1.27	1.30
25	BA	100	G	P-O5'	5.42	1.65	1.59
25	BA	114	C	C1'-N1	5.42	1.56	1.48
26	BB	161	A	P-O5'	5.42	1.65	1.59
26	BB	696	G	N3-C4	5.42	1.39	1.35
26	BB	890	C	N1-C6	5.42	1.40	1.37
26	BB	1613	G	C3'-C2'	5.42	1.58	1.52
1	AA	809	G	N7-C5	-5.42	1.36	1.39
25	BA	21	G	C6-O6	-5.42	1.19	1.24
26	BB	949	G	C8-N7	5.42	1.34	1.30
26	BB	1222	U	P-O5'	-5.42	1.54	1.59
26	BB	2276	G	C4'-C3'	-5.42	1.47	1.52
1	AA	446	G	C2-N3	5.41	1.37	1.32
1	AA	473	U	C4'-C3'	5.41	1.59	1.53
1	AA	1026	G	N9-C8	-5.41	1.34	1.37
1	AA	1512	U	C5-C6	5.41	1.39	1.34
3	AC	17	U	C4'-O4'	-5.41	1.38	1.45
26	BB	13	A	C5-C6	5.41	1.46	1.41
26	BB	447	A	C2-N3	-5.41	1.28	1.33
26	BB	1426	G	C2'-C1'	5.41	1.59	1.53
26	BB	320	A	P-O5'	5.41	1.65	1.59
26	BB	883	G	C6-N1	5.41	1.43	1.39
26	BB	1077	A	C8-N7	5.41	1.35	1.31
26	BB	1926	U	C4'-O4'	-5.41	1.38	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1933	G	C6-O6	-5.41	1.19	1.24
26	BB	2804	U	O4'-C1'	5.41	1.48	1.41
1	AA	128	G	C2-N2	-5.41	1.29	1.34
1	AA	697	U	C5'-C4'	5.41	1.57	1.51
1	AA	1326	U	P-O5'	5.41	1.65	1.59
26	BB	527	C	C5-C6	5.41	1.38	1.34
26	BB	1106	G	N3-C4	5.41	1.39	1.35
26	BB	1763	G	N9-C8	-5.41	1.34	1.37
26	BB	2078	C	C2-N3	-5.41	1.31	1.35
26	BB	2365	G	N1-C2	5.41	1.42	1.37
26	BB	2490	G	C4'-O4'	-5.41	1.38	1.45
1	AA	340	U	C4'-O4'	-5.41	1.38	1.45
1	AA	390	U	N1-C2	5.41	1.43	1.38
1	AA	777	A	C2'-O2'	5.41	1.48	1.41
1	AA	1347	G	C5-C6	5.41	1.47	1.42
1	AA	1417	G	C6-N1	-5.41	1.35	1.39
1	AA	1456	A	C4'-C3'	5.41	1.59	1.53
26	BB	1742	U	C4'-C3'	5.41	1.59	1.53
26	BB	1779	U	C5'-C4'	5.41	1.57	1.51
26	BB	1951	U	C5-C6	5.41	1.39	1.34
26	BB	2262	U	C3'-C2'	5.41	1.58	1.52
26	BB	2900	A	N3-C4	5.41	1.38	1.34
1	AA	460	A	O4'-C1'	-5.41	1.34	1.41
1	AA	1202	U	C2-N3	5.41	1.41	1.37
26	BB	55	G	N9-C8	5.41	1.41	1.37
26	BB	282	A	N7-C5	-5.41	1.36	1.39
1	AA	1068	G	C4'-O4'	-5.41	1.38	1.45
1	AA	1347	G	C2-N2	5.41	1.40	1.34
1	AA	1422	G	N1-C2	5.41	1.42	1.37
1	AA	1541	U	C2-N3	5.41	1.41	1.37
26	BB	162	U	C2'-C1'	5.41	1.59	1.53
26	BB	289	G	P-O5'	5.41	1.65	1.59
26	BB	565	C	O4'-C1'	5.41	1.48	1.41
26	BB	1446	C	C5'-C4'	5.41	1.57	1.51
26	BB	1895	C	C4'-C3'	-5.41	1.47	1.52
3	AC	31	U	C5-C6	5.40	1.39	1.34
26	BB	2435	A	C5-C4	-5.40	1.34	1.38
26	BB	2602	A	C8-N7	-5.40	1.27	1.31
26	BB	2675	A	C6-N6	5.40	1.38	1.33
26	BB	2882	A	C4'-O4'	-5.40	1.38	1.45
1	AA	138	G	C5'-C4'	5.40	1.57	1.51
1	AA	908	A	C2-N3	-5.40	1.28	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	AC	29	G	N1-C2	5.40	1.42	1.37
26	BB	521	U	C5-C6	5.40	1.39	1.34
26	BB	528	A	N9-C4	-5.40	1.34	1.37
26	BB	966	G	N7-C5	-5.40	1.36	1.39
26	BB	1453	A	C2'-O2'	5.40	1.48	1.41
26	BB	1716	U	C2'-C1'	-5.40	1.47	1.53
26	BB	2134	A	N9-C8	-5.40	1.33	1.37
39	BO	68	PHE	CE2-CZ	5.40	1.47	1.37
1	AA	540	G	C2'-C1'	-5.40	1.47	1.53
1	AA	569	C	N3-C4	5.40	1.37	1.33
1	AA	718	A	C3'-C2'	5.40	1.58	1.52
1	AA	1112	C	N1-C6	5.40	1.40	1.37
1	AA	1373	G	C4'-O4'	-5.40	1.38	1.45
26	BB	980	A	N9-C4	-5.40	1.34	1.37
26	BB	1568	G	N1-C2	-5.40	1.33	1.37
26	BB	1572	A	C5-C4	-5.40	1.34	1.38
26	BB	2208	C	C2'-C1'	-5.40	1.47	1.53
26	BB	2389	G	O3'-P	5.40	1.67	1.61
1	AA	160	A	N9-C8	5.40	1.42	1.37
1	AA	198	G	C2-N3	5.40	1.37	1.32
1	AA	263	A	P-O5'	5.40	1.65	1.59
1	AA	773	G	C2-N3	5.40	1.37	1.32
26	BB	369	U	C4'-O4'	-5.40	1.38	1.45
26	BB	889	C	C2-N3	5.40	1.40	1.35
26	BB	945	A	C5'-C4'	5.40	1.57	1.51
26	BB	1678	A	N9-C8	5.40	1.42	1.37
26	BB	1782	U	P-O5'	5.40	1.65	1.59
26	BB	2491	U	C4'-O4'	-5.40	1.38	1.45
43	BS	23	TYR	CE1-CZ	5.40	1.45	1.38
1	AA	11	G	C5-C6	5.40	1.47	1.42
1	AA	596	A	C6-N1	-5.40	1.31	1.35
1	AA	1118	U	N1-C6	5.40	1.42	1.38
1	AA	1394	A	C5'-C4'	5.40	1.57	1.51
4	AD	20	G	N3-C4	5.40	1.39	1.35
25	BA	25	U	C4'-O4'	-5.40	1.38	1.45
26	BB	167	A	N9-C4	5.40	1.41	1.37
26	BB	368	A	C6-N6	5.40	1.38	1.33
26	BB	377	G	N7-C5	-5.40	1.36	1.39
26	BB	1680	U	C2'-O2'	-5.40	1.34	1.41
26	BB	2897	U	N1-C2	5.40	1.43	1.38
1	AA	962	C	O3'-P	5.40	1.67	1.61
1	AA	1222	G	N3-C4	5.40	1.39	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1519	G	N9-C8	-5.40	1.34	1.37
36	BL	53	TYR	CG-CD2	5.40	1.46	1.39
1	AA	13	U	C2-O2	5.39	1.27	1.22
1	AA	29	U	N1-C2	5.39	1.43	1.38
1	AA	703	G	C2-N2	5.39	1.40	1.34
1	AA	748	G	C2-N3	5.39	1.37	1.32
1	AA	941	G	N7-C5	-5.39	1.36	1.39
4	AD	41	C	P-O5'	5.39	1.65	1.59
10	AJ	154	ARG	NE-CZ	5.39	1.40	1.33
25	BA	111	U	C4-C5	5.39	1.48	1.43
26	BB	597	G	N9-C8	-5.39	1.34	1.37
26	BB	660	C	C4-C5	5.39	1.47	1.43
26	BB	1222	U	C4'-O4'	-5.39	1.38	1.45
26	BB	1841	U	C4'-O4'	-5.39	1.38	1.45
26	BB	1924	C	C5-C6	5.39	1.38	1.34
26	BB	1935	G	C4'-O4'	-5.39	1.38	1.45
26	BB	2097	A	C2-N3	5.39	1.38	1.33
26	BB	2272	U	C2'-O2'	5.39	1.48	1.41
1	AA	22	G	C4'-C3'	-5.39	1.47	1.52
1	AA	664	G	P-O5'	5.39	1.65	1.59
1	AA	1461	G	C8-N7	-5.39	1.27	1.30
6	AF	167	TYR	CE1-CZ	5.39	1.45	1.38
26	BB	497	A	N9-C4	-5.39	1.34	1.37
26	BB	756	A	C4'-O4'	-5.39	1.38	1.45
26	BB	1000	A	C2'-O2'	5.39	1.48	1.41
1	AA	77	A	N3-C4	5.39	1.38	1.34
26	BB	438	G	C6-N1	5.39	1.43	1.39
26	BB	1797	G	N9-C8	5.39	1.41	1.37
42	BR	66	GLY	CA-C	5.39	1.60	1.51
1	AA	243	A	C4'-O4'	-5.39	1.38	1.45
1	AA	868	C	C2-O2	-5.39	1.19	1.24
1	AA	980	C	C4-N4	5.39	1.38	1.33
1	AA	1147	C	N3-C4	5.39	1.37	1.33
1	AA	1168	U	C3'-C2'	5.39	1.58	1.52
25	BA	43	C	C3'-O3'	5.39	1.49	1.42
26	BB	283	G	N3-C4	5.39	1.39	1.35
26	BB	670	A	C2'-C1'	5.39	1.59	1.53
26	BB	844	A	C3'-C2'	5.39	1.58	1.52
26	BB	1226	A	P-O5'	5.39	1.65	1.59
26	BB	1248	G	C2-N2	-5.39	1.29	1.34
26	BB	1763	G	C3'-C2'	5.39	1.58	1.52
26	BB	1861	G	N3-C4	5.39	1.39	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2167	U	C3'-C2'	5.39	1.58	1.52
1	AA	1099	G	P-O5'	5.39	1.65	1.59
1	AA	1488	G	N9-C4	-5.39	1.33	1.38
26	BB	2683	C	N3-C4	5.39	1.37	1.33
1	AA	557	G	P-O5'	5.39	1.65	1.59
1	AA	662	U	C2'-C1'	5.39	1.59	1.53
1	AA	714	G	C6-N1	-5.39	1.35	1.39
1	AA	800	G	C5-C6	5.39	1.47	1.42
1	AA	1153	G	C2-N3	5.39	1.37	1.32
2	AB	52	A	C5'-C4'	5.39	1.57	1.51
25	BA	15	A	C2'-C1'	-5.39	1.47	1.53
25	BA	113	C	N3-C4	-5.39	1.30	1.33
26	BB	309	A	C5'-C4'	5.39	1.57	1.51
26	BB	1058	U	C5-C6	5.39	1.39	1.34
26	BB	1772	A	N9-C8	5.39	1.42	1.37
1	AA	612	C	N1-C6	5.38	1.40	1.37
1	AA	625	U	P-O5'	5.38	1.65	1.59
4	AD	60	A	C1'-N9	5.38	1.56	1.48
26	BB	144	A	C6-N1	5.38	1.39	1.35
26	BB	2136	G	N9-C8	-5.38	1.34	1.37
25	BA	109	A	C4'-O4'	-5.38	1.38	1.45
26	BB	222	A	N7-C5	-5.38	1.36	1.39
26	BB	2389	G	N9-C8	5.38	1.41	1.37
1	AA	303	A	C6-N1	5.38	1.39	1.35
1	AA	1156	G	C5'-C4'	5.38	1.57	1.51
1	AA	1513	A	N3-C4	5.38	1.38	1.34
25	BA	65	U	N1-C2	5.38	1.43	1.38
26	BB	80	G	N9-C8	5.38	1.41	1.37
26	BB	245	G	N3-C4	-5.38	1.31	1.35
26	BB	369	U	N1-C2	5.38	1.43	1.38
26	BB	442	G	N7-C5	5.38	1.42	1.39
26	BB	624	C	C2'-O2'	5.38	1.48	1.41
26	BB	794	A	N7-C5	-5.38	1.36	1.39
26	BB	1267	U	C5'-C4'	5.38	1.57	1.51
26	BB	2135	A	N1-C2	-5.38	1.29	1.34
26	BB	2501	C	C2'-C1'	5.38	1.59	1.53
26	BB	2530	A	N7-C5	-5.38	1.36	1.39
26	BB	2564	A	P-O5'	5.38	1.65	1.59
1	AA	1047	G	N9-C4	5.38	1.42	1.38
26	BB	189	G	C4'-O4'	-5.38	1.38	1.45
26	BB	1035	U	O3'-P	5.38	1.67	1.61
1	AA	175	C	N3-C4	5.38	1.37	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	326	G	O3'-P	5.38	1.67	1.61
26	BB	131	A	C8-N7	5.38	1.35	1.31
26	BB	140	C	O3'-P	5.38	1.67	1.61
26	BB	566	U	C4-C5	5.38	1.48	1.43
26	BB	664	G	C4'-O4'	-5.38	1.38	1.45
26	BB	703	U	C5'-C4'	5.38	1.57	1.51
26	BB	839	U	C2-N3	5.38	1.41	1.37
26	BB	880	G	C6-O6	-5.38	1.19	1.24
26	BB	932	U	C2-N3	5.38	1.41	1.37
26	BB	2364	C	N1-C6	5.38	1.40	1.37
1	AA	328	C	O3'-P	5.38	1.67	1.61
1	AA	346	G	C2'-O2'	5.38	1.48	1.41
1	AA	352	C	C4'-C3'	5.38	1.59	1.53
1	AA	1208	C	C4'-C3'	5.38	1.59	1.53
1	AA	1388	C	C2'-C1'	5.38	1.59	1.53
4	AD	39	A	C5'-C4'	5.38	1.57	1.51
4	AD	43	G	N9-C4	5.38	1.42	1.38
25	BA	83	G	N9-C8	-5.38	1.34	1.37
26	BB	434	U	O3'-P	5.38	1.67	1.61
26	BB	721	A	N9-C4	-5.38	1.34	1.37
26	BB	810	U	C3'-C2'	5.38	1.58	1.52
26	BB	825	A	C6-N1	5.38	1.39	1.35
26	BB	1378	A	N1-C2	-5.38	1.29	1.34
26	BB	1631	G	N9-C8	5.38	1.41	1.37
26	BB	1959	G	P-OP1	-5.38	1.39	1.49
26	BB	2417	C	C5'-C4'	5.38	1.57	1.51
26	BB	2556	C	P-O5'	5.38	1.65	1.59
26	BB	2592	G	P-O5'	5.38	1.65	1.59
1	AA	323	U	C4-O4	5.38	1.27	1.23
1	AA	490	C	C4-N4	-5.38	1.29	1.33
1	AA	722	G	P-O5'	5.38	1.65	1.59
1	AA	883	C	N1-C6	5.38	1.40	1.37
25	BA	102	G	C2-N3	5.38	1.37	1.32
26	BB	870	U	C2-O2	-5.38	1.17	1.22
26	BB	1721	G	C8-N7	-5.38	1.27	1.30
26	BB	2768	U	C2-N3	5.38	1.41	1.37
1	AA	317	U	C2'-C1'	-5.37	1.47	1.53
1	AA	978	A	C5'-C4'	5.37	1.57	1.51
1	AA	1035	A	P-O5'	-5.37	1.54	1.59
1	AA	1375	A	C4'-C3'	5.37	1.59	1.53
26	BB	1312	U	C3'-O3'	5.37	1.49	1.42
26	BB	1348	C	N1-C2	5.37	1.45	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1601	G	C8-N7	5.37	1.34	1.30
26	BB	1788	C	C4'-C3'	5.37	1.59	1.53
26	BB	2710	C	C1'-N1	5.37	1.56	1.48
26	BB	2838	G	C1'-N9	5.37	1.56	1.48
26	BB	2875	C	C5'-C4'	5.37	1.57	1.51
1	AA	227	G	N1-C2	5.37	1.42	1.37
1	AA	591	U	O4'-C1'	5.37	1.48	1.41
1	AA	990	C	N1-C6	5.37	1.40	1.37
1	AA	1524	C	C4-N4	5.37	1.38	1.33
26	BB	143	C	C2-N3	5.37	1.40	1.35
26	BB	210	C	C5'-C4'	5.37	1.57	1.51
26	BB	394	C	N1-C6	5.37	1.40	1.37
26	BB	487	C	C2-O2	5.37	1.29	1.24
26	BB	529	A	C2'-O2'	5.37	1.48	1.41
26	BB	635	C	N1-C6	-5.37	1.33	1.37
26	BB	1708	C	N1-C2	-5.37	1.34	1.40
26	BB	1856	U	C4'-O4'	-5.37	1.38	1.45
26	BB	2163	A	N7-C5	5.37	1.42	1.39
26	BB	2362	C	O3'-P	5.37	1.67	1.61
26	BB	2363	G	N9-C4	5.37	1.42	1.38
26	BB	2415	G	C5-C4	5.37	1.42	1.38
26	BB	2669	G	C2-N3	5.37	1.37	1.32
26	BB	2800	A	C4'-C3'	5.37	1.59	1.53
1	AA	784	A	C6-N1	-5.37	1.31	1.35
1	AA	1514	G	C2-N2	5.37	1.40	1.34
26	BB	292	U	N1-C2	5.37	1.43	1.38
26	BB	1069	A	N3-C4	-5.37	1.31	1.34
26	BB	2495	G	N9-C8	-5.37	1.34	1.37
1	AA	638	U	C4-C5	5.37	1.48	1.43
1	AA	745	G	C6-N1	5.37	1.43	1.39
2	AB	33	U	C2'-C1'	5.37	1.59	1.53
2	AB	58	A	C3'-C2'	5.37	1.58	1.52
26	BB	49	A	C8-N7	-5.37	1.27	1.31
26	BB	413	C	C5-C6	5.37	1.38	1.34
32	BH	164	ALA	C-O	5.37	1.33	1.23
1	AA	368	U	N1-C2	5.37	1.43	1.38
1	AA	710	G	C6-N1	5.37	1.43	1.39
1	AA	1246	A	N3-C4	5.37	1.38	1.34
1	AA	1415	G	C6-N1	5.37	1.43	1.39
1	AA	1539	C	P-O5'	5.37	1.65	1.59
26	BB	86	G	P-O5'	5.37	1.65	1.59
26	BB	518	G	C5-C4	-5.37	1.34	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	962	G	N9-C8	5.37	1.41	1.37
26	BB	1301	A	C2'-C1'	5.37	1.59	1.53
26	BB	1940	U	C4-C5	5.37	1.48	1.43
1	AA	144	G	C3'-C2'	5.37	1.58	1.52
1	AA	312	C	C5-C6	-5.37	1.30	1.34
1	AA	330	C	P-O5'	5.37	1.65	1.59
1	AA	714	G	N3-C4	5.37	1.39	1.35
1	AA	785	G	N1-C2	5.37	1.42	1.37
1	AA	1258	G	N7-C5	5.37	1.42	1.39
26	BB	194	G	C6-O6	-5.37	1.19	1.24
26	BB	257	C	N1-C6	5.37	1.40	1.37
26	BB	559	G	C8-N7	-5.37	1.27	1.30
26	BB	1016	G	N9-C4	5.37	1.42	1.38
26	BB	1358	G	C5'-C4'	5.37	1.57	1.51
26	BB	2205	A	N7-C5	-5.37	1.36	1.39
26	BB	2590	A	C4'-C3'	5.37	1.59	1.53
26	BB	19	A	N7-C5	-5.36	1.36	1.39
26	BB	252	G	N3-C4	-5.36	1.31	1.35
26	BB	431	U	N1-C6	-5.36	1.33	1.38
26	BB	506	G	C6-O6	5.36	1.28	1.24
26	BB	769	U	C4-C5	-5.36	1.38	1.43
26	BB	1220	G	C5-C4	5.36	1.42	1.38
26	BB	1399	C	P-O5'	5.36	1.65	1.59
26	BB	1465	G	C2-N3	5.36	1.37	1.32
26	BB	1876	A	C6-N6	5.36	1.38	1.33
26	BB	2468	A	C2'-C1'	-5.36	1.47	1.53
26	BB	2542	A	P-O5'	5.36	1.65	1.59
26	BB	2611	C	C2'-C1'	5.36	1.59	1.53
1	AA	1455	G	C4'-C3'	-5.36	1.47	1.52
26	BB	494	G	C4'-C3'	-5.36	1.47	1.52
26	BB	917	A	C3'-C2'	5.36	1.58	1.52
26	BB	1344	U	C4-O4	-5.36	1.19	1.23
26	BB	1744	A	C2-N3	-5.36	1.28	1.33
26	BB	1831	G	C6-O6	5.36	1.28	1.24
26	BB	2662	A	C3'-C2'	5.36	1.58	1.52
1	AA	103	U	C4-C5	5.36	1.48	1.43
1	AA	167	A	N9-C8	5.36	1.42	1.37
1	AA	226	G	C8-N7	-5.36	1.27	1.30
1	AA	777	A	C5-C4	-5.36	1.34	1.38
26	BB	361	G	C6-O6	5.36	1.28	1.24
26	BB	1223	G	P-O5'	5.36	1.65	1.59
26	BB	1305	C	N3-C4	5.36	1.37	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1352	U	C4-C5	5.36	1.48	1.43
26	BB	1362	C	N1-C6	-5.36	1.33	1.37
26	BB	2820	A	N7-C5	-5.36	1.36	1.39
1	AA	266	G	C6-O6	-5.36	1.19	1.24
1	AA	444	G	C6-O6	-5.36	1.19	1.24
1	AA	1085	U	P-O5'	5.36	1.65	1.59
1	AA	1540	U	O3'-P	-5.36	1.54	1.61
26	BB	826	U	C2-N3	5.36	1.41	1.37
26	BB	2500	U	C5'-C4'	5.36	1.57	1.51
1	AA	59	A	N3-C4	5.36	1.38	1.34
1	AA	315	A	C5'-C4'	5.36	1.57	1.51
25	BA	57	A	C6-N6	5.36	1.38	1.33
26	BB	857	G	N1-C2	5.36	1.42	1.37
26	BB	962	G	C6-N1	-5.36	1.35	1.39
26	BB	1358	G	N3-C4	5.36	1.39	1.35
26	BB	1838	C	C5-C6	5.36	1.38	1.34
26	BB	1842	G	C4'-O4'	-5.36	1.38	1.45
26	BB	2705	A	C6-N1	5.36	1.39	1.35
1	AA	458	U	C4'-C3'	5.36	1.59	1.53
1	AA	721	G	C5-C6	5.36	1.47	1.42
1	AA	1419	G	C4'-O4'	-5.36	1.38	1.45
6	AF	36	PHE	CG-CD1	5.36	1.46	1.38
25	BA	50	A	C8-N7	-5.36	1.27	1.31
26	BB	578	G	C8-N7	5.36	1.34	1.30
26	BB	973	A	C5-C4	5.36	1.42	1.38
26	BB	1094	U	N3-C4	5.36	1.43	1.38
26	BB	1378	A	N7-C5	-5.36	1.36	1.39
26	BB	1403	A	N9-C4	-5.36	1.34	1.37
26	BB	2048	G	C5-C4	-5.36	1.34	1.38
26	BB	2436	G	C2-N3	5.36	1.37	1.32
26	BB	2644	G	C5'-C4'	5.36	1.57	1.51
1	AA	536	C	C2-N3	5.35	1.40	1.35
1	AA	718	A	P-O5'	5.35	1.65	1.59
1	AA	1274	A	N3-C4	5.35	1.38	1.34
1	AA	1413	A	C2'-C1'	-5.35	1.47	1.53
26	BB	221	A	C8-N7	5.35	1.35	1.31
26	BB	1024	G	C2-N3	5.35	1.37	1.32
26	BB	1714	U	C2'-C1'	5.35	1.59	1.53
26	BB	2315	G	C2'-O2'	5.35	1.48	1.41
1	AA	107	G	C2-N2	-5.35	1.29	1.34
1	AA	846	G	C5'-C4'	-5.35	1.45	1.51
26	BB	545	U	C2-N3	5.35	1.41	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	962	G	N1-C2	5.35	1.42	1.37
26	BB	1467	U	C5'-C4'	5.35	1.57	1.51
26	BB	2123	G	O3'-P	5.35	1.67	1.61
26	BB	2246	G	N7-C5	-5.35	1.36	1.39
26	BB	2891	U	N1-C2	5.35	1.43	1.38
1	AA	1348	U	C5'-C4'	5.35	1.57	1.51
26	BB	538	A	P-O5'	5.35	1.65	1.59
26	BB	2179	C	C4-C5	5.35	1.47	1.43
26	BB	2229	U	C4-C5	5.35	1.48	1.43
1	AA	82	G	N1-C2	5.35	1.42	1.37
1	AA	481	G	N3-C4	5.35	1.39	1.35
1	AA	600	A	C6-N1	5.35	1.39	1.35
1	AA	693	G	N7-C5	-5.35	1.36	1.39
6	AF	77	GLY	CA-C	5.35	1.60	1.51
26	BB	600	G	C6-O6	5.35	1.28	1.24
26	BB	961	C	C2-O2	-5.35	1.19	1.24
26	BB	1301	A	C5'-C4'	5.35	1.57	1.51
26	BB	1528	A	N9-C8	-5.35	1.33	1.37
26	BB	1631	G	C3'-C2'	5.35	1.58	1.52
26	BB	2211	A	N3-C4	-5.35	1.31	1.34
26	BB	2454	G	C8-N7	-5.35	1.27	1.30
26	BB	2881	U	C4'-O4'	-5.35	1.38	1.45
42	BR	35	SER	CB-OG	5.35	1.49	1.42
1	AA	791	G	C4'-O4'	-5.35	1.38	1.45
1	AA	1073	U	O3'-P	5.35	1.67	1.61
1	AA	1195	C	N1-C6	5.35	1.40	1.37
3	AC	40	G	C2-N2	5.35	1.39	1.34
26	BB	77	G	N7-C5	-5.35	1.36	1.39
26	BB	1893	C	P-O5'	5.35	1.65	1.59
26	BB	1901	A	N3-C4	5.35	1.38	1.34
26	BB	2222	C	C2-N3	5.35	1.40	1.35
26	BB	2478	A	O3'-P	5.35	1.67	1.61
1	AA	46	G	C2'-O2'	5.35	1.48	1.41
1	AA	109	A	O3'-P	5.35	1.67	1.61
1	AA	913	A	P-O5'	5.35	1.65	1.59
26	BB	28	A	C8-N7	-5.35	1.27	1.31
26	BB	502	A	N3-C4	5.35	1.38	1.34
26	BB	1495	A	P-O5'	-5.35	1.54	1.59
26	BB	1579	A	C6-N6	-5.35	1.29	1.33
26	BB	2202	U	C5'-C4'	5.35	1.57	1.51
1	AA	543	U	C3'-O3'	5.34	1.49	1.42
1	AA	758	C	N1-C6	5.34	1.40	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	972	C	C4-N4	5.34	1.38	1.33
14	AN	116	PRO	N-CD	-5.34	1.40	1.47
26	BB	16	C	N1-C2	5.34	1.45	1.40
26	BB	1793	C	C5'-C4'	5.34	1.57	1.51
26	BB	1798	U	C2-N3	5.34	1.41	1.37
26	BB	2232	C	C4-C5	5.34	1.47	1.43
26	BB	2316	G	C2'-C1'	-5.34	1.47	1.53
1	AA	291	U	N1-C6	5.34	1.42	1.38
1	AA	552	U	N1-C6	5.34	1.42	1.38
26	BB	487	C	C5-C6	5.34	1.38	1.34
26	BB	856	G	C3'-C2'	5.34	1.58	1.52
26	BB	956	G	C5-C6	5.34	1.47	1.42
26	BB	1166	G	C5'-C4'	5.34	1.57	1.51
26	BB	1552	A	C5-C6	-5.34	1.36	1.41
26	BB	1773	A	C2-N3	-5.34	1.28	1.33
26	BB	1802	A	C5-C6	5.34	1.45	1.41
26	BB	2536	G	C6-O6	5.34	1.28	1.24
26	BB	2729	G	P-O5'	5.34	1.65	1.59
26	BB	2839	G	P-O5'	5.34	1.65	1.59
1	AA	520	A	N9-C8	-5.34	1.33	1.37
1	AA	1216	A	C2'-C1'	5.34	1.59	1.53
1	AA	1332	A	P-O5'	5.34	1.65	1.59
2	AB	48	U	C2-O2	5.34	1.27	1.22
26	BB	19	A	C6-N6	5.34	1.38	1.33
26	BB	470	A	N9-C8	-5.34	1.33	1.37
26	BB	1770	G	N9-C4	5.34	1.42	1.38
26	BB	2012	G	N7-C5	5.34	1.42	1.39
26	BB	2190	G	C5-C4	-5.34	1.34	1.38
28	BD	46	GLY	CA-C	5.34	1.60	1.51
1	AA	468	A	N9-C8	5.34	1.42	1.37
1	AA	1115	U	C4-C5	5.34	1.48	1.43
3	AC	34	U	O4'-C1'	5.34	1.48	1.41
26	BB	39	G	N9-C8	-5.34	1.34	1.37
26	BB	839	U	C4'-O4'	-5.34	1.38	1.45
26	BB	1056	G	C2'-C1'	-5.34	1.47	1.53
26	BB	1103	A	C3'-C2'	-5.34	1.46	1.52
26	BB	1604	C	C2'-C1'	-5.34	1.47	1.53
26	BB	1935	G	P-O5'	-5.34	1.54	1.59
26	BB	2283	C	N1-C2	5.34	1.45	1.40
26	BB	2381	A	C8-N7	-5.34	1.27	1.31
1	AA	30	U	C5'-C4'	5.34	1.57	1.51
1	AA	685	G	C8-N7	-5.34	1.27	1.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1364	U	C2'-O2'	-5.34	1.34	1.41
26	BB	312	G	N9-C4	5.34	1.42	1.38
26	BB	631	A	C2-N3	-5.34	1.28	1.33
26	BB	1060	U	C2-N3	5.34	1.41	1.37
1	AA	468	A	C6-N6	5.34	1.38	1.33
4	AD	13	C	C4'-O4'	-5.34	1.38	1.45
25	BA	86	G	O3'-P	5.34	1.67	1.61
26	BB	854	C	C3'-C2'	5.34	1.58	1.52
26	BB	959	A	C2'-O2'	5.34	1.48	1.41
26	BB	969	G	N7-C5	5.34	1.42	1.39
26	BB	1583	A	N9-C8	5.34	1.42	1.37
26	BB	2149	U	C4'-C3'	-5.34	1.47	1.52
26	BB	2200	C	C5'-C4'	-5.34	1.45	1.51
26	BB	2738	A	C5-C6	5.34	1.45	1.41
26	BB	2878	U	C4-O4	-5.34	1.19	1.23
1	AA	351	G	C3'-C2'	-5.33	1.46	1.52
1	AA	481	G	N9-C8	5.33	1.41	1.37
1	AA	717	U	N1-C6	5.33	1.42	1.38
1	AA	1492	A	C4'-C3'	-5.33	1.47	1.52
1	AA	1499	A	C5'-C4'	5.33	1.57	1.51
1	AA	771	G	C6-N1	5.33	1.43	1.39
1	AA	812	G	C6-O6	-5.33	1.19	1.24
1	AA	1151	A	C5-C4	-5.33	1.35	1.38
1	AA	1311	A	C4'-O4'	-5.33	1.38	1.45
1	AA	1434	A	N7-C5	5.33	1.42	1.39
3	AC	21	U	N3-C4	-5.33	1.33	1.38
26	BB	109	C	O3'-P	5.33	1.67	1.61
26	BB	131	A	C2-N3	5.33	1.38	1.33
26	BB	573	U	N1-C6	5.33	1.42	1.38
26	BB	576	U	P-O5'	5.33	1.65	1.59
26	BB	836	G	C3'-O3'	5.33	1.49	1.42
26	BB	1546	G	O3'-P	5.33	1.67	1.61
26	BB	2211	A	C2'-C1'	5.33	1.59	1.53
26	BB	2302	U	C4'-C3'	5.33	1.59	1.53
26	BB	2318	G	N1-C2	5.33	1.42	1.37
26	BB	2385	C	O3'-P	5.33	1.67	1.61
1	AA	58	C	C4-C5	5.33	1.47	1.43
1	AA	1132	C	O3'-P	5.33	1.67	1.61
26	BB	408	G	C2'-C1'	-5.33	1.47	1.53
26	BB	1023	U	C1'-N1	5.33	1.56	1.48
26	BB	1178	C	N1-C2	5.33	1.45	1.40
26	BB	2144	G	N3-C4	5.33	1.39	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2288	A	C6-N6	5.33	1.38	1.33
25	BA	81	G	P-O5'	5.33	1.65	1.59
26	BB	835	C	C4'-C3'	5.33	1.59	1.53
26	BB	1532	A	C6-N6	5.33	1.38	1.33
1	AA	213	G	C2'-O2'	-5.33	1.34	1.41
1	AA	837	U	C5'-C4'	5.33	1.57	1.51
1	AA	1073	U	C4'-O4'	-5.33	1.38	1.45
1	AA	1300	G	C4'-O4'	-5.33	1.38	1.45
26	BB	271	G	C6-N1	5.33	1.43	1.39
26	BB	599	A	C5'-C4'	5.33	1.57	1.51
26	BB	993	G	N9-C8	5.33	1.41	1.37
26	BB	2903	U	C2-O2	-5.33	1.17	1.22
1	AA	478	A	P-O5'	5.33	1.65	1.59
1	AA	723	U	C5-C6	5.33	1.39	1.34
26	BB	2782	G	C8-N7	-5.33	1.27	1.30
1	AA	266	G	C2-N2	5.33	1.39	1.34
1	AA	1159	U	C2-N3	-5.33	1.34	1.37
1	AA	1213	A	C5-C4	-5.33	1.35	1.38
1	AA	1343	G	C4'-O4'	-5.33	1.38	1.45
1	AA	1429	A	N1-C2	-5.33	1.29	1.34
26	BB	143	C	C2'-O2'	-5.33	1.34	1.41
26	BB	156	A	C6-N6	5.33	1.38	1.33
26	BB	167	A	C8-N7	-5.33	1.27	1.31
26	BB	297	G	C2-N3	5.33	1.37	1.32
26	BB	548	G	C6-N1	5.33	1.43	1.39
26	BB	586	A	C4'-O4'	-5.33	1.38	1.45
26	BB	599	A	N7-C5	5.33	1.42	1.39
26	BB	751	A	C3'-C2'	5.33	1.58	1.52
26	BB	1086	A	C8-N7	-5.33	1.27	1.31
26	BB	1652	A	N3-C4	5.33	1.38	1.34
26	BB	2178	C	N3-C4	-5.33	1.30	1.33
26	BB	2248	C	P-O5'	5.33	1.65	1.59
26	BB	2658	C	C4-C5	-5.33	1.38	1.43
1	AA	174	A	C5-C6	5.32	1.45	1.41
1	AA	242	G	C6-N1	-5.32	1.35	1.39
1	AA	286	C	C2'-C1'	5.32	1.59	1.53
1	AA	377	G	N7-C5	-5.32	1.36	1.39
1	AA	1331	G	N1-C2	5.32	1.42	1.37
1	AA	1424	U	C4'-O4'	-5.32	1.38	1.45
1	AA	1447	A	C4'-O4'	-5.32	1.38	1.45
26	BB	221	A	C5-C4	-5.32	1.35	1.38
26	BB	344	A	N1-C2	-5.32	1.29	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	761	A	C4'-C3'	5.32	1.59	1.53
26	BB	1663	G	O4'-C1'	5.32	1.48	1.41
26	BB	1701	A	P-O5'	-5.32	1.54	1.59
26	BB	1703	G	C4'-O4'	-5.32	1.38	1.45
26	BB	2044	C	N1-C6	5.32	1.40	1.37
26	BB	2576	G	N7-C5	5.32	1.42	1.39
1	AA	756	C	C5-C6	5.32	1.38	1.34
26	BB	77	G	C4'-C3'	5.32	1.59	1.53
26	BB	667	U	C4-O4	5.32	1.27	1.23
1	AA	48	C	N1-C6	5.32	1.40	1.37
1	AA	91	U	C4'-O4'	-5.32	1.38	1.45
1	AA	825	A	C4'-C3'	5.32	1.59	1.53
6	AF	183	TYR	CG-CD2	5.32	1.46	1.39
26	BB	51	G	C4'-O4'	-5.32	1.38	1.45
26	BB	248	G	N3-C4	5.32	1.39	1.35
26	BB	1831	G	C3'-C2'	5.32	1.58	1.52
26	BB	2224	G	N7-C5	-5.32	1.36	1.39
26	BB	2475	C	C2-N3	5.32	1.40	1.35
1	AA	1268	G	C6-N1	5.32	1.43	1.39
1	AA	1359	C	O3'-P	5.32	1.67	1.61
25	BA	25	U	C2'-C1'	5.32	1.59	1.53
26	BB	1166	G	C6-N1	-5.32	1.35	1.39
26	BB	1928	A	N7-C5	5.32	1.42	1.39
26	BB	2722	G	N9-C8	5.32	1.41	1.37
1	AA	135	C	N1-C6	5.32	1.40	1.37
2	AB	46	7MG	O3'-P	5.32	1.67	1.61
26	BB	119	A	C4'-O4'	-5.32	1.38	1.45
26	BB	175	G	C6-O6	-5.32	1.19	1.24
26	BB	216	A	O5'-C5'	-5.32	1.34	1.42
26	BB	338	G	C3'-O3'	-5.32	1.34	1.42
26	BB	618	G	C4'-O4'	-5.32	1.38	1.45
26	BB	921	C	C5'-C4'	5.32	1.57	1.51
26	BB	1124	G	C4'-C3'	5.32	1.58	1.53
26	BB	1432	G	O4'-C1'	5.32	1.48	1.41
26	BB	1870	C	C2-N3	5.32	1.40	1.35
26	BB	2369	A	C2'-O2'	5.32	1.48	1.41
26	BB	2706	A	C5'-C4'	5.32	1.57	1.51
26	BB	2873	A	C4'-O4'	-5.32	1.38	1.45
28	BD	174	ARG	CZ-NH2	5.32	1.40	1.33
1	AA	288	A	C6-N6	-5.32	1.29	1.33
1	AA	424	G	C5'-C4'	5.32	1.57	1.51
1	AA	645	G	N9-C4	5.32	1.42	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	675	A	C4'-O4'	-5.32	1.38	1.45
1	AA	783	C	N1-C6	5.32	1.40	1.37
1	AA	907	A	N9-C8	-5.32	1.33	1.37
2	AB	42	G	P-O5'	5.32	1.65	1.59
26	BB	376	G	N9-C8	5.32	1.41	1.37
26	BB	743	A	O5'-C5'	-5.32	1.34	1.42
26	BB	945	A	C8-N7	-5.32	1.27	1.31
26	BB	1309	G	C2-N3	5.32	1.37	1.32
26	BB	1631	G	P-O5'	5.32	1.65	1.59
26	BB	1806	C	N3-C4	5.32	1.37	1.33
26	BB	1908	C	C5-C6	5.32	1.38	1.34
26	BB	2113	U	N1-C6	5.32	1.42	1.38
26	BB	2428	G	O4'-C1'	5.32	1.48	1.41
26	BB	2786	U	C1'-N1	5.32	1.56	1.48
31	BG	85	GLY	N-CA	5.32	1.54	1.46
1	AA	427	U	C2-O2	5.31	1.27	1.22
1	AA	1386	G	N7-C5	5.31	1.42	1.39
26	BB	1059	G	N9-C4	-5.31	1.33	1.38
26	BB	2114	A	C8-N7	-5.31	1.27	1.31
26	BB	2384	U	C5-C6	5.31	1.39	1.34
1	AA	302	G	C3'-C2'	5.31	1.58	1.52
1	AA	631	C	C4-C5	5.31	1.47	1.43
1	AA	927	G	C5-C4	-5.31	1.34	1.38
1	AA	1154	G	O4'-C1'	5.31	1.48	1.41
25	BA	9	G	C3'-C2'	-5.31	1.47	1.52
25	BA	119	A	C4'-O4'	-5.31	1.38	1.45
26	BB	216	A	N1-C2	-5.31	1.29	1.34
26	BB	447	A	C5-C4	-5.31	1.35	1.38
26	BB	637	A	P-O5'	5.31	1.65	1.59
26	BB	670	A	N3-C4	5.31	1.38	1.34
26	BB	1149	G	C2-N3	5.31	1.36	1.32
26	BB	1593	A	N9-C4	5.31	1.41	1.37
26	BB	2018	G	C8-N7	-5.31	1.27	1.30
1	AA	799	G	O4'-C1'	5.31	1.48	1.41
26	BB	374	A	N9-C4	5.31	1.41	1.37
26	BB	966	G	C6-O6	-5.31	1.19	1.24
26	BB	1342	A	N1-C2	-5.31	1.29	1.34
26	BB	2435	A	C4'-O4'	-5.31	1.38	1.45
1	AA	102	G	C5-C4	5.31	1.42	1.38
1	AA	188	C	O3'-P	5.31	1.67	1.61
1	AA	366	A	C8-N7	-5.31	1.27	1.31
1	AA	368	U	C2'-C1'	5.31	1.59	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	597	G	N9-C8	-5.31	1.34	1.37
4	AD	46	G	C3'-C2'	5.31	1.58	1.52
25	BA	38	C	N3-C4	5.31	1.37	1.33
26	BB	655	A	P-O5'	5.31	1.65	1.59
26	BB	1299	G	C6-N1	-5.31	1.35	1.39
26	BB	1568	G	N9-C4	5.31	1.42	1.38
26	BB	1969	A	N1-C2	-5.31	1.29	1.34
26	BB	2172	U	C1'-N1	5.31	1.56	1.48
26	BB	2868	A	N3-C4	5.31	1.38	1.34
1	AA	32	A	N9-C8	-5.31	1.33	1.37
1	AA	372	C	C2-O2	-5.31	1.19	1.24
1	AA	827	U	C2'-O2'	5.31	1.48	1.41
1	AA	1289	A	C6-N6	5.31	1.38	1.33
1	AA	1511	G	O3'-P	5.31	1.67	1.61
25	BA	29	A	C3'-C2'	5.31	1.58	1.52
26	BB	171	U	C4'-C3'	5.31	1.58	1.53
26	BB	692	C	C2'-O2'	5.31	1.48	1.41
26	BB	1088	A	N3-C4	5.31	1.38	1.34
26	BB	1314	C	O4'-C1'	5.31	1.48	1.41
26	BB	2016	U	C2-O2	5.31	1.27	1.22
26	BB	2672	U	C3'-C2'	-5.31	1.47	1.52
26	BB	2691	C	C4-C5	-5.31	1.38	1.43
26	BB	2865	U	C5'-C4'	5.31	1.57	1.51
1	AA	1065	U	N1-C2	5.31	1.43	1.38
1	AA	1377	A	N9-C8	5.31	1.42	1.37
3	AC	37	G	C4'-O4'	-5.31	1.38	1.45
1	AA	157	U	P-O5'	5.30	1.65	1.59
8	AH	28	ARG	CZ-NH2	5.30	1.40	1.33
25	BA	2	G	N1-C2	5.30	1.42	1.37
26	BB	330	A	C6-N1	5.30	1.39	1.35
26	BB	364	C	C2'-O2'	-5.30	1.34	1.41
26	BB	667	U	N1-C2	5.30	1.43	1.38
26	BB	2244	U	C4-C5	5.30	1.48	1.43
26	BB	2550	G	O3'-P	-5.30	1.54	1.61
39	BO	6	ARG	NE-CZ	5.30	1.40	1.33
1	AA	21	G	N3-C4	5.30	1.39	1.35
1	AA	272	C	C1'-N1	5.30	1.56	1.48
26	BB	615	U	C4'-O4'	-5.30	1.38	1.45
26	BB	959	A	N9-C4	-5.30	1.34	1.37
26	BB	1762	A	C4'-O4'	-5.30	1.38	1.45
26	BB	2402	U	P-O5'	5.30	1.65	1.59
26	BB	2859	G	O3'-P	5.30	1.67	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	832	G	P-O5'	5.30	1.65	1.59
1	AA	1188	A	N9-C4	5.30	1.41	1.37
1	AA	1360	A	C6-N1	-5.30	1.31	1.35
26	BB	397	U	C2-N3	5.30	1.41	1.37
26	BB	438	G	N1-C2	5.30	1.42	1.37
26	BB	441	U	C5'-C4'	5.30	1.57	1.51
26	BB	498	G	C2'-O2'	5.30	1.48	1.41
26	BB	1044	C	C4-N4	-5.30	1.29	1.33
26	BB	1615	C	N1-C6	-5.30	1.33	1.37
26	BB	2031	A	C2-N3	5.30	1.38	1.33
26	BB	2426	A	P-O5'	5.30	1.65	1.59
26	BB	2618	G	N9-C4	5.30	1.42	1.38
1	AA	1226	C	P-O5'	5.30	1.65	1.59
26	BB	1202	G	C4'-C3'	5.30	1.58	1.53
26	BB	1299	G	C8-N7	-5.30	1.27	1.30
26	BB	1458	U	N1-C2	5.30	1.43	1.38
26	BB	1501	G	N9-C8	-5.30	1.34	1.37
26	BB	1927	A	O3'-P	5.30	1.67	1.61
26	BB	2405	G	O3'-P	5.30	1.67	1.61
26	BB	2483	C	N1-C6	-5.30	1.33	1.37
26	BB	2584	U	C5'-C4'	5.30	1.57	1.51
1	AA	173	U	O3'-P	5.30	1.67	1.61
1	AA	1046	A	N9-C4	-5.30	1.34	1.37
26	BB	1350	C	C4-C5	5.30	1.47	1.43
26	BB	1440	U	C4'-O4'	-5.30	1.38	1.45
1	AA	731	G	C2-N2	-5.30	1.29	1.34
1	AA	1165	U	C4'-O4'	-5.30	1.38	1.45
26	BB	161	A	N7-C5	-5.30	1.36	1.39
26	BB	871	U	C4-O4	5.30	1.27	1.23
26	BB	984	A	N9-C8	-5.30	1.33	1.37
26	BB	1631	G	C6-O6	-5.30	1.19	1.24
26	BB	1806	C	N1-C6	5.30	1.40	1.37
26	BB	2054	A	C6-N1	5.30	1.39	1.35
1	AA	176	C	C5-C6	5.29	1.38	1.34
1	AA	501	C	N1-C6	5.29	1.40	1.37
1	AA	698	G	O4'-C1'	-5.29	1.34	1.41
1	AA	945	G	C2-N2	-5.29	1.29	1.34
2	AB	11	U	C4'-C3'	-5.29	1.47	1.52
26	BB	236	C	C4'-O4'	-5.29	1.38	1.45
26	BB	532	A	C5'-C4'	-5.29	1.45	1.51
26	BB	2311	A	C2'-C1'	-5.29	1.47	1.53
1	AA	216	U	N1-C2	5.29	1.43	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	240	G	C2-N3	5.29	1.36	1.32
1	AA	752	G	N7-C5	5.29	1.42	1.39
1	AA	881	G	O4'-C1'	5.29	1.48	1.41
1	AA	1179	A	P-OP2	5.29	1.57	1.49
26	BB	443	A	C4'-C3'	5.29	1.58	1.53
26	BB	556	A	C2'-O2'	5.29	1.48	1.41
26	BB	661	A	P-O5'	5.29	1.65	1.59
26	BB	2094	A	N1-C2	-5.29	1.29	1.34
26	BB	2328	A	N3-C4	-5.29	1.31	1.34
26	BB	2468	A	C4'-C3'	5.29	1.58	1.53
26	BB	2471	A	C4'-C3'	5.29	1.58	1.53
26	BB	2747	G	N1-C2	-5.29	1.33	1.37
1	AA	1313	U	N1-C6	5.29	1.42	1.38
1	AA	1528	U	C3'-C2'	5.29	1.58	1.52
7	AG	134	TYR	CD1-CE1	5.29	1.47	1.39
26	BB	64	A	N3-C4	5.29	1.38	1.34
26	BB	807	U	C3'-C2'	5.29	1.58	1.52
26	BB	1458	U	O4'-C1'	5.29	1.48	1.41
26	BB	1508	A	C2-N3	5.29	1.38	1.33
26	BB	1561	C	N1-C6	5.29	1.40	1.37
26	BB	2732	G	P-O5'	5.29	1.65	1.59
1	AA	93	U	C4-C5	5.29	1.48	1.43
1	AA	524	G	C5-C6	5.29	1.47	1.42
26	BB	438	G	N7-C5	-5.29	1.36	1.39
26	BB	1187	G	C2-N2	-5.29	1.29	1.34
26	BB	2433	A	C2'-O2'	-5.29	1.34	1.41
1	AA	204	G	C3'-C2'	5.29	1.58	1.52
1	AA	377	G	N3-C4	5.29	1.39	1.35
1	AA	387	U	C5'-C4'	5.29	1.57	1.51
1	AA	640	A	C5-C6	5.29	1.45	1.41
1	AA	882	C	C4-N4	5.29	1.38	1.33
1	AA	959	A	N3-C4	-5.29	1.31	1.34
1	AA	1132	C	C4'-O4'	-5.29	1.38	1.45
1	AA	1135	U	C5-C6	5.29	1.39	1.34
26	BB	458	G	C6-N1	5.29	1.43	1.39
26	BB	1714	U	C4-C5	5.29	1.48	1.43
26	BB	1759	A	C5-C4	-5.29	1.35	1.38
26	BB	2524	G	O4'-C1'	5.29	1.48	1.41
1	AA	632	U	P-O5'	5.29	1.65	1.59
1	AA	875	U	C4-C5	5.29	1.48	1.43
2	AB	22	G	O3'-P	5.29	1.67	1.61
4	AD	39	A	N3-C4	5.29	1.38	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BA	8	C	C1'-N1	5.29	1.56	1.48
1	AA	582	C	C5'-C4'	5.29	1.57	1.51
1	AA	808	C	C4-N4	5.29	1.38	1.33
1	AA	879	C	O4'-C1'	5.29	1.48	1.41
4	AD	7	G	C3'-C2'	5.29	1.58	1.52
17	AQ	71	GLY	N-CA	-5.29	1.38	1.46
25	BA	104	A	N9-C8	5.29	1.42	1.37
26	BB	81	G	N9-C8	5.29	1.41	1.37
26	BB	311	A	C5'-C4'	5.29	1.57	1.51
26	BB	334	C	N1-C6	-5.29	1.33	1.37
26	BB	1583	A	C3'-C2'	5.29	1.58	1.52
26	BB	1756	G	C2-N2	-5.29	1.29	1.34
26	BB	1818	U	C4'-C3'	5.29	1.58	1.53
26	BB	2315	G	N9-C4	-5.29	1.33	1.38
1	AA	349	A	C2-N3	5.28	1.38	1.33
1	AA	430	A	O3'-P	-5.28	1.54	1.61
1	AA	651	C	O4'-C1'	5.28	1.48	1.41
1	AA	1405	G	P-O5'	5.28	1.65	1.59
1	AA	1415	G	P-O5'	5.28	1.65	1.59
4	AD	27	G	N7-C5	5.28	1.42	1.39
26	BB	229	C	N1-C6	5.28	1.40	1.37
26	BB	296	U	P-O5'	5.28	1.65	1.59
26	BB	303	G	C2-N3	5.28	1.36	1.32
26	BB	921	C	C4'-O4'	-5.28	1.38	1.45
26	BB	1368	G	C5'-C4'	5.28	1.57	1.51
26	BB	1702	G	C8-N7	-5.28	1.27	1.30
26	BB	2009	A	C6-N6	-5.28	1.29	1.33
1	AA	78	A	C3'-O3'	-5.28	1.34	1.42
1	AA	84	U	N1-C2	5.28	1.43	1.38
1	AA	227	G	N3-C4	5.28	1.39	1.35
1	AA	611	C	C4-C5	-5.28	1.38	1.43
25	BA	23	G	C6-N1	5.28	1.43	1.39
26	BB	455	C	C2'-C1'	5.28	1.59	1.53
26	BB	520	G	C6-O6	-5.28	1.19	1.24
26	BB	2133	G	C3'-O3'	-5.28	1.34	1.42
26	BB	2770	G	N9-C8	5.28	1.41	1.37
26	BB	2844	G	C6-O6	-5.28	1.19	1.24
1	AA	267	C	P-O5'	5.28	1.65	1.59
1	AA	479	U	C2-N3	5.28	1.41	1.37
1	AA	867	G	C2'-C1'	5.28	1.59	1.53
1	AA	904	U	C2'-O2'	5.28	1.48	1.41
1	AA	925	G	C5-C6	5.28	1.47	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1460	C	C4'-O4'	-5.28	1.38	1.45
1	AA	1508	A	C5-C6	5.28	1.45	1.41
2	AB	62	U	C1'-N1	5.28	1.56	1.48
26	BB	118	A	P-O5'	-5.28	1.54	1.59
26	BB	639	U	C4-O4	5.28	1.27	1.23
26	BB	784	G	N9-C8	5.28	1.41	1.37
26	BB	990	A	N3-C4	5.28	1.38	1.34
26	BB	1461	C	C2-O2	-5.28	1.19	1.24
26	BB	1474	U	C5'-C4'	5.28	1.57	1.51
26	BB	1572	A	C5'-C4'	5.28	1.57	1.51
26	BB	1676	A	C3'-C2'	5.28	1.58	1.52
26	BB	1682	G	C5-C4	-5.28	1.34	1.38
26	BB	2328	A	C6-N1	-5.28	1.31	1.35
26	BB	2862	G	O4'-C1'	-5.28	1.34	1.41
26	BB	2891	U	N1-C6	5.28	1.42	1.38
1	AA	171	A	C4'-C3'	5.28	1.58	1.53
26	BB	72	U	N3-C4	5.28	1.43	1.38
26	BB	1543	G	C5-C6	5.28	1.47	1.42
26	BB	1868	C	O4'-C1'	5.28	1.48	1.41
26	BB	2483	C	C5-C6	5.28	1.38	1.34
1	AA	369	G	C6-N1	5.28	1.43	1.39
1	AA	389	A	C3'-C2'	-5.28	1.47	1.52
1	AA	784	A	C5-C6	5.28	1.45	1.41
1	AA	899	C	C5-C6	5.28	1.38	1.34
1	AA	928	G	N7-C5	5.28	1.42	1.39
1	AA	1015	G	C5'-C4'	5.28	1.57	1.51
1	AA	1380	U	C2'-O2'	5.28	1.48	1.41
26	BB	62	U	C5'-C4'	5.28	1.57	1.51
26	BB	555	G	C5-C4	5.28	1.42	1.38
26	BB	1003	G	C6-N1	-5.28	1.35	1.39
26	BB	1967	C	N1-C2	5.28	1.45	1.40
26	BB	2278	A	C4'-C3'	-5.28	1.47	1.52
26	BB	2701	U	C2-N3	5.28	1.41	1.37
26	BB	2772	C	C2'-O2'	5.28	1.48	1.41
26	BB	2810	A	C2'-C1'	5.28	1.59	1.53
29	BE	139	SER	CA-CB	5.28	1.60	1.52
1	AA	361	G	C2'-C1'	5.28	1.59	1.53
1	AA	733	G	C2-N3	5.28	1.36	1.32
1	AA	908	A	P-O5'	5.28	1.65	1.59
26	BB	1599	U	O3'-P	5.28	1.67	1.61
26	BB	2152	G	C6-N1	5.28	1.43	1.39
26	BB	2547	A	C5'-C4'	5.28	1.57	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2839	G	C2-N2	-5.28	1.29	1.34
40	BP	112	TYR	CE2-CZ	5.28	1.45	1.38
1	AA	622	A	C6-N1	-5.27	1.31	1.35
1	AA	1141	C	C4'-O4'	-5.27	1.38	1.45
12	AL	129	ARG	CD-NE	5.27	1.55	1.46
26	BB	399	U	C2-O2	-5.27	1.17	1.22
26	BB	720	U	C4'-C3'	5.27	1.58	1.53
1	AA	332	G	C8-N7	-5.27	1.27	1.30
1	AA	707	U	C2-N3	5.27	1.41	1.37
1	AA	1021	A	N7-C5	5.27	1.42	1.39
1	AA	1433	A	N3-C4	5.27	1.38	1.34
2	AB	26	A	C8-N7	5.27	1.35	1.31
2	AB	39	A	C3'-C2'	5.27	1.58	1.52
26	BB	760	G	C2-N3	5.27	1.36	1.32
26	BB	832	U	O3'-P	5.27	1.67	1.61
26	BB	833	A	N7-C5	-5.27	1.36	1.39
26	BB	856	G	C5-C6	-5.27	1.37	1.42
26	BB	951	C	N3-C4	5.27	1.37	1.33
26	BB	1167	C	C4-C5	5.27	1.47	1.43
26	BB	1232	G	N7-C5	-5.27	1.36	1.39
26	BB	1273	U	C2-N3	5.27	1.41	1.37
26	BB	1442	U	C2-O2	-5.27	1.17	1.22
26	BB	1786	A	C2-N3	5.27	1.38	1.33
26	BB	2405	G	C2-N2	-5.27	1.29	1.34
26	BB	2612	C	C3'-O3'	5.27	1.49	1.42
1	AA	535	A	N7-C5	5.27	1.42	1.39
1	AA	567	G	P-O5'	5.27	1.65	1.59
1	AA	1233	G	C2-N2	-5.27	1.29	1.34
1	AA	1276	G	N9-C4	5.27	1.42	1.38
26	BB	804	A	N9-C4	5.27	1.41	1.37
1	AA	361	G	N1-C2	5.27	1.42	1.37
1	AA	566	G	O3'-P	5.27	1.67	1.61
1	AA	706	A	N9-C4	5.27	1.41	1.37
1	AA	1169	A	P-O5'	5.27	1.65	1.59
1	AA	1319	A	C5-C4	-5.27	1.35	1.38
1	AA	1451	U	C5-C6	5.27	1.38	1.34
26	BB	282	A	C4'-O4'	-5.27	1.38	1.45
26	BB	751	A	C2'-C1'	-5.27	1.47	1.53
26	BB	1128	G	N7-C5	5.27	1.42	1.39
26	BB	1459	G	C2'-O2'	5.27	1.48	1.41
26	BB	2193	G	O5'-C5'	-5.27	1.34	1.42
26	BB	2245	U	N3-C4	5.27	1.43	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2338	C	P-O5'	5.27	1.65	1.59
26	BB	2729	G	C5'-C4'	5.27	1.57	1.51
26	BB	2730	C	N1-C6	5.27	1.40	1.37
26	BB	2849	U	C4-O4	-5.27	1.19	1.23
1	AA	343	U	P-O5'	-5.27	1.54	1.59
1	AA	621	A	C5'-C4'	5.27	1.57	1.51
1	AA	945	G	C6-O6	-5.27	1.19	1.24
1	AA	1182	G	C2-N2	5.27	1.39	1.34
1	AA	1533	C	N1-C6	5.27	1.40	1.37
3	AC	49	U	N1-C6	5.27	1.42	1.38
25	BA	7	G	C5-C4	5.27	1.42	1.38
26	BB	145	C	C2'-C1'	-5.27	1.47	1.53
26	BB	811	U	C4'-O4'	-5.27	1.38	1.45
26	BB	1319	C	C4-C5	5.27	1.47	1.43
26	BB	1986	C	N3-C4	5.27	1.37	1.33
26	BB	2032	G	O4'-C1'	5.27	1.48	1.41
26	BB	2825	G	C3'-C2'	5.27	1.58	1.52
26	BB	2900	A	C8-N7	5.27	1.35	1.31
1	AA	195	A	N7-C5	5.27	1.42	1.39
1	AA	629	A	C4'-O4'	-5.27	1.38	1.45
5	AE	161	PHE	CE1-CZ	5.27	1.47	1.37
10	AJ	101	ARG	CZ-NH1	5.27	1.39	1.33
1	AA	737	C	C4-N4	5.26	1.38	1.33
1	AA	957	U	C4'-O4'	-5.26	1.38	1.45
26	BB	173	A	C3'-C2'	5.26	1.58	1.52
26	BB	333	G	P-O5'	5.26	1.65	1.59
26	BB	517	C	N1-C6	5.26	1.40	1.37
26	BB	843	G	N9-C8	-5.26	1.34	1.37
26	BB	1712	U	C4-C5	5.26	1.48	1.43
26	BB	1832	C	C4'-O4'	-5.26	1.38	1.45
26	BB	2058	A	C3'-C2'	5.26	1.58	1.52
26	BB	2466	C	C4-N4	-5.26	1.29	1.33
26	BB	2616	C	C2-N3	5.26	1.40	1.35
57	B6	21	PHE	CG-CD1	5.26	1.46	1.38
1	AA	444	G	N1-C2	5.26	1.42	1.37
1	AA	666	G	N7-C5	5.26	1.42	1.39
3	AC	38	G	N3-C4	5.26	1.39	1.35
26	BB	220	G	C6-N1	-5.26	1.35	1.39
26	BB	301	G	C4'-C3'	5.26	1.58	1.53
26	BB	380	G	O5'-C5'	-5.26	1.34	1.42
26	BB	1548	A	N3-C4	5.26	1.38	1.34
26	BB	1811	G	N1-C2	5.26	1.42	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	369	G	C2'-C1'	-5.26	1.47	1.53
1	AA	659	U	C4-C5	5.26	1.48	1.43
1	AA	1288	A	C4'-O4'	-5.26	1.38	1.45
26	BB	539	G	N9-C4	-5.26	1.33	1.38
26	BB	1292	G	C2-N3	5.26	1.36	1.32
26	BB	1647	U	P-O5'	5.26	1.65	1.59
26	BB	1823	G	C3'-O3'	5.26	1.49	1.42
26	BB	1843	C	P-O5'	5.26	1.65	1.59
26	BB	2009	A	C5-C6	5.26	1.45	1.41
26	BB	2697	G	C5-C4	-5.26	1.34	1.38
1	AA	1222	G	P-O5'	5.26	1.65	1.59
1	AA	1254	A	N3-C4	5.26	1.38	1.34
1	AA	1261	A	C4'-C3'	5.26	1.58	1.53
4	AD	59	A	C8-N7	-5.26	1.27	1.31
25	BA	42	C	N3-C4	5.26	1.37	1.33
25	BA	75	G	N9-C4	5.26	1.42	1.38
26	BB	239	C	C5'-C4'	5.26	1.57	1.51
26	BB	869	G	C5-C6	5.26	1.47	1.42
26	BB	1130	U	C2-N3	5.26	1.41	1.37
26	BB	1394	U	C4'-O4'	-5.26	1.38	1.45
26	BB	1462	C	C2-N3	5.26	1.40	1.35
26	BB	2507	C	N1-C6	5.26	1.40	1.37
1	AA	223	A	C4'-O4'	-5.26	1.38	1.45
1	AA	409	U	C2'-C1'	5.26	1.59	1.53
1	AA	433	G	O4'-C1'	5.26	1.48	1.41
1	AA	505	G	O4'-C1'	5.26	1.48	1.41
25	BA	24	G	C4'-O4'	-5.26	1.38	1.45
1	AA	108	G	N9-C4	-5.26	1.33	1.38
1	AA	230	G	C4'-O4'	-5.26	1.38	1.45
1	AA	743	A	C6-N1	5.26	1.39	1.35
25	BA	73	A	C5'-C4'	5.26	1.57	1.51
26	BB	366	C	O3'-P	5.26	1.67	1.61
26	BB	948	C	C2-N3	5.26	1.40	1.35
26	BB	1133	A	C1'-N9	5.26	1.56	1.48
26	BB	1158	C	N3-C4	5.26	1.37	1.33
26	BB	1327	A	C6-N1	5.26	1.39	1.35
26	BB	1491	G	C4'-C3'	5.26	1.58	1.53
26	BB	1740	G	C8-N7	-5.26	1.27	1.30
26	BB	2062	A	N9-C4	5.26	1.41	1.37
26	BB	2715	C	N1-C2	5.26	1.45	1.40
26	BB	2780	G	P-O5'	5.26	1.65	1.59
1	AA	66	A	N3-C4	5.25	1.38	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	554	A	C5-C4	5.25	1.42	1.38
1	AA	628	G	C6-O6	-5.25	1.19	1.24
1	AA	1025	U	P-O5'	5.25	1.65	1.59
1	AA	1437	A	C3'-C2'	5.25	1.58	1.52
26	BB	33	C	C4'-C3'	-5.25	1.47	1.52
26	BB	520	G	N1-C2	5.25	1.42	1.37
1	AA	565	U	P-O5'	5.25	1.65	1.59
1	AA	868	C	N1-C6	5.25	1.40	1.37
1	AA	1466	C	C4'-O4'	-5.25	1.38	1.45
3	AC	53	G	C5'-C4'	5.25	1.57	1.51
12	AL	48	ARG	CZ-NH1	5.25	1.39	1.33
20	AT	76	ARG	CD-NE	5.25	1.55	1.46
26	BB	25	U	C5'-C4'	5.25	1.57	1.51
26	BB	155	A	N9-C4	5.25	1.41	1.37
26	BB	2239	G	C5-C4	5.25	1.42	1.38
26	BB	2348	U	C4'-O4'	-5.25	1.38	1.45
43	BS	63	ARG	NE-CZ	5.25	1.39	1.33
1	AA	2	A	C5'-C4'	5.25	1.57	1.51
1	AA	15	G	C6-O6	-5.25	1.19	1.24
1	AA	259	G	C8-N7	5.25	1.34	1.30
1	AA	601	G	C5'-C4'	5.25	1.57	1.51
1	AA	706	A	N9-C8	-5.25	1.33	1.37
1	AA	928	G	N9-C4	5.25	1.42	1.38
1	AA	1356	G	C2'-O2'	5.25	1.48	1.41
25	BA	100	G	N3-C4	5.25	1.39	1.35
26	BB	520	G	C4'-C3'	-5.25	1.47	1.52
26	BB	879	G	C3'-O3'	5.25	1.49	1.42
26	BB	1803	A	C4'-C3'	5.25	1.58	1.53
26	BB	2704	C	O3'-P	5.25	1.67	1.61
26	BB	2823	A	C8-N7	5.25	1.35	1.31
57	B6	13	PHE	CG-CD1	5.25	1.46	1.38
1	AA	59	A	C4'-O4'	-5.25	1.38	1.45
1	AA	240	G	P-O5'	5.25	1.65	1.59
1	AA	509	A	C2'-O2'	5.25	1.48	1.41
1	AA	665	A	N3-C4	5.25	1.38	1.34
26	BB	962	G	N7-C5	5.25	1.42	1.39
26	BB	1445	G	C3'-O3'	5.25	1.49	1.42
26	BB	2273	A	N3-C4	5.25	1.38	1.34
1	AA	449	G	N3-C4	5.25	1.39	1.35
1	AA	654	G	C8-N7	5.25	1.34	1.30
1	AA	900	A	N1-C2	-5.25	1.29	1.34
4	AD	69	C	C5'-C4'	5.25	1.57	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BA	70	C	C4'-O4'	-5.25	1.38	1.45
25	BA	76	G	C8-N7	-5.25	1.27	1.30
26	BB	1021	A	C5-C6	5.25	1.45	1.41
26	BB	1742	U	C4-C5	5.25	1.48	1.43
26	BB	1755	A	N3-C4	5.25	1.38	1.34
26	BB	2248	C	C4-C5	5.25	1.47	1.43
26	BB	2360	G	C5-C6	5.25	1.47	1.42
26	BB	2721	A	N9-C8	-5.25	1.33	1.37
44	BT	19	THR	CB-OG1	-5.25	1.32	1.43
1	AA	659	U	O3'-P	5.25	1.67	1.61
7	AG	127	ARG	CD-NE	5.25	1.55	1.46
26	BB	594	U	O3'-P	5.25	1.67	1.61
26	BB	1309	G	N9-C8	5.25	1.41	1.37
26	BB	1342	A	C6-N6	-5.25	1.29	1.33
26	BB	1863	G	N3-C4	5.25	1.39	1.35
26	BB	2882	A	C6-N1	5.25	1.39	1.35
1	AA	365	U	C5'-C4'	5.25	1.57	1.51
26	BB	751	A	N9-C8	-5.25	1.33	1.37
26	BB	1217	U	O4'-C1'	-5.25	1.34	1.41
26	BB	1912	A	C6-N6	-5.25	1.29	1.33
26	BB	1957	C	C2'-C1'	5.25	1.59	1.53
1	AA	1231	G	C3'-O3'	-5.24	1.34	1.42
26	BB	16	C	C5-C6	5.24	1.38	1.34
26	BB	135	U	C5-C6	5.24	1.38	1.34
26	BB	157	C	C3'-C2'	5.24	1.58	1.52
26	BB	311	A	N7-C5	5.24	1.42	1.39
26	BB	318	C	O4'-C1'	5.24	1.48	1.41
26	BB	543	G	C8-N7	-5.24	1.27	1.30
26	BB	692	C	C2'-C1'	5.24	1.59	1.53
26	BB	994	C	N3-C4	5.24	1.37	1.33
26	BB	1036	G	C5'-C4'	5.24	1.57	1.51
26	BB	1053	C	C3'-O3'	5.24	1.49	1.42
26	BB	1483	G	C4'-C3'	5.24	1.58	1.53
26	BB	2122	U	C5'-C4'	5.24	1.57	1.51
26	BB	2231	U	N3-C4	5.24	1.43	1.38
26	BB	2383	G	O3'-P	5.24	1.67	1.61
26	BB	2633	G	C4'-O4'	-5.24	1.38	1.45
26	BB	2084	C	C5'-C4'	5.24	1.57	1.51
26	BB	2355	G	P-O5'	5.24	1.65	1.59
1	AA	1114	C	C3'-C2'	5.24	1.58	1.52
1	AA	1132	C	C4-C5	5.24	1.47	1.43
1	AA	1284	C	C2-N3	5.24	1.40	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	AD	10	G	C2-N2	-5.24	1.29	1.34
25	BA	51	G	N1-C2	5.24	1.42	1.37
25	BA	59	A	C4'-C3'	5.24	1.58	1.53
26	BB	149	A	C4'-C3'	-5.24	1.47	1.52
26	BB	771	G	C3'-O3'	-5.24	1.34	1.42
26	BB	814	C	C2-O2	-5.24	1.19	1.24
26	BB	1762	A	C4'-C3'	5.24	1.58	1.53
26	BB	1831	G	N1-C2	5.24	1.42	1.37
26	BB	1924	C	C5'-C4'	5.24	1.57	1.51
26	BB	2300	C	C5'-C4'	5.24	1.57	1.51
26	BB	2320	U	C2-O2	5.24	1.27	1.22
26	BB	2395	C	C3'-C2'	5.24	1.58	1.52
26	BB	2828	G	C4'-C3'	-5.24	1.47	1.52
26	BB	2895	G	C2-N3	5.24	1.36	1.32
1	AA	148	G	C8-N7	5.24	1.34	1.30
1	AA	513	C	C3'-C2'	-5.24	1.47	1.52
1	AA	681	A	C2'-C1'	5.24	1.59	1.53
1	AA	702	A	C8-N7	-5.24	1.27	1.31
1	AA	1023	U	O4'-C1'	-5.24	1.34	1.41
2	AB	63	C	C4-N4	-5.24	1.29	1.33
26	BB	1124	G	C5'-C4'	5.24	1.57	1.51
26	BB	1308	A	N9-C4	5.24	1.41	1.37
26	BB	1546	G	N9-C4	5.24	1.42	1.38
26	BB	2536	G	N9-C4	-5.24	1.33	1.38
1	AA	690	G	P-O5'	5.24	1.65	1.59
15	AO	19	ASN	CB-CG	5.24	1.63	1.51
26	BB	900	A	C5'-C4'	5.24	1.57	1.51
26	BB	913	U	N1-C2	5.24	1.43	1.38
26	BB	2237	G	O3'-P	-5.24	1.54	1.61
1	AA	438	U	C5-C6	5.24	1.38	1.34
1	AA	611	C	P-O5'	5.24	1.65	1.59
2	AB	70	C	C5'-C4'	5.24	1.57	1.51
3	AC	48	C	C4'-O4'	-5.24	1.38	1.45
3	AC	50	U	P-O5'	5.24	1.65	1.59
24	AX	22	CYS	CB-SG	5.24	1.91	1.82
26	BB	242	G	C2-N3	5.24	1.36	1.32
26	BB	272	A	O3'-P	5.24	1.67	1.61
26	BB	366	C	N3-C4	5.24	1.37	1.33
26	BB	419	U	C2-N3	-5.24	1.34	1.37
26	BB	503	A	N9-C4	-5.24	1.34	1.37
26	BB	1271	G	P-O5'	5.24	1.65	1.59
26	BB	1483	G	N9-C8	-5.24	1.34	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1782	U	N3-C4	5.24	1.43	1.38
26	BB	1862	G	C6-O6	-5.24	1.19	1.24
26	BB	2000	C	C5-C6	5.24	1.38	1.34
26	BB	2515	C	C4'-C3'	-5.24	1.47	1.52
27	BC	25	GLU	CD-OE2	5.24	1.31	1.25
31	BG	142	TYR	CE2-CZ	5.24	1.45	1.38
1	AA	329	A	C4'-O4'	-5.23	1.38	1.45
1	AA	949	A	O3'-P	5.23	1.67	1.61
1	AA	1334	G	C6-N1	-5.23	1.35	1.39
26	BB	305	C	C5'-C4'	5.23	1.57	1.51
26	BB	532	A	C2-N3	-5.23	1.28	1.33
26	BB	1060	U	C4'-C3'	-5.23	1.47	1.52
26	BB	1260	A	C3'-C2'	5.23	1.58	1.52
26	BB	2562	U	C4'-O4'	-5.23	1.38	1.45
1	AA	246	A	C2'-O2'	5.23	1.48	1.41
1	AA	358	U	C5-C6	-5.23	1.29	1.34
3	AC	53	G	C5-C4	-5.23	1.34	1.38
26	BB	298	G	N9-C8	-5.23	1.34	1.37
26	BB	653	U	C4'-C3'	-5.23	1.47	1.52
26	BB	893	C	N3-C4	-5.23	1.30	1.33
26	BB	1088	A	C5-C6	5.23	1.45	1.41
26	BB	1228	G	C8-N7	-5.23	1.27	1.30
26	BB	1368	G	N1-C2	-5.23	1.33	1.37
26	BB	1789	A	C2'-C1'	5.23	1.59	1.53
26	BB	2885	G	C5'-C4'	5.23	1.57	1.51
1	AA	682	G	N9-C4	-5.23	1.33	1.38
1	AA	916	U	C2-N3	5.23	1.41	1.37
1	AA	1063	C	C4'-O4'	-5.23	1.38	1.45
25	BA	48	U	C2-N3	5.23	1.41	1.37
26	BB	247	G	C8-N7	-5.23	1.27	1.30
26	BB	848	C	N3-C4	5.23	1.37	1.33
26	BB	943	A	C5-C6	5.23	1.45	1.41
26	BB	1102	C	O3'-P	5.23	1.67	1.61
26	BB	1151	A	P-O5'	5.23	1.65	1.59
26	BB	1836	C	C4-C5	5.23	1.47	1.43
26	BB	2729	G	N7-C5	-5.23	1.36	1.39
26	BB	2785	C	O4'-C1'	-5.23	1.34	1.41
26	BB	2868	A	O3'-P	5.23	1.67	1.61
1	AA	185	U	O3'-P	-5.23	1.54	1.61
1	AA	374	A	N3-C4	-5.23	1.31	1.34
1	AA	763	G	C5-C4	-5.23	1.34	1.38
1	AA	1365	G	C8-N7	-5.23	1.27	1.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1395	A	N1-C2	-5.23	1.29	1.34
1	AA	320	A	C5-C4	-5.23	1.35	1.38
1	AA	363	A	C4'-O4'	-5.23	1.38	1.45
1	AA	457	G	C2-N3	5.23	1.36	1.32
1	AA	494	G	N7-C5	5.23	1.42	1.39
1	AA	783	C	O3'-P	-5.23	1.54	1.61
26	BB	1041	G	N9-C8	5.23	1.41	1.37
26	BB	1232	G	C2'-C1'	5.23	1.59	1.53
26	BB	1747	U	C4'-C3'	-5.23	1.47	1.52
26	BB	1792	G	C5-C6	5.23	1.47	1.42
26	BB	2568	U	C4-C5	5.23	1.48	1.43
1	AA	72	A	N3-C4	5.23	1.38	1.34
1	AA	1018	G	C2-N2	5.23	1.39	1.34
26	BB	504	A	C6-N6	5.23	1.38	1.33
26	BB	680	C	C1'-N1	5.23	1.56	1.48
26	BB	712	G	C2-N3	5.23	1.36	1.32
26	BB	820	A	C1'-N9	5.23	1.56	1.48
26	BB	2202	U	C4-C5	5.23	1.48	1.43
1	AA	70	U	C4'-C3'	5.22	1.58	1.53
1	AA	473	U	N1-C6	-5.22	1.33	1.38
1	AA	1268	G	C8-N7	-5.22	1.27	1.30
26	BB	35	G	N7-C5	-5.22	1.36	1.39
26	BB	370	G	C5-C4	5.22	1.42	1.38
26	BB	544	C	C4'-C3'	5.22	1.58	1.53
26	BB	575	A	O5'-C5'	-5.22	1.34	1.42
26	BB	803	U	N1-C2	5.22	1.43	1.38
26	BB	913	U	C4'-O4'	-5.22	1.38	1.45
26	BB	1588	G	N3-C4	5.22	1.39	1.35
26	BB	1734	G	C4'-O4'	-5.22	1.38	1.45
26	BB	1840	G	N9-C4	5.22	1.42	1.38
26	BB	1844	C	C2-O2	-5.22	1.19	1.24
26	BB	1895	C	N3-C4	5.22	1.37	1.33
26	BB	1932	A	C5-C6	-5.22	1.36	1.41
26	BB	2410	G	C5'-C4'	5.22	1.57	1.51
26	BB	2433	A	C2'-C1'	-5.22	1.47	1.53
26	BB	2781	A	C8-N7	-5.22	1.27	1.31
26	BB	2895	G	N7-C5	5.22	1.42	1.39
1	AA	309	A	P-O5'	5.22	1.65	1.59
1	AA	350	G	C6-N1	5.22	1.43	1.39
1	AA	699	C	C4-C5	5.22	1.47	1.43
1	AA	903	G	C4'-C3'	-5.22	1.47	1.52
1	AA	1526	G	C3'-O3'	-5.22	1.34	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	501	A	C4'-O4'	-5.22	1.38	1.45
26	BB	712	G	N9-C4	5.22	1.42	1.38
26	BB	941	A	P-O5'	5.22	1.65	1.59
26	BB	1168	G	O3'-P	5.22	1.67	1.61
26	BB	1323	C	C2-N3	5.22	1.40	1.35
26	BB	1979	U	C2'-C1'	-5.22	1.47	1.53
26	BB	2293	G	C4'-O4'	-5.22	1.38	1.45
26	BB	2386	A	N9-C4	-5.22	1.34	1.37
26	BB	2638	G	C4'-O4'	-5.22	1.38	1.45
26	BB	68	G	N9-C8	5.22	1.41	1.37
26	BB	199	A	C2-N3	-5.22	1.28	1.33
26	BB	1495	A	N1-C2	-5.22	1.29	1.34
26	BB	1669	A	N9-C8	-5.22	1.33	1.37
26	BB	2407	A	C4'-O4'	-5.22	1.38	1.45
1	AA	607	A	N1-C2	-5.22	1.29	1.34
1	AA	800	G	C5'-C4'	5.22	1.57	1.51
1	AA	1427	C	O3'-P	-5.22	1.54	1.61
2	AB	52	A	C2-N3	5.22	1.38	1.33
26	BB	81	G	C5-C4	5.22	1.42	1.38
26	BB	493	G	C6-N1	5.22	1.43	1.39
26	BB	1346	G	C8-N7	5.22	1.34	1.30
26	BB	1474	U	C4'-O4'	-5.22	1.38	1.45
26	BB	2824	C	C3'-O3'	-5.22	1.34	1.42
1	AA	99	C	C4'-O4'	-5.22	1.38	1.45
1	AA	517	G	O4'-C1'	5.22	1.48	1.41
1	AA	903	G	C8-N7	-5.22	1.27	1.30
3	AC	40	G	O4'-C1'	5.22	1.48	1.41
26	BB	549	G	C8-N7	5.22	1.34	1.30
26	BB	1463	C	C4-C5	5.22	1.47	1.43
26	BB	1761	C	C5'-C4'	5.22	1.57	1.51
26	BB	2616	C	C4'-O4'	-5.22	1.38	1.45
1	AA	191	G	C6-N1	-5.22	1.35	1.39
1	AA	634	C	N1-C6	5.22	1.40	1.37
1	AA	851	G	C2'-C1'	5.22	1.59	1.53
1	AA	1262	C	C5-C6	5.22	1.38	1.34
26	BB	914	G	C8-N7	5.22	1.34	1.30
26	BB	1755	A	C6-N6	5.22	1.38	1.33
26	BB	1847	A	P-O5'	-5.22	1.54	1.59
26	BB	1868	C	N1-C6	5.22	1.40	1.37
26	BB	2534	A	C3'-C2'	-5.22	1.47	1.52
1	AA	146	G	C2-N3	5.21	1.36	1.32
4	AD	3	C	C4-N4	-5.21	1.29	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BA	15	A	C6-N6	5.21	1.38	1.33
26	BB	263	G	C4'-O4'	-5.21	1.38	1.45
26	BB	1116	G	N9-C8	-5.21	1.34	1.37
26	BB	1186	G	N9-C8	5.21	1.41	1.37
26	BB	1663	G	N9-C4	-5.21	1.33	1.38
26	BB	1807	G	C3'-C2'	5.21	1.58	1.52
26	BB	2178	C	C2-O2	-5.21	1.19	1.24
1	AA	97	G	C4'-C3'	5.21	1.58	1.53
1	AA	1371	G	N9-C4	-5.21	1.33	1.38
4	AD	31	G	C8-N7	-5.21	1.27	1.30
26	BB	420	C	C4-C5	5.21	1.47	1.43
26	BB	890	C	O3'-P	5.21	1.67	1.61
26	BB	1228	G	O3'-P	5.21	1.67	1.61
26	BB	2190	G	C2-N2	-5.21	1.29	1.34
26	BB	2557	G	C4'-O4'	-5.21	1.38	1.45
26	BB	2566	A	P-O5'	5.21	1.65	1.59
26	BB	2635	A	C4'-O4'	-5.21	1.38	1.45
1	AA	318	G	N3-C4	5.21	1.39	1.35
1	AA	597	G	C2'-C1'	-5.21	1.47	1.53
26	BB	761	A	C8-N7	-5.21	1.27	1.31
26	BB	868	U	N1-C2	5.21	1.43	1.38
26	BB	1372	U	C2'-C1'	-5.21	1.47	1.53
26	BB	2083	G	C6-O6	-5.21	1.19	1.24
26	BB	1299	G	C5-C4	-5.21	1.34	1.38
1	AA	3	A	C5'-C4'	5.21	1.57	1.51
1	AA	60	A	N7-C5	5.21	1.42	1.39
1	AA	73	C	N3-C4	5.21	1.37	1.33
1	AA	262	A	C3'-O3'	5.21	1.49	1.42
1	AA	867	G	O3'-P	5.21	1.67	1.61
1	AA	1125	U	C2-N3	5.21	1.41	1.37
4	AD	57	C	N3-C4	5.21	1.37	1.33
25	BA	35	C	C3'-O3'	5.21	1.49	1.42
26	BB	135	U	O4'-C1'	5.21	1.48	1.41
26	BB	156	A	N9-C4	5.21	1.41	1.37
26	BB	181	A	C6-N6	5.21	1.38	1.33
26	BB	1817	G	C2-N3	5.21	1.36	1.32
26	BB	1880	U	N1-C6	-5.21	1.33	1.38
26	BB	1885	A	O3'-P	5.21	1.67	1.61
26	BB	2356	U	C2-N3	5.21	1.41	1.37
26	BB	2430	A	C4'-C3'	5.21	1.58	1.53
26	BB	2795	C	O3'-P	5.21	1.67	1.61
26	BB	2809	A	C6-N1	-5.21	1.31	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	46	G	C5-C4	5.21	1.42	1.38
1	AA	1454	G	P-O5'	5.21	1.65	1.59
25	BA	14	U	C4-C5	-5.21	1.38	1.43
25	BA	24	G	C4'-C3'	5.21	1.58	1.53
26	BB	356	G	C4'-O4'	-5.21	1.38	1.45
26	BB	536	G	C4'-O4'	5.21	1.52	1.45
26	BB	789	A	C6-N6	5.21	1.38	1.33
26	BB	2059	A	C6-N6	5.21	1.38	1.33
26	BB	2561	U	N3-C4	5.21	1.43	1.38
26	BB	2582	G	C6-N1	5.21	1.43	1.39
1	AA	95	C	C4'-O4'	-5.21	1.38	1.45
26	BB	1036	G	N3-C4	5.21	1.39	1.35
26	BB	1207	C	C5-C6	5.21	1.38	1.34
26	BB	1570	A	C3'-O3'	5.21	1.49	1.42
26	BB	2523	G	C2-N3	5.21	1.36	1.32
26	BB	2642	G	C6-O6	-5.21	1.19	1.24
1	AA	90	C	C3'-C2'	5.20	1.58	1.52
1	AA	492	C	C1'-N1	5.20	1.56	1.48
1	AA	495	A	C3'-C2'	5.20	1.58	1.52
1	AA	1200	C	N3-C4	5.20	1.37	1.33
1	AA	1455	G	C8-N7	5.20	1.34	1.30
1	AA	1512	U	P-O5'	5.20	1.65	1.59
1	AA	1526	G	O3'-P	5.20	1.67	1.61
26	BB	165	A	N9-C8	5.20	1.42	1.37
26	BB	270	A	O4'-C1'	5.20	1.48	1.41
26	BB	815	C	C4-N4	5.20	1.38	1.33
26	BB	1131	G	C3'-C2'	5.20	1.58	1.52
26	BB	2675	A	P-O5'	5.20	1.65	1.59
26	BB	654	A	C6-N1	5.20	1.39	1.35
26	BB	1805	A	C6-N6	-5.20	1.29	1.33
26	BB	2643	G	C2'-C1'	5.20	1.59	1.53
1	AA	422	C	C5-C6	5.20	1.38	1.34
1	AA	628	G	N1-C2	5.20	1.42	1.37
1	AA	631	C	O3'-P	5.20	1.67	1.61
1	AA	661	G	C4'-C3'	-5.20	1.47	1.52
1	AA	912	C	C3'-C2'	5.20	1.58	1.52
1	AA	1428	A	O3'-P	-5.20	1.54	1.61
12	AL	38	PHE	CG-CD2	5.20	1.46	1.38
26	BB	268	C	C5'-C4'	5.20	1.57	1.51
26	BB	1078	U	C2'-C1'	-5.20	1.47	1.53
26	BB	1156	A	N3-C4	5.20	1.38	1.34
26	BB	1540	G	C5-C6	5.20	1.47	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2429	G	C4'-C3'	5.20	1.58	1.53
26	BB	2775	G	C5-C4	5.20	1.42	1.38
1	AA	134	G	C5-C4	-5.20	1.34	1.38
1	AA	445	G	C2-N2	5.20	1.39	1.34
1	AA	446	G	C5'-C4'	5.20	1.57	1.51
1	AA	1068	G	O3'-P	5.20	1.67	1.61
26	BB	65	U	N3-C4	5.20	1.43	1.38
26	BB	683	U	N1-C2	5.20	1.43	1.38
26	BB	922	C	N1-C2	5.20	1.45	1.40
26	BB	1441	G	N9-C4	-5.20	1.33	1.38
26	BB	1677	A	C6-N1	5.20	1.39	1.35
26	BB	2017	U	O3'-P	-5.20	1.54	1.61
26	BB	2424	C	C4-N4	-5.20	1.29	1.33
26	BB	2437	G	N1-C2	5.20	1.42	1.37
26	BB	2591	C	C4-C5	5.20	1.47	1.43
26	BB	2771	C	N1-C2	5.20	1.45	1.40
1	AA	1247	U	C4'-C3'	5.20	1.58	1.53
1	AA	1537	U	O4'-C1'	5.20	1.48	1.41
26	BB	90	U	N3-C4	5.20	1.43	1.38
26	BB	217	A	C4'-O4'	-5.20	1.38	1.45
26	BB	2038	G	C2-N2	5.20	1.39	1.34
1	AA	270	A	N9-C8	-5.20	1.33	1.37
1	AA	545	C	C5-C6	5.20	1.38	1.34
1	AA	622	A	C8-N7	-5.20	1.27	1.31
1	AA	1056	U	O4'-C1'	5.20	1.48	1.41
26	BB	876	C	C2-N3	5.20	1.40	1.35
26	BB	1002	G	P-O5'	-5.20	1.54	1.59
26	BB	1016	G	P-O5'	5.20	1.65	1.59
26	BB	1173	U	C5-C6	5.20	1.38	1.34
26	BB	1347	A	C8-N7	-5.20	1.27	1.31
26	BB	1684	G	C5'-C4'	5.20	1.57	1.51
26	BB	2489	U	C5'-C4'	5.20	1.57	1.51
26	BB	2572	A	N9-C4	5.20	1.41	1.37
26	BB	2832	U	C5'-C4'	5.20	1.57	1.51
1	AA	1137	C	N3-C4	5.19	1.37	1.33
26	BB	287	G	N3-C4	5.19	1.39	1.35
26	BB	1989	G	C2'-O2'	5.19	1.48	1.41
1	AA	502	A	C6-N1	-5.19	1.31	1.35
1	AA	773	G	O3'-P	-5.19	1.54	1.61
6	AF	106	ARG	CZ-NH1	5.19	1.39	1.33
26	BB	53	A	C5-C6	-5.19	1.36	1.41
26	BB	590	A	C2-N3	5.19	1.38	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	829	A	C2'-O2'	5.19	1.48	1.41
26	BB	933	A	P-O5'	5.19	1.65	1.59
26	BB	2785	C	C5-C6	5.19	1.38	1.34
1	AA	386	C	C5'-C4'	5.19	1.57	1.51
1	AA	429	U	N3-C4	5.19	1.43	1.38
1	AA	529	G	C2-N3	5.19	1.36	1.32
1	AA	1539	C	C1'-N1	5.19	1.56	1.48
1	AA	1540	U	C4-O4	-5.19	1.19	1.23
4	AD	68	C	C3'-C2'	5.19	1.58	1.52
26	BB	458	G	O3'-P	-5.19	1.54	1.61
26	BB	1235	G	C5-C6	5.19	1.47	1.42
26	BB	1295	C	C2'-C1'	5.19	1.59	1.53
26	BB	2203	U	C2-N3	5.19	1.41	1.37
26	BB	2635	A	C2'-O2'	-5.19	1.34	1.41
26	BB	2803	G	N9-C8	-5.19	1.34	1.37
1	AA	153	C	N3-C4	5.19	1.37	1.33
1	AA	717	U	C4'-O4'	-5.19	1.38	1.45
1	AA	1296	C	C4'-O4'	-5.19	1.38	1.45
2	AB	25	C	C5'-C4'	5.19	1.57	1.51
26	BB	2111	U	N1-C6	5.19	1.42	1.38
1	AA	136	C	C4-C5	5.19	1.47	1.43
1	AA	720	C	C4'-C3'	5.19	1.58	1.53
1	AA	1364	U	C2'-C1'	5.19	1.59	1.53
26	BB	327	G	C2-N3	5.19	1.36	1.32
26	BB	1854	A	C6-N1	5.19	1.39	1.35
26	BB	2048	G	N7-C5	-5.19	1.36	1.39
1	AA	193	C	N3-C4	5.19	1.37	1.33
1	AA	1208	C	C4-C5	5.19	1.47	1.43
25	BA	109	A	C6-N6	-5.19	1.29	1.33
26	BB	1614	A	C2'-C1'	5.19	1.59	1.53
26	BB	2747	G	C4'-O4'	-5.19	1.38	1.45
26	BB	2864	G	C6-O6	-5.19	1.19	1.24
1	AA	52	C	C4-N4	5.18	1.38	1.33
1	AA	406	G	C6-N1	-5.18	1.35	1.39
1	AA	1071	C	C5-C6	5.18	1.38	1.34
1	AA	1510	C	O4'-C1'	5.18	1.48	1.41
1	AA	1537	U	C2-N3	5.18	1.41	1.37
4	AD	39	A	N7-C5	-5.18	1.36	1.39
26	BB	1046	A	C5'-C4'	5.18	1.57	1.51
26	BB	1091	G	C6-N1	5.18	1.43	1.39
26	BB	1149	G	P-O5'	5.18	1.65	1.59
26	BB	2469	A	C5-C6	-5.18	1.36	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	151	A	C5-C6	5.18	1.45	1.41
1	AA	417	G	P-O5'	5.18	1.65	1.59
25	BA	63	C	N1-C6	5.18	1.40	1.37
25	BA	93	C	C4-N4	5.18	1.38	1.33
26	BB	250	G	O5'-C5'	-5.18	1.34	1.42
26	BB	409	G	C5-C4	5.18	1.42	1.38
26	BB	1021	A	N9-C4	-5.18	1.34	1.37
26	BB	1247	A	N7-C5	-5.18	1.36	1.39
26	BB	1784	A	P-O5'	5.18	1.65	1.59
26	BB	2590	A	C2'-O2'	5.18	1.48	1.41
1	AA	426	U	C4-C5	5.18	1.48	1.43
1	AA	1370	G	N7-C5	5.18	1.42	1.39
26	BB	1105	U	N3-C4	-5.18	1.33	1.38
26	BB	1754	A	N9-C8	-5.18	1.33	1.37
26	BB	1801	A	C6-N6	-5.18	1.29	1.33
26	BB	2782	G	C6-O6	-5.18	1.19	1.24
1	AA	302	G	N7-C5	5.18	1.42	1.39
1	AA	682	G	N9-C8	5.18	1.41	1.37
1	AA	1043	G	O5'-C5'	-5.18	1.34	1.42
26	BB	503	A	C6-N6	5.18	1.38	1.33
26	BB	708	G	N7-C5	5.18	1.42	1.39
26	BB	958	U	N1-C6	-5.18	1.33	1.38
26	BB	1065	U	C2-O2	-5.18	1.17	1.22
26	BB	2081	U	N3-C4	5.18	1.43	1.38
26	BB	2139	U	C4'-O4'	-5.18	1.38	1.45
26	BB	2592	G	C8-N7	-5.18	1.27	1.30
26	BB	2783	U	C2'-C1'	-5.18	1.47	1.53
26	BB	2898	U	C2'-C1'	5.18	1.59	1.53
1	AA	1161	C	C4'-O4'	-5.18	1.38	1.45
26	BB	210	C	O3'-P	5.18	1.67	1.61
26	BB	1580	A	C3'-C2'	5.18	1.58	1.52
26	BB	2665	A	P-O5'	5.18	1.65	1.59
1	AA	112	G	N9-C8	-5.18	1.34	1.37
1	AA	372	C	O3'-P	5.18	1.67	1.61
1	AA	627	G	C8-N7	5.18	1.34	1.30
1	AA	694	A	C4'-O4'	-5.18	1.38	1.45
1	AA	1533	C	C5-C6	5.18	1.38	1.34
2	AB	35	C	C5-C6	5.18	1.38	1.34
26	BB	399	U	C5-C6	5.18	1.38	1.34
26	BB	919	U	C4'-O4'	-5.18	1.38	1.45
26	BB	1129	A	N3-C4	5.18	1.38	1.34
26	BB	1250	G	C4'-O4'	-5.18	1.38	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1887	C	C2-N3	-5.18	1.31	1.35
26	BB	2213	U	C5-C6	5.18	1.38	1.34
26	BB	2253	G	C8-N7	-5.18	1.27	1.30
26	BB	2642	G	N1-C2	5.18	1.41	1.37
26	BB	2883	A	C5'-C4'	5.18	1.57	1.51
40	BP	2	ARG	N-CA	5.18	1.56	1.46
57	B6	63	TYR	CE1-CZ	5.18	1.45	1.38
1	AA	1058	G	C2-N2	5.17	1.39	1.34
3	AC	57	C	C3'-C2'	5.17	1.58	1.52
26	BB	753	A	N9-C4	-5.17	1.34	1.37
26	BB	1073	A	C5'-C4'	5.17	1.57	1.51
26	BB	1170	C	C2'-O2'	-5.17	1.34	1.41
26	BB	1580	A	C2'-C1'	5.17	1.59	1.53
26	BB	2004	G	N1-C2	5.17	1.41	1.37
26	BB	2128	G	C2-N3	5.17	1.36	1.32
26	BB	2728	U	C4'-C3'	-5.17	1.47	1.52
26	BB	334	C	C2-N3	5.17	1.39	1.35
26	BB	1443	U	N1-C2	5.17	1.43	1.38
26	BB	1927	A	N3-C4	5.17	1.38	1.34
26	BB	2904	U	C5'-C4'	5.17	1.57	1.51
35	BK	21	PRO	CA-C	5.17	1.63	1.52
1	AA	1038	C	C5'-C4'	5.17	1.57	1.51
1	AA	1062	U	C5-C6	5.17	1.38	1.34
1	AA	1248	A	C5'-C4'	-5.17	1.45	1.51
1	AA	1403	C	C4-N4	-5.17	1.29	1.33
2	AB	1	A	N7-C5	-5.17	1.36	1.39
26	BB	323	C	C4-C5	5.17	1.47	1.43
26	BB	378	C	C5-C6	5.17	1.38	1.34
26	BB	490	C	C5'-C4'	5.17	1.57	1.51
26	BB	649	G	N9-C8	-5.17	1.34	1.37
26	BB	664	G	C5-C4	5.17	1.42	1.38
26	BB	796	C	C5-C6	5.17	1.38	1.34
26	BB	862	G	C8-N7	-5.17	1.27	1.30
26	BB	874	G	P-O5'	5.17	1.65	1.59
26	BB	1017	G	O3'-P	5.17	1.67	1.61
26	BB	1168	G	C1'-N9	5.17	1.56	1.48
26	BB	1305	C	C2-O2	-5.17	1.19	1.24
26	BB	1330	C	O3'-P	5.17	1.67	1.61
26	BB	1644	C	C4'-O4'	-5.17	1.38	1.45
26	BB	2005	A	C6-N1	5.17	1.39	1.35
1	AA	79	G	C2-N2	-5.17	1.29	1.34
1	AA	627	G	C4'-C3'	5.17	1.58	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1006	G	C8-N7	-5.17	1.27	1.30
1	AA	1368	A	C5'-C4'	5.17	1.57	1.51
26	BB	780	G	C3'-O3'	5.17	1.49	1.42
26	BB	1112	G	C6-N1	5.17	1.43	1.39
26	BB	2742	G	C2'-C1'	5.17	1.59	1.53
40	BP	112	TYR	CG-CD1	5.17	1.45	1.39
1	AA	1070	U	C2-O2	5.17	1.27	1.22
15	AO	69	GLU	CD-OE2	5.17	1.31	1.25
26	BB	338	G	C4'-O4'	-5.17	1.38	1.45
26	BB	662	G	N9-C8	5.17	1.41	1.37
26	BB	692	C	C5-C6	-5.17	1.30	1.34
26	BB	960	A	N1-C2	-5.17	1.29	1.34
26	BB	2728	U	N3-C4	-5.17	1.33	1.38
1	AA	119	A	N9-C8	5.17	1.41	1.37
1	AA	183	C	C5'-C4'	5.17	1.57	1.51
1	AA	284	C	C3'-O3'	-5.17	1.34	1.42
1	AA	636	U	C2'-O2'	-5.17	1.34	1.41
26	BB	1008	A	N9-C4	-5.17	1.34	1.37
26	BB	1041	G	N1-C2	5.17	1.41	1.37
26	BB	1073	A	N3-C4	5.17	1.38	1.34
26	BB	1191	G	O4'-C1'	5.17	1.48	1.41
26	BB	1207	C	N3-C4	5.17	1.37	1.33
26	BB	1502	A	C5-C4	-5.17	1.35	1.38
26	BB	1663	G	C2-N3	5.17	1.36	1.32
26	BB	2223	G	C5-C4	5.17	1.42	1.38
26	BB	2403	C	N1-C2	5.17	1.45	1.40
26	BB	2899	A	N7-C5	5.17	1.42	1.39
1	AA	504	C	C5'-C4'	5.17	1.57	1.51
1	AA	1339	A	C3'-C2'	5.17	1.58	1.52
2	AB	18	G	N3-C4	5.17	1.39	1.35
25	BA	43	C	O3'-P	5.17	1.67	1.61
26	BB	168	G	N9-C4	-5.17	1.33	1.38
26	BB	957	C	N1-C6	5.17	1.40	1.37
26	BB	2280	G	C5'-C4'	5.17	1.57	1.51
26	BB	2662	A	N9-C4	5.17	1.41	1.37
26	BB	2881	U	N1-C2	5.17	1.43	1.38
1	AA	17	U	N3-C4	5.16	1.43	1.38
1	AA	96	U	C5-C6	5.16	1.38	1.34
1	AA	393	A	P-O5'	5.16	1.65	1.59
1	AA	1179	A	C5-C6	5.16	1.45	1.41
1	AA	1240	U	N1-C6	-5.16	1.33	1.38
1	AA	1417	G	P-O5'	5.16	1.65	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1485	U	C4-C5	5.16	1.48	1.43
26	BB	693	A	O4'-C1'	-5.16	1.34	1.41
26	BB	734	A	P-O5'	5.16	1.65	1.59
26	BB	814	C	C5'-C4'	5.16	1.57	1.51
26	BB	911	A	C6-N6	-5.16	1.29	1.33
26	BB	1138	G	C5'-C4'	5.16	1.57	1.51
26	BB	1249	U	P-O5'	5.16	1.65	1.59
26	BB	1703	G	C5-C4	5.16	1.42	1.38
26	BB	2282	G	C8-N7	5.16	1.34	1.30
26	BB	2521	C	N3-C4	5.16	1.37	1.33
26	BB	2655	G	C5'-C4'	5.16	1.57	1.51
1	AA	1172	C	C2'-C1'	-5.16	1.47	1.53
1	AA	1521	C	C2-O2	-5.16	1.19	1.24
26	BB	401	A	C3'-O3'	5.16	1.49	1.42
26	BB	831	G	P-O5'	5.16	1.65	1.59
26	BB	2690	U	N1-C6	5.16	1.42	1.38
1	AA	374	A	C4'-O4'	-5.16	1.38	1.45
1	AA	702	A	O3'-P	5.16	1.67	1.61
1	AA	801	U	O3'-P	5.16	1.67	1.61
1	AA	963	G	N3-C4	-5.16	1.31	1.35
1	AA	996	A	N7-C5	5.16	1.42	1.39
2	AB	64	U	C4'-C3'	-5.16	1.47	1.52
26	BB	1698	A	N9-C4	-5.16	1.34	1.37
26	BB	2340	A	C6-N1	-5.16	1.31	1.35
26	BB	2426	A	C4'-C3'	5.16	1.58	1.53
26	BB	2862	G	C3'-C2'	-5.16	1.47	1.52
1	AA	67	C	N1-C6	5.16	1.40	1.37
1	AA	906	A	C2'-C1'	5.16	1.59	1.53
26	BB	273	G	N3-C4	5.16	1.39	1.35
26	BB	700	G	C5'-C4'	5.16	1.57	1.51
26	BB	1317	G	P-O5'	-5.16	1.54	1.59
26	BB	2479	U	C2-N3	5.16	1.41	1.37
26	BB	2539	C	N1-C6	-5.16	1.34	1.37
26	BB	2876	G	C8-N7	5.16	1.34	1.30
3	AC	39	U	C2-O2	5.16	1.26	1.22
26	BB	181	A	N3-C4	5.16	1.38	1.34
26	BB	2783	U	C5'-C4'	5.16	1.57	1.51
1	AA	218	U	N3-C4	5.16	1.43	1.38
1	AA	1357	A	C3'-C2'	5.16	1.58	1.52
1	AA	1492	A	N1-C2	5.16	1.39	1.34
1	AA	1514	G	N3-C4	5.16	1.39	1.35
2	AB	26	A	C4'-O4'	-5.16	1.38	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	592	A	P-O5'	5.16	1.65	1.59
26	BB	674	G	O5'-C5'	-5.16	1.34	1.42
26	BB	1032	A	C4'-C3'	5.16	1.58	1.53
26	BB	1088	A	N7-C5	5.16	1.42	1.39
26	BB	1229	C	C4'-C3'	-5.16	1.47	1.52
26	BB	1633	G	C3'-C2'	5.16	1.58	1.52
26	BB	1661	G	C4'-O4'	-5.16	1.38	1.45
26	BB	1866	A	C4'-C3'	5.16	1.58	1.53
26	BB	1889	A	C8-N7	-5.16	1.27	1.31
26	BB	2517	C	C3'-C2'	-5.16	1.47	1.52
26	BB	2782	G	C2-N2	-5.16	1.29	1.34
26	BB	2877	G	O3'-P	5.16	1.67	1.61
1	AA	229	U	C5-C6	5.15	1.38	1.34
1	AA	926	G	C5-C4	5.15	1.42	1.38
1	AA	1364	U	O3'-P	5.15	1.67	1.61
26	BB	479	A	C2-N3	-5.15	1.28	1.33
26	BB	841	G	C6-O6	-5.15	1.19	1.24
26	BB	1262	A	C8-N7	-5.15	1.27	1.31
1	AA	429	U	C4'-O4'	-5.15	1.38	1.45
1	AA	1166	G	C5-C4	-5.15	1.34	1.38
7	AG	43	ARG	NE-CZ	5.15	1.39	1.33
9	AI	8	PHE	CE1-CZ	5.15	1.47	1.37
26	BB	429	A	P-O5'	5.15	1.65	1.59
26	BB	688	U	P-O5'	5.15	1.65	1.59
26	BB	1237	A	N1-C2	-5.15	1.29	1.34
26	BB	1332	G	C6-N1	-5.15	1.35	1.39
26	BB	1606	C	N1-C6	5.15	1.40	1.37
26	BB	1756	G	P-O5'	5.15	1.65	1.59
26	BB	2584	U	N1-C2	5.15	1.43	1.38
1	AA	254	G	N7-C5	5.15	1.42	1.39
1	AA	1055	A	C5-C4	-5.15	1.35	1.38
1	AA	1120	C	C2-O2	-5.15	1.19	1.24
2	AB	12	U	C5'-C4'	5.15	1.57	1.51
25	BA	87	U	C3'-C2'	5.15	1.58	1.52
26	BB	238	C	C4-N4	5.15	1.38	1.33
26	BB	327	G	C5'-C4'	5.15	1.57	1.51
26	BB	351	C	C3'-C2'	-5.15	1.47	1.52
26	BB	668	A	N3-C4	5.15	1.38	1.34
26	BB	763	G	C2-N3	5.15	1.36	1.32
26	BB	989	G	N3-C4	5.15	1.39	1.35
26	BB	1698	A	O3'-P	-5.15	1.54	1.61
26	BB	1979	U	C3'-C2'	5.15	1.58	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2591	C	N3-C4	5.15	1.37	1.33
26	BB	2653	U	O5'-C5'	-5.15	1.34	1.42
1	AA	798	U	P-O5'	5.15	1.64	1.59
3	AC	42	U	C4'-C3'	5.15	1.58	1.53
25	BA	78	A	C2'-C1'	-5.15	1.47	1.53
26	BB	276	U	C2-N3	5.15	1.41	1.37
26	BB	1201	U	P-O5'	5.15	1.64	1.59
26	BB	1872	A	N9-C8	5.15	1.41	1.37
1	AA	110	C	C5'-C4'	5.15	1.57	1.51
1	AA	579	A	C6-N1	5.15	1.39	1.35
1	AA	948	C	N3-C4	5.15	1.37	1.33
1	AA	1132	C	C3'-C2'	5.15	1.58	1.52
26	BB	143	C	C3'-C2'	5.15	1.58	1.52
26	BB	386	G	O3'-P	5.15	1.67	1.61
26	BB	487	C	C4'-O4'	-5.15	1.38	1.45
26	BB	574	A	N3-C4	5.15	1.38	1.34
26	BB	862	G	O5'-C5'	-5.15	1.34	1.42
26	BB	1577	C	C4-C5	5.15	1.47	1.43
26	BB	1596	A	C3'-C2'	5.15	1.58	1.52
37	BM	32	TYR	CE1-CZ	5.15	1.45	1.38
26	BB	1556	C	C4'-O4'	-5.15	1.38	1.45
26	BB	2629	U	N1-C6	5.15	1.42	1.38
26	BB	2892	G	C6-N1	5.15	1.43	1.39
1	AA	211	G	C5-C4	-5.14	1.34	1.38
1	AA	277	C	C4-C5	5.14	1.47	1.43
1	AA	897	C	C2-N3	5.14	1.39	1.35
1	AA	1023	U	C4'-O4'	-5.14	1.38	1.45
1	AA	1494	G	O5'-C5'	-5.14	1.34	1.42
21	AU	72	ARG	CD-NE	5.14	1.55	1.46
26	BB	151	C	C4'-O4'	-5.14	1.38	1.45
26	BB	298	G	C2-N3	5.14	1.36	1.32
26	BB	365	U	N1-C2	5.14	1.43	1.38
26	BB	406	G	C4'-O4'	-5.14	1.38	1.45
26	BB	2037	A	C5-C6	5.14	1.45	1.41
26	BB	2067	G	C2'-C1'	-5.14	1.47	1.53
26	BB	2337	G	C5'-C4'	5.14	1.57	1.51
26	BB	2516	A	N9-C4	5.14	1.41	1.37
26	BB	2649	C	P-O5'	5.14	1.64	1.59
26	BB	2701	U	N1-C6	5.14	1.42	1.38
26	BB	2757	A	P-O5'	5.14	1.64	1.59
1	AA	182	A	C2'-C1'	5.14	1.59	1.53
1	AA	323	U	C2-N3	5.14	1.41	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	546	A	C3'-C2'	5.14	1.58	1.52
1	AA	767	A	C3'-O3'	5.14	1.49	1.42
26	BB	262	A	O3'-P	5.14	1.67	1.61
26	BB	576	U	C3'-O3'	5.14	1.49	1.42
26	BB	621	A	C8-N7	5.14	1.35	1.31
26	BB	1056	G	N9-C8	-5.14	1.34	1.37
26	BB	1592	C	C2'-O2'	5.14	1.48	1.41
26	BB	1963	U	C2-O2	5.14	1.26	1.22
26	BB	2034	U	C3'-C2'	5.14	1.58	1.52
26	BB	2584	U	C1'-N1	5.14	1.56	1.48
1	AA	835	U	C5-C6	5.14	1.38	1.34
1	AA	1167	A	C5-C4	5.14	1.42	1.38
4	AD	48	U	N1-C2	5.14	1.43	1.38
25	BA	102	G	C3'-O3'	5.14	1.49	1.42
26	BB	203	A	N9-C8	5.14	1.41	1.37
26	BB	208	C	C5'-C4'	5.14	1.57	1.51
26	BB	295	G	N3-C4	5.14	1.39	1.35
26	BB	1107	G	C5-C6	5.14	1.47	1.42
26	BB	1171	G	C2-N3	5.14	1.36	1.32
26	BB	1198	U	C5'-C4'	5.14	1.57	1.51
26	BB	1351	C	C4-C5	5.14	1.47	1.43
26	BB	2105	U	C2'-O2'	5.14	1.48	1.41
26	BB	2219	U	C2-N3	5.14	1.41	1.37
26	BB	2411	A	C2'-O2'	5.14	1.48	1.41
1	AA	110	C	C4'-O4'	-5.14	1.38	1.45
1	AA	148	G	C2-N3	5.14	1.36	1.32
1	AA	713	G	C4'-O4'	-5.14	1.38	1.45
1	AA	1177	G	N9-C8	-5.14	1.34	1.37
26	BB	990	A	N9-C8	5.14	1.41	1.37
26	BB	1407	G	N1-C2	5.14	1.41	1.37
26	BB	2462	C	P-O5'	-5.14	1.54	1.59
26	BB	2697	G	C5-C6	5.14	1.47	1.42
1	AA	168	G	N1-C2	-5.14	1.33	1.37
1	AA	521	G	N1-C2	5.14	1.41	1.37
1	AA	1296	C	C2'-O2'	5.14	1.48	1.41
26	BB	168	G	C5'-C4'	5.14	1.57	1.51
26	BB	1545	A	O3'-P	-5.14	1.54	1.61
26	BB	1725	U	C3'-C2'	5.14	1.58	1.52
1	AA	340	U	N1-C6	5.14	1.42	1.38
1	AA	442	G	N9-C8	-5.14	1.34	1.37
1	AA	1390	U	C2-N3	5.14	1.41	1.37
25	BA	117	G	N3-C4	5.14	1.39	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	559	G	N3-C4	5.14	1.39	1.35
26	BB	856	G	N7-C5	5.14	1.42	1.39
26	BB	874	G	N3-C4	-5.14	1.31	1.35
26	BB	1362	C	C2'-O2'	5.14	1.48	1.41
26	BB	1472	C	P-O5'	5.14	1.64	1.59
26	BB	1535	A	C5-C4	-5.14	1.35	1.38
26	BB	2231	U	N1-C6	5.14	1.42	1.38
26	BB	2416	C	C4-C5	5.14	1.47	1.43
26	BB	2558	C	O4'-C1'	-5.14	1.34	1.41
1	AA	629	A	N3-C4	-5.13	1.31	1.34
1	AA	1351	U	N3-C4	5.13	1.43	1.38
26	BB	179	C	O3'-P	5.13	1.67	1.61
26	BB	238	C	C3'-C2'	-5.13	1.47	1.52
26	BB	240	C	C5'-C4'	5.13	1.57	1.51
26	BB	822	G	C2-N2	-5.13	1.29	1.34
26	BB	1020	A	N9-C4	5.13	1.41	1.37
26	BB	1326	U	C4-C5	5.13	1.48	1.43
26	BB	2023	C	P-O5'	5.13	1.64	1.59
26	BB	2170	A	C5-C6	5.13	1.45	1.41
26	BB	2256	G	C5-C4	5.13	1.42	1.38
26	BB	2341	G	C6-N1	-5.13	1.35	1.39
26	BB	2582	G	C5'-C4'	5.13	1.57	1.51
26	BB	2892	G	N9-C8	5.13	1.41	1.37
54	B3	10	SER	CA-CB	5.13	1.60	1.52
1	AA	776	G	C6-O6	5.13	1.28	1.24
1	AA	825	A	C6-N6	5.13	1.38	1.33
10	AJ	99	ALA	N-CA	-5.13	1.36	1.46
26	BB	723	C	C5'-C4'	5.13	1.57	1.51
26	BB	1023	U	C4-C5	5.13	1.48	1.43
26	BB	1923	U	N3-C4	5.13	1.43	1.38
26	BB	1945	G	N1-C2	-5.13	1.33	1.37
1	AA	296	U	C3'-O3'	5.13	1.49	1.42
1	AA	699	C	P-O5'	5.13	1.64	1.59
1	AA	987	G	C4'-O4'	-5.13	1.38	1.45
1	AA	1044	A	C3'-O3'	-5.13	1.34	1.42
1	AA	1077	G	N3-C4	5.13	1.39	1.35
1	AA	1310	G	N3-C4	5.13	1.39	1.35
26	BB	925	A	C3'-C2'	5.13	1.58	1.52
26	BB	1388	G	C6-N1	5.13	1.43	1.39
26	BB	1450	G	C4'-O4'	-5.13	1.38	1.45
26	BB	1796	U	C2'-C1'	5.13	1.58	1.53
26	BB	1899	A	C5'-C4'	5.13	1.57	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1995	U	O3'-P	-5.13	1.54	1.61
26	BB	2031	A	N7-C5	5.13	1.42	1.39
26	BB	2127	G	N9-C8	-5.13	1.34	1.37
26	BB	2275	C	C3'-C2'	5.13	1.58	1.52
26	BB	2513	A	C6-N6	5.13	1.38	1.33
26	BB	2861	U	N3-C4	5.13	1.43	1.38
1	AA	120	A	P-O5'	5.13	1.64	1.59
26	BB	1814	G	O4'-C1'	-5.13	1.34	1.41
26	BB	2131	U	C4-C5	5.13	1.48	1.43
1	AA	496	A	C5'-C4'	5.13	1.57	1.51
1	AA	554	A	N3-C4	5.13	1.38	1.34
1	AA	836	G	N7-C5	5.13	1.42	1.39
1	AA	1068	G	P-O5'	5.13	1.64	1.59
1	AA	1241	G	N3-C4	-5.13	1.31	1.35
26	BB	431	U	C4-C5	5.13	1.48	1.43
26	BB	708	G	N9-C8	5.13	1.41	1.37
26	BB	854	C	N1-C6	5.13	1.40	1.37
26	BB	1123	C	C5'-C4'	5.13	1.57	1.51
26	BB	1794	A	C2'-O2'	-5.13	1.34	1.41
26	BB	2024	G	C2'-O2'	5.13	1.48	1.41
26	BB	2329	U	C5-C6	5.13	1.38	1.34
26	BB	2627	G	C2-N3	5.13	1.36	1.32
1	AA	283	U	C5-C6	-5.13	1.29	1.34
1	AA	310	G	C2-N3	5.13	1.36	1.32
1	AA	1201	A	N9-C4	5.13	1.41	1.37
1	AA	1368	A	N3-C4	5.13	1.38	1.34
3	AC	40	G	C5-C4	-5.13	1.34	1.38
5	AE	73	ARG	NE-CZ	5.13	1.39	1.33
25	BA	110	C	C4-N4	5.13	1.38	1.33
26	BB	125	A	O3'-P	5.13	1.67	1.61
26	BB	243	U	C4'-O4'	-5.13	1.38	1.45
26	BB	729	G	N1-C2	5.13	1.41	1.37
26	BB	883	G	P-O5'	-5.13	1.54	1.59
26	BB	996	A	O3'-P	5.13	1.67	1.61
26	BB	1003	G	C5-C6	-5.13	1.37	1.42
26	BB	1414	C	N1-C2	5.13	1.45	1.40
26	BB	1485	U	C5'-C4'	5.13	1.57	1.51
26	BB	1486	U	C2-N3	5.13	1.41	1.37
26	BB	1584	U	C4-C5	5.13	1.48	1.43
26	BB	1751	U	O3'-P	5.13	1.67	1.61
1	AA	200	G	C6-O6	-5.12	1.19	1.24
26	BB	709	U	P-O5'	5.12	1.64	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1341	G	C4'-C3'	5.12	1.58	1.53
26	BB	1515	A	C4'-O4'	-5.12	1.38	1.45
26	BB	1560	G	O4'-C1'	5.12	1.48	1.41
26	BB	1785	A	O3'-P	5.12	1.67	1.61
26	BB	2900	A	N9-C8	-5.12	1.33	1.37
47	BW	94	PHE	CE1-CZ	5.12	1.47	1.37
1	AA	540	G	C2-N3	5.12	1.36	1.32
1	AA	1026	G	C5-C6	5.12	1.47	1.42
1	AA	1419	G	N9-C8	-5.12	1.34	1.37
6	AF	126	ARG	NE-CZ	5.12	1.39	1.33
25	BA	83	G	C5'-C4'	5.12	1.57	1.51
26	BB	576	U	C2-N3	5.12	1.41	1.37
26	BB	582	A	C4'-O4'	-5.12	1.38	1.45
26	BB	1157	G	N9-C4	5.12	1.42	1.38
26	BB	1337	G	C4'-C3'	-5.12	1.47	1.52
26	BB	1672	A	C6-N6	5.12	1.38	1.33
26	BB	1722	A	C3'-C2'	5.12	1.58	1.52
26	BB	1776	G	N3-C4	5.12	1.39	1.35
26	BB	1866	A	O3'-P	5.12	1.67	1.61
26	BB	2227	A	N9-C4	5.12	1.41	1.37
26	BB	2902	C	C5'-C4'	-5.12	1.45	1.51
48	BX	27	PRO	N-CD	-5.12	1.40	1.47
1	AA	42	G	C6-O6	-5.12	1.19	1.24
1	AA	77	A	C4'-C3'	5.12	1.58	1.53
1	AA	319	G	N1-C2	5.12	1.41	1.37
2	AB	70	C	C2-N3	5.12	1.39	1.35
26	BB	289	G	N1-C2	5.12	1.41	1.37
26	BB	699	A	N9-C4	5.12	1.41	1.37
26	BB	816	C	C2-O2	-5.12	1.19	1.24
26	BB	1171	G	C2-N2	-5.12	1.29	1.34
26	BB	1510	G	C8-N7	-5.12	1.27	1.30
26	BB	1567	G	C5-C4	-5.12	1.34	1.38
26	BB	1943	U	C5-C6	5.12	1.38	1.34
26	BB	2149	U	C3'-C2'	5.12	1.58	1.52
26	BB	2237	G	N7-C5	5.12	1.42	1.39
26	BB	2308	G	C2-N2	5.12	1.39	1.34
1	AA	1112	C	C5-C6	5.12	1.38	1.34
1	AA	1150	A	C5-C4	5.12	1.42	1.38
1	AA	1357	A	C5-C6	-5.12	1.36	1.41
26	BB	966	G	C4'-C3'	-5.12	1.47	1.52
26	BB	1573	G	N7-C5	5.12	1.42	1.39
26	BB	1768	C	C5'-C4'	5.12	1.57	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	417	G	C2-N2	-5.12	1.29	1.34
1	AA	818	G	N1-C2	5.12	1.41	1.37
1	AA	1125	U	C5-C6	5.12	1.38	1.34
26	BB	94	A	N9-C4	5.12	1.41	1.37
26	BB	606	U	C4'-O4'	-5.12	1.38	1.45
26	BB	693	A	C4'-O4'	-5.12	1.38	1.45
26	BB	951	C	C4'-O4'	-5.12	1.38	1.45
26	BB	1454	C	C4-C5	5.12	1.47	1.43
26	BB	1459	G	C5'-C4'	5.12	1.57	1.51
26	BB	1748	C	O5'-C5'	-5.12	1.34	1.42
1	AA	339	C	C2-O2	-5.12	1.19	1.24
1	AA	814	A	N9-C4	5.12	1.41	1.37
1	AA	1512	U	C2'-O2'	5.12	1.48	1.41
1	AA	1514	G	C5'-C4'	5.12	1.57	1.51
26	BB	131	A	C2'-O2'	5.12	1.48	1.41
26	BB	266	G	C6-O6	-5.12	1.19	1.24
26	BB	922	C	N3-C4	5.12	1.37	1.33
26	BB	2451	A	C6-N6	-5.12	1.29	1.33
26	BB	2532	G	C2-N3	5.12	1.36	1.32
1	AA	337	G	N9-C8	5.12	1.41	1.37
1	AA	497	G	C5'-C4'	5.12	1.57	1.51
1	AA	1529	G	N9-C8	5.12	1.41	1.37
26	BB	1225	G	C3'-C2'	-5.12	1.47	1.52
26	BB	1574	C	C5-C6	5.12	1.38	1.34
26	BB	1622	G	C2-N2	5.12	1.39	1.34
26	BB	1697	G	N1-C2	5.12	1.41	1.37
26	BB	2041	U	P-O5'	5.12	1.64	1.59
26	BB	2050	C	O4'-C1'	5.12	1.48	1.41
1	AA	1256	A	C5-C6	-5.11	1.36	1.41
1	AA	1449	C	C4-N4	5.11	1.38	1.33
25	BA	112	G	N1-C2	5.11	1.41	1.37
26	BB	24	G	P-O5'	-5.11	1.54	1.59
26	BB	131	A	C1'-N9	5.11	1.56	1.48
26	BB	217	A	N7-C5	5.11	1.42	1.39
26	BB	219	A	O5'-C5'	-5.11	1.34	1.42
26	BB	498	G	C5-C4	5.11	1.42	1.38
26	BB	699	A	P-O5'	-5.11	1.54	1.59
26	BB	1138	G	N7-C5	5.11	1.42	1.39
26	BB	1140	C	C4'-O4'	-5.11	1.39	1.45
26	BB	1702	G	P-O5'	5.11	1.64	1.59
26	BB	1729	U	C1'-N1	5.11	1.56	1.48
26	BB	2398	U	C5-C6	5.11	1.38	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2598	A	N9-C4	-5.11	1.34	1.37
26	BB	2626	C	N1-C6	5.11	1.40	1.37
26	BB	2790	U	C2'-O2'	-5.11	1.35	1.41
28	BD	160	TYR	CE2-CZ	5.11	1.45	1.38
1	AA	229	U	C3'-O3'	5.11	1.49	1.42
1	AA	642	A	N7-C5	5.11	1.42	1.39
26	BB	811	U	N1-C2	5.11	1.43	1.38
26	BB	1333	G	C2-N3	5.11	1.36	1.32
26	BB	1789	A	N7-C5	-5.11	1.36	1.39
26	BB	1907	G	C8-N7	5.11	1.34	1.30
26	BB	2718	G	P-O5'	5.11	1.64	1.59
26	BB	2750	A	C8-N7	-5.11	1.27	1.31
1	AA	127	G	C4'-O4'	-5.11	1.39	1.45
1	AA	649	A	C4'-C3'	5.11	1.58	1.53
1	AA	663	A	P-O5'	-5.11	1.54	1.59
1	AA	768	A	C2'-C1'	-5.11	1.47	1.53
1	AA	989	U	C4-C5	5.11	1.48	1.43
4	AD	18	U	C2'-C1'	-5.11	1.47	1.53
26	BB	51	G	C3'-C2'	5.11	1.58	1.52
26	BB	532	A	C5-C6	5.11	1.45	1.41
26	BB	753	A	C2-N3	-5.11	1.28	1.33
26	BB	1018	U	C4-C5	5.11	1.48	1.43
26	BB	1169	A	C5-C4	-5.11	1.35	1.38
26	BB	1242	U	C2-N3	5.11	1.41	1.37
26	BB	1389	G	C2-N2	-5.11	1.29	1.34
26	BB	1489	C	C2-N3	5.11	1.39	1.35
26	BB	2209	G	C5-C4	-5.11	1.34	1.38
2	AB	33	U	P-O5'	5.11	1.64	1.59
2	AB	36	A	N3-C4	5.11	1.38	1.34
26	BB	669	G	C6-O6	5.11	1.28	1.24
26	BB	869	G	O4'-C1'	5.11	1.48	1.41
26	BB	2046	G	N9-C8	5.11	1.41	1.37
26	BB	2510	C	P-O5'	5.11	1.64	1.59
26	BB	2593	U	N1-C6	5.11	1.42	1.38
1	AA	251	G	P-O5'	5.11	1.64	1.59
1	AA	485	U	C5'-C4'	5.11	1.57	1.51
1	AA	572	A	C5-C6	5.11	1.45	1.41
1	AA	784	A	C5-C4	-5.11	1.35	1.38
1	AA	917	G	C3'-C2'	5.11	1.58	1.52
1	AA	1482	G	N7-C5	-5.11	1.36	1.39
4	AD	44	A	C2'-C1'	5.11	1.58	1.53
26	BB	308	G	C4'-O4'	-5.11	1.39	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	416	U	P-O5'	5.11	1.64	1.59
26	BB	474	G	C2-N3	5.11	1.36	1.32
26	BB	707	G	C1'-N9	5.11	1.56	1.48
26	BB	950	G	C5'-C4'	5.11	1.57	1.51
26	BB	1339	G	C2-N2	-5.11	1.29	1.34
26	BB	1654	A	C8-N7	-5.11	1.27	1.31
26	BB	1791	A	C8-N7	-5.11	1.27	1.31
26	BB	2006	C	C4'-O4'	-5.11	1.39	1.45
26	BB	2417	C	C2-N3	5.11	1.39	1.35
26	BB	540	C	C5'-C4'	5.11	1.57	1.51
26	BB	726	G	C4'-O4'	-5.11	1.39	1.45
26	BB	786	C	N1-C6	5.11	1.40	1.37
26	BB	872	U	C4-O4	-5.11	1.19	1.23
26	BB	1467	U	O3'-P	5.11	1.67	1.61
26	BB	2533	U	C4-O4	-5.11	1.19	1.23
26	BB	2586	U	C4-O4	5.11	1.27	1.23
26	BB	2664	G	C8-N7	-5.11	1.27	1.30
26	BB	2781	A	N9-C4	-5.11	1.34	1.37
2	AB	15	A	C8-N7	-5.10	1.27	1.31
26	BB	1307	A	C5-C6	-5.10	1.36	1.41
26	BB	2322	A	C5'-C4'	5.10	1.57	1.51
1	AA	88	U	C2'-O2'	5.10	1.48	1.41
1	AA	270	A	O3'-P	5.10	1.67	1.61
1	AA	333	U	N1-C2	5.10	1.43	1.38
1	AA	432	A	O3'-P	5.10	1.67	1.61
1	AA	823	C	N3-C4	5.10	1.37	1.33
1	AA	1154	G	N9-C8	-5.10	1.34	1.37
3	AC	54	U	C2-N3	5.10	1.41	1.37
4	AD	56	PSU	O3'-P	5.10	1.67	1.61
26	BB	26	G	N9-C8	5.10	1.41	1.37
26	BB	335	C	C5-C6	5.10	1.38	1.34
26	BB	866	A	C3'-C2'	5.10	1.58	1.52
26	BB	1465	G	C2-N2	-5.10	1.29	1.34
26	BB	1921	G	C2-N3	5.10	1.36	1.32
26	BB	2352	A	C6-N1	-5.10	1.31	1.35
1	AA	109	A	N3-C4	5.10	1.38	1.34
1	AA	428	G	C4'-C3'	5.10	1.58	1.53
1	AA	488	C	O4'-C1'	5.10	1.48	1.41
26	BB	105	C	C5'-C4'	5.10	1.57	1.51
26	BB	941	A	O3'-P	5.10	1.67	1.61
26	BB	1481	U	C4-O4	5.10	1.27	1.23
26	BB	2652	C	C2-N3	5.10	1.39	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	341	C	C4'-O4'	-5.10	1.39	1.45
1	AA	793	U	C3'-C2'	5.10	1.58	1.52
1	AA	1052	U	C2-O2	5.10	1.26	1.22
1	AA	1180	A	N7-C5	-5.10	1.36	1.39
1	AA	1205	U	C4'-O4'	-5.10	1.39	1.45
4	AD	23	G	C6-N1	5.10	1.43	1.39
25	BA	61	G	P-O5'	5.10	1.64	1.59
26	BB	27	G	C3'-C2'	5.10	1.58	1.52
26	BB	235	U	O3'-P	5.10	1.67	1.61
26	BB	485	C	C4'-O4'	-5.10	1.39	1.45
26	BB	839	U	C5-C6	-5.10	1.29	1.34
26	BB	1538	G	O3'-P	-5.10	1.55	1.61
26	BB	1934	C	C3'-O3'	-5.10	1.35	1.42
26	BB	2559	C	N1-C6	5.10	1.40	1.37
26	BB	2687	U	N1-C2	5.10	1.43	1.38
1	AA	231	U	C5'-C4'	5.10	1.57	1.51
1	AA	307	C	N1-C6	5.10	1.40	1.37
1	AA	502	A	C5-C4	-5.10	1.35	1.38
1	AA	986	U	O4'-C1'	5.10	1.48	1.41
1	AA	1293	C	P-O5'	5.10	1.64	1.59
2	AB	23	A	C2-N3	5.10	1.38	1.33
25	BA	5	U	O3'-P	5.10	1.67	1.61
26	BB	846	U	C2-O2	-5.10	1.17	1.22
26	BB	899	A	N7-C5	5.10	1.42	1.39
26	BB	1044	C	N1-C6	5.10	1.40	1.37
26	BB	1929	G	N9-C8	-5.10	1.34	1.37
26	BB	2591	C	C4'-O4'	-5.10	1.39	1.45
1	AA	498	A	N9-C4	5.10	1.41	1.37
1	AA	889	A	O3'-P	-5.10	1.55	1.61
1	AA	1021	A	N9-C4	-5.10	1.34	1.37
1	AA	1081	A	N7-C5	-5.10	1.36	1.39
1	AA	1536	C	C4'-C3'	-5.10	1.47	1.52
26	BB	1602	U	C2-N3	5.10	1.41	1.37
26	BB	2308	G	C6-N1	5.10	1.43	1.39
26	BB	2505	G	C6-O6	-5.10	1.19	1.24
1	AA	220	G	C2-N2	5.09	1.39	1.34
1	AA	233	C	C4'-O4'	-5.09	1.39	1.45
1	AA	1006	G	N3-C4	5.09	1.39	1.35
1	AA	1071	C	C1'-N1	5.09	1.56	1.48
1	AA	1258	G	C6-N1	5.09	1.43	1.39
26	BB	1213	A	C6-N1	-5.09	1.31	1.35
26	BB	1416	G	C8-N7	5.09	1.34	1.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1766	G	N3-C4	5.09	1.39	1.35
26	BB	2039	U	P-O5'	-5.09	1.54	1.59
1	AA	356	A	N7-C5	5.09	1.42	1.39
1	AA	741	G	N3-C4	5.09	1.39	1.35
26	BB	207	A	C2'-C1'	5.09	1.58	1.53
26	BB	1665	A	C2'-C1'	5.09	1.58	1.53
26	BB	1694	C	C4'-O4'	-5.09	1.39	1.45
52	B1	24	LEU	C-N	5.09	1.42	1.33
1	AA	995	C	O3'-P	5.09	1.67	1.61
1	AA	1045	C	C2'-C1'	-5.09	1.47	1.53
1	AA	1294	G	C8-N7	-5.09	1.27	1.30
20	AT	5	ARG	NE-CZ	5.09	1.39	1.33
26	BB	845	A	P-O5'	5.09	1.64	1.59
26	BB	1344	U	C1'-N1	5.09	1.56	1.48
26	BB	1645	G	C5'-C4'	5.09	1.57	1.51
26	BB	2083	G	C3'-C2'	5.09	1.58	1.52
26	BB	2366	A	O3'-P	5.09	1.67	1.61
26	BB	2625	G	C8-N7	-5.09	1.27	1.30
26	BB	2788	C	O3'-P	5.09	1.67	1.61
26	BB	2872	A	C5-C4	-5.09	1.35	1.38
26	BB	2890	G	N3-C4	-5.09	1.31	1.35
26	BB	2903	U	C3'-O3'	-5.09	1.35	1.42
48	BX	91	PHE	CG-CD2	5.09	1.46	1.38
1	AA	60	A	N3-C4	5.09	1.38	1.34
1	AA	695	A	O4'-C1'	5.09	1.48	1.41
1	AA	816	A	C2'-O2'	5.09	1.48	1.41
1	AA	1426	G	C3'-O3'	5.09	1.49	1.42
26	BB	424	G	C6-N1	5.09	1.43	1.39
26	BB	858	G	O4'-C1'	-5.09	1.35	1.41
26	BB	1169	A	N7-C5	5.09	1.42	1.39
26	BB	1589	U	C4-C5	5.09	1.48	1.43
26	BB	2387	U	C4'-C3'	5.09	1.58	1.53
1	AA	515	G	P-O5'	5.09	1.64	1.59
1	AA	1087	G	C5-C4	5.09	1.42	1.38
1	AA	1111	A	C2'-C1'	-5.09	1.47	1.53
26	BB	17	G	C5'-C4'	5.09	1.57	1.51
26	BB	482	A	C6-N6	-5.09	1.29	1.33
26	BB	997	G	C2-N3	5.09	1.36	1.32
26	BB	1344	U	C4-C5	5.09	1.48	1.43
26	BB	1871	A	N3-C4	5.09	1.38	1.34
26	BB	2484	G	C2-N3	5.09	1.36	1.32
26	BB	2516	A	N9-C8	-5.09	1.33	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	17	U	C3'-O3'	5.09	1.49	1.42
1	AA	917	G	N7-C5	5.09	1.42	1.39
1	AA	1117	A	O4'-C1'	5.09	1.48	1.41
1	AA	1319	A	C2-N3	-5.09	1.28	1.33
4	AD	63	C	C5-C6	5.09	1.38	1.34
26	BB	519	U	P-O5'	5.09	1.64	1.59
26	BB	763	G	C3'-O3'	-5.09	1.35	1.42
26	BB	1614	A	C8-N7	5.09	1.35	1.31
26	BB	1651	G	C2-N3	5.09	1.36	1.32
26	BB	1833	C	O3'-P	-5.09	1.55	1.61
26	BB	557	C	N1-C2	5.08	1.45	1.40
26	BB	1214	A	N9-C4	5.08	1.41	1.37
26	BB	1426	G	C4'-C3'	5.08	1.58	1.53
26	BB	2168	G	N1-C2	5.08	1.41	1.37
26	BB	2761	A	P-O5'	5.08	1.64	1.59
28	BD	102	TYR	CE2-CZ	5.08	1.45	1.38
1	AA	150	U	C2-N3	5.08	1.41	1.37
1	AA	296	U	C3'-C2'	5.08	1.58	1.52
1	AA	459	A	C4'-O4'	-5.08	1.39	1.45
3	AC	44	U	C2-N3	5.08	1.41	1.37
4	AD	30	G	C1'-N9	5.08	1.56	1.48
25	BA	87	U	N1-C2	5.08	1.43	1.38
26	BB	398	C	C4'-C3'	5.08	1.58	1.53
26	BB	1139	G	C8-N7	-5.08	1.27	1.30
26	BB	1606	C	C4-C5	5.08	1.47	1.43
26	BB	1831	G	N3-C4	5.08	1.39	1.35
26	BB	2713	U	C4-C5	5.08	1.48	1.43
26	BB	2836	U	C5-C6	5.08	1.38	1.34
1	AA	3	A	C5-C6	5.08	1.45	1.41
1	AA	410	G	C8-N7	5.08	1.33	1.30
1	AA	462	G	C5'-C4'	5.08	1.57	1.51
1	AA	671	G	N1-C2	5.08	1.41	1.37
1	AA	751	U	C5-C6	5.08	1.38	1.34
1	AA	837	U	O3'-P	5.08	1.67	1.61
1	AA	1281	C	P-O5'	5.08	1.64	1.59
1	AA	1330	U	N3-C4	-5.08	1.33	1.38
26	BB	360	U	C2-N3	-5.08	1.34	1.37
26	BB	555	G	C5'-C4'	5.08	1.57	1.51
26	BB	940	G	C4'-O4'	-5.08	1.39	1.45
26	BB	2155	U	C2-O2	5.08	1.26	1.22
26	BB	2376	A	C5-C4	-5.08	1.35	1.38
26	BB	2691	C	O3'-P	5.08	1.67	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	82	G	N9-C8	5.08	1.41	1.37
1	AA	530	G	C4'-C3'	5.08	1.58	1.53
4	AD	2	G	O3'-P	5.08	1.67	1.61
26	BB	1257	C	C5-C6	5.08	1.38	1.34
30	BF	10	SER	CA-CB	-5.08	1.45	1.52
1	AA	588	G	C5-C4	-5.08	1.34	1.38
1	AA	707	U	N1-C2	5.08	1.43	1.38
1	AA	711	G	C2-N3	5.08	1.36	1.32
26	BB	25	U	C2-O2	5.08	1.26	1.22
26	BB	164	C	P-O5'	5.08	1.64	1.59
26	BB	230	G	C5'-C4'	5.08	1.57	1.51
26	BB	451	U	C5-C6	5.08	1.38	1.34
26	BB	686	U	C4'-O4'	-5.08	1.39	1.45
26	BB	818	G	C4'-C3'	5.08	1.58	1.53
26	BB	916	G	N9-C4	5.08	1.42	1.38
26	BB	1537	G	N9-C8	-5.08	1.34	1.37
26	BB	2259	U	C2-O2	5.08	1.26	1.22
26	BB	2615	U	P-O5'	5.08	1.64	1.59
26	BB	2632	A	N9-C8	5.08	1.41	1.37
26	BB	2768	U	N1-C2	5.08	1.43	1.38
44	BT	55	ASP	C-N	5.08	1.42	1.33
4	AD	16	C	C4-C5	5.08	1.47	1.43
26	BB	891	G	C5'-C4'	5.08	1.57	1.51
1	AA	168	G	C8-N7	-5.08	1.27	1.30
1	AA	365	U	C2'-C1'	5.08	1.58	1.53
1	AA	512	U	C2-N3	5.08	1.41	1.37
1	AA	737	C	C5'-C4'	5.08	1.57	1.51
1	AA	953	G	N1-C2	5.08	1.41	1.37
1	AA	1134	G	N1-C2	5.08	1.41	1.37
26	BB	157	C	N1-C6	5.08	1.40	1.37
26	BB	1761	C	C5-C6	5.08	1.38	1.34
26	BB	1980	G	N1-C2	5.08	1.41	1.37
26	BB	2433	A	N9-C4	-5.08	1.34	1.37
1	AA	368	U	C5-C6	5.07	1.38	1.34
1	AA	544	G	N1-C2	5.07	1.41	1.37
1	AA	839	C	C2-N3	-5.07	1.31	1.35
1	AA	994	A	C6-N1	-5.07	1.31	1.35
1	AA	1165	U	C2-N3	5.07	1.41	1.37
1	AA	1166	G	P-O5'	5.07	1.64	1.59
26	BB	21	A	N1-C2	5.07	1.39	1.34
26	BB	398	C	C4'-O4'	-5.07	1.39	1.45
26	BB	452	G	C4'-C3'	-5.07	1.47	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	751	A	O3'-P	5.07	1.67	1.61
26	BB	1055	G	O3'-P	5.07	1.67	1.61
26	BB	2004	G	C2'-O2'	5.07	1.48	1.41
26	BB	2695	U	N1-C2	5.07	1.43	1.38
26	BB	238	C	C4'-O4'	-5.07	1.39	1.45
26	BB	1489	C	C5-C6	5.07	1.38	1.34
26	BB	2150	C	N1-C6	5.07	1.40	1.37
1	AA	161	A	C5-C6	5.07	1.45	1.41
1	AA	208	U	O3'-P	5.07	1.67	1.61
26	BB	143	C	N1-C6	5.07	1.40	1.37
26	BB	190	A	C3'-O3'	-5.07	1.35	1.42
26	BB	262	A	P-OP1	-5.07	1.40	1.49
26	BB	366	C	C4'-C3'	-5.07	1.47	1.52
26	BB	515	A	N1-C2	-5.07	1.29	1.34
26	BB	534	U	C2-N3	-5.07	1.34	1.37
26	BB	1295	C	N1-C2	5.07	1.45	1.40
26	BB	1321	A	N1-C2	5.07	1.39	1.34
26	BB	1414	C	C4'-O4'	-5.07	1.39	1.45
26	BB	2236	U	O3'-P	5.07	1.67	1.61
26	BB	2323	G	N9-C8	-5.07	1.34	1.37
26	BB	2755	C	C5-C6	5.07	1.38	1.34
26	BB	2768	U	P-O5'	5.07	1.64	1.59
34	BJ	75	PHE	CD1-CE1	5.07	1.49	1.39
44	BT	84	ARG	NE-CZ	5.07	1.39	1.33
1	AA	551	U	N1-C2	5.07	1.43	1.38
1	AA	742	G	C8-N7	-5.07	1.27	1.30
1	AA	758	C	C3'-C2'	5.07	1.58	1.52
26	BB	167	A	N7-C5	5.07	1.42	1.39
26	BB	642	U	C4'-O4'	-5.07	1.39	1.45
26	BB	764	A	N7-C5	-5.07	1.36	1.39
26	BB	1163	G	C8-N7	-5.07	1.27	1.30
26	BB	1475	G	C5'-C4'	5.07	1.57	1.51
26	BB	1665	A	N9-C8	-5.07	1.33	1.37
26	BB	2170	A	C5'-C4'	5.07	1.57	1.51
1	AA	45	G	C2-N2	5.07	1.39	1.34
1	AA	582	C	C4-N4	5.07	1.38	1.33
1	AA	771	G	C5'-C4'	5.07	1.57	1.51
1	AA	813	U	C5'-C4'	5.07	1.57	1.51
1	AA	1489	G	N3-C4	5.07	1.39	1.35
26	BB	168	G	C5-C6	5.07	1.47	1.42
26	BB	804	A	N1-C2	5.07	1.39	1.34
26	BB	965	C	C4'-O4'	-5.07	1.39	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1055	G	C5-C4	-5.07	1.34	1.38
26	BB	1265	A	C5-C4	5.07	1.42	1.38
26	BB	1288	G	P-OP2	-5.07	1.40	1.49
26	BB	1424	G	C8-N7	-5.07	1.27	1.30
26	BB	1826	G	N3-C4	-5.07	1.31	1.35
26	BB	2639	A	C5-C6	5.07	1.45	1.41
1	AA	177	G	C2-N3	-5.07	1.28	1.32
1	AA	452	A	P-O5'	5.07	1.64	1.59
1	AA	529	G	P-O5'	5.07	1.64	1.59
1	AA	1435	G	P-OP1	-5.07	1.40	1.49
26	BB	297	G	C8-N7	-5.07	1.27	1.30
26	BB	860	U	O3'-P	5.07	1.67	1.61
26	BB	1475	G	N9-C8	5.07	1.41	1.37
26	BB	1813	G	C4'-O4'	-5.07	1.39	1.45
26	BB	2541	A	N9-C8	-5.07	1.33	1.37
1	AA	547	A	N3-C4	5.06	1.37	1.34
1	AA	1183	U	N1-C2	-5.06	1.33	1.38
25	BA	92	C	N3-C4	5.06	1.37	1.33
26	BB	1116	G	N1-C2	5.06	1.41	1.37
26	BB	1588	G	C2-N3	5.06	1.36	1.32
26	BB	1780	A	C4'-C3'	-5.06	1.47	1.52
26	BB	2101	A	C5'-C4'	5.06	1.57	1.51
26	BB	2250	G	N3-C4	-5.06	1.31	1.35
1	AA	397	A	N7-C5	-5.06	1.36	1.39
1	AA	1035	A	C2-N3	5.06	1.38	1.33
26	BB	83	A	N9-C8	5.06	1.41	1.37
26	BB	102	U	P-O5'	5.06	1.64	1.59
26	BB	118	A	N9-C8	5.06	1.41	1.37
26	BB	230	G	C6-O6	-5.06	1.19	1.24
26	BB	849	A	O3'-P	5.06	1.67	1.61
26	BB	909	A	C6-N1	5.06	1.39	1.35
26	BB	1463	C	C5'-C4'	5.06	1.57	1.51
26	BB	1514	G	N1-C2	5.06	1.41	1.37
26	BB	1593	A	C5'-C4'	5.06	1.57	1.51
26	BB	1720	U	C5-C6	5.06	1.38	1.34
26	BB	1904	G	N3-C4	5.06	1.39	1.35
26	BB	2229	U	P-O5'	5.06	1.64	1.59
26	BB	2372	U	C2'-C1'	5.06	1.58	1.53
26	BB	2451	A	O3'-P	-5.06	1.55	1.61
50	BZ	77	TYR	CB-CG	5.06	1.59	1.51
1	AA	210	C	C5-C6	5.06	1.38	1.34
1	AA	804	U	C4'-C3'	5.06	1.58	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	300	A	C8-N7	-5.06	1.28	1.31
26	BB	327	G	N7-C5	-5.06	1.36	1.39
26	BB	350	G	C2'-C1'	5.06	1.58	1.53
26	BB	2595	G	C5-C4	-5.06	1.34	1.38
39	BO	35	ALA	N-CA	5.06	1.56	1.46
1	AA	835	U	C4'-O4'	-5.06	1.39	1.45
1	AA	892	A	C5-C4	-5.06	1.35	1.38
1	AA	977	A	C3'-O3'	5.06	1.49	1.42
4	AD	22	A	O4'-C1'	-5.06	1.35	1.41
26	BB	173	A	N9-C4	5.06	1.40	1.37
26	BB	404	A	N9-C8	-5.06	1.33	1.37
26	BB	886	A	C6-N6	5.06	1.38	1.33
26	BB	935	C	C5'-C4'	5.06	1.57	1.51
26	BB	1048	A	C6-N6	5.06	1.38	1.33
26	BB	1231	U	O3'-P	-5.06	1.55	1.61
26	BB	1280	G	C5-C4	-5.06	1.34	1.38
26	BB	1345	C	C2-N3	5.06	1.39	1.35
26	BB	2084	C	C1'-N1	5.06	1.56	1.48
26	BB	2303	G	C8-N7	5.06	1.33	1.30
26	BB	2547	A	C2'-O2'	-5.06	1.35	1.41
26	BB	2747	G	C2'-C1'	5.06	1.58	1.53
1	AA	102	G	C4'-O4'	-5.06	1.39	1.45
1	AA	549	C	P-O5'	-5.06	1.54	1.59
1	AA	635	A	N9-C4	5.06	1.40	1.37
1	AA	872	A	C4'-O4'	-5.06	1.39	1.45
1	AA	1188	A	P-O5'	5.06	1.64	1.59
1	AA	1221	G	C8-N7	-5.06	1.27	1.30
1	AA	1344	C	C2-N3	5.06	1.39	1.35
1	AA	1415	G	C2'-C1'	5.06	1.58	1.53
4	AD	34	U	C4-C5	5.06	1.48	1.43
26	BB	444	C	P-O5'	5.06	1.64	1.59
26	BB	820	A	P-O5'	5.06	1.64	1.59
26	BB	1330	C	C4'-O4'	-5.06	1.39	1.45
26	BB	1485	U	O3'-P	5.06	1.67	1.61
26	BB	1819	A	O4'-C1'	-5.06	1.35	1.41
26	BB	1944	U	C2'-C1'	-5.06	1.47	1.53
26	BB	2382	G	C2-N3	5.06	1.36	1.32
26	BB	2557	G	C1'-N9	-5.06	1.39	1.46
26	BB	2585	U	N1-C2	5.06	1.43	1.38
1	AA	1368	A	C8-N7	-5.06	1.28	1.31
4	AD	4	G	C3'-C2'	-5.06	1.47	1.52
26	BB	98	G	C2-N3	5.06	1.36	1.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1289	C	C4'-O4'	-5.06	1.39	1.45
26	BB	1698	A	N3-C4	5.06	1.37	1.34
26	BB	1781	U	C5-C6	5.06	1.38	1.34
26	BB	2073	C	N3-C4	-5.06	1.30	1.33
26	BB	2785	C	C2'-C1'	5.06	1.58	1.53
26	BB	2820	A	C6-N6	5.06	1.38	1.33
1	AA	498	A	C3'-O3'	5.05	1.49	1.42
1	AA	648	A	C5-C4	5.05	1.42	1.38
1	AA	810	C	P-O5'	5.05	1.64	1.59
1	AA	1176	A	C5'-C4'	5.05	1.57	1.51
1	AA	1300	G	N3-C4	5.05	1.39	1.35
1	AA	1315	U	N1-C6	5.05	1.42	1.38
4	AD	5	G	N3-C4	-5.05	1.31	1.35
26	BB	232	G	P-O5'	5.05	1.64	1.59
26	BB	461	C	C4-C5	5.05	1.47	1.43
26	BB	700	G	C4'-O4'	-5.05	1.39	1.45
26	BB	1343	G	C5-C6	-5.05	1.37	1.42
26	BB	1393	A	C5-C6	-5.05	1.36	1.41
26	BB	1407	G	N9-C4	5.05	1.42	1.38
26	BB	1416	G	C2-N2	5.05	1.39	1.34
26	BB	1715	G	C2-N3	5.05	1.36	1.32
26	BB	1815	A	C5-C4	-5.05	1.35	1.38
26	BB	2183	A	C2-N3	5.05	1.38	1.33
36	BL	124	VAL	CB-CG2	5.05	1.63	1.52
26	BB	494	G	C4'-O4'	-5.05	1.39	1.45
26	BB	2561	U	C3'-C2'	5.05	1.58	1.52
1	AA	705	G	C2'-C1'	-5.05	1.47	1.53
1	AA	898	G	N3-C4	5.05	1.39	1.35
1	AA	972	C	N1-C6	5.05	1.40	1.37
1	AA	1011	C	N1-C6	-5.05	1.34	1.37
1	AA	1019	A	N7-C5	-5.05	1.36	1.39
1	AA	1173	U	C2-N3	5.05	1.41	1.37
26	BB	115	C	P-O5'	5.05	1.64	1.59
26	BB	1191	G	C3'-C2'	5.05	1.58	1.52
26	BB	1441	G	C6-N1	5.05	1.43	1.39
26	BB	1608	A	C5'-C4'	5.05	1.57	1.51
26	BB	2053	G	N1-C2	5.05	1.41	1.37
26	BB	2328	A	C3'-C2'	-5.05	1.47	1.52
26	BB	2358	A	N1-C2	-5.05	1.29	1.34
26	BB	2564	A	C5-C4	-5.05	1.35	1.38
26	BB	2734	A	C5-C4	-5.05	1.35	1.38
28	BD	237	ARG	CZ-NH2	5.05	1.39	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	AC	37	G	N9-C4	5.05	1.42	1.38
19	AS	17	TYR	CG-CD1	5.05	1.45	1.39
25	BA	50	A	N9-C8	-5.05	1.33	1.37
26	BB	166	U	C4-O4	-5.05	1.19	1.23
26	BB	733	G	N9-C4	-5.05	1.33	1.38
26	BB	843	G	C2-N3	5.05	1.36	1.32
26	BB	1161	C	C5'-C4'	5.05	1.57	1.51
26	BB	1229	C	N1-C6	-5.05	1.34	1.37
26	BB	1579	A	C5'-C4'	5.05	1.57	1.51
26	BB	2346	A	N3-C4	5.05	1.37	1.34
26	BB	2566	A	C4'-C3'	5.05	1.58	1.53
28	BD	61	TYR	CE1-CZ	5.05	1.45	1.38
3	AC	27	A	C4'-O4'	-5.05	1.39	1.45
26	BB	1972	G	C2'-O2'	-5.05	1.35	1.41
1	AA	455	G	C5'-C4'	5.05	1.57	1.51
1	AA	665	A	N9-C4	5.05	1.40	1.37
1	AA	774	G	C2'-C1'	-5.05	1.47	1.53
1	AA	873	A	N9-C8	5.05	1.41	1.37
1	AA	1201	A	C2'-C1'	-5.05	1.47	1.53
1	AA	1228	C	N3-C4	5.05	1.37	1.33
26	BB	651	G	C4'-C3'	5.05	1.58	1.53
26	BB	1000	A	N9-C4	-5.05	1.34	1.37
26	BB	1965	C	N1-C6	5.05	1.40	1.37
26	BB	2016	U	P-O5'	5.05	1.64	1.59
26	BB	2286	G	C6-N1	-5.05	1.36	1.39
26	BB	2820	A	C5-C6	5.05	1.45	1.41
1	AA	214	C	C4-C5	-5.04	1.39	1.43
1	AA	1094	G	N1-C2	-5.04	1.33	1.37
1	AA	1246	A	O4'-C1'	-5.04	1.35	1.41
26	BB	727	A	O3'-P	-5.04	1.55	1.61
26	BB	1582	C	C2-N3	5.04	1.39	1.35
26	BB	1644	C	C4-C5	5.04	1.47	1.43
26	BB	2409	G	N9-C4	5.04	1.42	1.38
1	AA	67	C	C5'-C4'	5.04	1.57	1.51
1	AA	708	C	C4-C5	5.04	1.47	1.43
1	AA	836	G	C2-N3	5.04	1.36	1.32
1	AA	858	G	N3-C4	5.04	1.39	1.35
1	AA	964	A	N9-C4	-5.04	1.34	1.37
1	AA	1335	U	C5'-C4'	5.04	1.57	1.51
26	BB	528	A	C8-N7	-5.04	1.28	1.31
26	BB	858	G	C6-N1	-5.04	1.36	1.39
26	BB	981	A	P-O5'	5.04	1.64	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1314	C	C4-C5	5.04	1.47	1.43
26	BB	1858	A	C8-N7	-5.04	1.28	1.31
26	BB	1870	C	C5'-C4'	5.04	1.57	1.51
26	BB	2044	C	C4-N4	-5.04	1.29	1.33
26	BB	2238	G	C5-C4	5.04	1.41	1.38
28	BD	268	ARG	NE-CZ	5.04	1.39	1.33
32	BH	2	ARG	CZ-NH2	5.04	1.39	1.33
1	AA	398	U	P-O5'	-5.04	1.54	1.59
1	AA	1241	G	C8-N7	5.04	1.33	1.30
26	BB	788	A	C2'-C1'	-5.04	1.47	1.53
26	BB	1027	A	N3-C4	5.04	1.37	1.34
26	BB	1477	A	N7-C5	-5.04	1.36	1.39
26	BB	2415	G	C2-N2	-5.04	1.29	1.34
26	BB	2438	U	P-O5'	5.04	1.64	1.59
26	BB	2634	A	C5'-C4'	5.04	1.57	1.51
26	BB	2802	G	C2'-C1'	5.04	1.58	1.53
26	BB	2882	A	C3'-C2'	-5.04	1.47	1.52
28	BD	265	PHE	CG-CD2	5.04	1.46	1.38
1	AA	774	G	C4'-O4'	-5.04	1.39	1.45
1	AA	1233	G	N3-C4	5.04	1.39	1.35
26	BB	1307	A	C8-N7	-5.04	1.28	1.31
26	BB	1850	G	N3-C4	-5.04	1.31	1.35
26	BB	2167	U	C2-N3	5.04	1.41	1.37
26	BB	2183	A	C5-C4	-5.04	1.35	1.38
26	BB	2829	A	N9-C4	5.04	1.40	1.37
1	AA	167	A	O3'-P	5.04	1.67	1.61
1	AA	178	C	C3'-C2'	-5.04	1.47	1.52
1	AA	458	U	C2-N3	5.04	1.41	1.37
1	AA	583	A	P-O5'	5.04	1.64	1.59
26	BB	523	C	N1-C6	5.04	1.40	1.37
26	BB	538	A	C5-C4	5.04	1.42	1.38
26	BB	1330	C	C2-O2	-5.04	1.20	1.24
26	BB	1343	G	O3'-P	5.04	1.67	1.61
26	BB	1653	G	C5-C4	-5.04	1.34	1.38
26	BB	2156	G	C3'-C2'	-5.04	1.47	1.52
26	BB	2216	G	C2'-O2'	5.04	1.48	1.41
26	BB	2219	U	C4'-O4'	-5.04	1.39	1.45
26	BB	2762	C	N3-C4	5.04	1.37	1.33
26	BB	2801	G	C2-N2	-5.04	1.29	1.34
1	AA	245	U	C5-C6	5.04	1.38	1.34
1	AA	355	C	C2-O2	5.04	1.28	1.24
1	AA	1317	C	C5'-C4'	5.04	1.57	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	AD	1	C	C2'-C1'	5.04	1.58	1.53
26	BB	323	C	C2-N3	5.04	1.39	1.35
26	BB	1144	A	P-O5'	5.04	1.64	1.59
26	BB	1228	G	N9-C8	-5.04	1.34	1.37
1	AA	39	G	C4'-O4'	-5.04	1.39	1.45
1	AA	195	A	C6-N6	-5.04	1.29	1.33
1	AA	373	A	N7-C5	-5.04	1.36	1.39
1	AA	1410	A	C5'-C4'	5.04	1.57	1.51
1	AA	1416	G	P-O5'	5.04	1.64	1.59
4	AD	29	C	C2-N3	5.04	1.39	1.35
25	BA	62	C	N1-C6	5.04	1.40	1.37
26	BB	84	A	N9-C4	5.04	1.40	1.37
26	BB	946	C	C2-O2	-5.04	1.20	1.24
26	BB	1300	G	C5-C4	5.04	1.41	1.38
26	BB	2513	A	C5'-C4'	5.04	1.57	1.51
26	BB	2720	U	C4'-O4'	-5.04	1.39	1.45
42	BR	108	ARG	CZ-NH1	5.04	1.39	1.33
1	AA	106	C	C2-N3	5.03	1.39	1.35
1	AA	356	A	C5-C4	-5.03	1.35	1.38
1	AA	665	A	N9-C8	5.03	1.41	1.37
1	AA	1156	G	C2-N3	5.03	1.36	1.32
1	AA	1405	G	C6-N1	5.03	1.43	1.39
25	BA	40	U	C4-C5	-5.03	1.39	1.43
25	BA	86	G	N3-C4	-5.03	1.31	1.35
26	BB	195	A	P-O5'	5.03	1.64	1.59
26	BB	420	C	C5'-C4'	5.03	1.57	1.51
26	BB	477	A	C3'-C2'	-5.03	1.47	1.52
26	BB	2209	G	N9-C8	5.03	1.41	1.37
38	BN	144	GLU	CD-OE1	5.03	1.31	1.25
1	AA	953	G	C4'-O4'	-5.03	1.39	1.45
1	AA	1003	G	C8-N7	5.03	1.33	1.30
1	AA	1048	G	C4'-O4'	-5.03	1.39	1.45
26	BB	139	U	N1-C2	5.03	1.43	1.38
26	BB	244	A	C4'-O4'	-5.03	1.39	1.45
26	BB	566	U	P-O5'	5.03	1.64	1.59
26	BB	1944	U	C3'-C2'	5.03	1.58	1.52
26	BB	2819	G	N1-C2	5.03	1.41	1.37
1	AA	555	U	C4'-C3'	-5.03	1.47	1.52
1	AA	1070	U	C2'-C1'	5.03	1.58	1.53
1	AA	1232	U	C4'-O4'	-5.03	1.39	1.45
1	AA	1232	U	N1-C6	5.03	1.42	1.38
1	AA	1528	U	C4'-O4'	-5.03	1.39	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	117	G	C8-N7	5.03	1.33	1.30
26	BB	1453	A	N9-C4	5.03	1.40	1.37
26	BB	1659	G	N3-C4	-5.03	1.31	1.35
26	BB	1679	A	N3-C4	5.03	1.37	1.34
26	BB	1757	A	O4'-C1'	-5.03	1.35	1.41
26	BB	2207	C	C2'-C1'	5.03	1.58	1.53
28	BD	247	TRP	N-CA	-5.03	1.36	1.46
1	AA	640	A	C3'-C2'	5.03	1.58	1.52
1	AA	1439	G	P-O5'	5.03	1.64	1.59
2	AB	43	G	C5'-C4'	5.03	1.57	1.51
26	BB	322	A	C4'-O4'	-5.03	1.39	1.45
26	BB	744	U	C2'-C1'	5.03	1.58	1.53
26	BB	1580	A	C4'-C3'	-5.03	1.47	1.52
26	BB	1913	A	C5'-C4'	5.03	1.57	1.51
1	AA	5	U	C4-O4	-5.03	1.19	1.23
1	AA	602	A	C5-C6	-5.03	1.36	1.41
1	AA	613	C	C2-O2	-5.03	1.20	1.24
1	AA	1167	A	C3'-C2'	5.03	1.58	1.52
1	AA	1503	A	N7-C5	-5.03	1.36	1.39
3	AC	14	G	C2'-C1'	5.03	1.58	1.53
15	AO	69	GLU	CD-OE1	5.03	1.31	1.25
26	BB	300	A	C4'-O4'	-5.03	1.39	1.45
26	BB	619	G	C2-N3	5.03	1.36	1.32
26	BB	1017	G	C6-N1	5.03	1.43	1.39
26	BB	1526	C	O3'-P	5.03	1.67	1.61
26	BB	1728	C	P-O5'	5.03	1.64	1.59
26	BB	1931	U	C4-C5	5.03	1.48	1.43
26	BB	2430	A	C2-N3	5.03	1.38	1.33
26	BB	2435	A	C2-N3	-5.03	1.29	1.33
26	BB	2660	A	C5-C4	-5.03	1.35	1.38
26	BB	2853	C	C2-N3	5.03	1.39	1.35
1	AA	200	G	O4'-C1'	5.03	1.48	1.41
1	AA	325	A	N9-C4	5.03	1.40	1.37
1	AA	442	G	C2'-C1'	5.03	1.58	1.53
1	AA	710	G	C4'-O4'	-5.03	1.39	1.45
1	AA	874	G	C2-N3	5.03	1.36	1.32
25	BA	39	A	N1-C2	-5.03	1.29	1.34
25	BA	82	U	N1-C6	5.03	1.42	1.38
26	BB	86	G	C5-C4	5.03	1.41	1.38
26	BB	224	U	C2-N3	5.03	1.41	1.37
26	BB	777	G	C5-C4	5.03	1.41	1.38
26	BB	1062	G	C5-C4	5.03	1.41	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2019	A	P-O5'	5.03	1.64	1.59
26	BB	2265	U	N1-C2	5.03	1.43	1.38
26	BB	2612	C	C5-C6	5.03	1.38	1.34
1	AA	357	G	N3-C4	-5.02	1.31	1.35
1	AA	465	A	C6-N1	5.02	1.39	1.35
1	AA	775	G	N3-C4	5.02	1.39	1.35
26	BB	1067	A	C5-C4	-5.02	1.35	1.38
26	BB	1281	G	N1-C2	5.02	1.41	1.37
26	BB	2141	G	C8-N7	-5.02	1.27	1.30
1	AA	308	C	C2'-C1'	-5.02	1.47	1.53
1	AA	367	U	P-O5'	5.02	1.64	1.59
1	AA	444	G	C5-C4	-5.02	1.34	1.38
1	AA	1075	U	C5'-C4'	5.02	1.57	1.51
1	AA	1503	A	C8-N7	-5.02	1.28	1.31
26	BB	364	C	N1-C2	5.02	1.45	1.40
26	BB	539	G	C6-N1	5.02	1.43	1.39
26	BB	719	C	N3-C4	5.02	1.37	1.33
26	BB	978	G	C4'-C3'	5.02	1.58	1.53
26	BB	1065	U	N1-C2	5.02	1.43	1.38
26	BB	1318	U	C1'-N1	5.02	1.56	1.48
26	BB	1472	C	C4'-C3'	-5.02	1.47	1.52
26	BB	1843	C	C4'-O4'	-5.02	1.39	1.45
26	BB	1880	U	O3'-P	5.02	1.67	1.61
26	BB	1996	C	N1-C2	5.02	1.45	1.40
26	BB	2471	A	P-O5'	5.02	1.64	1.59
26	BB	2784	U	C4-O4	5.02	1.27	1.23
57	B6	41	ARG	CZ-NH1	5.02	1.39	1.33
1	AA	864	A	P-O5'	5.02	1.64	1.59
1	AA	983	A	O3'-P	5.02	1.67	1.61
1	AA	991	U	N1-C2	5.02	1.43	1.38
26	BB	675	A	C8-N7	-5.02	1.28	1.31
26	BB	818	G	C5-C4	5.02	1.41	1.38
26	BB	1010	A	C5'-C4'	5.02	1.57	1.51
26	BB	1017	G	C8-N7	5.02	1.33	1.30
26	BB	1540	G	C5'-C4'	5.02	1.57	1.51
1	AA	7	A	C5'-C4'	5.02	1.57	1.51
1	AA	1473	G	N9-C4	5.02	1.42	1.38
4	AD	12	G	N9-C4	5.02	1.42	1.38
26	BB	130	C	P-O5'	5.02	1.64	1.59
26	BB	167	A	N3-C4	5.02	1.37	1.34
26	BB	992	C	C5-C6	5.02	1.38	1.34
26	BB	1221	C	C4-C5	5.02	1.47	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1267	U	C4'-C3'	-5.02	1.47	1.52
26	BB	1355	G	N3-C4	5.02	1.39	1.35
26	BB	2392	A	C3'-C2'	-5.02	1.47	1.52
1	AA	564	C	C4'-C3'	5.02	1.58	1.53
1	AA	847	G	N3-C4	5.02	1.39	1.35
1	AA	886	G	C6-N1	5.02	1.43	1.39
26	BB	7	G	C4'-O4'	-5.02	1.39	1.45
26	BB	231	A	N3-C4	5.02	1.37	1.34
26	BB	1435	G	C4'-O4'	-5.02	1.39	1.45
26	BB	1588	G	C5-C6	5.02	1.47	1.42
26	BB	2002	G	C4'-O4'	-5.02	1.39	1.45
26	BB	2080	A	P-O5'	-5.02	1.54	1.59
26	BB	2213	U	C4'-C3'	-5.02	1.47	1.52
26	BB	2318	G	C5-C4	5.02	1.41	1.38
26	BB	2373	G	O3'-P	5.02	1.67	1.61
26	BB	2557	G	N1-C2	5.02	1.41	1.37
26	BB	2863	C	C1'-N1	5.02	1.56	1.48
26	BB	2878	U	C2-O2	5.02	1.26	1.22
34	BJ	95	PHE	CG-CD1	5.02	1.46	1.38
1	AA	166	U	C2-N3	5.02	1.41	1.37
1	AA	533	A	C4'-O4'	-5.02	1.39	1.45
1	AA	1524	C	N1-C2	-5.02	1.35	1.40
3	AC	19	A	O3'-P	-5.02	1.55	1.61
26	BB	227	A	C6-N6	5.02	1.38	1.33
26	BB	371	A	O5'-C5'	5.02	1.52	1.44
26	BB	478	A	C2'-C1'	5.02	1.58	1.53
26	BB	518	G	C8-N7	5.02	1.33	1.30
26	BB	702	U	C4-C5	5.02	1.48	1.43
26	BB	1304	A	C4'-O4'	-5.02	1.39	1.45
26	BB	1602	U	O3'-P	5.02	1.67	1.61
26	BB	2184	A	C8-N7	-5.02	1.28	1.31
1	AA	1275	A	N1-C2	-5.01	1.29	1.34
1	AA	1449	C	N3-C4	5.01	1.37	1.33
9	AI	2	ARG	CD-NE	5.01	1.54	1.46
19	AS	60	TRP	CE3-CZ3	5.01	1.47	1.38
26	BB	1490	A	N9-C8	-5.01	1.33	1.37
26	BB	1713	A	C2'-O2'	-5.01	1.35	1.41
26	BB	2042	A	N1-C2	-5.01	1.29	1.34
26	BB	2229	U	N3-C4	5.01	1.43	1.38
1	AA	84	U	C3'-O3'	5.01	1.49	1.42
1	AA	301	G	O3'-P	5.01	1.67	1.61
1	AA	804	U	P-O5'	5.01	1.64	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	AB	51	G	O3'-P	-5.01	1.55	1.61
4	AD	52	C	C1'-N1	5.01	1.56	1.48
1	AA	364	A	O4'-C1'	-5.01	1.35	1.41
1	AA	734	G	N1-C2	5.01	1.41	1.37
1	AA	771	G	N1-C2	5.01	1.41	1.37
1	AA	1346	A	C4'-C3'	5.01	1.58	1.53
1	AA	1356	G	N3-C4	5.01	1.39	1.35
1	AA	1378	C	C4'-O4'	-5.01	1.39	1.45
26	BB	64	A	N9-C4	5.01	1.40	1.37
26	BB	528	A	N7-C5	-5.01	1.36	1.39
26	BB	2486	C	C4'-C3'	-5.01	1.47	1.52
26	BB	2769	U	C2'-C1'	5.01	1.58	1.53
1	AA	596	A	N7-C5	5.01	1.42	1.39
1	AA	970	C	C2-N3	5.01	1.39	1.35
4	AD	12	G	C6-O6	-5.01	1.19	1.24
26	BB	75	G	N3-C4	5.01	1.39	1.35
26	BB	317	G	N9-C8	-5.01	1.34	1.37
26	BB	359	G	C5-C4	-5.01	1.34	1.38
26	BB	393	C	C4'-C3'	5.01	1.58	1.53
26	BB	517	C	C4-N4	5.01	1.38	1.33
26	BB	844	A	N1-C2	-5.01	1.29	1.34
26	BB	961	C	C2-N3	5.01	1.39	1.35
26	BB	1320	C	N1-C6	5.01	1.40	1.37
26	BB	1712	U	C3'-O3'	5.01	1.49	1.42
26	BB	2260	C	N1-C6	5.01	1.40	1.37
26	BB	2561	U	C4-C5	5.01	1.48	1.43
26	BB	2601	C	C5'-C4'	5.01	1.57	1.51
26	BB	2680	U	P-O5'	5.01	1.64	1.59
26	BB	2739	U	C5-C6	5.01	1.38	1.34
26	BB	2853	C	O5'-C5'	5.01	1.52	1.44
1	AA	258	G	C6-N1	5.01	1.43	1.39
1	AA	548	G	C5-C6	5.01	1.47	1.42
1	AA	858	G	C3'-O3'	5.01	1.49	1.42
1	AA	1356	G	C6-N1	5.01	1.43	1.39
26	BB	1312	U	C5'-C4'	5.01	1.57	1.51
26	BB	1777	U	C4'-C3'	-5.01	1.47	1.52
26	BB	2625	G	C6-O6	-5.01	1.19	1.24
1	AA	266	G	C5-C4	-5.01	1.34	1.38
1	AA	379	C	C4'-O4'	-5.01	1.39	1.45
1	AA	400	C	C2'-O2'	5.01	1.48	1.41
1	AA	444	G	C6-N1	5.01	1.43	1.39
1	AA	467	U	C4'-O4'	-5.01	1.39	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	859	G	C4'-O4'	-5.01	1.39	1.45
1	AA	1031	C	C2-N3	5.01	1.39	1.35
1	AA	1286	U	C1'-N1	5.01	1.56	1.48
2	AB	61	C	C5'-C4'	5.01	1.57	1.51
26	BB	33	C	O3'-P	5.01	1.67	1.61
26	BB	180	G	P-O5'	5.01	1.64	1.59
26	BB	281	C	C2'-C1'	5.01	1.58	1.53
26	BB	459	U	C4'-O4'	-5.01	1.39	1.45
26	BB	492	A	N3-C4	5.01	1.37	1.34
26	BB	992	C	N1-C2	-5.01	1.35	1.40
26	BB	1139	G	N3-C4	5.01	1.39	1.35
26	BB	1280	G	C8-N7	-5.01	1.27	1.30
26	BB	2577	A	C4'-C3'	-5.01	1.47	1.52
32	BH	7	PRO	N-CD	-5.01	1.40	1.47
1	AA	101	A	N3-C4	5.00	1.37	1.34
1	AA	104	G	N7-C5	-5.00	1.36	1.39
1	AA	525	C	N1-C2	5.00	1.45	1.40
1	AA	1435	G	N3-C4	5.00	1.39	1.35
26	BB	11	C	O4'-C1'	5.00	1.48	1.41
26	BB	1353	A	C4'-O4'	-5.00	1.39	1.45
26	BB	1903	G	O3'-P	-5.00	1.55	1.61
26	BB	2162	G	N9-C4	5.00	1.42	1.38
1	AA	650	G	N9-C8	5.00	1.41	1.37
1	AA	987	G	C2-N3	5.00	1.36	1.32
25	BA	101	A	C3'-O3'	5.00	1.49	1.42
26	BB	1227	G	N3-C4	5.00	1.39	1.35
26	BB	2355	G	C4'-C3'	-5.00	1.47	1.52
26	BB	2458	G	C4'-C3'	5.00	1.58	1.53
26	BB	2593	U	C4'-O4'	-5.00	1.39	1.45
26	BB	2904	U	C5-C6	5.00	1.38	1.34
30	BF	124	PHE	CG-CD2	5.00	1.46	1.38
1	AA	332	G	C6-O6	-5.00	1.19	1.24
1	AA	462	G	C5-C6	-5.00	1.37	1.42
1	AA	688	G	C8-N7	-5.00	1.27	1.30
25	BA	33	G	C4'-O4'	-5.00	1.39	1.45
26	BB	238	C	O4'-C1'	5.00	1.48	1.41
26	BB	387	U	C2'-C1'	-5.00	1.47	1.53
26	BB	396	G	N3-C4	-5.00	1.31	1.35
26	BB	414	C	C2-O2	-5.00	1.20	1.24
26	BB	555	G	C8-N7	5.00	1.33	1.30
26	BB	658	U	C5'-C4'	5.00	1.57	1.51
26	BB	1135	C	C5'-C4'	5.00	1.57	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1317	G	C6-N1	-5.00	1.36	1.39
26	BB	1355	G	C8-N7	5.00	1.33	1.30
26	BB	1808	A	C5-C4	-5.00	1.35	1.38
26	BB	1853	A	N9-C8	-5.00	1.33	1.37
26	BB	2360	G	O3'-P	5.00	1.67	1.61
26	BB	2625	G	P-O5'	5.00	1.64	1.59

All (26808) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	28	A	O4'-C1'-N9	21.28	125.23	108.20
53	B2	63	ARG	NE-CZ-NH1	21.04	130.82	120.30
26	BB	2041	U	O4'-C1'-N1	20.83	124.87	108.20
1	AA	1323	G	N9-C4-C5	20.57	113.63	105.40
1	AA	1142	G	C8-N9-C4	-20.50	98.20	106.40
22	AV	36	ARG	NE-CZ-NH2	-20.40	110.10	120.30
26	BB	1739	A	N9-C4-C5	20.11	113.84	105.80
1	AA	876	C	N3-C4-C5	-20.06	113.88	121.90
1	AA	122	G	C4-C5-N7	-20.04	102.78	110.80
26	BB	616	A	N1-C2-N3	-19.90	119.35	129.30
1	AA	560	A	N7-C8-N9	19.89	123.75	113.80
26	BB	407	G	C2-N3-C4	19.87	121.83	111.90
1	AA	1323	G	C8-N9-C4	-19.75	98.50	106.40
1	AA	973	G	C5-C6-N1	19.60	121.30	111.50
26	BB	2693	G	C8-N9-C4	-19.54	98.58	106.40
26	BB	953	G	C2-N3-C4	19.47	121.64	111.90
1	AA	392	C	N3-C4-C5	-19.36	114.16	121.90
39	BO	38	ARG	NE-CZ-NH1	19.36	129.98	120.30
26	BB	2787	C	O4'-C1'-N1	19.13	123.50	108.20
26	BB	1576	U	O4'-C1'-N1	19.08	123.46	108.20
26	BB	1385	A	O4'-C1'-N9	19.06	123.45	108.20
30	BF	79	ARG	NE-CZ-NH2	-19.06	110.77	120.30
26	BB	80	G	N9-C4-C5	19.00	113.00	105.40
4	AD	32	G	O4'-C1'-N9	18.95	123.36	108.20
26	BB	953	G	N3-C4-C5	-18.89	119.16	128.60
26	BB	2581	G	C8-N9-C4	-18.87	98.85	106.40
26	BB	1638	C	N3-C4-C5	-18.69	114.42	121.90
26	BB	2415	G	C8-N9-C4	-18.69	98.92	106.40
55	B4	5	ARG	NE-CZ-NH1	18.57	129.59	120.30
26	BB	2770	G	C8-N9-C4	-18.56	98.97	106.40
1	AA	419	C	N3-C4-C5	-18.55	114.48	121.90
27	BC	60	ARG	NE-CZ-NH2	18.47	129.53	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	174	A	O4'-C1'-N9	18.43	122.94	108.20
1	AA	1487	G	C5-C6-O6	-18.43	117.54	128.60
1	AA	833	G	C8-N9-C4	-18.35	99.06	106.40
26	BB	2121	G	N3-C4-C5	-18.12	119.54	128.60
30	BF	79	ARG	NE-CZ-NH1	18.08	129.34	120.30
25	BA	19	C	O4'-C1'-N1	18.05	122.64	108.20
26	BB	1389	G	O4'-C1'-N9	17.91	122.52	108.20
21	AU	60	ARG	NE-CZ-NH2	-17.89	111.36	120.30
53	B2	25	ARG	NE-CZ-NH1	17.86	129.23	120.30
26	BB	642	U	C5-C4-O4	-17.76	115.24	125.90
1	AA	639	G	C8-N9-C4	-17.73	99.31	106.40
1	AA	1011	C	N3-C4-C5	-17.63	114.85	121.90
48	BX	21	ARG	NE-CZ-NH2	-17.62	111.49	120.30
26	BB	1857	G	C2-N3-C4	17.61	120.70	111.90
20	AT	10	ARG	NE-CZ-NH2	-17.51	111.55	120.30
26	BB	1003	G	C4-C5-N7	-17.50	103.80	110.80
26	BB	991	C	N3-C4-C5	-17.48	114.91	121.90
25	BA	91	C	O4'-C1'-N1	17.48	122.19	108.20
3	AC	27	A	O4'-C1'-N9	17.44	122.15	108.20
6	AF	130	ARG	NE-CZ-NH1	17.40	129.00	120.30
26	BB	2060	A	C2-N3-C4	17.35	119.27	110.60
1	AA	396	C	O4'-C1'-N1	17.24	121.99	108.20
26	BB	463	G	C8-N9-C4	-17.24	99.50	106.40
26	BB	2607	G	N1-C6-O6	-17.22	109.57	119.90
26	BB	259	G	N3-C4-C5	-17.20	120.00	128.60
26	BB	269	C	O4'-C1'-N1	17.20	121.96	108.20
1	AA	656	G	C5-N7-C8	-17.18	95.71	104.30
1	AA	949	A	O4'-C1'-N9	17.17	121.94	108.20
25	BA	47	C	O4'-C1'-N1	17.09	121.87	108.20
26	BB	2121	G	C2-N3-C4	17.08	120.44	111.90
26	BB	2205	A	C8-N9-C4	-17.04	98.98	105.80
1	AA	68	G	C8-N9-C4	-17.03	99.59	106.40
1	AA	1442	G	C5-C6-N1	17.00	120.00	111.50
26	BB	2673	G	C8-N9-C4	-16.95	99.62	106.40
30	BF	69	ARG	NE-CZ-NH1	16.92	128.76	120.30
26	BB	1285	A	C2-N3-C4	16.92	119.06	110.60
26	BB	843	G	N9-C4-C5	16.88	112.15	105.40
26	BB	2592	G	C8-N9-C4	-16.88	99.65	106.40
26	BB	2429	G	N9-C4-C5	16.86	112.15	105.40
26	BB	1988	G	C8-N9-C4	-16.83	99.67	106.40
26	BB	651	G	N7-C8-N9	16.82	121.51	113.10
26	BB	1357	C	C6-N1-C2	-16.80	113.58	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	796	C	C6-N1-C2	-16.78	113.59	120.30
26	BB	1250	G	N7-C8-N9	16.78	121.49	113.10
26	BB	791	C	N3-C4-C5	-16.77	115.19	121.90
26	BB	178	G	C8-N9-C4	-16.74	99.70	106.40
26	BB	2484	G	C8-N9-C4	-16.74	99.70	106.40
26	BB	1863	G	N3-C4-C5	-16.72	120.24	128.60
1	AA	1178	G	C4-C5-N7	-16.72	104.11	110.80
26	BB	1893	C	O4'-C1'-N1	16.72	121.57	108.20
1	AA	15	G	C4-C5-N7	-16.71	104.11	110.80
26	BB	520	G	N9-C4-C5	16.69	112.08	105.40
1	AA	236	A	N7-C8-N9	16.65	122.12	113.80
55	B4	5	ARG	NE-CZ-NH2	-16.65	111.98	120.30
26	BB	2254	C	C2-N3-C4	16.63	128.22	119.90
26	BB	926	G	C5-C6-O6	-16.61	118.63	128.60
1	AA	381	C	C6-N1-C2	-16.60	113.66	120.30
1	AA	776	G	C6-N1-C2	-16.55	115.17	125.10
26	BB	936	A	C8-N9-C4	-16.55	99.18	105.80
1	AA	1193	G	O4'-C1'-N9	16.53	121.43	108.20
26	BB	1813	G	N3-C4-C5	-16.52	120.34	128.60
1	AA	381	C	O4'-C1'-N1	16.52	121.42	108.20
25	BA	1	U	O4'-C1'-N1	16.51	121.41	108.20
26	BB	326	G	N3-C4-C5	-16.50	120.35	128.60
26	BB	2114	A	N9-C4-C5	16.48	112.39	105.80
1	AA	289	G	C4-C5-N7	16.47	117.39	110.80
1	AA	633	G	C8-N9-C4	-16.45	99.82	106.40
1	AA	1142	G	C2-N3-C4	16.44	120.12	111.90
1	AA	476	U	O4'-C1'-N1	16.44	121.35	108.20
26	BB	966	G	C8-N9-C4	-16.43	99.83	106.40
49	BY	38	ARG	NE-CZ-NH2	-16.38	112.11	120.30
1	AA	151	A	N9-C4-C5	16.37	112.35	105.80
1	AA	207	C	C6-N1-C2	-16.36	113.75	120.30
26	BB	2521	C	N3-C4-C5	-16.36	115.36	121.90
26	BB	407	G	N3-C4-C5	-16.35	120.43	128.60
1	AA	338	A	N9-C4-C5	16.32	112.33	105.80
1	AA	1296	C	C6-N1-C2	16.32	126.83	120.30
1	AA	667	G	C5-C6-N1	16.29	119.64	111.50
26	BB	2136	G	C4-C5-N7	-16.27	104.29	110.80
26	BB	1594	U	O4'-C1'-N1	16.27	121.22	108.20
26	BB	759	G	N7-C8-N9	16.26	121.23	113.10
1	AA	126	G	C4-C5-N7	-16.25	104.30	110.80
1	AA	1292	G	N3-C4-C5	-16.15	120.52	128.60
26	BB	1529	G	N3-C4-C5	-16.15	120.53	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2592	G	N3-C4-C5	-16.14	120.53	128.60
26	BB	2048	G	C8-N9-C4	-16.08	99.97	106.40
26	BB	2612	C	N1-C2-O2	16.08	128.55	118.90
4	AD	37	U	C5-C6-N1	-16.08	114.66	122.70
26	BB	530	G	C8-N9-C4	-16.07	99.97	106.40
26	BB	664	G	N9-C4-C5	16.05	111.82	105.40
26	BB	1943	U	O4'-C1'-N1	16.05	121.04	108.20
26	BB	403	U	C5-C4-O4	16.04	135.53	125.90
26	BB	1106	G	O4'-C1'-N9	16.04	121.03	108.20
26	BB	1878	G	C4-C5-N7	-15.98	104.41	110.80
26	BB	613	A	N9-C4-C5	15.96	112.18	105.80
26	BB	2645	G	C8-N9-C4	-15.96	100.02	106.40
26	BB	1739	A	C8-N9-C4	-15.94	99.42	105.80
26	BB	1988	G	N3-C2-N2	-15.93	108.75	119.90
26	BB	1238	G	C6-N1-C2	-15.92	115.55	125.10
26	BB	1957	C	O4'-C1'-N1	15.91	120.92	108.20
26	BB	428	A	N1-C2-N3	-15.89	121.35	129.30
26	BB	1365	A	N9-C4-C5	15.89	112.16	105.80
26	BB	1863	G	C2-N3-C4	15.87	119.84	111.90
25	BA	120	U	O4'-C1'-N1	15.84	120.87	108.20
1	AA	879	C	N3-C4-C5	15.82	128.23	121.90
26	BB	1663	G	N7-C8-N9	15.77	120.98	113.10
26	BB	2114	A	C8-N9-C4	-15.75	99.50	105.80
1	AA	708	C	N3-C4-C5	-15.74	115.60	121.90
26	BB	80	G	C8-N9-C4	-15.74	100.10	106.40
26	BB	2469	A	N1-C2-N3	-15.73	121.44	129.30
26	BB	2780	G	C8-N9-C4	-15.71	100.12	106.40
26	BB	2900	A	C8-N9-C4	-15.71	99.52	105.80
1	AA	510	A	C2-N3-C4	15.70	118.45	110.60
26	BB	2357	G	N3-C4-C5	-15.70	120.75	128.60
1	AA	338	A	C8-N9-C4	-15.69	99.52	105.80
2	AB	75	C	N1-C2-O2	15.69	128.32	118.90
5	AE	207	ARG	NE-CZ-NH1	15.68	128.14	120.30
1	AA	416	G	C8-N9-C4	-15.67	100.13	106.40
26	BB	1816	C	N3-C4-C5	-15.67	115.63	121.90
1	AA	786	G	O4'-C1'-N9	15.66	120.73	108.20
1	AA	372	C	N3-C4-C5	-15.64	115.64	121.90
31	BG	132	ARG	NE-CZ-NH2	15.62	128.11	120.30
26	BB	999	U	O4'-C1'-N1	15.62	120.69	108.20
1	AA	325	A	N7-C8-N9	15.61	121.61	113.80
26	BB	1336	A	O4'-C1'-N9	15.60	120.68	108.20
26	BB	1545	A	O4'-C1'-N9	15.60	120.68	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	786	C	O4'-C1'-N1	15.58	120.67	108.20
1	AA	281	G	N3-C4-C5	-15.58	120.81	128.60
1	AA	316	C	C2-N3-C4	15.58	127.69	119.90
26	BB	1384	A	C5-N7-C8	15.56	111.68	103.90
1	AA	713	G	N7-C8-N9	15.54	120.87	113.10
28	BD	13	ARG	NE-CZ-NH2	15.53	128.06	120.30
26	BB	2518	A	C8-N9-C4	-15.52	99.59	105.80
1	AA	175	C	N1-C2-O2	15.52	128.21	118.90
4	AD	57	C	N3-C4-C5	-15.51	115.70	121.90
26	BB	2663	G	C8-N9-C4	-15.50	100.20	106.40
26	BB	1227	G	C2-N3-C4	15.49	119.65	111.90
39	BO	10	ARG	NE-CZ-NH2	15.48	128.04	120.30
26	BB	2121	G	N3-C4-N9	15.48	135.29	126.00
26	BB	2124	G	C8-N9-C4	-15.48	100.21	106.40
26	BB	2592	G	C2-N3-C4	15.46	119.63	111.90
26	BB	409	G	C8-N9-C4	-15.45	100.22	106.40
26	BB	2892	G	O4'-C1'-N9	15.43	120.55	108.20
26	BB	2027	G	C8-N9-C4	-15.43	100.23	106.40
26	BB	2873	A	C2-N3-C4	15.43	118.31	110.60
26	BB	94	A	C8-N9-C4	-15.42	99.63	105.80
42	BR	100	ARG	NE-CZ-NH2	15.42	128.01	120.30
1	AA	557	G	C2-N3-C4	15.41	119.61	111.90
26	BB	2242	G	N7-C8-N9	15.41	120.81	113.10
26	BB	611	C	N3-C4-C5	15.39	128.06	121.90
26	BB	2752	C	C6-N1-C2	-15.38	114.15	120.30
26	BB	901	C	N3-C4-C5	-15.37	115.75	121.90
24	AX	54	ARG	NE-CZ-NH2	-15.37	112.61	120.30
43	BS	63	ARG	NE-CZ-NH2	-15.36	112.62	120.30
26	BB	810	U	O4'-C1'-N1	15.35	120.48	108.20
26	BB	1475	G	C6-N1-C2	-15.35	115.89	125.10
1	AA	631	C	C2-N3-C4	-15.34	112.23	119.90
40	BP	46	ARG	NE-CZ-NH1	15.34	127.97	120.30
1	AA	1096	C	C6-N1-C2	-15.34	114.17	120.30
1	AA	634	C	O4'-C1'-N1	15.32	120.46	108.20
1	AA	392	C	C2-N3-C4	15.31	127.56	119.90
53	B2	49	ARG	NE-CZ-NH2	-15.29	112.65	120.30
25	BA	80	U	C5-C4-O4	15.28	135.07	125.90
2	AB	65	C	O4'-C1'-N1	15.27	120.42	108.20
1	AA	122	G	N3-C4-C5	-15.26	120.97	128.60
26	BB	2095	A	C5-N7-C8	-15.26	96.27	103.90
26	BB	385	C	N1-C2-O2	15.25	128.05	118.90
26	BB	467	G	C4-C5-N7	-15.25	104.70	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1188	A	N1-C2-N3	-15.23	121.69	129.30
1	AA	1353	G	C4-C5-N7	-15.22	104.71	110.80
26	BB	1303	G	N3-C4-C5	-15.21	120.99	128.60
1	AA	991	U	O4'-C1'-N1	15.19	120.35	108.20
4	AD	22	A	N9-C4-C5	15.18	111.87	105.80
1	AA	877	G	N9-C4-C5	15.17	111.47	105.40
26	BB	2198	A	C5-C6-N1	15.16	125.28	117.70
26	BB	34	U	N3-C2-O2	-15.15	111.59	122.20
26	BB	1974	C	C6-N1-C2	-15.15	114.24	120.30
26	BB	1250	G	C8-N9-C4	-15.13	100.35	106.40
26	BB	43	G	N7-C8-N9	15.13	120.66	113.10
2	AB	10	G	C4-C5-N7	-15.12	104.75	110.80
4	AD	4	G	C5-C6-O6	-15.12	119.53	128.60
26	BB	1365	A	C8-N9-C4	-15.12	99.75	105.80
1	AA	730	G	C4-C5-N7	-15.10	104.76	110.80
26	BB	380	G	C8-N9-C4	-15.10	100.36	106.40
26	BB	1308	A	C8-N9-C4	-15.09	99.76	105.80
26	BB	1974	C	C5-C6-N1	15.09	128.54	121.00
26	BB	2073	C	C5-C4-N4	-15.09	109.64	120.20
26	BB	558	U	O4'-C1'-N1	15.07	120.26	108.20
26	BB	607	U	C5-C6-N1	-15.07	115.16	122.70
26	BB	1827	U	C2-N3-C4	-15.07	117.96	127.00
26	BB	71	A	O4'-C1'-N9	15.06	120.25	108.20
1	AA	752	G	N3-C4-C5	-15.03	121.09	128.60
26	BB	629	G	C8-N9-C4	-15.03	100.39	106.40
32	BH	169	ARG	NE-CZ-NH1	-15.03	112.79	120.30
26	BB	2018	G	N3-C4-C5	-15.02	121.09	128.60
26	BB	2415	G	N7-C8-N9	15.01	120.61	113.10
26	BB	2282	G	N3-C4-C5	-15.01	121.10	128.60
26	BB	2287	A	C8-N9-C4	-14.98	99.81	105.80
1	AA	1503	A	C8-N9-C4	-14.97	99.81	105.80
1	AA	1442	G	C5-C6-O6	-14.96	119.62	128.60
26	BB	2314	A	C8-N9-C4	-14.96	99.82	105.80
1	AA	733	G	N1-C6-O6	-14.95	110.93	119.90
1	AA	631	C	N3-C4-C5	14.94	127.88	121.90
1	AA	560	A	C5-N7-C8	-14.94	96.43	103.90
26	BB	2693	G	N7-C8-N9	14.93	120.57	113.10
1	AA	1016	A	N9-C4-C5	14.93	111.77	105.80
1	AA	1342	C	N3-C4-C5	-14.93	115.93	121.90
1	AA	78	A	C8-N9-C4	-14.92	99.83	105.80
26	BB	318	C	C5-C4-N4	-14.92	109.76	120.20
26	BB	2545	G	C4-C5-N7	-14.91	104.83	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2757	A	N1-C2-N3	-14.90	121.85	129.30
1	AA	236	A	C8-N9-C4	-14.89	99.84	105.80
1	AA	633	G	N9-C4-C5	14.88	111.35	105.40
15	AO	8	ARG	NE-CZ-NH2	-14.88	112.86	120.30
21	AU	60	ARG	NE-CZ-NH1	14.87	127.74	120.30
26	BB	46	G	O4'-C1'-N9	14.86	120.08	108.20
1	AA	1451	U	O4'-C1'-N1	14.85	120.08	108.20
26	BB	1857	G	N7-C8-N9	14.85	120.53	113.10
26	BB	1888	G	O4'-C1'-N9	14.84	120.07	108.20
1	AA	673	A	C2-N3-C4	14.83	118.01	110.60
26	BB	2789	C	N3-C2-O2	-14.82	111.53	121.90
1	AA	1210	C	C6-N1-C2	-14.82	114.37	120.30
1	AA	183	C	O4'-C1'-N1	14.81	120.05	108.20
26	BB	2036	C	N3-C4-C5	-14.79	115.99	121.90
26	BB	613	A	C2-N3-C4	14.75	117.98	110.60
1	AA	126	G	C4-C5-C6	14.75	127.65	118.80
26	BB	2243	U	O4'-C1'-N1	14.75	120.00	108.20
1	AA	248	C	C6-N1-C2	14.74	126.20	120.30
26	BB	2867	G	C8-N9-C4	-14.73	100.51	106.40
1	AA	713	G	C5-N7-C8	-14.73	96.94	104.30
1	AA	1487	G	N1-C6-O6	14.73	128.74	119.90
1	AA	599	C	N3-C4-C5	14.72	127.79	121.90
1	AA	1099	G	C8-N9-C4	-14.72	100.51	106.40
1	AA	1367	C	O4'-C1'-N1	14.72	119.98	108.20
26	BB	2151	U	O4'-C1'-N1	14.72	119.98	108.20
1	AA	254	G	C5-C6-O6	-14.71	119.77	128.60
26	BB	1227	G	N3-C4-C5	-14.71	121.25	128.60
26	BB	369	U	O4'-C1'-N1	14.70	119.96	108.20
1	AA	448	A	C8-N9-C4	-14.69	99.92	105.80
1	AA	1346	A	O4'-C1'-N9	14.69	119.95	108.20
1	AA	615	G	C4-C5-C6	14.68	127.61	118.80
1	AA	1464	U	C5-C4-O4	-14.68	117.09	125.90
1	AA	1088	G	N3-C4-C5	-14.67	121.26	128.60
1	AA	1079	G	N3-C4-C5	-14.67	121.27	128.60
1	AA	726	C	C2-N3-C4	14.67	127.23	119.90
1	AA	802	A	N7-C8-N9	14.67	121.13	113.80
26	BB	2118	U	O4'-C1'-N1	14.67	119.93	108.20
7	AG	62	ARG	NE-CZ-NH1	14.66	127.63	120.30
1	AA	766	A	N9-C4-C5	14.65	111.66	105.80
26	BB	20	C	O4'-C1'-N1	14.65	119.92	108.20
26	BB	1626	A	C5-C6-N1	14.65	125.02	117.70
1	AA	1460	C	O4'-C1'-N1	14.64	119.92	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	424	G	C8-N9-C4	-14.64	100.54	106.40
1	AA	575	G	N3-C2-N2	-14.64	109.65	119.90
26	BB	944	C	N3-C4-C5	-14.64	116.05	121.90
1	AA	592	G	C4-C5-N7	-14.63	104.95	110.80
1	AA	175	C	O4'-C1'-N1	14.62	119.89	108.20
1	AA	1352	C	O4'-C1'-N1	14.61	119.89	108.20
30	BF	40	ARG	NE-CZ-NH2	-14.61	113.00	120.30
12	AL	44	ARG	NE-CZ-NH2	-14.60	113.00	120.30
1	AA	346	G	C2-N3-C4	14.59	119.20	111.90
1	AA	1016	A	C8-N9-C4	-14.58	99.97	105.80
7	AG	74	TYR	CB-CG-CD2	-14.58	112.25	121.00
26	BB	2165	C	N1-C2-O2	14.58	127.65	118.90
26	BB	467	G	O4'-C1'-N9	14.57	119.86	108.20
1	AA	284	C	N1-C2-O2	14.57	127.64	118.90
1	AA	175	C	N3-C2-O2	-14.55	111.71	121.90
25	BA	105	G	N1-C6-O6	-14.54	111.17	119.90
1	AA	656	G	N7-C8-N9	14.54	120.37	113.10
1	AA	898	G	N1-C6-O6	-14.54	111.18	119.90
1	AA	1088	G	C8-N9-C4	-14.54	100.58	106.40
26	BB	2037	A	C5-N7-C8	14.53	111.16	103.90
9	AI	25	TYR	CB-CG-CD2	-14.52	112.29	121.00
18	AR	76	ARG	NE-CZ-NH2	-14.52	113.04	120.30
40	BP	30	ARG	NE-CZ-NH1	14.51	127.56	120.30
13	AM	31	ARG	NE-CZ-NH2	-14.50	113.05	120.30
1	AA	215	C	O4'-C1'-N1	14.50	119.80	108.20
1	AA	57	G	N9-C4-C5	14.49	111.20	105.40
26	BB	650	C	O4'-C1'-N1	14.49	119.80	108.20
26	BB	997	G	C5-C6-O6	-14.48	119.91	128.60
26	BB	1348	C	O4'-C1'-N1	14.47	119.78	108.20
26	BB	194	G	C8-N9-C4	-14.47	100.61	106.40
1	AA	126	G	N3-C4-C5	-14.46	121.37	128.60
1	AA	720	C	N3-C4-C5	-14.46	116.11	121.90
25	BA	60	C	C2-N3-C4	14.46	127.13	119.90
26	BB	2651	C	N3-C4-C5	-14.45	116.12	121.90
52	B1	30	ARG	NE-CZ-NH1	14.45	127.53	120.30
27	BC	71	ARG	NE-CZ-NH2	14.45	127.53	120.30
26	BB	2436	G	C2-N3-C4	14.44	119.12	111.90
1	AA	197	A	N1-C6-N6	-14.44	109.94	118.60
1	AA	1230	C	O4'-C1'-N1	14.43	119.75	108.20
26	BB	1573	G	O4'-C1'-N9	14.43	119.74	108.20
22	AV	36	ARG	NE-CZ-NH1	14.43	127.51	120.30
26	BB	1699	G	O4'-C1'-N9	14.42	119.74	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	151	A	C4-C5-N7	-14.40	103.50	110.70
1	AA	307	C	O4'-C1'-N1	14.38	119.71	108.20
26	BB	67	U	O4'-C1'-N1	14.38	119.71	108.20
26	BB	582	A	N1-C2-N3	14.37	136.48	129.30
26	BB	2602	A	C8-N9-C4	-14.36	100.06	105.80
1	AA	279	A	C4-C5-C6	-14.36	109.82	117.00
1	AA	169	C	O4'-C1'-N1	14.35	119.68	108.20
1	AA	1448	C	N3-C4-C5	-14.35	116.16	121.90
1	AA	1271	A	C8-N9-C4	-14.33	100.07	105.80
26	BB	179	C	O4'-C1'-N1	14.33	119.67	108.20
26	BB	1925	C	C6-N1-C2	-14.33	114.57	120.30
26	BB	2492	U	O4'-C1'-N1	14.32	119.66	108.20
26	BB	978	G	C8-N9-C4	-14.32	100.67	106.40
1	AA	698	G	C2-N3-C4	14.31	119.05	111.90
26	BB	822	G	C4-C5-N7	-14.31	105.08	110.80
1	AA	221	C	O4'-C1'-N1	14.30	119.64	108.20
26	BB	2508	G	N9-C4-C5	14.31	111.12	105.40
26	BB	2115	G	N9-C4-C5	14.30	111.12	105.40
1	AA	545	C	C6-N1-C2	-14.30	114.58	120.30
26	BB	853	C	N3-C4-N4	14.29	128.00	118.00
26	BB	2050	C	N1-C2-O2	14.28	127.47	118.90
4	AD	14	A	N9-C4-C5	14.27	111.51	105.80
1	AA	803	G	C5-C6-O6	-14.26	120.04	128.60
41	BQ	15	ARG	NE-CZ-NH1	14.26	127.43	120.30
26	BB	2165	C	N3-C4-C5	-14.26	116.20	121.90
1	AA	832	G	C5-C6-O6	-14.26	120.05	128.60
26	BB	2581	G	N9-C4-C5	14.25	111.10	105.40
3	AC	29	G	N7-C8-N9	14.25	120.22	113.10
26	BB	2004	G	N3-C4-C5	-14.24	121.48	128.60
1	AA	310	G	C8-N9-C4	-14.24	100.70	106.40
1	AA	1134	G	C4-C5-C6	14.24	127.34	118.80
1	AA	779	C	C6-N1-C2	-14.23	114.61	120.30
42	BR	102	ARG	NE-CZ-NH2	14.22	127.41	120.30
1	AA	726	C	O4'-C1'-N1	14.22	119.58	108.20
26	BB	613	A	C4-C5-N7	-14.22	103.59	110.70
26	BB	64	A	N1-C2-N3	14.21	136.41	129.30
26	BB	2114	A	C2-N3-C4	14.17	117.69	110.60
26	BB	2282	G	C2-N3-C4	14.16	118.98	111.90
26	BB	718	A	N7-C8-N9	14.16	120.88	113.80
1	AA	63	C	N3-C4-C5	-14.15	116.24	121.90
13	AM	68	ARG	NE-CZ-NH2	-14.15	113.22	120.30
26	BB	674	G	N3-C4-C5	-14.15	121.53	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	3	G	O4'-C1'-N9	14.14	119.51	108.20
26	BB	276	U	C5-C6-N1	-14.14	115.63	122.70
1	AA	213	G	C8-N9-C4	-14.12	100.75	106.40
1	AA	889	A	N1-C2-N3	-14.11	122.25	129.30
26	BB	693	A	C8-N9-C4	-14.11	100.16	105.80
26	BB	239	C	C6-N1-C2	-14.11	114.66	120.30
1	AA	1459	G	N3-C4-C5	-14.10	121.55	128.60
1	AA	281	G	C4-C5-N7	-14.09	105.16	110.80
1	AA	1489	G	N3-C4-C5	-14.09	121.55	128.60
1	AA	773	G	O4'-C1'-N9	14.08	119.47	108.20
26	BB	2551	C	C6-N1-C2	-14.07	114.67	120.30
26	BB	1575	C	C6-N1-C2	-14.07	114.67	120.30
1	AA	1353	G	N9-C4-C5	14.04	111.02	105.40
1	AA	322	C	N1-C2-O2	14.04	127.32	118.90
26	BB	176	A	N1-C6-N6	-14.04	110.18	118.60
55	B4	27	ARG	NE-CZ-NH1	14.04	127.32	120.30
3	AC	51	C	C5-C4-N4	14.04	130.03	120.20
1	AA	944	G	N3-C4-C5	-14.03	121.59	128.60
4	AD	57	C	N1-C2-O2	14.02	127.31	118.90
26	BB	2133	G	C3'-C2'-C1'	14.02	112.71	101.50
26	BB	883	G	O4'-C1'-N9	14.01	119.41	108.20
12	AL	48	ARG	NE-CZ-NH2	-14.01	113.30	120.30
26	BB	74	A	C8-N9-C4	-14.01	100.20	105.80
26	BB	138	U	C2-N3-C4	-14.01	118.59	127.00
1	AA	484	G	C5-N7-C8	-14.01	97.30	104.30
26	BB	1672	A	C8-N9-C4	-14.00	100.20	105.80
26	BB	2223	G	N7-C8-N9	14.00	120.10	113.10
26	BB	1710	G	C2-N3-C4	14.00	118.90	111.90
26	BB	2239	G	C8-N9-C4	-13.99	100.80	106.40
1	AA	941	G	O4'-C1'-N9	13.99	119.39	108.20
1	AA	1106	G	C5-N7-C8	-13.98	97.31	104.30
26	BB	2881	U	C4-C5-C6	13.97	128.08	119.70
26	BB	1407	G	N3-C4-C5	-13.97	121.61	128.60
25	BA	78	A	C8-N9-C4	-13.97	100.21	105.80
1	AA	1033	G	C2-N3-C4	13.96	118.88	111.90
26	BB	633	A	O4'-C1'-N9	13.96	119.37	108.20
1	AA	419	C	C4-C5-C6	13.96	124.38	117.40
1	AA	705	G	C8-N9-C4	-13.96	100.82	106.40
25	BA	89	U	O4'-C1'-N1	13.96	119.37	108.20
36	BL	120	ARG	NE-CZ-NH1	-13.95	113.32	120.30
1	AA	619	U	N3-C2-O2	-13.95	112.43	122.20
26	BB	554	U	O4'-C1'-N1	13.95	119.36	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	147	G	O4'-C1'-N9	13.95	119.36	108.20
26	BB	2613	U	O4'-C1'-N1	13.95	119.36	108.20
1	AA	938	A	C5-C6-N1	13.95	124.67	117.70
26	BB	2318	G	N7-C8-N9	13.94	120.07	113.10
1	AA	242	G	C8-N9-C4	-13.94	100.82	106.40
24	AX	34	ARG	NE-CZ-NH2	-13.93	113.34	120.30
26	BB	2606	C	N3-C4-N4	13.92	127.75	118.00
26	BB	2223	G	C8-N9-C4	-13.92	100.83	106.40
26	BB	2100	G	C8-N9-C4	-13.91	100.84	106.40
1	AA	876	C	C2-N3-C4	13.91	126.85	119.90
26	BB	818	G	N3-C4-C5	-13.90	121.65	128.60
1	AA	1302	C	N1-C2-O2	13.90	127.24	118.90
26	BB	188	G	N3-C4-C5	-13.90	121.65	128.60
26	BB	2115	G	C8-N9-C4	-13.90	100.84	106.40
26	BB	2357	G	C2-N3-C4	13.88	118.84	111.90
26	BB	1521	G	O4'-C1'-N9	13.88	119.31	108.20
1	AA	346	G	N3-C4-N9	13.87	134.32	126.00
1	AA	310	G	N7-C8-N9	13.87	120.03	113.10
26	BB	275	C	N3-C4-C5	-13.86	116.36	121.90
1	AA	635	A	C2-N3-C4	-13.86	103.67	110.60
26	BB	1625	C	N1-C2-O2	13.85	127.21	118.90
31	BG	132	ARG	NE-CZ-NH1	-13.85	113.38	120.30
26	BB	861	A	N9-C4-C5	13.85	111.34	105.80
1	AA	1010	U	O4'-C1'-N1	13.84	119.27	108.20
6	AF	228	ARG	NE-CZ-NH2	-13.84	113.38	120.30
26	BB	1876	A	C8-N9-C4	-13.84	100.26	105.80
51	B0	23	ARG	NE-CZ-NH2	-13.84	113.38	120.30
26	BB	1906	G	N7-C8-N9	13.84	120.02	113.10
26	BB	843	G	C8-N9-C4	-13.84	100.86	106.40
26	BB	2186	G	N3-C4-C5	-13.84	121.68	128.60
26	BB	2697	G	N3-C4-C5	-13.83	121.68	128.60
26	BB	1259	G	C5-N7-C8	13.83	111.22	104.30
26	BB	1303	G	C8-N9-C4	-13.83	100.87	106.40
1	AA	1475	G	N1-C6-O6	13.82	128.19	119.90
26	BB	428	A	O4'-C1'-N9	13.82	119.26	108.20
26	BB	1110	G	N3-C2-N2	-13.81	110.23	119.90
26	BB	2636	C	C6-N1-C2	-13.81	114.78	120.30
1	AA	155	A	C8-N9-C4	-13.80	100.28	105.80
26	BB	155	A	N1-C2-N3	-13.79	122.41	129.30
1	AA	126	G	N9-C4-C5	13.78	110.91	105.40
2	AB	57	G	C5-C6-O6	-13.78	120.33	128.60
34	BJ	55	ARG	NE-CZ-NH2	-13.78	113.41	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	136	G	C2-N3-C4	13.78	118.79	111.90
26	BB	1486	U	O4'-C1'-N1	13.77	119.22	108.20
26	BB	1265	A	N1-C6-N6	-13.77	110.34	118.60
25	BA	82	U	O4'-C1'-N1	13.77	119.21	108.20
26	BB	940	G	C8-N9-C4	-13.76	100.89	106.40
25	BA	114	C	C6-N1-C2	-13.76	114.80	120.30
26	BB	1699	G	C4-C5-N7	-13.76	105.30	110.80
26	BB	198	C	C5-C6-N1	-13.76	114.12	121.00
26	BB	291	G	N3-C4-C5	-13.76	121.72	128.60
26	BB	2901	C	C5-C4-N4	-13.75	110.58	120.20
2	AB	44	G	N3-C4-C5	-13.74	121.73	128.60
45	BU	25	ARG	NE-CZ-NH1	13.74	127.17	120.30
26	BB	2699	C	O4'-C1'-N1	13.74	119.19	108.20
26	BB	651	G	C8-N9-C4	-13.74	100.90	106.40
1	AA	451	A	N9-C4-C5	13.73	111.29	105.80
1	AA	889	A	C5-N7-C8	-13.72	97.04	103.90
26	BB	1384	A	C4-C5-N7	-13.72	103.84	110.70
41	BQ	13	ARG	NE-CZ-NH2	-13.72	113.44	120.30
26	BB	473	G	N3-C4-C5	-13.72	121.74	128.60
1	AA	929	G	C8-N9-C4	-13.71	100.92	106.40
6	AF	87	ARG	NE-CZ-NH2	-13.70	113.45	120.30
26	BB	1708	C	C4-C5-C6	-13.70	110.55	117.40
26	BB	760	G	C8-N9-C4	-13.70	100.92	106.40
26	BB	2246	G	C8-N9-C4	-13.70	100.92	106.40
26	BB	204	A	N9-C4-C5	13.70	111.28	105.80
26	BB	642	U	N3-C4-O4	13.69	128.98	119.40
3	AC	48	C	O4'-C1'-N1	13.69	119.15	108.20
26	BB	1264	A	N7-C8-N9	13.69	120.64	113.80
26	BB	1784	A	O4'-C1'-N9	13.69	119.15	108.20
38	BN	126	ARG	NE-CZ-NH2	-13.67	113.46	120.30
1	AA	1223	C	N3-C4-C5	-13.67	116.43	121.90
1	AA	281	G	N9-C4-C5	13.67	110.87	105.40
26	BB	1045	C	N3-C4-C5	-13.66	116.43	121.90
26	BB	2564	A	O4'-C1'-N9	13.66	119.13	108.20
26	BB	1529	G	N3-C4-N9	13.66	134.19	126.00
1	AA	109	A	O4'-C1'-N9	13.65	119.12	108.20
1	AA	1276	G	C4-C5-N7	13.64	116.26	110.80
26	BB	1892	C	N1-C2-O2	13.63	127.08	118.90
26	BB	707	G	O4'-C1'-N9	13.62	119.10	108.20
13	AM	31	ARG	NE-CZ-NH1	13.62	127.11	120.30
3	AC	43	U	O4'-C1'-N1	13.61	119.09	108.20
26	BB	698	C	O4'-C1'-N1	13.61	119.09	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	289	G	C5-N7-C8	-13.61	97.50	104.30
1	AA	730	G	O4'-C1'-N9	13.61	119.08	108.20
1	AA	1195	C	N3-C4-C5	-13.60	116.46	121.90
26	BB	2442	C	O4'-C1'-N1	13.60	119.08	108.20
26	BB	2326	C	O4'-C1'-N1	13.59	119.07	108.20
26	BB	326	G	N9-C4-C5	13.59	110.84	105.40
26	BB	634	C	N3-C4-C5	-13.59	116.46	121.90
26	BB	52	A	C2-N3-C4	-13.58	103.81	110.60
26	BB	2434	A	C8-N9-C4	-13.58	100.37	105.80
1	AA	937	A	C8-N9-C4	-13.58	100.37	105.80
26	BB	2238	G	N3-C4-C5	-13.58	121.81	128.60
1	AA	54	C	O4'-C1'-N1	13.57	119.06	108.20
26	BB	2236	U	O4'-C1'-N1	13.57	119.05	108.20
26	BB	1428	C	C2-N3-C4	13.55	126.68	119.90
26	BB	1314	C	N1-C2-O2	13.55	127.03	118.90
1	AA	1424	U	N1-C2-N3	13.55	123.03	114.90
1	AA	422	C	C2-N3-C4	13.54	126.67	119.90
26	BB	2581	G	N7-C8-N9	13.54	119.87	113.10
26	BB	1867	G	C5-N7-C8	-13.53	97.53	104.30
26	BB	2645	G	N9-C4-C5	13.53	110.81	105.40
49	BY	13	ARG	NE-CZ-NH1	13.53	127.07	120.30
26	BB	1197	G	C8-N9-C4	-13.53	100.99	106.40
26	BB	1431	A	N1-C2-N3	-13.53	122.53	129.30
26	BB	2198	A	C8-N9-C4	-13.53	100.39	105.80
26	BB	541	A	C8-N9-C4	-13.53	100.39	105.80
1	AA	1453	G	O4'-C1'-N9	13.52	119.02	108.20
1	AA	337	G	N9-C4-C5	13.52	110.81	105.40
26	BB	142	A	N9-C4-C5	13.52	111.21	105.80
1	AA	890	G	C2-N3-C4	13.52	118.66	111.90
26	BB	472	A	O4'-C1'-N9	13.52	119.01	108.20
1	AA	1480	A	C2-N3-C4	13.51	117.36	110.60
25	BA	57	A	C8-N9-C4	-13.51	100.40	105.80
26	BB	690	G	C8-N9-C4	-13.51	101.00	106.40
26	BB	1906	G	C8-N9-C4	-13.51	101.00	106.40
26	BB	2481	G	C8-N9-C4	-13.51	101.00	106.40
26	BB	1473	G	N7-C8-N9	13.50	119.85	113.10
1	AA	1317	C	O4'-C1'-N1	13.49	118.99	108.20
26	BB	1819	A	O4'-C1'-N9	13.49	118.99	108.20
26	BB	1452	G	N7-C8-N9	13.49	119.84	113.10
3	AC	55	A	C2-N3-C4	13.48	117.34	110.60
26	BB	2117	A	N9-C4-C5	13.48	111.19	105.80
26	BB	2477	U	C5'-C4'-O4'	13.48	125.27	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1248	G	N7-C8-N9	13.47	119.84	113.10
1	AA	15	G	N9-C4-C5	13.47	110.79	105.40
1	AA	1188	A	C2-N3-C4	13.47	117.33	110.60
26	BB	759	G	C8-N9-C4	-13.46	101.01	106.40
26	BB	264	C	O4'-C1'-N1	13.46	118.97	108.20
26	BB	926	G	N1-C6-O6	13.46	127.98	119.90
26	BB	2509	G	C4-C5-N7	-13.46	105.42	110.80
26	BB	2860	A	C8-N9-C4	-13.45	100.42	105.80
26	BB	597	G	N3-C4-C5	-13.45	121.88	128.60
1	AA	1536	C	N3-C4-C5	-13.44	116.52	121.90
26	BB	2780	G	N7-C8-N9	13.44	119.82	113.10
1	AA	1102	A	N1-C6-N6	13.44	126.66	118.60
1	AA	1411	C	O4'-C1'-N1	13.43	118.95	108.20
26	BB	1045	C	C2-N3-C4	13.43	126.62	119.90
51	B0	47	ARG	NE-CZ-NH2	13.43	127.01	120.30
1	AA	693	G	C8-N9-C4	-13.42	101.03	106.40
26	BB	428	A	C6-N1-C2	13.42	126.65	118.60
26	BB	1036	G	C8-N9-C4	-13.42	101.03	106.40
1	AA	628	G	N9-C4-C5	13.41	110.77	105.40
26	BB	88	G	C4-C5-N7	13.41	116.16	110.80
26	BB	105	C	N3-C4-C5	-13.40	116.54	121.90
1	AA	1109	C	C2-N3-C4	13.40	126.60	119.90
26	BB	805	G	O4'-C1'-N9	13.40	118.92	108.20
26	BB	1646	C	C2-N3-C4	13.40	126.60	119.90
26	BB	2510	C	C6-N1-C2	-13.39	114.94	120.30
26	BB	2819	G	C8-N9-C4	13.39	111.75	106.40
1	AA	520	A	N9-C4-C5	13.38	111.15	105.80
26	BB	656	G	C8-N9-C4	-13.38	101.05	106.40
1	AA	1304	G	C2-N3-C4	13.37	118.59	111.90
26	BB	2429	G	C4-C5-N7	-13.37	105.45	110.80
26	BB	2077	A	O4'-C1'-N9	13.37	118.89	108.20
26	BB	510	C	C5-C6-N1	13.37	127.68	121.00
26	BB	1905	C	O4'-C1'-N1	13.36	118.89	108.20
26	BB	551	G	C3'-C2'-C1'	-13.36	90.81	101.50
1	AA	746	A	O4'-C4'-C3'	13.36	117.36	104.00
26	BB	2059	A	C8-N9-C4	-13.36	100.46	105.80
1	AA	382	A	C5-N7-C8	13.35	110.58	103.90
26	BB	2648	G	O4'-C1'-N9	13.35	118.88	108.20
26	BB	2141	G	N9-C4-C5	13.35	110.74	105.40
26	BB	2183	A	C5-N7-C8	-13.35	97.23	103.90
26	BB	2556	C	N3-C4-C5	-13.35	116.56	121.90
25	BA	91	C	C1'-O4'-C4'	13.34	120.57	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	682	G	C8-N9-C4	-13.33	101.07	106.40
10	AJ	2	ARG	NE-CZ-NH1	13.32	126.96	120.30
37	BM	49	ARG	NE-CZ-NH1	-13.32	113.64	120.30
26	BB	1980	G	C8-N9-C4	-13.31	101.08	106.40
1	AA	1042	A	C8-N9-C4	-13.30	100.48	105.80
1	AA	1348	U	O4'-C1'-N1	13.30	118.84	108.20
30	BF	117	ARG	NE-CZ-NH1	13.30	126.95	120.30
26	BB	1632	A	C3'-C2'-C1'	13.29	112.14	101.50
26	BB	1178	C	O4'-C1'-N1	13.29	118.83	108.20
26	BB	2192	U	N1-C2-N3	13.28	122.87	114.90
1	AA	451	A	C8-N9-C4	-13.28	100.49	105.80
23	AW	73	ARG	NE-CZ-NH2	-13.26	113.67	120.30
25	BA	97	C	O4'-C1'-N1	13.26	118.81	108.20
26	BB	1264	A	C8-N9-C4	-13.26	100.50	105.80
26	BB	1893	C	C6-N1-C2	-13.26	115.00	120.30
26	BB	318	C	N3-C4-N4	13.26	127.28	118.00
26	BB	793	A	C4-C5-C6	-13.26	110.37	117.00
26	BB	833	A	C2-N3-C4	13.26	117.23	110.60
26	BB	1770	G	C5-N7-C8	13.26	110.93	104.30
26	BB	77	G	N3-C4-C5	-13.25	121.97	128.60
26	BB	1370	C	C6-N1-C2	-13.25	115.00	120.30
26	BB	2048	G	C2-N3-C4	13.25	118.52	111.90
1	AA	1326	U	O4'-C1'-N1	13.24	118.80	108.20
1	AA	1523	G	C2-N3-C4	13.24	118.52	111.90
26	BB	807	U	O4'-C1'-N1	13.24	118.79	108.20
26	BB	708	G	O4'-C1'-N9	13.24	118.79	108.20
26	BB	2254	C	N3-C4-C5	-13.23	116.61	121.90
1	AA	1365	G	C8-N9-C4	-13.23	101.11	106.40
1	AA	1369	C	O4'-C1'-N1	13.22	118.78	108.20
26	BB	1666	G	C6-N1-C2	-13.22	117.17	125.10
1	AA	399	G	C6-C5-N7	-13.22	122.47	130.40
36	BL	120	ARG	NE-CZ-NH2	13.22	126.91	120.30
1	AA	1087	G	C4-C5-N7	-13.22	105.51	110.80
26	BB	2697	G	C2-N3-C4	13.21	118.50	111.90
1	AA	422	C	N3-C4-C5	-13.21	116.62	121.90
1	AA	276	G	N9-C4-C5	-13.20	100.12	105.40
1	AA	366	A	C8-N9-C4	-13.20	100.52	105.80
26	BB	326	G	C8-N9-C4	-13.20	101.12	106.40
26	BB	2044	C	O4'-C1'-N1	13.20	118.76	108.20
26	BB	2811	G	C4-C5-N7	-13.19	105.53	110.80
1	AA	622	A	C8-N9-C4	-13.18	100.53	105.80
3	AC	29	G	C8-N9-C4	-13.18	101.13	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1323	C	C6-N1-C2	-13.18	115.03	120.30
25	BA	92	C	O4'-C1'-N1	13.18	118.75	108.20
1	AA	17	U	O4'-C1'-N1	13.18	118.74	108.20
1	AA	122	G	O4'-C1'-N9	13.18	118.74	108.20
26	BB	718	A	C8-N9-C4	-13.18	100.53	105.80
26	BB	1616	A	C5-C6-N1	13.18	124.29	117.70
26	BB	2635	A	O4'-C1'-N9	13.18	118.74	108.20
3	AC	28	U	O4'-C1'-N1	13.17	118.74	108.20
1	AA	619	U	N1-C2-N3	13.17	122.80	114.90
26	BB	2280	G	N3-C4-C5	-13.17	122.02	128.60
26	BB	1197	G	C2-N3-C4	13.16	118.48	111.90
1	AA	540	G	C8-N9-C4	-13.16	101.14	106.40
26	BB	1235	G	N9-C4-C5	13.16	110.66	105.40
26	BB	2237	G	O4'-C1'-N9	13.15	118.72	108.20
26	BB	1813	G	C2-N3-C4	13.15	118.48	111.90
26	BB	2279	G	N9-C4-C5	13.15	110.66	105.40
26	BB	447	A	N1-C2-N3	13.15	135.88	129.30
1	AA	879	C	C4-C5-C6	-13.14	110.83	117.40
26	BB	1499	C	C5-C6-N1	-13.14	114.43	121.00
26	BB	2097	A	C8-N9-C4	-13.14	100.54	105.80
39	BO	10	ARG	NE-CZ-NH1	-13.14	113.73	120.30
1	AA	106	C	N3-C4-N4	13.14	127.20	118.00
4	AD	1	C	C6-N1-C2	-13.14	115.04	120.30
1	AA	1390	U	C5-C4-O4	13.13	133.78	125.90
26	BB	1451	C	N3-C4-C5	-13.13	116.65	121.90
26	BB	848	C	C5-C4-N4	-13.13	111.01	120.20
26	BB	2857	G	O4'-C1'-N9	13.12	118.70	108.20
26	BB	2048	G	N3-C4-C5	-13.12	122.04	128.60
26	BB	1305	C	N1-C2-O2	13.12	126.77	118.90
26	BB	2626	C	N3-C4-C5	-13.12	116.65	121.90
1	AA	1178	G	N9-C4-C5	13.11	110.65	105.40
26	BB	1622	G	C5-C6-O6	-13.11	120.73	128.60
26	BB	2536	G	N3-C4-C5	-13.11	122.05	128.60
26	BB	2539	C	N3-C4-C5	-13.11	116.66	121.90
26	BB	575	A	C1'-O4'-C4'	-13.10	99.42	109.90
1	AA	1122	U	N1-C2-N3	13.10	122.76	114.90
26	BB	2128	G	N3-C4-N9	13.09	133.86	126.00
26	BB	1708	C	C5-C6-N1	13.09	127.55	121.00
26	BB	2350	C	O4'-C1'-N1	13.09	118.67	108.20
1	AA	802	A	C8-N9-C4	-13.08	100.57	105.80
26	BB	2453	A	N7-C8-N9	13.08	120.34	113.80
1	AA	1062	U	O4'-C1'-N1	13.08	118.66	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	AD	43	G	C8-N9-C4	-13.08	101.17	106.40
26	BB	1224	U	O4'-C1'-N1	13.07	118.66	108.20
26	BB	2165	C	N3-C2-O2	-13.07	112.75	121.90
26	BB	1664	A	N7-C8-N9	13.06	120.33	113.80
26	BB	1555	G	C4-C5-N7	-13.06	105.58	110.80
1	AA	1188	A	C8-N9-C4	-13.06	100.58	105.80
26	BB	556	A	C4-C5-C6	13.06	123.53	117.00
1	AA	1099	G	N7-C8-N9	13.06	119.63	113.10
51	B0	7	ARG	NE-CZ-NH2	-13.05	113.78	120.30
1	AA	518	C	O4'-C1'-N1	13.04	118.64	108.20
1	AA	816	A	O4'-C1'-N9	13.05	118.64	108.20
26	BB	1331	G	C2-N3-C4	13.04	118.42	111.90
1	AA	1275	A	C5-N7-C8	13.04	110.42	103.90
1	AA	1175	G	N1-C2-N3	-13.03	116.08	123.90
1	AA	167	A	C8-N9-C4	-13.03	100.59	105.80
2	AB	42	G	C6-N1-C2	-13.03	117.28	125.10
26	BB	2234	G	C8-N9-C4	-13.03	101.19	106.40
1	AA	1006	G	N7-C8-N9	13.03	119.61	113.10
1	AA	568	G	C8-N9-C4	-13.02	101.19	106.40
26	BB	901	C	C2-N3-C4	13.02	126.41	119.90
26	BB	263	G	O4'-C1'-N9	13.02	118.61	108.20
2	AB	40	C	O4'-C1'-N1	13.01	118.61	108.20
26	BB	2545	G	N9-C4-C5	13.01	110.60	105.40
1	AA	599	C	C2-N3-C4	-13.01	113.39	119.90
31	BG	109	ARG	NE-CZ-NH2	-13.01	113.80	120.30
26	BB	1324	G	O4'-C1'-N9	13.00	118.60	108.20
1	AA	1318	A	N7-C8-N9	12.99	120.30	113.80
25	BA	69	G	N9-C4-C5	12.99	110.60	105.40
1	AA	387	U	O4'-C1'-N1	12.99	118.59	108.20
26	BB	252	G	O4'-C1'-N9	12.98	118.59	108.20
26	BB	1104	C	N3-C4-C5	-12.98	116.71	121.90
26	BB	1651	G	N3-C4-C5	-12.98	122.11	128.60
36	BL	35	ARG	NE-CZ-NH2	-12.98	113.81	120.30
26	BB	367	G	C6-C5-N7	-12.98	122.61	130.40
1	AA	361	G	N9-C4-C5	12.98	110.59	105.40
26	BB	1349	C	C6-N1-C2	-12.98	115.11	120.30
26	BB	1789	A	C8-N9-C4	-12.98	100.61	105.80
26	BB	2056	G	N9-C4-C5	12.98	110.59	105.40
32	BH	54	ARG	NE-CZ-NH1	-12.97	113.81	120.30
26	BB	2481	G	N9-C4-C5	12.97	110.59	105.40
31	BG	94	ARG	NE-CZ-NH1	12.97	126.78	120.30
26	BB	2443	C	N3-C4-C5	-12.97	116.71	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2095	A	N7-C8-N9	12.96	120.28	113.80
26	BB	2130	U	O4'-C1'-N1	12.96	118.57	108.20
26	BB	2155	U	C5-C6-N1	-12.96	116.22	122.70
26	BB	2257	U	O4'-C1'-N1	12.96	118.56	108.20
26	BB	2368	C	C5-C4-N4	-12.95	111.13	120.20
26	BB	2459	A	C8-N9-C4	-12.95	100.62	105.80
26	BB	400	G	C6-C5-N7	-12.95	122.63	130.40
26	BB	2755	C	C4-C5-C6	-12.95	110.93	117.40
26	BB	1674	G	O4'-C1'-N9	12.94	118.55	108.20
26	BB	552	U	N3-C2-O2	-12.94	113.14	122.20
26	BB	1491	G	C8-N9-C4	-12.93	101.23	106.40
26	BB	2242	G	C8-N9-C4	-12.93	101.23	106.40
4	AD	22	A	C8-N9-C4	-12.92	100.63	105.80
1	AA	980	C	N1-C2-O2	12.92	126.65	118.90
26	BB	1774	C	C5-C6-N1	12.91	127.45	121.00
26	BB	2103	C	N3-C4-N4	-12.91	108.96	118.00
1	AA	102	G	N7-C8-N9	12.91	119.55	113.10
1	AA	1088	G	N9-C4-C5	12.90	110.56	105.40
26	BB	2143	C	N1-C2-O2	12.90	126.64	118.90
26	BB	1474	U	C5-C6-N1	-12.90	116.25	122.70
26	BB	910	A	C2-N3-C4	12.90	117.05	110.60
1	AA	346	G	N3-C4-C5	-12.89	122.15	128.60
26	BB	1229	C	O4'-C1'-N1	12.89	118.51	108.20
26	BB	1357	C	C5-C6-N1	12.89	127.45	121.00
26	BB	2118	U	C1'-O4'-C4'	-12.89	99.59	109.90
2	AB	75	C	N3-C2-O2	-12.89	112.88	121.90
26	BB	1344	U	C2-N3-C4	-12.89	119.27	127.00
26	BB	2124	G	C4-C5-N7	-12.89	105.64	110.80
26	BB	2902	C	O4'-C1'-N1	12.89	118.51	108.20
1	AA	1210	C	C5-C6-N1	12.89	127.44	121.00
26	BB	2544	G	C8-N9-C4	-12.88	101.25	106.40
1	AA	523	A	C5-C6-N1	12.88	124.14	117.70
1	AA	794	A	O4'-C1'-N9	12.88	118.50	108.20
26	BB	222	A	N7-C8-N9	-12.88	107.36	113.80
25	BA	2	G	N3-C2-N2	-12.87	110.89	119.90
26	BB	2015	A	O4'-C1'-N9	12.87	118.49	108.20
26	BB	2266	A	C2-N3-C4	12.87	117.03	110.60
26	BB	385	C	N3-C2-O2	-12.87	112.89	121.90
26	BB	1705	A	N7-C8-N9	12.86	120.23	113.80
26	BB	1566	A	C8-N9-C4	12.86	110.94	105.80
26	BB	1130	U	C4-C5-C6	12.86	127.41	119.70
26	BB	732	C	O4'-C1'-N1	12.85	118.48	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1927	A	C8-N9-C4	-12.85	100.66	105.80
26	BB	1941	C	N1-C2-O2	12.85	126.61	118.90
26	BB	129	C	O4'-C1'-N1	12.85	118.48	108.20
26	BB	1856	U	C5-C4-O4	-12.85	118.19	125.90
26	BB	2275	C	O4'-C1'-N1	12.85	118.48	108.20
1	AA	616	G	N3-C2-N2	-12.84	110.91	119.90
26	BB	1987	A	C4-C5-N7	-12.84	104.28	110.70
1	AA	557	G	N3-C4-C5	-12.84	122.18	128.60
26	BB	259	G	C2-N3-C4	12.83	118.32	111.90
26	BB	1163	G	C8-N9-C4	-12.83	101.27	106.40
26	BB	2026	U	O4'-C1'-N1	12.83	118.46	108.20
1	AA	1286	U	O4'-C1'-N1	12.83	118.46	108.20
26	BB	2782	G	C8-N9-C4	-12.82	101.27	106.40
31	BG	149	ARG	NE-CZ-NH1	12.82	126.71	120.30
26	BB	1817	G	C8-N9-C4	-12.82	101.27	106.40
26	BB	2008	C	C6-N1-C2	-12.82	115.17	120.30
26	BB	2781	A	N1-C6-N6	12.82	126.29	118.60
1	AA	980	C	O4'-C1'-N1	12.81	118.45	108.20
2	AB	41	C	O4'-C1'-N1	12.81	118.45	108.20
26	BB	2113	U	O4'-C1'-N1	12.81	118.45	108.20
26	BB	2750	A	N1-C2-N3	12.80	135.70	129.30
26	BB	1916	A	C8-N9-C4	-12.80	100.68	105.80
26	BB	2215	C	O4'-C1'-N1	12.80	118.44	108.20
1	AA	1306	A	C8-N9-C4	-12.79	100.68	105.80
26	BB	125	A	C3'-C2'-C1'	12.79	111.74	101.50
1	AA	1122	U	C6-N1-C2	-12.79	113.32	121.00
25	BA	112	G	C5-C6-N1	12.79	117.89	111.50
25	BA	24	G	N9-C4-C5	12.78	110.51	105.40
26	BB	1140	C	N3-C4-C5	-12.77	116.79	121.90
26	BB	1197	G	N3-C4-C5	-12.77	122.22	128.60
26	BB	1459	G	O4'-C1'-N9	12.77	118.41	108.20
27	BC	60	ARG	NE-CZ-NH1	-12.76	113.92	120.30
26	BB	2317	A	C2-N3-C4	12.76	116.98	110.60
26	BB	1922	G	N7-C8-N9	12.76	119.48	113.10
26	BB	327	G	C8-N9-C4	-12.75	101.30	106.40
51	B0	7	ARG	NE-CZ-NH1	12.75	126.67	120.30
1	AA	600	A	C5-N7-C8	-12.75	97.53	103.90
1	AA	938	A	C4-C5-C6	-12.75	110.63	117.00
26	BB	191	A	C5-N7-C8	-12.75	97.53	103.90
1	AA	68	G	N7-C8-N9	12.74	119.47	113.10
1	AA	812	G	N3-C4-C5	-12.74	122.23	128.60
1	AA	900	A	C2-N3-C4	12.74	116.97	110.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
30	BF	67	ARG	NE-CZ-NH1	12.73	126.67	120.30
1	AA	776	G	C5-C6-N1	12.73	117.86	111.50
1	AA	1099	G	N9-C4-C5	12.73	110.49	105.40
26	BB	2694	G	C8-N9-C4	-12.72	101.31	106.40
1	AA	576	C	N1-C2-O2	12.72	126.53	118.90
26	BB	856	G	C5-N7-C8	-12.72	97.94	104.30
1	AA	111	G	C8-N9-C4	-12.72	101.31	106.40
26	BB	1750	G	N9-C4-C5	12.72	110.49	105.40
26	BB	2855	C	O4'-C1'-N1	12.72	118.38	108.20
26	BB	2052	A	C2-N3-C4	12.72	116.96	110.60
26	BB	2600	A	N1-C2-N3	-12.72	122.94	129.30
1	AA	424	G	N7-C8-N9	12.71	119.46	113.10
1	AA	1218	C	O4'-C1'-N1	12.71	118.37	108.20
26	BB	2626	C	N3-C4-N4	12.71	126.90	118.00
1	AA	690	G	O4'-C1'-N9	12.71	118.37	108.20
1	AA	1362	A	O4'-C1'-N9	12.71	118.37	108.20
26	BB	1611	C	C6-N1-C2	-12.70	115.22	120.30
26	BB	2391	G	N7-C8-N9	12.70	119.45	113.10
26	BB	2419	U	O4'-C1'-N1	12.70	118.36	108.20
26	BB	389	G	C2-N3-C4	12.70	118.25	111.90
1	AA	423	G	O4'-C1'-N9	12.70	118.36	108.20
26	BB	1568	G	C4-C5-N7	-12.69	105.72	110.80
26	BB	1954	G	O4'-C1'-N9	12.69	118.35	108.20
26	BB	1664	A	C5-N7-C8	-12.68	97.56	103.90
1	AA	1227	A	N1-C6-N6	-12.68	110.99	118.60
1	AA	1320	C	C6-N1-C2	-12.68	115.23	120.30
40	BP	22	ARG	NE-CZ-NH1	-12.68	113.96	120.30
26	BB	1212	G	N3-C4-C5	-12.67	122.27	128.60
1	AA	461	A	N9-C4-C5	12.67	110.87	105.80
26	BB	194	G	N9-C4-C5	12.66	110.47	105.40
1	AA	959	A	N9-C4-C5	-12.66	100.74	105.80
26	BB	165	A	C8-N9-C4	-12.66	100.74	105.80
1	AA	944	G	C2-N3-C4	12.65	118.22	111.90
1	AA	324	G	N3-C4-N9	12.65	133.59	126.00
26	BB	2842	G	N3-C4-C5	-12.64	122.28	128.60
26	BB	1733	G	N1-C6-O6	-12.64	112.32	119.90
26	BB	455	C	O4'-C1'-N1	-12.63	98.09	108.20
1	AA	369	G	N1-C6-O6	-12.62	112.33	119.90
1	AA	208	U	N1-C2-N3	12.62	122.47	114.90
26	BB	1941	C	C2-N3-C4	12.61	126.21	119.90
26	BB	447	A	C8-N9-C4	-12.61	100.75	105.80
26	BB	1638	C	N3-C4-N4	12.61	126.83	118.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1863	G	C8-N9-C4	-12.61	101.36	106.40
26	BB	1903	G	N9-C4-C5	12.61	110.44	105.40
26	BB	280	U	C5-C4-O4	-12.60	118.34	125.90
26	BB	2862	G	C8-N9-C4	-12.60	101.36	106.40
1	AA	241	G	N3-C4-N9	12.60	133.56	126.00
1	AA	761	G	C8-N9-C4	-12.60	101.36	106.40
1	AA	1369	C	N3-C4-C5	-12.59	116.86	121.90
26	BB	350	G	N9-C4-C5	12.59	110.44	105.40
2	AB	43	G	N3-C4-C5	-12.58	122.31	128.60
1	AA	691	G	C5-C6-N1	12.57	117.79	111.50
1	AA	502	A	C8-N9-C4	-12.57	100.77	105.80
26	BB	178	G	N7-C8-N9	12.56	119.38	113.10
26	BB	630	G	C2-N3-C4	12.56	118.18	111.90
26	BB	1422	G	C8-N9-C4	-12.56	101.38	106.40
1	AA	1013	G	N3-C4-C5	-12.56	122.32	128.60
26	BB	2125	G	C3'-C2'-C1'	-12.56	91.45	101.50
1	AA	10	A	N9-C4-C5	-12.55	100.78	105.80
26	BB	803	U	C5-C4-O4	12.56	133.43	125.90
26	BB	922	C	O4'-C1'-N1	12.55	118.24	108.20
26	BB	2436	G	N3-C4-C5	-12.54	122.33	128.60
26	BB	996	A	C4-C5-N7	-12.53	104.43	110.70
26	BB	250	G	C4-C5-N7	12.53	115.81	110.80
26	BB	2448	A	N1-C2-N3	-12.53	123.04	129.30
1	AA	1439	G	C6-C5-N7	-12.53	122.89	130.40
26	BB	1903	G	C4-C5-N7	-12.52	105.79	110.80
1	AA	1338	G	O4'-C1'-N9	12.52	118.22	108.20
26	BB	1179	G	N3-C2-N2	-12.52	111.14	119.90
1	AA	656	G	C8-N9-C4	-12.51	101.39	106.40
26	BB	677	A	N1-C2-N3	-12.51	123.04	129.30
1	AA	592	G	N9-C4-C5	12.51	110.41	105.40
19	AS	70	ARG	NE-CZ-NH2	-12.51	114.05	120.30
26	BB	141	G	C6-C5-N7	-12.51	122.89	130.40
26	BB	2008	C	C5-C6-N1	12.51	127.25	121.00
1	AA	324	G	N3-C4-C5	-12.51	122.35	128.60
1	AA	841	C	O4'-C1'-N1	12.51	118.20	108.20
1	AA	488	C	O4'-C1'-N1	12.50	118.20	108.20
26	BB	1948	G	O4'-C1'-N9	12.50	118.20	108.20
26	BB	2136	G	O4'-C1'-N9	12.49	118.19	108.20
1	AA	75	G	N3-C4-C5	-12.49	122.36	128.60
26	BB	163	C	O4'-C1'-N1	12.49	118.19	108.20
26	BB	1003	G	N9-C4-C5	12.49	110.39	105.40
26	BB	224	U	O4'-C1'-N1	12.49	118.19	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2556	C	C4-C5-C6	12.48	123.64	117.40
26	BB	2765	A	N1-C6-N6	-12.48	111.11	118.60
26	BB	2842	G	O4'-C1'-N9	12.48	118.18	108.20
1	AA	690	G	C8-N9-C4	-12.48	101.41	106.40
26	BB	289	G	C2-N3-C4	12.48	118.14	111.90
26	BB	926	G	N3-C2-N2	12.47	128.63	119.90
1	AA	297	G	C2-N3-C4	12.47	118.14	111.90
1	AA	778	G	C5-N7-C8	-12.47	98.06	104.30
1	AA	1459	G	C8-N9-C4	-12.47	101.41	106.40
26	BB	1657	U	C1'-O4'-C4'	-12.46	99.93	109.90
26	BB	446	G	N3-C4-C5	-12.46	122.37	128.60
26	BB	1196	C	N1-C2-O2	12.46	126.38	118.90
26	BB	2290	G	C5-C6-N1	12.46	117.73	111.50
26	BB	390	U	O4'-C1'-N1	12.46	118.17	108.20
26	BB	1515	A	O4'-C1'-N9	12.46	118.17	108.20
26	BB	731	C	O4'-C1'-N1	12.45	118.16	108.20
26	BB	2548	U	C1'-O4'-C4'	-12.46	99.94	109.90
1	AA	1523	G	N3-C2-N2	12.45	128.62	119.90
25	BA	2	G	O4'-C1'-N9	12.45	118.16	108.20
26	BB	2714	G	N7-C8-N9	12.45	119.33	113.10
31	BG	101	ARG	NE-CZ-NH1	-12.45	114.08	120.30
1	AA	774	G	O4'-C1'-N9	12.44	118.15	108.20
26	BB	1119	U	O4'-C1'-N1	12.44	118.15	108.20
1	AA	235	C	O4'-C1'-N1	12.44	118.15	108.20
1	AA	608	A	C2-N3-C4	12.44	116.82	110.60
4	AD	72	C	O4'-C1'-N1	12.44	118.15	108.20
26	BB	447	A	C2-N3-C4	-12.43	104.38	110.60
26	BB	1130	U	C5-C6-N1	-12.43	116.48	122.70
1	AA	88	U	O4'-C1'-N1	12.43	118.14	108.20
26	BB	2531	A	C8-N9-C4	-12.43	100.83	105.80
26	BB	2692	G	N9-C4-C5	-12.43	100.43	105.40
26	BB	2725	A	N1-C6-N6	-12.43	111.14	118.60
1	AA	713	G	C8-N9-C4	-12.42	101.43	106.40
15	AO	109	ARG	NE-CZ-NH2	-12.42	114.09	120.30
1	AA	241	G	C2-N3-C4	12.42	118.11	111.90
26	BB	1813	G	N9-C4-C5	12.41	110.37	105.40
26	BB	1832	C	O4'-C1'-N1	12.41	118.13	108.20
26	BB	2197	U	C6-N1-C2	-12.41	113.55	121.00
31	BG	82	TYR	CB-CG-CD1	-12.41	113.55	121.00
1	AA	1434	A	N1-C6-N6	-12.41	111.15	118.60
26	BB	1238	G	N3-C4-C5	-12.41	122.39	128.60
1	AA	1142	G	N7-C8-N9	12.41	119.30	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2092	U	C3'-C2'-C1'	12.40	111.42	101.50
1	AA	1198	G	N3-C4-C5	-12.40	122.40	128.60
17	AQ	40	ARG	NE-CZ-NH1	12.40	126.50	120.30
1	AA	1267	C	C5-C4-N4	-12.40	111.52	120.20
1	AA	361	G	C4-C5-N7	-12.39	105.84	110.80
26	BB	229	C	O4'-C1'-N1	12.39	118.12	108.20
26	BB	713	G	N3-C4-C5	-12.39	122.40	128.60
26	BB	2045	C	N1-C2-O2	12.39	126.33	118.90
26	BB	1948	G	C2-N3-C4	12.39	118.09	111.90
1	AA	481	G	N3-C4-C5	-12.38	122.41	128.60
25	BA	110	C	C6-N1-C2	-12.38	115.35	120.30
31	BG	29	ARG	NE-CZ-NH1	12.38	126.49	120.30
26	BB	2356	U	C4-C5-C6	12.38	127.13	119.70
1	AA	102	G	C8-N9-C4	-12.37	101.45	106.40
26	BB	1305	C	O4'-C1'-N1	12.37	118.10	108.20
26	BB	2141	G	C8-N9-C4	-12.37	101.45	106.40
26	BB	2641	G	O4'-C1'-N9	12.37	118.10	108.20
26	BB	1679	A	C6-C5-N7	-12.37	123.64	132.30
26	BB	2383	G	O4'-C1'-N9	12.37	118.10	108.20
1	AA	1413	A	C8-N9-C4	-12.37	100.85	105.80
26	BB	1576	U	N1-C2-N3	12.37	122.32	114.90
26	BB	414	C	O4'-C1'-N1	12.36	118.08	108.20
4	AD	12	G	C5-C6-O6	-12.35	121.19	128.60
26	BB	142	A	C8-N9-C4	-12.35	100.86	105.80
25	BA	11	C	N3-C4-N4	12.35	126.64	118.00
26	BB	1933	G	C4-C5-N7	-12.35	105.86	110.80
1	AA	898	G	C6-N1-C2	-12.34	117.69	125.10
1	AA	1540	U	N3-C4-O4	12.34	128.04	119.40
26	BB	1952	A	O4'-C1'-N9	12.34	118.07	108.20
1	AA	1187	G	N7-C8-N9	12.34	119.27	113.10
1	AA	1507	A	C8-N9-C4	-12.34	100.86	105.80
12	AL	48	ARG	NE-CZ-NH1	12.34	126.47	120.30
26	BB	1161	C	C6-N1-C2	-12.34	115.37	120.30
1	AA	675	A	C8-N9-C4	-12.33	100.87	105.80
26	BB	262	A	O4'-C1'-N9	12.33	118.06	108.20
26	BB	996	A	N9-C4-C5	12.33	110.73	105.80
26	BB	2128	G	C2-N3-C4	12.33	118.07	111.90
26	BB	2692	G	C4-C5-N7	12.33	115.73	110.80
26	BB	832	U	C5-C6-N1	-12.33	116.54	122.70
27	BC	134	ARG	NE-CZ-NH1	12.32	126.46	120.30
1	AA	1042	A	N7-C8-N9	12.32	119.96	113.80
1	AA	1234	C	C4-C5-C6	-12.32	111.24	117.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2472	G	C8-N9-C4	-12.32	101.47	106.40
26	BB	2209	G	N9-C4-C5	12.32	110.33	105.40
1	AA	922	G	C8-N9-C4	-12.31	101.47	106.40
1	AA	89	U	C4-C5-C6	12.31	127.09	119.70
26	BB	607	U	C4-C5-C6	12.31	127.09	119.70
1	AA	1480	A	N1-C2-N3	-12.31	123.15	129.30
2	AB	3	G	C8-N9-C4	-12.31	101.48	106.40
26	BB	659	G	C5-C6-N1	12.30	117.65	111.50
25	BA	36	C	C6-N1-C2	12.30	125.22	120.30
26	BB	579	G	C4-C5-N7	-12.30	105.88	110.80
26	BB	1141	U	N1-C2-N3	12.30	122.28	114.90
26	BB	1455	G	N1-C6-O6	-12.30	112.52	119.90
53	B2	49	ARG	NE-CZ-NH1	12.30	126.45	120.30
1	AA	322	C	N3-C2-O2	-12.30	113.29	121.90
1	AA	22	G	N7-C8-N9	12.30	119.25	113.10
1	AA	791	G	O4'-C1'-N9	12.30	118.04	108.20
26	BB	1990	C	O4'-C1'-N1	12.29	118.04	108.20
1	AA	1277	C	C6-N1-C2	-12.29	115.38	120.30
25	BA	93	C	C5-C4-N4	-12.29	111.60	120.20
26	BB	556	A	N7-C8-N9	-12.29	107.66	113.80
26	BB	2848	G	N1-C6-O6	-12.29	112.53	119.90
1	AA	1188	A	N9-C4-C5	12.29	110.72	105.80
1	AA	1205	U	C5-C6-N1	-12.29	116.56	122.70
26	BB	2528	U	O4'-C1'-N1	12.29	118.03	108.20
4	AD	7	G	C8-N9-C4	-12.29	101.48	106.40
1	AA	973	G	N3-C4-N9	12.28	133.37	126.00
26	BB	520	G	C4-C5-N7	-12.29	105.89	110.80
26	BB	893	C	C4-C5-C6	-12.28	111.26	117.40
1	AA	205	A	C8-N9-C4	-12.28	100.89	105.80
1	AA	1469	C	N1-C2-O2	12.28	126.27	118.90
26	BB	1259	G	C4-C5-N7	-12.28	105.89	110.80
1	AA	690	G	N9-C4-C5	12.28	110.31	105.40
26	BB	2058	A	C5-C6-N6	-12.28	113.88	123.70
1	AA	1456	A	N1-C2-N3	12.28	135.44	129.30
1	AA	1292	G	C2-N3-C4	12.27	118.04	111.90
10	AJ	176	TYR	CB-CG-CD2	-12.27	113.64	121.00
26	BB	98	G	C6-C5-N7	-12.27	123.04	130.40
26	BB	926	G	C2-N3-C4	12.27	118.04	111.90
26	BB	1238	G	N1-C2-N3	12.27	131.26	123.90
26	BB	629	G	N7-C8-N9	12.27	119.23	113.10
26	BB	1421	G	C2-N3-C4	12.27	118.03	111.90
3	AC	52	U	O4'-C1'-N1	12.26	118.01	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2573	C	O4'-C1'-N1	12.26	118.01	108.20
26	BB	1692	U	C5-C6-N1	-12.26	116.57	122.70
26	BB	2679	A	C8-N9-C4	-12.26	100.89	105.80
25	BA	69	G	C8-N9-C4	-12.26	101.50	106.40
1	AA	1416	G	N1-C6-O6	-12.26	112.55	119.90
26	BB	2294	G	C8-N9-C4	-12.26	101.50	106.40
1	AA	1396	A	N1-C6-N6	-12.26	111.25	118.60
26	BB	1250	G	N3-C4-C5	-12.26	122.47	128.60
26	BB	2221	G	N7-C8-N9	12.26	119.23	113.10
26	BB	2505	G	N7-C8-N9	-12.26	106.97	113.10
1	AA	733	G	C5-C6-O6	12.25	135.95	128.60
1	AA	484	G	N7-C8-N9	12.25	119.22	113.10
1	AA	1000	A	O4'-C1'-N9	12.25	118.00	108.20
1	AA	595	A	C8-N9-C4	-12.25	100.90	105.80
26	BB	425	G	C8-N9-C4	-12.25	101.50	106.40
1	AA	39	G	N1-C6-O6	-12.24	112.55	119.90
26	BB	1328	A	C8-N9-C4	-12.24	100.90	105.80
26	BB	1979	U	C5-C4-O4	-12.24	118.56	125.90
26	BB	2347	C	C6-N1-C2	12.24	125.20	120.30
26	BB	2042	A	N1-C6-N6	-12.24	111.26	118.60
8	AH	44	ARG	NE-CZ-NH2	12.23	126.42	120.30
26	BB	2326	C	C2-N3-C4	-12.23	113.78	119.90
26	BB	1980	G	N9-C4-C5	12.23	110.29	105.40
1	AA	371	A	N9-C4-C5	12.23	110.69	105.80
3	AC	51	C	N3-C4-N4	-12.22	109.44	118.00
26	BB	421	C	O4'-C1'-N1	12.22	117.98	108.20
26	BB	1085	A	O4'-C1'-N9	12.22	117.97	108.20
26	BB	1713	A	N1-C6-N6	12.22	125.93	118.60
26	BB	2672	U	O4'-C1'-N1	12.22	117.97	108.20
1	AA	1367	C	N3-C4-C5	-12.21	117.02	121.90
25	BA	88	C	O4'-C1'-N1	12.21	117.97	108.20
26	BB	47	C	C2-N3-C4	12.21	126.01	119.90
1	AA	1397	C	N1-C2-O2	12.21	126.22	118.90
26	BB	2079	U	C5-C6-N1	-12.21	116.60	122.70
3	AC	32	U	O4'-C1'-N1	12.21	117.96	108.20
26	BB	2056	G	C4-C5-N7	-12.21	105.92	110.80
26	BB	2361	G	N9-C4-C5	12.21	110.28	105.40
1	AA	1165	U	O4'-C1'-N1	12.20	117.96	108.20
1	AA	1061	G	N7-C8-N9	12.20	119.20	113.10
26	BB	1171	G	N3-C2-N2	-12.20	111.36	119.90
26	BB	1159	U	C5-C4-O4	-12.19	118.58	125.90
3	AC	17	U	O4'-C1'-N1	12.19	117.95	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1413	A	O4'-C1'-N9	12.19	117.95	108.20
1	AA	1106	G	C2-N3-C4	12.19	118.00	111.90
26	BB	1135	C	C1'-O4'-C4'	-12.19	100.15	109.90
1	AA	284	C	N3-C2-O2	-12.19	113.37	121.90
1	AA	580	C	N3-C4-C5	-12.19	117.03	121.90
26	BB	350	G	C8-N9-C4	-12.18	101.53	106.40
26	BB	1987	A	C5-N7-C8	12.17	109.99	103.90
26	BB	2653	U	O4'-C1'-N1	12.17	117.94	108.20
26	BB	1008	A	O4'-C1'-N9	12.17	117.94	108.20
26	BB	2141	G	N3-C4-C5	-12.17	122.51	128.60
26	BB	1482	G	C4-C5-N7	12.17	115.67	110.80
26	BB	902	C	C6-N1-C2	-12.16	115.44	120.30
26	BB	972	A	N9-C4-C5	12.16	110.66	105.80
26	BB	2018	G	C2-N3-C4	12.16	117.98	111.90
1	AA	30	U	C5-C4-O4	-12.15	118.61	125.90
1	AA	372	C	C5-C6-N1	12.15	127.08	121.00
1	AA	1497	G	O4'-C1'-N9	12.15	117.92	108.20
21	AU	42	ARG	NE-CZ-NH2	-12.15	114.23	120.30
26	BB	665	U	O4'-C1'-N1	12.14	117.92	108.20
26	BB	2565	A	C8-N9-C4	-12.14	100.94	105.80
7	AG	2	ARG	NE-CZ-NH2	-12.14	114.23	120.30
56	B5	33	ARG	NE-CZ-NH2	12.14	126.37	120.30
9	AI	25	TYR	CB-CG-CD1	12.14	128.28	121.00
26	BB	1787	A	N7-C8-N9	12.13	119.87	113.80
26	BB	40	U	C5-C6-N1	-12.13	116.63	122.70
26	BB	2667	C	N1-C2-O2	12.13	126.18	118.90
1	AA	319	G	C8-N9-C4	-12.13	101.55	106.40
26	BB	689	A	N1-C2-N3	-12.13	123.23	129.30
1	AA	1106	G	C4-C5-N7	12.13	115.65	110.80
1	AA	365	U	O4'-C1'-N1	12.12	117.90	108.20
2	AB	68	C	O4'-C1'-N1	12.12	117.90	108.20
1	AA	381	C	C5-C6-N1	12.12	127.06	121.00
26	BB	2103	C	C5-C4-N4	12.12	128.69	120.20
1	AA	1534	A	N1-C2-N3	-12.12	123.24	129.30
26	BB	196	A	C1'-O4'-C4'	-12.11	100.21	109.90
26	BB	2210	U	O4'-C1'-N1	12.11	117.89	108.20
26	BB	2237	G	N3-C2-N2	12.11	128.38	119.90
1	AA	319	G	N7-C8-N9	12.11	119.16	113.10
26	BB	656	G	N3-C2-N2	-12.10	111.43	119.90
26	BB	1400	U	O4'-C1'-N1	12.10	117.88	108.20
26	BB	2804	U	C2-N3-C4	-12.10	119.74	127.00
26	BB	170	U	O4'-C1'-N1	12.09	117.87	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	703	U	C4'-C3'-C2'	12.09	114.69	102.60
1	AA	1333	A	N1-C6-N6	-12.09	111.35	118.60
3	AC	55	A	N1-C2-N3	-12.09	123.25	129.30
26	BB	2261	C	N3-C4-C5	-12.09	117.06	121.90
1	AA	237	G	C5-C6-O6	-12.09	121.35	128.60
26	BB	476	G	N3-C4-C5	-12.09	122.56	128.60
3	AC	35	G	C8-N9-C4	-12.08	101.57	106.40
26	BB	1235	G	C8-N9-C4	-12.08	101.57	106.40
26	BB	1728	C	N3-C4-C5	-12.08	117.07	121.90
26	BB	1055	G	C2-N3-C4	12.08	117.94	111.90
26	BB	1149	G	C8-N9-C4	-12.08	101.57	106.40
26	BB	2833	U	O4'-C1'-N1	12.07	117.86	108.20
1	AA	1280	A	N7-C8-N9	-12.07	107.77	113.80
25	BA	46	A	N1-C2-N3	-12.07	123.27	129.30
26	BB	1246	A	C2-N3-C4	12.06	116.63	110.60
1	AA	984	C	C5-C6-N1	12.06	127.03	121.00
1	AA	731	G	N3-C4-C5	-12.05	122.57	128.60
38	BN	126	ARG	NE-CZ-NH1	12.06	126.33	120.30
1	AA	1200	C	N1-C2-O2	12.05	126.13	118.90
26	BB	1104	C	C2-N3-C4	12.05	125.93	119.90
1	AA	1169	A	C6-C5-N7	12.05	140.74	132.30
26	BB	1097	U	O4'-C1'-N1	12.05	117.84	108.20
26	BB	1766	G	C4-C5-N7	12.05	115.62	110.80
26	BB	2602	A	N7-C8-N9	12.05	119.82	113.80
1	AA	21	G	N3-C4-C5	-12.05	122.58	128.60
26	BB	2278	A	N1-C6-N6	12.04	125.83	118.60
1	AA	596	A	N9-C4-C5	12.04	110.62	105.80
26	BB	1867	G	C6-C5-N7	-12.04	123.17	130.40
26	BB	2559	C	N1-C2-O2	12.04	126.12	118.90
26	BB	111	A	N1-C6-N6	12.04	125.82	118.60
2	AB	35	C	C5-C4-N4	-12.04	111.77	120.20
1	AA	1378	C	N1-C2-O2	12.03	126.12	118.90
1	AA	352	C	C5-C6-N1	12.03	127.01	121.00
26	BB	1173	U	C5-C6-N1	-12.03	116.69	122.70
1	AA	127	G	C8-N9-C4	-12.03	101.59	106.40
1	AA	1415	G	N9-C4-C5	12.03	110.21	105.40
26	BB	1943	U	N3-C2-O2	-12.03	113.78	122.20
26	BB	2692	G	O4'-C1'-N9	12.02	117.82	108.20
26	BB	2009	A	N1-C6-N6	12.02	125.81	118.60
25	BA	24	G	C4-C5-N7	-12.02	105.99	110.80
26	BB	2209	G	C8-N9-C4	-12.02	101.59	106.40
26	BB	416	U	O4'-C1'-N1	12.01	117.81	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2819	G	N3-C4-N9	12.01	133.20	126.00
25	BA	24	G	C1'-O4'-C4'	12.00	119.50	109.90
1	AA	1372	U	O4'-C1'-N1	12.00	117.80	108.20
26	BB	2242	G	C5-N7-C8	-12.00	98.30	104.30
1	AA	606	G	N9-C4-C5	12.00	110.20	105.40
26	BB	253	C	N3-C4-C5	-12.00	117.10	121.90
26	BB	1936	A	C2-N3-C4	12.00	116.60	110.60
26	BB	2732	G	C4-C5-N7	-11.99	106.00	110.80
25	BA	11	C	O4'-C1'-N1	11.99	117.79	108.20
26	BB	2510	C	N3-C4-C5	-11.99	117.11	121.90
1	AA	600	A	N7-C8-N9	11.98	119.79	113.80
26	BB	739	A	O4'-C1'-N9	11.98	117.79	108.20
26	BB	926	G	N3-C4-C5	-11.98	122.61	128.60
1	AA	1510	C	O4'-C1'-N1	11.98	117.79	108.20
26	BB	1047	G	N3-C4-C5	-11.97	122.61	128.60
5	AE	6	ARG	NE-CZ-NH1	11.97	126.28	120.30
26	BB	302	C	O4'-C1'-N1	11.96	117.77	108.20
26	BB	1784	A	C8-N9-C4	-11.96	101.02	105.80
26	BB	1496	A	C8-N9-C4	-11.96	101.02	105.80
25	BA	97	C	C5-C6-N1	-11.95	115.02	121.00
26	BB	279	A	O4'-C1'-N9	11.95	117.76	108.20
26	BB	299	A	O4'-C1'-N9	11.95	117.76	108.20
26	BB	805	G	C4-C5-N7	-11.95	106.02	110.80
1	AA	1426	G	C4-C5-N7	-11.95	106.02	110.80
26	BB	468	G	N3-C2-N2	-11.95	111.54	119.90
26	BB	2087	G	N3-C2-N2	-11.95	111.54	119.90
1	AA	1458	G	O4'-C1'-N9	11.94	117.75	108.20
26	BB	1069	A	C8-N9-C4	-11.94	101.02	105.80
26	BB	1179	G	N9-C4-C5	-11.94	100.62	105.40
1	AA	876	C	O4'-C1'-N1	11.94	117.75	108.20
26	BB	68	G	C5-C6-O6	-11.94	121.44	128.60
1	AA	628	G	C4-C5-N7	-11.93	106.03	110.80
26	BB	43	G	C8-N9-C4	-11.93	101.63	106.40
26	BB	1839	G	N3-C4-C5	-11.93	122.64	128.60
26	BB	295	G	N9-C4-C5	11.93	110.17	105.40
13	AM	72	ARG	NE-CZ-NH1	11.93	126.26	120.30
26	BB	740	C	N1-C2-O2	11.92	126.05	118.90
26	BB	2649	C	N3-C4-N4	11.92	126.35	118.00
26	BB	354	A	N9-C4-C5	11.92	110.57	105.80
1	AA	581	G	N9-C4-C5	-11.92	100.63	105.40
26	BB	2447	G	O4'-C1'-N9	11.92	117.74	108.20
26	BB	160	A	C8-N9-C4	11.92	110.57	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2391	G	N1-C6-O6	-11.92	112.75	119.90
1	AA	388	G	N3-C4-C5	-11.91	122.64	128.60
22	AV	54	ARG	NE-CZ-NH2	-11.91	114.34	120.30
26	BB	2876	G	C4-C5-N7	-11.91	106.04	110.80
1	AA	761	G	N7-C8-N9	11.90	119.05	113.10
26	BB	2587	A	O4'-C1'-N9	11.90	117.72	108.20
26	BB	1770	G	C4-C5-N7	-11.90	106.04	110.80
1	AA	752	G	C2-N3-C4	11.90	117.85	111.90
1	AA	142	G	O4'-C1'-N9	11.89	117.71	108.20
1	AA	721	G	N3-C4-C5	-11.88	122.66	128.60
26	BB	2324	U	O4'-C1'-N1	11.88	117.71	108.20
1	AA	1002	G	N3-C4-C5	-11.88	122.66	128.60
26	BB	592	A	C2-N3-C4	11.88	116.54	110.60
2	AB	49	G	O4'-C1'-N9	11.88	117.70	108.20
26	BB	1998	A	C5-N7-C8	11.88	109.84	103.90
26	BB	1663	G	C5-N7-C8	-11.87	98.36	104.30
26	BB	1871	A	N1-C2-N3	-11.87	123.36	129.30
26	BB	308	G	C5-C6-O6	-11.87	121.48	128.60
26	BB	2491	U	O4'-C1'-N1	11.87	117.69	108.20
1	AA	430	A	C8-N9-C4	-11.86	101.06	105.80
26	BB	1840	G	C5-C6-N1	11.86	117.43	111.50
3	AC	22	G	P-O3'-C3'	11.86	133.93	119.70
26	BB	2356	U	N3-C4-C5	-11.85	107.49	114.60
1	AA	420	U	N3-C4-O4	11.85	127.69	119.40
25	BA	34	A	N7-C8-N9	11.85	119.72	113.80
26	BB	534	U	N3-C2-O2	-11.85	113.91	122.20
1	AA	479	U	O4'-C1'-N1	11.85	117.68	108.20
34	BJ	52	ARG	NE-CZ-NH2	-11.84	114.38	120.30
26	BB	1868	C	C4-C5-C6	11.84	123.32	117.40
1	AA	45	G	C2-N3-C4	11.84	117.82	111.90
1	AA	995	C	N3-C4-C5	-11.84	117.17	121.90
12	AL	6	TYR	CB-CG-CD2	-11.83	113.90	121.00
1	AA	290	C	N3-C4-N4	11.83	126.28	118.00
1	AA	1268	G	O4'-C1'-N9	11.83	117.66	108.20
26	BB	910	A	N1-C2-N3	-11.83	123.39	129.30
26	BB	2107	G	N3-C4-C5	-11.83	122.69	128.60
1	AA	723	U	C5-C6-N1	-11.82	116.79	122.70
26	BB	104	A	N7-C8-N9	11.82	119.71	113.80
26	BB	1660	G	N9-C4-C5	11.82	110.13	105.40
26	BB	341	C	C5-C4-N4	-11.82	111.92	120.20
1	AA	1511	G	N7-C8-N9	11.82	119.01	113.10
26	BB	2556	C	O4'-C1'-N1	11.82	117.66	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1431	A	C4-C5-N7	-11.82	104.79	110.70
26	BB	833	A	N1-C2-N3	-11.82	123.39	129.30
26	BB	611	C	O4'-C1'-N1	11.82	117.65	108.20
26	BB	1376	C	N3-C4-N4	11.82	126.27	118.00
26	BB	2900	A	C5-N7-C8	-11.81	98.00	103.90
26	BB	220	G	C8-N9-C4	-11.80	101.68	106.40
26	BB	1930	G	C4-C5-N7	-11.81	106.08	110.80
26	BB	2117	A	C4-C5-N7	-11.80	104.80	110.70
26	BB	2355	G	N3-C4-C5	-11.81	122.70	128.60
1	AA	1353	G	O4'-C1'-N9	11.80	117.64	108.20
26	BB	841	G	O4'-C1'-N9	11.80	117.64	108.20
28	BD	181	ARG	NE-CZ-NH1	11.80	126.20	120.30
26	BB	2006	C	N3-C4-C5	-11.80	117.18	121.90
26	BB	1588	G	C8-N9-C4	-11.79	101.68	106.40
1	AA	870	U	O4'-C1'-N1	11.79	117.63	108.20
26	BB	341	C	N3-C4-N4	11.79	126.25	118.00
26	BB	2237	G	N1-C2-N3	-11.78	116.83	123.90
1	AA	69	G	C3'-C2'-C1'	11.78	110.92	101.50
1	AA	272	C	C5'-C4'-O4'	11.78	123.23	109.10
26	BB	634	C	C2-N3-C4	11.78	125.79	119.90
26	BB	2132	U	O4'-C1'-N1	11.78	117.62	108.20
26	BB	2207	C	C5-C6-N1	-11.78	115.11	121.00
1	AA	529	G	C4-C5-N7	-11.78	106.09	110.80
26	BB	88	G	C6-C5-N7	-11.78	123.33	130.40
26	BB	1414	C	C6-N1-C2	-11.78	115.59	120.30
26	BB	1628	G	C2-N3-C4	11.78	117.79	111.90
26	BB	116	C	O4'-C1'-N1	11.77	117.62	108.20
26	BB	350	G	C4-C5-N7	-11.77	106.09	110.80
26	BB	1090	A	O4'-C1'-N9	11.77	117.62	108.20
26	BB	240	C	N1-C2-O2	11.77	125.96	118.90
26	BB	146	A	O4'-C1'-N9	11.77	117.61	108.20
26	BB	1417	C	N3-C4-C5	-11.77	117.19	121.90
26	BB	1909	C	O4'-C1'-N1	11.77	117.62	108.20
26	BB	1607	C	N1-C2-O2	11.77	125.96	118.90
1	AA	714	G	N3-C4-C5	-11.76	122.72	128.60
1	AA	844	G	N9-C4-C5	11.76	110.11	105.40
26	BB	2391	G	C5-C6-O6	11.76	135.66	128.60
16	AP	28	ARG	NE-CZ-NH1	-11.76	114.42	120.30
1	AA	112	G	N3-C4-C5	-11.75	122.72	128.60
26	BB	304	U	N1-C2-N3	11.75	121.95	114.90
26	BB	544	C	N3-C2-O2	-11.75	113.67	121.90
26	BB	2028	U	O4'-C1'-N1	11.75	117.60	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	350	G	C4-C5-N7	-11.75	106.10	110.80
1	AA	1530	G	C2-N3-C4	11.75	117.78	111.90
1	AA	11	G	N1-C6-O6	11.74	126.95	119.90
1	AA	766	A	C4-C5-N7	-11.74	104.83	110.70
1	AA	1024	G	C8-N9-C4	-11.74	101.70	106.40
26	BB	678	C	C4-C5-C6	11.74	123.27	117.40
26	BB	1299	G	N1-C6-O6	-11.74	112.86	119.90
26	BB	157	C	O4'-C1'-N1	11.74	117.59	108.20
1	AA	1217	C	N3-C4-C5	11.73	126.59	121.90
26	BB	409	G	N7-C8-N9	11.73	118.97	113.10
20	AT	39	ARG	NE-CZ-NH2	-11.73	114.44	120.30
26	BB	517	C	N3-C4-C5	-11.73	117.21	121.90
26	BB	501	A	N1-C6-N6	-11.73	111.56	118.60
26	BB	691	C	O4'-C1'-N1	11.73	117.58	108.20
26	BB	2775	G	C5-C6-N1	11.72	117.36	111.50
1	AA	909	A	N1-C2-N3	11.72	135.16	129.30
26	BB	957	C	N3-C4-C5	-11.72	117.21	121.90
26	BB	2141	G	O4'-C1'-N9	11.72	117.58	108.20
1	AA	628	G	C8-N9-C4	-11.71	101.72	106.40
26	BB	355	U	C5-C4-O4	11.71	132.93	125.90
26	BB	1186	G	C6-N1-C2	-11.71	118.07	125.10
26	BB	972	A	O4'-C1'-N9	11.71	117.57	108.20
26	BB	1084	A	C8-N9-C4	-11.71	101.12	105.80
1	AA	1300	G	O4'-C1'-N9	-11.71	98.83	108.20
26	BB	299	A	N1-C6-N6	-11.71	111.58	118.60
26	BB	546	U	O4'-C1'-N1	11.71	117.56	108.20
26	BB	1352	U	O4'-C1'-N1	11.71	117.56	108.20
26	BB	577	G	C6-N1-C2	-11.70	118.08	125.10
26	BB	1825	U	C5-C4-O4	-11.70	118.88	125.90
1	AA	1418	A	N1-C6-N6	11.70	125.62	118.60
26	BB	1365	A	C2-N3-C4	11.70	116.45	110.60
1	AA	698	G	N3-C4-C5	-11.70	122.75	128.60
26	BB	1169	A	N9-C4-C5	11.70	110.48	105.80
1	AA	373	A	O4'-C1'-N9	11.70	117.56	108.20
7	AG	46	ARG	NE-CZ-NH1	11.70	126.15	120.30
1	AA	156	C	N1-C2-O2	11.70	125.92	118.90
1	AA	918	A	O4'-C1'-N9	11.70	117.56	108.20
1	AA	1324	A	N1-C6-N6	-11.69	111.58	118.60
1	AA	1266	G	N9-C4-C5	-11.69	100.73	105.40
25	BA	55	U	O4'-C1'-N1	11.69	117.55	108.20
26	BB	1369	G	C8-N9-C4	-11.69	101.73	106.40
26	BB	971	G	C2-N3-C4	11.68	117.74	111.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	29	U	C5-C6-N1	-11.68	116.86	122.70
26	BB	2279	G	C8-N9-C4	-11.67	101.73	106.40
26	BB	453	A	C8-N9-C4	-11.67	101.13	105.80
26	BB	267	C	N1-C2-O2	11.67	125.90	118.90
26	BB	1341	G	C5-C6-O6	-11.67	121.60	128.60
1	AA	1376	U	O4'-C1'-N1	11.66	117.53	108.20
1	AA	1388	C	C5-C4-N4	-11.66	112.04	120.20
26	BB	740	C	C6-N1-C2	11.66	124.97	120.30
1	AA	515	G	N3-C2-N2	-11.66	111.74	119.90
1	AA	973	G	N9-C4-C5	-11.66	100.74	105.40
1	AA	116	A	C6-N1-C2	11.65	125.59	118.60
1	AA	868	C	N3-C4-C5	-11.65	117.24	121.90
26	BB	2846	G	C8-N9-C4	-11.65	101.74	106.40
1	AA	213	G	N3-C4-C5	-11.65	122.78	128.60
1	AA	316	C	N1-C2-N3	-11.65	111.05	119.20
1	AA	330	C	N1-C2-O2	11.65	125.89	118.90
4	AD	28	U	C5'-C4'-O4'	11.65	123.08	109.10
26	BB	176	A	C4-C5-N7	11.65	116.52	110.70
26	BB	1629	U	C5-C6-N1	-11.65	116.88	122.70
49	BY	54	ARG	NE-CZ-NH1	11.65	126.12	120.30
1	AA	78	A	N9-C4-C5	11.64	110.46	105.80
11	AK	76	ARG	NE-CZ-NH1	11.64	126.12	120.30
26	BB	734	A	C8-N9-C4	-11.64	101.14	105.80
1	AA	621	A	C5-N7-C8	11.64	109.72	103.90
26	BB	2142	A	N9-C4-C5	11.64	110.45	105.80
26	BB	2636	C	C5-C6-N1	11.64	126.82	121.00
1	AA	1323	G	C4-C5-N7	-11.63	106.15	110.80
26	BB	2572	A	O4'-C1'-N9	11.63	117.51	108.20
26	BB	1858	A	O4'-C1'-N9	11.63	117.50	108.20
1	AA	185	U	C5-C6-N1	-11.63	116.89	122.70
26	BB	2370	G	C8-N9-C4	-11.63	101.75	106.40
26	BB	1003	G	C4-C5-C6	11.62	125.77	118.80
26	BB	2012	G	N7-C8-N9	11.62	118.91	113.10
26	BB	2894	G	C8-N9-C4	-11.62	101.75	106.40
1	AA	1254	A	C8-N9-C4	-11.62	101.15	105.80
26	BB	424	G	C8-N9-C4	11.62	111.05	106.40
26	BB	447	A	O4'-C1'-N9	11.62	117.50	108.20
26	BB	473	G	C6-N1-C2	-11.62	118.13	125.10
1	AA	289	G	N7-C8-N9	11.62	118.91	113.10
1	AA	1448	C	C6-N1-C2	-11.62	115.65	120.30
1	AA	331	G	C1'-O4'-C4'	-11.62	100.61	109.90
1	AA	3	A	N9-C4-C5	11.61	110.45	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	347	G	N1-C6-O6	-11.62	112.93	119.90
7	AG	50	TYR	CB-CG-CD2	-11.61	114.03	121.00
26	BB	2361	G	C4-C5-N7	-11.61	106.16	110.80
1	AA	665	A	N7-C8-N9	-11.61	108.00	113.80
1	AA	1254	A	N7-C8-N9	11.61	119.60	113.80
26	BB	2864	G	N3-C4-C5	-11.61	122.80	128.60
25	BA	83	G	N7-C8-N9	11.61	118.90	113.10
26	BB	696	G	C6-C5-N7	-11.60	123.44	130.40
26	BB	1078	U	O4'-C1'-N1	11.60	117.48	108.20
1	AA	383	A	C3'-C2'-C1'	-11.60	92.22	101.50
1	AA	752	G	N9-C4-C5	11.60	110.04	105.40
1	AA	973	G	C6-N1-C2	-11.60	118.14	125.10
1	AA	1391	U	N1-C2-N3	11.60	121.86	114.90
18	AR	76	ARG	NE-CZ-NH1	11.60	126.10	120.30
26	BB	2677	G	O4'-C1'-N9	11.60	117.48	108.20
26	BB	147	C	O4'-C1'-N1	11.59	117.47	108.20
26	BB	1615	C	O4'-C1'-N1	11.59	117.47	108.20
26	BB	2248	C	C6-N1-C2	-11.59	115.66	120.30
26	BB	1431	A	C2-N3-C4	11.59	116.39	110.60
1	AA	693	G	C6-C5-N7	-11.59	123.45	130.40
1	AA	1267	C	N3-C4-N4	11.59	126.11	118.00
26	BB	946	C	O4'-C1'-N1	11.59	117.47	108.20
26	BB	1693	U	N3-C2-O2	-11.59	114.09	122.20
1	AA	430	A	N9-C4-C5	11.58	110.43	105.80
26	BB	2484	G	N9-C4-C5	11.58	110.03	105.40
26	BB	2846	G	N1-C6-O6	-11.58	112.95	119.90
26	BB	2752	C	C5-C6-N1	11.58	126.79	121.00
1	AA	764	C	P-O3'-C3'	11.58	133.59	119.70
1	AA	372	C	C6-N1-C2	-11.57	115.67	120.30
1	AA	1011	C	C4'-C3'-C2'	-11.57	91.03	102.60
26	BB	2559	C	N3-C4-C5	-11.57	117.27	121.90
26	BB	347	A	N1-C6-N6	11.57	125.54	118.60
26	BB	628	G	C2-N3-C4	11.57	117.69	111.90
26	BB	221	A	O4'-C1'-N9	11.57	117.45	108.20
26	BB	1512	C	N3-C4-C5	11.57	126.53	121.90
30	BF	49	ARG	NE-CZ-NH2	11.57	126.08	120.30
26	BB	2060	A	N1-C2-N3	-11.56	123.52	129.30
26	BB	2626	C	C4-C5-C6	11.56	123.18	117.40
26	BB	1214	A	N1-C2-N3	-11.56	123.52	129.30
26	BB	1805	A	C8-N9-C4	-11.56	101.18	105.80
26	BB	1269	A	O4'-C1'-N9	11.55	117.44	108.20
1	AA	316	C	O4'-C1'-N1	11.55	117.44	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	775	G	N3-C4-C5	-11.55	122.82	128.60
26	BB	1959	G	N3-C4-C5	-11.55	122.83	128.60
1	AA	1470	U	C4-C5-C6	11.54	126.63	119.70
26	BB	1282	U	C5-C6-N1	-11.54	116.93	122.70
26	BB	181	A	C2-N3-C4	11.54	116.37	110.60
26	BB	239	C	O4'-C1'-N1	11.54	117.43	108.20
26	BB	1892	C	C2-N3-C4	11.54	125.67	119.90
26	BB	2223	G	P-O3'-C3'	11.54	133.55	119.70
1	AA	63	C	C2-N3-C4	11.53	125.67	119.90
26	BB	2098	U	O4'-C1'-N1	11.53	117.43	108.20
1	AA	948	C	O4'-C1'-N1	11.53	117.42	108.20
26	BB	655	A	C8-N9-C4	-11.53	101.19	105.80
26	BB	1456	G	O4'-C1'-N9	11.53	117.42	108.20
26	BB	2454	G	C8-N9-C4	-11.53	101.79	106.40
26	BB	2868	A	C8-N9-C4	-11.53	101.19	105.80
26	BB	1003	G	C8-N9-C4	-11.52	101.79	106.40
1	AA	1142	G	N3-C4-C5	-11.52	122.84	128.60
26	BB	88	G	N7-C8-N9	11.52	118.86	113.10
26	BB	1857	G	N3-C4-C5	-11.52	122.84	128.60
1	AA	141	G	O4'-C1'-N9	11.52	117.41	108.20
26	BB	1303	G	C2-N3-C4	11.52	117.66	111.90
26	BB	2011	U	O4'-C1'-N1	11.52	117.41	108.20
26	BB	1479	G	C2-N3-C4	11.51	117.66	111.90
26	BB	1576	U	C1'-O4'-C4'	11.51	119.11	109.90
1	AA	201	G	O4'-C1'-N9	11.51	117.41	108.20
4	AD	4	G	C2-N3-C4	11.51	117.65	111.90
1	AA	656	G	C4-C5-N7	11.50	115.40	110.80
15	AO	55	ARG	NE-CZ-NH2	-11.50	114.55	120.30
26	BB	532	A	O4'-C1'-N9	11.50	117.40	108.20
1	AA	535	A	C8-N9-C4	-11.50	101.20	105.80
26	BB	903	C	C5-C6-N1	11.50	126.75	121.00
1	AA	205	A	N9-C4-C5	11.49	110.40	105.80
1	AA	685	G	C5-C6-O6	-11.49	121.70	128.60
1	AA	812	G	N3-C4-N9	11.49	132.90	126.00
1	AA	890	G	N3-C4-C5	-11.49	122.85	128.60
26	BB	2872	A	C4-C5-C6	-11.49	111.25	117.00
26	BB	80	G	N3-C4-C5	-11.49	122.86	128.60
1	AA	1094	G	C2-N3-C4	11.49	117.64	111.90
26	BB	413	C	N1-C2-O2	11.49	125.79	118.90
1	AA	281	G	C2-N3-C4	11.49	117.64	111.90
1	AA	602	A	O4'-C1'-N9	11.49	117.39	108.20
1	AA	1241	G	C8-N9-C4	-11.49	101.81	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1307	A	N9-C4-C5	11.49	110.39	105.80
1	AA	407	U	O4'-C1'-N1	11.48	117.39	108.20
3	AC	53	G	N9-C4-C5	11.48	109.99	105.40
1	AA	547	A	O4'-C1'-N9	11.48	117.38	108.20
1	AA	483	C	N3-C4-N4	11.48	126.03	118.00
1	AA	1032	G	C2-N3-C4	11.48	117.64	111.90
3	AC	43	U	C2-N3-C4	-11.48	120.11	127.00
26	BB	2610	C	C2-N3-C4	11.48	125.64	119.90
1	AA	543	U	C5-C6-N1	-11.47	116.96	122.70
1	AA	599	C	C5-C4-N4	-11.47	112.17	120.20
1	AA	997	U	N3-C4-C5	11.47	121.48	114.60
26	BB	2581	G	C4-C5-C6	11.47	125.68	118.80
26	BB	2638	G	C8-N9-C4	-11.47	101.81	106.40
26	BB	2042	A	N9-C4-C5	11.47	110.39	105.80
28	BD	213	ARG	NE-CZ-NH2	-11.47	114.56	120.30
26	BB	1533	C	C5-C4-N4	-11.47	112.17	120.20
26	BB	2625	G	O4'-C1'-N9	11.47	117.38	108.20
1	AA	344	A	C5-C6-N6	-11.46	114.53	123.70
1	AA	655	A	O4'-C1'-N9	11.46	117.37	108.20
1	AA	1002	G	C2-N3-C4	11.46	117.63	111.90
26	BB	413	C	C2-N3-C4	11.46	125.63	119.90
26	BB	93	G	C8-N9-C4	-11.46	101.82	106.40
26	BB	1195	G	N9-C4-C5	11.46	109.98	105.40
26	BB	1580	A	N7-C8-N9	11.46	119.53	113.80
45	BU	25	ARG	NE-CZ-NH2	-11.46	114.57	120.30
1	AA	12	U	O4'-C1'-N1	11.46	117.36	108.20
1	AA	877	G	C8-N9-C4	-11.45	101.82	106.40
26	BB	296	U	O4'-C1'-N1	11.45	117.36	108.20
1	AA	588	G	N3-C4-C5	-11.45	122.88	128.60
1	AA	898	G	C8-N9-C4	-11.45	101.82	106.40
26	BB	2242	G	C6-C5-N7	-11.45	123.53	130.40
49	BY	38	ARG	NE-CZ-NH1	11.45	126.02	120.30
26	BB	2261	C	C4-C5-C6	11.45	123.12	117.40
1	AA	106	C	N3-C4-C5	-11.45	117.32	121.90
1	AA	1057	G	N3-C4-C5	-11.45	122.88	128.60
26	BB	88	G	C8-N9-C4	-11.45	101.82	106.40
26	BB	1164	C	O4'-C1'-N1	11.45	117.36	108.20
26	BB	1278	C	C5-C4-N4	-11.45	112.19	120.20
26	BB	2235	G	N1-C6-O6	-11.44	113.03	119.90
26	BB	2623	G	C8-N9-C4	-11.44	101.82	106.40
26	BB	228	C	N3-C4-C5	-11.44	117.33	121.90
26	BB	2300	C	O4'-C1'-N1	11.44	117.35	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	622	A	N7-C8-N9	11.43	119.52	113.80
26	BB	468	G	O4'-C1'-N9	11.43	117.35	108.20
26	BB	1428	C	N3-C4-C5	-11.43	117.33	121.90
26	BB	2142	A	C4-C5-N7	-11.43	104.98	110.70
48	BX	82	TYR	CB-CG-CD2	-11.43	114.14	121.00
3	AC	29	G	C5-C6-O6	11.43	135.46	128.60
1	AA	850	U	N3-C4-C5	-11.43	107.74	114.60
26	BB	90	U	C5-C6-N1	11.43	128.41	122.70
26	BB	141	G	C5-C6-N1	-11.43	105.78	111.50
26	BB	1568	G	N3-C4-C5	-11.43	122.89	128.60
26	BB	1650	A	C8-N9-C4	-11.43	101.23	105.80
1	AA	328	C	O4'-C1'-N1	11.43	117.34	108.20
1	AA	530	G	N3-C4-C5	-11.43	122.89	128.60
26	BB	1061	U	N3-C4-C5	-11.43	107.74	114.60
26	BB	2508	G	C4-C5-N7	-11.43	106.23	110.80
26	BB	2104	C	N3-C4-C5	-11.43	117.33	121.90
1	AA	169	C	N3-C4-C5	11.42	126.47	121.90
26	BB	991	C	C6-N1-C2	-11.42	115.73	120.30
1	AA	1415	G	C2-N3-C4	11.42	117.61	111.90
26	BB	779	U	N1-C2-N3	11.42	121.75	114.90
26	BB	1066	U	C5-C6-N1	-11.42	116.99	122.70
1	AA	667	G	C2-N3-C4	11.42	117.61	111.90
26	BB	1497	U	C4-C5-C6	11.42	126.55	119.70
26	BB	1509	A	C2-N3-C4	11.42	116.31	110.60
26	BB	1959	G	C2-N3-C4	11.42	117.61	111.90
26	BB	2058	A	N1-C6-N6	11.42	125.45	118.60
26	BB	436	C	C6-N1-C2	-11.41	115.73	120.30
26	BB	1	G	N3-C4-C5	-11.41	122.89	128.60
26	BB	2499	C	N3-C4-C5	-11.41	117.33	121.90
26	BB	2879	A	C8-N9-C4	-11.41	101.23	105.80
12	AL	10	ARG	NE-CZ-NH1	11.41	126.00	120.30
26	BB	1062	G	C8-N9-C4	-11.41	101.84	106.40
26	BB	2708	G	O4'-C1'-N9	11.41	117.33	108.20
26	BB	1066	U	C4-C5-C6	11.41	126.55	119.70
26	BB	221	A	N7-C8-N9	-11.41	108.10	113.80
26	BB	2070	A	C5-N7-C8	11.40	109.60	103.90
1	AA	1171	A	C2-N3-C4	11.40	116.30	110.60
26	BB	404	A	O4'-C1'-N9	11.40	117.32	108.20
26	BB	1307	A	C4-C5-N7	-11.40	105.00	110.70
26	BB	1345	C	N3-C4-C5	-11.40	117.34	121.90
26	BB	2415	G	C2-N3-C4	11.40	117.60	111.90
26	BB	2675	A	N9-C4-C5	-11.40	101.24	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	841	G	C8-N9-C4	-11.40	101.84	106.40
26	BB	1208	C	C6-N1-C2	11.40	124.86	120.30
26	BB	112	U	C4-C5-C6	11.40	126.54	119.70
26	BB	1140	C	C2-N3-C4	11.40	125.60	119.90
26	BB	1236	G	C5-C6-N1	-11.40	105.80	111.50
26	BB	2318	G	C8-N9-C4	-11.40	101.84	106.40
1	AA	255	G	C6-C5-N7	-11.39	123.56	130.40
26	BB	1159	U	C2-N3-C4	-11.39	120.16	127.00
26	BB	1228	G	N7-C8-N9	11.39	118.80	113.10
26	BB	2012	G	C8-N9-C4	-11.39	101.84	106.40
26	BB	2124	G	N9-C4-C5	11.39	109.96	105.40
1	AA	1242	G	O4'-C1'-N9	11.39	117.31	108.20
26	BB	334	C	C5-C6-N1	11.39	126.69	121.00
26	BB	1183	U	C2-N3-C4	-11.39	120.17	127.00
26	BB	233	A	N1-C6-N6	11.39	125.43	118.60
26	BB	2174	C	N3-C4-N4	-11.39	110.03	118.00
1	AA	954	G	O4'-C1'-N9	11.38	117.31	108.20
23	AW	73	ARG	NE-CZ-NH1	11.38	125.99	120.30
26	BB	1410	G	N3-C4-C5	-11.38	122.91	128.60
26	BB	2094	A	O4'-C1'-N9	11.38	117.31	108.20
1	AA	662	U	O4'-C1'-N1	11.38	117.31	108.20
1	AA	647	C	N3-C4-C5	-11.38	117.35	121.90
26	BB	440	C	O4'-C1'-N1	11.38	117.30	108.20
1	AA	1361	G	O4'-C1'-N9	11.37	117.30	108.20
26	BB	1500	G	N1-C6-O6	11.37	126.72	119.90
26	BB	2136	G	N9-C4-C5	11.37	109.95	105.40
26	BB	2376	A	C8-N9-C4	-11.37	101.25	105.80
26	BB	2726	A	N9-C4-C5	11.37	110.35	105.80
1	AA	614	C	N3-C4-C5	-11.37	117.35	121.90
1	AA	1110	A	O4'-C1'-N9	11.37	117.29	108.20
24	AX	54	ARG	NE-CZ-NH1	11.37	125.98	120.30
1	AA	275	G	C5-N7-C8	-11.37	98.62	104.30
26	BB	903	C	C6-N1-C2	-11.37	115.75	120.30
26	BB	659	G	C5-C6-O6	-11.36	121.78	128.60
1	AA	1248	A	N1-C2-N3	-11.36	123.62	129.30
26	BB	1075	C	O4'-C1'-N1	11.36	117.29	108.20
1	AA	1511	G	C5-N7-C8	-11.36	98.62	104.30
36	BL	116	ARG	NE-CZ-NH1	11.36	125.98	120.30
1	AA	882	C	C6-N1-C2	-11.36	115.76	120.30
26	BB	1842	G	O4'-C1'-N9	11.35	117.28	108.20
26	BB	818	G	C8-N9-C4	-11.35	101.86	106.40
25	BA	31	C	O4'-C1'-N1	11.35	117.28	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2419	U	C4-C5-C6	11.35	126.51	119.70
26	BB	1125	G	N3-C4-C5	-11.35	122.93	128.60
26	BB	1144	A	N9-C4-C5	-11.35	101.26	105.80
26	BB	2009	A	C5-N7-C8	11.35	109.57	103.90
1	AA	283	U	C4-C5-C6	11.34	126.50	119.70
26	BB	22	C	N1-C2-O2	11.34	125.70	118.90
26	BB	350	G	N3-C4-C5	-11.34	122.93	128.60
26	BB	397	U	N3-C4-O4	11.34	127.34	119.40
26	BB	2567	G	C2-N3-C4	11.34	117.57	111.90
26	BB	2592	G	N9-C4-C5	11.34	109.94	105.40
29	BE	33	ARG	NE-CZ-NH2	11.34	125.97	120.30
26	BB	1557	C	N3-C4-C5	-11.34	117.36	121.90
26	BB	2618	G	C8-N9-C4	-11.34	101.86	106.40
26	BB	2178	C	O4'-C1'-N1	11.34	117.27	108.20
26	BB	2266	A	N1-C2-N3	-11.34	123.63	129.30
1	AA	1265	C	O4'-C1'-N1	11.34	117.27	108.20
26	BB	1749	A	N7-C8-N9	11.33	119.47	113.80
26	BB	2277	G	N9-C4-C5	11.33	109.93	105.40
25	BA	85	G	C8-N9-C4	-11.33	101.87	106.40
26	BB	1307	A	C8-N9-C4	-11.33	101.27	105.80
26	BB	217	A	C2-N3-C4	11.33	116.26	110.60
1	AA	1097	C	O4'-C1'-N1	11.32	117.26	108.20
1	AA	1296	C	N3-C4-C5	-11.32	117.37	121.90
26	BB	2559	C	C5-C6-N1	-11.32	115.34	121.00
2	AB	42	G	C5-C6-N1	11.32	117.16	111.50
26	BB	172	A	C8-N9-C4	-11.32	101.27	105.80
46	BV	73	ARG	NE-CZ-NH2	-11.32	114.64	120.30
1	AA	29	U	O4'-C1'-N1	11.32	117.25	108.20
1	AA	257	G	N3-C4-C5	-11.32	122.94	128.60
26	BB	2813	A	N9-C4-C5	11.32	110.33	105.80
26	BB	2815	C	N3-C2-O2	-11.31	113.98	121.90
1	AA	1318	A	C5-N7-C8	-11.31	98.24	103.90
1	AA	783	C	N1-C2-O2	11.31	125.69	118.90
26	BB	975	A	C2-N3-C4	11.31	116.25	110.60
26	BB	2398	U	N3-C2-O2	-11.31	114.28	122.20
1	AA	1341	U	O4'-C1'-N1	11.30	117.24	108.20
1	AA	1535	C	N3-C4-C5	-11.30	117.38	121.90
26	BB	2616	C	O4'-C1'-N1	11.30	117.24	108.20
26	BB	181	A	N1-C2-N3	-11.30	123.65	129.30
26	BB	1960	A	N1-C6-N6	11.30	125.38	118.60
26	BB	664	G	C4-C5-N7	-11.30	106.28	110.80
1	AA	962	C	N3-C4-C5	-11.29	117.38	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	309	A	C8-N9-C4	-11.29	101.28	105.80
26	BB	490	C	N3-C2-O2	-11.29	114.00	121.90
26	BB	2191	A	C2-N3-C4	11.29	116.25	110.60
26	BB	2480	C	O4'-C1'-N1	11.29	117.23	108.20
26	BB	1349	C	C5-C6-N1	11.28	126.64	121.00
26	BB	1701	A	C5-N7-C8	11.28	109.54	103.90
1	AA	1302	C	N3-C2-O2	-11.28	114.00	121.90
26	BB	841	G	N9-C4-C5	11.28	109.91	105.40
26	BB	1414	C	O4'-C1'-N1	11.28	117.22	108.20
4	AD	76	C	C6-N1-C2	-11.28	115.79	120.30
26	BB	529	A	C5-C6-N1	11.28	123.34	117.70
1	AA	241	G	N3-C4-C5	-11.27	122.96	128.60
1	AA	481	G	C4-C5-C6	11.27	125.56	118.80
1	AA	889	A	N7-C8-N9	11.27	119.44	113.80
17	AQ	40	ARG	NE-CZ-NH2	-11.27	114.66	120.30
26	BB	1382	G	O4'-C1'-N9	11.27	117.22	108.20
26	BB	2318	G	C5-C6-N1	11.27	117.14	111.50
26	BB	2606	C	C6-N1-C2	-11.27	115.79	120.30
26	BB	2048	G	N9-C4-C5	11.27	109.91	105.40
26	BB	2565	A	N7-C8-N9	11.27	119.44	113.80
1	AA	1486	G	C6-C5-N7	-11.26	123.64	130.40
26	BB	1756	G	C5-C6-O6	-11.26	121.84	128.60
26	BB	2136	G	N3-C4-C5	-11.26	122.97	128.60
26	BB	2536	G	C2-N3-C4	11.26	117.53	111.90
3	AC	29	G	N1-C6-O6	-11.26	113.14	119.90
26	BB	707	G	N7-C8-N9	-11.26	107.47	113.10
1	AA	639	G	N9-C4-C5	11.26	109.90	105.40
26	BB	368	A	O4'-C1'-N9	11.26	117.20	108.20
26	BB	1980	G	C5-C6-N1	-11.25	105.88	111.50
26	BB	613	A	C6-C5-N7	11.25	140.17	132.30
26	BB	1377	G	N3-C4-C5	-11.25	122.98	128.60
25	BA	7	G	C8-N9-C4	-11.24	101.90	106.40
26	BB	2387	U	C2-N3-C4	-11.24	120.25	127.00
28	BD	86	ARG	NE-CZ-NH1	11.24	125.92	120.30
1	AA	316	C	C6-N1-C2	11.24	124.80	120.30
1	AA	1328	C	O4'-C1'-N1	11.24	117.19	108.20
1	AA	663	A	N1-C2-N3	-11.24	123.68	129.30
26	BB	595	C	C5-C4-N4	-11.24	112.33	120.20
1	AA	595	A	O4'-C1'-N9	11.24	117.19	108.20
25	BA	81	G	C4-C5-N7	-11.24	106.31	110.80
26	BB	843	G	C2-N3-C4	11.24	117.52	111.90
26	BB	1726	C	N1-C2-O2	11.24	125.64	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1147	A	C5-C6-N1	11.23	123.32	117.70
25	BA	101	A	N9-C4-C5	11.23	110.29	105.80
1	AA	48	C	C2-N3-C4	11.23	125.52	119.90
28	BD	174	ARG	NE-CZ-NH1	11.23	125.92	120.30
1	AA	108	G	C8-N9-C4	-11.23	101.91	106.40
26	BB	2221	G	C8-N9-C4	-11.23	101.91	106.40
26	BB	2209	G	N3-C4-C5	-11.23	122.99	128.60
1	AA	129	A	C8-N9-C4	-11.23	101.31	105.80
26	BB	535	G	C5-C6-O6	-11.23	121.86	128.60
1	AA	1280	A	C8-N9-C4	11.22	110.29	105.80
1	AA	340	U	N1-C2-N3	11.22	121.63	114.90
1	AA	880	C	O4'-C1'-N1	11.22	117.17	108.20
1	AA	248	C	O4'-C1'-N1	11.22	117.17	108.20
4	AD	4	G	O4'-C1'-N9	11.21	117.17	108.20
26	BB	177	G	O4'-C1'-N9	11.22	117.17	108.20
26	BB	1170	C	O4'-C1'-N1	11.22	117.17	108.20
26	BB	2432	A	C2-N3-C4	-11.21	104.99	110.60
1	AA	601	G	C2-N3-C4	11.21	117.51	111.90
26	BB	856	G	N7-C8-N9	11.21	118.71	113.10
1	AA	276	G	C4-C5-N7	11.21	115.28	110.80
1	AA	1174	G	C8-N9-C4	11.21	110.88	106.40
14	AN	97	ARG	NE-CZ-NH2	11.21	125.90	120.30
26	BB	454	A	C4-C5-N7	-11.21	105.10	110.70
26	BB	1023	U	C5-C6-N1	-11.21	117.10	122.70
26	BB	2376	A	C5-C6-N1	11.20	123.30	117.70
26	BB	2581	G	N3-C4-C5	-11.20	123.00	128.60
40	BP	8	ARG	NE-CZ-NH1	11.20	125.90	120.30
26	BB	340	A	C5-C6-N6	11.20	132.66	123.70
26	BB	1497	U	O4'-C1'-N1	11.20	117.16	108.20
26	BB	1839	G	C4-C5-C6	11.20	125.52	118.80
1	AA	60	A	N9-C4-C5	-11.19	101.32	105.80
26	BB	1410	G	C2-N3-C4	11.19	117.50	111.90
25	BA	89	U	N3-C2-O2	-11.19	114.37	122.20
1	AA	1259	C	N3-C2-O2	-11.19	114.07	121.90
26	BB	2732	G	N3-C4-C5	-11.19	123.01	128.60
26	BB	1321	A	C8-N9-C4	-11.19	101.33	105.80
26	BB	1528	A	N1-C2-N3	-11.19	123.71	129.30
2	AB	11	U	C2-N3-C4	-11.18	120.29	127.00
1	AA	1476	A	C4-C5-N7	-11.18	105.11	110.70
7	AG	183	ARG	NE-CZ-NH1	11.18	125.89	120.30
1	AA	123	U	O4'-C1'-N1	11.18	117.14	108.20
25	BA	98	G	C2-N3-C4	11.18	117.49	111.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	946	C	C6-N1-C2	-11.18	115.83	120.30
26	BB	2881	U	N3-C4-C5	-11.18	107.89	114.60
1	AA	778	G	N7-C8-N9	11.18	118.69	113.10
26	BB	415	A	C2-N3-C4	11.18	116.19	110.60
26	BB	1358	G	N3-C4-C5	-11.18	123.01	128.60
26	BB	2629	U	C5-C6-N1	-11.18	117.11	122.70
36	BL	35	ARG	NE-CZ-NH1	11.18	125.89	120.30
1	AA	209	U	O4'-C1'-N1	11.17	117.14	108.20
1	AA	1019	A	C5-C6-N1	11.17	123.29	117.70
25	BA	21	G	C8-N9-C4	-11.17	101.93	106.40
26	BB	1446	C	O4'-C1'-N1	11.17	117.14	108.20
26	BB	2357	G	C4-C5-N7	-11.17	106.33	110.80
26	BB	1579	A	N9-C4-C5	11.17	110.27	105.80
4	AD	71	G	N3-C4-C5	-11.17	123.02	128.60
26	BB	263	G	C4-C5-N7	-11.17	106.33	110.80
26	BB	1331	G	N3-C4-C5	-11.17	123.01	128.60
26	BB	126	A	O4'-C1'-N9	11.17	117.14	108.20
26	BB	2567	G	N9-C4-C5	11.17	109.87	105.40
26	BB	88	G	C5-N7-C8	-11.17	98.72	104.30
26	BB	2003	A	C8-N9-C4	-11.17	101.33	105.80
26	BB	147	C	N3-C4-C5	-11.16	117.43	121.90
26	BB	735	A	C8-N9-C4	-11.16	101.33	105.80
26	BB	1857	G	C8-N9-C4	-11.16	101.93	106.40
26	BB	2632	A	N9-C4-C5	11.16	110.27	105.80
2	AB	50	G	O4'-C1'-N9	11.16	117.13	108.20
1	AA	1265	C	C4-C5-C6	11.16	122.98	117.40
26	BB	378	C	C1'-O4'-C4'	11.16	118.83	109.90
26	BB	508	A	O4'-C1'-N9	11.16	117.13	108.20
26	BB	1710	G	N3-C4-N9	11.16	132.70	126.00
26	BB	2623	G	N7-C8-N9	11.16	118.68	113.10
26	BB	2710	C	C6-N1-C2	-11.16	115.84	120.30
1	AA	468	A	O4'-C1'-N9	11.16	117.13	108.20
1	AA	705	G	N9-C4-C5	11.15	109.86	105.40
25	BA	15	A	N9-C4-C5	11.15	110.26	105.80
1	AA	1000	A	C3'-C2'-C1'	-11.15	92.58	101.50
26	BB	833	A	C5-C6-N1	11.15	123.28	117.70
26	BB	2277	G	N3-C4-C5	-11.15	123.02	128.60
26	BB	2882	A	C2-N3-C4	11.15	116.18	110.60
26	BB	612	G	C4-C5-N7	-11.15	106.34	110.80
26	BB	1452	G	C8-N9-C4	-11.15	101.94	106.40
26	BB	2334	U	O4'-C1'-N1	11.15	117.12	108.20
28	BD	268	ARG	NE-CZ-NH2	-11.15	114.73	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	34	C	N1-C2-O2	11.14	125.59	118.90
26	BB	1970	A	C8-N9-C4	-11.14	101.34	105.80
26	BB	822	G	N3-C4-C5	-11.14	123.03	128.60
26	BB	1596	A	N1-C2-N3	-11.14	123.73	129.30
26	BB	2203	U	C4-C5-C6	11.14	126.38	119.70
26	BB	656	G	N9-C4-C5	11.14	109.86	105.40
26	BB	1197	G	C5-C6-O6	-11.14	121.92	128.60
26	BB	1813	G	C8-N9-C4	-11.14	101.94	106.40
26	BB	2351	G	N3-C4-C5	-11.14	123.03	128.60
50	BZ	10	ARG	NE-CZ-NH2	11.14	125.87	120.30
1	AA	1105	A	C5-N7-C8	11.13	109.47	103.90
26	BB	466	A	N1-C6-N6	11.13	125.28	118.60
26	BB	2559	C	C6-N1-C2	11.13	124.75	120.30
26	BB	346	A	O4'-C1'-N9	11.13	117.11	108.20
26	BB	1695	G	C8-N9-C4	-11.13	101.95	106.40
1	AA	537	G	O4'-C1'-N9	11.13	117.10	108.20
26	BB	510	C	C2-N3-C4	11.13	125.46	119.90
26	BB	1500	G	C5-C6-O6	-11.13	121.92	128.60
1	AA	1338	G	C8-N9-C4	-11.13	101.95	106.40
26	BB	2802	G	N3-C4-C5	-11.13	123.04	128.60
1	AA	58	C	N3-C4-C5	-11.12	117.45	121.90
1	AA	739	C	C6-N1-C2	-11.12	115.85	120.30
1	AA	1014	A	O4'-C1'-N9	11.12	117.10	108.20
1	AA	1503	A	N9-C4-C5	11.12	110.25	105.80
26	BB	350	G	C2-N3-C4	11.12	117.46	111.90
26	BB	1990	C	N1-C2-O2	11.12	125.57	118.90
1	AA	117	G	N3-C4-C5	-11.12	123.04	128.60
26	BB	2393	U	N3-C2-O2	-11.12	114.42	122.20
1	AA	518	C	N3-C4-C5	-11.12	117.45	121.90
26	BB	2117	A	C8-N9-C4	-11.12	101.35	105.80
26	BB	2825	G	O4'-C1'-N9	11.12	117.09	108.20
8	AH	19	ARG	NE-CZ-NH2	11.12	125.86	120.30
26	BB	693	A	N1-C6-N6	11.12	125.27	118.60
26	BB	978	G	N9-C4-C5	11.12	109.85	105.40
26	BB	1375	U	O4'-C1'-N1	11.11	117.09	108.20
26	BB	104	A	C5-N7-C8	-11.11	98.34	103.90
1	AA	1342	C	C4-C5-C6	11.11	122.95	117.40
1	AA	539	A	O4'-C1'-N9	11.11	117.09	108.20
41	BQ	81	ARG	NE-CZ-NH2	11.11	125.86	120.30
3	AC	29	G	C5-N7-C8	-11.11	98.75	104.30
1	AA	603	U	C5-C6-N1	-11.11	117.15	122.70
3	AC	37	G	C8-N9-C4	-11.11	101.96	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	AC	55	A	O4'-C1'-N9	11.11	117.08	108.20
1	AA	1442	G	C6-N1-C2	-11.10	118.44	125.10
26	BB	538	A	N9-C4-C5	11.10	110.24	105.80
26	BB	799	G	C4-C5-N7	-11.10	106.36	110.80
26	BB	861	A	C8-N9-C4	-11.10	101.36	105.80
25	BA	34	A	N1-C2-N3	11.10	134.85	129.30
26	BB	1651	G	C2-N3-C4	11.10	117.45	111.90
26	BB	192	C	N1-C2-O2	11.10	125.56	118.90
1	AA	141	G	C4'-C3'-C2'	-11.10	91.50	102.60
26	BB	8	C	C5-C6-N1	11.10	126.55	121.00
26	BB	2329	U	O4'-C1'-N1	11.10	117.08	108.20
1	AA	10	A	C4-C5-N7	11.09	116.25	110.70
1	AA	131	A	C8-N9-C4	-11.09	101.36	105.80
1	AA	702	A	C3'-C2'-C1'	11.09	110.37	101.50
1	AA	1540	U	N3-C2-O2	-11.09	114.44	122.20
26	BB	1559	U	O4'-C1'-N1	11.09	117.07	108.20
1	AA	815	A	C8-N9-C4	-11.09	101.36	105.80
1	AA	1264	U	C5-C6-N1	11.09	128.25	122.70
26	BB	616	A	C6-N1-C2	11.09	125.25	118.60
26	BB	1227	G	C5-C6-O6	-11.09	121.94	128.60
26	BB	2274	A	N7-C8-N9	-11.09	108.26	113.80
26	BB	1544	A	N7-C8-N9	-11.09	108.26	113.80
36	BL	99	ARG	NE-CZ-NH2	-11.09	114.76	120.30
1	AA	289	G	N3-C4-N9	11.08	132.65	126.00
1	AA	1269	A	C1'-O4'-C4'	-11.08	101.03	109.90
26	BB	608	A	N7-C8-N9	11.08	119.34	113.80
26	BB	1160	G	C5-C6-O6	-11.08	121.95	128.60
26	BB	2260	C	C4-C5-C6	-11.08	111.86	117.40
26	BB	2487	G	N9-C4-C5	11.08	109.83	105.40
12	AL	37	TYR	CB-CG-CD1	-11.08	114.35	121.00
26	BB	1459	G	N3-C4-N9	11.08	132.65	126.00
26	BB	1955	U	C6-N1-C2	-11.08	114.35	121.00
26	BB	2186	G	C4-C5-C6	11.08	125.45	118.80
1	AA	1214	C	C6-N1-C2	-11.08	115.87	120.30
26	BB	60	G	C8-N9-C4	-11.08	101.97	106.40
26	BB	292	U	O4'-C1'-N1	11.07	117.06	108.20
1	AA	731	G	N3-C4-N9	11.07	132.64	126.00
4	AD	12	G	N1-C6-O6	11.07	126.54	119.90
26	BB	2058	A	N1-C2-N3	11.07	134.84	129.30
1	AA	906	A	C8-N9-C4	-11.07	101.37	105.80
1	AA	1386	G	C2-N3-C4	11.07	117.44	111.90
26	BB	1858	A	C5'-C4'-O4'	11.07	122.38	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1391	U	C2-N3-C4	-11.07	120.36	127.00
26	BB	181	A	C4-C5-N7	-11.07	105.17	110.70
26	BB	1793	C	N3-C2-O2	-11.07	114.15	121.90
26	BB	2848	G	C5-C6-O6	11.07	135.24	128.60
26	BB	1128	G	N9-C4-C5	11.06	109.83	105.40
26	BB	1626	A	C4-C5-C6	-11.06	111.47	117.00
26	BB	853	C	C6-N1-C2	-11.06	115.88	120.30
26	BB	1995	U	O4'-C1'-N1	11.06	117.05	108.20
26	BB	2157	G	C8-N9-C4	-11.06	101.97	106.40
25	BA	101	A	C8-N9-C4	-11.06	101.38	105.80
26	BB	595	C	N3-C4-N4	11.06	125.74	118.00
1	AA	819	A	C8-N9-C4	-11.06	101.38	105.80
26	BB	903	C	N3-C4-C5	-11.05	117.48	121.90
26	BB	995	C	N3-C2-O2	-11.05	114.16	121.90
29	BE	128	ARG	NE-CZ-NH1	11.05	125.83	120.30
1	AA	111	G	N3-C4-C5	-11.05	123.08	128.60
1	AA	35	G	N1-C2-N3	-11.05	117.27	123.90
26	BB	242	G	P-O3'-C3'	11.05	132.96	119.70
1	AA	929	G	C2-N3-C4	11.05	117.42	111.90
26	BB	1910	G	C6-C5-N7	-11.05	123.77	130.40
1	AA	432	A	C4-C5-C6	-11.04	111.48	117.00
1	AA	719	C	N3-C4-N4	-11.05	110.27	118.00
1	AA	837	U	O4'-C1'-N1	11.05	117.04	108.20
26	BB	1847	A	O4'-C1'-N9	11.05	117.04	108.20
26	BB	2685	G	C4-C5-N7	11.04	115.22	110.80
46	BV	76	ARG	NE-CZ-NH1	-11.04	114.78	120.30
26	BB	853	C	C5-C4-N4	-11.04	112.47	120.20
1	AA	416	G	N7-C8-N9	11.04	118.62	113.10
1	AA	1244	G	C5-N7-C8	11.04	109.82	104.30
26	BB	94	A	N7-C8-N9	11.04	119.32	113.80
26	BB	90	U	C6-N1-C2	-11.04	114.38	121.00
26	BB	664	G	C8-N9-C4	-11.04	101.98	106.40
26	BB	1156	A	C3'-C2'-C1'	11.04	110.33	101.50
26	BB	1030	C	O4'-C1'-N1	11.04	117.03	108.20
1	AA	546	A	C1'-O4'-C4'	11.03	118.73	109.90
1	AA	1272	G	C3'-C2'-C1'	11.03	110.33	101.50
10	AJ	142	ARG	NE-CZ-NH1	11.03	125.82	120.30
26	BB	1999	C	O4'-C1'-N1	11.03	117.03	108.20
2	AB	44	G	O4'-C1'-N9	11.03	117.02	108.20
26	BB	380	G	N7-C8-N9	11.03	118.61	113.10
26	BB	1141	U	C2-N3-C4	-11.03	120.38	127.00
26	BB	1197	G	N7-C8-N9	11.03	118.61	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	746	A	C4'-C3'-C2'	-11.03	91.57	102.60
26	BB	2282	G	O4'-C4'-C3'	11.03	115.03	104.00
26	BB	2812	G	C8-N9-C4	-11.03	101.99	106.40
26	BB	1474	U	O4'-C1'-N1	11.02	117.02	108.20
26	BB	1998	A	C4-C5-N7	-11.02	105.19	110.70
1	AA	242	G	N7-C8-N9	11.02	118.61	113.10
26	BB	990	A	N9-C4-C5	11.02	110.21	105.80
26	BB	2272	U	N1-C2-O2	11.02	130.51	122.80
1	AA	617	G	C5-N7-C8	-11.02	98.79	104.30
1	AA	1484	C	O4'-C1'-N1	11.02	117.02	108.20
26	BB	1103	A	N1-C2-N3	-11.02	123.79	129.30
26	BB	278	A	N9-C4-C5	-11.02	101.39	105.80
26	BB	600	G	O4'-C1'-N9	11.02	117.01	108.20
1	AA	693	G	N7-C8-N9	11.01	118.61	113.10
26	BB	405	U	N3-C2-O2	-11.01	114.49	122.20
1	AA	177	G	C2-N3-C4	11.01	117.40	111.90
26	BB	2738	A	N1-C2-N3	-11.01	123.80	129.30
26	BB	2331	G	C4-C5-N7	11.00	115.20	110.80
26	BB	1790	C	O4'-C1'-N1	11.00	117.00	108.20
1	AA	212	G	O4'-C1'-N9	11.00	117.00	108.20
26	BB	1547	C	C4'-C3'-C2'	-10.99	91.61	102.60
26	BB	1157	G	C6-C5-N7	-10.99	123.81	130.40
26	BB	1899	A	C8-N9-C4	-10.99	101.41	105.80
1	AA	482	A	C8-N9-C4	-10.99	101.41	105.80
26	BB	2612	C	N3-C2-O2	-10.99	114.21	121.90
26	BB	600	G	N3-C2-N2	10.98	127.59	119.90
26	BB	2134	A	O4'-C1'-N9	10.98	116.99	108.20
1	AA	696	A	C5-C6-N1	-10.98	112.21	117.70
26	BB	707	G	N3-C4-N9	10.98	132.59	126.00
26	BB	1925	C	N3-C4-C5	-10.98	117.51	121.90
1	AA	290	C	N3-C4-C5	-10.97	117.51	121.90
26	BB	2389	G	N1-C6-O6	-10.97	113.32	119.90
26	BB	1343	G	N9-C4-C5	10.97	109.79	105.40
1	AA	927	G	C5-C6-O6	10.97	135.18	128.60
26	BB	2157	G	N9-C4-C5	10.97	109.79	105.40
1	AA	730	G	N9-C4-C5	10.96	109.78	105.40
26	BB	1895	C	O4'-C1'-N1	10.96	116.97	108.20
26	BB	2263	C	N3-C4-C5	-10.96	117.52	121.90
26	BB	2335	A	C3'-C2'-C1'	10.96	110.27	101.50
1	AA	689	C	N3-C4-C5	-10.96	117.52	121.90
26	BB	108	G	N3-C4-C5	-10.96	123.12	128.60
1	AA	1107	C	C6-N1-C2	-10.96	115.92	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	8	C	C6-N1-C2	-10.96	115.92	120.30
26	BB	355	U	C4-C5-C6	10.96	126.28	119.70
26	BB	2009	A	C4-C5-N7	-10.96	105.22	110.70
26	BB	760	G	N7-C8-N9	10.95	118.58	113.10
26	BB	2132	U	N1-C2-O2	10.95	130.47	122.80
26	BB	2441	U	O4'-C1'-N1	10.95	116.96	108.20
1	AA	1387	G	C5-N7-C8	10.95	109.78	104.30
26	BB	497	A	C8-N9-C4	10.95	110.18	105.80
26	BB	1259	G	N7-C8-N9	-10.95	107.62	113.10
26	BB	1825	U	N3-C4-O4	10.95	127.06	119.40
26	BB	2037	A	N9-C4-C5	10.95	110.18	105.80
26	BB	2867	G	N7-C8-N9	10.95	118.57	113.10
1	AA	743	A	O4'-C1'-N9	10.95	116.96	108.20
26	BB	1257	C	N3-C4-N4	10.94	125.66	118.00
26	BB	1947	C	O4'-C1'-N1	10.94	116.95	108.20
26	BB	2190	G	N9-C4-C5	10.94	109.78	105.40
1	AA	930	C	C5-C6-N1	10.94	126.47	121.00
1	AA	1237	C	N1-C2-O2	10.93	125.46	118.90
26	BB	994	C	O4'-C1'-N1	10.93	116.95	108.20
26	BB	2351	G	C8-N9-C4	-10.93	102.03	106.40
1	AA	560	A	C8-N9-C4	-10.93	101.43	105.80
1	AA	578	C	N3-C2-O2	-10.93	114.25	121.90
26	BB	389	G	C4-C5-N7	-10.93	106.43	110.80
26	BB	2086	U	C5-C6-N1	-10.93	117.23	122.70
1	AA	77	A	N1-C6-N6	10.93	125.16	118.60
1	AA	92	U	O4'-C1'-N1	10.93	116.94	108.20
1	AA	887	G	N3-C2-N2	-10.93	112.25	119.90
26	BB	1650	A	N7-C8-N9	10.92	119.26	113.80
1	AA	1338	G	N7-C8-N9	10.92	118.56	113.10
25	BA	10	G	O4'-C1'-N9	10.92	116.94	108.20
26	BB	889	C	C5-C6-N1	10.92	126.46	121.00
26	BB	2331	G	C5-N7-C8	-10.92	98.84	104.30
1	AA	1251	A	N1-C6-N6	-10.92	112.05	118.60
26	BB	1250	G	C5-N7-C8	-10.92	98.84	104.30
1	AA	76	G	C5-C6-N1	10.91	116.96	111.50
1	AA	1187	G	C5-N7-C8	-10.91	98.84	104.30
21	AU	42	ARG	NE-CZ-NH1	10.91	125.76	120.30
26	BB	956	G	N3-C4-C5	-10.91	123.14	128.60
26	BB	2078	C	C5'-C4'-O4'	10.91	122.20	109.10
1	AA	124	C	C4-C5-C6	-10.91	111.94	117.40
1	AA	1036	A	N9-C4-C5	10.91	110.16	105.80
1	AA	1412	C	C1'-O4'-C4'	-10.91	101.17	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	AD	29	C	C5-C4-N4	-10.91	112.56	120.20
26	BB	769	U	O4'-C1'-N1	10.91	116.93	108.20
26	BB	574	A	O4'-C1'-N9	10.91	116.93	108.20
3	AC	55	A	C3'-C2'-C1'	10.91	110.22	101.50
26	BB	510	C	C6-N1-C2	-10.91	115.94	120.30
1	AA	1197	A	N1-C6-N6	-10.90	112.06	118.60
26	BB	1422	G	C5-N7-C8	-10.90	98.85	104.30
26	BB	1765	U	O4'-C1'-N1	10.90	116.92	108.20
45	BU	84	ARG	NE-CZ-NH1	-10.90	114.85	120.30
26	BB	1475	G	C5-C6-N1	10.90	116.95	111.50
1	AA	260	G	C6-N1-C2	-10.90	118.56	125.10
1	AA	1143	G	C8-N9-C4	-10.90	102.04	106.40
1	AA	1280	A	N1-C2-N3	-10.89	123.85	129.30
26	BB	1560	G	N3-C4-C5	-10.89	123.15	128.60
1	AA	1217	C	C6-N1-C2	-10.89	115.94	120.30
26	BB	1885	A	N7-C8-N9	10.89	119.25	113.80
25	BA	20	G	O4'-C1'-N9	10.89	116.91	108.20
1	AA	922	G	N9-C4-C5	10.89	109.76	105.40
11	AK	87	ARG	NE-CZ-NH2	10.89	125.75	120.30
26	BB	2115	G	C2-N3-C4	10.89	117.34	111.90
26	BB	139	U	O4'-C1'-N1	10.89	116.91	108.20
26	BB	1664	A	C8-N9-C4	-10.88	101.45	105.80
1	AA	1415	G	C8-N9-C4	-10.88	102.05	106.40
1	AA	1068	G	C6-C5-N7	-10.88	123.87	130.40
6	AF	167	TYR	CB-CG-CD2	-10.88	114.47	121.00
26	BB	668	A	N9-C4-C5	-10.88	101.45	105.80
26	BB	2357	G	N9-C4-C5	10.88	109.75	105.40
4	AD	76	C	C5-C6-N1	10.88	126.44	121.00
26	BB	923	G	O4'-C1'-N9	10.88	116.90	108.20
1	AA	102	G	C5-N7-C8	-10.87	98.86	104.30
1	AA	615	G	N3-C4-C5	-10.87	123.16	128.60
7	AG	12	ARG	NE-CZ-NH1	10.87	125.74	120.30
26	BB	848	C	N3-C4-N4	10.87	125.61	118.00
1	AA	594	U	N3-C2-O2	-10.87	114.59	122.20
26	BB	662	G	O4'-C1'-N9	10.87	116.89	108.20
26	BB	250	G	N9-C4-C5	-10.86	101.05	105.40
1	AA	242	G	N9-C4-C5	10.86	109.75	105.40
10	AJ	118	ARG	NE-CZ-NH1	10.86	125.73	120.30
26	BB	1644	C	O4'-C1'-N1	10.86	116.89	108.20
1	AA	1251	A	C8-N9-C4	-10.86	101.45	105.80
1	AA	1482	G	N7-C8-N9	-10.86	107.67	113.10
26	BB	413	C	C6-N1-C2	10.86	124.64	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1013	G	N1-C6-O6	10.86	126.42	119.90
26	BB	1616	A	N7-C8-N9	10.86	119.23	113.80
1	AA	271	C	N3-C4-C5	-10.86	117.56	121.90
1	AA	310	G	O4'-C1'-N9	10.86	116.89	108.20
26	BB	1393	A	C4-C5-N7	-10.86	105.27	110.70
26	BB	2871	U	O4'-C1'-N1	10.86	116.89	108.20
1	AA	635	A	C5-C6-N1	-10.85	112.27	117.70
6	AF	231	ARG	NE-CZ-NH2	10.85	125.73	120.30
26	BB	1371	G	O4'-C1'-N9	10.85	116.88	108.20
26	BB	454	A	C5-N7-C8	10.85	109.33	103.90
26	BB	1085	A	C8-N9-C4	-10.85	101.46	105.80
4	AD	74	A	C8-N9-C4	-10.85	101.46	105.80
26	BB	522	A	C8-N9-C4	-10.85	101.46	105.80
26	BB	1376	C	C5-C4-N4	-10.85	112.61	120.20
26	BB	2387	U	C5-C4-O4	-10.85	119.39	125.90
1	AA	213	G	C2-N3-C4	10.85	117.32	111.90
1	AA	714	G	O4'-C1'-N9	10.85	116.88	108.20
1	AA	1013	G	C5-C6-O6	-10.85	122.09	128.60
26	BB	1910	G	C5-N7-C8	-10.85	98.88	104.30
26	BB	2042	A	C8-N9-C4	-10.84	101.46	105.80
26	BB	2114	A	N3-C4-C5	-10.84	119.21	126.80
1	AA	838	G	C5-C6-N1	10.84	116.92	111.50
1	AA	296	U	O4'-C1'-N1	10.84	116.87	108.20
2	AB	13	C	O4'-C1'-N1	10.84	116.87	108.20
26	BB	108	G	C2-N3-C4	10.84	117.32	111.90
26	BB	468	G	N1-C6-O6	10.84	126.40	119.90
26	BB	821	A	O4'-C1'-N9	10.84	116.87	108.20
26	BB	514	A	C4'-C3'-C2'	-10.84	91.77	102.60
26	BB	1225	G	C5-N7-C8	-10.84	98.88	104.30
1	AA	44	A	N7-C8-N9	10.83	119.22	113.80
1	AA	351	G	C2-N3-C4	10.83	117.32	111.90
26	BB	422	A	N9-C4-C5	-10.83	101.47	105.80
26	BB	2268	A	C5'-C4'-O4'	10.83	122.10	109.10
1	AA	1362	A	N7-C8-N9	10.83	119.22	113.80
26	BB	1343	G	C2-N3-C4	10.83	117.32	111.90
26	BB	1259	G	O4'-C1'-N9	10.83	116.86	108.20
1	AA	1492	A	O4'-C1'-N9	10.82	116.86	108.20
26	BB	686	U	O4'-C1'-N1	10.82	116.86	108.20
26	BB	1280	G	N1-C6-O6	-10.82	113.41	119.90
26	BB	1925	C	C5-C6-N1	10.82	126.41	121.00
1	AA	726	C	N1-C2-O2	10.82	125.39	118.90
1	AA	1109	C	O4'-C1'-N1	10.82	116.86	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1333	A	N1-C2-N3	-10.82	123.89	129.30
26	BB	1932	A	C5-N7-C8	-10.82	98.49	103.90
26	BB	2842	G	C2-N3-C4	10.82	117.31	111.90
26	BB	625	G	C8-N9-C4	-10.81	102.07	106.40
1	AA	104	G	C5-C6-O6	-10.81	122.11	128.60
7	AG	187	ARG	NE-CZ-NH1	10.81	125.71	120.30
25	BA	64	G	N7-C8-N9	10.81	118.51	113.10
26	BB	2694	G	N9-C4-C5	10.81	109.73	105.40
1	AA	716	A	O4'-C1'-N9	10.81	116.85	108.20
1	AA	741	G	C5-C6-N1	10.81	116.91	111.50
26	BB	962	G	C6-N1-C2	-10.81	118.61	125.10
26	BB	1816	C	C2-N3-C4	10.81	125.31	119.90
1	AA	1540	U	C5-C4-O4	-10.81	119.42	125.90
26	BB	47	C	O4'-C1'-N1	10.81	116.85	108.20
26	BB	891	G	C6-N1-C2	-10.81	118.61	125.10
26	BB	1581	G	C8-N9-C4	-10.81	102.08	106.40
26	BB	1980	G	O4'-C4'-C3'	10.81	114.81	104.00
13	AM	62	ARG	NE-CZ-NH2	-10.80	114.90	120.30
26	BB	966	G	N9-C4-C5	10.80	109.72	105.40
26	BB	1839	G	C3'-C2'-C1'	10.80	110.14	101.50
26	BB	2084	C	C4-C5-C6	-10.80	112.00	117.40
26	BB	557	C	N3-C4-C5	-10.80	117.58	121.90
26	BB	738	G	C6-N1-C2	-10.80	118.62	125.10
26	BB	764	A	O4'-C1'-N9	10.80	116.84	108.20
26	BB	915	C	C5-C4-N4	-10.80	112.64	120.20
1	AA	658	C	O4'-C1'-N1	10.80	116.84	108.20
1	AA	1528	U	C4-C5-C6	10.80	126.18	119.70
26	BB	2213	U	O4'-C1'-N1	10.80	116.84	108.20
26	BB	1031	G	C5-C6-N1	10.79	116.90	111.50
26	BB	1793	C	N1-C2-O2	10.79	125.38	118.90
26	BB	1116	G	C4-C5-N7	-10.79	106.48	110.80
26	BB	2206	C	N1-C2-O2	10.79	125.37	118.90
1	AA	410	G	O4'-C1'-N9	10.78	116.83	108.20
1	AA	1530	G	N3-C4-C5	-10.78	123.21	128.60
26	BB	979	A	N3-C4-C5	-10.79	119.25	126.80
26	BB	2111	U	C5-C4-O4	-10.79	119.43	125.90
1	AA	1347	G	C2-N3-C4	10.78	117.29	111.90
1	AA	158	G	C5-C6-N1	10.78	116.89	111.50
2	AB	27	C	C6-N1-C2	-10.78	115.99	120.30
26	BB	134	G	N1-C2-N3	10.78	130.37	123.90
1	AA	1122	U	C4-C5-C6	10.78	126.17	119.70
1	AA	1439	G	C6-N1-C2	-10.78	118.63	125.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	505	G	C8-N9-C4	-10.78	102.09	106.40
1	AA	169	C	C4-C5-C6	-10.77	112.01	117.40
26	BB	252	G	C2-N3-C4	10.77	117.29	111.90
1	AA	1082	A	N1-C2-N3	10.77	134.69	129.30
1	AA	367	U	C5-C4-O4	-10.77	119.44	125.90
3	AC	32	U	N1-C2-O2	-10.77	115.26	122.80
4	AD	34	U	N3-C2-O2	-10.77	114.66	122.20
26	BB	2607	G	C5-C6-O6	10.77	135.06	128.60
40	BP	22	ARG	NE-CZ-NH2	10.77	125.68	120.30
26	BB	2394	C	O4'-C1'-N1	10.77	116.81	108.20
1	AA	696	A	O4'-C1'-N9	10.76	116.81	108.20
1	AA	1438	G	N3-C4-N9	-10.76	119.54	126.00
1	AA	1477	U	O4'-C1'-N1	10.76	116.81	108.20
26	BB	2452	C	O4'-C1'-N1	10.76	116.81	108.20
1	AA	461	A	C8-N9-C4	-10.76	101.50	105.80
26	BB	1301	A	C2-N3-C4	10.76	115.98	110.60
26	BB	1619	G	N3-C4-C5	-10.76	123.22	128.60
26	BB	784	G	C8-N9-C4	-10.76	102.10	106.40
1	AA	399	G	C8-N9-C4	-10.76	102.10	106.40
1	AA	836	G	C4-C5-N7	10.76	115.10	110.80
26	BB	1064	C	C6-N1-C2	-10.76	116.00	120.30
26	BB	2082	A	N7-C8-N9	-10.76	108.42	113.80
1	AA	2	A	C4-C5-C6	-10.75	111.62	117.00
26	BB	258	G	C8-N9-C4	-10.75	102.10	106.40
26	BB	1710	G	N3-C4-C5	-10.75	123.22	128.60
54	B3	15	ARG	NE-CZ-NH2	10.75	125.68	120.30
1	AA	472	U	C5-C4-O4	-10.75	119.45	125.90
25	BA	75	G	C6-N1-C2	-10.75	118.65	125.10
26	BB	2642	G	N1-C6-O6	-10.75	113.45	119.90
26	BB	632	A	C5-N7-C8	10.75	109.27	103.90
26	BB	2282	G	P-O3'-C3'	10.75	132.60	119.70
26	BB	291	G	N3-C4-N9	10.75	132.45	126.00
37	BM	64	ARG	NE-CZ-NH2	10.75	125.67	120.30
1	AA	157	U	O4'-C1'-N1	10.75	116.80	108.20
1	AA	825	A	O4'-C1'-N9	10.75	116.80	108.20
26	BB	364	C	O4'-C1'-N1	10.75	116.80	108.20
26	BB	1304	A	C6-N1-C2	10.75	125.05	118.60
26	BB	1805	A	C4-C5-C6	-10.74	111.63	117.00
1	AA	1029	U	O4'-C1'-N1	10.74	116.79	108.20
26	BB	1329	U	O4'-C1'-N1	10.74	116.79	108.20
1	AA	448	A	N7-C8-N9	10.73	119.17	113.80
26	BB	1146	C	C6-N1-C2	10.73	124.59	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1162	G	N7-C8-N9	10.73	118.47	113.10
1	AA	999	C	N3-C4-C5	-10.73	117.61	121.90
26	BB	524	G	N3-C4-C5	-10.73	123.23	128.60
26	BB	2455	G	N3-C4-C5	-10.73	123.23	128.60
26	BB	2518	A	N9-C4-C5	10.73	110.09	105.80
25	BA	34	A	C2-N3-C4	-10.73	105.24	110.60
1	AA	354	G	C6-C5-N7	-10.73	123.96	130.40
1	AA	482	A	C2-N3-C4	10.73	115.96	110.60
26	BB	105	C	C2-N3-C4	10.73	125.26	119.90
26	BB	1750	G	C2-N3-C4	10.73	117.26	111.90
26	BB	2590	A	N1-C2-N3	10.72	134.66	129.30
1	AA	114	U	O4'-C1'-N1	10.72	116.78	108.20
1	AA	266	G	C8-N9-C4	-10.72	102.11	106.40
26	BB	2169	A	O4'-C1'-N9	10.72	116.78	108.20
26	BB	2253	G	O4'-C1'-N9	10.72	116.78	108.20
26	BB	2404	U	O4'-C1'-N1	10.72	116.78	108.20
2	AB	39	A	N1-C2-N3	-10.72	123.94	129.30
26	BB	1153	C	O4'-C1'-N1	10.72	116.78	108.20
26	BB	2740	A	C2-N3-C4	10.72	115.96	110.60
1	AA	796	C	C5-C6-N1	10.72	126.36	121.00
26	BB	2738	A	C2-N3-C4	10.72	115.96	110.60
1	AA	369	G	C5-C6-N1	10.71	116.86	111.50
1	AA	908	A	C2-N3-C4	10.71	115.96	110.60
1	AA	167	A	N9-C4-C5	10.71	110.08	105.80
1	AA	554	A	O4'-C1'-N9	10.71	116.77	108.20
26	BB	2477	U	N1-C2-O2	10.71	130.30	122.80
28	BD	174	ARG	NE-CZ-NH2	-10.71	114.94	120.30
1	AA	444	G	N9-C4-C5	10.71	109.68	105.40
1	AA	959	A	C5-C6-N1	10.71	123.05	117.70
26	BB	34	U	C4-C5-C6	10.71	126.12	119.70
26	BB	2161	C	C3'-C2'-C1'	-10.71	92.93	101.50
1	AA	1	A	O4'-C1'-N9	10.70	116.76	108.20
1	AA	1438	G	C4'-C3'-C2'	-10.71	91.89	102.60
26	BB	1035	U	C3'-C2'-C1'	-10.71	92.94	101.50
25	BA	15	A	C4-C5-N7	-10.70	105.35	110.70
2	AB	61	C	C6-N1-C2	10.70	124.58	120.30
25	BA	79	G	C6-N1-C2	-10.70	118.68	125.10
26	BB	535	G	C5-C6-N1	10.70	116.85	111.50
26	BB	1128	G	O4'-C1'-N9	10.70	116.76	108.20
26	BB	1417	C	C6-N1-C2	-10.70	116.02	120.30
26	BB	2037	A	C8-N9-C4	-10.70	101.52	105.80
26	BB	2132	U	C4-C5-C6	10.70	126.12	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	890	G	N1-C2-N3	-10.70	117.48	123.90
1	AA	1459	G	N9-C4-C5	10.70	109.68	105.40
1	AA	577	G	C8-N9-C4	-10.70	102.12	106.40
26	BB	128	C	N3-C4-C5	-10.70	117.62	121.90
26	BB	222	A	C8-N9-C4	10.70	110.08	105.80
3	AC	58	C	N1-C2-O2	10.69	125.32	118.90
26	BB	2229	U	C6-N1-C2	-10.70	114.58	121.00
1	AA	411	A	C4-C5-C6	-10.69	111.65	117.00
31	BG	166	ARG	NE-CZ-NH2	-10.69	114.95	120.30
1	AA	412	A	N1-C2-N3	10.69	134.65	129.30
1	AA	1453	G	N7-C8-N9	10.69	118.44	113.10
26	BB	2451	A	C4'-C3'-C2'	-10.69	91.91	102.60
26	BB	971	G	N3-C4-C5	-10.69	123.26	128.60
10	AJ	9	ARG	NE-CZ-NH1	10.69	125.64	120.30
26	BB	301	G	N3-C4-C5	-10.69	123.26	128.60
26	BB	1329	U	N1-C2-N3	10.68	121.31	114.90
26	BB	1328	A	N9-C4-C5	10.68	110.07	105.80
26	BB	132	G	N3-C4-C5	-10.68	123.26	128.60
26	BB	558	U	N3-C2-O2	-10.68	114.73	122.20
26	BB	1298	C	C5-C6-N1	10.68	126.34	121.00
26	BB	1547	C	C3'-C2'-C1'	10.68	110.04	101.50
26	BB	2750	A	C8-N9-C4	-10.68	101.53	105.80
26	BB	966	G	C4-C5-N7	-10.67	106.53	110.80
26	BB	2140	G	N9-C1'-C2'	-10.67	100.13	114.00
26	BB	2901	C	C6-N1-C2	10.67	124.57	120.30
1	AA	1423	G	C5-C6-O6	-10.67	122.20	128.60
26	BB	334	C	C4-C5-C6	-10.67	112.06	117.40
26	BB	1061	U	N3-C4-O4	10.67	126.87	119.40
26	BB	1095	A	O4'-C1'-N9	10.67	116.73	108.20
1	AA	650	G	N1-C6-O6	-10.66	113.50	119.90
4	AD	60	A	C2-N3-C4	10.66	115.93	110.60
26	BB	556	A	C5-N7-C8	10.66	109.23	103.90
26	BB	2680	U	C2-N3-C4	-10.66	120.60	127.00
1	AA	862	C	C6-N1-C2	-10.66	116.03	120.30
26	BB	1465	G	N3-C4-C5	-10.66	123.27	128.60
26	BB	473	G	C4-C5-N7	-10.66	106.54	110.80
1	AA	666	G	C6-N1-C2	-10.66	118.70	125.10
26	BB	2093	G	N3-C4-C5	-10.66	123.27	128.60
26	BB	2439	A	N1-C2-N3	-10.66	123.97	129.30
26	BB	2520	C	N3-C4-C5	-10.66	117.64	121.90
1	AA	1259	C	N1-C2-O2	10.65	125.29	118.90
26	BB	122	G	C8-N9-C4	-10.65	102.14	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2238	G	C8-N9-C4	-10.65	102.14	106.40
1	AA	369	G	C6-N1-C2	-10.65	118.71	125.10
1	AA	693	G	N1-C2-N2	-10.65	106.61	116.20
26	BB	614	A	C5-C6-N1	-10.65	112.37	117.70
26	BB	1244	A	N1-C6-N6	10.65	124.99	118.60
1	AA	767	A	N1-C6-N6	10.65	124.99	118.60
36	BL	60	ASP	CB-CG-OD1	-10.65	108.72	118.30
1	AA	552	U	O4'-C1'-N1	10.65	116.72	108.20
1	AA	1148	U	C6-N1-C2	-10.65	114.61	121.00
1	AA	331	G	O4'-C4'-C3'	10.64	114.64	104.00
1	AA	1392	G	N3-C4-C5	-10.64	123.28	128.60
26	BB	2132	U	N3-C2-O2	-10.64	114.75	122.20
1	AA	544	G	N1-C6-O6	-10.64	113.52	119.90
26	BB	1049	C	N3-C4-C5	-10.64	117.65	121.90
26	BB	1992	G	C4-C5-N7	-10.63	106.55	110.80
1	AA	230	G	C8-N9-C4	-10.63	102.15	106.40
1	AA	938	A	N7-C8-N9	-10.63	108.48	113.80
26	BB	780	G	N7-C8-N9	10.63	118.42	113.10
1	AA	420	U	C6-N1-C2	-10.63	114.62	121.00
26	BB	1207	C	C6-N1-C2	-10.63	116.05	120.30
26	BB	1451	C	C4-C5-C6	10.63	122.71	117.40
26	BB	1462	C	C3'-C2'-C1'	-10.63	93.00	101.50
1	AA	419	C	N1-C2-O2	10.63	125.28	118.90
1	AA	510	A	N1-C2-N3	-10.62	123.99	129.30
1	AA	1506	U	O4'-C1'-N1	10.62	116.70	108.20
26	BB	1705	A	C5-N7-C8	-10.62	98.59	103.90
4	AD	68	C	N3-C2-O2	-10.62	114.47	121.90
26	BB	616	A	C2-N3-C4	10.62	115.91	110.60
26	BB	2036	C	C2-N3-C4	10.62	125.21	119.90
26	BB	182	A	C5-N7-C8	10.62	109.21	103.90
26	BB	1211	C	N3-C4-C5	-10.62	117.65	121.90
1	AA	836	G	N7-C8-N9	10.61	118.41	113.10
1	AA	1122	U	N3-C4-C5	-10.61	108.23	114.60
26	BB	1530	G	O4'-C1'-N9	10.61	116.69	108.20
26	BB	1918	A	C3'-C2'-C1'	10.61	109.99	101.50
1	AA	654	G	C4-C5-N7	10.61	115.04	110.80
26	BB	1720	U	C5-C6-N1	-10.61	117.39	122.70
26	BB	2227	A	C2-N3-C4	10.61	115.91	110.60
26	BB	1298	C	C6-N1-C2	-10.61	116.06	120.30
26	BB	2791	G	C4-C5-N7	-10.61	106.56	110.80
1	AA	1083	U	C5-C6-N1	-10.60	117.40	122.70
26	BB	1935	G	N1-C2-N2	10.60	125.74	116.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2472	G	N1-C2-N3	10.60	130.26	123.90
1	AA	411	A	C5-C6-N1	10.60	123.00	117.70
1	AA	1319	A	C5'-C4'-O4'	10.60	121.82	109.10
26	BB	289	G	C4-C5-N7	-10.60	106.56	110.80
26	BB	289	G	N3-C4-C5	-10.60	123.30	128.60
26	BB	782	A	O4'-C1'-C2'	-10.60	95.20	105.80
26	BB	909	A	N1-C6-N6	-10.60	112.24	118.60
26	BB	163	C	N1-C2-O2	10.60	125.26	118.90
26	BB	1855	U	C5-C4-O4	-10.60	119.54	125.90
26	BB	2451	A	N1-C2-N3	-10.60	124.00	129.30
1	AA	909	A	O4'-C1'-N9	10.60	116.68	108.20
1	AA	1538	C	C3'-C2'-C1'	10.60	109.98	101.50
1	AA	89	U	C5-C6-N1	-10.59	117.40	122.70
26	BB	794	A	N9-C4-C5	-10.59	101.56	105.80
27	BC	7	ARG	NE-CZ-NH2	-10.59	115.00	120.30
1	AA	390	U	O4'-C1'-N1	10.59	116.67	108.20
1	AA	564	C	C6-N1-C2	-10.59	116.06	120.30
1	AA	684	U	O4'-C1'-N1	10.59	116.67	108.20
1	AA	1195	C	C2-N3-C4	10.59	125.19	119.90
11	AK	76	ARG	NE-CZ-NH2	-10.59	115.00	120.30
26	BB	1693	U	O4'-C4'-C3'	10.59	114.59	104.00
1	AA	1416	G	C5-C6-O6	10.59	134.95	128.60
26	BB	692	C	N3-C4-N4	10.59	125.41	118.00
1	AA	803	G	N1-C6-O6	10.59	126.25	119.90
1	AA	1094	G	N1-C2-N3	-10.59	117.55	123.90
26	BB	1871	A	C6-N1-C2	10.59	124.95	118.60
26	BB	185	G	N3-C4-C5	-10.59	123.31	128.60
26	BB	534	U	N1-C2-N3	10.59	121.25	114.90
26	BB	1304	A	N1-C2-N3	-10.59	124.01	129.30
26	BB	1676	A	C3'-C2'-C1'	-10.58	93.03	101.50
1	AA	1432	G	C6-N1-C2	-10.58	118.75	125.10
26	BB	1333	G	C8-N9-C4	-10.58	102.17	106.40
57	B6	29	ARG	NE-CZ-NH2	10.58	125.59	120.30
32	BH	169	ARG	NE-CZ-NH2	10.58	125.59	120.30
26	BB	2576	G	C5-C6-N1	10.58	116.79	111.50
1	AA	910	C	C5-C6-N1	-10.57	115.71	121.00
1	AA	1496	C	O4'-C1'-N1	10.57	116.66	108.20
26	BB	686	U	C4-C5-C6	10.57	126.05	119.70
26	BB	735	A	C5-C6-N1	10.57	122.99	117.70
26	BB	1178	C	C5-C6-N1	-10.57	115.71	121.00
26	BB	2377	A	C5-C6-N1	10.57	122.99	117.70
26	BB	106	C	C5'-C4'-C3'	-10.57	99.09	116.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1431	A	N7-C8-N9	-10.57	108.52	113.80
26	BB	2038	G	N9-C1'-C2'	-10.57	100.26	114.00
26	BB	1275	A	O4'-C1'-N9	10.57	116.65	108.20
1	AA	596	A	C8-N9-C4	-10.56	101.57	105.80
1	AA	628	G	N3-C4-C5	-10.56	123.32	128.60
26	BB	1722	A	N9-C4-C5	10.56	110.03	105.80
26	BB	2206	C	O4'-C1'-N1	10.56	116.65	108.20
26	BB	2230	G	C6-C5-N7	-10.56	124.06	130.40
26	BB	2488	G	C8-N9-C4	-10.56	102.17	106.40
1	AA	467	U	N3-C2-O2	-10.56	114.81	122.20
5	AE	138	ARG	NE-CZ-NH2	10.56	125.58	120.30
26	BB	259	G	N3-C4-N9	10.56	132.34	126.00
26	BB	691	C	N3-C2-O2	-10.56	114.51	121.90
26	BB	1155	A	C4-C5-C6	-10.56	111.72	117.00
26	BB	2487	G	N3-C4-C5	-10.56	123.32	128.60
1	AA	1272	G	C4'-C3'-C2'	-10.56	92.04	102.60
26	BB	323	C	O4'-C1'-N1	10.56	116.65	108.20
26	BB	1177	G	C4-C5-N7	10.56	115.02	110.80
26	BB	2592	G	N7-C8-N9	10.56	118.38	113.10
26	BB	2740	A	N1-C2-N3	-10.56	124.02	129.30
26	BB	2710	C	C5-C6-N1	10.56	126.28	121.00
26	BB	753	A	N7-C8-N9	10.55	119.08	113.80
1	AA	251	G	C6-N1-C2	-10.55	118.77	125.10
1	AA	1217	C	C5-C4-N4	-10.55	112.81	120.20
1	AA	616	G	C6-N1-C2	-10.55	118.77	125.10
26	BB	613	A	N1-C2-N3	-10.55	124.03	129.30
25	BA	112	G	C8-N9-C4	-10.54	102.18	106.40
26	BB	384	A	N7-C8-N9	10.54	119.07	113.80
26	BB	567	U	N3-C2-O2	-10.54	114.82	122.20
26	BB	791	C	N3-C4-N4	10.54	125.38	118.00
26	BB	1449	G	C4-C5-N7	-10.54	106.58	110.80
26	BB	1731	G	N3-C4-C5	-10.54	123.33	128.60
1	AA	1247	U	C2-N3-C4	-10.54	120.68	127.00
26	BB	440	C	N1-C2-O2	10.54	125.22	118.90
26	BB	476	G	C2-N3-C4	10.54	117.17	111.90
26	BB	1571	A	N3-C4-C5	-10.54	119.42	126.80
26	BB	2592	G	C4-C5-C6	10.54	125.12	118.80
26	BB	1789	A	N9-C4-C5	10.53	110.01	105.80
26	BB	2752	C	C1'-O4'-C4'	-10.53	101.47	109.90
26	BB	72	U	O4'-C1'-N1	10.53	116.63	108.20
26	BB	1196	C	O4'-C1'-N1	10.53	116.62	108.20
26	BB	1026	G	N3-C2-N2	10.53	127.27	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1059	G	C8-N9-C4	-10.53	102.19	106.40
26	BB	1314	C	N3-C2-O2	-10.53	114.53	121.90
26	BB	1392	A	C2-N3-C4	10.53	115.86	110.60
1	AA	149	A	C2-N3-C4	-10.53	105.34	110.60
1	AA	829	G	N3-C2-N2	-10.53	112.53	119.90
26	BB	396	G	O4'-C1'-N9	10.53	116.62	108.20
26	BB	2473	U	C2-N3-C4	-10.53	120.68	127.00
1	AA	843	U	O4'-C1'-N1	10.52	116.62	108.20
26	BB	1165	A	N9-C4-C5	10.52	110.01	105.80
26	BB	1261	C	N1-C2-O2	10.52	125.21	118.90
1	AA	972	C	O4'-C1'-N1	10.52	116.62	108.20
26	BB	1069	A	O4'-C1'-N9	10.52	116.61	108.20
26	BB	1793	C	C5-C6-N1	-10.52	115.74	121.00
1	AA	1154	G	N3-C2-N2	-10.52	112.54	119.90
2	AB	65	C	N1-C2-O2	10.52	125.21	118.90
26	BB	1087	G	N9-C4-C5	10.52	109.61	105.40
26	BB	1659	G	O4'-C1'-N9	10.52	116.61	108.20
26	BB	2426	A	O4'-C1'-N9	10.52	116.61	108.20
37	BM	62	VAL	CA-CB-CG1	10.52	126.67	110.90
26	BB	274	C	N3-C4-C5	10.51	126.11	121.90
26	BB	669	G	C8-N9-C4	-10.51	102.19	106.40
26	BB	1077	A	O4'-C1'-N9	10.51	116.61	108.20
26	BB	2139	U	C4-C5-C6	10.51	126.01	119.70
26	BB	2793	C	O4'-C1'-N1	10.51	116.61	108.20
1	AA	1006	G	C6-C5-N7	-10.51	124.09	130.40
26	BB	1392	A	N1-C2-N3	-10.51	124.05	129.30
26	BB	1659	G	C6-N1-C2	-10.51	118.79	125.10
26	BB	2659	G	C8-N9-C4	10.51	110.60	106.40
26	BB	1566	A	N9-C4-C5	-10.50	101.60	105.80
2	AB	3	G	N7-C8-N9	10.50	118.35	113.10
26	BB	410	G	C2-N3-C4	10.50	117.15	111.90
26	BB	2333	A	C5-N7-C8	10.50	109.15	103.90
1	AA	610	U	N3-C4-O4	-10.50	112.05	119.40
26	BB	49	A	O4'-C1'-N9	10.50	116.60	108.20
26	BB	2446	G	N3-C4-C5	-10.50	123.35	128.60
1	AA	57	G	C8-N9-C4	-10.49	102.20	106.40
26	BB	680	C	C5'-C4'-O4'	10.49	121.69	109.10
26	BB	1386	C	O4'-C1'-N1	10.49	116.59	108.20
26	BB	2356	U	O4'-C1'-N1	10.49	116.59	108.20
26	BB	1515	A	N7-C8-N9	-10.49	108.55	113.80
1	AA	575	G	N1-C2-N2	10.49	125.64	116.20
1	AA	1063	C	C5-C6-N1	10.49	126.24	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1074	G	C6-C5-N7	-10.49	124.11	130.40
1	AA	443	C	O4'-C1'-N1	10.49	116.59	108.20
1	AA	1272	G	N9-C1'-C2'	-10.49	100.37	114.00
26	BB	47	C	N1-C2-O2	10.49	125.19	118.90
26	BB	383	C	N3-C4-C5	-10.49	117.70	121.90
26	BB	489	G	C3'-C2'-C1'	10.49	109.89	101.50
1	AA	2	A	C5-C6-N6	-10.48	115.31	123.70
26	BB	336	C	O4'-C1'-N1	10.48	116.59	108.20
26	BB	669	G	C4'-C3'-C2'	-10.48	92.11	102.60
1	AA	1046	A	C5-C6-N6	-10.48	115.31	123.70
1	AA	1447	A	C8-N9-C4	-10.48	101.61	105.80
3	AC	44	U	N1-C2-O2	10.48	130.14	122.80
26	BB	111	A	C5-C6-N6	-10.48	115.32	123.70
1	AA	112	G	N1-C2-N2	-10.48	106.77	116.20
1	AA	340	U	N3-C4-O4	10.48	126.73	119.40
1	AA	619	U	C6-N1-C2	-10.48	114.71	121.00
1	AA	1255	G	N7-C8-N9	10.48	118.34	113.10
25	BA	47	C	N3-C4-C5	-10.48	117.71	121.90
26	BB	1976	U	O4'-C1'-N1	10.48	116.58	108.20
1	AA	222	C	O4'-C1'-N1	10.48	116.58	108.20
1	AA	780	A	N7-C8-N9	10.48	119.04	113.80
1	AA	973	G	N1-C6-O6	-10.48	113.61	119.90
26	BB	685	A	C8-N9-C4	-10.48	101.61	105.80
1	AA	162	A	C8-N9-C4	-10.47	101.61	105.80
1	AA	1121	U	C4-C5-C6	10.47	125.98	119.70
26	BB	50	U	O4'-C1'-N1	10.47	116.58	108.20
26	BB	1324	G	C5-N7-C8	-10.47	99.06	104.30
1	AA	740	U	C5-C6-N1	-10.47	117.46	122.70
26	BB	134	G	C3'-C2'-C1'	10.47	109.88	101.50
26	BB	1802	A	C5-N7-C8	-10.47	98.67	103.90
26	BB	2326	C	N3-C2-O2	-10.47	114.57	121.90
1	AA	743	A	C2-N3-C4	10.47	115.83	110.60
1	AA	819	A	N9-C4-C5	10.47	109.99	105.80
26	BB	583	G	N3-C4-N9	10.47	132.28	126.00
26	BB	1022	G	C3'-C2'-C1'	-10.47	93.13	101.50
26	BB	1033	U	C5-C4-O4	-10.47	119.62	125.90
26	BB	1640	A	N9-C4-C5	10.47	109.99	105.80
26	BB	2271	G	C8-N9-C4	-10.47	102.21	106.40
1	AA	441	A	N9-C4-C5	10.47	109.99	105.80
1	AA	654	G	C5-N7-C8	-10.46	99.07	104.30
1	AA	666	G	C5-C6-N1	10.46	116.73	111.50
2	AB	26	A	C4-C5-C6	10.46	122.23	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1125	G	N3-C4-N9	10.46	132.28	126.00
26	BB	1576	U	C2-N3-C4	-10.46	120.72	127.00
26	BB	1994	C	O4'-C1'-N1	10.46	116.57	108.20
26	BB	2876	G	N3-C4-C5	-10.46	123.37	128.60
1	AA	1459	G	C4-C5-N7	-10.46	106.62	110.80
1	AA	980	C	N3-C4-C5	-10.46	117.72	121.90
1	AA	1175	G	C2-N3-C4	10.46	117.13	111.90
26	BB	1021	A	C2-N3-C4	10.46	115.83	110.60
26	BB	1930	G	C8-N9-C4	-10.46	102.22	106.40
1	AA	615	G	C5-C6-N1	-10.46	106.27	111.50
26	BB	490	C	O4'-C1'-N1	10.46	116.56	108.20
1	AA	344	A	N7-C8-N9	10.45	119.03	113.80
26	BB	561	G	O4'-C1'-N9	10.45	116.56	108.20
26	BB	883	G	C4-C5-N7	-10.45	106.62	110.80
26	BB	1160	G	C5-C6-N1	10.45	116.73	111.50
1	AA	1193	G	N9-C1'-C2'	-10.45	100.42	114.00
26	BB	1125	G	C6-C5-N7	-10.45	124.13	130.40
1	AA	95	C	N3-C4-C5	-10.45	117.72	121.90
1	AA	108	G	N3-C4-C5	-10.45	123.38	128.60
1	AA	848	C	O4'-C1'-N1	10.45	116.56	108.20
1	AA	1004	A	N9-C4-C5	10.45	109.98	105.80
26	BB	1309	G	C5-C6-N1	10.44	116.72	111.50
26	BB	2775	G	C6-N1-C2	-10.45	118.83	125.10
26	BB	652	U	N1-C2-N3	10.44	121.17	114.90
1	AA	71	A	O4'-C1'-N9	10.44	116.55	108.20
1	AA	291	U	O4'-C1'-N1	10.44	116.55	108.20
26	BB	628	G	N1-C2-N3	-10.44	117.64	123.90
26	BB	1214	A	C2-N3-C4	10.44	115.82	110.60
2	AB	53	G	C5'-C4'-O4'	10.44	121.62	109.10
26	BB	48	G	C5-C6-O6	-10.44	122.34	128.60
26	BB	700	G	O4'-C1'-N9	10.44	116.55	108.20
26	BB	2657	A	C5-N7-C8	10.44	109.12	103.90
26	BB	2061	G	C4-C5-N7	-10.44	106.63	110.80
26	BB	2663	G	N9-C4-C5	10.44	109.57	105.40
1	AA	1215	G	O4'-C1'-N9	10.43	116.55	108.20
26	BB	592	A	C8-N9-C4	-10.43	101.63	105.80
26	BB	2415	G	N9-C4-C5	10.43	109.57	105.40
1	AA	128	G	N3-C2-N2	10.43	127.20	119.90
26	BB	1802	A	C8-N9-C4	-10.43	101.63	105.80
26	BB	2164	C	N1-C2-O2	10.43	125.16	118.90
26	BB	2555	U	C2-N3-C4	-10.43	120.74	127.00
26	BB	2591	C	N3-C2-O2	-10.43	114.60	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	541	G	C6-N1-C2	-10.43	118.84	125.10
1	AA	1363	A	O4'-C1'-N9	10.43	116.54	108.20
26	BB	532	A	C8-N9-C4	-10.42	101.63	105.80
26	BB	1955	U	N1-C2-N3	10.42	121.15	114.90
26	BB	557	C	C4-C5-C6	10.42	122.61	117.40
26	BB	2364	C	O4'-C1'-N1	10.42	116.54	108.20
1	AA	138	G	N3-C4-C5	-10.42	123.39	128.60
26	BB	478	A	N7-C8-N9	10.42	119.01	113.80
1	AA	1152	A	C1'-O4'-C4'	-10.42	101.57	109.90
26	BB	756	A	C2-N3-C4	10.42	115.81	110.60
26	BB	1195	G	C4-C5-N7	-10.42	106.63	110.80
1	AA	429	U	C4-C5-C6	10.41	125.95	119.70
26	BB	1805	A	N1-C2-N3	-10.41	124.09	129.30
1	AA	1105	A	N7-C8-N9	-10.41	108.60	113.80
4	AD	5	G	C6-N1-C2	-10.41	118.85	125.10
26	BB	2036	C	C3'-C2'-C1'	10.41	109.83	101.50
1	AA	27	G	C6-C5-N7	-10.41	124.16	130.40
1	AA	187	G	C5-C6-N1	-10.41	106.30	111.50
1	AA	520	A	C4-C5-N7	-10.40	105.50	110.70
1	AA	588	G	C2-N3-C4	10.40	117.10	111.90
1	AA	765	G	C1'-O4'-C4'	-10.40	101.58	109.90
26	BB	58	G	N3-C4-C5	-10.40	123.40	128.60
26	BB	88	G	O4'-C1'-N9	10.40	116.52	108.20
26	BB	1604	C	C4'-C3'-C2'	-10.40	92.20	102.60
26	BB	2499	C	C6-N1-C2	-10.40	116.14	120.30
1	AA	266	G	N1-C2-N3	-10.40	117.66	123.90
1	AA	657	U	C3'-C2'-C1'	10.40	109.82	101.50
1	AA	675	A	N1-C6-N6	-10.40	112.36	118.60
1	AA	1228	C	O4'-C1'-N1	10.40	116.52	108.20
26	BB	205	G	N3-C4-C5	-10.40	123.40	128.60
26	BB	1210	G	C5-N7-C8	-10.40	99.10	104.30
26	BB	2114	A	N1-C6-N6	-10.40	112.36	118.60
26	BB	249	C	N1-C2-O2	10.40	125.14	118.90
26	BB	806	C	N3-C4-C5	-10.40	117.74	121.90
26	BB	1022	G	C5-C6-O6	10.40	134.84	128.60
26	BB	1885	A	C8-N9-C4	-10.40	101.64	105.80
26	BB	2207	C	N3-C4-N4	10.39	125.28	118.00
4	AD	19	G	C3'-C2'-C1'	10.39	109.81	101.50
1	AA	386	C	O4'-C1'-N1	10.39	116.51	108.20
3	AC	13	A	C8-N9-C4	-10.39	101.64	105.80
26	BB	1162	G	C8-N9-C4	-10.39	102.24	106.40
26	BB	1629	U	C4-C5-C6	10.39	125.94	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2507	C	N3-C2-O2	-10.39	114.63	121.90
1	AA	339	C	O4'-C1'-N1	10.39	116.51	108.20
26	BB	1862	G	O4'-C1'-N9	10.39	116.51	108.20
1	AA	872	A	C8-N9-C4	-10.39	101.64	105.80
32	BH	34	ARG	NE-CZ-NH1	-10.39	115.11	120.30
26	BB	556	A	N3-C4-C5	-10.39	119.53	126.80
26	BB	1257	C	C2-N3-C4	10.39	125.09	119.90
26	BB	1565	C	O4'-C1'-N1	10.39	116.51	108.20
1	AA	251	G	C2-N3-C4	10.38	117.09	111.90
1	AA	254	G	N9-C4-C5	10.39	109.56	105.40
1	AA	1187	G	C8-N9-C4	-10.39	102.25	106.40
26	BB	944	C	O4'-C1'-N1	10.38	116.51	108.20
1	AA	289	G	C6-C5-N7	-10.38	124.17	130.40
26	BB	43	G	N3-C4-C5	-10.38	123.41	128.60
26	BB	275	C	C2-N3-C4	10.38	125.09	119.90
26	BB	1670	C	C6-N1-C2	10.38	124.45	120.30
26	BB	2470	G	C8-N9-C4	-10.38	102.25	106.40
1	AA	1533	C	O4'-C1'-N1	10.38	116.50	108.20
26	BB	1424	G	N3-C4-N9	-10.38	119.77	126.00
1	AA	471	U	O4'-C1'-N1	10.38	116.50	108.20
26	BB	2714	G	C8-N9-C4	-10.38	102.25	106.40
1	AA	378	G	N3-C2-N2	-10.38	112.64	119.90
26	BB	115	C	O4'-C1'-N1	10.38	116.50	108.20
26	BB	181	A	N9-C4-C5	10.38	109.95	105.80
26	BB	2901	C	N3-C4-N4	10.38	125.26	118.00
1	AA	702	A	C8-N9-C4	-10.37	101.65	105.80
26	BB	1560	G	N3-C4-N9	10.37	132.22	126.00
1	AA	101	A	N9-C4-C5	10.37	109.95	105.80
1	AA	1238	A	C8-N9-C4	-10.37	101.65	105.80
5	AE	73	ARG	NE-CZ-NH2	-10.37	115.11	120.30
26	BB	1998	A	C6-C5-N7	10.37	139.56	132.30
26	BB	1724	G	O4'-C1'-N9	10.37	116.49	108.20
26	BB	2573	C	N1-C2-O2	10.37	125.12	118.90
26	BB	852	U	N3-C4-O4	10.37	126.66	119.40
26	BB	1944	U	C5-C4-O4	-10.37	119.68	125.90
26	BB	2496	C	O4'-C4'-C3'	10.37	114.39	106.10
1	AA	1186	G	N9-C4-C5	10.36	109.55	105.40
1	AA	1336	C	N3-C2-O2	-10.36	114.64	121.90
25	BA	16	G	N7-C8-N9	10.36	118.28	113.10
26	BB	1534	U	N3-C4-O4	10.36	126.66	119.40
1	AA	447	G	O4'-C1'-N9	10.36	116.49	108.20
26	BB	1922	G	N3-C4-C5	-10.36	123.42	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	466	A	N1-C6-N6	-10.36	112.39	118.60
1	AA	1338	G	C4'-C3'-C2'	-10.36	92.24	102.60
26	BB	2107	G	C8-N9-C4	-10.36	102.26	106.40
26	BB	2496	C	O4'-C1'-N1	10.36	116.48	108.20
15	AO	116	TYR	CB-CG-CD1	-10.35	114.79	121.00
26	BB	23	G	C8-N9-C4	-10.35	102.26	106.40
1	AA	340	U	C5-C4-O4	-10.35	119.69	125.90
26	BB	73	A	C4-C5-C6	-10.35	111.83	117.00
26	BB	1988	G	N1-C2-N2	10.35	125.52	116.20
26	BB	2653	U	N1-C2-N3	10.35	121.11	114.90
1	AA	53	A	N1-C6-N6	-10.35	112.39	118.60
1	AA	484	G	C4-C5-N7	10.35	114.94	110.80
4	AD	62	C	O4'-C1'-N1	10.35	116.48	108.20
26	BB	1202	G	N9-C4-C5	10.35	109.54	105.40
1	AA	1217	C	O4'-C1'-N1	10.35	116.48	108.20
25	BA	36	C	N1-C2-O2	10.35	125.11	118.90
26	BB	948	C	N1-C2-O2	10.35	125.11	118.90
1	AA	764	C	N3-C4-C5	-10.34	117.76	121.90
25	BA	94	A	C2-N3-C4	10.34	115.77	110.60
26	BB	88	G	N1-C2-N3	-10.34	117.69	123.90
1	AA	1327	C	O4'-C1'-N1	10.34	116.47	108.20
1	AA	1433	A	C8-N9-C4	-10.34	101.66	105.80
26	BB	1252	G	C8-N9-C4	-10.34	102.26	106.40
26	BB	2469	A	C5-C6-N1	10.34	122.87	117.70
1	AA	1101	A	O4'-C1'-N9	10.34	116.47	108.20
4	AD	50	G	O4'-C1'-N9	10.34	116.47	108.20
26	BB	684	G	O4'-C1'-N9	10.34	116.47	108.20
26	BB	2606	C	C5-C4-N4	-10.34	112.97	120.20
1	AA	1064	G	C4-C5-N7	10.33	114.93	110.80
26	BB	1344	U	N3-C4-C5	10.33	120.80	114.60
26	BB	2153	C	O4'-C4'-C3'	10.33	114.37	106.10
1	AA	1243	C	C6-N1-C2	-10.33	116.17	120.30
26	BB	444	C	C5-C4-N4	-10.33	112.97	120.20
1	AA	223	A	C8-N9-C4	-10.33	101.67	105.80
2	AB	30	G	N1-C6-O6	10.33	126.09	119.90
26	BB	772	C	O4'-C1'-N1	10.33	116.46	108.20
26	BB	1653	G	C8-N9-C4	-10.33	102.27	106.40
26	BB	131	A	N9-C4-C5	10.32	109.93	105.80
26	BB	1511	G	C4-C5-N7	-10.32	106.67	110.80
26	BB	1569	A	N1-C2-N3	10.32	134.46	129.30
26	BB	2822	G	O4'-C1'-N9	10.32	116.46	108.20
26	BB	511	U	C5-C4-O4	-10.32	119.71	125.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2365	G	C5-N7-C8	-10.32	99.14	104.30
26	BB	2873	A	C4-C5-C6	10.32	122.16	117.00
1	AA	768	A	N7-C8-N9	-10.31	108.64	113.80
1	AA	1296	C	C5-C6-N1	-10.31	115.84	121.00
1	AA	41	G	N7-C8-N9	10.31	118.26	113.10
1	AA	1448	C	C4-C5-C6	10.31	122.56	117.40
25	BA	79	G	N3-C2-N2	-10.31	112.68	119.90
26	BB	226	A	N9-C4-C5	10.31	109.92	105.80
26	BB	701	G	C4-C5-N7	-10.31	106.67	110.80
26	BB	2440	C	O4'-C1'-N1	10.31	116.45	108.20
42	BR	97	TYR	CB-CG-CD2	-10.31	114.81	121.00
2	AB	15	A	N1-C6-N6	-10.31	112.42	118.60
26	BB	927	A	C8-N9-C4	-10.31	101.68	105.80
26	BB	1567	G	O4'-C1'-N9	10.31	116.45	108.20
26	BB	1695	G	N7-C8-N9	10.31	118.25	113.10
26	BB	2161	C	O4'-C1'-N1	10.31	116.45	108.20
1	AA	1413	A	N7-C8-N9	10.31	118.95	113.80
26	BB	2451	A	O4'-C1'-N9	10.31	116.44	108.20
1	AA	185	U	C4-C5-C6	10.30	125.88	119.70
26	BB	691	C	N1-C2-O2	10.30	125.08	118.90
26	BB	2279	G	C4-C5-N7	-10.31	106.68	110.80
1	AA	193	C	O4'-C1'-N1	10.30	116.44	108.20
26	BB	141	G	C4-C5-C6	10.30	124.98	118.80
26	BB	2815	C	N1-C2-O2	10.30	125.08	118.90
6	AF	163	ARG	NE-CZ-NH2	-10.30	115.15	120.30
12	AL	118	ARG	NE-CZ-NH2	-10.30	115.15	120.30
55	B4	20	TYR	CB-CG-CD2	-10.30	114.82	121.00
26	BB	2114	A	C4-C5-N7	-10.30	105.55	110.70
26	BB	2642	G	N9-C4-C5	10.30	109.52	105.40
1	AA	667	G	N3-C4-C5	-10.30	123.45	128.60
1	AA	689	C	O4'-C1'-N1	10.30	116.44	108.20
26	BB	2141	G	C4-C5-N7	-10.30	106.68	110.80
27	BC	162	ARG	NE-CZ-NH1	10.30	125.45	120.30
1	AA	1074	G	C4-C5-N7	10.30	114.92	110.80
1	AA	505	G	N9-C4-C5	10.29	109.52	105.40
26	BB	65	U	C4-C5-C6	10.29	125.88	119.70
26	BB	1787	A	C8-N9-C4	-10.29	101.68	105.80
26	BB	1611	C	C5-C6-N1	10.29	126.15	121.00
26	BB	2541	A	N1-C2-N3	-10.29	124.15	129.30
26	BB	2801	G	C8-N9-C4	-10.29	102.28	106.40
1	AA	1156	G	C1'-O4'-C4'	-10.29	101.67	109.90
2	AB	30	G	C5-C6-O6	-10.29	122.43	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1456	A	N9-C4-C5	10.28	109.91	105.80
26	BB	1072	C	C6-N1-C2	10.28	124.41	120.30
26	BB	1514	G	C5-C6-N1	10.29	116.64	111.50
26	BB	1903	G	N3-C4-C5	-10.28	123.46	128.60
1	AA	574	A	N9-C4-C5	10.28	109.91	105.80
26	BB	2143	C	C2-N3-C4	10.28	125.04	119.90
26	BB	1297	C	N1-C2-O2	10.28	125.07	118.90
2	AB	51	G	N7-C8-N9	10.28	118.24	113.10
26	BB	176	A	C5-C6-N1	10.28	122.84	117.70
26	BB	1267	U	N3-C4-O4	10.28	126.59	119.40
26	BB	2255	G	N1-C6-O6	-10.28	113.73	119.90
1	AA	1102	A	C1'-O4'-C4'	-10.27	101.68	109.90
25	BA	7	G	N7-C8-N9	10.27	118.24	113.10
1	AA	184	G	O4'-C1'-N9	10.27	116.42	108.20
1	AA	432	A	C5-C6-N1	10.27	122.84	117.70
26	BB	1467	U	N1-C2-O2	-10.27	115.61	122.80
1	AA	1011	C	C2-N3-C4	10.27	125.03	119.90
26	BB	154	U	O4'-C1'-N1	10.27	116.42	108.20
26	BB	403	U	O4'-C1'-N1	10.27	116.42	108.20
26	BB	953	G	N9-C4-C5	10.27	109.51	105.40
1	AA	281	G	C8-N9-C4	-10.27	102.29	106.40
1	AA	310	G	C5-C6-N1	10.27	116.63	111.50
26	BB	82	U	C5-C4-O4	-10.27	119.74	125.90
26	BB	2814	A	N1-C6-N6	-10.27	112.44	118.60
1	AA	45	G	N1-C2-N3	-10.26	117.74	123.90
1	AA	1059	C	C6-N1-C2	-10.26	116.20	120.30
26	BB	534	U	C5-C6-N1	-10.26	117.57	122.70
26	BB	1875	G	C8-N9-C4	-10.26	102.30	106.40
26	BB	1529	G	C4-C5-C6	10.26	124.95	118.80
1	AA	1006	G	C8-N9-C4	-10.26	102.30	106.40
26	BB	673	C	O4'-C1'-N1	10.26	116.41	108.20
26	BB	1762	A	O4'-C4'-C3'	10.26	114.31	106.10
1	AA	59	A	N1-C2-N3	-10.26	124.17	129.30
1	AA	440	C	O4'-C1'-N1	10.26	116.40	108.20
1	AA	533	A	C5-C6-N6	-10.26	115.50	123.70
1	AA	1358	U	C2-N3-C4	-10.26	120.85	127.00
26	BB	1813	G	C1'-O4'-C4'	10.26	118.11	109.90
26	BB	2010	G	O4'-C4'-C3'	10.26	114.30	106.10
1	AA	276	G	C6-C5-N7	-10.25	124.25	130.40
26	BB	2084	C	C5-C4-N4	-10.25	113.02	120.20
1	AA	1169	A	C4-C5-N7	-10.25	105.58	110.70
26	BB	546	U	C5-C6-N1	-10.25	117.58	122.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1780	A	O4'-C4'-C3'	10.25	114.30	106.10
31	BG	149	ARG	NE-CZ-NH2	-10.25	115.17	120.30
26	BB	82	U	O4'-C1'-N1	10.25	116.40	108.20
26	BB	1330	C	O4'-C1'-N1	10.25	116.40	108.20
25	BA	30	C	C5-C6-N1	10.25	126.12	121.00
26	BB	2149	U	C3'-C2'-C1'	-10.25	93.30	101.50
26	BB	1111	A	C8-N9-C4	-10.24	101.70	105.80
26	BB	1464	G	N3-C4-C5	-10.24	123.48	128.60
26	BB	2903	U	N3-C2-O2	-10.24	115.03	122.20
26	BB	1718	G	N1-C2-N3	-10.24	117.75	123.90
26	BB	1924	C	C2-N3-C4	10.24	125.02	119.90
1	AA	213	G	N7-C8-N9	10.24	118.22	113.10
1	AA	984	C	C6-N1-C2	-10.24	116.20	120.30
26	BB	125	A	C2-N3-C4	10.24	115.72	110.60
26	BB	769	U	C5-C6-N1	-10.24	117.58	122.70
26	BB	1454	C	C6-N1-C2	10.24	124.40	120.30
26	BB	1085	A	C3'-C2'-C1'	10.24	109.69	101.50
26	BB	2535	G	N3-C4-C5	-10.24	123.48	128.60
1	AA	297	G	N3-C4-C5	-10.24	123.48	128.60
1	AA	1450	U	C5-C6-N1	-10.24	117.58	122.70
1	AA	1369	C	N1-C2-O2	10.24	125.04	118.90
26	BB	586	A	C8-N9-C4	-10.24	101.70	105.80
26	BB	1023	U	C4'-C3'-C2'	-10.24	92.36	102.60
26	BB	1465	G	N3-C2-N2	10.24	127.06	119.90
26	BB	2238	G	C3'-C2'-C1'	10.24	109.69	101.50
26	BB	823	C	N3-C4-N4	10.23	125.17	118.00
1	AA	1254	A	C5-N7-C8	-10.23	98.78	103.90
1	AA	1439	G	O4'-C1'-N9	10.23	116.39	108.20
2	AB	57	G	C5-C6-N1	10.23	116.62	111.50
26	BB	417	C	O4'-C1'-N1	10.23	116.39	108.20
26	BB	717	C	O4'-C1'-N1	10.23	116.39	108.20
26	BB	808	G	O4'-C1'-N9	10.23	116.39	108.20
1	AA	146	G	N1-C6-O6	-10.23	113.76	119.90
26	BB	954	G	C8-N9-C4	-10.23	102.31	106.40
26	BB	381	G	C8-N9-C4	-10.23	102.31	106.40
26	BB	829	A	C4-C5-C6	-10.23	111.89	117.00
1	AA	382	A	C1'-O4'-C4'	10.23	118.08	109.90
1	AA	1396	A	C2-N3-C4	10.23	115.71	110.60
4	AD	14	A	C4-C5-C6	10.23	122.11	117.00
26	BB	1404	C	O4'-C1'-N1	10.22	116.38	108.20
1	AA	1229	A	N7-C8-N9	10.22	118.91	113.80
26	BB	2086	U	O4'-C1'-N1	10.22	116.38	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2351	G	N9-C4-C5	10.22	109.49	105.40
44	BT	84	ARG	NE-CZ-NH2	-10.22	115.19	120.30
26	BB	2764	A	C6-C5-N7	10.22	139.46	132.30
1	AA	382	A	N7-C8-N9	-10.22	108.69	113.80
1	AA	624	C	N1-C2-O2	10.22	125.03	118.90
26	BB	577	G	C5-C6-N1	10.22	116.61	111.50
26	BB	513	A	N1-C2-N3	-10.22	124.19	129.30
26	BB	771	G	N3-C4-C5	-10.22	123.49	128.60
26	BB	1293	C	N1-C2-O2	10.22	125.03	118.90
26	BB	1414	C	C5-C6-N1	10.22	126.11	121.00
26	BB	1596	A	C1'-O4'-C4'	10.22	118.07	109.90
26	BB	1603	A	O4'-C1'-N9	10.22	116.37	108.20
26	BB	763	G	C3'-C2'-C1'	-10.21	93.33	101.50
26	BB	2727	A	O4'-C1'-N9	10.21	116.37	108.20
25	BA	86	G	C6-N1-C2	-10.21	118.97	125.10
26	BB	2472	G	C6-N1-C2	-10.21	118.97	125.10
1	AA	228	A	C3'-C2'-C1'	10.21	109.67	101.50
1	AA	933	G	C8-N9-C4	-10.21	102.31	106.40
26	BB	165	A	C4-C5-N7	-10.21	105.59	110.70
26	BB	944	C	C2-N3-C4	10.21	125.01	119.90
1	AA	509	A	C2-N3-C4	10.21	115.70	110.60
26	BB	879	G	C2-N3-C4	10.21	117.00	111.90
26	BB	1373	A	C5-C6-N1	10.21	122.80	117.70
26	BB	2060	A	N9-C4-C5	10.21	109.88	105.80
26	BB	2652	C	N3-C2-O2	-10.21	114.76	121.90
1	AA	6	G	C2-N3-C4	10.20	117.00	111.90
26	BB	966	G	N7-C8-N9	10.20	118.20	113.10
1	AA	510	A	C4-C5-N7	-10.20	105.60	110.70
1	AA	1331	G	C5-C6-N1	-10.20	106.40	111.50
1	AA	1240	U	N1-C1'-C2'	10.20	127.26	114.00
25	BA	93	C	N3-C4-C5	10.20	125.98	121.90
26	BB	227	A	N1-C6-N6	-10.20	112.48	118.60
26	BB	2577	A	C8-N9-C4	-10.20	101.72	105.80
1	AA	260	G	N3-C4-C5	-10.20	123.50	128.60
26	BB	107	G	C4-C5-N7	10.20	114.88	110.80
1	AA	1036	A	C8-N9-C4	-10.20	101.72	105.80
1	AA	1118	U	N3-C2-O2	-10.20	115.06	122.20
1	AA	1536	C	C6-N1-C2	-10.20	116.22	120.30
1	AA	1291	U	O4'-C1'-N1	10.19	116.35	108.20
26	BB	853	C	N1-C2-O2	10.19	125.02	118.90
26	BB	988	A	N1-C2-N3	-10.19	124.20	129.30
26	BB	2018	G	O4'-C1'-N9	10.19	116.35	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2673	G	N3-C4-C5	-10.19	123.50	128.60
1	AA	529	G	N3-C4-C5	-10.19	123.50	128.60
1	AA	775	G	N3-C4-C5	-10.19	123.50	128.60
1	AA	959	A	C6-N1-C2	-10.19	112.49	118.60
1	AA	1482	G	N3-C4-N9	10.19	132.11	126.00
26	BB	220	G	N9-C4-C5	10.19	109.48	105.40
26	BB	242	G	O4'-C1'-N9	10.19	116.35	108.20
26	BB	1721	G	N7-C8-N9	10.19	118.19	113.10
26	BB	2295	C	O4'-C1'-N1	10.19	116.35	108.20
26	BB	2620	C	N1-C2-O2	10.19	125.01	118.90
1	AA	53	A	C4-C5-C6	-10.19	111.91	117.00
26	BB	678	C	C5-C6-N1	-10.19	115.91	121.00
1	AA	1345	U	C2-N3-C4	-10.19	120.89	127.00
1	AA	1467	C	C6-N1-C2	-10.19	116.23	120.30
1	AA	1526	G	C8-N9-C4	-10.19	102.33	106.40
26	BB	1660	G	C4-C5-N7	-10.19	106.73	110.80
26	BB	2005	A	C2-N3-C4	10.19	115.69	110.60
26	BB	2169	A	C1'-O4'-C4'	10.19	118.05	109.90
26	BB	1696	G	C4-C5-N7	-10.19	106.73	110.80
26	BB	1516	G	C8-N9-C4	-10.18	102.33	106.40
26	BB	1907	G	N1-C6-O6	-10.18	113.79	119.90
1	AA	38	G	O4'-C1'-N9	10.18	116.34	108.20
26	BB	2382	G	O4'-C1'-N9	10.18	116.34	108.20
1	AA	887	G	C6-C5-N7	-10.18	124.29	130.40
1	AA	275	G	N3-C4-N9	10.18	132.10	126.00
1	AA	974	A	C8-N9-C4	-10.18	101.73	105.80
26	BB	465	G	N1-C6-O6	10.18	126.00	119.90
1	AA	601	G	C6-C5-N7	10.17	136.50	130.40
1	AA	1304	G	N3-C4-C5	-10.17	123.51	128.60
26	BB	47	C	N3-C4-C5	-10.17	117.83	121.90
26	BB	482	A	N1-C6-N6	10.17	124.70	118.60
26	BB	543	G	C4-C5-N7	-10.17	106.73	110.80
26	BB	1566	A	O4'-C1'-N9	10.17	116.34	108.20
26	BB	2699	C	N3-C4-C5	-10.17	117.83	121.90
26	BB	2817	U	N1-C2-O2	10.17	129.92	122.80
1	AA	963	G	C5-C6-O6	-10.17	122.50	128.60
1	AA	9	G	C5-C6-N1	10.17	116.58	111.50
1	AA	1229	A	C8-N9-C4	-10.17	101.73	105.80
26	BB	1179	G	C6-N1-C2	-10.17	119.00	125.10
26	BB	1791	A	C5-C6-N1	-10.17	112.61	117.70
26	BB	1816	C	O4'-C1'-N1	10.17	116.34	108.20
1	AA	1187	G	C5-C6-O6	-10.17	122.50	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	520	A	C4-C5-C6	10.17	122.08	117.00
26	BB	2418	A	C2-N3-C4	10.17	115.68	110.60
44	BT	83	TYR	CB-CG-CD2	-10.17	114.90	121.00
26	BB	176	A	C8-N9-C4	-10.16	101.73	105.80
26	BB	2055	C	O4'-C1'-N1	10.16	116.33	108.20
1	AA	104	G	N1-C6-O6	10.16	126.00	119.90
1	AA	116	A	N1-C2-N3	-10.16	124.22	129.30
1	AA	871	U	N3-C2-O2	-10.16	115.09	122.20
1	AA	1439	G	N1-C2-N3	10.16	130.00	123.90
26	BB	1465	G	C4-C5-N7	-10.16	106.73	110.80
26	BB	473	G	C2-N3-C4	10.16	116.98	111.90
26	BB	518	G	O4'-C1'-N9	10.16	116.33	108.20
26	BB	1373	A	C2-N3-C4	10.16	115.68	110.60
26	BB	1385	A	N1-C2-N3	-10.16	124.22	129.30
26	BB	1723	G	C2-N3-C4	10.16	116.98	111.90
1	AA	647	C	C2-N3-C4	10.15	124.98	119.90
1	AA	1375	A	C8-N9-C4	-10.15	101.74	105.80
26	BB	799	G	C4-C5-C6	10.15	124.89	118.80
26	BB	1512	C	C4-C5-C6	-10.15	112.32	117.40
26	BB	1657	U	C4'-C3'-C2'	-10.15	92.44	102.60
26	BB	1679	A	C4-C5-N7	10.15	115.78	110.70
26	BB	2330	G	N3-C2-N2	-10.15	112.79	119.90
1	AA	1408	A	O4'-C1'-N9	10.15	116.32	108.20
25	BA	109	A	N9-C4-C5	-10.15	101.74	105.80
26	BB	2823	A	C3'-C2'-C1'	10.15	109.62	101.50
1	AA	273	U	O4'-C1'-N1	10.15	116.32	108.20
3	AC	46	C	N3-C2-O2	-10.15	114.80	121.90
25	BA	36	C	C5-C4-N4	10.15	127.30	120.20
26	BB	250	G	C5-N7-C8	-10.15	99.23	104.30
26	BB	287	G	N9-C4-C5	10.15	109.46	105.40
26	BB	361	G	O4'-C1'-N9	10.15	116.32	108.20
26	BB	875	G	C4'-C3'-C2'	-10.15	92.45	102.60
26	BB	1822	C	N1-C1'-C2'	-10.14	100.81	114.00
1	AA	546	A	O4'-C1'-N9	10.14	116.31	108.20
1	AA	850	U	C4-C5-C6	10.14	125.78	119.70
1	AA	1343	G	C8-N9-C4	-10.14	102.34	106.40
25	BA	80	U	N3-C4-C5	-10.14	108.52	114.60
26	BB	136	G	N1-C2-N3	-10.14	117.81	123.90
26	BB	1988	G	N7-C8-N9	10.14	118.17	113.10
26	BB	2801	G	N7-C8-N9	10.14	118.17	113.10
26	BB	125	A	O4'-C1'-N9	10.14	116.31	108.20
1	AA	750	C	C5'-C4'-O4'	10.13	121.26	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1343	G	O4'-C1'-N9	10.13	116.31	108.20
26	BB	620	G	O4'-C1'-N9	10.14	116.31	108.20
26	BB	2859	G	C4-C5-N7	-10.13	106.75	110.80
2	AB	52	A	C5-N7-C8	-10.13	98.83	103.90
26	BB	1191	G	O4'-C1'-N9	10.13	116.31	108.20
26	BB	2409	G	C2-N3-C4	10.13	116.97	111.90
26	BB	2852	G	C5-C6-O6	-10.13	122.52	128.60
26	BB	1724	G	N3-C4-N9	10.13	132.08	126.00
26	BB	331	C	N3-C2-O2	-10.13	114.81	121.90
26	BB	517	C	N1-C2-O2	10.13	124.98	118.90
26	BB	1180	U	O4'-C1'-N1	10.13	116.30	108.20
26	BB	1379	U	N3-C4-O4	10.13	126.49	119.40
1	AA	985	C	O4'-C1'-N1	10.12	116.30	108.20
1	AA	1215	G	C8-N9-C4	-10.12	102.35	106.40
26	BB	687	C	C5-C4-N4	10.12	127.29	120.20
26	BB	791	C	C2-N3-C4	10.12	124.96	119.90
26	BB	1033	U	O4'-C1'-N1	10.12	116.30	108.20
26	BB	2604	U	O4'-C1'-N1	10.12	116.30	108.20
1	AA	1219	A	C4-C5-C6	-10.12	111.94	117.00
1	AA	1227	A	O4'-C1'-N9	10.12	116.30	108.20
26	BB	798	G	N1-C6-O6	-10.12	113.83	119.90
26	BB	1801	A	N1-C2-N3	-10.12	124.24	129.30
26	BB	2229	U	N3-C4-C5	-10.12	108.53	114.60
1	AA	119	A	C6-N1-C2	10.12	124.67	118.60
1	AA	1106	G	O4'-C1'-N9	10.12	116.30	108.20
1	AA	1540	U	N1-C2-N3	10.12	120.97	114.90
21	AU	62	ARG	NE-CZ-NH2	-10.12	115.24	120.30
26	BB	822	G	N1-C6-O6	10.12	125.97	119.90
26	BB	1843	C	C5-C6-N1	10.12	126.06	121.00
1	AA	36	C	N3-C4-N4	10.12	125.08	118.00
1	AA	177	G	O4'-C1'-N9	10.12	116.29	108.20
26	BB	2097	A	N9-C4-C5	10.12	109.85	105.80
26	BB	2835	A	N1-C2-N3	-10.11	124.24	129.30
1	AA	132	C	N1-C2-O2	10.11	124.97	118.90
3	AC	55	A	C8-N9-C4	-10.11	101.75	105.80
26	BB	289	G	N9-C4-C5	10.11	109.44	105.40
27	BC	53	ARG	NE-CZ-NH1	10.11	125.36	120.30
39	BO	31	PHE	CB-CG-CD1	-10.11	113.72	120.80
4	AD	5	G	C5-C6-N1	10.11	116.55	111.50
26	BB	199	A	C8-N9-C4	-10.11	101.76	105.80
26	BB	74	A	N9-C4-C5	10.11	109.84	105.80
1	AA	769	G	N3-C4-C5	-10.11	123.55	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1462	C	N3-C2-O2	-10.11	114.83	121.90
26	BB	2038	G	C8-N9-C4	-10.11	102.36	106.40
1	AA	561	U	C5-C6-N1	-10.10	117.65	122.70
1	AA	595	A	N1-C6-N6	-10.10	112.54	118.60
1	AA	742	G	C8-N9-C4	-10.10	102.36	106.40
4	AD	16	C	C2-N3-C4	10.10	124.95	119.90
26	BB	160	A	N7-C8-N9	-10.10	108.75	113.80
1	AA	122	G	C5-N7-C8	10.10	109.35	104.30
26	BB	2158	A	O4'-C1'-N9	10.10	116.28	108.20
26	BB	2357	G	C4'-C3'-C2'	-10.10	92.50	102.60
1	AA	148	G	C5-C6-O6	-10.10	122.54	128.60
26	BB	1019	U	C6-N1-C2	-10.10	114.94	121.00
1	AA	1103	C	C5'-C4'-O4'	10.10	121.22	109.10
24	AX	20	ARG	NE-CZ-NH2	-10.10	115.25	120.30
26	BB	2207	C	N3-C4-C5	-10.10	117.86	121.90
26	BB	101	A	C2-N3-C4	10.10	115.65	110.60
26	BB	737	C	C6-N1-C2	-10.10	116.26	120.30
1	AA	380	G	N3-C4-C5	-10.09	123.55	128.60
1	AA	888	G	C8-N9-C4	-10.09	102.36	106.40
26	BB	2510	C	N3-C4-N4	10.09	125.07	118.00
1	AA	663	A	C6-N1-C2	10.09	124.66	118.60
26	BB	999	U	C6-N1-C2	-10.09	114.94	121.00
1	AA	646	G	N3-C4-N9	10.09	132.05	126.00
3	AC	35	G	N9-C4-C5	10.09	109.44	105.40
26	BB	1892	C	N3-C4-C5	-10.09	117.86	121.90
1	AA	182	A	N7-C8-N9	10.09	118.84	113.80
25	BA	2	G	C8-N9-C4	-10.09	102.36	106.40
26	BB	51	G	C8-N9-C4	-10.09	102.36	106.40
26	BB	1239	G	C5'-C4'-O4'	10.09	121.20	109.10
26	BB	2772	C	C6-N1-C2	-10.09	116.27	120.30
37	BM	80	ASP	CB-CG-OD1	-10.09	109.22	118.30
1	AA	651	C	N3-C4-C5	10.08	125.93	121.90
26	BB	750	A	C2-N3-C4	10.08	115.64	110.60
26	BB	867	C	N1-C2-O2	10.08	124.95	118.90
26	BB	1905	C	P-O3'-C3'	10.08	131.80	119.70
26	BB	2024	G	O4'-C1'-N9	10.08	116.27	108.20
26	BB	2701	U	C2-N3-C4	-10.08	120.95	127.00
1	AA	319	G	C5'-C4'-O4'	10.08	121.20	109.10
1	AA	371	A	C8-N9-C4	-10.08	101.77	105.80
1	AA	778	G	C4-C5-N7	10.08	114.83	110.80
4	AD	5	G	C4-C5-N7	10.08	114.83	110.80
26	BB	615	U	C5-C6-N1	-10.08	117.66	122.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2177	C	O4'-C1'-N1	10.08	116.26	108.20
26	BB	990	A	C8-N9-C4	-10.08	101.77	105.80
26	BB	1735	A	N1-C2-N3	-10.08	124.26	129.30
43	BS	24	TYR	CB-CG-CD1	-10.08	114.95	121.00
2	AB	25	C	O4'-C1'-N1	10.07	116.26	108.20
26	BB	678	C	N3-C4-C5	-10.07	117.87	121.90
1	AA	1375	A	C4'-C3'-C2'	-10.07	92.53	102.60
38	BN	47	ARG	NE-CZ-NH1	10.07	125.34	120.30
2	AB	40	C	C6-N1-C2	-10.07	116.27	120.30
25	BA	119	A	O4'-C1'-N9	10.07	116.26	108.20
26	BB	113	U	O4'-C1'-N1	10.07	116.26	108.20
26	BB	1399	C	O4'-C1'-N1	10.07	116.26	108.20
26	BB	1645	G	N3-C4-C5	-10.07	123.56	128.60
1	AA	134	G	C8-N9-C4	-10.07	102.37	106.40
1	AA	1280	A	N9-C4-C5	-10.07	101.77	105.80
1	AA	1374	A	N9-C1'-C2'	-10.07	100.91	114.00
26	BB	283	G	O4'-C1'-N9	10.07	116.26	108.20
46	BV	77	ARG	NE-CZ-NH1	-10.07	115.27	120.30
1	AA	578	C	N3-C4-C5	-10.07	117.87	121.90
1	AA	693	G	C5-C6-N1	-10.07	106.47	111.50
1	AA	805	C	C6-N1-C2	-10.07	116.27	120.30
1	AA	965	U	N1-C2-O2	10.07	129.85	122.80
26	BB	302	C	C6-N1-C2	10.07	124.33	120.30
26	BB	786	C	C6-N1-C2	10.07	124.33	120.30
26	BB	1985	C	O4'-C1'-N1	10.07	116.25	108.20
26	BB	2665	A	C1'-O4'-C4'	-10.07	101.85	109.90
56	B5	14	ARG	NE-CZ-NH2	-10.07	115.27	120.30
1	AA	567	G	C5-C6-N1	10.06	116.53	111.50
26	BB	762	U	O4'-C1'-N1	10.06	116.25	108.20
26	BB	2317	A	N3-C4-C5	-10.06	119.76	126.80
26	BB	2671	G	C4-C5-N7	-10.06	106.78	110.80
26	BB	2891	U	C6-N1-C2	-10.06	114.96	121.00
1	AA	276	G	N3-C4-N9	10.06	132.04	126.00
1	AA	805	C	O4'-C1'-N1	10.06	116.25	108.20
1	AA	948	C	C6-N1-C2	10.06	124.32	120.30
1	AA	189	A	N7-C8-N9	10.06	118.83	113.80
1	AA	208	U	C5-C6-N1	-10.06	117.67	122.70
12	AL	11	ARG	NE-CZ-NH1	10.06	125.33	120.30
26	BB	1281	G	C8-N9-C4	-10.06	102.38	106.40
26	BB	1857	G	C5-N7-C8	-10.06	99.27	104.30
26	BB	1872	A	C8-N9-C4	-10.06	101.78	105.80
1	AA	156	C	O4'-C1'-N1	10.05	116.24	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	530	G	C5-N7-C8	10.05	109.33	104.30
25	BA	36	C	N3-C4-C5	-10.05	117.88	121.90
26	BB	1104	C	N1-C2-O2	10.05	124.93	118.90
26	BB	1324	G	C4-C5-N7	10.05	114.82	110.80
26	BB	2076	U	O4'-C1'-N1	10.05	116.24	108.20
26	BB	1471	G	N3-C4-C5	-10.05	123.57	128.60
26	BB	2099	U	N3-C4-C5	-10.05	108.57	114.60
26	BB	2839	G	C5'-C4'-O4'	10.05	121.16	109.10
1	AA	165	G	N9-C4-C5	10.05	109.42	105.40
26	BB	1496	A	C4-C5-N7	10.05	115.73	110.70
1	AA	399	G	N3-C4-C5	-10.05	123.58	128.60
1	AA	929	G	N3-C4-C5	-10.05	123.58	128.60
1	AA	1144	G	N7-C8-N9	10.05	118.12	113.10
26	BB	936	A	C2-N3-C4	10.05	115.62	110.60
26	BB	1167	C	N3-C4-C5	-10.05	117.88	121.90
26	BB	1239	G	C8-N9-C4	-10.05	102.38	106.40
26	BB	2764	A	C5-N7-C8	10.05	108.92	103.90
1	AA	230	G	C6-C5-N7	-10.05	124.37	130.40
1	AA	376	G	O4'-C4'-C3'	10.05	114.14	106.10
1	AA	1157	A	C3'-C2'-C1'	10.05	109.54	101.50
26	BB	181	A	C5-N7-C8	10.05	108.92	103.90
1	AA	578	C	N1-C2-O2	10.04	124.93	118.90
26	BB	381	G	O4'-C1'-N9	10.05	116.24	108.20
26	BB	997	G	N1-C6-O6	10.05	125.93	119.90
26	BB	1580	A	C5-N7-C8	-10.05	98.88	103.90
26	BB	279	A	O4'-C4'-C3'	10.04	114.14	106.10
26	BB	2535	G	N3-C2-N2	10.04	126.93	119.90
1	AA	82	G	C5-C6-O6	-10.04	122.57	128.60
1	AA	848	C	N3-C4-N4	10.04	125.03	118.00
1	AA	871	U	O4'-C1'-N1	10.04	116.23	108.20
26	BB	378	C	O4'-C1'-N1	10.04	116.23	108.20
26	BB	1682	G	C6-C5-N7	-10.04	124.37	130.40
1	AA	38	G	C6-C5-N7	10.04	136.42	130.40
28	BD	68	ARG	NE-CZ-NH1	10.04	125.32	120.30
1	AA	458	U	N3-C4-C5	-10.04	108.58	114.60
1	AA	862	C	N3-C2-O2	-10.04	114.87	121.90
1	AA	1163	A	O4'-C1'-N9	10.04	116.23	108.20
1	AA	1302	C	O4'-C1'-N1	10.04	116.23	108.20
26	BB	2087	G	N7-C8-N9	10.04	118.12	113.10
26	BB	383	C	C2-N3-C4	10.04	124.92	119.90
26	BB	387	U	O4'-C1'-N1	10.04	116.23	108.20
26	BB	149	A	P-O3'-C3'	10.04	131.74	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1608	A	C4-C5-C6	-10.04	111.98	117.00
26	BB	2279	G	O4'-C1'-N9	10.04	116.23	108.20
4	AD	11	A	C5-C6-N1	10.03	122.72	117.70
26	BB	1407	G	C2-N3-C4	10.04	116.92	111.90
26	BB	1537	G	C4-C5-N7	-10.03	106.79	110.80
26	BB	2040	G	N3-C4-N9	10.04	132.02	126.00
26	BB	2339	C	C6-N1-C2	-10.04	116.29	120.30
1	AA	82	G	N1-C6-O6	10.03	125.92	119.90
26	BB	2094	A	C2-N3-C4	10.03	115.62	110.60
26	BB	853	C	C5-C6-N1	10.03	126.02	121.00
26	BB	935	C	O4'-C1'-N1	10.03	116.22	108.20
26	BB	1033	U	N3-C4-O4	10.03	126.42	119.40
26	BB	1476	U	N3-C2-O2	-10.03	115.18	122.20
26	BB	2573	C	C5-C4-N4	10.03	127.22	120.20
26	BB	2599	G	O4'-C1'-N9	10.03	116.22	108.20
1	AA	1	A	N1-C2-N3	-10.03	124.29	129.30
1	AA	583	A	C5-C6-N1	10.03	122.71	117.70
1	AA	587	G	C4-C5-N7	-10.03	106.79	110.80
1	AA	1435	G	C3'-C2'-C1'	10.03	109.52	101.50
2	AB	5	G	C6-N1-C2	-10.03	119.08	125.10
3	AC	30	U	O4'-C1'-N1	10.03	116.22	108.20
26	BB	48	G	N1-C6-O6	10.03	125.92	119.90
26	BB	90	U	O4'-C1'-N1	10.03	116.22	108.20
26	BB	698	C	N3-C4-C5	10.03	125.91	121.90
26	BB	1327	A	O4'-C1'-N9	10.03	116.22	108.20
26	BB	2136	G	C5'-C4'-O4'	10.03	121.13	109.10
26	BB	2684	U	C5-C4-O4	-10.03	119.88	125.90
26	BB	1609	A	C2-N3-C4	-10.02	105.59	110.60
26	BB	2565	A	C5-N7-C8	-10.02	98.89	103.90
26	BB	2829	A	N9-C1'-C2'	-10.02	100.97	114.00
26	BB	2062	A	O4'-C1'-N9	10.02	116.22	108.20
1	AA	324	G	C2-N3-C4	10.02	116.91	111.90
1	AA	419	C	N3-C2-O2	-10.02	114.89	121.90
26	BB	1124	G	C3'-C2'-C1'	10.02	109.52	101.50
39	BO	38	ARG	NE-CZ-NH2	-10.02	115.29	120.30
26	BB	558	U	N1-C2-N3	10.02	120.91	114.90
26	BB	1529	G	C6-C5-N7	-10.02	124.39	130.40
26	BB	611	C	C1'-O4'-C4'	-10.02	101.89	109.90
1	AA	537	G	C3'-C2'-C1'	-10.01	93.49	101.50
26	BB	979	A	C6-N1-C2	-10.01	112.59	118.60
1	AA	87	C	C3'-C2'-C1'	10.01	109.51	101.50
1	AA	173	U	P-O3'-C3'	10.01	131.71	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	259	G	O4'-C1'-N9	10.01	116.21	108.20
26	BB	2627	G	O4'-C1'-N9	10.01	116.21	108.20
3	AC	34	U	O4'-C1'-N1	10.01	116.21	108.20
26	BB	1235	G	O4'-C1'-N9	10.01	116.21	108.20
26	BB	1462	C	O4'-C1'-C2'	10.01	116.61	107.60
26	BB	482	A	C5-C6-N6	-10.01	115.69	123.70
26	BB	2304	G	N3-C4-N9	10.01	132.00	126.00
26	BB	780	G	C8-N9-C4	-10.01	102.40	106.40
26	BB	1037	G	N3-C4-C5	-10.01	123.60	128.60
26	BB	107	G	C5-N7-C8	-10.00	99.30	104.30
1	AA	670	G	C8-N9-C4	-10.00	102.40	106.40
26	BB	2416	C	N3-C4-C5	10.00	125.90	121.90
1	AA	1060	U	C4'-C3'-C2'	-10.00	92.60	102.60
26	BB	1232	G	O4'-C1'-N9	10.00	116.20	108.20
2	AB	3	G	N3-C2-N2	-10.00	112.90	119.90
26	BB	415	A	N7-C8-N9	10.00	118.80	113.80
1	AA	45	G	N3-C4-N9	9.99	132.00	126.00
1	AA	860	A	O4'-C1'-N9	9.99	116.19	108.20
26	BB	707	G	C5-N7-C8	9.99	109.30	104.30
26	BB	2166	U	C4-C5-C6	9.99	125.70	119.70
1	AA	748	G	N3-C4-C5	-9.99	123.61	128.60
26	BB	417	C	N3-C4-C5	9.99	125.90	121.90
26	BB	1479	G	N3-C4-C5	-9.99	123.61	128.60
1	AA	281	G	C4-C5-C6	9.99	124.79	118.80
26	BB	716	A	N1-C6-N6	-9.99	112.61	118.60
26	BB	2068	U	C1'-O4'-C4'	-9.99	101.91	109.90
26	BB	1389	G	C2-N3-C4	9.99	116.89	111.90
1	AA	45	G	N3-C4-C5	-9.98	123.61	128.60
1	AA	1444	U	O4'-C1'-N1	9.98	116.19	108.20
26	BB	2375	G	C2-N3-C4	9.98	116.89	111.90
43	BS	27	ARG	NE-CZ-NH2	-9.98	115.31	120.30
1	AA	779	C	C5-C6-N1	9.98	125.99	121.00
1	AA	1318	A	C8-N9-C4	-9.98	101.81	105.80
26	BB	1238	G	N9-C4-C5	9.98	109.39	105.40
26	BB	2773	C	O4'-C1'-N1	9.98	116.18	108.20
4	AD	16	C	N1-C2-O2	9.98	124.89	118.90
1	AA	987	G	C8-N9-C4	-9.98	102.41	106.40
25	BA	18	G	N1-C6-O6	-9.98	113.91	119.90
26	BB	600	G	C5-N7-C8	-9.98	99.31	104.30
26	BB	1424	G	N3-C4-C5	9.97	133.59	128.60
1	AA	1017	U	O4'-C1'-N1	9.97	116.18	108.20
1	AA	411	A	N1-C6-N6	-9.97	112.62	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1272	A	C5-C6-N1	9.97	122.69	117.70
1	AA	434	U	O4'-C1'-N1	9.97	116.17	108.20
1	AA	1166	G	O4'-C1'-N9	9.97	116.17	108.20
26	BB	204	A	C8-N9-C4	-9.97	101.81	105.80
1	AA	525	C	N1-C2-O2	9.96	124.88	118.90
26	BB	2884	U	O4'-C1'-N1	9.97	116.17	108.20
26	BB	119	A	O4'-C1'-N9	9.96	116.17	108.20
26	BB	1153	C	N3-C4-N4	9.96	124.97	118.00
26	BB	1583	A	C3'-C2'-C1'	-9.96	93.53	101.50
26	BB	1776	G	N7-C8-N9	9.96	118.08	113.10
26	BB	1818	U	O4'-C1'-N1	9.96	116.17	108.20
1	AA	361	G	C6-N1-C2	-9.96	119.13	125.10
1	AA	937	A	N9-C4-C5	9.96	109.78	105.80
1	AA	1156	G	C6-C5-N7	-9.96	124.43	130.40
26	BB	618	G	C4-C5-N7	9.95	114.78	110.80
1	AA	61	G	O4'-C1'-N9	9.95	116.16	108.20
1	AA	436	C	N1-C2-N3	-9.95	112.23	119.20
26	BB	522	A	N9-C4-C5	9.95	109.78	105.80
26	BB	2655	G	C1'-O4'-C4'	-9.95	101.94	109.90
26	BB	1068	G	C6-C5-N7	-9.95	124.43	130.40
26	BB	1988	G	N9-C4-C5	9.95	109.38	105.40
26	BB	2709	G	O4'-C1'-N9	9.95	116.16	108.20
1	AA	791	G	C5-N7-C8	-9.95	99.33	104.30
2	AB	27	C	O4'-C1'-N1	9.95	116.16	108.20
26	BB	133	U	O4'-C1'-N1	9.95	116.16	108.20
1	AA	1181	G	C8-N9-C4	-9.95	102.42	106.40
26	BB	331	C	N1-C2-O2	9.95	124.87	118.90
26	BB	420	C	O4'-C1'-N1	9.95	116.16	108.20
26	BB	1849	G	O4'-C1'-N9	9.95	116.16	108.20
26	BB	2900	A	N7-C8-N9	9.95	118.78	113.80
1	AA	959	A	C4-C5-C6	-9.95	112.03	117.00
1	AA	1119	C	O4'-C1'-N1	9.95	116.16	108.20
25	BA	107	G	C5-C6-O6	-9.95	122.63	128.60
26	BB	1929	G	O4'-C1'-N9	9.95	116.16	108.20
26	BB	2382	G	C8-N9-C4	-9.95	102.42	106.40
26	BB	1910	G	N7-C8-N9	9.95	118.07	113.10
26	BB	2209	G	N1-C6-O6	-9.94	113.93	119.90
26	BB	531	C	C3'-C2'-C1'	-9.94	93.55	101.50
26	BB	1285	A	N1-C2-N3	-9.94	124.33	129.30
26	BB	1449	G	N7-C8-N9	-9.94	108.13	113.10
26	BB	2207	C	C5'-C4'-O4'	9.94	121.03	109.10
1	AA	425	G	O4'-C1'-N9	9.94	116.15	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1250	A	C8-N9-C4	-9.94	101.82	105.80
26	BB	728	G	N1-C6-O6	-9.94	113.94	119.90
26	BB	1580	A	O4'-C1'-N9	9.94	116.15	108.20
25	BA	108	A	N1-C6-N6	-9.94	112.64	118.60
26	BB	572	A	C8-N9-C4	-9.94	101.83	105.80
1	AA	455	G	C5-C6-O6	-9.93	122.64	128.60
1	AA	1016	A	O4'-C1'-N9	9.93	116.15	108.20
1	AA	1462	C	C5-C6-N1	9.93	125.97	121.00
26	BB	212	G	N3-C4-C5	-9.93	123.63	128.60
26	BB	1331	G	C4-C5-N7	-9.93	106.83	110.80
26	BB	2652	C	N1-C2-O2	9.93	124.86	118.90
26	BB	2857	G	C2-N3-C4	9.93	116.87	111.90
26	BB	1361	G	C2-N3-C4	-9.93	106.94	111.90
26	BB	2114	A	N7-C8-N9	9.93	118.77	113.80
26	BB	2331	G	N9-C4-C5	-9.93	101.43	105.40
1	AA	333	U	P-O3'-C3'	9.93	131.61	119.70
1	AA	938	A	C6-C5-N7	9.93	139.25	132.30
1	AA	579	A	C8-N9-C4	-9.92	101.83	105.80
1	AA	1331	G	C6-C5-N7	-9.92	124.45	130.40
1	AA	1489	G	N3-C4-N9	9.92	131.95	126.00
26	BB	815	C	N3-C4-C5	-9.92	117.93	121.90
26	BB	930	G	C6-C5-N7	-9.92	124.45	130.40
26	BB	1555	G	C4'-C3'-C2'	-9.92	92.68	102.60
1	AA	325	A	C8-N9-C4	-9.92	101.83	105.80
26	BB	991	C	C2-N3-C4	9.92	124.86	119.90
26	BB	1274	A	N1-C6-N6	9.92	124.55	118.60
26	BB	1384	A	C6-C5-N7	9.92	139.24	132.30
26	BB	2512	C	N3-C4-N4	9.92	124.94	118.00
1	AA	422	C	O4'-C1'-N1	9.92	116.13	108.20
26	BB	577	G	N1-C6-O6	-9.92	113.95	119.90
26	BB	1879	C	N3-C4-N4	9.92	124.94	118.00
26	BB	2266	A	N9-C4-C5	9.92	109.77	105.80
26	BB	2562	U	O4'-C1'-N1	9.92	116.13	108.20
26	BB	1051	G	C8-N9-C4	-9.91	102.43	106.40
26	BB	2052	A	N7-C8-N9	-9.91	108.84	113.80
1	AA	1219	A	O4'-C1'-N9	9.91	116.13	108.20
1	AA	1517	G	C8-N9-C4	-9.91	102.44	106.40
26	BB	2521	C	C2-N3-C4	9.91	124.86	119.90
12	AL	89	TYR	CB-CG-CD1	-9.91	115.05	121.00
26	BB	2619	C	N3-C4-N4	-9.91	111.06	118.00
26	BB	1649	G	C8-N9-C4	-9.91	102.44	106.40
26	BB	1843	C	C6-N1-C2	-9.91	116.34	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	795	C	N3-C2-O2	-9.91	114.96	121.90
1	AA	120	A	O4'-C4'-C3'	9.91	114.03	106.10
26	BB	415	A	C8-N9-C4	-9.91	101.84	105.80
26	BB	1817	G	N7-C8-N9	9.91	118.05	113.10
26	BB	1107	G	C5-C6-O6	-9.91	122.66	128.60
1	AA	988	G	C5-C6-N1	9.90	116.45	111.50
26	BB	646	U	C5-C6-N1	-9.90	117.75	122.70
1	AA	615	G	C6-C5-N7	-9.90	124.46	130.40
26	BB	1382	G	N3-C4-C5	-9.90	123.65	128.60
26	BB	2263	C	N1-C2-O2	9.90	124.84	118.90
1	AA	108	G	C5-N7-C8	-9.90	99.35	104.30
1	AA	830	G	C5-C6-O6	-9.90	122.66	128.60
1	AA	438	U	O4'-C1'-N1	9.90	116.12	108.20
25	BA	47	C	C4-C5-C6	9.90	122.35	117.40
26	BB	2008	C	C4-C5-C6	-9.90	112.45	117.40
26	BB	2468	A	N9-C4-C5	-9.90	101.84	105.80
1	AA	376	G	C4'-C3'-C2'	-9.90	92.70	102.60
1	AA	490	C	O4'-C1'-N1	9.90	116.12	108.20
1	AA	691	G	C5-C6-O6	-9.90	122.66	128.60
26	BB	101	A	C5-N7-C8	9.90	108.85	103.90
26	BB	2803	G	N9-C4-C5	-9.90	101.44	105.40
26	BB	301	G	C2-N3-C4	9.90	116.85	111.90
26	BB	818	G	C2-N3-C4	9.90	116.85	111.90
26	BB	2062	A	C2-N3-C4	9.90	115.55	110.60
1	AA	677	U	C5-C6-N1	-9.89	117.75	122.70
2	AB	10	G	O4'-C1'-N9	9.89	116.12	108.20
26	BB	223	A	O4'-C1'-N9	-9.89	100.28	108.20
26	BB	2369	A	C4-C5-C6	-9.89	112.05	117.00
1	AA	987	G	N7-C8-N9	9.89	118.05	113.10
26	BB	1625	C	N3-C4-C5	-9.89	117.94	121.90
26	BB	1918	A	C5-C6-N1	9.89	122.65	117.70
1	AA	1156	G	C2-N3-C4	-9.89	106.95	111.90
26	BB	1521	G	C2-N3-C4	9.89	116.84	111.90
26	BB	1718	G	C2-N3-C4	9.89	116.84	111.90
26	BB	2903	U	O4'-C1'-N1	9.89	116.11	108.20
25	BA	34	A	C5-N7-C8	-9.88	98.96	103.90
26	BB	400	G	N3-C4-C5	-9.88	123.66	128.60
26	BB	758	C	N3-C4-N4	9.88	124.92	118.00
26	BB	940	G	N1-C6-O6	-9.88	113.97	119.90
26	BB	1972	G	N3-C4-N9	-9.88	120.07	126.00
1	AA	59	A	N9-C1'-C2'	-9.88	101.13	112.00
1	AA	146	G	C5-C6-N1	9.88	116.44	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	425	G	C5'-C4'-O4'	9.88	120.96	109.10
1	AA	1137	C	N3-C4-C5	-9.88	117.95	121.90
25	BA	112	G	N7-C8-N9	9.88	118.04	113.10
26	BB	923	G	C5-N7-C8	-9.88	99.36	104.30
26	BB	1272	A	C4-C5-C6	-9.88	112.06	117.00
26	BB	1471	G	C2-N3-C4	9.88	116.84	111.90
26	BB	1670	C	C3'-C2'-C1'	9.88	109.41	101.50
26	BB	1826	G	C6-C5-N7	-9.88	124.47	130.40
26	BB	2481	G	C4-C5-N7	-9.88	106.85	110.80
1	AA	1094	G	N3-C4-C5	-9.88	123.66	128.60
3	AC	55	A	N9-C4-C5	9.88	109.75	105.80
26	BB	1238	G	O4'-C1'-N9	9.88	116.10	108.20
26	BB	1870	C	N1-C2-O2	9.88	124.83	118.90
26	BB	1764	C	N1-C1'-C2'	-9.88	101.14	112.00
1	AA	1459	G	C2-N3-C4	9.88	116.84	111.90
26	BB	2684	U	N3-C4-O4	9.88	126.31	119.40
26	BB	401	A	C1'-O4'-C4'	-9.87	102.00	109.90
26	BB	876	C	N1-C2-O2	9.87	124.82	118.90
26	BB	2789	C	N1-C2-O2	9.87	124.82	118.90
50	BZ	17	ARG	NE-CZ-NH1	-9.87	115.36	120.30
1	AA	1231	G	C4'-C3'-C2'	-9.87	92.73	102.60
26	BB	2539	C	O4'-C1'-N1	9.87	116.09	108.20
1	AA	867	G	N3-C4-C5	-9.87	123.67	128.60
26	BB	507	A	C2-N3-C4	9.87	115.53	110.60
26	BB	930	G	C2-N3-C4	9.87	116.83	111.90
1	AA	1032	G	N3-C4-C5	-9.86	123.67	128.60
2	AB	39	A	C2-N3-C4	9.86	115.53	110.60
26	BB	685	A	N7-C8-N9	9.86	118.73	113.80
26	BB	991	C	N3-C4-N4	9.87	124.91	118.00
26	BB	251	A	C8-N9-C4	-9.86	101.86	105.80
26	BB	915	C	N3-C4-N4	9.86	124.90	118.00
26	BB	1163	G	N3-C2-N2	-9.86	113.00	119.90
26	BB	488	G	C8-N9-C4	-9.86	102.46	106.40
26	BB	2789	C	C6-N1-C2	-9.86	116.36	120.30
26	BB	2198	A	N7-C8-N9	9.86	118.73	113.80
26	BB	2870	C	N3-C4-C5	-9.86	117.96	121.90
26	BB	2340	A	C8-N9-C4	-9.85	101.86	105.80
4	AD	2	G	C2-N3-C4	9.85	116.83	111.90
26	BB	134	G	C6-N1-C2	-9.85	119.19	125.10
26	BB	517	C	C2-N3-C4	9.85	124.83	119.90
26	BB	1616	A	C5-C6-N6	-9.85	115.82	123.70
1	AA	31	G	O4'-C4'-C3'	9.85	113.98	106.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2123	G	N3-C2-N2	-9.85	113.00	119.90
1	AA	894	G	C2-N3-C4	-9.85	106.98	111.90
1	AA	1339	A	C5-N7-C8	-9.85	98.98	103.90
26	BB	2418	A	N1-C2-N3	-9.85	124.38	129.30
1	AA	223	A	N1-C6-N6	9.85	124.51	118.60
1	AA	1135	U	O4'-C1'-N1	9.84	116.07	108.20
26	BB	1139	G	N3-C4-C5	-9.84	123.68	128.60
26	BB	2065	C	O4'-C1'-N1	9.84	116.07	108.20
26	BB	2894	G	N7-C8-N9	9.84	118.02	113.10
1	AA	759	A	N7-C8-N9	-9.84	108.88	113.80
1	AA	1238	A	N7-C8-N9	9.84	118.72	113.80
26	BB	816	C	N3-C4-C5	-9.84	117.96	121.90
1	AA	1455	G	C8-N9-C4	9.84	110.33	106.40
26	BB	1205	A	C3'-C2'-C1'	-9.84	93.63	101.50
26	BB	1849	G	C6-N1-C2	-9.84	119.20	125.10
1	AA	749	A	O4'-C1'-N9	9.84	116.07	108.20
26	BB	1645	G	C2-N3-C4	9.84	116.82	111.90
26	BB	2582	G	C4-C5-N7	9.84	114.73	110.80
26	BB	325	G	N9-C4-C5	9.84	109.33	105.40
1	AA	491	G	C4-C5-N7	-9.83	106.87	110.80
1	AA	610	U	O4'-C1'-N1	9.83	116.07	108.20
3	AC	30	U	C5-C4-O4	-9.83	120.00	125.90
1	AA	932	C	N1-C2-O2	9.83	124.80	118.90
13	AM	48	ARG	NE-CZ-NH2	-9.83	115.38	120.30
26	BB	1020	A	N1-C2-N3	-9.83	124.39	129.30
26	BB	1615	C	C4-C5-C6	-9.83	112.48	117.40
26	BB	578	G	C8-N9-C4	-9.83	102.47	106.40
26	BB	1764	C	O4'-C1'-N1	9.83	116.06	108.20
26	BB	1802	A	N7-C8-N9	9.83	118.71	113.80
26	BB	1963	U	C2-N3-C4	-9.83	121.10	127.00
26	BB	439	A	O4'-C1'-N9	9.82	116.06	108.20
4	AD	7	G	N3-C4-C5	-9.82	123.69	128.60
26	BB	1339	G	C8-N9-C4	-9.82	102.47	106.40
1	AA	489	C	C6-N1-C2	-9.82	116.37	120.30
26	BB	610	C	N3-C2-O2	-9.82	115.03	121.90
26	BB	2645	G	C2-N3-C4	9.82	116.81	111.90
1	AA	26	A	C1'-O4'-C4'	-9.82	102.05	109.90
1	AA	46	G	N7-C8-N9	9.82	118.01	113.10
26	BB	1095	A	C3'-C2'-C1'	9.82	109.35	101.50
26	BB	733	G	N3-C4-C5	-9.82	123.69	128.60
1	AA	805	C	N3-C4-C5	-9.81	117.97	121.90
4	AD	34	U	N1-C2-N3	9.81	120.79	114.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	668	A	C8-N9-C4	9.81	109.73	105.80
25	BA	69	G	C4-C5-N7	-9.81	106.88	110.80
26	BB	1071	G	N9-C4-C5	9.81	109.33	105.40
26	BB	2239	G	N7-C8-N9	9.81	118.01	113.10
50	BZ	71	ARG	NE-CZ-NH2	-9.81	115.39	120.30
26	BB	2278	A	C5-C6-N6	-9.81	115.85	123.70
26	BB	2787	C	N3-C4-C5	9.81	125.83	121.90
1	AA	1276	G	C5-N7-C8	-9.81	99.39	104.30
1	AA	1391	U	C4-C5-C6	9.81	125.59	119.70
2	AB	47	U	N3-C2-O2	-9.81	115.33	122.20
25	BA	47	C	N1-C2-O2	9.81	124.79	118.90
26	BB	295	G	N3-C4-C5	-9.81	123.69	128.60
26	BB	1073	A	C5-N7-C8	9.81	108.81	103.90
26	BB	1774	C	C2-N3-C4	9.81	124.81	119.90
1	AA	228	A	C6-N1-C2	9.81	124.49	118.60
28	BD	270	ARG	NE-CZ-NH1	-9.81	115.40	120.30
1	AA	473	U	C5-C6-N1	9.81	127.60	122.70
26	BB	780	G	C5-C6-O6	-9.81	122.72	128.60
26	BB	2115	G	N3-C4-C5	-9.81	123.70	128.60
26	BB	2719	G	C6-N1-C2	-9.80	119.22	125.10
26	BB	222	A	N1-C2-N3	-9.80	124.40	129.30
26	BB	825	A	C8-N9-C4	-9.80	101.88	105.80
26	BB	1771	C	O4'-C1'-N1	9.80	116.04	108.20
1	AA	359	G	O4'-C1'-N9	9.80	116.04	108.20
26	BB	48	G	N3-C4-C5	-9.80	123.70	128.60
26	BB	1535	A	C8-N9-C4	-9.80	101.88	105.80
26	BB	2073	C	N3-C4-N4	9.80	124.86	118.00
1	AA	381	C	C3'-C2'-C1'	9.80	109.34	101.50
1	AA	755	G	C8-N9-C4	-9.80	102.48	106.40
26	BB	960	A	N7-C8-N9	9.80	118.70	113.80
26	BB	1173	U	C4-C5-C6	9.80	125.58	119.70
26	BB	1638	C	C4-C5-C6	9.80	122.30	117.40
26	BB	1750	G	N3-C4-C5	-9.80	123.70	128.60
26	BB	1926	U	O4'-C1'-N1	9.80	116.04	108.20
26	BB	2009	A	N9-C4-C5	9.80	109.72	105.80
1	AA	125	U	O4'-C1'-N1	9.79	116.04	108.20
1	AA	853	C	N3-C4-C5	9.80	125.82	121.90
26	BB	2631	G	N3-C4-C5	-9.80	123.70	128.60
1	AA	352	C	C6-N1-C2	-9.79	116.38	120.30
1	AA	429	U	C5-C6-N1	-9.79	117.80	122.70
26	BB	468	G	N1-C2-N2	9.79	125.02	116.20
26	BB	2507	C	N1-C2-O2	9.79	124.78	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	AD	68	C	N1-C2-O2	9.79	124.78	118.90
25	BA	41	G	N1-C2-N3	-9.79	118.02	123.90
26	BB	367	G	C4-C5-C6	9.79	124.68	118.80
26	BB	862	G	N1-C6-O6	-9.79	114.03	119.90
26	BB	2332	C	C5-C6-N1	9.79	125.89	121.00
1	AA	1062	U	N3-C2-O2	-9.79	115.35	122.20
4	AD	27	G	N3-C2-N2	9.79	126.75	119.90
26	BB	1178	C	C4-C5-C6	9.79	122.30	117.40
26	BB	1979	U	N3-C4-O4	9.79	126.25	119.40
26	BB	1989	G	C3'-C2'-C1'	-9.79	93.67	101.50
26	BB	2190	G	C8-N9-C4	-9.79	102.48	106.40
26	BB	2191	A	N1-C2-N3	-9.79	124.41	129.30
26	BB	2543	G	C5'-C4'-O4'	9.79	120.84	109.10
26	BB	2695	U	O4'-C1'-N1	9.78	116.03	108.20
37	BM	98	ARG	NE-CZ-NH2	-9.78	115.41	120.30
1	AA	421	U	C3'-C2'-C1'	9.78	109.33	101.50
14	AN	76	TYR	CB-CG-CD1	-9.78	115.13	121.00
26	BB	1608	A	C6-C5-N7	9.78	139.15	132.30
26	BB	2282	G	N9-C4-C5	9.78	109.31	105.40
1	AA	397	A	C5-N7-C8	9.78	108.79	103.90
26	BB	2859	G	N3-C4-C5	-9.78	123.71	128.60
1	AA	1195	C	N3-C4-N4	9.78	124.84	118.00
26	BB	1533	C	N3-C4-N4	9.78	124.84	118.00
26	BB	2368	C	C4-C5-C6	-9.78	112.51	117.40
1	AA	776	G	C4-C5-N7	9.78	114.71	110.80
26	BB	570	G	O4'-C4'-C3'	9.78	113.92	106.10
26	BB	1225	G	N9-C4-C5	9.78	109.31	105.40
26	BB	1992	G	C1'-O4'-C4'	9.78	117.72	109.90
26	BB	2796	U	C5-C4-O4	-9.78	120.03	125.90
1	AA	79	G	N3-C4-C5	-9.77	123.72	128.60
1	AA	917	G	N3-C4-C5	-9.77	123.71	128.60
26	BB	436	C	C2-N3-C4	-9.77	115.01	119.90
26	BB	548	G	C6-N1-C2	-9.77	119.24	125.10
26	BB	900	A	P-O3'-C3'	9.77	131.43	119.70
26	BB	2757	A	C8-N9-C4	-9.77	101.89	105.80
1	AA	1044	A	N1-C6-N6	9.77	124.46	118.60
1	AA	1455	G	N9-C4-C5	-9.77	101.49	105.40
25	BA	30	C	N3-C4-C5	-9.77	117.99	121.90
26	BB	409	G	N3-C4-C5	-9.77	123.72	128.60
26	BB	566	U	C3'-C2'-C1'	9.77	109.31	101.50
26	BB	1059	G	N1-C2-N3	-9.77	118.04	123.90
26	BB	1793	C	C4-C5-C6	9.77	122.28	117.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2489	U	C4-C5-C6	9.77	125.56	119.70
44	BT	83	TYR	CB-CG-CD1	9.77	126.86	121.00
3	AC	16	A	N1-C2-N3	-9.77	124.42	129.30
1	AA	565	U	C5-C4-O4	-9.77	120.04	125.90
26	BB	514	A	C3'-C2'-C1'	9.77	109.31	101.50
26	BB	2660	A	C5-C6-N1	9.77	122.58	117.70
1	AA	48	C	N3-C4-C5	-9.76	118.00	121.90
1	AA	6	G	C8-N9-C4	-9.76	102.50	106.40
26	BB	524	G	N3-C4-N9	9.76	131.86	126.00
26	BB	1931	U	N3-C2-O2	-9.76	115.37	122.20
26	BB	557	C	C6-N1-C2	-9.76	116.40	120.30
26	BB	1781	U	N3-C2-O2	-9.76	115.37	122.20
26	BB	1840	G	C6-N1-C2	-9.76	119.25	125.10
26	BB	478	A	C5-N7-C8	-9.76	99.02	103.90
26	BB	1265	A	N1-C2-N3	9.76	134.18	129.30
26	BB	1935	G	N3-C2-N2	-9.76	113.07	119.90
1	AA	910	C	O4'-C1'-N1	9.75	116.00	108.20
26	BB	730	A	C2-N3-C4	9.75	115.48	110.60
26	BB	1343	G	N3-C4-C5	-9.75	123.72	128.60
26	BB	2849	U	C5-C4-O4	-9.75	120.05	125.90
1	AA	347	G	C5-N7-C8	-9.75	99.42	104.30
1	AA	1469	C	C2-N3-C4	9.75	124.78	119.90
26	BB	1248	G	N9-C4-C5	-9.75	101.50	105.40
26	BB	1628	G	C5-C6-N1	9.75	116.38	111.50
26	BB	2432	A	N1-C6-N6	-9.75	112.75	118.60
26	BB	188	G	N9-C4-C5	9.75	109.30	105.40
26	BB	2217	G	N3-C2-N2	9.75	126.72	119.90
1	AA	1517	G	C6-C5-N7	-9.74	124.55	130.40
26	BB	717	C	N3-C4-N4	-9.74	111.18	118.00
26	BB	924	G	C2-N3-C4	9.74	116.77	111.90
26	BB	1364	G	O4'-C1'-N9	9.74	116.00	108.20
26	BB	1807	G	N3-C2-N2	-9.74	113.08	119.90
26	BB	2677	G	C2-N3-C4	9.74	116.77	111.90
1	AA	579	A	C2-N3-C4	9.74	115.47	110.60
1	AA	1160	G	C5-N7-C8	9.74	109.17	104.30
26	BB	37	C	C5-C4-N4	-9.74	113.38	120.20
26	BB	154	U	N3-C4-O4	9.74	126.22	119.40
1	AA	1293	C	N3-C4-N4	9.74	124.82	118.00
1	AA	186	C	O4'-C1'-N1	9.74	115.99	108.20
26	BB	413	C	O4'-C1'-N1	9.74	115.99	108.20
26	BB	2024	G	C2-N3-C4	9.74	116.77	111.90
26	BB	877	A	C6-C5-N7	9.73	139.12	132.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	253	A	C3'-C2'-C1'	-9.73	93.72	101.50
1	AA	798	U	O4'-C1'-N1	9.73	115.98	108.20
1	AA	815	A	N9-C4-C5	9.73	109.69	105.80
1	AA	1281	C	O4'-C1'-N1	9.73	115.98	108.20
26	BB	2132	U	C5-C6-N1	-9.73	117.83	122.70
26	BB	2139	U	C5-C6-N1	-9.73	117.83	122.70
26	BB	2429	G	C8-N9-C4	-9.73	102.51	106.40
26	BB	2563	U	O4'-C1'-N1	9.73	115.98	108.20
25	BA	78	A	N9-C4-C5	9.73	109.69	105.80
1	AA	111	G	N7-C8-N9	9.73	117.96	113.10
26	BB	1011	G	N7-C8-N9	9.73	117.96	113.10
26	BB	1248	G	C5-N7-C8	-9.73	99.44	104.30
1	AA	843	U	N1-C2-N3	9.72	120.73	114.90
1	AA	1096	C	N3-C2-O2	-9.72	115.09	121.90
26	BB	1659	G	C4-C5-N7	-9.72	106.91	110.80
26	BB	2061	G	N1-C2-N3	-9.72	118.07	123.90
1	AA	187	G	C4'-C3'-C2'	-9.72	92.88	102.60
26	BB	2154	A	C4-C5-C6	9.72	121.86	117.00
26	BB	852	U	C5-C4-O4	-9.72	120.07	125.90
26	BB	1318	U	O4'-C1'-N1	9.71	115.97	108.20
26	BB	1541	C	O4'-C1'-N1	9.72	115.97	108.20
26	BB	1863	G	O4'-C1'-N9	9.71	115.97	108.20
26	BB	2022	U	O4'-C1'-N1	9.71	115.97	108.20
26	BB	2628	C	C2-N3-C4	-9.71	115.04	119.90
12	AL	105	ARG	NE-CZ-NH1	9.71	125.16	120.30
1	AA	384	G	N1-C2-N3	9.71	129.73	123.90
1	AA	784	A	O4'-C1'-N9	9.71	115.97	108.20
1	AA	1353	G	C5-N7-C8	9.71	109.15	104.30
26	BB	1927	A	N9-C4-C5	9.71	109.68	105.80
2	AB	65	C	C1'-O4'-C4'	-9.71	102.13	109.90
26	BB	446	G	N3-C4-N9	9.71	131.82	126.00
26	BB	457	A	C5-C6-N1	9.71	122.55	117.70
26	BB	2823	A	O4'-C1'-N9	9.71	115.97	108.20
1	AA	18	C	C4-C5-C6	-9.71	112.55	117.40
1	AA	874	G	N1-C2-N3	-9.71	118.08	123.90
1	AA	1294	G	N1-C6-O6	-9.71	114.08	119.90
26	BB	543	G	N9-C4-C5	9.71	109.28	105.40
26	BB	1070	A	O4'-C1'-N9	9.70	115.96	108.20
26	BB	2346	A	O4'-C1'-N9	9.70	115.96	108.20
50	BZ	44	ARG	NE-CZ-NH1	9.70	125.15	120.30
26	BB	537	G	N3-C4-C5	-9.70	123.75	128.60
1	AA	645	G	N7-C8-N9	9.70	117.95	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1265	C	C5-C6-N1	-9.70	116.15	121.00
2	AB	40	C	N3-C4-N4	9.70	124.79	118.00
26	BB	49	A	C5-N7-C8	9.70	108.75	103.90
26	BB	1459	G	N3-C4-C5	-9.70	123.75	128.60
1	AA	588	G	O4'-C1'-N9	9.70	115.96	108.20
26	BB	117	G	N3-C4-N9	9.70	131.82	126.00
26	BB	869	G	N1-C6-O6	-9.70	114.08	119.90
26	BB	1029	A	C5'-C4'-O4'	9.70	120.74	109.10
26	BB	582	A	O4'-C1'-N9	9.70	115.96	108.20
26	BB	1143	A	C2-N3-C4	-9.70	105.75	110.60
26	BB	1938	A	C4-C5-N7	-9.70	105.85	110.70
26	BB	2877	G	N1-C2-N3	-9.70	118.08	123.90
26	BB	389	G	N9-C4-C5	9.70	109.28	105.40
26	BB	920	A	C8-N9-C4	-9.70	101.92	105.80
26	BB	2279	G	N3-C4-C5	-9.70	123.75	128.60
1	AA	1383	C	N3-C4-C5	9.69	125.78	121.90
26	BB	79	C	O4'-C1'-N1	9.70	115.96	108.20
26	BB	168	G	N9-C4-C5	9.70	109.28	105.40
26	BB	1534	U	N3-C4-C5	-9.70	108.78	114.60
26	BB	1386	C	C4'-C3'-C2'	-9.69	92.91	102.60
26	BB	2787	C	C4-C5-C6	-9.69	112.55	117.40
44	BT	84	ARG	NE-CZ-NH1	9.70	125.15	120.30
22	AV	85	ASP	CB-CG-OD2	-9.69	109.58	118.30
26	BB	935	C	N3-C4-C5	-9.69	118.02	121.90
26	BB	730	A	C8-N9-C4	-9.69	101.92	105.80
26	BB	1774	C	O4'-C1'-N1	9.69	115.95	108.20
26	BB	1186	G	N1-C6-O6	-9.69	114.09	119.90
1	AA	1246	A	C8-N9-C4	-9.69	101.93	105.80
26	BB	50	U	N3-C2-O2	-9.69	115.42	122.20
26	BB	397	U	O4'-C1'-N1	9.69	115.95	108.20
26	BB	1241	A	N1-C2-N3	-9.69	124.46	129.30
1	AA	713	G	C4-C5-N7	9.68	114.67	110.80
1	AA	1448	C	C5-C4-N4	9.68	126.98	120.20
1	AA	1522	U	N1-C2-O2	-9.68	116.02	122.80
26	BB	1849	G	N3-C4-C5	-9.68	123.76	128.60
26	BB	1918	A	O4'-C1'-N9	9.68	115.94	108.20
1	AA	852	G	N3-C4-C5	-9.68	123.76	128.60
1	AA	1171	A	O4'-C1'-N9	9.68	115.94	108.20
1	AA	1238	A	N1-C6-N6	-9.68	112.79	118.60
26	BB	344	A	C8-N9-C4	-9.68	101.93	105.80
26	BB	2088	A	C4-C5-N7	9.68	115.54	110.70
26	BB	2767	C	N3-C4-C5	-9.68	118.03	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1074	G	C5-N7-C8	-9.68	99.46	104.30
26	BB	1087	G	N3-C4-C5	-9.68	123.76	128.60
1	AA	1270	G	N1-C6-O6	-9.68	114.09	119.90
26	BB	263	G	C8-N9-C4	-9.68	102.53	106.40
26	BB	266	G	N7-C8-N9	9.68	117.94	113.10
26	BB	2529	G	C1'-O4'-C4'	9.68	117.64	109.90
4	AD	50	G	C2-N3-C4	9.67	116.74	111.90
26	BB	1293	C	O4'-C1'-N1	9.67	115.94	108.20
26	BB	2485	G	C5-C6-O6	-9.67	122.80	128.60
1	AA	1304	G	C8-N9-C4	-9.67	102.53	106.40
26	BB	220	G	C6-N1-C2	-9.67	119.30	125.10
26	BB	520	G	C8-N9-C4	-9.67	102.53	106.40
25	BA	98	G	N3-C4-C5	-9.67	123.77	128.60
26	BB	687	C	O4'-C1'-N1	9.67	115.93	108.20
26	BB	137	U	O4'-C1'-N1	9.66	115.93	108.20
26	BB	677	A	C4-C5-C6	-9.66	112.17	117.00
26	BB	1228	G	C5-N7-C8	-9.66	99.47	104.30
26	BB	1307	A	O4'-C1'-N9	9.66	115.93	108.20
26	BB	2781	A	C5-N7-C8	-9.66	99.07	103.90
1	AA	46	G	O4'-C1'-N9	9.66	115.93	108.20
26	BB	1294	U	O4'-C1'-N1	9.66	115.93	108.20
26	BB	2835	A	C2-N3-C4	9.66	115.43	110.60
1	AA	1452	C	C4-C5-C6	-9.66	112.57	117.40
26	BB	95	A	C4-C5-C6	-9.66	112.17	117.00
26	BB	1462	C	N1-C2-O2	9.66	124.70	118.90
26	BB	1778	U	N1-C2-N3	9.66	120.70	114.90
26	BB	193	U	N3-C2-O2	-9.66	115.44	122.20
26	BB	1898	U	O4'-C1'-N1	9.66	115.93	108.20
1	AA	1139	G	C5-C6-N1	9.66	116.33	111.50
25	BA	15	A	C8-N9-C4	-9.66	101.94	105.80
26	BB	2481	G	N3-C4-N9	-9.66	120.21	126.00
1	AA	708	C	C2-N3-C4	9.65	124.73	119.90
26	BB	822	G	N9-C4-C5	9.65	109.26	105.40
26	BB	950	G	C5-C6-N1	9.65	116.33	111.50
26	BB	1209	U	N3-C2-O2	-9.65	115.44	122.20
26	BB	2755	C	O4'-C4'-C3'	9.65	113.82	106.10
1	AA	112	G	N3-C2-N2	9.65	126.66	119.90
1	AA	483	C	C2-N3-C4	9.65	124.73	119.90
26	BB	389	G	C4'-C3'-C2'	-9.65	92.95	102.60
26	BB	399	U	O4'-C1'-N1	9.65	115.92	108.20
26	BB	1003	G	C5-N7-C8	9.65	109.12	104.30
26	BB	1324	G	C6-C5-N7	-9.65	124.61	130.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2111	U	N3-C4-O4	9.65	126.16	119.40
26	BB	2804	U	C5-C4-O4	-9.65	120.11	125.90
1	AA	405	U	O4'-C1'-N1	9.65	115.92	108.20
1	AA	1011	C	N1-C2-O2	9.65	124.69	118.90
26	BB	1552	A	C4-C5-C6	9.65	121.83	117.00
1	AA	1338	G	N1-C6-O6	9.65	125.69	119.90
26	BB	2093	G	O4'-C1'-N9	9.65	115.92	108.20
58	B7	19	ARG	NE-CZ-NH1	9.65	125.12	120.30
26	BB	1437	C	O4'-C1'-N1	9.64	115.92	108.20
26	BB	2255	G	N3-C4-C5	-9.64	123.78	128.60
26	BB	2335	A	N7-C8-N9	-9.64	108.98	113.80
1	AA	839	C	C2-N3-C4	-9.64	115.08	119.90
1	AA	1396	A	N1-C2-N3	-9.64	124.48	129.30
26	BB	1299	G	C5-N7-C8	9.64	109.12	104.30
26	BB	1509	A	N1-C2-N3	-9.64	124.48	129.30
26	BB	1878	G	N3-C2-N2	9.64	126.65	119.90
26	BB	2253	G	C6-N1-C2	-9.64	119.31	125.10
34	BJ	157	VAL	CA-CB-CG2	9.64	125.36	110.90
26	BB	1878	G	C5-N7-C8	9.64	109.12	104.30
26	BB	417	C	C4-C5-C6	-9.64	112.58	117.40
26	BB	791	C	C5-C6-N1	9.64	125.82	121.00
26	BB	805	G	N9-C4-C5	9.64	109.25	105.40
1	AA	1226	C	C5-C4-N4	-9.63	113.46	120.20
26	BB	1955	U	C4-C5-C6	9.63	125.48	119.70
26	BB	2430	A	O4'-C1'-N9	-9.64	100.49	108.20
26	BB	49	A	P-O3'-C3'	9.63	131.26	119.70
1	AA	46	G	C5-N7-C8	-9.63	99.48	104.30
2	AB	64	U	N3-C2-O2	-9.63	115.46	122.20
26	BB	231	A	C5-N7-C8	9.63	108.72	103.90
26	BB	533	G	N3-C4-C5	-9.63	123.78	128.60
26	BB	775	G	N7-C8-N9	9.63	117.92	113.10
26	BB	883	G	N3-C4-C5	-9.63	123.78	128.60
1	AA	1335	U	C1'-O4'-C4'	-9.63	102.20	109.90
26	BB	407	G	C6-N1-C2	-9.63	119.32	125.10
26	BB	1390	U	C2-N3-C4	-9.63	121.22	127.00
26	BB	1499	C	C4-C5-C6	9.63	122.22	117.40
26	BB	2294	G	O4'-C1'-N9	9.63	115.90	108.20
26	BB	2819	G	C5-C6-N1	9.63	116.31	111.50
26	BB	1445	G	O4'-C1'-N9	9.63	115.90	108.20
26	BB	617	G	C2-N3-C4	9.62	116.71	111.90
26	BB	1016	G	C6-N1-C2	-9.62	119.33	125.10
1	AA	695	A	O5'-P-OP2	-9.62	97.04	105.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	309	A	C5-N7-C8	9.62	108.71	103.90
26	BB	1107	G	C5'-C4'-O4'	9.62	120.65	109.10
26	BB	1399	C	C4-C5-C6	9.62	122.21	117.40
26	BB	1509	A	C5-C6-N1	9.62	122.51	117.70
1	AA	529	G	C4-C5-C6	9.62	124.57	118.80
1	AA	1523	G	N1-C2-N3	-9.62	118.13	123.90
4	AD	36	A	N1-C6-N6	-9.62	112.83	118.60
26	BB	326	G	C2-N3-C4	9.62	116.71	111.90
26	BB	1182	G	N3-C2-N2	-9.62	113.17	119.90
26	BB	2720	U	N3-C2-O2	-9.62	115.47	122.20
1	AA	1118	U	C1'-O4'-C4'	9.61	117.59	109.90
26	BB	67	U	C5-C4-O4	9.61	131.67	125.90
1	AA	606	G	N3-C4-C5	-9.61	123.79	128.60
1	AA	666	G	O4'-C1'-N9	9.61	115.89	108.20
26	BB	566	U	C5-C4-O4	-9.61	120.13	125.90
26	BB	582	A	C6-N1-C2	-9.61	112.83	118.60
26	BB	1201	U	C5-C6-N1	-9.61	117.89	122.70
1	AA	576	C	N3-C2-O2	-9.61	115.17	121.90
26	BB	908	C	C6-N1-C2	9.61	124.14	120.30
26	BB	1666	G	O4'-C1'-N9	9.61	115.89	108.20
26	BB	2484	G	N3-C4-C5	-9.61	123.80	128.60
28	BD	101	ARG	NE-CZ-NH2	-9.61	115.50	120.30
1	AA	197	A	C4-C5-C6	-9.61	112.20	117.00
1	AA	601	G	N7-C8-N9	9.61	117.90	113.10
1	AA	741	G	C8-N9-C4	9.61	110.24	106.40
1	AA	1426	G	C5-N7-C8	9.61	109.10	104.30
1	AA	1268	G	N9-C4-C5	-9.60	101.56	105.40
26	BB	1037	G	C4-C5-N7	-9.60	106.96	110.80
26	BB	2263	C	O4'-C1'-N1	9.60	115.88	108.20
25	BA	118	C	O4'-C1'-N1	9.60	115.88	108.20
26	BB	35	G	C3'-C2'-C1'	-9.60	93.82	101.50
1	AA	604	G	N7-C8-N9	9.60	117.90	113.10
1	AA	1346	A	C5-C6-N6	-9.60	116.02	123.70
1	AA	758	C	C6-N1-C2	9.60	124.14	120.30
1	AA	817	C	C3'-C2'-C1'	-9.60	93.82	101.50
26	BB	663	G	N7-C8-N9	9.60	117.90	113.10
1	AA	846	G	C1'-O4'-C4'	9.60	117.58	109.90
2	AB	59	G	N3-C4-C5	-9.60	123.80	128.60
26	BB	1767	G	C2-N3-C4	9.60	116.70	111.90
1	AA	1231	G	N7-C8-N9	9.60	117.90	113.10
2	AB	43	G	C4-C5-N7	-9.59	106.96	110.80
26	BB	335	C	N1-C2-O2	9.59	124.66	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	340	A	N1-C6-N6	-9.59	112.84	118.60
26	BB	1524	G	C5'-C4'-O4'	9.59	120.61	109.10
1	AA	27	G	N1-C6-O6	9.59	125.65	119.90
1	AA	1245	C	C6-N1-C2	-9.59	116.46	120.30
1	AA	1304	G	C5-C6-O6	-9.59	122.85	128.60
26	BB	1307	A	N1-C2-N3	-9.59	124.50	129.30
26	BB	2351	G	O4'-C1'-N9	9.59	115.87	108.20
1	AA	1457	G	O4'-C1'-N9	9.59	115.87	108.20
26	BB	686	U	C2-N3-C4	-9.59	121.25	127.00
26	BB	1780	A	C4-C5-C6	9.59	121.80	117.00
1	AA	702	A	O4'-C1'-N9	9.59	115.87	108.20
26	BB	305	C	N3-C4-C5	-9.59	118.06	121.90
26	BB	339	U	C2-N3-C4	-9.59	121.25	127.00
26	BB	848	C	O4'-C1'-N1	9.59	115.87	108.20
26	BB	2059	A	N7-C8-N9	9.59	118.59	113.80
26	BB	2088	A	N9-C4-C5	-9.59	101.97	105.80
1	AA	1036	A	O4'-C1'-N9	9.59	115.87	108.20
26	BB	2699	C	N1-C2-O2	9.59	124.65	118.90
48	BX	57	TYR	CB-CG-CD1	-9.59	115.25	121.00
26	BB	1562	U	O4'-C1'-N1	9.58	115.87	108.20
1	AA	836	G	N9-C4-C5	-9.58	101.57	105.40
26	BB	1731	G	O4'-C1'-N9	9.58	115.86	108.20
1	AA	729	A	O4'-C1'-N9	9.58	115.86	108.20
26	BB	902	C	C5-C6-N1	9.58	125.79	121.00
26	BB	1933	G	C2-N3-C4	9.58	116.69	111.90
26	BB	2186	G	N3-C4-N9	9.58	131.75	126.00
1	AA	1114	C	O4'-C1'-N1	9.58	115.86	108.20
26	BB	1949	G	C3'-C2'-C1'	-9.58	93.84	101.50
1	AA	25	C	N3-C2-O2	9.58	128.60	121.90
1	AA	405	U	C5-C6-N1	-9.58	117.91	122.70
1	AA	1457	G	C5-C6-O6	-9.58	122.85	128.60
26	BB	1167	C	C2-N3-C4	9.58	124.69	119.90
26	BB	1882	U	N3-C2-O2	-9.58	115.50	122.20
1	AA	37	U	N1-C1'-C2'	-9.57	101.47	112.00
1	AA	1018	G	C5-N7-C8	-9.57	99.51	104.30
26	BB	2858	C	C2-N3-C4	9.57	124.69	119.90
26	BB	387	U	C4-C5-C6	9.57	125.44	119.70
26	BB	541	A	N1-C2-N3	9.57	134.09	129.30
26	BB	822	G	C5-C6-O6	-9.57	122.86	128.60
1	AA	347	G	N7-C8-N9	9.57	117.89	113.10
26	BB	1476	U	O4'-C1'-N1	9.57	115.86	108.20
26	BB	1774	C	N1-C2-O2	9.57	124.64	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1249	C	O4'-C1'-N1	9.57	115.86	108.20
26	BB	1830	C	N3-C4-C5	9.57	125.73	121.90
43	BS	10	ARG	NE-CZ-NH2	9.57	125.08	120.30
1	AA	580	C	N3-C4-N4	9.57	124.70	118.00
26	BB	898	C	C4-C5-C6	-9.57	112.62	117.40
1	AA	1475	G	C4-C5-N7	-9.57	106.97	110.80
26	BB	1251	C	C4'-C3'-C2'	-9.57	93.03	102.60
26	BB	1304	A	C4-C5-C6	-9.57	112.22	117.00
1	AA	77	A	O4'-C1'-N9	9.56	115.85	108.20
1	AA	446	G	N9-C4-C5	9.56	109.22	105.40
1	AA	1347	G	N1-C6-O6	-9.56	114.16	119.90
26	BB	877	A	N9-C4-C5	9.56	109.63	105.80
26	BB	985	C	N3-C4-C5	-9.56	118.07	121.90
1	AA	1138	G	C5-N7-C8	9.56	109.08	104.30
26	BB	767	U	O4'-C1'-N1	9.56	115.85	108.20
26	BB	818	G	C4-C5-N7	-9.56	106.97	110.80
26	BB	2509	G	C4-C5-C6	9.56	124.54	118.80
1	AA	87	C	N3-C2-O2	-9.56	115.21	121.90
1	AA	179	A	C2-N3-C4	9.56	115.38	110.60
1	AA	108	G	N9-C4-C5	9.56	109.22	105.40
26	BB	863	A	C5-C6-N6	-9.56	116.06	123.70
1	AA	277	C	N1-C2-O2	9.55	124.63	118.90
1	AA	406	G	C5-N7-C8	9.55	109.08	104.30
1	AA	1120	C	C6-N1-C2	9.55	124.12	120.30
1	AA	1237	C	C4'-C3'-C2'	-9.55	93.05	102.60
22	AV	35	ARG	NE-CZ-NH1	9.56	125.08	120.30
26	BB	457	A	C6-N1-C2	-9.55	112.87	118.60
26	BB	1275	A	C4-C5-N7	-9.55	105.92	110.70
26	BB	1616	A	C6-N1-C2	-9.55	112.87	118.60
49	BY	40	ARG	NE-CZ-NH1	9.56	125.08	120.30
26	BB	2440	C	C2-N3-C4	9.55	124.68	119.90
26	BB	2213	U	P-O3'-C3'	9.55	131.16	119.70
26	BB	268	C	C1'-O4'-C4'	-9.55	102.26	109.90
26	BB	1396	U	C5-C6-N1	-9.55	117.92	122.70
1	AA	484	G	C8-N9-C4	-9.55	102.58	106.40
4	AD	3	C	N1-C2-O2	9.55	124.63	118.90
1	AA	1139	G	C5-C6-O6	-9.54	122.87	128.60
1	AA	1160	G	C4-C5-N7	-9.54	106.98	110.80
26	BB	325	G	O4'-C1'-N9	9.54	115.84	108.20
26	BB	1592	C	O4'-C1'-N1	9.54	115.84	108.20
26	BB	2710	C	O4'-C1'-N1	9.55	115.84	108.20
1	AA	1482	G	C6-C5-N7	-9.54	124.67	130.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	93	C	O4'-C1'-N1	9.54	115.83	108.20
26	BB	2393	U	C2-N3-C4	-9.54	121.28	127.00
1	AA	392	C	N1-C2-O2	9.54	124.62	118.90
1	AA	566	G	C5-C6-N1	9.54	116.27	111.50
1	AA	724	G	C8-N9-C4	-9.54	102.58	106.40
14	AN	127	ARG	NE-CZ-NH1	9.54	125.07	120.30
25	BA	81	G	C6-C5-N7	9.54	136.12	130.40
26	BB	962	G	C5-C6-N1	9.54	116.27	111.50
26	BB	2433	A	O4'-C1'-N9	9.54	115.83	108.20
1	AA	325	A	C5-N7-C8	-9.54	99.13	103.90
26	BB	782	A	N1-C6-N6	-9.53	112.88	118.60
26	BB	2796	U	O4'-C1'-N1	9.54	115.83	108.20
1	AA	1106	G	N1-C2-N3	-9.53	118.18	123.90
1	AA	1513	A	N9-C4-C5	9.53	109.61	105.80
26	BB	2230	G	C6-N1-C2	-9.53	119.38	125.10
1	AA	78	A	O4'-C1'-N9	9.53	115.82	108.20
1	AA	1386	G	C5-N7-C8	-9.53	99.54	104.30
26	BB	367	G	C3'-C2'-C1'	-9.53	93.88	101.50
26	BB	2439	A	C2-N3-C4	9.53	115.36	110.60
1	AA	830	G	C6-N1-C2	-9.53	119.38	125.10
1	AA	1488	G	N9-C4-C5	9.53	109.21	105.40
2	AB	35	C	C5'-C4'-O4'	9.53	120.53	109.10
7	AG	127	ARG	NE-CZ-NH2	-9.53	115.54	120.30
26	BB	318	C	O4'-C1'-N1	9.53	115.82	108.20
26	BB	2094	A	N3-C4-N9	9.53	135.02	127.40
26	BB	890	C	C1'-O4'-C4'	9.53	117.52	109.90
26	BB	1859	U	C3'-C2'-C1'	-9.53	93.88	101.50
26	BB	1910	G	C4-C5-N7	9.53	114.61	110.80
1	AA	223	A	C5-C6-N6	-9.52	116.08	123.70
1	AA	736	C	N3-C2-O2	-9.52	115.23	121.90
2	AB	45	U	C2-N3-C4	-9.52	121.29	127.00
26	BB	736	C	O4'-C1'-N1	9.52	115.82	108.20
26	BB	1179	G	C4-C5-N7	9.52	114.61	110.80
1	AA	965	U	N3-C2-O2	-9.52	115.53	122.20
4	AD	4	G	C5-C6-N1	9.52	116.26	111.50
1	AA	836	G	C5-N7-C8	-9.52	99.54	104.30
26	BB	1373	A	C4-C5-C6	-9.52	112.24	117.00
26	BB	1565	C	C4-C5-C6	9.52	122.16	117.40
26	BB	675	A	C4-C5-N7	-9.51	105.94	110.70
26	BB	2219	U	C5-C4-O4	-9.51	120.19	125.90
1	AA	1077	G	O4'-C1'-N9	9.51	115.81	108.20
25	BA	74	U	C2-N3-C4	-9.51	121.30	127.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	996	A	C6-C5-N7	9.51	138.96	132.30
26	BB	2631	G	N3-C4-N9	9.51	131.71	126.00
1	AA	703	G	C5'-C4'-O4'	9.51	120.51	109.10
26	BB	369	U	N1-C1'-C2'	-9.51	101.54	112.00
26	BB	1141	U	C1'-O4'-C4'	-9.51	102.29	109.90
26	BB	1399	C	N3-C4-C5	-9.51	118.10	121.90
26	BB	2622	U	O4'-C1'-N1	9.51	115.81	108.20
26	BB	2707	U	N3-C4-C5	-9.51	108.89	114.60
1	AA	931	C	C1'-O4'-C4'	-9.51	102.30	109.90
26	BB	2086	U	C1'-O4'-C4'	-9.51	102.30	109.90
2	AB	71	C	O4'-C1'-N1	9.50	115.80	108.20
26	BB	341	C	O4'-C1'-N1	9.50	115.80	108.20
3	AC	34	U	N3-C4-O4	9.50	126.05	119.40
1	AA	1052	U	C4'-C3'-C2'	-9.50	93.10	102.60
2	AB	38	A	O4'-C1'-N9	9.50	115.80	108.20
26	BB	231	A	N7-C8-N9	-9.50	109.05	113.80
26	BB	1186	G	N1-C2-N3	9.50	129.60	123.90
26	BB	1061	U	C4-C5-C6	9.50	125.40	119.70
1	AA	325	A	C4-C5-C6	-9.50	112.25	117.00
26	BB	1515	A	C5-N7-C8	9.50	108.65	103.90
26	BB	2427	C	O4'-C1'-N1	9.50	115.80	108.20
1	AA	962	C	N3-C4-N4	9.49	124.65	118.00
1	AA	1382	C	C6-N1-C2	9.49	124.10	120.30
26	BB	58	G	C4-C5-C6	9.49	124.50	118.80
26	BB	2142	A	O4'-C1'-N9	9.49	115.80	108.20
26	BB	2628	C	N3-C2-O2	-9.49	115.25	121.90
1	AA	1161	C	C5-C6-N1	9.49	125.75	121.00
1	AA	295	C	O4'-C1'-N1	9.49	115.79	108.20
1	AA	1441	A	C8-N9-C4	-9.49	102.00	105.80
26	BB	1661	G	O4'-C1'-N9	9.49	115.79	108.20
26	BB	2679	A	C5'-C4'-O4'	9.49	120.49	109.10
26	BB	1488	C	O4'-C1'-N1	9.49	115.79	108.20
26	BB	1997	C	N3-C4-N4	9.49	124.64	118.00
26	BB	1625	C	C2-N3-C4	9.48	124.64	119.90
1	AA	1388	C	N3-C4-N4	9.48	124.64	118.00
26	BB	470	A	C2-N3-C4	9.48	115.34	110.60
26	BB	707	G	N3-C4-C5	-9.48	123.86	128.60
10	AJ	77	ARG	NE-CZ-NH1	9.48	125.04	120.30
26	BB	1646	C	C5-C6-N1	9.48	125.74	121.00
1	AA	380	G	C6-N1-C2	-9.48	119.41	125.10
1	AA	1032	G	N1-C2-N3	-9.48	118.21	123.90
1	AA	1325	C	C6-N1-C2	-9.48	116.51	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1184	G	C5-C6-O6	-9.48	122.91	128.60
26	BB	119	A	C5-N7-C8	-9.48	99.16	103.90
26	BB	410	G	C4-C5-N7	9.48	114.59	110.80
26	BB	1144	A	C8-N9-C4	9.48	109.59	105.80
26	BB	1557	C	N3-C4-N4	9.48	124.63	118.00
26	BB	1679	A	N9-C4-C5	-9.48	102.01	105.80
26	BB	2354	C	N3-C4-C5	-9.48	118.11	121.90
26	BB	2601	C	C5-C6-N1	-9.48	116.26	121.00
26	BB	2163	A	N9-C1'-C2'	-9.47	101.58	112.00
26	BB	938	G	N3-C4-C5	-9.47	123.86	128.60
26	BB	1998	A	N1-C2-N3	-9.47	124.56	129.30
26	BB	114	U	N3-C2-O2	-9.47	115.57	122.20
26	BB	1087	G	C8-N9-C4	-9.47	102.61	106.40
26	BB	2274	A	C8-N9-C4	9.47	109.59	105.80
1	AA	758	C	C4-C5-C6	-9.47	112.67	117.40
4	AD	53	G	C4-C5-N7	9.47	114.59	110.80
8	AH	67	ARG	NE-CZ-NH2	9.47	125.03	120.30
26	BB	198	C	C6-N1-C2	9.47	124.09	120.30
26	BB	478	A	C4-C5-N7	9.47	115.43	110.70
26	BB	506	G	C8-N9-C4	-9.47	102.61	106.40
26	BB	824	U	N3-C2-O2	-9.47	115.57	122.20
26	BB	1428	C	N1-C2-O2	9.47	124.58	118.90
26	BB	2686	G	C8-N9-C4	-9.47	102.61	106.40
26	BB	2469	A	C2-N3-C4	9.47	115.33	110.60
26	BB	581	C	N1-C2-O2	9.47	124.58	118.90
26	BB	2650	U	O4'-C1'-N1	9.46	115.77	108.20
1	AA	87	C	C5-C6-N1	9.46	125.73	121.00
1	AA	1034	G	C5-C6-O6	-9.46	122.92	128.60
26	BB	940	G	O4'-C1'-N9	9.46	115.77	108.20
26	BB	1555	G	C8-N9-C4	-9.46	102.62	106.40
26	BB	1635	A	C4-C5-N7	-9.46	105.97	110.70
1	AA	875	U	N1-C2-N3	9.46	120.58	114.90
26	BB	469	G	N3-C4-C5	-9.46	123.87	128.60
26	BB	1611	C	C5'-C4'-O4'	9.46	120.45	109.10
48	BX	82	TYR	CG-CD2-CE2	-9.46	113.73	121.30
1	AA	161	A	C4-C5-C6	-9.46	112.27	117.00
1	AA	706	A	C5'-C4'-O4'	9.45	120.44	109.10
26	BB	1840	G	N3-C4-C5	-9.45	123.87	128.60
26	BB	2446	G	C5'-C4'-O4'	9.45	120.44	109.10
26	BB	2464	G	C5-C6-O6	-9.45	122.93	128.60
4	AD	65	G	N3-C2-N2	-9.45	113.28	119.90
1	AA	1029	U	C1'-O4'-C4'	9.45	117.46	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1483	A	C8-N9-C4	-9.45	102.02	105.80
9	AI	112	ARG	NE-CZ-NH1	9.45	125.02	120.30
26	BB	578	G	C4-C5-C6	9.45	124.47	118.80
26	BB	630	G	N9-C4-C5	9.45	109.18	105.40
26	BB	1527	G	N3-C4-C5	-9.45	123.88	128.60
26	BB	2508	G	C8-N9-C4	-9.45	102.62	106.40
1	AA	1167	A	O4'-C4'-C3'	9.45	113.66	106.10
1	AA	1504	G	C2-N3-C4	9.45	116.62	111.90
26	BB	2794	C	N3-C2-O2	-9.45	115.29	121.90
1	AA	125	U	C5-C6-N1	-9.44	117.98	122.70
1	AA	195	A	C4-C5-C6	-9.45	112.28	117.00
26	BB	88	G	N1-C6-O6	9.45	125.57	119.90
26	BB	308	G	N9-C4-C5	9.45	109.18	105.40
26	BB	966	G	C2-N3-C4	9.45	116.62	111.90
26	BB	1688	U	C5-C6-N1	-9.45	117.98	122.70
26	BB	1839	G	C6-C5-N7	-9.45	124.73	130.40
26	BB	2484	G	C2-N3-C4	9.45	116.62	111.90
38	BN	69	ARG	NE-CZ-NH2	9.45	125.02	120.30
1	AA	145	G	C8-N9-C4	-9.44	102.62	106.40
26	BB	193	U	C4'-C3'-C2'	-9.44	93.16	102.60
1	AA	149	A	N1-C2-N3	9.44	134.02	129.30
1	AA	493	A	C8-N9-C4	-9.44	102.02	105.80
26	BB	2722	G	C5-C6-O6	-9.44	122.94	128.60
26	BB	2816	G	C5'-C4'-O4'	9.44	120.43	109.10
1	AA	331	G	C8-N9-C4	-9.44	102.62	106.40
1	AA	182	A	C5-C6-N1	9.44	122.42	117.70
1	AA	195	A	C5-N7-C8	-9.44	99.18	103.90
1	AA	960	U	P-O3'-C3'	9.44	131.03	119.70
1	AA	1073	U	N3-C4-C5	-9.44	108.94	114.60
1	AA	1275	A	N7-C8-N9	-9.44	109.08	113.80
1	AA	1044	A	N1-C2-N3	-9.44	124.58	129.30
26	BB	286	U	O4'-C1'-N1	9.44	115.75	108.20
26	BB	302	C	N1-C2-O2	9.44	124.56	118.90
26	BB	1954	G	C5-C6-O6	-9.44	122.94	128.60
26	BB	2755	C	C5-C6-N1	9.43	125.72	121.00
26	BB	2900	A	N9-C4-C5	9.43	109.57	105.80
10	AJ	91	ARG	NE-CZ-NH2	-9.43	115.58	120.30
26	BB	2836	U	C5-C6-N1	-9.43	117.98	122.70
39	BO	66	ARG	NE-CZ-NH1	9.43	125.02	120.30
39	BO	81	ARG	NE-CZ-NH2	-9.43	115.58	120.30
1	AA	1502	A	C2-N3-C4	9.43	115.31	110.60
4	AD	14	A	C8-N9-C4	-9.43	102.03	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	952	G	O4'-C1'-N9	9.43	115.74	108.20
26	BB	1037	G	N9-C4-C5	9.43	109.17	105.40
26	BB	1169	A	C8-N9-C4	-9.43	102.03	105.80
56	B5	21	ARG	NE-CZ-NH2	9.43	125.01	120.30
1	AA	65	A	C5-N7-C8	9.43	108.61	103.90
26	BB	381	G	N7-C8-N9	9.43	117.81	113.10
26	BB	403	U	N3-C4-C5	-9.43	108.94	114.60
26	BB	1344	U	N3-C2-O2	-9.43	115.60	122.20
26	BB	2577	A	C5-C6-N1	9.43	122.41	117.70
26	BB	507	A	N1-C6-N6	-9.43	112.94	118.60
26	BB	1656	C	C4-C5-C6	9.43	122.11	117.40
26	BB	2801	G	C6-C5-N7	-9.43	124.75	130.40
1	AA	90	C	N3-C2-O2	-9.42	115.30	121.90
1	AA	1386	G	N1-C6-O6	-9.42	114.25	119.90
26	BB	979	A	C5-C6-N1	9.42	122.41	117.70
26	BB	1492	G	N7-C8-N9	9.42	117.81	113.10
1	AA	660	C	N3-C4-C5	-9.42	118.13	121.90
14	AN	126	ARG	NE-CZ-NH1	9.42	125.01	120.30
25	BA	64	G	C8-N9-C4	-9.42	102.63	106.40
26	BB	744	U	O4'-C1'-N1	9.42	115.74	108.20
26	BB	835	C	C1'-O4'-C4'	-9.42	102.36	109.90
26	BB	1451	C	C5-C6-N1	-9.42	116.29	121.00
26	BB	2070	A	C4-C5-N7	-9.42	105.99	110.70
26	BB	2147	A	C1'-O4'-C4'	-9.42	102.37	109.90
26	BB	2632	A	O4'-C1'-N9	9.42	115.73	108.20
26	BB	2858	C	N3-C4-N4	9.42	124.59	118.00
26	BB	2863	C	O4'-C1'-N1	9.42	115.73	108.20
1	AA	5	U	O4'-C1'-N1	9.41	115.73	108.20
26	BB	2649	C	C5-C4-N4	-9.41	113.61	120.20
1	AA	251	G	N7-C8-N9	9.41	117.81	113.10
2	AB	30	G	O4'-C1'-N9	9.41	115.73	108.20
26	BB	309	A	C6-C5-N7	9.41	138.89	132.30
26	BB	1146	C	C4-C5-C6	-9.41	112.69	117.40
26	BB	2238	G	N1-C6-O6	9.41	125.55	119.90
1	AA	1499	A	O4'-C1'-N9	-9.41	100.67	108.20
26	BB	1184	U	O4'-C1'-N1	9.41	115.73	108.20
26	BB	2202	U	O4'-C1'-N1	9.41	115.73	108.20
1	AA	384	G	N3-C4-C5	-9.41	123.90	128.60
1	AA	1358	U	O4'-C1'-N1	9.41	115.73	108.20
26	BB	313	G	C8-N9-C4	-9.41	102.64	106.40
26	BB	763	G	N9-C4-C5	-9.41	101.64	105.40
26	BB	1431	A	C5-N7-C8	9.41	108.60	103.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1737	G	C5-C6-N1	-9.41	106.80	111.50
26	BB	2153	C	O4'-C1'-N1	9.41	115.72	108.20
26	BB	2121	G	C6-C5-N7	-9.40	124.76	130.40
26	BB	1272	A	N9-C4-C5	-9.40	102.04	105.80
26	BB	1368	G	C8-N9-C4	-9.40	102.64	106.40
1	AA	1239	A	C2-N3-C4	9.40	115.30	110.60
26	BB	415	A	N9-C4-C5	9.40	109.56	105.80
26	BB	1007	C	N3-C2-O2	-9.40	115.32	121.90
1	AA	712	A	C1'-O4'-C4'	9.40	117.42	109.90
1	AA	1424	U	C2-N3-C4	-9.40	121.36	127.00
1	AA	1002	G	C8-N9-C4	-9.40	102.64	106.40
1	AA	1387	G	C1'-O4'-C4'	-9.40	102.38	109.90
1	AA	1374	A	C8-N9-C4	-9.40	102.04	105.80
26	BB	113	U	N3-C2-O2	-9.40	115.62	122.20
26	BB	920	A	N1-C2-N3	9.40	134.00	129.30
26	BB	954	G	N7-C8-N9	9.40	117.80	113.10
26	BB	1635	A	N9-C4-C5	9.40	109.56	105.80
26	BB	2121	G	C5-N7-C8	-9.40	99.60	104.30
1	AA	241	G	C5-C6-N1	9.39	116.20	111.50
2	AB	29	G	C5-N7-C8	-9.39	99.60	104.30
26	BB	1300	G	C4-C5-N7	-9.39	107.04	110.80
26	BB	1369	G	C4-C5-N7	-9.39	107.04	110.80
26	BB	2509	G	N3-C4-C5	-9.39	123.90	128.60
26	BB	700	G	C8-N9-C4	-9.39	102.64	106.40
1	AA	155	A	N9-C4-C5	9.39	109.56	105.80
1	AA	1177	G	N1-C2-N3	-9.39	118.27	123.90
20	AT	56	ASP	CB-CG-OD1	-9.39	109.85	118.30
26	BB	2477	U	O4'-C1'-N1	9.39	115.71	108.20
3	AC	37	G	N7-C8-N9	9.39	117.79	113.10
39	BO	114	ARG	NE-CZ-NH1	9.39	124.99	120.30
1	AA	786	G	N3-C4-C5	-9.38	123.91	128.60
26	BB	86	G	O4'-C1'-N9	9.38	115.71	108.20
1	AA	583	A	O4'-C1'-N9	9.38	115.70	108.20
1	AA	1366	C	C5-C6-N1	9.38	125.69	121.00
1	AA	1419	G	C4-C5-N7	-9.38	107.05	110.80
2	AB	40	C	C5-C6-N1	9.38	125.69	121.00
26	BB	1555	G	N9-C4-C5	9.38	109.15	105.40
26	BB	1626	A	O5'-P-OP1	-9.38	97.25	105.70
26	BB	1902	C	O4'-C1'-N1	9.38	115.71	108.20
1	AA	580	C	C2-N3-C4	9.38	124.59	119.90
1	AA	1032	G	C6-C5-N7	-9.38	124.77	130.40
1	AA	1	A	C8-N9-C4	9.38	109.55	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	87	C	N3-C4-N4	-9.38	111.44	118.00
1	AA	725	G	N3-C2-N2	-9.38	113.34	119.90
1	AA	802	A	O4'-C1'-N9	9.38	115.70	108.20
1	AA	1271	A	N7-C8-N9	9.38	118.49	113.80
4	AD	2	G	N3-C4-C5	-9.38	123.91	128.60
26	BB	265	A	C2-N3-C4	9.38	115.29	110.60
26	BB	378	C	C5'-C4'-O4'	9.38	120.35	109.10
26	BB	1030	C	N3-C4-C5	9.38	125.65	121.90
26	BB	2128	G	N3-C4-C5	-9.38	123.91	128.60
1	AA	98	A	C5-N7-C8	9.38	108.59	103.90
26	BB	2172	U	O4'-C1'-N1	9.37	115.70	108.20
1	AA	251	G	C8-N9-C4	-9.37	102.65	106.40
1	AA	1013	G	C8-N9-C4	-9.37	102.65	106.40
1	AA	1035	A	O4'-C1'-N9	9.37	115.70	108.20
26	BB	1275	A	N3-C4-C5	-9.37	120.24	126.80
1	AA	1156	G	O4'-C4'-C3'	9.37	113.60	106.10
26	BB	1366	A	N7-C8-N9	9.37	118.49	113.80
26	BB	1838	C	C2-N3-C4	9.37	124.59	119.90
26	BB	2009	A	O4'-C1'-N9	9.37	115.70	108.20
1	AA	693	G	N3-C2-N2	9.37	126.46	119.90
1	AA	955	U	N3-C2-O2	-9.37	115.64	122.20
2	AB	45	U	O4'-C1'-N1	9.37	115.70	108.20
26	BB	85	G	N3-C4-N9	9.37	131.62	126.00
26	BB	1162	G	N1-C2-N3	9.37	129.52	123.90
26	BB	1128	G	C8-N9-C4	-9.37	102.65	106.40
26	BB	1954	G	C4-C5-N7	9.37	114.55	110.80
26	BB	2678	C	C4'-C3'-C2'	-9.37	93.23	102.60
26	BB	2694	G	N1-C6-O6	9.37	125.52	119.90
1	AA	354	G	C4-C5-N7	9.37	114.55	110.80
26	BB	934	U	N1-C2-O2	9.37	129.36	122.80
1	AA	677	U	O4'-C1'-N1	9.36	115.69	108.20
1	AA	1457	G	N1-C6-O6	9.36	125.52	119.90
26	BB	1055	G	N3-C4-C5	-9.37	123.92	128.60
26	BB	1202	G	C6-N1-C2	-9.37	119.48	125.10
26	BB	1556	C	O4'-C1'-N1	9.36	115.69	108.20
1	AA	200	G	C8-N9-C4	-9.36	102.66	106.40
1	AA	936	C	N3-C4-C5	9.36	125.64	121.90
26	BB	762	U	C3'-C2'-C1'	9.36	108.99	101.50
1	AA	278	G	O4'-C1'-N9	9.36	115.69	108.20
1	AA	1102	A	C5-C6-N6	-9.36	116.21	123.70
26	BB	195	A	N9-C4-C5	9.36	109.54	105.80
26	BB	231	A	C2'-C3'-O3'	9.36	130.09	109.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1393	A	N9-C4-C5	9.36	109.54	105.80
26	BB	2443	C	N3-C4-N4	9.36	124.55	118.00
1	AA	61	G	C5'-C4'-C3'	9.36	130.97	116.00
1	AA	408	A	N1-C6-N6	9.36	124.21	118.60
1	AA	1059	C	O4'-C4'-C3'	9.36	113.58	106.10
1	AA	1533	C	C2-N3-C4	9.36	124.58	119.90
26	BB	1315	C	O4'-C1'-N1	9.36	115.69	108.20
26	BB	2873	A	N1-C2-N3	-9.36	124.62	129.30
26	BB	2112	G	N1-C6-O6	-9.35	114.29	119.90
26	BB	2679	A	N9-C4-C5	9.35	109.54	105.80
4	AD	45	A	O4'-C1'-N9	9.35	115.68	108.20
10	AJ	84	TYR	CB-CG-CD2	-9.35	115.39	121.00
26	BB	74	A	N7-C8-N9	9.35	118.47	113.80
26	BB	181	A	C6-C5-N7	9.35	138.85	132.30
26	BB	1143	A	N1-C2-N3	9.35	133.98	129.30
26	BB	1766	G	C5-N7-C8	-9.35	99.62	104.30
26	BB	2511	U	C5'-C4'-O4'	9.35	120.32	109.10
26	BB	323	C	N3-C4-C5	-9.35	118.16	121.90
26	BB	625	G	O4'-C1'-N9	9.35	115.68	108.20
26	BB	2827	C	C6-N1-C2	-9.35	116.56	120.30
34	BJ	55	ARG	NE-CZ-NH1	9.35	124.97	120.30
1	AA	718	A	O4'-C1'-N9	9.35	115.68	108.20
1	AA	1292	G	N9-C4-C5	9.35	109.14	105.40
5	AE	221	ARG	NE-CZ-NH1	9.35	124.97	120.30
26	BB	658	U	C6-N1-C2	-9.35	115.39	121.00
45	BU	99	ARG	NE-CZ-NH1	9.35	124.97	120.30
26	BB	31	C	C2-N3-C4	-9.34	115.23	119.90
26	BB	118	A	C4-C5-C6	-9.34	112.33	117.00
26	BB	432	A	O4'-C1'-N9	9.34	115.67	108.20
1	AA	914	A	N1-C6-N6	-9.34	113.00	118.60
1	AA	1098	C	C6-N1-C2	-9.34	116.56	120.30
1	AA	1409	C	N3-C2-O2	-9.34	115.36	121.90
1	AA	1475	G	N3-C4-C5	-9.34	123.93	128.60
11	AK	113	ARG	NE-CZ-NH1	9.34	124.97	120.30
26	BB	556	A	N3-C4-N9	9.34	134.87	127.40
26	BB	2245	U	N1-C2-N3	9.34	120.50	114.90
26	BB	2368	C	N3-C4-C5	9.34	125.64	121.90
26	BB	2820	A	C8-N9-C4	-9.34	102.06	105.80
1	AA	93	U	O4'-C1'-N1	9.34	115.67	108.20
1	AA	677	U	N1-C2-N3	9.34	120.50	114.90
26	BB	371	A	N7-C8-N9	9.34	118.47	113.80
1	AA	704	A	N1-C6-N6	-9.34	113.00	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	37	C	N3-C4-N4	9.34	124.53	118.00
26	BB	995	C	C6-N1-C2	-9.34	116.56	120.30
26	BB	1645	G	C8-N9-C4	-9.34	102.67	106.40
26	BB	2361	G	C8-N9-C4	-9.34	102.67	106.40
20	AT	65	PRO	N-CA-CB	9.33	114.50	103.30
26	BB	1067	A	N1-C2-N3	-9.33	124.63	129.30
1	AA	1368	A	N1-C2-N3	-9.33	124.64	129.30
26	BB	793	A	N1-C2-N3	-9.33	124.64	129.30
26	BB	1006	C	N3-C4-C5	-9.33	118.17	121.90
26	BB	1693	U	C5-C6-N1	-9.33	118.04	122.70
1	AA	1213	A	C5-C6-N1	9.32	122.36	117.70
1	AA	1432	G	N1-C6-O6	-9.32	114.31	119.90
1	AA	1462	C	O4'-C1'-N1	9.32	115.66	108.20
4	AD	29	C	O4'-C1'-N1	9.32	115.66	108.20
25	BA	49	C	N3-C2-O2	-9.32	115.37	121.90
26	BB	2166	U	C5-C6-N1	-9.32	118.04	122.70
1	AA	251	G	C5-C6-N1	9.32	116.16	111.50
1	AA	361	G	C5-N7-C8	9.32	108.96	104.30
1	AA	812	G	C5-N7-C8	-9.32	99.64	104.30
1	AA	1186	G	C4-C5-N7	-9.32	107.07	110.80
1	AA	1311	A	N1-C6-N6	9.32	124.19	118.60
25	BA	86	G	C4-C5-N7	-9.32	107.07	110.80
26	BB	1681	G	N3-C2-N2	-9.32	113.38	119.90
4	AD	38	A	O4'-C1'-N9	9.32	115.66	108.20
26	BB	252	G	N1-C2-N3	-9.32	118.31	123.90
26	BB	1274	A	O4'-C1'-N9	9.32	115.66	108.20
26	BB	2356	U	N3-C4-O4	9.32	125.92	119.40
26	BB	2531	A	N7-C8-N9	9.32	118.46	113.80
26	BB	754	U	C5-C4-O4	-9.32	120.31	125.90
26	BB	1514	G	N3-C4-C5	-9.32	123.94	128.60
26	BB	2301	C	O4'-C1'-N1	9.32	115.66	108.20
40	BP	2	ARG	NE-CZ-NH1	9.32	124.96	120.30
1	AA	223	A	N1-C2-N3	9.32	133.96	129.30
25	BA	11	C	C5-C4-N4	-9.32	113.68	120.20
26	BB	824	U	O4'-C1'-N1	9.32	115.65	108.20
1	AA	1112	C	O4'-C1'-N1	9.32	115.65	108.20
2	AB	48	U	O4'-C4'-C3'	9.32	113.55	106.10
26	BB	726	G	O4'-C1'-N9	9.32	115.65	108.20
26	BB	1071	G	N3-C4-N9	-9.32	120.41	126.00
1	AA	198	G	C5-C6-N1	9.31	116.16	111.50
26	BB	1922	G	C8-N9-C4	-9.31	102.67	106.40
26	BB	2208	C	C3'-C2'-C1'	9.31	108.95	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2385	C	O4'-C4'-C3'	-9.31	94.69	104.00
25	BA	96	G	C2-N3-C4	9.31	116.56	111.90
1	AA	345	C	O4'-C4'-C3'	9.31	113.55	106.10
1	AA	1030	U	O5'-P-OP2	-9.31	97.32	105.70
26	BB	1052	C	C2-N3-C4	-9.31	115.25	119.90
26	BB	1059	G	C2-N3-C4	9.31	116.56	111.90
26	BB	1401	G	C4'-C3'-C2'	-9.31	93.29	102.60
26	BB	1486	U	C5-C4-O4	-9.31	120.31	125.90
26	BB	2514	U	O4'-C1'-N1	9.31	115.65	108.20
26	BB	1774	C	C4-C5-C6	-9.31	112.75	117.40
49	BY	24	ARG	NE-CZ-NH2	9.31	124.96	120.30
1	AA	1064	G	N9-C4-C5	-9.31	101.68	105.40
4	AD	16	C	C5-C6-N1	9.31	125.65	121.00
26	BB	112	U	C5-C6-N1	-9.31	118.05	122.70
26	BB	335	C	C5'-C4'-C3'	-9.31	101.11	116.00
26	BB	1561	C	N3-C4-N4	9.31	124.52	118.00
26	BB	2436	G	C8-N9-C4	-9.31	102.68	106.40
25	BA	72	G	O4'-C1'-N9	9.31	115.64	108.20
26	BB	958	U	C2-N3-C4	-9.31	121.42	127.00
1	AA	39	G	C6-C5-N7	-9.30	124.82	130.40
1	AA	1244	G	C4-C5-N7	-9.30	107.08	110.80
3	AC	18	A	C5'-C4'-O4'	9.30	120.26	109.10
25	BA	30	C	O4'-C1'-N1	9.30	115.64	108.20
26	BB	280	U	C5-C6-N1	-9.30	118.05	122.70
26	BB	1232	G	C8-N9-C4	-9.30	102.68	106.40
26	BB	1654	A	C5'-C4'-C3'	-9.30	101.11	116.00
39	BO	66	ARG	NE-CZ-NH2	-9.30	115.65	120.30
1	AA	145	G	N3-C4-C5	-9.30	123.95	128.60
1	AA	631	C	C5-C4-N4	-9.30	113.69	120.20
1	AA	1088	G	C4-C5-C6	9.30	124.38	118.80
3	AC	15	G	O4'-C1'-N9	9.30	115.64	108.20
26	BB	2757	A	C4'-C3'-C2'	-9.30	93.30	102.60
1	AA	821	G	C5-C6-O6	-9.30	123.02	128.60
1	AA	959	A	C2-N3-C4	9.30	115.25	110.60
26	BB	128	C	C2-N3-C4	9.30	124.55	119.90
26	BB	2769	U	O4'-C1'-N1	9.30	115.64	108.20
26	BB	1863	G	N9-C4-C5	9.30	109.12	105.40
26	BB	2791	G	N3-C4-C5	-9.30	123.95	128.60
1	AA	413	G	N3-C4-C5	-9.30	123.95	128.60
46	BV	73	ARG	NE-CZ-NH1	9.30	124.95	120.30
1	AA	986	U	C5-C6-N1	-9.29	118.05	122.70
26	BB	1372	U	C5-C6-N1	-9.29	118.05	122.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2458	G	O4'-C1'-N9	9.29	115.64	108.20
26	BB	2472	G	C5-C6-O6	-9.29	123.02	128.60
1	AA	715	A	C8-N9-C4	-9.29	102.08	105.80
1	AA	806	C	N1-C2-O2	9.29	124.47	118.90
25	BA	22	U	N1-C2-N3	9.29	120.47	114.90
26	BB	83	A	N9-C4-C5	9.29	109.52	105.80
26	BB	940	G	C5-C6-N1	9.29	116.15	111.50
26	BB	999	U	N3-C4-C5	-9.29	109.03	114.60
26	BB	1235	G	C6-N1-C2	-9.29	119.53	125.10
26	BB	2877	G	C2-N3-C4	9.29	116.55	111.90
1	AA	50	A	C3'-C2'-C1'	9.29	108.93	101.50
26	BB	1269	A	N1-C2-N3	-9.29	124.66	129.30
26	BB	2882	A	C5-C6-N1	9.29	122.34	117.70
26	BB	2136	G	C5-N7-C8	9.29	108.94	104.30
1	AA	1156	G	N1-C2-N3	9.29	129.47	123.90
9	AI	45	ARG	NE-CZ-NH2	-9.29	115.66	120.30
1	AA	364	A	C5-C6-N1	9.28	122.34	117.70
1	AA	1060	U	N1-C2-N3	9.28	120.47	114.90
26	BB	77	G	C8-N9-C4	-9.29	102.69	106.40
1	AA	559	A	C4-C5-N7	9.28	115.34	110.70
1	AA	1237	C	N3-C2-O2	-9.28	115.40	121.90
1	AA	1266	G	C5-C6-N1	9.28	116.14	111.50
26	BB	611	C	P-O3'-C3'	9.28	130.84	119.70
26	BB	710	U	C5'-C4'-C3'	9.28	130.85	116.00
26	BB	883	G	N9-C4-C5	9.28	109.11	105.40
1	AA	170	U	C4-C5-C6	9.28	125.27	119.70
1	AA	1105	A	O4'-C1'-N9	9.28	115.62	108.20
26	BB	748	G	C5-C6-O6	9.28	134.17	128.60
26	BB	2750	A	C2-N3-C4	-9.28	105.96	110.60
26	BB	2750	A	O4'-C4'-C3'	9.28	113.52	106.10
26	BB	2903	U	C3'-C2'-C1'	-9.28	94.08	101.50
1	AA	15	G	N3-C4-C5	-9.28	123.96	128.60
1	AA	1482	G	N9-C4-C5	-9.28	101.69	105.40
26	BB	135	U	N1-C2-O2	9.28	129.29	122.80
26	BB	2510	C	C4-C5-C6	9.28	122.04	117.40
1	AA	816	A	O4'-C1'-C2'	-9.27	96.53	105.80
26	BB	1336	A	N1-C2-N3	-9.27	124.66	129.30
4	AD	26	C	O4'-C1'-N1	9.27	115.62	108.20
26	BB	861	A	C4-C5-N7	-9.27	106.06	110.70
26	BB	1569	A	O4'-C1'-N9	9.27	115.62	108.20
26	BB	2397	G	N1-C6-O6	-9.27	114.34	119.90
1	AA	331	G	C4'-C3'-C2'	-9.27	93.33	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	AJ	101	ARG	NE-CZ-NH1	9.27	124.94	120.30
26	BB	582	A	C5-N7-C8	-9.27	99.27	103.90
30	BF	88	ARG	NE-CZ-NH1	9.27	124.93	120.30
37	BM	105	ARG	NE-CZ-NH2	-9.27	115.67	120.30
1	AA	1154	G	N3-C4-C5	-9.27	123.97	128.60
26	BB	2400	G	C8-N9-C4	-9.27	102.69	106.40
26	BB	1369	G	N9-C4-C5	9.27	109.11	105.40
26	BB	1788	C	N3-C4-C5	-9.27	118.19	121.90
1	AA	808	C	C5-C6-N1	-9.26	116.37	121.00
26	BB	440	C	N3-C2-O2	-9.26	115.42	121.90
26	BB	642	U	C5-C6-N1	-9.26	118.07	122.70
26	BB	2014	A	C3'-C2'-C1'	-9.26	94.09	101.50
1	AA	207	C	N3-C4-N4	9.26	124.48	118.00
1	AA	589	U	N3-C2-O2	-9.26	115.72	122.20
26	BB	363	G	C5-C6-N1	9.26	116.13	111.50
26	BB	1257	C	N3-C4-C5	-9.26	118.20	121.90
26	BB	1335	C	N3-C2-O2	-9.26	115.42	121.90
1	AA	1331	G	C5-C6-O6	9.26	134.16	128.60
26	BB	1646	C	N3-C4-C5	-9.26	118.20	121.90
26	BB	1959	G	N7-C8-N9	9.26	117.73	113.10
1	AA	842	U	C2-N3-C4	-9.26	121.45	127.00
1	AA	1056	U	C5-C4-O4	9.26	131.46	125.90
26	BB	365	U	N3-C4-O4	9.26	125.88	119.40
26	BB	387	U	N3-C4-C5	-9.26	109.05	114.60
26	BB	914	G	C4'-C3'-C2'	-9.26	93.34	102.60
1	AA	268	U	C4-C5-C6	9.26	125.25	119.70
1	AA	842	U	C5-C6-N1	-9.26	118.07	122.70
3	AC	30	U	C5'-C4'-O4'	9.26	120.21	109.10
26	BB	1733	G	C5-C6-N1	9.26	116.13	111.50
26	BB	1971	U	C3'-C2'-C1'	9.26	108.90	101.50
26	BB	2094	A	N9-C4-C5	-9.26	102.10	105.80
29	BE	176	ASP	CB-CG-OD2	-9.26	109.97	118.30
1	AA	708	C	C1'-O4'-C4'	-9.25	102.50	109.90
1	AA	769	G	C8-N9-C4	9.25	110.10	106.40
1	AA	1255	G	C8-N9-C4	-9.25	102.70	106.40
26	BB	814	C	O4'-C1'-N1	9.25	115.60	108.20
1	AA	235	C	C5-C6-N1	-9.25	116.37	121.00
1	AA	991	U	N1-C2-O2	-9.25	116.33	122.80
1	AA	1306	A	N3-C4-C5	-9.25	120.32	126.80
26	BB	154	U	C5-C4-O4	-9.25	120.35	125.90
26	BB	2842	G	N3-C4-N9	9.25	131.55	126.00
1	AA	1310	G	C4-C5-N7	-9.25	107.10	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1315	U	C2-N3-C4	-9.25	121.45	127.00
25	BA	17	C	O4'-C1'-N1	9.25	115.60	108.20
26	BB	1744	A	N1-C6-N6	-9.25	113.05	118.60
1	AA	1046	A	C5-C6-N1	9.25	122.32	117.70
26	BB	1992	G	N3-C4-C5	-9.25	123.98	128.60
1	AA	997	U	C2-N3-C4	-9.25	121.45	127.00
26	BB	598	U	C4-C5-C6	9.25	125.25	119.70
26	BB	1019	U	N1-C2-N3	9.25	120.45	114.90
26	BB	1773	A	N1-C2-N3	-9.25	124.68	129.30
26	BB	2254	C	N1-C2-N3	-9.25	112.73	119.20
1	AA	436	C	N1-C2-O2	9.24	124.45	118.90
26	BB	2225	A	N1-C2-N3	-9.24	124.68	129.30
26	BB	2358	A	C3'-C2'-C1'	9.24	108.90	101.50
1	AA	342	C	O4'-C1'-N1	9.24	115.59	108.20
26	BB	410	G	N9-C4-C5	-9.24	101.70	105.40
26	BB	915	C	O4'-C1'-N1	9.24	115.59	108.20
26	BB	1098	A	C5'-C4'-O4'	9.24	120.19	109.10
26	BB	2486	C	C5-C4-N4	-9.24	113.73	120.20
26	BB	2585	U	N3-C4-C5	-9.24	109.06	114.60
1	AA	237	G	C5-C6-N1	9.24	116.12	111.50
1	AA	766	A	C8-N9-C4	-9.24	102.10	105.80
1	AA	1305	G	O4'-C1'-N9	-9.24	100.81	108.20
1	AA	1331	G	C4-C5-C6	9.24	124.34	118.80
25	BA	53	A	O4'-C1'-N9	9.24	115.59	108.20
26	BB	191	A	C4-C5-N7	9.24	115.32	110.70
26	BB	658	U	C5-C4-O4	9.24	131.44	125.90
26	BB	1246	A	C5-C6-N1	9.24	122.32	117.70
26	BB	2469	A	C5'-C4'-O4'	9.24	120.19	109.10
1	AA	693	G	C4-C5-C6	9.24	124.34	118.80
26	BB	217	A	O4'-C1'-N9	9.24	115.59	108.20
26	BB	760	G	N3-C4-C5	-9.24	123.98	128.60
26	BB	1197	G	N9-C4-C5	9.24	109.09	105.40
26	BB	2174	C	C5-C4-N4	9.24	126.67	120.20
1	AA	231	U	C5-C6-N1	-9.23	118.08	122.70
1	AA	302	G	N3-C4-C5	-9.23	123.98	128.60
26	BB	153	U	C5-C6-N1	-9.23	118.08	122.70
26	BB	482	A	O4'-C1'-N9	9.23	115.59	108.20
26	BB	2066	C	N3-C4-C5	-9.23	118.21	121.90
26	BB	2339	C	C3'-C2'-C1'	9.23	108.89	101.50
1	AA	165	G	C4-C5-N7	-9.23	107.11	110.80
1	AA	304	U	N3-C2-O2	-9.23	115.74	122.20
26	BB	2511	U	O4'-C1'-N1	9.23	115.58	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1012	A	C2-N3-C4	9.23	115.22	110.60
1	AA	1152	A	C4-C5-N7	-9.23	106.08	110.70
1	AA	1497	G	C5-C6-O6	-9.23	123.06	128.60
26	BB	2346	A	C5-N7-C8	9.23	108.52	103.90
1	AA	474	G	C8-N9-C4	-9.23	102.71	106.40
1	AA	474	G	O4'-C1'-N9	9.23	115.58	108.20
1	AA	1483	A	N9-C4-C5	9.23	109.49	105.80
1	AA	1513	A	C8-N9-C4	-9.23	102.11	105.80
26	BB	247	G	C6-C5-N7	9.23	135.94	130.40
26	BB	638	G	C4-C5-N7	-9.23	107.11	110.80
26	BB	763	G	C4-C5-N7	9.23	114.49	110.80
26	BB	1988	G	C6-N1-C2	-9.23	119.56	125.10
26	BB	2045	C	N3-C2-O2	-9.23	115.44	121.90
26	BB	1568	G	N9-C4-C5	9.23	109.09	105.40
26	BB	2649	C	C3'-C2'-C1'	-9.23	94.12	101.50
30	BF	7	ASP	CB-CG-OD2	-9.23	110.00	118.30
26	BB	1222	U	C5-C6-N1	-9.22	118.09	122.70
26	BB	2037	A	C4-C5-N7	-9.22	106.09	110.70
1	AA	1119	C	N3-C4-C5	-9.22	118.21	121.90
1	AA	1364	U	C5-C6-N1	-9.22	118.09	122.70
1	AA	626	G	N3-C4-C5	-9.22	123.99	128.60
1	AA	867	G	O4'-C1'-N9	9.22	115.58	108.20
26	BB	212	G	C4-C5-C6	9.22	124.33	118.80
26	BB	1514	G	C6-N1-C2	-9.22	119.57	125.10
26	BB	2467	C	C4-C5-C6	-9.22	112.79	117.40
26	BB	2735	G	N7-C8-N9	9.22	117.71	113.10
2	AB	4	G	N3-C4-C5	-9.22	123.99	128.60
25	BA	51	G	C4-C5-N7	9.22	114.49	110.80
26	BB	2178	C	O4'-C1'-C2'	-9.22	96.58	105.80
1	AA	1004	A	C4-C5-N7	-9.22	106.09	110.70
1	AA	110	C	O4'-C1'-N1	9.21	115.57	108.20
1	AA	953	G	O4'-C1'-N9	9.21	115.57	108.20
1	AA	1419	G	C2-N3-C4	9.21	116.51	111.90
1	AA	809	G	C4-C5-N7	9.21	114.48	110.80
1	AA	984	C	N3-C2-O2	-9.21	115.45	121.90
26	BB	1457	U	N1-C2-N3	9.21	120.43	114.90
26	BB	2047	C	O4'-C1'-N1	9.21	115.57	108.20
26	BB	2341	G	O4'-C1'-N9	9.21	115.57	108.20
26	BB	2843	G	N1-C6-O6	9.21	125.43	119.90
1	AA	192	A	O4'-C1'-N9	9.21	115.57	108.20
1	AA	1486	G	N3-C4-N9	9.21	131.53	126.00
26	BB	1041	G	N3-C4-C5	-9.21	124.00	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
52	B1	30	ARG	NE-CZ-NH2	-9.21	115.69	120.30
1	AA	1036	A	C4-C5-N7	-9.21	106.10	110.70
26	BB	80	G	C2-N3-C4	9.21	116.50	111.90
26	BB	2422	C	N1-C2-O2	9.21	124.42	118.90
26	BB	2550	G	C5-N7-C8	-9.21	99.70	104.30
1	AA	331	G	N3-C4-N9	-9.21	120.48	126.00
1	AA	1370	G	C8-N9-C4	-9.20	102.72	106.40
26	BB	221	A	C8-N9-C4	9.21	109.48	105.80
26	BB	410	G	O4'-C1'-N9	9.21	115.56	108.20
26	BB	556	A	C8-N9-C4	9.21	109.48	105.80
26	BB	2729	G	N3-C2-N2	-9.21	113.46	119.90
26	BB	2132	U	N1-C1'-C2'	-9.20	101.88	112.00
1	AA	725	G	C8-N9-C4	-9.20	102.72	106.40
26	BB	1371	G	C5-N7-C8	9.20	108.90	104.30
1	AA	15	G	C8-N9-C4	-9.20	102.72	106.40
1	AA	45	G	N9-C1'-C2'	-9.20	101.88	112.00
26	BB	198	C	C4-C5-C6	9.20	122.00	117.40
26	BB	352	A	N1-C2-N3	9.20	133.90	129.30
26	BB	363	G	C8-N9-C4	-9.20	102.72	106.40
26	BB	1108	U	C2-N3-C4	-9.20	121.48	127.00
26	BB	1467	U	N1-C2-N3	9.20	120.42	114.90
26	BB	1808	A	C4-C5-N7	9.20	115.30	110.70
1	AA	18	C	C5-C6-N1	9.20	125.60	121.00
1	AA	601	G	C5-C6-O6	-9.20	123.08	128.60
1	AA	764	C	C6-N1-C2	-9.20	116.62	120.30
1	AA	1387	G	N3-C4-C5	-9.20	124.00	128.60
26	BB	503	A	O4'-C4'-C3'	9.20	113.46	106.10
26	BB	2509	G	C5-N7-C8	9.20	108.90	104.30
1	AA	308	C	O4'-C1'-N1	9.19	115.56	108.20
1	AA	780	A	C8-N9-C4	-9.19	102.12	105.80
1	AA	1322	C	N1-C2-O2	9.20	124.42	118.90
26	BB	378	C	O4'-C1'-C2'	-9.20	96.61	105.80
26	BB	2595	G	N9-C4-C5	9.20	109.08	105.40
1	AA	1318	A	C5-C6-N6	9.19	131.05	123.70
1	AA	1529	G	C8-N9-C4	-9.19	102.72	106.40
26	BB	592	A	N3-C4-C5	-9.19	120.37	126.80
26	BB	1407	G	C8-N9-C4	-9.19	102.72	106.40
26	BB	2604	U	N3-C4-O4	9.19	125.83	119.40
2	AB	71	C	O5'-P-OP1	-9.19	97.43	105.70
26	BB	2176	A	N1-C6-N6	9.19	124.11	118.60
26	BB	2398	U	O4'-C1'-N1	9.19	115.55	108.20
26	BB	2515	C	C6-N1-C2	-9.19	116.62	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	412	A	C6-N1-C2	-9.19	113.09	118.60
26	BB	520	G	N3-C4-C5	-9.19	124.01	128.60
26	BB	1926	U	C5-C6-N1	-9.19	118.11	122.70
26	BB	2199	A	O4'-C1'-N9	9.19	115.55	108.20
32	BH	108	PHE	CB-CG-CD2	-9.19	114.37	120.80
1	AA	122	G	C2-N3-C4	9.18	116.49	111.90
1	AA	938	A	C5-N7-C8	9.18	108.49	103.90
1	AA	1382	C	N1-C2-O2	9.18	124.41	118.90
1	AA	1426	G	N3-C4-C5	-9.18	124.01	128.60
6	AF	228	ARG	NE-CZ-NH1	9.18	124.89	120.30
26	BB	20	C	C5'-C4'-O4'	9.18	120.12	109.10
26	BB	2756	U	P-O3'-C3'	9.18	130.72	119.70
1	AA	117	G	C2-N3-C4	9.18	116.49	111.90
26	BB	533	G	O4'-C1'-N9	9.18	115.55	108.20
1	AA	211	G	N3-C2-N2	-9.18	113.47	119.90
1	AA	279	A	P-O3'-C3'	9.18	130.71	119.70
1	AA	326	G	O4'-C1'-N9	9.18	115.54	108.20
1	AA	1525	G	C8-N9-C4	-9.18	102.73	106.40
26	BB	367	G	C5-C6-N1	-9.18	106.91	111.50
26	BB	1128	G	C5-C6-O6	9.18	134.11	128.60
26	BB	1699	G	N9-C4-C5	9.18	109.07	105.40
1	AA	600	A	N9-C1'-C2'	-9.18	101.91	112.00
26	BB	811	U	O4'-C1'-N1	9.18	115.54	108.20
1	AA	1489	G	C6-C5-N7	-9.18	124.89	130.40
26	BB	875	G	C8-N9-C4	-9.18	102.73	106.40
26	BB	1370	C	N3-C2-O2	-9.18	115.48	121.90
1	AA	931	C	C5'-C4'-O4'	9.17	120.11	109.10
26	BB	64	A	C6-N1-C2	-9.17	113.09	118.60
26	BB	326	G	C4-C5-C6	9.17	124.30	118.80
26	BB	790	U	N3-C2-O2	-9.17	115.78	122.20
26	BB	1487	U	N3-C4-O4	9.17	125.82	119.40
26	BB	2396	G	C5-C6-O6	-9.17	123.10	128.60
1	AA	366	A	N9-C4-C5	9.17	109.47	105.80
1	AA	1178	G	C4-C5-C6	9.17	124.30	118.80
26	BB	1812	U	C5-C6-N1	-9.17	118.11	122.70
1	AA	1297	G	C5-C6-N1	9.17	116.08	111.50
25	BA	68	C	N1-C2-O2	9.17	124.40	118.90
26	BB	2541	A	C6-C5-N7	9.17	138.72	132.30
1	AA	130	A	C1'-O4'-C4'	-9.16	102.57	109.90
1	AA	858	G	N1-C2-N3	-9.16	118.40	123.90
1	AA	1116	U	O4'-C1'-N1	9.16	115.53	108.20
1	AA	1353	G	C5-C6-N1	-9.16	106.92	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1086	A	C2-N3-C4	9.16	115.18	110.60
26	BB	1992	G	N9-C4-C5	9.16	109.07	105.40
1	AA	253	A	C1'-O4'-C4'	-9.16	102.57	109.90
1	AA	1234	C	C3'-C2'-C1'	9.16	108.83	101.50
2	AB	71	C	N3-C2-O2	-9.16	115.49	121.90
26	BB	1436	G	N3-C4-C5	-9.16	124.02	128.60
26	BB	30	G	C5-C6-N1	9.16	116.08	111.50
26	BB	821	A	C5-C6-N6	9.16	131.03	123.70
26	BB	2060	A	O4'-C1'-N9	-9.16	100.87	108.20
1	AA	1024	G	N3-C2-N2	-9.16	113.49	119.90
26	BB	793	A	C5-C6-N1	9.16	122.28	117.70
26	BB	818	G	N7-C8-N9	9.16	117.68	113.10
26	BB	2016	U	C4-C5-C6	9.16	125.19	119.70
26	BB	1085	A	P-O3'-C3'	9.16	130.69	119.70
26	BB	2270	A	C8-N9-C4	-9.16	102.14	105.80
26	BB	2894	G	C5-C6-N1	9.16	116.08	111.50
1	AA	98	A	C4-C5-C6	9.15	121.58	117.00
1	AA	721	G	N9-C4-C5	9.15	109.06	105.40
26	BB	2512	C	C5-C4-N4	-9.15	113.79	120.20
26	BB	2577	A	C2-N3-C4	9.15	115.18	110.60
26	BB	2757	A	C6-N1-C2	9.15	124.09	118.60
1	AA	41	G	N9-C4-C5	9.15	109.06	105.40
26	BB	78	U	O4'-C1'-N1	9.15	115.52	108.20
26	BB	609	A	N9-C4-C5	-9.15	102.14	105.80
26	BB	1639	C	O4'-C1'-N1	9.15	115.52	108.20
26	BB	2633	G	N1-C6-O6	-9.15	114.41	119.90
26	BB	2647	U	C2-N3-C4	-9.15	121.51	127.00
1	AA	181	A	C2-N3-C4	9.15	115.17	110.60
1	AA	113	G	C5-C6-O6	-9.15	123.11	128.60
1	AA	1488	G	C3'-C2'-C1'	-9.15	94.18	101.50
4	AD	60	A	C8-N9-C4	-9.15	102.14	105.80
26	BB	1599	U	C2-N3-C4	-9.15	121.51	127.00
26	BB	2680	U	N3-C2-O2	-9.15	115.80	122.20
26	BB	2750	A	N9-C4-C5	9.15	109.46	105.80
26	BB	632	A	C4-C5-N7	-9.15	106.13	110.70
26	BB	1153	C	C5-C4-N4	-9.15	113.80	120.20
26	BB	1356	G	C6-C5-N7	-9.15	124.91	130.40
26	BB	2532	G	C8-N9-C4	-9.15	102.74	106.40
1	AA	444	G	C6-N1-C2	-9.14	119.61	125.10
26	BB	117	G	C4-C5-N7	9.14	114.46	110.80
26	BB	1174	U	C5-C6-N1	-9.14	118.13	122.70
26	BB	1485	U	N1-C2-O2	9.14	129.20	122.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2542	A	C1'-O4'-C4'	-9.14	102.58	109.90
26	BB	1831	G	N3-C2-N2	-9.14	113.50	119.90
26	BB	1946	U	N1-C2-O2	9.14	129.20	122.80
26	BB	2307	G	C2-N3-C4	9.14	116.47	111.90
26	BB	2442	C	C5-C6-N1	9.14	125.57	121.00
26	BB	2305	U	C5-C6-N1	9.14	127.27	122.70
26	BB	2535	G	O4'-C1'-N9	9.14	115.51	108.20
36	BL	13	ARG	NE-CZ-NH2	-9.14	115.73	120.30
26	BB	1058	U	O4'-C1'-N1	9.14	115.51	108.20
26	BB	1592	C	N3-C2-O2	-9.14	115.50	121.90
26	BB	1609	A	N1-C6-N6	-9.14	113.12	118.60
1	AA	765	G	O4'-C1'-N9	9.14	115.51	108.20
4	AD	60	A	N1-C2-N3	-9.14	124.73	129.30
26	BB	76	C	C5'-C4'-O4'	9.14	120.07	109.10
26	BB	1637	A	N9-C4-C5	-9.14	102.14	105.80
26	BB	1938	A	N9-C4-C5	9.14	109.45	105.80
1	AA	1362	A	C8-N9-C4	-9.13	102.15	105.80
26	BB	1791	A	C5-C6-N6	9.14	131.01	123.70
26	BB	885	C	N3-C4-C5	9.13	125.55	121.90
26	BB	1424	G	C2-N3-C4	-9.13	107.33	111.90
1	AA	722	G	C4-C5-N7	-9.13	107.15	110.80
26	BB	1907	G	C5-C6-O6	9.13	134.08	128.60
26	BB	2464	G	O4'-C4'-C3'	-9.13	94.87	104.00
4	AD	59	A	C5-C6-N1	9.13	122.27	117.70
26	BB	445	C	N3-C4-C5	-9.13	118.25	121.90
26	BB	1764	C	C6-N1-C2	-9.13	116.65	120.30
1	AA	298	A	O4'-C1'-N9	9.13	115.50	108.20
11	AK	14	ARG	NE-CZ-NH2	9.13	124.86	120.30
26	BB	47	C	N1-C1'-C2'	-9.13	101.96	112.00
26	BB	1910	G	N3-C4-C5	-9.13	124.04	128.60
26	BB	2424	C	C6-N1-C2	-9.13	116.65	120.30
26	BB	2442	C	C4-C5-C6	-9.13	112.84	117.40
26	BB	2455	G	N3-C4-N9	9.13	131.48	126.00
1	AA	894	G	N1-C2-N3	9.12	129.38	123.90
1	AA	1049	U	C4-C5-C6	9.12	125.17	119.70
1	AA	1190	G	C3'-C2'-C1'	-9.12	94.20	101.50
4	AD	51	U	O4'-C1'-N1	9.13	115.50	108.20
26	BB	594	U	O4'-C1'-N1	9.13	115.50	108.20
1	AA	1456	A	C5-C6-N6	-9.12	116.40	123.70
26	BB	448	U	C5-C4-O4	-9.12	120.42	125.90
26	BB	1161	C	C2-N3-C4	9.12	124.46	119.90
26	BB	1582	C	N3-C2-O2	-9.12	115.51	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1736	U	C2-N3-C4	-9.12	121.53	127.00
26	BB	2180	U	O4'-C1'-N1	9.12	115.50	108.20
1	AA	412	A	O4'-C1'-N9	9.12	115.50	108.20
1	AA	772	U	C5'-C4'-O4'	9.12	120.05	109.10
1	AA	1240	U	C3'-C2'-C1'	9.12	108.80	101.50
26	BB	1699	G	N1-C6-O6	9.12	125.37	119.90
1	AA	1522	U	O4'-C1'-N1	9.12	115.50	108.20
26	BB	1447	C	N3-C2-O2	-9.12	115.52	121.90
26	BB	573	U	C3'-C2'-C1'	9.12	108.80	101.50
26	BB	1498	C	C5-C4-N4	-9.12	113.82	120.20
26	BB	2124	G	C6-C5-N7	9.12	135.87	130.40
1	AA	930	C	O4'-C1'-N1	9.12	115.49	108.20
1	AA	1315	U	N3-C2-O2	-9.12	115.82	122.20
25	BA	102	G	C5-C6-O6	-9.12	123.13	128.60
26	BB	540	C	C4'-C3'-C2'	-9.12	93.48	102.60
26	BB	1857	G	N3-C4-N9	9.12	131.47	126.00
26	BB	2189	U	N1-C1'-C2'	-9.12	101.97	112.00
26	BB	2487	G	C8-N9-C4	-9.12	102.75	106.40
26	BB	2489	U	N3-C4-C5	-9.12	109.13	114.60
1	AA	466	A	O4'-C1'-N9	9.12	115.49	108.20
2	AB	70	C	C3'-C2'-C1'	-9.12	94.21	101.50
1	AA	344	A	N1-C6-N6	9.11	124.07	118.60
1	AA	858	G	C2-N3-C4	9.12	116.46	111.90
2	AB	71	C	N1-C2-O2	9.12	124.37	118.90
26	BB	685	A	C5-N7-C8	-9.12	99.34	103.90
26	BB	1045	C	N1-C2-O2	9.12	124.37	118.90
26	BB	1924	C	C5-C6-N1	9.12	125.56	121.00
1	AA	146	G	N3-C4-C5	-9.11	124.04	128.60
26	BB	2595	G	O4'-C1'-N9	9.11	115.49	108.20
26	BB	2764	A	C4-C5-N7	-9.11	106.14	110.70
1	AA	1438	G	C4-C5-N7	-9.11	107.16	110.80
25	BA	54	G	C2-N3-C4	9.11	116.46	111.90
26	BB	725	G	N3-C4-C5	-9.11	124.05	128.60
26	BB	1925	C	C5'-C4'-O4'	9.11	120.03	109.10
1	AA	1138	G	O4'-C1'-N9	9.11	115.49	108.20
1	AA	700	G	C5'-C4'-O4'	9.11	120.03	109.10
26	BB	1198	U	C2-N3-C4	-9.11	121.53	127.00
26	BB	1701	A	O4'-C1'-N9	9.11	115.49	108.20
28	BD	257	ARG	NE-CZ-NH2	-9.11	115.75	120.30
1	AA	490	C	N3-C4-C5	-9.11	118.26	121.90
26	BB	424	G	N3-C2-N2	-9.11	113.53	119.90
26	BB	1491	G	C5-C6-O6	-9.11	123.14	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2426	A	C5-C6-N1	-9.11	113.15	117.70
26	BB	1308	A	N9-C4-C5	9.10	109.44	105.80
26	BB	1620	G	N1-C6-O6	-9.10	114.44	119.90
1	AA	90	C	C6-N1-C2	-9.10	116.66	120.30
1	AA	365	U	C5-C6-N1	-9.10	118.15	122.70
26	BB	1874	C	O4'-C1'-N1	9.10	115.48	108.20
26	BB	2186	G	C6-C5-N7	-9.10	124.94	130.40
26	BB	2537	U	O4'-C1'-N1	9.10	115.48	108.20
48	BX	57	TYR	CB-CG-CD2	9.10	126.46	121.00
26	BB	979	A	N3-C4-N9	9.10	134.68	127.40
26	BB	1529	G	O4'-C1'-N9	9.10	115.48	108.20
25	BA	85	G	N7-C8-N9	9.10	117.65	113.10
26	BB	2714	G	C5-N7-C8	-9.10	99.75	104.30
48	BX	21	ARG	NE-CZ-NH1	9.10	124.85	120.30
1	AA	720	C	C6-N1-C2	-9.10	116.66	120.30
1	AA	1222	G	O4'-C1'-N9	9.10	115.48	108.20
26	BB	1566	A	N7-C8-N9	-9.10	109.25	113.80
26	BB	2104	C	C5-C4-N4	9.10	126.57	120.20
1	AA	257	G	C8-N9-C4	-9.09	102.76	106.40
26	BB	2116	G	N3-C2-N2	-9.09	113.53	119.90
1	AA	568	G	O4'-C1'-N9	9.09	115.47	108.20
26	BB	2259	U	C5-C6-N1	-9.09	118.15	122.70
26	BB	2329	U	N3-C4-O4	-9.09	113.03	119.40
1	AA	514	C	O4'-C1'-N1	9.09	115.47	108.20
25	BA	108	A	O4'-C4'-C3'	9.09	113.37	106.10
26	BB	1302	A	N1-C6-N6	9.09	124.06	118.60
1	AA	765	G	C8-N9-C4	-9.09	102.77	106.40
1	AA	1037	C	C4'-C3'-C2'	-9.09	93.51	102.60
7	AG	127	ARG	NE-CZ-NH1	9.09	124.84	120.30
26	BB	591	U	C2-N3-C4	-9.09	121.55	127.00
26	BB	2304	G	N3-C4-C5	-9.09	124.06	128.60
26	BB	2745	C	O4'-C1'-N1	9.09	115.47	108.20
1	AA	251	G	C5-N7-C8	-9.09	99.76	104.30
26	BB	725	G	N3-C2-N2	9.09	126.26	119.90
26	BB	803	U	C1'-O4'-C4'	9.09	117.17	109.90
26	BB	855	G	N3-C4-C5	-9.09	124.06	128.60
1	AA	1184	G	N1-C6-O6	9.09	125.35	119.90
26	BB	896	A	O4'-C1'-N9	9.09	115.47	108.20
26	BB	1022	G	C5-C6-N1	-9.09	106.96	111.50
26	BB	1458	U	O4'-C1'-N1	9.09	115.47	108.20
26	BB	614	A	O4'-C1'-N9	9.09	115.47	108.20
26	BB	1724	G	N3-C4-C5	-9.09	124.06	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1865	U	N3-C2-O2	-9.09	115.84	122.20
26	BB	1930	G	N9-C4-C5	9.09	109.03	105.40
26	BB	2148	G	C2-N3-C4	9.09	116.44	111.90
26	BB	2432	A	C5-C6-N6	9.09	130.97	123.70
26	BB	2694	G	N7-C8-N9	9.09	117.64	113.10
26	BB	2829	A	C5-C6-N1	9.09	122.24	117.70
26	BB	2857	G	C6-N1-C2	-9.09	119.65	125.10
40	BP	63	ARG	NE-CZ-NH1	9.09	124.84	120.30
1	AA	902	G	C3'-C2'-C1'	-9.08	94.23	101.50
26	BB	412	A	O4'-C1'-N9	9.08	115.47	108.20
26	BB	2566	A	C2-N3-C4	9.08	115.14	110.60
26	BB	1031	G	N1-C6-O6	-9.08	114.45	119.90
26	BB	2732	G	C2-N3-C4	9.08	116.44	111.90
26	BB	2791	G	C5'-C4'-O4'	9.08	120.00	109.10
1	AA	272	C	C6-N1-C2	9.08	123.93	120.30
1	AA	617	G	N7-C8-N9	9.08	117.64	113.10
1	AA	987	G	O4'-C1'-N9	9.08	115.46	108.20
1	AA	1365	G	N7-C8-N9	9.08	117.64	113.10
26	BB	597	G	C6-N1-C2	-9.08	119.65	125.10
26	BB	1170	C	N3-C4-C5	-9.08	118.27	121.90
26	BB	1637	A	C8-N9-C4	9.08	109.43	105.80
26	BB	1924	C	C4'-C3'-C2'	-9.08	93.52	102.60
26	BB	2875	C	C4'-C3'-C2'	-9.08	93.52	102.60
1	AA	1156	G	C4'-C3'-C2'	-9.08	93.52	102.60
1	AA	1165	U	N1-C2-N3	9.08	120.34	114.90
26	BB	335	C	C5'-C4'-O4'	9.08	119.99	109.10
26	BB	630	G	N3-C4-C5	-9.08	124.06	128.60
26	BB	1464	G	C6-N1-C2	-9.08	119.66	125.10
1	AA	830	G	N7-C8-N9	9.07	117.64	113.10
2	AB	56	C	C3'-C2'-C1'	9.07	108.76	101.50
26	BB	251	A	N1-C2-N3	-9.07	124.76	129.30
1	AA	973	G	C2-N3-C4	9.07	116.44	111.90
1	AA	1501	C	C4-C5-C6	9.07	121.94	117.40
4	AD	47	A	O4'-C1'-N9	9.07	115.46	108.20
26	BB	1696	G	N1-C2-N3	9.07	129.34	123.90
26	BB	456	C	N1-C2-O2	9.07	124.34	118.90
26	BB	489	G	O4'-C1'-N9	9.07	115.45	108.20
26	BB	720	U	O4'-C1'-N1	9.07	115.45	108.20
26	BB	2016	U	N3-C4-C5	-9.07	109.16	114.60
26	BB	2290	G	C2-N3-C4	9.07	116.44	111.90
1	AA	99	C	N1-C2-O2	9.07	124.34	118.90
1	AA	844	G	C4-C5-N7	-9.07	107.17	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1183	U	N3-C4-O4	9.07	125.75	119.40
25	BA	78	A	C5-C6-N1	9.07	122.23	117.70
26	BB	205	G	C8-N9-C4	-9.07	102.77	106.40
26	BB	426	C	C6-N1-C2	9.07	123.93	120.30
26	BB	1382	G	N9-C1'-C2'	-9.07	102.03	112.00
26	BB	1549	A	N9-C4-C5	9.07	109.43	105.80
26	BB	2417	C	O4'-C1'-N1	9.07	115.45	108.20
26	BB	2421	G	O4'-C1'-N9	9.07	115.45	108.20
1	AA	76	G	C5-C6-O6	-9.06	123.16	128.60
1	AA	372	C	C2-N3-C4	9.06	124.43	119.90
1	AA	397	A	O4'-C1'-N9	-9.06	100.95	108.20
26	BB	1532	A	C5-C6-N1	9.06	122.23	117.70
26	BB	1592	C	N1-C2-O2	9.06	124.34	118.90
26	BB	2379	G	N7-C8-N9	9.06	117.63	113.10
15	AO	109	ARG	NE-CZ-NH1	9.06	124.83	120.30
26	BB	977	G	C6-C5-N7	-9.06	124.96	130.40
26	BB	2473	U	C5-C4-O4	-9.06	120.46	125.90
1	AA	106	C	C5-C6-N1	9.06	125.53	121.00
1	AA	1213	A	C5-C6-N6	-9.06	116.45	123.70
25	BA	104	A	N9-C4-C5	9.06	109.42	105.80
26	BB	696	G	N9-C4-C5	-9.06	101.78	105.40
26	BB	2645	G	N3-C4-C5	-9.06	124.07	128.60
25	BA	89	U	N1-C2-O2	9.06	129.14	122.80
26	BB	132	G	C5-N7-C8	9.06	108.83	104.30
26	BB	529	A	N9-C4-C5	9.06	109.42	105.80
26	BB	2052	A	N1-C2-N3	-9.06	124.77	129.30
1	AA	214	C	N1-C2-O2	9.06	124.33	118.90
1	AA	465	A	C4-C5-C6	9.05	121.53	117.00
1	AA	637	C	N3-C2-O2	-9.06	115.56	121.90
1	AA	27	G	C4-C5-C6	9.05	124.23	118.80
1	AA	347	G	C4-C5-N7	9.05	114.42	110.80
3	AC	40	G	O4'-C4'-C3'	9.05	113.34	106.10
26	BB	861	A	O4'-C1'-N9	9.05	115.44	108.20
26	BB	1170	C	C2-N3-C4	9.05	124.43	119.90
26	BB	983	A	C8-N9-C4	-9.05	102.18	105.80
26	BB	1103	A	C2-N3-C4	9.05	115.13	110.60
26	BB	1768	C	N1-C2-O2	9.05	124.33	118.90
26	BB	2646	C	N3-C4-N4	9.05	124.34	118.00
1	AA	1055	A	O4'-C1'-N9	9.05	115.44	108.20
1	AA	519	C	O4'-C1'-C2'	9.05	115.75	107.60
26	BB	1335	C	N1-C2-O2	9.05	124.33	118.90
26	BB	2485	G	C5-C6-N1	9.05	116.03	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	303	A	N7-C8-N9	9.05	118.33	113.80
26	BB	525	U	C5-C4-O4	-9.05	120.47	125.90
26	BB	840	C	C2-N3-C4	-9.05	115.38	119.90
3	AC	58	C	O4'-C1'-N1	9.05	115.44	108.20
26	BB	2048	G	N7-C8-N9	9.05	117.62	113.10
54	B3	15	ARG	NE-CZ-NH1	-9.05	115.78	120.30
1	AA	507	C	C4'-C3'-C2'	-9.05	93.55	102.60
26	BB	165	A	N9-C4-C5	9.05	109.42	105.80
26	BB	1280	G	N9-C4-C5	9.05	109.02	105.40
1	AA	655	A	C5-N7-C8	-9.04	99.38	103.90
1	AA	1134	G	N3-C4-C5	-9.04	124.08	128.60
26	BB	1185	G	O4'-C1'-N9	9.04	115.44	108.20
26	BB	2277	G	C4-C5-C6	9.04	124.23	118.80
26	BB	1811	G	C4-C5-N7	9.04	114.42	110.80
1	AA	309	A	N9-C4-C5	9.04	109.42	105.80
4	AD	49	C	N3-C4-C5	-9.04	118.28	121.90
26	BB	511	U	O4'-C1'-N1	9.04	115.43	108.20
26	BB	1317	G	N3-C2-N2	-9.04	113.57	119.90
26	BB	2813	A	N1-C6-N6	-9.04	113.17	118.60
39	BO	55	ARG	NE-CZ-NH1	-9.04	115.78	120.30
26	BB	778	G	C6-N1-C2	-9.04	119.68	125.10
26	BB	1319	C	N1-C2-O2	9.04	124.32	118.90
1	AA	254	G	N1-C6-O6	9.04	125.32	119.90
1	AA	601	G	C5-C6-N1	9.04	116.02	111.50
26	BB	338	G	O4'-C1'-N9	9.04	115.43	108.20
26	BB	521	U	N3-C2-O2	-9.04	115.87	122.20
26	BB	771	G	C2-N3-C4	9.04	116.42	111.90
26	BB	2443	C	C4-C5-C6	9.04	121.92	117.40
26	BB	2707	U	C4-C5-C6	9.04	125.12	119.70
1	AA	1244	G	C8-N9-C4	-9.04	102.79	106.40
1	AA	1341	U	N3-C2-O2	-9.04	115.88	122.20
26	BB	1475	G	N1-C6-O6	-9.04	114.48	119.90
26	BB	1868	C	C5-C6-N1	-9.04	116.48	121.00
26	BB	429	A	C1'-O4'-C4'	9.03	117.13	109.90
26	BB	2846	G	C5-C6-O6	9.04	134.02	128.60
26	BB	2862	G	N9-C4-C5	9.04	109.01	105.40
1	AA	95	C	C5'-C4'-O4'	9.03	119.94	109.10
1	AA	179	A	N7-C8-N9	9.03	118.32	113.80
1	AA	1283	U	N3-C2-O2	-9.03	115.88	122.20
26	BB	582	A	C4-C5-N7	9.03	115.22	110.70
26	BB	663	G	N3-C4-C5	-9.03	124.08	128.60
1	AA	1013	G	N9-C4-C5	9.03	109.01	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	AE	22	TRP	NE1-CE2-CD2	-9.03	98.27	107.30
26	BB	34	U	N1-C2-N3	9.03	120.32	114.90
36	BL	37	ARG	NE-CZ-NH2	9.03	124.81	120.30
26	BB	1068	G	N1-C6-O6	9.03	125.32	119.90
1	AA	307	C	N1-C1'-C2'	-9.03	102.07	112.00
26	BB	2545	G	N3-C4-C5	-9.03	124.09	128.60
1	AA	1337	G	C8-N9-C4	-9.03	102.79	106.40
25	BA	105	G	C5-C6-N1	9.03	116.01	111.50
26	BB	678	C	C1'-O4'-C4'	9.03	117.12	109.90
1	AA	621	A	C4-C5-N7	-9.02	106.19	110.70
1	AA	1176	A	N9-C4-C5	9.02	109.41	105.80
1	AA	1296	C	C4-C5-C6	9.02	121.91	117.40
26	BB	779	U	N3-C4-O4	9.02	125.72	119.40
1	AA	655	A	N9-C4-C5	-9.02	102.19	105.80
1	AA	720	C	C2-N3-C4	9.02	124.41	119.90
26	BB	618	G	C1'-O4'-C4'	-9.02	102.68	109.90
26	BB	863	A	C8-N9-C4	9.02	109.41	105.80
26	BB	1534	U	C4-C5-C6	9.02	125.11	119.70
1	AA	352	C	C2-N3-C4	9.02	124.41	119.90
26	BB	129	C	C3'-C2'-C1'	9.02	108.72	101.50
26	BB	405	U	N3-C4-O4	-9.02	113.09	119.40
26	BB	1159	U	N1-C2-N3	9.02	120.31	114.90
25	BA	2	G	C5-C6-O6	-9.02	123.19	128.60
25	BA	48	U	O4'-C1'-N1	9.02	115.41	108.20
26	BB	707	G	C8-N9-C4	9.02	110.01	106.40
26	BB	1086	A	N1-C2-N3	-9.02	124.79	129.30
26	BB	2331	G	P-O3'-C3'	9.02	130.52	119.70
1	AA	305	G	O4'-C1'-N9	9.02	115.41	108.20
1	AA	1441	A	N7-C8-N9	9.02	118.31	113.80
26	BB	1931	U	O4'-C1'-N1	9.02	115.41	108.20
1	AA	766	A	C5-N7-C8	9.02	108.41	103.90
1	AA	819	A	O4'-C1'-N9	9.02	115.41	108.20
3	AC	53	G	C8-N9-C4	-9.02	102.79	106.40
26	BB	2774	C	O4'-C1'-N1	9.02	115.41	108.20
15	AO	55	ARG	NE-CZ-NH1	9.02	124.81	120.30
26	BB	2254	C	O4'-C1'-N1	9.02	115.41	108.20
1	AA	277	C	N3-C2-O2	-9.01	115.59	121.90
1	AA	558	G	C8-N9-C4	-9.01	102.80	106.40
26	BB	628	G	N3-C4-C5	-9.01	124.09	128.60
26	BB	2299	U	C1'-O4'-C4'	-9.01	102.69	109.90
26	BB	2352	A	C8-N9-C4	-9.01	102.19	105.80
26	BB	2374	C	C5'-C4'-O4'	9.01	119.92	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	210	C	O4'-C1'-N1	9.01	115.41	108.20
1	AA	1334	G	O4'-C1'-N9	9.01	115.41	108.20
26	BB	2079	U	C4-C5-C6	9.01	125.11	119.70
26	BB	2292	U	O4'-C1'-N1	-9.01	100.99	108.20
1	AA	135	C	N3-C4-C5	-9.01	118.30	121.90
26	BB	1762	A	C3'-C2'-C1'	9.01	108.71	101.50
26	BB	2819	G	C5-C6-O6	-9.01	123.19	128.60
1	AA	566	G	C4-C5-N7	9.01	114.40	110.80
1	AA	568	G	C6-N1-C2	-9.01	119.70	125.10
1	AA	1029	U	N1-C2-N3	9.01	120.30	114.90
1	AA	1251	A	C5-C6-N1	9.01	122.20	117.70
26	BB	690	G	N7-C8-N9	9.01	117.60	113.10
26	BB	2412	A	N9-C4-C5	9.01	109.40	105.80
26	BB	1150	C	O4'-C1'-N1	9.01	115.40	108.20
26	BB	1167	C	C6-N1-C2	-9.00	116.70	120.30
26	BB	1422	G	N7-C8-N9	9.00	117.60	113.10
40	BP	87	PHE	CB-CG-CD2	-9.00	114.50	120.80
1	AA	1419	G	N1-C2-N3	-9.00	118.50	123.90
26	BB	415	A	N1-C2-N3	-9.00	124.80	129.30
26	BB	1678	A	C8-N9-C4	-9.00	102.20	105.80
26	BB	1787	A	C5-N7-C8	-9.00	99.40	103.90
1	AA	895	G	C2-N3-C4	9.00	116.40	111.90
1	AA	1240	U	N3-C2-O2	-9.00	115.90	122.20
1	AA	1266	G	C4-C5-N7	9.00	114.40	110.80
1	AA	1340	A	C6-N1-C2	9.00	124.00	118.60
26	BB	513	A	N1-C6-N6	-9.00	113.20	118.60
26	BB	633	A	N1-C2-N3	-9.00	124.80	129.30
26	BB	791	C	C6-N1-C2	-9.00	116.70	120.30
26	BB	949	G	C5-N7-C8	-9.00	99.80	104.30
26	BB	2262	U	O4'-C1'-N1	9.00	115.40	108.20
26	BB	2546	U	C5-C4-O4	-9.00	120.50	125.90
1	AA	37	U	N3-C4-O4	-9.00	113.10	119.40
26	BB	2084	C	C5-C6-N1	9.00	125.50	121.00
1	AA	898	G	C2-N3-C4	9.00	116.40	111.90
1	AA	912	C	N1-C1'-C2'	-9.00	102.10	112.00
1	AA	1200	C	N3-C2-O2	-9.00	115.60	121.90
26	BB	1331	G	N1-C6-O6	-9.00	114.50	119.90
26	BB	1635	A	C4-C5-C6	9.00	121.50	117.00
1	AA	1464	U	N3-C4-O4	8.99	125.70	119.40
1	AA	661	G	N9-C4-C5	-8.99	101.80	105.40
1	AA	1357	A	N1-C2-N3	-8.99	124.80	129.30
2	AB	47	U	N1-C2-O2	8.99	129.10	122.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1029	A	C2-N3-C4	8.99	115.10	110.60
26	BB	2249	U	C4-C5-C6	8.99	125.09	119.70
26	BB	2581	G	C4-C5-N7	-8.99	107.20	110.80
26	BB	2600	A	C2-N3-C4	8.99	115.10	110.60
1	AA	774	G	N1-C2-N2	8.99	124.29	116.20
26	BB	14	A	C4-C5-N7	8.99	115.19	110.70
26	BB	2758	A	N9-C1'-C2'	-8.99	102.11	112.00
26	BB	2801	G	C5-N7-C8	-8.99	99.81	104.30
26	BB	2836	U	C4-C5-C6	8.99	125.09	119.70
26	BB	1759	A	N9-C4-C5	8.99	109.39	105.80
1	AA	824	G	N9-C4-C5	8.99	109.00	105.40
1	AA	1488	G	N3-C4-C5	-8.99	124.11	128.60
26	BB	1941	C	C6-N1-C2	8.99	123.89	120.30
26	BB	1968	G	C6-C5-N7	-8.99	125.01	130.40
26	BB	2059	A	O4'-C4'-C3'	8.99	113.29	106.10
26	BB	2070	A	N7-C8-N9	-8.99	109.31	113.80
26	BB	2718	G	C8-N9-C4	-8.99	102.81	106.40
30	BF	114	ARG	NE-CZ-NH1	8.99	124.79	120.30
1	AA	147	G	C8-N9-C4	-8.98	102.81	106.40
1	AA	440	C	N1-C1'-C2'	-8.98	102.12	112.00
1	AA	616	G	C5-C6-N1	8.98	115.99	111.50
26	BB	1071	G	C8-N9-C4	-8.98	102.81	106.40
26	BB	1189	A	N1-C2-N3	8.98	133.79	129.30
26	BB	1651	G	C3'-C2'-C1'	8.98	108.69	101.50
26	BB	1794	A	N1-C2-N3	8.98	133.79	129.30
30	BF	67	ARG	NE-CZ-NH2	-8.98	115.81	120.30
1	AA	1057	G	C4'-C3'-C2'	-8.98	93.62	102.60
26	BB	128	C	N3-C4-N4	8.98	124.29	118.00
26	BB	173	A	C4-C5-N7	8.98	115.19	110.70
26	BB	317	G	N3-C4-C5	-8.98	124.11	128.60
26	BB	529	A	C8-N9-C4	-8.98	102.21	105.80
26	BB	1039	A	N3-C4-C5	-8.98	120.51	126.80
26	BB	1658	C	C2-N3-C4	8.98	124.39	119.90
26	BB	1778	U	C2-N3-C4	-8.98	121.61	127.00
1	AA	809	G	N3-C2-N2	8.98	126.19	119.90
1	AA	676	A	O4'-C1'-N9	8.98	115.38	108.20
26	BB	974	G	N1-C6-O6	8.98	125.29	119.90
26	BB	2813	A	C4-C5-N7	-8.98	106.21	110.70
1	AA	996	A	P-O3'-C3'	8.97	130.47	119.70
1	AA	1079	G	C2-N3-C4	8.97	116.39	111.90
26	BB	1572	A	O4'-C1'-N9	8.97	115.38	108.20
26	BB	496	G	N3-C4-C5	-8.97	124.11	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	972	A	C8-N9-C4	-8.97	102.21	105.80
26	BB	1265	A	N7-C8-N9	8.97	118.29	113.80
26	BB	1782	U	C4-C5-C6	8.97	125.08	119.70
26	BB	2347	C	O4'-C1'-N1	8.97	115.38	108.20
26	BB	2598	A	C6-C5-N7	8.97	138.58	132.30
26	BB	2754	U	O4'-C1'-N1	8.97	115.38	108.20
1	AA	392	C	N3-C4-N4	8.97	124.28	118.00
26	BB	1	G	C5-C6-O6	-8.97	123.22	128.60
1	AA	477	C	N3-C4-C5	-8.97	118.31	121.90
26	BB	1310	G	N3-C4-C5	-8.97	124.11	128.60
26	BB	2301	C	N3-C4-N4	8.97	124.28	118.00
1	AA	1226	C	N3-C4-N4	8.97	124.28	118.00
1	AA	1491	G	N3-C2-N2	-8.97	113.62	119.90
26	BB	1983	G	C4-C5-N7	-8.97	107.21	110.80
26	BB	2307	G	O4'-C1'-N9	8.97	115.38	108.20
26	BB	1728	C	N3-C2-O2	-8.97	115.62	121.90
1	AA	1368	A	C3'-C2'-C1'	8.97	108.67	101.50
4	AD	7	G	C3'-C2'-C1'	8.96	108.67	101.50
25	BA	47	C	C5-C4-N4	8.96	126.47	120.20
26	BB	741	U	O4'-C1'-N1	8.97	115.37	108.20
26	BB	868	U	N1-C1'-C2'	-8.97	102.14	112.00
26	BB	928	A	C4-C5-C6	-8.97	112.52	117.00
1	AA	507	C	N3-C4-C5	8.96	125.48	121.90
1	AA	97	G	N9-C4-C5	8.96	108.98	105.40
1	AA	889	A	C2-N3-C4	8.96	115.08	110.60
26	BB	1189	A	C5'-C4'-O4'	8.96	119.86	109.10
26	BB	1321	A	N7-C8-N9	8.96	118.28	113.80
26	BB	1975	G	N1-C2-N3	-8.96	118.52	123.90
26	BB	2557	G	C6-N1-C2	-8.96	119.72	125.10
1	AA	185	U	N3-C4-O4	8.96	125.67	119.40
2	AB	9	A	N1-C2-N3	-8.96	124.82	129.30
26	BB	297	G	C5-C6-O6	-8.96	123.22	128.60
26	BB	1995	U	C2-N3-C4	-8.96	121.62	127.00
26	BB	2567	G	N3-C4-C5	-8.96	124.12	128.60
49	BY	10	ARG	NE-CZ-NH2	8.96	124.78	120.30
1	AA	928	G	O4'-C1'-N9	8.96	115.37	108.20
1	AA	1100	C	O4'-C1'-N1	8.96	115.37	108.20
26	BB	779	U	C6-N1-C2	-8.96	115.62	121.00
26	BB	1008	A	C1'-O4'-C4'	8.96	117.07	109.90
26	BB	1750	G	C8-N9-C4	-8.96	102.82	106.40
32	BH	57	TYR	CG-CD2-CE2	-8.96	114.13	121.30
26	BB	1578	U	C5-C4-O4	-8.96	120.53	125.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2869	G	C6-C5-N7	-8.96	125.03	130.40
1	AA	63	C	C5'-C4'-O4'	8.96	119.85	109.10
26	BB	117	G	C5-N7-C8	-8.96	99.82	104.30
26	BB	570	G	C1'-O4'-C4'	-8.96	102.73	109.90
26	BB	608	A	C5-N7-C8	-8.96	99.42	103.90
26	BB	713	G	N3-C4-N9	8.96	131.37	126.00
26	BB	1085	A	C4'-C3'-C2'	-8.96	93.64	102.60
26	BB	2888	C	C6-N1-C2	-8.96	116.72	120.30
26	BB	1046	A	C8-N9-C4	-8.95	102.22	105.80
26	BB	2157	G	N1-C6-O6	8.95	125.27	119.90
1	AA	906	A	N7-C8-N9	8.95	118.28	113.80
20	AT	10	ARG	NE-CZ-NH1	8.95	124.78	120.30
26	BB	406	G	N3-C4-C5	-8.95	124.12	128.60
26	BB	473	G	C5-C6-N1	8.95	115.98	111.50
26	BB	1544	A	C5'-C4'-O4'	8.95	119.84	109.10
26	BB	2275	C	C2-N3-C4	-8.95	115.42	119.90
1	AA	978	A	C5-N7-C8	-8.95	99.43	103.90
26	BB	45	G	C6-N1-C2	-8.95	119.73	125.10
26	BB	1848	A	N1-C2-N3	8.95	133.77	129.30
1	AA	403	C	N1-C2-O2	8.95	124.27	118.90
1	AA	945	G	C5-C6-N1	8.95	115.97	111.50
1	AA	1148	U	O4'-C1'-N1	8.95	115.36	108.20
1	AA	1293	C	C4-C5-C6	8.95	121.87	117.40
25	BA	3	C	C2-N3-C4	8.95	124.37	119.90
1	AA	1538	C	N1-C2-O2	8.94	124.27	118.90
26	BB	843	G	C4-C5-N7	-8.94	107.22	110.80
26	BB	978	G	N3-C4-C5	-8.95	124.13	128.60
26	BB	1435	G	C8-N9-C4	-8.95	102.82	106.40
26	BB	1656	C	N3-C4-C5	-8.95	118.32	121.90
26	BB	2581	G	O4'-C1'-N9	8.95	115.36	108.20
26	BB	2744	G	C3'-C2'-C1'	8.95	108.66	101.50
26	BB	2864	G	C8-N9-C4	-8.95	102.82	106.40
26	BB	2902	C	C5-C4-N4	8.95	126.46	120.20
31	BG	176	PHE	CB-CG-CD1	-8.95	114.54	120.80
1	AA	815	A	N1-C6-N6	-8.94	113.23	118.60
1	AA	1293	C	C5-C6-N1	-8.94	116.53	121.00
1	AA	1322	C	N3-C2-O2	-8.94	115.64	121.90
26	BB	2054	A	C5-N7-C8	-8.94	99.43	103.90
1	AA	1134	G	C6-C5-N7	-8.94	125.04	130.40
26	BB	254	G	C4-C5-N7	-8.94	107.22	110.80
26	BB	2521	C	O4'-C1'-N1	8.94	115.35	108.20
1	AA	726	C	C4-C5-C6	-8.94	112.93	117.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1447	A	N9-C4-C5	8.94	109.38	105.80
26	BB	533	G	C8-N9-C4	-8.94	102.82	106.40
26	BB	2867	G	P-O3'-C3'	8.94	130.43	119.70
1	AA	1001	C	O4'-C1'-N1	8.94	115.35	108.20
1	AA	553	A	O4'-C1'-N9	8.94	115.35	108.20
1	AA	1324	A	C6-C5-N7	8.94	138.56	132.30
4	AD	32	G	N9-C4-C5	-8.94	101.83	105.40
26	BB	1376	C	C2-N3-C4	8.94	124.37	119.90
26	BB	2259	U	C4-C5-C6	8.94	125.06	119.70
1	AA	402	G	N3-C4-N9	8.93	131.36	126.00
1	AA	893	C	C5-C6-N1	-8.93	116.53	121.00
1	AA	910	C	C6-N1-C2	8.93	123.87	120.30
26	BB	1099	G	C6-C5-N7	-8.93	125.04	130.40
26	BB	2535	G	C4-C5-N7	-8.93	107.23	110.80
26	BB	2770	G	N7-C8-N9	8.93	117.57	113.10
26	BB	2811	G	N1-C6-O6	-8.93	114.54	119.90
1	AA	494	G	C5-C6-N1	8.93	115.97	111.50
1	AA	544	G	C5-C6-O6	8.93	133.96	128.60
26	BB	1796	U	N3-C4-O4	8.93	125.65	119.40
4	AD	23	G	C5-N7-C8	-8.93	99.84	104.30
1	AA	813	U	O4'-C1'-N1	8.93	115.34	108.20
1	AA	1316	G	P-O3'-C3'	8.93	130.41	119.70
26	BB	408	G	N7-C8-N9	8.93	117.56	113.10
26	BB	2407	A	N9-C4-C5	8.93	109.37	105.80
26	BB	2606	C	C5-C6-N1	8.93	125.46	121.00
26	BB	58	G	C4-C5-N7	-8.93	107.23	110.80
26	BB	1616	A	C5-N7-C8	-8.93	99.44	103.90
26	BB	1948	G	C6-C5-N7	-8.93	125.05	130.40
1	AA	289	G	N9-C4-C5	-8.92	101.83	105.40
1	AA	382	A	C4-C5-N7	-8.92	106.24	110.70
1	AA	515	G	C5-C6-O6	-8.92	123.25	128.60
1	AA	832	G	N1-C6-O6	8.92	125.25	119.90
1	AA	932	C	N3-C4-N4	8.92	124.25	118.00
26	BB	1514	G	N7-C8-N9	8.92	117.56	113.10
26	BB	2545	G	C4-C5-C6	8.92	124.15	118.80
26	BB	1739	A	N3-C4-N9	-8.92	120.26	127.40
26	BB	1763	G	N3-C2-N2	-8.92	113.65	119.90
1	AA	425	G	N3-C4-C5	-8.92	124.14	128.60
4	AD	59	A	N7-C8-N9	8.92	118.26	113.80
26	BB	2207	C	C4-C5-C6	8.92	121.86	117.40
1	AA	522	C	C5'-C4'-C3'	-8.92	101.73	116.00
26	BB	529	A	N1-C6-N6	-8.92	113.25	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1805	A	C4-C5-N7	8.92	115.16	110.70
1	AA	116	A	C5-C6-N1	-8.92	113.24	117.70
26	BB	785	G	O4'-C1'-N9	8.92	115.33	108.20
26	BB	2690	U	C6-N1-C2	-8.92	115.65	121.00
26	BB	1306	C	C2-N3-C4	8.92	124.36	119.90
26	BB	2100	G	N3-C2-N2	8.92	126.14	119.90
41	BQ	81	ARG	NE-CZ-NH1	-8.92	115.84	120.30
1	AA	150	U	O4'-C1'-N1	8.91	115.33	108.20
26	BB	2243	U	C2-N3-C4	-8.91	121.65	127.00
1	AA	551	U	O4'-C1'-N1	8.91	115.33	108.20
13	AM	14	ASP	CB-CG-OD1	-8.91	110.28	118.30
26	BB	53	A	N1-C2-N3	-8.91	124.84	129.30
26	BB	305	C	N1-C2-O2	8.91	124.25	118.90
26	BB	510	C	C4-C5-C6	-8.91	112.94	117.40
26	BB	1371	G	C4-C5-N7	-8.91	107.23	110.80
26	BB	1908	C	N1-C2-O2	8.91	124.25	118.90
26	BB	1989	G	O4'-C1'-C2'	8.91	115.62	107.60
1	AA	330	C	C3'-C2'-C1'	8.91	108.63	101.50
1	AA	993	G	N3-C4-C5	-8.91	124.14	128.60
1	AA	466	A	C4'-C3'-C2'	-8.91	93.69	102.60
1	AA	939	G	N7-C8-N9	8.91	117.55	113.10
1	AA	1223	C	C4-C5-C6	8.91	121.86	117.40
1	AA	1535	C	C6-N1-C2	-8.91	116.74	120.30
25	BA	60	C	N1-C2-N3	-8.91	112.96	119.20
25	BA	80	U	C4-C5-C6	8.91	125.05	119.70
26	BB	257	C	N1-C2-O2	8.91	124.25	118.90
26	BB	782	A	C1'-O4'-C4'	8.91	117.03	109.90
26	BB	2765	A	N1-C2-N3	-8.91	124.85	129.30
1	AA	933	G	N7-C8-N9	8.91	117.55	113.10
1	AA	974	A	N7-C8-N9	8.91	118.25	113.80
19	AS	31	ARG	NE-CZ-NH2	-8.91	115.85	120.30
1	AA	663	A	C5-C6-N1	-8.91	113.25	117.70
1	AA	974	A	C1'-O4'-C4'	-8.91	102.78	109.90
1	AA	1198	G	C2-N3-C4	8.91	116.35	111.90
1	AA	1287	A	O4'-C1'-N9	8.91	115.33	108.20
26	BB	1343	G	C8-N9-C4	-8.91	102.84	106.40
26	BB	439	A	C2-N3-C4	-8.91	106.15	110.60
26	BB	939	G	C5-C6-N1	8.91	115.95	111.50
26	BB	2071	A	N9-C4-C5	-8.91	102.24	105.80
26	BB	2690	U	N3-C4-C5	-8.91	109.25	114.60
1	AA	734	G	C4-C5-C6	8.90	124.14	118.80
1	AA	848	C	N3-C4-C5	-8.90	118.34	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1189	U	N3-C2-O2	-8.90	115.97	122.20
26	BB	189	G	C8-N9-C4	-8.90	102.84	106.40
26	BB	1171	G	N1-C2-N2	8.90	124.21	116.20
26	BB	1262	A	C6-N1-C2	-8.90	113.26	118.60
26	BB	2159	G	N3-C4-C5	-8.90	124.15	128.60
1	AA	1285	A	C6-C5-N7	-8.90	126.07	132.30
26	BB	14	A	C6-C5-N7	-8.90	126.07	132.30
26	BB	287	G	N3-C4-C5	-8.90	124.15	128.60
1	AA	942	G	C5-C6-N1	8.90	115.95	111.50
1	AA	1374	A	N9-C4-C5	8.90	109.36	105.80
1	AA	1507	A	N9-C4-C5	8.90	109.36	105.80
26	BB	286	U	C5-C4-O4	8.90	131.24	125.90
26	BB	583	G	N3-C4-C5	-8.90	124.15	128.60
26	BB	1628	G	C5-C6-O6	-8.90	123.26	128.60
1	AA	676	A	C5-C6-N1	-8.90	113.25	117.70
1	AA	1107	C	N3-C4-C5	-8.90	118.34	121.90
25	BA	39	A	C8-N9-C4	-8.90	102.24	105.80
26	BB	313	G	C5-C6-N1	8.90	115.95	111.50
26	BB	1479	G	C8-N9-C4	-8.90	102.84	106.40
26	BB	1658	C	N1-C2-O2	8.90	124.24	118.90
26	BB	1659	G	N3-C2-N2	-8.90	113.67	119.90
26	BB	2029	G	C6-N1-C2	-8.90	119.76	125.10
1	AA	848	C	N1-C2-O2	8.90	124.24	118.90
26	BB	209	C	N1-C2-O2	8.90	124.24	118.90
26	BB	1059	G	C5-N7-C8	-8.90	99.85	104.30
26	BB	1356	G	C4-C5-N7	8.90	114.36	110.80
26	BB	1777	U	C2-N3-C4	-8.90	121.66	127.00
26	BB	1793	C	N3-C4-C5	-8.90	118.34	121.90
1	AA	669	G	C8-N9-C4	-8.89	102.84	106.40
1	AA	781	A	N1-C2-N3	-8.89	124.85	129.30
26	BB	2092	U	O4'-C1'-N1	8.89	115.32	108.20
26	BB	2302	U	N3-C2-O2	-8.89	115.97	122.20
26	BB	500	G	C6-N1-C2	-8.89	119.76	125.10
26	BB	648	G	N3-C4-C5	-8.89	124.15	128.60
26	BB	1368	G	N3-C2-N2	-8.89	113.67	119.90
26	BB	2199	A	C2-N3-C4	8.89	115.05	110.60
26	BB	2269	G	C5-C6-O6	8.89	133.94	128.60
1	AA	262	A	C5'-C4'-O4'	8.89	119.77	109.10
1	AA	1379	G	C5-C6-N1	8.89	115.95	111.50
26	BB	2025	C	C5-C6-N1	8.89	125.45	121.00
1	AA	879	C	C5-C6-N1	8.89	125.44	121.00
26	BB	662	G	C5-C6-N1	8.89	115.94	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1017	G	C5-C6-N1	8.89	115.95	111.50
26	BB	2016	U	C2-N3-C4	8.89	132.33	127.00
26	BB	2089	C	N3-C4-C5	-8.89	118.34	121.90
1	AA	8	A	C5-C6-N1	8.89	122.14	117.70
26	BB	582	A	N9-C4-C5	-8.89	102.25	105.80
26	BB	586	A	C5-C6-N6	8.89	130.81	123.70
26	BB	1621	U	C2-N3-C4	8.89	132.33	127.00
26	BB	1982	U	C5-C4-O4	-8.89	120.57	125.90
1	AA	170	U	O4'-C1'-N1	8.89	115.31	108.20
2	AB	47	U	O4'-C1'-N1	8.89	115.31	108.20
26	BB	219	A	C5-C6-N6	-8.89	116.59	123.70
26	BB	2199	A	N1-C2-N3	-8.89	124.86	129.30
4	AD	48	U	O4'-C1'-N1	8.89	115.31	108.20
26	BB	2013	A	O4'-C1'-N9	8.89	115.31	108.20
26	BB	142	A	C5-C6-N1	8.88	122.14	117.70
26	BB	855	G	O4'-C1'-N9	8.88	115.31	108.20
26	BB	953	G	N3-C4-N9	8.88	131.33	126.00
26	BB	1278	C	O4'-C1'-N1	8.88	115.31	108.20
26	BB	1499	C	O4'-C1'-N1	8.88	115.31	108.20
26	BB	1878	G	N1-C6-O6	8.88	125.23	119.90
31	BG	177	ARG	NE-CZ-NH2	-8.88	115.86	120.30
1	AA	32	A	C2-N3-C4	8.88	115.04	110.60
1	AA	337	G	N3-C4-N9	-8.88	120.67	126.00
1	AA	1475	G	C4-C5-C6	8.88	124.13	118.80
26	BB	703	U	N3-C4-O4	8.88	125.62	119.40
25	BA	15	A	N3-C4-C5	-8.88	120.58	126.80
26	BB	849	A	C2-N3-C4	-8.88	106.16	110.60
26	BB	982	C	N3-C4-C5	8.88	125.45	121.90
26	BB	2134	A	C8-N9-C4	-8.88	102.25	105.80
26	BB	2186	G	C6-N1-C2	-8.88	119.77	125.10
26	BB	1338	G	C6-C5-N7	-8.88	125.07	130.40
1	AA	1226	C	C5-C6-N1	8.88	125.44	121.00
26	BB	1359	A	N9-C4-C5	8.88	109.35	105.80
26	BB	1945	G	C5-C6-N1	8.88	115.94	111.50
26	BB	2277	G	N1-C6-O6	8.88	125.23	119.90
1	AA	486	U	C5-C6-N1	-8.88	118.26	122.70
1	AA	726	C	C5-C6-N1	8.88	125.44	121.00
1	AA	1225	A	C8-N9-C4	-8.88	102.25	105.80
4	AD	57	C	C2-N3-C4	8.88	124.34	119.90
26	BB	420	C	N3-C2-O2	-8.88	115.69	121.90
26	BB	1796	U	C5'-C4'-O4'	8.88	119.75	109.10
26	BB	1853	A	C8-N9-C4	8.87	109.35	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	667	G	C6-N1-C2	-8.87	119.78	125.10
1	AA	1288	A	N1-C2-N3	8.87	133.74	129.30
26	BB	484	C	N3-C4-N4	-8.87	111.79	118.00
26	BB	384	A	C8-N9-C4	-8.87	102.25	105.80
26	BB	408	G	C4'-C3'-C2'	-8.87	93.73	102.60
26	BB	916	G	N1-C6-O6	8.87	125.22	119.90
26	BB	2256	G	N3-C4-C5	-8.87	124.16	128.60
26	BB	2595	G	C3'-C2'-C1'	8.87	108.60	101.50
26	BB	1069	A	C5'-C4'-O4'	8.87	119.74	109.10
1	AA	76	G	C4-C5-C6	-8.87	113.48	118.80
1	AA	671	G	C8-N9-C4	-8.87	102.85	106.40
1	AA	816	A	C3'-C2'-C1'	-8.87	94.40	101.50
1	AA	807	A	C4-C5-N7	8.87	115.13	110.70
1	AA	1159	U	N3-C2-O2	-8.87	115.99	122.20
4	AD	44	A	N1-C6-N6	-8.87	113.28	118.60
26	BB	88	G	C2-N3-C4	8.87	116.33	111.90
26	BB	539	G	N3-C2-N2	-8.87	113.69	119.90
26	BB	2115	G	C4-C5-N7	-8.87	107.25	110.80
26	BB	273	G	C5-C6-O6	-8.87	123.28	128.60
26	BB	303	G	C3'-C2'-C1'	-8.87	94.41	101.50
26	BB	1080	A	N7-C8-N9	8.87	118.23	113.80
26	BB	1168	G	N3-C4-C5	-8.87	124.17	128.60
26	BB	1610	A	C2-N3-C4	8.87	115.03	110.60
26	BB	2557	G	C8-N9-C4	-8.87	102.85	106.40
1	AA	95	C	O4'-C1'-N1	8.87	115.29	108.20
1	AA	251	G	O4'-C1'-C2'	-8.87	96.93	105.80
26	BB	180	G	N1-C6-O6	-8.87	114.58	119.90
26	BB	2001	C	N3-C4-C5	-8.87	118.35	121.90
1	AA	774	G	N3-C2-N2	-8.86	113.69	119.90
26	BB	1361	G	N3-C2-N2	-8.86	113.69	119.90
26	BB	2171	A	O4'-C1'-N9	8.86	115.29	108.20
1	AA	274	A	N1-C6-N6	-8.86	113.28	118.60
1	AA	1088	G	C2-N3-C4	8.86	116.33	111.90
26	BB	942	G	C2-N3-C4	8.86	116.33	111.90
29	BE	179	ARG	NE-CZ-NH1	8.86	124.73	120.30
1	AA	108	G	N7-C8-N9	8.86	117.53	113.10
1	AA	645	G	O4'-C1'-N9	8.86	115.29	108.20
3	AC	23	C	C2-N3-C4	8.86	124.33	119.90
26	BB	544	C	C4-C5-C6	8.86	121.83	117.40
26	BB	1333	G	N7-C8-N9	8.86	117.53	113.10
26	BB	1544	A	C8-N9-C4	8.86	109.34	105.80
26	BB	1994	C	P-O3'-C3'	8.86	130.33	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	24	U	N3-C2-O2	-8.86	116.00	122.20
1	AA	528	C	C4-C5-C6	8.86	121.83	117.40
1	AA	567	G	C6-N1-C2	-8.86	119.79	125.10
1	AA	639	G	O4'-C1'-N9	8.86	115.28	108.20
2	AB	34	C	C5'-C4'-O4'	8.86	119.73	109.10
8	AH	156	ARG	NE-CZ-NH1	-8.86	115.87	120.30
26	BB	181	A	C4'-C3'-C2'	-8.86	93.74	102.60
26	BB	1681	G	N3-C4-N9	8.86	131.31	126.00
26	BB	1895	C	N3-C2-O2	-8.86	115.70	121.90
26	BB	1928	A	N1-C2-N3	-8.86	124.87	129.30
26	BB	2060	A	O4'-C4'-C3'	8.86	113.18	106.10
26	BB	2333	A	O4'-C1'-N9	8.86	115.28	108.20
1	AA	552	U	N1-C2-O2	-8.85	116.60	122.80
26	BB	2685	G	C5-N7-C8	-8.85	99.87	104.30
1	AA	312	C	O4'-C1'-N1	8.85	115.28	108.20
1	AA	1037	C	C3'-C2'-C1'	8.85	108.58	101.50
26	BB	289	G	C3'-C2'-C1'	-8.85	94.42	101.50
26	BB	756	A	N9-C1'-C2'	-8.85	102.26	112.00
26	BB	1061	U	C6-N1-C2	-8.85	115.69	121.00
26	BB	1894	C	N3-C2-O2	-8.85	115.70	121.90
1	AA	1128	C	C6-N1-C2	-8.85	116.76	120.30
1	AA	1268	G	C4-C5-N7	8.85	114.34	110.80
1	AA	1414	U	N1-C2-N3	8.85	120.21	114.90
25	BA	12	C	N1-C2-O2	8.85	124.21	118.90
25	BA	85	G	C2-N3-C4	8.85	116.32	111.90
26	BB	755	U	O4'-C1'-N1	8.85	115.28	108.20
26	BB	855	G	N9-C4-C5	8.85	108.94	105.40
26	BB	1606	C	C4-C5-C6	-8.85	112.97	117.40
26	BB	1723	G	N3-C4-C5	-8.85	124.17	128.60
26	BB	2099	U	C6-N1-C2	-8.85	115.69	121.00
1	AA	76	G	C2-N3-C4	8.85	116.32	111.90
26	BB	27	G	N7-C8-N9	8.85	117.52	113.10
26	BB	439	A	N7-C8-N9	8.85	118.22	113.80
26	BB	478	A	N1-C6-N6	-8.85	113.29	118.60
26	BB	960	A	C8-N9-C4	-8.85	102.26	105.80
26	BB	1398	C	C5-C6-N1	8.85	125.42	121.00
26	BB	1726	C	N3-C2-O2	-8.85	115.71	121.90
26	BB	2087	G	C8-N9-C4	-8.85	102.86	106.40
26	BB	2543	G	C1'-O4'-C4'	8.85	116.98	109.90
26	BB	2024	G	N3-C4-C5	-8.85	124.18	128.60
26	BB	2230	G	C8-N9-C4	-8.85	102.86	106.40
1	AA	474	G	C6-N1-C2	-8.84	119.79	125.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	938	A	O4'-C1'-N9	8.84	115.27	108.20
1	AA	1134	G	C4-C5-N7	-8.84	107.26	110.80
1	AA	1418	A	C1'-O4'-C4'	-8.84	102.83	109.90
26	BB	304	U	C2-N3-C4	-8.84	121.69	127.00
26	BB	2468	A	C4-C5-C6	-8.84	112.58	117.00
1	AA	675	A	N3-C4-C5	-8.84	120.61	126.80
26	BB	684	G	N3-C4-C5	-8.84	124.18	128.60
26	BB	1110	G	N1-C2-N2	8.84	124.16	116.20
4	AD	5	G	C2-N3-C4	8.84	116.32	111.90
26	BB	73	A	N1-C6-N6	-8.84	113.30	118.60
26	BB	2476	A	C5-C6-N1	-8.84	113.28	117.70
26	BB	1811	G	O4'-C1'-N9	8.84	115.27	108.20
26	BB	2319	G	C5-N7-C8	-8.84	99.88	104.30
1	AA	628	G	C4-C5-C6	8.84	124.10	118.80
1	AA	1523	G	C5-C6-N1	8.84	115.92	111.50
1	AA	25	C	N3-C4-N4	8.84	124.18	118.00
1	AA	238	A	O4'-C1'-N9	8.84	115.27	108.20
26	BB	1529	G	C6-N1-C2	-8.84	119.80	125.10
26	BB	2673	G	C5-C6-N1	8.84	115.92	111.50
26	BB	2455	G	C2-N3-C4	8.84	116.32	111.90
26	BB	772	C	N3-C4-C5	8.83	125.43	121.90
1	AA	423	G	C8-N9-C4	-8.83	102.87	106.40
1	AA	903	G	N3-C4-C5	-8.83	124.18	128.60
26	BB	1316	U	N3-C2-O2	-8.83	116.02	122.20
26	BB	2109	U	C6-N1-C2	-8.83	115.70	121.00
1	AA	720	C	C4-C5-C6	8.83	121.81	117.40
1	AA	790	A	N1-C2-N3	-8.83	124.88	129.30
1	AA	1339	A	C4-C5-N7	8.83	115.11	110.70
26	BB	205	G	C2-N3-C4	8.83	116.31	111.90
26	BB	799	G	N3-C4-C5	-8.83	124.19	128.60
26	BB	993	G	C6-N1-C2	-8.83	119.80	125.10
26	BB	1046	A	C2-N3-C4	8.83	115.01	110.60
26	BB	1537	G	N9-C4-C5	8.83	108.93	105.40
26	BB	1722	A	C8-N9-C4	-8.83	102.27	105.80
1	AA	114	U	C2-N3-C4	-8.83	121.70	127.00
1	AA	550	G	C5-C6-N1	8.83	115.91	111.50
1	AA	1454	G	N3-C2-N2	-8.83	113.72	119.90
2	AB	53	G	C5-C6-O6	-8.83	123.30	128.60
4	AD	3	C	N3-C4-C5	-8.83	118.37	121.90
25	BA	114	C	C2-N3-C4	-8.83	115.49	119.90
26	BB	165	A	C5-N7-C8	8.83	108.31	103.90
26	BB	1022	G	C4-C5-C6	8.83	124.10	118.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
42	BR	100	ARG	NE-CZ-NH1	-8.83	115.89	120.30
26	BB	2351	G	C4-C5-C6	8.83	124.10	118.80
26	BB	988	A	C5-C6-N6	-8.82	116.64	123.70
26	BB	1527	G	N1-C6-O6	-8.82	114.61	119.90
26	BB	956	G	C2-N3-C4	8.82	116.31	111.90
1	AA	249	U	C2-N3-C4	-8.82	121.71	127.00
1	AA	945	G	N3-C2-N2	8.82	126.08	119.90
26	BB	1063	G	C5-N7-C8	-8.82	99.89	104.30
26	BB	1398	C	O4'-C1'-N1	8.82	115.26	108.20
1	AA	598	U	N3-C2-O2	-8.82	116.03	122.20
1	AA	1478	U	O4'-C1'-N1	8.82	115.25	108.20
2	AB	9	A	C8-N9-C4	-8.82	102.27	105.80
26	BB	287	G	C4-C5-N7	-8.82	107.27	110.80
26	BB	1210	G	C2-N3-C4	-8.82	107.49	111.90
26	BB	1559	U	C4-C5-C6	8.82	124.99	119.70
26	BB	2010	G	C1'-O4'-C4'	-8.82	102.84	109.90
1	AA	734	G	C6-C5-N7	-8.82	125.11	130.40
1	AA	1311	A	O4'-C1'-N9	8.82	115.25	108.20
2	AB	65	C	C6-N1-C2	8.82	123.83	120.30
4	AD	1	C	C5-C6-N1	8.82	125.41	121.00
26	BB	1643	G	C8-N9-C4	-8.82	102.87	106.40
26	BB	386	G	C2-N3-C4	8.82	116.31	111.90
26	BB	408	G	C8-N9-C4	-8.82	102.87	106.40
26	BB	934	U	N3-C2-O2	-8.82	116.03	122.20
26	BB	1336	A	N9-C1'-C2'	-8.81	102.30	112.00
1	AA	299	G	C4-C5-N7	-8.81	107.28	110.80
1	AA	302	G	C6-C5-N7	-8.81	125.11	130.40
1	AA	1403	C	N3-C4-C5	8.81	125.42	121.90
17	AQ	74	ARG	NE-CZ-NH1	8.81	124.71	120.30
26	BB	147	C	C3'-C2'-C1'	8.81	108.55	101.50
26	BB	1142	A	P-O3'-C3'	8.81	130.28	119.70
26	BB	1637	A	N3-C4-N9	8.81	134.45	127.40
26	BB	1700	A	C5'-C4'-O4'	8.81	119.68	109.10
1	AA	50	A	C6-N1-C2	-8.81	113.31	118.60
1	AA	259	G	N3-C4-N9	-8.81	120.71	126.00
1	AA	810	C	C6-N1-C2	-8.81	116.78	120.30
1	AA	903	G	C5-N7-C8	-8.81	99.89	104.30
26	BB	510	C	C3'-C2'-C1'	8.81	108.55	101.50
26	BB	1284	A	C2-N3-C4	8.81	115.00	110.60
26	BB	2099	U	C4-C5-C6	8.81	124.99	119.70
26	BB	2136	G	N1-C6-O6	-8.81	114.61	119.90
26	BB	2144	G	N7-C8-N9	8.81	117.50	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2240	U	C4-C5-C6	8.81	124.99	119.70
1	AA	502	A	C5-C6-N1	8.81	122.11	117.70
1	AA	375	U	C4'-C3'-C2'	-8.81	93.79	102.60
4	AD	16	C	N3-C4-C5	-8.81	118.38	121.90
26	BB	1796	U	N3-C4-C5	-8.81	109.31	114.60
26	BB	2566	A	O4'-C1'-N9	8.81	115.25	108.20
28	BD	167	ASP	CB-CG-OD2	8.81	126.23	118.30
1	AA	741	G	N3-C4-N9	8.81	131.28	126.00
26	BB	132	G	C2-N3-C4	8.80	116.30	111.90
1	AA	17	U	C3'-C2'-C1'	8.80	108.54	101.50
1	AA	1097	C	N3-C4-N4	8.80	124.16	118.00
1	AA	1148	U	C5-C6-N1	8.80	127.10	122.70
26	BB	928	A	N1-C2-N3	-8.80	124.90	129.30
26	BB	2072	C	O4'-C1'-N1	8.80	115.24	108.20
26	BB	1416	G	C6-N1-C2	-8.80	119.82	125.10
1	AA	250	A	C8-N9-C4	-8.80	102.28	105.80
1	AA	667	G	N9-C4-C5	8.80	108.92	105.40
1	AA	862	C	C1'-O4'-C4'	-8.80	102.86	109.90
5	AE	73	ARG	NE-CZ-NH1	8.80	124.70	120.30
1	AA	672	U	O4'-C1'-N1	8.80	115.24	108.20
12	AL	123	ARG	NE-CZ-NH2	-8.80	115.90	120.30
26	BB	181	A	O4'-C1'-N9	8.80	115.24	108.20
26	BB	2271	G	N1-C6-O6	8.80	125.18	119.90
26	BB	80	G	C4-C5-N7	-8.80	107.28	110.80
26	BB	656	G	N7-C8-N9	8.80	117.50	113.10
26	BB	1722	A	C4-C5-N7	-8.80	106.30	110.70
26	BB	2177	C	N1-C2-O2	8.80	124.18	118.90
47	BW	93	ARG	NE-CZ-NH2	-8.80	115.90	120.30
1	AA	761	G	C2-N3-C4	8.80	116.30	111.90
1	AA	1369	C	N3-C2-O2	-8.80	115.74	121.90
26	BB	614	A	N7-C8-N9	8.80	118.20	113.80
26	BB	938	G	C6-C5-N7	-8.80	125.12	130.40
26	BB	967	U	C4'-C3'-C2'	-8.80	93.80	102.60
26	BB	1941	C	N3-C4-C5	-8.80	118.38	121.90
1	AA	170	U	C5-C6-N1	-8.80	118.30	122.70
26	BB	1803	A	O4'-C1'-N9	8.80	115.24	108.20
26	BB	2088	A	C3'-C2'-C1'	-8.79	94.46	101.50
1	AA	253	A	O4'-C1'-C2'	8.79	115.51	107.60
1	AA	1412	C	C4'-C3'-C2'	-8.79	93.81	102.60
1	AA	1540	U	C6-N1-C2	-8.79	115.72	121.00
26	BB	882	G	C8-N9-C4	-8.79	102.88	106.40
26	BB	2198	A	C4-C5-C6	-8.79	112.60	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2608	G	N3-C2-N2	-8.79	113.75	119.90
26	BB	2728	U	C2-N3-C4	-8.79	121.72	127.00
1	AA	144	G	O4'-C1'-N9	8.79	115.23	108.20
1	AA	590	U	O4'-C1'-N1	8.79	115.23	108.20
26	BB	1065	U	C5-C4-O4	-8.79	120.63	125.90
1	AA	232	G	C5-C6-O6	-8.79	123.33	128.60
1	AA	694	A	O4'-C1'-N9	8.79	115.23	108.20
1	AA	1355	G	N3-C4-C5	-8.79	124.21	128.60
25	BA	57	A	N9-C4-C5	8.79	109.32	105.80
25	BA	3	C	N3-C4-C5	-8.79	118.39	121.90
26	BB	1361	G	N1-C2-N3	8.79	129.17	123.90
26	BB	1719	G	C8-N9-C4	-8.79	102.89	106.40
26	BB	2238	G	C4-C5-N7	-8.79	107.28	110.80
26	BB	2544	G	N7-C8-N9	8.79	117.49	113.10
26	BB	2573	C	N3-C4-C5	-8.79	118.39	121.90
26	BB	2836	U	C4'-C3'-C2'	8.79	111.39	102.60
26	BB	2842	G	O5'-P-OP1	-8.79	97.79	105.70
1	AA	949	A	N1-C2-N3	-8.79	124.91	129.30
9	AI	79	ARG	NE-CZ-NH2	-8.79	115.91	120.30
25	BA	103	U	O4'-C1'-N1	8.79	115.23	108.20
26	BB	368	A	N1-C6-N6	8.78	123.87	118.60
26	BB	952	G	C6-C5-N7	8.79	135.67	130.40
26	BB	1092	C	O4'-C1'-N1	8.79	115.23	108.20
1	AA	202	G	C2-N3-C4	8.78	116.29	111.90
1	AA	280	C	C5'-C4'-O4'	8.78	119.64	109.10
1	AA	352	C	N3-C4-C5	-8.78	118.39	121.90
26	BB	1159	U	O4'-C1'-N1	8.78	115.23	108.20
1	AA	67	C	C1'-O4'-C4'	-8.78	102.88	109.90
1	AA	230	G	C3'-C2'-C1'	-8.78	94.47	101.50
1	AA	402	G	N3-C4-C5	-8.78	124.21	128.60
1	AA	842	U	O4'-C1'-N1	8.78	115.23	108.20
1	AA	1229	A	C5-N7-C8	-8.78	99.51	103.90
26	BB	925	A	C5-C6-N6	8.78	130.72	123.70
26	BB	1221	C	N3-C4-N4	8.78	124.15	118.00
26	BB	2012	G	N9-C4-C5	8.78	108.91	105.40
1	AA	1208	C	N3-C4-C5	8.78	125.41	121.90
1	AA	1210	C	C4'-C3'-C2'	-8.78	93.82	102.60
1	AA	1424	U	C6-N1-C2	-8.78	115.73	121.00
26	BB	488	G	C5-N7-C8	8.78	108.69	104.30
26	BB	1262	A	C5-C6-N1	8.78	122.09	117.70
26	BB	1479	G	C5-C6-O6	-8.78	123.33	128.60
26	BB	1869	G	C5-N7-C8	8.78	108.69	104.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	AC	14	G	C5-N7-C8	8.78	108.69	104.30
26	BB	264	C	C2-N3-C4	8.78	124.29	119.90
26	BB	1071	G	N7-C8-N9	8.78	117.49	113.10
26	BB	1973	G	N9-C4-C5	-8.78	101.89	105.40
26	BB	2242	G	C3'-C2'-C1'	8.78	108.52	101.50
26	BB	2276	G	C6-C5-N7	-8.78	125.13	130.40
1	AA	406	G	C5-C6-N1	8.78	115.89	111.50
1	AA	896	C	N1-C1'-C2'	-8.78	102.35	112.00
26	BB	1548	A	C8-N9-C4	-8.78	102.29	105.80
26	BB	1749	A	C8-N9-C4	-8.78	102.29	105.80
26	BB	1769	U	P-O3'-C3'	8.78	130.23	119.70
26	BB	2055	C	C2-N3-C4	8.78	124.29	119.90
1	AA	161	A	O4'-C1'-N9	8.77	115.22	108.20
1	AA	657	U	C4'-C3'-C2'	-8.77	93.83	102.60
26	BB	797	G	O4'-C1'-N9	8.77	115.22	108.20
1	AA	269	C	N1-C2-O2	8.77	124.16	118.90
1	AA	331	G	N9-C4-C5	8.77	108.91	105.40
1	AA	456	A	N1-C2-N3	8.77	133.69	129.30
1	AA	510	A	N9-C4-C5	8.77	109.31	105.80
1	AA	1157	A	N1-C6-N6	-8.77	113.34	118.60
26	BB	1600	C	N1-C2-O2	8.77	124.16	118.90
1	AA	1489	G	C4-C5-C6	8.77	124.06	118.80
26	BB	17	G	C5-C6-O6	-8.77	123.34	128.60
26	BB	492	A	C2-N3-C4	-8.77	106.21	110.60
26	BB	1103	A	N1-C6-N6	-8.77	113.34	118.60
26	BB	1547	C	N1-C2-O2	8.77	124.16	118.90
26	BB	1746	A	C4-C5-N7	8.77	115.09	110.70
26	BB	2249	U	N3-C4-O4	8.77	125.54	119.40
26	BB	2256	G	C2-N3-C4	8.77	116.29	111.90
26	BB	2438	U	C6-N1-C2	8.77	126.26	121.00
26	BB	135	U	C6-N1-C2	8.77	126.26	121.00
26	BB	138	U	N1-C2-N3	8.77	120.16	114.90
26	BB	1096	A	O4'-C1'-N9	8.77	115.22	108.20
26	BB	2054	A	N1-C6-N6	-8.77	113.34	118.60
1	AA	236	A	C5-C6-N6	-8.77	116.69	123.70
1	AA	609	A	C8-N9-C4	-8.77	102.29	105.80
1	AA	867	G	C4-C5-N7	-8.77	107.29	110.80
1	AA	1232	U	O4'-C1'-N1	8.77	115.21	108.20
1	AA	1311	A	C8-N9-C4	-8.77	102.29	105.80
1	AA	1530	G	O4'-C1'-N9	8.77	115.21	108.20
26	BB	376	G	C5-C6-N1	8.77	115.88	111.50
1	AA	801	U	O4'-C1'-N1	8.77	115.21	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1096	C	C2-N3-C4	-8.77	115.52	119.90
1	AA	1448	C	O4'-C4'-C3'	8.77	113.11	106.10
26	BB	12	U	C4-C5-C6	-8.77	114.44	119.70
26	BB	733	G	N9-C4-C5	8.77	108.91	105.40
26	BB	2221	G	C5-N7-C8	-8.77	99.92	104.30
1	AA	517	G	N9-C4-C5	8.76	108.91	105.40
1	AA	889	A	C5-C6-N1	8.76	122.08	117.70
1	AA	1273	C	C5'-C4'-O4'	8.76	119.61	109.10
22	AV	31	ARG	NE-CZ-NH2	-8.76	115.92	120.30
26	BB	265	A	C5-N7-C8	8.76	108.28	103.90
26	BB	77	G	N3-C4-N9	8.76	131.26	126.00
26	BB	940	G	N7-C8-N9	8.76	117.48	113.10
26	BB	1133	A	C8-N9-C4	-8.76	102.30	105.80
26	BB	2495	G	N1-C6-O6	-8.76	114.64	119.90
1	AA	94	G	C5-C6-O6	-8.76	123.34	128.60
1	AA	462	G	N3-C2-N2	8.76	126.03	119.90
26	BB	112	U	C1'-O4'-C4'	-8.76	102.89	109.90
26	BB	342	A	C5-C6-N1	-8.76	113.32	117.70
26	BB	2235	G	C6-N1-C2	-8.76	119.84	125.10
26	BB	176	A	C5-N7-C8	-8.76	99.52	103.90
26	BB	404	A	C5-C6-N1	8.76	122.08	117.70
26	BB	407	G	N3-C4-N9	8.76	131.25	126.00
26	BB	2679	A	O4'-C1'-N9	8.76	115.21	108.20
26	BB	2760	C	O4'-C1'-N1	8.76	115.21	108.20
1	AA	122	G	C6-C5-N7	8.76	135.66	130.40
1	AA	366	A	P-O3'-C3'	8.76	130.21	119.70
1	AA	1488	G	C2-N3-C4	8.76	116.28	111.90
26	BB	988	A	C5-N7-C8	-8.76	99.52	103.90
1	AA	318	G	N3-C4-C5	-8.76	124.22	128.60
4	AD	7	G	N9-C4-C5	8.76	108.90	105.40
26	BB	1016	G	O4'-C1'-N9	8.76	115.20	108.20
26	BB	1151	A	C5'-C4'-O4'	8.76	119.61	109.10
26	BB	1559	U	P-O3'-C3'	8.76	130.21	119.70
25	BA	54	G	C5'-C4'-O4'	8.75	119.61	109.10
1	AA	574	A	O4'-C1'-N9	8.75	115.20	108.20
4	AD	49	C	N3-C2-O2	-8.75	115.77	121.90
26	BB	19	A	C5-C6-N1	8.75	122.08	117.70
26	BB	2031	A	C5-N7-C8	-8.75	99.52	103.90
26	BB	2187	U	O4'-C1'-N1	8.75	115.20	108.20
26	BB	2218	G	C8-N9-C4	-8.75	102.90	106.40
1	AA	451	A	C4-C5-C6	8.75	121.38	117.00
26	BB	577	G	C4-C5-N7	8.75	114.30	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1808	A	C6-C5-N7	-8.75	126.17	132.30
1	AA	463	U	O4'-C1'-N1	8.75	115.20	108.20
1	AA	549	C	C2-N3-C4	8.75	124.27	119.90
1	AA	752	G	C4-C5-N7	-8.75	107.30	110.80
1	AA	1277	C	C1'-O4'-C4'	8.75	116.90	109.90
26	BB	2509	G	N9-C4-C5	8.75	108.90	105.40
1	AA	879	C	C5-C4-N4	-8.75	114.08	120.20
1	AA	1504	G	O4'-C1'-N9	8.75	115.20	108.20
26	BB	875	G	N3-C4-C5	-8.74	124.23	128.60
1	AA	1285	A	C4-C5-C6	8.74	121.37	117.00
12	AL	94	ARG	NE-CZ-NH1	8.74	124.67	120.30
26	BB	341	C	N1-C2-O2	8.74	124.15	118.90
26	BB	413	C	N1-C2-N3	-8.74	113.08	119.20
26	BB	506	G	N3-C4-C5	-8.74	124.23	128.60
26	BB	830	G	C8-N9-C4	-8.74	102.90	106.40
26	BB	2	G	O4'-C1'-N9	8.74	115.19	108.20
26	BB	627	A	P-O3'-C3'	8.74	130.19	119.70
26	BB	2477	U	N3-C2-O2	-8.74	116.08	122.20
26	BB	1594	U	N3-C4-C5	-8.74	109.36	114.60
1	AA	275	G	N7-C8-N9	8.74	117.47	113.10
26	BB	27	G	C5-C6-O6	-8.74	123.36	128.60
26	BB	1016	G	O4'-C4'-C3'	8.74	113.09	106.10
26	BB	1144	A	N7-C8-N9	-8.74	109.43	113.80
26	BB	1196	C	N3-C2-O2	-8.74	115.78	121.90
26	BB	1445	G	N3-C4-C5	-8.74	124.23	128.60
26	BB	2016	U	C5-C6-N1	-8.74	118.33	122.70
1	AA	927	G	N1-C6-O6	-8.74	114.66	119.90
26	BB	2240	U	C5-C4-O4	8.74	131.14	125.90
1	AA	869	G	N7-C8-N9	8.74	117.47	113.10
1	AA	1198	G	C6-C5-N7	-8.74	125.16	130.40
1	AA	806	C	N3-C2-O2	-8.73	115.79	121.90
1	AA	840	C	C5'-C4'-O4'	8.73	119.58	109.10
1	AA	1053	G	C8-N9-C4	-8.73	102.91	106.40
26	BB	1799	G	N9-C4-C5	8.73	108.89	105.40
26	BB	2873	A	N3-C4-C5	-8.73	120.69	126.80
26	BB	725	G	C3'-C2'-C1'	8.73	108.49	101.50
26	BB	841	G	N3-C4-N9	-8.73	120.76	126.00
26	BB	1198	U	N1-C2-O2	-8.73	116.69	122.80
26	BB	2603	G	C8-N9-C4	-8.73	102.91	106.40
26	BB	2059	A	C1'-O4'-C4'	-8.73	102.91	109.90
1	AA	302	G	C4-C5-C6	8.73	124.04	118.80
26	BB	1343	G	C5-C6-O6	-8.73	123.36	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	378	G	N3-C4-N9	8.73	131.24	126.00
1	AA	439	U	C5-C6-N1	-8.73	118.33	122.70
26	BB	739	A	N1-C6-N6	8.73	123.84	118.60
26	BB	1026	G	N3-C4-C5	-8.73	124.23	128.60
26	BB	1981	A	C5-C6-N1	8.73	122.06	117.70
26	BB	2010	G	N1-C6-O6	-8.73	114.66	119.90
28	BD	265	PHE	CB-CG-CD1	-8.73	114.69	120.80
26	BB	534	U	C1'-O4'-C4'	8.73	116.88	109.90
26	BB	614	A	N1-C6-N6	8.73	123.84	118.60
15	AO	3	VAL	CA-CB-CG2	8.73	123.99	110.90
26	BB	1392	A	C8-N9-C4	-8.73	102.31	105.80
26	BB	2470	G	N7-C8-N9	8.73	117.46	113.10
26	BB	2545	G	C5-C6-N1	-8.73	107.14	111.50
1	AA	89	U	C2-N3-C4	-8.72	121.77	127.00
1	AA	1304	G	N1-C2-N3	-8.72	118.67	123.90
40	BP	64	ARG	NE-CZ-NH2	8.72	124.66	120.30
2	AB	61	C	C5-C6-N1	-8.72	116.64	121.00
3	AC	53	G	C5-C6-N1	8.72	115.86	111.50
24	AX	1	PRO	CA-N-CD	-8.72	99.29	111.50
26	BB	425	G	N9-C4-C5	8.72	108.89	105.40
26	BB	2493	U	C5-C6-N1	-8.72	118.34	122.70
26	BB	2758	A	C5-C6-N1	8.72	122.06	117.70
1	AA	143	A	C5-C6-N1	8.72	122.06	117.70
1	AA	410	G	N9-C4-C5	8.72	108.89	105.40
1	AA	711	G	N3-C4-N9	8.72	131.23	126.00
1	AA	1250	A	O4'-C1'-N9	8.72	115.18	108.20
26	BB	860	U	C4'-C3'-C2'	-8.72	93.88	102.60
26	BB	928	A	C6-C5-N7	8.72	138.41	132.30
26	BB	1103	A	N7-C8-N9	-8.72	109.44	113.80
26	BB	1762	A	O4'-C1'-N9	8.72	115.18	108.20
26	BB	2495	G	C6-N1-C2	-8.72	119.87	125.10
1	AA	1197	A	C8-N9-C4	8.72	109.29	105.80
1	AA	835	U	O4'-C1'-N1	8.72	115.17	108.20
26	BB	140	C	O4'-C4'-C3'	8.72	113.08	106.10
26	BB	988	A	N7-C8-N9	8.72	118.16	113.80
26	BB	1906	G	C5-N7-C8	-8.72	99.94	104.30
26	BB	2440	C	N3-C4-C5	-8.72	118.41	121.90
26	BB	2824	C	N1-C2-O2	8.72	124.13	118.90
26	BB	2838	G	C5-N7-C8	-8.72	99.94	104.30
1	AA	257	G	C6-C5-N7	-8.71	125.17	130.40
26	BB	80	G	O5'-P-OP1	-8.72	97.86	105.70
26	BB	2516	A	O4'-C1'-N9	8.72	115.17	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	272	C	C5-C6-N1	-8.71	116.64	121.00
1	AA	1057	G	C5-C6-O6	-8.71	123.37	128.60
1	AA	1081	A	O4'-C1'-N9	8.71	115.17	108.20
26	BB	152	A	N1-C6-N6	8.71	123.83	118.60
26	BB	945	A	C3'-C2'-C1'	8.72	108.47	101.50
26	BB	1565	C	O4'-C1'-C2'	-8.72	97.08	105.80
26	BB	1527	G	C8-N9-C4	-8.71	102.91	106.40
26	BB	2553	G	C2-N3-C4	8.71	116.26	111.90
26	BB	2729	G	C5'-C4'-O4'	8.71	119.56	109.10
26	BB	2852	G	C5-C6-N1	8.72	115.86	111.50
1	AA	1003	G	C8-N9-C4	-8.71	102.92	106.40
2	AB	68	C	N3-C2-O2	-8.71	115.80	121.90
5	AE	22	TRP	CE2-CD2-CG	8.71	114.27	107.30
26	BB	134	G	N3-C2-N2	-8.71	113.80	119.90
26	BB	1897	G	O4'-C1'-N9	8.71	115.17	108.20
25	BA	13	G	C8-N9-C4	-8.71	102.92	106.40
26	BB	2406	A	C4-C5-N7	8.71	115.06	110.70
26	BB	2848	G	C3'-C2'-C1'	-8.71	94.53	101.50
26	BB	2885	G	C5-N7-C8	-8.71	99.94	104.30
1	AA	134	G	N9-C4-C5	8.71	108.88	105.40
1	AA	719	C	C5-C4-N4	8.71	126.30	120.20
26	BB	580	U	O4'-C1'-N1	8.71	115.17	108.20
1	AA	522	C	C2-N3-C4	8.71	124.25	119.90
25	BA	6	G	N3-C4-C5	-8.71	124.25	128.60
25	BA	111	U	N1-C2-N3	8.71	120.12	114.90
26	BB	183	C	C1'-O4'-C4'	-8.71	102.93	109.90
26	BB	1796	U	C4-C5-C6	8.71	124.92	119.70
26	BB	2732	G	N9-C4-C5	8.71	108.88	105.40
1	AA	471	U	N1-C2-N3	8.71	120.12	114.90
1	AA	564	C	N3-C2-O2	-8.71	115.81	121.90
1	AA	1025	U	C6-N1-C2	-8.71	115.78	121.00
1	AA	1161	C	N1-C1'-C2'	-8.71	102.42	112.00
1	AA	1412	C	O4'-C4'-C3'	8.70	113.06	106.10
2	AB	51	G	C8-N9-C4	-8.71	102.92	106.40
26	BB	474	G	N3-C4-N9	8.71	131.22	126.00
26	BB	511	U	N3-C4-O4	8.71	125.49	119.40
26	BB	897	C	C2-N3-C4	-8.71	115.55	119.90
26	BB	950	G	C2-N3-C4	8.71	116.25	111.90
26	BB	1080	A	C2-N3-C4	8.71	114.95	110.60
26	BB	1964	G	C5-C6-O6	-8.70	123.38	128.60
26	BB	601	C	C5'-C4'-O4'	8.70	119.54	109.10
26	BB	861	A	C6-N1-C2	-8.70	113.38	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2315	G	C5-C6-O6	-8.70	123.38	128.60
26	BB	2842	G	C8-N9-C4	-8.70	102.92	106.40
1	AA	416	G	C5'-C4'-O4'	8.70	119.54	109.10
1	AA	712	A	O4'-C1'-N9	8.70	115.16	108.20
1	AA	1171	A	N1-C2-N3	-8.70	124.95	129.30
1	AA	1514	G	C5-C6-N1	8.70	115.85	111.50
25	BA	74	U	C5-C6-N1	-8.70	118.35	122.70
26	BB	1262	A	C5-N7-C8	-8.70	99.55	103.90
26	BB	1555	G	C4-C5-C6	8.70	124.02	118.80
26	BB	1894	C	N1-C2-O2	8.70	124.12	118.90
26	BB	2397	G	N3-C4-C5	-8.70	124.25	128.60
26	BB	2530	A	O4'-C4'-C3'	-8.70	95.30	104.00
1	AA	261	U	C5-C4-O4	-8.70	120.68	125.90
1	AA	1220	G	C8-N9-C4	-8.70	102.92	106.40
26	BB	890	C	C6-N1-C2	-8.70	116.82	120.30
26	BB	1303	G	N9-C4-C5	8.70	108.88	105.40
1	AA	127	G	C6-C5-N7	-8.69	125.18	130.40
2	AB	15	A	C5-C6-N1	8.70	122.05	117.70
3	AC	24	A	C2-N3-C4	-8.69	106.25	110.60
26	BB	251	A	N7-C8-N9	8.69	118.15	113.80
26	BB	538	A	C8-N9-C4	-8.70	102.32	105.80
26	BB	610	C	N1-C2-O2	8.69	124.12	118.90
1	AA	559	A	O4'-C1'-N9	8.69	115.16	108.20
1	AA	675	A	N9-C4-C5	8.69	109.28	105.80
1	AA	768	A	C8-N9-C4	8.69	109.28	105.80
1	AA	1181	G	N3-C2-N2	-8.69	113.81	119.90
26	BB	615	U	O4'-C1'-N1	8.69	115.15	108.20
26	BB	1044	C	N3-C4-N4	8.69	124.08	118.00
26	BB	1059	G	C4'-C3'-C2'	-8.69	93.91	102.60
26	BB	1391	U	C1'-O4'-C4'	-8.69	102.95	109.90
26	BB	1836	C	N3-C2-O2	-8.69	115.82	121.90
45	BU	75	PHE	CB-CG-CD1	8.69	126.88	120.80
1	AA	143	A	C4-C5-C6	-8.69	112.66	117.00
1	AA	524	G	C8-N9-C4	-8.69	102.92	106.40
2	AB	34	C	C6-N1-C2	8.69	123.78	120.30
1	AA	568	G	N3-C2-N2	-8.69	113.82	119.90
1	AA	1108	G	C8-N9-C4	-8.69	102.92	106.40
26	BB	683	U	O4'-C1'-N1	8.69	115.15	108.20
29	BE	45	TYR	CB-CG-CD1	-8.69	115.79	121.00
1	AA	304	U	C5'-C4'-C3'	-8.69	102.10	116.00
26	BB	1284	A	N1-C2-N3	-8.69	124.96	129.30
1	AA	1386	G	N7-C8-N9	8.69	117.44	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	724	U	O4'-C1'-N1	8.69	115.15	108.20
26	BB	1801	A	O4'-C1'-N9	8.69	115.15	108.20
26	BB	2120	G	O4'-C1'-N9	8.69	115.15	108.20
26	BB	1879	C	C6-N1-C2	-8.68	116.83	120.30
40	BP	71	ARG	NE-CZ-NH2	8.68	124.64	120.30
26	BB	16	C	C3'-C2'-C1'	8.68	108.45	101.50
26	BB	2141	G	N3-C2-N2	-8.68	113.82	119.90
26	BB	2782	G	O4'-C1'-N9	8.68	115.15	108.20
1	AA	667	G	C8-N9-C4	-8.68	102.93	106.40
1	AA	1096	C	C5-C6-N1	8.68	125.34	121.00
1	AA	1168	U	O4'-C1'-N1	8.68	115.14	108.20
1	AA	1442	G	O4'-C1'-N9	8.68	115.14	108.20
26	BB	173	A	C5-N7-C8	-8.68	99.56	103.90
26	BB	2243	U	N3-C2-O2	-8.68	116.12	122.20
1	AA	1394	A	N9-C4-C5	8.68	109.27	105.80
1	AA	1417	G	C2-N3-C4	8.68	116.24	111.90
26	BB	798	G	C5'-C4'-C3'	-8.68	102.12	116.00
26	BB	843	G	N3-C4-C5	-8.68	124.26	128.60
26	BB	910	A	N3-C4-C5	-8.68	120.73	126.80
26	BB	1697	G	C4-C5-N7	-8.68	107.33	110.80
26	BB	1821	A	C8-N9-C4	-8.68	102.33	105.80
26	BB	1894	C	C5-C4-N4	-8.68	114.12	120.20
1	AA	174	A	C6-N1-C2	-8.68	113.39	118.60
1	AA	418	C	C5-C4-N4	-8.68	114.13	120.20
1	AA	869	G	N3-C4-C5	-8.68	124.26	128.60
26	BB	195	A	O4'-C1'-N9	8.68	115.14	108.20
26	BB	556	A	C5'-C4'-O4'	8.68	119.51	109.10
26	BB	2694	G	C5-C6-O6	-8.68	123.39	128.60
26	BB	232	G	N1-C2-N3	8.68	129.10	123.90
26	BB	559	G	C5-C6-O6	-8.68	123.39	128.60
26	BB	1404	C	C3'-C2'-C1'	8.68	108.44	101.50
26	BB	1805	A	N7-C8-N9	8.68	118.14	113.80
1	AA	1026	G	C4-C5-C6	8.67	124.00	118.80
26	BB	392	U	C5'-C4'-O4'	8.67	119.51	109.10
26	BB	441	U	N3-C4-C5	-8.67	109.40	114.60
26	BB	990	A	C5'-C4'-C3'	-8.67	102.12	116.00
26	BB	1246	A	N7-C8-N9	8.67	118.14	113.80
26	BB	1739	A	N1-C2-N3	-8.67	124.96	129.30
26	BB	1781	U	O4'-C1'-N1	8.67	115.14	108.20
26	BB	2724	U	O4'-C1'-N1	8.67	115.14	108.20
1	AA	869	G	C4-C5-C6	8.67	124.00	118.80
1	AA	1404	C	C5'-C4'-O4'	8.67	119.50	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	53	G	N1-C6-O6	8.67	125.10	119.90
1	AA	1222	G	C5'-C4'-C3'	8.67	129.87	116.00
1	AA	1345	U	N3-C2-O2	-8.67	116.13	122.20
25	BA	80	U	C3'-C2'-C1'	8.67	108.44	101.50
26	BB	48	G	C4-C5-N7	-8.67	107.33	110.80
26	BB	1358	G	C8-N9-C4	-8.67	102.93	106.40
26	BB	2691	C	C6-N1-C2	-8.67	116.83	120.30
1	AA	1386	G	C5-C6-N1	8.67	115.83	111.50
26	BB	598	U	N3-C4-C5	-8.67	109.40	114.60
26	BB	1447	C	C6-N1-C2	-8.67	116.83	120.30
26	BB	2276	G	C4-C5-N7	8.67	114.27	110.80
26	BB	469	G	N9-C4-C5	8.67	108.87	105.40
26	BB	941	A	C2-N3-C4	8.67	114.93	110.60
26	BB	1143	A	O4'-C1'-N9	8.67	115.13	108.20
26	BB	1182	G	C8-N9-C4	-8.67	102.93	106.40
26	BB	1236	G	O4'-C1'-N9	8.67	115.13	108.20
26	BB	2025	C	C5'-C4'-O4'	8.67	119.50	109.10
26	BB	2354	C	N3-C4-N4	8.67	124.07	118.00
26	BB	2553	G	O4'-C1'-N9	8.67	115.13	108.20
26	BB	2589	A	O4'-C1'-C2'	-8.67	97.13	105.80
25	BA	86	G	C5-N7-C8	8.66	108.63	104.30
26	BB	242	G	C8-N9-C4	-8.66	102.93	106.40
26	BB	478	A	C8-N9-C4	-8.66	102.33	105.80
26	BB	238	C	N3-C4-C5	8.66	125.36	121.90
26	BB	440	C	C5-C4-N4	8.66	126.26	120.20
26	BB	1922	G	C5'-C4'-O4'	8.66	119.50	109.10
26	BB	1984	G	O4'-C1'-N9	8.66	115.13	108.20
42	BR	52	ARG	NE-CZ-NH2	-8.66	115.97	120.30
1	AA	1143	G	N7-C8-N9	8.66	117.43	113.10
1	AA	1536	C	N3-C2-O2	-8.66	115.84	121.90
26	BB	1572	A	C4'-C3'-C2'	-8.66	93.94	102.60
26	BB	1709	U	N1-C2-O2	-8.66	116.74	122.80
56	B5	35	ARG	NE-CZ-NH1	8.66	124.63	120.30
1	AA	1001	C	N3-C4-N4	8.66	124.06	118.00
1	AA	1029	U	P-O3'-C3'	8.66	130.09	119.70
25	BA	30	C	C6-N1-C2	-8.66	116.84	120.30
26	BB	579	G	C5-N7-C8	8.66	108.63	104.30
26	BB	941	A	C1'-O4'-C4'	-8.66	102.97	109.90
26	BB	2252	G	O4'-C1'-N9	8.66	115.13	108.20
26	BB	2671	G	C5-N7-C8	8.66	108.63	104.30
26	BB	2789	C	C5'-C4'-O4'	8.66	119.49	109.10
26	BB	66	C	C6-N1-C2	-8.65	116.84	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	402	A	N9-C1'-C2'	-8.65	102.48	112.00
42	BR	102	ARG	NH1-CZ-NH2	-8.65	109.88	119.40
1	AA	604	G	C8-N9-C4	-8.65	102.94	106.40
1	AA	908	A	N1-C6-N6	8.65	123.79	118.60
4	AD	25	U	C2-N3-C4	8.65	132.19	127.00
26	BB	263	G	N9-C4-C5	8.65	108.86	105.40
26	BB	409	G	O4'-C1'-N9	8.65	115.12	108.20
26	BB	925	A	N1-C6-N6	-8.65	113.41	118.60
26	BB	974	G	C5-C6-O6	-8.65	123.41	128.60
26	BB	1290	C	N1-C2-O2	8.65	124.09	118.90
26	BB	2533	U	N3-C4-O4	8.65	125.46	119.40
26	BB	2253	G	C5-C6-O6	-8.65	123.41	128.60
1	AA	91	U	O4'-C1'-N1	8.65	115.12	108.20
1	AA	833	G	C4-C5-N7	-8.65	107.34	110.80
1	AA	1288	A	C4-C5-N7	-8.65	106.38	110.70
26	BB	95	A	N9-C4-C5	-8.65	102.34	105.80
26	BB	679	C	C5'-C4'-O4'	8.65	119.48	109.10
26	BB	815	C	C3'-C2'-C1'	8.65	108.42	101.50
26	BB	1641	A	N1-C2-N3	-8.65	124.98	129.30
26	BB	1996	C	N3-C4-C5	8.65	125.36	121.90
26	BB	2073	C	N3-C4-C5	8.65	125.36	121.90
26	BB	267	C	C6-N1-C2	8.65	123.76	120.30
26	BB	1768	C	C1'-O4'-C4'	-8.65	102.98	109.90
26	BB	2595	G	C8-N9-C4	-8.65	102.94	106.40
1	AA	391	G	N1-C6-O6	-8.64	114.71	119.90
1	AA	1030	U	N3-C2-O2	-8.64	116.15	122.20
26	BB	2128	G	N1-C2-N3	-8.64	118.71	123.90
26	BB	2815	C	O4'-C1'-N1	8.64	115.12	108.20
26	BB	2487	G	C2-N3-C4	8.64	116.22	111.90
26	BB	2838	G	N7-C8-N9	8.64	117.42	113.10
26	BB	1713	A	C5-C6-N6	-8.64	116.79	123.70
26	BB	1849	G	C5-C6-N1	8.64	115.82	111.50
26	BB	2229	U	N3-C4-O4	8.64	125.45	119.40
26	BB	2782	G	C5-C6-O6	8.64	133.78	128.60
1	AA	330	C	O4'-C1'-N1	8.64	115.11	108.20
1	AA	1025	U	O4'-C1'-N1	8.64	115.11	108.20
26	BB	2389	G	C6-N1-C2	-8.64	119.92	125.10
26	BB	1462	C	C1'-O4'-C4'	-8.64	102.99	109.90
26	BB	2028	U	C2-N3-C4	-8.64	121.82	127.00
26	BB	2788	C	N3-C4-C5	-8.64	118.44	121.90
26	BB	2840	C	C4-C5-C6	-8.64	113.08	117.40
1	AA	80	A	C5-C6-N1	8.63	122.02	117.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	529	G	O4'-C1'-N9	8.64	115.11	108.20
3	AC	58	C	N3-C2-O2	-8.63	115.86	121.90
18	AR	62	ARG	NE-CZ-NH1	8.63	124.62	120.30
26	BB	1398	C	C2-N3-C4	8.63	124.22	119.90
26	BB	1820	U	O4'-C1'-C2'	-8.63	97.17	105.80
26	BB	2326	C	N3-C4-C5	8.63	125.35	121.90
1	AA	47	C	C5-C4-N4	8.63	126.24	120.20
1	AA	140	U	N3-C2-O2	-8.63	116.16	122.20
1	AA	530	G	N3-C4-N9	8.63	131.18	126.00
1	AA	1228	C	N3-C4-C5	-8.63	118.45	121.90
26	BB	279	A	C5-C6-N1	8.63	122.02	117.70
26	BB	818	G	N9-C4-C5	8.63	108.85	105.40
26	BB	982	C	O4'-C1'-N1	8.63	115.11	108.20
1	AA	868	C	C4-C5-C6	8.63	121.72	117.40
1	AA	1059	C	C2-N3-C4	-8.63	115.58	119.90
26	BB	1111	A	N9-C4-C5	8.63	109.25	105.80
26	BB	26	G	C4-C5-N7	-8.63	107.35	110.80
26	BB	1465	G	O4'-C1'-N9	8.63	115.10	108.20
1	AA	127	G	N1-C6-O6	-8.63	114.72	119.90
1	AA	451	A	C4-C5-N7	-8.63	106.39	110.70
1	AA	1198	G	C5-N7-C8	-8.63	99.99	104.30
1	AA	1279	G	N7-C8-N9	8.63	117.42	113.10
26	BB	1206	G	O4'-C1'-N9	8.63	115.10	108.20
26	BB	1351	C	C2-N3-C4	8.63	124.21	119.90
26	BB	1724	G	C2-N3-C4	8.63	116.21	111.90
26	BB	2139	U	N3-C2-O2	-8.63	116.16	122.20
26	BB	2856	A	C5-N7-C8	8.63	108.21	103.90
4	AD	28	U	C3'-C2'-C1'	8.62	108.40	101.50
26	BB	93	G	C5'-C4'-C3'	8.63	129.80	116.00
26	BB	1052	C	O4'-C1'-N1	8.62	115.10	108.20
26	BB	1265	A	O4'-C1'-N9	8.63	115.10	108.20
26	BB	1739	A	C6-N1-C2	8.63	123.78	118.60
26	BB	2365	G	C5-C6-O6	-8.62	123.42	128.60
1	AA	494	G	N9-C4-C5	-8.62	101.95	105.40
1	AA	1313	U	O4'-C1'-N1	8.62	115.10	108.20
26	BB	185	G	C5-C6-O6	-8.62	123.43	128.60
26	BB	2097	A	C4-C5-N7	-8.62	106.39	110.70
26	BB	2591	C	C6-N1-C2	-8.62	116.85	120.30
26	BB	2610	C	N1-C2-O2	8.62	124.07	118.90
26	BB	2781	A	N7-C8-N9	8.62	118.11	113.80
1	AA	1364	U	N3-C2-O2	-8.62	116.17	122.20
1	AA	1373	G	C8-N9-C4	-8.62	102.95	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1510	C	N3-C4-C5	8.62	125.35	121.90
26	BB	703	U	C5-C4-O4	-8.62	120.73	125.90
26	BB	1329	U	C2-N3-C4	-8.62	121.83	127.00
4	AD	49	C	N1-C2-O2	8.62	124.07	118.90
25	BA	63	C	C1'-O4'-C4'	-8.62	103.01	109.90
26	BB	1347	A	O4'-C1'-N9	8.62	115.09	108.20
26	BB	2516	A	C8-N9-C4	-8.62	102.35	105.80
26	BB	2731	G	C3'-C2'-C1'	8.62	108.39	101.50
1	AA	1371	G	C4-C5-C6	8.62	123.97	118.80
26	BB	2338	C	O4'-C1'-N1	8.62	115.09	108.20
26	BB	157	C	C2-N3-C4	8.61	124.21	119.90
26	BB	1206	G	C5-C6-N1	8.61	115.81	111.50
26	BB	1316	U	N1-C2-O2	8.62	128.83	122.80
26	BB	2732	G	C4-C5-C6	8.62	123.97	118.80
26	BB	1945	G	N3-C2-N2	8.61	125.93	119.90
26	BB	2505	G	C5-N7-C8	8.61	108.61	104.30
1	AA	122	G	N1-C6-O6	-8.61	114.73	119.90
1	AA	238	A	N1-C2-N3	-8.61	124.99	129.30
1	AA	1528	U	C5-C6-N1	-8.61	118.39	122.70
9	AI	49	TYR	CB-CG-CD1	-8.61	115.83	121.00
26	BB	471	A	N9-C4-C5	8.61	109.24	105.80
26	BB	1933	G	N9-C4-C5	8.61	108.84	105.40
26	BB	2003	A	O4'-C1'-N9	8.61	115.09	108.20
26	BB	2088	A	C5-N7-C8	-8.61	99.59	103.90
26	BB	2133	G	N3-C4-C5	-8.61	124.29	128.60
26	BB	2553	G	N3-C4-C5	-8.61	124.29	128.60
1	AA	535	A	N9-C4-C5	8.61	109.24	105.80
26	BB	1622	G	C4-C5-N7	-8.61	107.36	110.80
1	AA	269	C	C2-N3-C4	8.61	124.20	119.90
1	AA	1534	A	O4'-C1'-N9	8.61	115.09	108.20
26	BB	199	A	C2-N3-C4	8.61	114.91	110.60
26	BB	318	C	C6-N1-C2	-8.61	116.86	120.30
26	BB	2099	U	N3-C4-O4	8.61	125.42	119.40
26	BB	2798	U	N3-C2-O2	-8.61	116.17	122.20
1	AA	289	G	O4'-C4'-C3'	8.61	112.98	106.10
1	AA	517	G	C4-C5-N7	-8.61	107.36	110.80
1	AA	1187	G	N3-C2-N2	-8.61	113.88	119.90
22	AV	40	PHE	CB-CG-CD1	-8.61	114.78	120.80
1	AA	1152	A	O4'-C1'-N9	8.61	115.08	108.20
26	BB	593	U	O4'-C1'-N1	8.61	115.08	108.20
26	BB	695	G	O4'-C1'-N9	8.61	115.08	108.20
26	BB	970	U	N1-C2-N3	8.61	120.06	114.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2507	C	C6-N1-C2	-8.61	116.86	120.30
26	BB	2588	G	N3-C4-C5	-8.61	124.30	128.60
1	AA	81	A	C8-N9-C4	-8.60	102.36	105.80
1	AA	1061	G	N3-C2-N2	-8.60	113.88	119.90
1	AA	372	C	O4'-C1'-N1	-8.60	101.32	108.20
1	AA	715	A	N7-C8-N9	8.60	118.10	113.80
26	BB	142	A	C6-C5-N7	8.60	138.32	132.30
26	BB	1510	G	C8-N9-C4	-8.60	102.96	106.40
26	BB	1987	A	N7-C8-N9	-8.60	109.50	113.80
26	BB	2199	A	C5'-C4'-C3'	-8.60	102.24	116.00
1	AA	984	C	C4-C5-C6	-8.60	113.10	117.40
2	AB	56	C	C5-C6-N1	8.60	125.30	121.00
25	BA	51	G	C6-C5-N7	-8.60	125.24	130.40
26	BB	1791	A	N9-C4-C5	-8.60	102.36	105.80
1	AA	737	C	C5-C4-N4	-8.60	114.18	120.20
26	BB	8	C	C1'-O4'-C4'	-8.60	103.02	109.90
26	BB	2393	U	N1-C2-N3	8.60	120.06	114.90
26	BB	2461	A	N9-C4-C5	8.60	109.24	105.80
1	AA	898	G	N3-C4-C5	-8.60	124.30	128.60
1	AA	1278	G	O4'-C1'-N9	8.60	115.08	108.20
26	BB	371	A	C5-N7-C8	-8.60	99.60	103.90
26	BB	1441	G	C5-C6-N1	8.60	115.80	111.50
26	BB	1757	A	C5-C6-N1	8.60	122.00	117.70
26	BB	2138	G	C5-C6-N1	8.60	115.80	111.50
26	BB	2723	C	N3-C4-C5	-8.60	118.46	121.90
26	BB	592	A	N9-C4-C5	8.59	109.24	105.80
26	BB	1516	G	N9-C4-C5	8.59	108.84	105.40
1	AA	559	A	N9-C4-C5	-8.59	102.36	105.80
2	AB	28	C	N1-C2-O2	8.59	124.06	118.90
26	BB	222	A	C2-N3-C4	8.59	114.90	110.60
26	BB	503	A	N1-C6-N6	8.59	123.76	118.60
26	BB	1020	A	C5-C6-N1	8.59	122.00	117.70
26	BB	1703	G	C5-C6-O6	-8.59	123.44	128.60
26	BB	674	G	O4'-C1'-N9	8.59	115.07	108.20
1	AA	574	A	C8-N9-C4	-8.59	102.36	105.80
1	AA	707	U	C6-N1-C2	-8.59	115.84	121.00
1	AA	1534	A	C2-N3-C4	8.59	114.89	110.60
26	BB	1692	U	O4'-C1'-N1	8.59	115.07	108.20
26	BB	907	G	C2-N3-C4	8.59	116.19	111.90
26	BB	2107	G	C5-C6-O6	-8.59	123.45	128.60
26	BB	2277	G	C4-C5-N7	-8.59	107.36	110.80
1	AA	680	C	C4'-C3'-C2'	-8.59	94.01	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	729	A	N9-C4-C5	8.59	109.23	105.80
4	AD	66	C	C5-C6-N1	-8.59	116.71	121.00
26	BB	189	G	N3-C2-N2	-8.59	113.89	119.90
26	BB	2246	G	N7-C8-N9	8.59	117.39	113.10
26	BB	2729	G	C5-C6-O6	-8.59	123.45	128.60
1	AA	673	A	N3-C4-C5	-8.59	120.79	126.80
1	AA	760	G	C5-C6-O6	8.59	133.75	128.60
1	AA	997	U	C4-C5-C6	-8.59	114.55	119.70
1	AA	1153	G	N3-C2-N2	-8.59	113.89	119.90
1	AA	253	A	C8-N9-C4	-8.58	102.37	105.80
1	AA	563	A	C3'-C2'-C1'	8.58	108.37	101.50
1	AA	887	G	N1-C2-N2	8.58	123.92	116.20
4	AD	66	C	N1-C2-O2	8.58	124.05	118.90
25	BA	2	G	N1-C2-N2	8.58	123.92	116.20
26	BB	834	G	C4-C5-N7	-8.58	107.37	110.80
26	BB	2084	C	N3-C4-C5	8.58	125.33	121.90
26	BB	2797	U	P-O3'-C3'	8.58	130.00	119.70
26	BB	1628	G	N3-C4-C5	-8.58	124.31	128.60
26	BB	2501	C	N3-C4-C5	-8.58	118.47	121.90
1	AA	203	G	N3-C4-C5	-8.58	124.31	128.60
1	AA	671	G	N9-C4-C5	8.58	108.83	105.40
1	AA	667	G	C5-C6-O6	-8.58	123.45	128.60
1	AA	812	G	C2-N3-C4	8.58	116.19	111.90
1	AA	843	U	C2-N3-C4	-8.58	121.85	127.00
26	BB	365	U	C5-C4-O4	-8.58	120.75	125.90
4	AD	14	A	C5-C6-N1	-8.58	113.41	117.70
26	BB	825	A	N7-C8-N9	8.58	118.09	113.80
26	BB	2037	A	C5'-C4'-O4'	8.58	119.39	109.10
1	AA	769	G	N3-C4-N9	8.58	131.15	126.00
1	AA	1280	A	C6-N1-C2	8.58	123.75	118.60
2	AB	74	C	N1-C2-O2	8.58	124.05	118.90
26	BB	501	A	C5-C6-N1	8.58	121.99	117.70
1	AA	1440	U	O4'-C1'-N1	8.58	115.06	108.20
26	BB	497	A	N9-C4-C5	-8.57	102.37	105.80
26	BB	689	A	O4'-C1'-N9	-8.57	101.34	108.20
26	BB	2866	U	C5-C6-N1	8.57	126.99	122.70
26	BB	474	G	N3-C2-N2	-8.57	113.90	119.90
26	BB	706	A	C2-N3-C4	8.57	114.89	110.60
26	BB	1276	A	C5'-C4'-O4'	8.57	119.39	109.10
26	BB	1765	U	C3'-C2'-C1'	-8.57	94.64	101.50
26	BB	135	U	C5-C6-N1	-8.57	118.41	122.70
26	BB	2454	G	N1-C2-N3	-8.57	118.76	123.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	247	G	N1-C2-N2	-8.57	108.49	116.20
1	AA	602	A	N9-C4-C5	-8.57	102.37	105.80
1	AA	952	U	C6-N1-C2	-8.57	115.86	121.00
26	BB	650	C	C5-C6-N1	8.57	125.29	121.00
26	BB	1925	C	P-O3'-C3'	8.57	129.99	119.70
1	AA	510	A	N3-C4-C5	-8.57	120.80	126.80
26	BB	846	U	C1'-O4'-C4'	-8.57	103.04	109.90
26	BB	896	A	C4-C5-N7	8.57	114.98	110.70
26	BB	1890	A	O4'-C1'-N9	8.57	115.06	108.20
26	BB	2315	G	C5-N7-C8	-8.57	100.02	104.30
1	AA	434	U	P-O3'-C3'	8.57	129.98	119.70
1	AA	472	U	O4'-C4'-C3'	8.57	112.95	106.10
1	AA	882	C	N3-C4-C5	-8.57	118.47	121.90
1	AA	440	C	C5-C4-N4	8.57	126.20	120.20
1	AA	907	A	O4'-C1'-N9	8.57	115.05	108.20
1	AA	917	G	C6-C5-N7	-8.57	125.26	130.40
30	BF	191	ASP	CB-CG-OD2	-8.57	110.59	118.30
26	BB	523	C	N3-C4-C5	8.56	125.33	121.90
26	BB	1395	A	C6-N1-C2	8.56	123.74	118.60
26	BB	1419	A	N9-C1'-C2'	-8.56	102.58	112.00
26	BB	2738	A	C5-N7-C8	-8.56	99.62	103.90
1	AA	289	G	C4'-C3'-C2'	-8.56	94.04	102.60
25	BA	8	C	C6-N1-C2	8.56	123.72	120.30
26	BB	53	A	C5-C6-N1	-8.56	113.42	117.70
26	BB	488	G	N9-C4-C5	8.56	108.83	105.40
26	BB	544	C	O4'-C1'-N1	8.56	115.05	108.20
26	BB	919	U	N3-C2-O2	-8.56	116.20	122.20
26	BB	2127	G	C8-N9-C4	-8.56	102.97	106.40
26	BB	2230	G	C4-C5-N7	8.56	114.22	110.80
26	BB	2390	U	C4'-C3'-C2'	8.56	111.16	102.60
35	BK	102	ARG	NE-CZ-NH2	-8.56	116.02	120.30
1	AA	591	U	N1-C2-N3	8.56	120.04	114.90
1	AA	791	G	C5-C6-N1	8.56	115.78	111.50
1	AA	1140	C	N3-C4-C5	8.56	125.32	121.90
25	BA	100	G	C4-C5-N7	8.56	114.22	110.80
26	BB	516	C	P-O3'-C3'	8.56	129.97	119.70
26	BB	544	C	N3-C4-C5	-8.56	118.48	121.90
26	BB	566	U	N3-C4-O4	8.56	125.39	119.40
26	BB	597	G	N3-C4-N9	8.56	131.14	126.00
26	BB	954	G	C6-C5-N7	-8.56	125.26	130.40
26	BB	1250	G	C6-C5-N7	-8.56	125.26	130.40
26	BB	1495	A	C5-N7-C8	-8.56	99.62	103.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2095	A	C5-C6-N6	-8.56	116.85	123.70
26	BB	2397	G	N9-C4-C5	8.56	108.83	105.40
26	BB	2425	A	O4'-C1'-N9	8.56	115.05	108.20
40	BP	103	ARG	NE-CZ-NH2	-8.56	116.02	120.30
49	BY	54	ARG	NE-CZ-NH2	-8.56	116.02	120.30
1	AA	353	A	O4'-C1'-N9	8.56	115.05	108.20
1	AA	571	U	O4'-C1'-N1	8.56	115.05	108.20
1	AA	581	G	N3-C4-C5	8.56	132.88	128.60
1	AA	547	A	C8-N9-C4	-8.56	102.38	105.80
1	AA	561	U	C3'-C2'-C1'	8.56	108.34	101.50
1	AA	1376	U	N3-C2-O2	-8.56	116.21	122.20
26	BB	226	A	C8-N9-C4	-8.56	102.38	105.80
26	BB	953	G	C8-N9-C4	-8.56	102.98	106.40
26	BB	1585	C	C5'-C4'-O4'	8.56	119.37	109.10
26	BB	1747	U	N3-C2-O2	-8.56	116.21	122.20
26	BB	2837	A	N1-C6-N6	-8.56	113.47	118.60
1	AA	781	A	C2-N3-C4	8.56	114.88	110.60
26	BB	226	A	O4'-C4'-C3'	8.56	112.94	106.10
26	BB	586	A	C6-N1-C2	8.56	123.73	118.60
26	BB	1365	A	C4-C5-N7	-8.56	106.42	110.70
26	BB	2212	A	C5-C6-N1	-8.55	113.42	117.70
1	AA	487	A	C5-C6-N1	8.55	121.98	117.70
1	AA	1182	G	N1-C6-O6	-8.55	114.77	119.90
4	AD	54	G	C8-N9-C4	-8.55	102.98	106.40
26	BB	751	A	O4'-C1'-N9	8.55	115.04	108.20
26	BB	1640	A	C4-C5-N7	-8.55	106.42	110.70
26	BB	2760	C	C5-C6-N1	8.55	125.28	121.00
26	BB	2895	G	O4'-C1'-N9	8.55	115.04	108.20
26	BB	2902	C	N3-C4-N4	-8.55	112.01	118.00
24	AX	44	ARG	NE-CZ-NH1	8.55	124.58	120.30
26	BB	103	A	C6-C5-N7	8.55	138.29	132.30
26	BB	777	G	C6-N1-C2	-8.55	119.97	125.10
26	BB	744	U	C2-N3-C4	-8.55	121.87	127.00
26	BB	1217	U	C4-C5-C6	8.55	124.83	119.70
26	BB	2880	C	N3-C4-C5	-8.55	118.48	121.90
26	BB	91	A	C8-N9-C4	-8.55	102.38	105.80
26	BB	568	U	O4'-C1'-N1	8.55	115.04	108.20
26	BB	996	A	C5-C6-N1	8.55	121.97	117.70
26	BB	1739	A	C4-C5-N7	-8.55	106.42	110.70
1	AA	807	A	C5-N7-C8	-8.55	99.63	103.90
1	AA	101	A	C8-N9-C4	-8.54	102.38	105.80
1	AA	1411	C	N3-C4-C5	-8.54	118.48	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	404	A	C4-C5-C6	-8.55	112.73	117.00
26	BB	1190	G	N7-C8-N9	-8.55	108.83	113.10
26	BB	1635	A	C5-N7-C8	8.54	108.17	103.90
26	BB	2306	C	C6-N1-C2	-8.54	116.88	120.30
26	BB	2653	U	C2-N3-C4	-8.55	121.87	127.00
26	BB	2676	C	C6-N1-C2	-8.54	116.88	120.30
1	AA	482	A	N9-C4-C5	8.54	109.22	105.80
1	AA	633	G	N3-C4-N9	-8.54	120.87	126.00
1	AA	380	G	N3-C4-N9	8.54	131.12	126.00
1	AA	655	A	N7-C8-N9	8.54	118.07	113.80
1	AA	1067	A	N9-C4-C5	8.54	109.22	105.80
26	BB	194	G	C5-C6-N1	8.54	115.77	111.50
26	BB	1515	A	N3-C4-C5	-8.54	120.82	126.80
26	BB	1559	U	C5-C6-N1	-8.54	118.43	122.70
26	BB	1818	U	C2-N3-C4	-8.54	121.88	127.00
26	BB	2279	G	C2-N3-C4	8.54	116.17	111.90
14	AN	60	PHE	CB-CG-CD1	-8.54	114.82	120.80
1	AA	270	A	C2-N3-C4	8.54	114.87	110.60
1	AA	508	U	C2-N3-C4	-8.54	121.88	127.00
2	AB	35	C	N3-C4-N4	8.54	123.98	118.00
26	BB	1615	C	C5-C6-N1	8.54	125.27	121.00
1	AA	573	A	N1-C2-N3	-8.54	125.03	129.30
1	AA	671	G	N7-C8-N9	8.54	117.37	113.10
1	AA	777	A	C5-C6-N6	-8.54	116.87	123.70
1	AA	1034	G	N1-C6-O6	8.54	125.02	119.90
26	BB	2476	A	C3'-C2'-C1'	-8.54	94.67	101.50
26	BB	1798	U	C5-C4-O4	-8.54	120.78	125.90
26	BB	1179	G	N3-C4-N9	8.54	131.12	126.00
1	AA	530	G	C5-C6-N1	8.53	115.77	111.50
1	AA	1482	G	C8-N9-C4	8.53	109.81	106.40
26	BB	170	U	N3-C2-O2	-8.54	116.23	122.20
26	BB	271	G	C5-N7-C8	-8.54	100.03	104.30
26	BB	1458	U	N1-C2-N3	8.54	120.02	114.90
26	BB	1498	C	N3-C4-N4	8.54	123.98	118.00
1	AA	66	A	C8-N9-C4	-8.53	102.39	105.80
1	AA	451	A	N7-C8-N9	8.53	118.07	113.80
1	AA	737	C	O4'-C1'-N1	8.53	115.03	108.20
1	AA	1417	G	P-O3'-C3'	8.53	129.94	119.70
3	AC	21	U	O4'-C1'-N1	8.53	115.03	108.20
26	BB	1135	C	N1-C2-O2	8.53	124.02	118.90
4	AD	14	A	C4-C5-N7	-8.53	106.43	110.70
26	BB	465	G	C5-C6-O6	-8.53	123.48	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1243	C	O4'-C1'-N1	8.53	115.03	108.20
26	BB	1406	U	O4'-C1'-N1	8.53	115.03	108.20
26	BB	2050	C	N3-C2-O2	-8.53	115.93	121.90
1	AA	597	G	O4'-C1'-N9	8.53	115.02	108.20
1	AA	1147	C	C5-C6-N1	8.53	125.27	121.00
1	AA	1434	A	C5-C6-N6	8.53	130.52	123.70
26	BB	53	A	C6-C5-N7	-8.53	126.33	132.30
26	BB	1241	A	C2-N3-C4	8.53	114.86	110.60
26	BB	2819	G	N3-C4-C5	-8.53	124.34	128.60
1	AA	944	G	P-O3'-C3'	8.53	129.93	119.70
1	AA	1067	A	N1-C6-N6	-8.53	113.48	118.60
26	BB	1808	A	C5-N7-C8	-8.53	99.64	103.90
26	BB	2302	U	N1-C2-O2	8.53	128.77	122.80
26	BB	2515	C	N3-C4-C5	-8.53	118.49	121.90
40	BP	86	ARG	NE-CZ-NH2	-8.53	116.04	120.30
1	AA	777	A	N1-C6-N6	8.53	123.72	118.60
1	AA	829	G	C1'-O4'-C4'	8.53	116.72	109.90
1	AA	1027	C	C6-N1-C2	-8.53	116.89	120.30
26	BB	406	G	C8-N9-C4	-8.53	102.99	106.40
26	BB	717	C	C2-N3-C4	-8.53	115.64	119.90
1	AA	1529	G	N3-C4-C5	-8.52	124.34	128.60
25	BA	88	C	C5-C6-N1	8.52	125.26	121.00
26	BB	1360	G	N1-C6-O6	-8.52	114.79	119.90
1	AA	199	A	C4'-C3'-C2'	-8.52	94.08	102.60
25	BA	45	A	O4'-C1'-N9	8.52	115.02	108.20
26	BB	33	C	C2-N3-C4	-8.52	115.64	119.90
26	BB	1852	U	N3-C2-O2	-8.52	116.23	122.20
26	BB	582	A	C2-N3-C4	-8.52	106.34	110.60
26	BB	1857	G	N1-C2-N3	-8.52	118.79	123.90
1	AA	1159	U	N1-C2-N3	8.52	120.01	114.90
1	AA	1460	C	N1-C1'-C2'	-8.52	102.63	112.00
26	BB	1553	A	C4-C5-C6	-8.52	112.74	117.00
26	BB	1879	C	N3-C2-O2	-8.52	115.94	121.90
26	BB	2646	C	C5-C4-N4	-8.52	114.24	120.20
1	AA	47	C	N3-C4-N4	-8.52	112.04	118.00
1	AA	358	U	O4'-C1'-N1	8.52	115.01	108.20
1	AA	812	G	N7-C8-N9	8.52	117.36	113.10
26	BB	553	G	N1-C2-N3	8.52	129.01	123.90
26	BB	1038	G	C6-C5-N7	-8.52	125.29	130.40
1	AA	1125	U	C3'-C2'-C1'	8.52	108.31	101.50
26	BB	314	C	O4'-C1'-N1	8.52	115.01	108.20
26	BB	1238	G	C4-C5-C6	8.52	123.91	118.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2521	C	C5-C4-N4	8.52	126.16	120.20
1	AA	148	G	N9-C4-C5	8.51	108.81	105.40
1	AA	1370	G	N3-C4-C5	-8.51	124.34	128.60
1	AA	1493	A	O4'-C1'-N9	8.51	115.01	108.20
1	AA	1507	A	C3'-C2'-C1'	-8.51	94.69	101.50
2	AB	75	C	C4-C5-C6	-8.51	113.14	117.40
4	AD	59	A	C8-N9-C4	-8.51	102.39	105.80
12	AL	6	TYR	CG-CD1-CE1	-8.51	114.49	121.30
26	BB	531	C	N3-C2-O2	-8.51	115.94	121.90
26	BB	1115	G	C8-N9-C4	-8.51	103.00	106.40
26	BB	1706	C	O4'-C1'-N1	8.51	115.01	108.20
26	BB	2633	G	N9-C4-C5	-8.51	102.00	105.40
26	BB	2731	G	C2-N3-C4	8.51	116.16	111.90
26	BB	2739	U	C3'-C2'-C1'	8.51	108.31	101.50
53	B2	25	ARG	NH1-CZ-NH2	-8.51	110.03	119.40
1	AA	20	U	N3-C2-O2	-8.51	116.24	122.20
1	AA	59	A	C2-N3-C4	8.51	114.86	110.60
1	AA	111	G	N9-C4-C5	8.51	108.80	105.40
1	AA	1084	G	N3-C4-C5	-8.51	124.34	128.60
26	BB	1645	G	N9-C4-C5	8.51	108.80	105.40
1	AA	65	A	C5-C6-N1	8.51	121.95	117.70
1	AA	1216	A	O4'-C1'-N9	8.51	115.01	108.20
1	AA	1276	G	C6-C5-N7	-8.51	125.30	130.40
26	BB	2659	G	N9-C4-C5	-8.51	102.00	105.40
26	BB	2840	C	O4'-C1'-N1	8.51	115.01	108.20
1	AA	56	U	N1-C2-O2	-8.51	116.84	122.80
1	AA	947	G	O4'-C1'-N9	8.51	115.00	108.20
1	AA	1409	C	N1-C2-O2	8.51	124.00	118.90
26	BB	1360	G	O4'-C1'-N9	8.51	115.01	108.20
26	BB	2246	G	N3-C4-C5	-8.51	124.35	128.60
26	BB	2391	G	C8-N9-C4	-8.51	103.00	106.40
26	BB	400	G	C4-C5-C6	8.51	123.90	118.80
26	BB	462	C	C6-N1-C2	-8.51	116.90	120.30
26	BB	1554	U	C5-C4-O4	-8.51	120.80	125.90
26	BB	1818	U	N1-C2-N3	8.51	120.00	114.90
26	BB	2047	C	C3'-C2'-C1'	8.51	108.31	101.50
26	BB	2055	C	C4-C5-C6	-8.51	113.15	117.40
1	AA	211	G	C5-C6-N1	8.50	115.75	111.50
25	BA	12	C	N3-C2-O2	-8.50	115.95	121.90
1	AA	617	G	O4'-C1'-N9	8.50	115.00	108.20
26	BB	178	G	N9-C4-C5	8.50	108.80	105.40
26	BB	1037	G	C4-C5-C6	8.50	123.90	118.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1051	G	C4-C5-N7	-8.50	107.40	110.80
26	BB	1278	C	N3-C4-N4	8.50	123.95	118.00
26	BB	1807	G	C6-N1-C2	-8.50	120.00	125.10
26	BB	1838	C	O4'-C1'-N1	8.50	115.00	108.20
26	BB	2175	C	O4'-C1'-N1	8.50	115.00	108.20
1	AA	16	A	N9-C4-C5	8.50	109.20	105.80
1	AA	1073	U	N3-C4-O4	8.50	125.35	119.40
26	BB	1639	C	C3'-C2'-C1'	8.50	108.30	101.50
26	BB	2216	G	N3-C4-C5	-8.50	124.35	128.60
26	BB	2389	G	C5-N7-C8	-8.50	100.05	104.30
1	AA	1046	A	C2-N3-C4	8.50	114.85	110.60
1	AA	1429	A	C3'-C2'-C1'	-8.50	94.70	101.50
1	AA	1526	G	N1-C6-O6	8.50	125.00	119.90
26	BB	218	A	C4-C5-C6	-8.50	112.75	117.00
26	BB	1098	A	N1-C6-N6	-8.50	113.50	118.60
26	BB	226	A	N1-C2-N3	-8.50	125.05	129.30
26	BB	1448	G	C5'-C4'-O4'	8.50	119.30	109.10
26	BB	1809	A	C8-N9-C4	8.50	109.20	105.80
26	BB	1876	A	N9-C4-C5	8.50	109.20	105.80
26	BB	2673	G	O4'-C1'-N9	8.50	115.00	108.20
1	AA	553	A	N1-C2-N3	-8.49	125.05	129.30
1	AA	959	A	C8-N9-C4	8.49	109.20	105.80
26	BB	22	C	C2-N3-C4	8.49	124.15	119.90
26	BB	1031	G	O4'-C1'-N9	8.49	115.00	108.20
26	BB	1154	G	N3-C2-N2	8.49	125.85	119.90
26	BB	1337	G	C8-N9-C4	-8.49	103.00	106.40
26	BB	1865	U	C2-N3-C4	-8.49	121.90	127.00
2	AB	65	C	C5'-C4'-O4'	8.49	119.29	109.10
26	BB	435	C	O4'-C1'-N1	8.49	114.99	108.20
26	BB	772	C	C5-C4-N4	-8.49	114.25	120.20
26	BB	2146	C	N1-C2-O2	8.49	124.00	118.90
1	AA	373	A	C2-N3-C4	8.49	114.84	110.60
1	AA	384	G	O4'-C1'-N9	8.49	114.99	108.20
26	BB	999	U	N1-C2-O2	-8.49	116.86	122.80
26	BB	2248	C	N3-C2-O2	-8.49	115.96	121.90
26	BB	2780	G	N3-C4-C5	-8.49	124.36	128.60
1	AA	844	G	C8-N9-C4	-8.49	103.00	106.40
2	AB	19	G	C4-C5-N7	-8.49	107.41	110.80
26	BB	579	G	N9-C4-C5	8.49	108.79	105.40
26	BB	612	G	N3-C4-C5	-8.49	124.36	128.60
26	BB	949	G	C6-C5-N7	-8.49	125.31	130.40
26	BB	1300	G	N9-C4-C5	8.49	108.79	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1801	A	N1-C6-N6	8.49	123.69	118.60
26	BB	2506	U	O4'-C1'-N1	8.49	114.99	108.20
26	BB	2543	G	C5-C6-N1	-8.49	107.26	111.50
1	AA	493	A	N7-C8-N9	8.48	118.04	113.80
26	BB	281	C	N3-C4-N4	8.48	123.94	118.00
26	BB	1373	A	N1-C6-N6	-8.48	113.51	118.60
26	BB	2536	G	N9-C4-C5	8.48	108.79	105.40
1	AA	761	G	C5-N7-C8	-8.48	100.06	104.30
1	AA	231	U	C5-C4-O4	-8.48	120.81	125.90
1	AA	280	C	C5-C6-N1	8.48	125.24	121.00
1	AA	626	G	N7-C8-N9	8.48	117.34	113.10
4	AD	43	G	N7-C8-N9	8.48	117.34	113.10
26	BB	38	A	C1'-O4'-C4'	-8.48	103.11	109.90
26	BB	518	G	C1'-O4'-C4'	8.48	116.68	109.90
26	BB	806	C	N3-C4-N4	8.48	123.94	118.00
26	BB	1309	G	N1-C6-O6	-8.48	114.81	119.90
26	BB	1922	G	C5-N7-C8	-8.48	100.06	104.30
26	BB	2127	G	N7-C8-N9	8.48	117.34	113.10
2	AB	39	A	C5-C6-N1	8.48	121.94	117.70
26	BB	1458	U	C6-N1-C2	-8.48	115.91	121.00
26	BB	2360	G	O4'-C1'-N9	8.48	114.98	108.20
26	BB	1281	G	C2-N3-C4	8.48	116.14	111.90
26	BB	1482	G	C6-C5-N7	-8.48	125.31	130.40
26	BB	2125	G	N9-C4-C5	8.48	108.79	105.40
1	AA	554	A	C4-C5-N7	-8.47	106.46	110.70
1	AA	670	G	O4'-C1'-N9	8.47	114.98	108.20
1	AA	1328	C	N3-C2-O2	-8.47	115.97	121.90
10	AJ	118	ARG	NE-CZ-NH2	-8.47	116.06	120.30
26	BB	692	C	C5-C4-N4	-8.47	114.27	120.20
1	AA	1274	A	P-O3'-C3'	8.47	129.87	119.70
26	BB	21	A	N7-C8-N9	8.47	118.04	113.80
26	BB	1749	A	O4'-C1'-N9	8.47	114.98	108.20
26	BB	2120	G	C6-C5-N7	-8.47	125.31	130.40
26	BB	591	U	O4'-C1'-N1	8.47	114.98	108.20
26	BB	989	G	C2-N3-C4	8.47	116.14	111.90
26	BB	1710	G	C1'-O4'-C4'	-8.47	103.12	109.90
26	BB	1858	A	C6-N1-C2	-8.47	113.52	118.60
26	BB	2125	G	O4'-C1'-N9	8.47	114.98	108.20
7	AG	55	ARG	NE-CZ-NH1	8.47	124.54	120.30
26	BB	65	U	O4'-C1'-N1	8.47	114.98	108.20
26	BB	156	A	C5-C6-N1	8.47	121.94	117.70
26	BB	950	G	O4'-C1'-N9	8.47	114.98	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	998	C	N3-C4-C5	-8.47	118.51	121.90
26	BB	1834	U	O4'-C1'-N1	8.47	114.98	108.20
26	BB	2567	G	C8-N9-C4	-8.47	103.01	106.40
26	BB	2638	G	O4'-C1'-N9	8.47	114.98	108.20
1	AA	963	G	N7-C8-N9	8.47	117.33	113.10
1	AA	1181	G	N7-C8-N9	8.47	117.33	113.10
26	BB	2425	A	C1'-O4'-C4'	-8.47	103.12	109.90
1	AA	1006	G	N3-C4-N9	8.47	131.08	126.00
1	AA	1133	G	C2-N3-C4	8.47	116.13	111.90
26	BB	765	C	C3'-C2'-C1'	8.47	108.27	101.50
26	BB	1398	C	C6-N1-C2	-8.47	116.91	120.30
26	BB	1540	G	N3-C2-N2	-8.47	113.97	119.90
26	BB	1656	C	N3-C4-N4	8.47	123.93	118.00
26	BB	1964	G	C5-N7-C8	-8.47	100.07	104.30
1	AA	226	G	C4-C5-N7	-8.47	107.41	110.80
26	BB	1365	A	N1-C2-N3	-8.47	125.07	129.30
26	BB	1444	G	C6-C5-N7	-8.47	125.32	130.40
26	BB	1506	U	N3-C4-O4	8.47	125.33	119.40
1	AA	587	G	N3-C4-C5	-8.46	124.37	128.60
1	AA	805	C	N3-C2-O2	-8.46	115.97	121.90
1	AA	1031	C	N1-C2-N3	-8.46	113.28	119.20
26	BB	2386	A	C4-C5-C6	8.46	121.23	117.00
26	BB	2680	U	C3'-C2'-C1'	8.46	108.27	101.50
1	AA	140	U	N1-C2-N3	8.46	119.98	114.90
26	BB	1054	A	C4'-C3'-C2'	-8.46	94.14	102.60
26	BB	1919	A	N1-C2-N3	-8.46	125.07	129.30
1	AA	101	A	C5-C6-N6	-8.46	116.93	123.70
1	AA	128	G	C8-N9-C4	-8.46	103.02	106.40
1	AA	1044	A	C5'-C4'-O4'	8.46	119.25	109.10
4	AD	37	U	C4-C5-C6	8.46	124.78	119.70
26	BB	670	A	C2-N3-C4	8.46	114.83	110.60
26	BB	2530	A	N1-C2-N3	-8.46	125.07	129.30
1	AA	177	G	C3'-C2'-C1'	8.46	108.27	101.50
1	AA	179	A	C8-N9-C4	-8.46	102.42	105.80
1	AA	695	A	O4'-C1'-N9	8.46	114.97	108.20
1	AA	1318	A	N1-C6-N6	-8.46	113.52	118.60
1	AA	423	G	C2-N3-C4	8.46	116.13	111.90
26	BB	667	U	C4-C5-C6	8.46	124.78	119.70
26	BB	1279	G	C8-N9-C4	-8.46	103.02	106.40
26	BB	1501	G	C2-N3-C4	8.46	116.13	111.90
4	AD	42	C	O4'-C1'-N1	8.46	114.97	108.20
26	BB	888	C	O4'-C1'-N1	8.46	114.97	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2776	A	C1'-O4'-C4'	-8.46	103.13	109.90
1	AA	212	G	N1-C6-O6	8.45	124.97	119.90
1	AA	395	C	O4'-C1'-N1	8.46	114.96	108.20
4	AD	22	A	C4-C5-N7	-8.46	106.47	110.70
4	AD	31	G	N3-C4-N9	8.46	131.07	126.00
26	BB	473	G	C5-C6-O6	-8.46	123.53	128.60
26	BB	1571	A	N3-C4-N9	8.45	134.16	127.40
26	BB	1931	U	N1-C2-O2	8.46	128.72	122.80
26	BB	2064	C	N3-C4-C5	-8.45	118.52	121.90
26	BB	2183	A	C5'-C4'-O4'	8.45	119.25	109.10
26	BB	2412	A	C2-N3-C4	8.46	114.83	110.60
26	BB	2559	C	C4-C5-C6	8.46	121.63	117.40
26	BB	2594	C	N3-C4-N4	8.46	123.92	118.00
26	BB	2651	C	O4'-C1'-N1	8.46	114.96	108.20
26	BB	2871	U	N3-C2-O2	-8.46	116.28	122.20
1	AA	909	A	C4-C5-N7	-8.45	106.47	110.70
1	AA	188	C	C4-C5-C6	8.45	121.63	117.40
26	BB	1698	A	N1-C6-N6	-8.45	113.53	118.60
26	BB	2011	U	C5-C6-N1	-8.45	118.47	122.70
26	BB	2845	U	O4'-C1'-N1	8.45	114.96	108.20
1	AA	3	A	C8-N9-C4	-8.45	102.42	105.80
1	AA	559	A	C5-N7-C8	-8.45	99.68	103.90
1	AA	812	G	C5-C6-O6	-8.45	123.53	128.60
26	BB	577	G	C5-N7-C8	-8.45	100.08	104.30
26	BB	2711	A	C4-C5-C6	-8.45	112.78	117.00
1	AA	614	C	C6-N1-C2	-8.45	116.92	120.30
1	AA	767	A	C8-N9-C4	-8.45	102.42	105.80
26	BB	308	G	C6-C5-N7	8.45	135.47	130.40
1	AA	334	C	O4'-C1'-N1	8.45	114.96	108.20
1	AA	900	A	C5-C6-N1	8.45	121.92	117.70
4	AD	53	G	C6-C5-N7	-8.45	125.33	130.40
26	BB	2238	G	O4'-C4'-C3'	8.45	112.86	106.10
2	AB	6	C	N3-C4-N4	8.45	123.91	118.00
26	BB	91	A	N1-C2-N3	-8.45	125.08	129.30
26	BB	681	G	C4-C5-N7	-8.44	107.42	110.80
26	BB	1517	G	C6-C5-N7	-8.45	125.33	130.40
26	BB	1597	A	N1-C6-N6	8.45	123.67	118.60
26	BB	2394	C	C5-C6-N1	-8.45	116.78	121.00
26	BB	2642	G	C8-N9-C4	-8.45	103.02	106.40
37	BM	30	ARG	NE-CZ-NH2	-8.45	116.08	120.30
26	BB	2751	G	C5-N7-C8	8.44	108.52	104.30
25	BA	34	A	C4-C5-C6	-8.44	112.78	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	151	A	C6-C5-N7	8.44	138.21	132.30
1	AA	649	A	C4-C5-C6	8.44	121.22	117.00
26	BB	979	A	C1'-O4'-C4'	8.44	116.65	109.90
26	BB	1026	G	C8-N9-C4	-8.44	103.02	106.40
26	BB	1101	U	O4'-C1'-N1	8.44	114.95	108.20
26	BB	1603	A	C5-C6-N1	8.44	121.92	117.70
1	AA	1224	U	P-O3'-C3'	8.44	129.83	119.70
1	AA	390	U	N1-C2-N3	8.44	119.96	114.90
1	AA	435	A	N1-C6-N6	-8.44	113.54	118.60
26	BB	1047	G	N3-C4-N9	8.44	131.06	126.00
26	BB	2027	G	C4-C5-N7	-8.44	107.42	110.80
26	BB	2496	C	C3'-C2'-C1'	8.44	108.25	101.50
3	AC	16	A	C6-N1-C2	8.44	123.66	118.60
26	BB	30	G	C5-C6-O6	-8.44	123.54	128.60
26	BB	520	G	C4-C5-C6	8.44	123.86	118.80
26	BB	1044	C	C5-C4-N4	-8.44	114.30	120.20
26	BB	1867	G	C4-C5-N7	8.44	114.17	110.80
26	BB	2382	G	N9-C4-C5	8.44	108.78	105.40
26	BB	2588	G	O4'-C1'-N9	8.44	114.95	108.20
26	BB	2621	G	C5-C6-N1	8.44	115.72	111.50
26	BB	2847	U	O4'-C1'-N1	8.44	114.95	108.20
1	AA	48	C	O4'-C1'-N1	8.43	114.95	108.20
26	BB	564	C	C4'-C3'-C2'	-8.43	94.17	102.60
26	BB	1075	C	C5-C6-N1	8.43	125.22	121.00
26	BB	1222	U	N3-C2-O2	-8.43	116.30	122.20
26	BB	1115	G	N3-C4-C5	-8.43	124.38	128.60
26	BB	2004	G	C2-N3-C4	8.43	116.12	111.90
26	BB	2209	G	C6-N1-C2	-8.43	120.04	125.10
1	AA	375	U	O4'-C1'-N1	8.43	114.94	108.20
24	AX	6	ARG	NE-CZ-NH1	8.43	124.52	120.30
26	BB	2093	G	C5-C6-N1	8.43	115.72	111.50
1	AA	224	U	P-O3'-C3'	8.43	129.81	119.70
1	AA	890	G	N3-C4-N9	8.43	131.06	126.00
6	AF	38	VAL	CA-CB-CG1	8.43	123.54	110.90
25	BA	120	U	C5-C6-N1	-8.43	118.48	122.70
26	BB	77	G	C4-C5-C6	8.43	123.86	118.80
26	BB	135	U	C5-C4-O4	-8.43	120.84	125.90
26	BB	617	G	N1-C2-N3	-8.43	118.84	123.90
26	BB	1903	G	C8-N9-C4	-8.43	103.03	106.40
26	BB	1943	U	N1-C2-N3	8.43	119.96	114.90
26	BB	2534	A	C8-N9-C4	-8.43	102.43	105.80
1	AA	388	G	C8-N9-C4	-8.43	103.03	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	54	G	N3-C4-C5	-8.43	124.39	128.60
26	BB	340	A	C4-C5-C6	8.43	121.21	117.00
26	BB	478	A	C4-C5-C6	-8.43	112.79	117.00
26	BB	1514	G	C8-N9-C4	-8.43	103.03	106.40
26	BB	1959	G	O4'-C1'-N9	8.43	114.94	108.20
26	BB	2023	C	N3-C2-O2	-8.43	116.00	121.90
1	AA	267	C	N3-C2-O2	-8.42	116.00	121.90
1	AA	629	A	C5'-C4'-O4'	8.42	119.21	109.10
1	AA	851	G	C5-C6-O6	-8.42	123.55	128.60
26	BB	63	A	C4-C5-C6	8.42	121.21	117.00
26	BB	616	A	C8-N9-C4	-8.42	102.43	105.80
26	BB	1425	G	N3-C2-N2	-8.42	114.00	119.90
1	AA	1013	G	C4-C5-C6	8.42	123.85	118.80
26	BB	549	G	C8-N9-C4	-8.42	103.03	106.40
26	BB	1325	U	N1-C2-N3	8.42	119.95	114.90
26	BB	1449	G	C5-N7-C8	8.42	108.51	104.30
26	BB	2110	G	C5-N7-C8	8.42	108.51	104.30
26	BB	2396	G	C4'-C3'-C2'	-8.42	94.18	102.60
1	AA	437	U	O4'-C1'-N1	8.42	114.94	108.20
1	AA	1424	U	N3-C2-O2	-8.42	116.31	122.20
26	BB	376	G	C8-N9-C4	-8.42	103.03	106.40
26	BB	534	U	C5'-C4'-O4'	8.42	119.20	109.10
26	BB	684	G	C2-N3-C4	8.42	116.11	111.90
26	BB	1238	G	C5-C6-O6	-8.42	123.55	128.60
26	BB	1537	G	C8-N9-C4	-8.42	103.03	106.40
26	BB	2136	G	C8-N9-C4	-8.42	103.03	106.40
26	BB	2699	C	C2-N3-C4	8.42	124.11	119.90
1	AA	132	C	N3-C2-O2	-8.42	116.01	121.90
1	AA	1493	A	C4-C5-C6	-8.42	112.79	117.00
1	AA	1310	G	C5'-C4'-O4'	8.42	119.20	109.10
26	BB	575	A	N7-C8-N9	-8.42	109.59	113.80
26	BB	2382	G	C2-N3-C4	8.42	116.11	111.90
1	AA	453	G	C2-N3-C4	8.41	116.11	111.90
1	AA	524	G	N9-C4-C5	8.41	108.77	105.40
26	BB	54	G	C5-N7-C8	-8.41	100.09	104.30
26	BB	832	U	C2-N3-C4	-8.41	121.95	127.00
1	AA	1138	G	C5-C6-O6	-8.41	123.55	128.60
14	AN	126	ARG	NE-CZ-NH2	-8.41	116.09	120.30
25	BA	31	C	C6-N1-C2	-8.41	116.94	120.30
26	BB	530	G	C6-C5-N7	-8.41	125.35	130.40
26	BB	698	C	N3-C4-N4	-8.41	112.11	118.00
26	BB	1191	G	N9-C4-C5	8.41	108.77	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	735	A	C1'-O4'-C4'	-8.41	103.17	109.90
26	BB	957	C	C4-C5-C6	8.41	121.61	117.40
26	BB	2227	A	C5-C6-N1	8.41	121.91	117.70
26	BB	2591	C	C5-C4-N4	-8.41	114.31	120.20
1	AA	481	G	C4-C5-N7	-8.41	107.44	110.80
1	AA	677	U	C2-N3-C4	-8.41	121.95	127.00
26	BB	1705	A	C5-C6-N6	-8.41	116.97	123.70
26	BB	519	U	C6-N1-C2	-8.41	115.95	121.00
26	BB	1266	G	N3-C2-N2	8.41	125.79	119.90
26	BB	1378	A	C5-N7-C8	8.41	108.11	103.90
26	BB	1616	A	C8-N9-C4	-8.41	102.44	105.80
26	BB	2178	C	N3-C2-O2	-8.41	116.01	121.90
26	BB	2466	C	C4-C5-C6	8.41	121.61	117.40
26	BB	2535	G	C5-N7-C8	8.41	108.51	104.30
26	BB	2562	U	C1'-O4'-C4'	8.41	116.63	109.90
1	AA	119	A	C5-N7-C8	8.41	108.10	103.90
1	AA	427	U	N1-C2-O2	8.41	128.68	122.80
1	AA	1412	C	O4'-C1'-N1	8.41	114.93	108.20
1	AA	1413	A	N9-C4-C5	8.41	109.16	105.80
3	AC	13	A	N7-C8-N9	8.41	118.00	113.80
26	BB	317	G	C2-N3-C4	8.41	116.10	111.90
26	BB	1105	U	C5-C6-N1	-8.41	118.50	122.70
26	BB	63	A	C2-N3-C4	-8.41	106.40	110.60
26	BB	361	G	N1-C2-N3	-8.41	118.86	123.90
1	AA	547	A	O4'-C1'-C2'	-8.40	97.39	105.80
1	AA	751	U	N3-C2-O2	-8.40	116.32	122.20
1	AA	1099	G	C4-C5-N7	-8.40	107.44	110.80
26	BB	63	A	N1-C2-N3	8.40	133.50	129.30
26	BB	774	G	O4'-C1'-N9	8.40	114.92	108.20
25	BA	41	G	N9-C1'-C2'	-8.40	102.76	112.00
26	BB	792	A	C2-N3-C4	8.40	114.80	110.60
26	BB	803	U	C5'-C4'-O4'	8.40	119.19	109.10
26	BB	1631	G	C6-C5-N7	-8.40	125.36	130.40
26	BB	2004	G	C4-C5-C6	8.40	123.84	118.80
26	BB	1041	G	N3-C2-N2	8.40	125.78	119.90
1	AA	390	U	C4-C5-C6	8.40	124.74	119.70
1	AA	920	U	C6-N1-C2	-8.40	115.96	121.00
1	AA	101	A	C6-N1-C2	-8.40	113.56	118.60
1	AA	528	C	C5-C6-N1	-8.40	116.80	121.00
1	AA	1449	C	O4'-C1'-N1	8.40	114.92	108.20
2	AB	10	G	N3-C4-C5	-8.40	124.40	128.60
26	BB	119	A	C4'-C3'-C2'	-8.40	94.20	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	944	C	C4'-C3'-C2'	-8.40	94.20	102.60
26	BB	1703	G	C8-N9-C4	-8.40	103.04	106.40
26	BB	1943	U	C2-N3-C4	-8.40	121.96	127.00
1	AA	147	G	N7-C8-N9	8.40	117.30	113.10
1	AA	338	A	C5'-C4'-O4'	8.40	119.18	109.10
1	AA	601	G	C4-C5-C6	-8.40	113.76	118.80
1	AA	625	U	O4'-C1'-N1	8.40	114.92	108.20
1	AA	1080	A	C5-C6-N6	-8.40	116.98	123.70
26	BB	65	U	N3-C2-O2	-8.40	116.32	122.20
26	BB	649	G	C6-N1-C2	-8.40	120.06	125.10
26	BB	1038	G	C2-N3-C4	8.40	116.10	111.90
26	BB	2756	U	C5-C6-N1	-8.40	118.50	122.70
1	AA	355	C	C5-C6-N1	8.39	125.20	121.00
1	AA	388	G	N7-C8-N9	8.39	117.30	113.10
26	BB	2868	A	N1-C2-N3	-8.39	125.10	129.30
1	AA	537	G	C2-N3-C4	8.39	116.10	111.90
1	AA	547	A	C3'-C2'-C1'	8.39	108.21	101.50
26	BB	729	G	C6-C5-N7	-8.39	125.36	130.40
26	BB	2429	G	N3-C4-C5	-8.39	124.40	128.60
1	AA	126	G	C8-N9-C4	-8.39	103.04	106.40
1	AA	223	A	C2-N3-C4	-8.39	106.40	110.60
1	AA	753	A	O4'-C1'-N9	8.39	114.91	108.20
1	AA	829	G	O4'-C1'-N9	8.39	114.91	108.20
1	AA	1009	U	C5-C4-O4	-8.39	120.86	125.90
26	BB	51	G	C4-C5-N7	8.39	114.16	110.80
26	BB	266	G	C2-N3-C4	8.39	116.10	111.90
1	AA	1283	U	C3'-C2'-C1'	8.39	108.21	101.50
26	BB	853	C	N3-C2-O2	-8.39	116.03	121.90
26	BB	2305	U	C6-N1-C2	-8.39	115.97	121.00
26	BB	2537	U	C4'-C3'-C2'	-8.39	94.21	102.60
1	AA	668	G	N1-C6-O6	8.39	124.93	119.90
1	AA	1313	U	C2-N3-C4	-8.39	121.97	127.00
26	BB	384	A	C5-N7-C8	-8.39	99.70	103.90
26	BB	533	G	N9-C1'-C2'	-8.39	102.77	112.00
26	BB	1645	G	C4-C5-N7	-8.39	107.44	110.80
1	AA	898	G	C5-C6-N1	8.39	115.69	111.50
26	BB	2133	G	O4'-C1'-N9	8.39	114.91	108.20
26	BB	2742	G	C6-N1-C2	-8.39	120.07	125.10
26	BB	2889	C	C2-N3-C4	8.39	124.09	119.90
4	AD	71	G	C2-N3-C4	8.38	116.09	111.90
26	BB	12	U	C5-C6-N1	8.38	126.89	122.70
26	BB	86	G	N1-C6-O6	-8.38	114.87	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1099	G	C2-N3-C4	8.38	116.09	111.90
26	BB	1445	G	C4-C5-N7	-8.39	107.44	110.80
26	BB	1124	G	C4'-C3'-C2'	-8.38	94.22	102.60
26	BB	1752	C	C5-C6-N1	8.38	125.19	121.00
26	BB	1814	G	C5-N7-C8	-8.39	100.11	104.30
26	BB	2253	G	C4'-C3'-C2'	-8.38	94.22	102.60
26	BB	2615	U	C5'-C4'-O4'	8.38	119.16	109.10
26	BB	2729	G	O4'-C1'-N9	8.38	114.91	108.20
1	AA	1259	C	N3-C4-C5	-8.38	118.55	121.90
1	AA	1384	C	O4'-C1'-N1	8.38	114.91	108.20
1	AA	452	A	O4'-C1'-N9	8.38	114.91	108.20
1	AA	490	C	C2-N3-C4	8.38	124.09	119.90
1	AA	803	G	N1-C2-N3	8.38	128.93	123.90
25	BA	61	G	N9-C4-C5	8.38	108.75	105.40
26	BB	194	G	C6-N1-C2	-8.38	120.07	125.10
26	BB	241	A	O4'-C1'-N9	8.38	114.91	108.20
26	BB	354	A	C4-C5-N7	-8.38	106.51	110.70
26	BB	748	G	N1-C6-O6	-8.38	114.87	119.90
26	BB	924	G	C5-C6-N1	8.38	115.69	111.50
26	BB	939	G	C2-N3-C4	8.38	116.09	111.90
26	BB	787	C	N3-C4-C5	-8.38	118.55	121.90
26	BB	1003	G	N3-C4-C5	-8.38	124.41	128.60
26	BB	1407	G	C6-N1-C2	-8.38	120.07	125.10
26	BB	2333	A	N7-C8-N9	-8.38	109.61	113.80
37	BM	30	ARG	NE-CZ-NH1	8.38	124.49	120.30
50	BZ	36	ARG	NE-CZ-NH2	-8.38	116.11	120.30
1	AA	556	C	C6-N1-C2	8.38	123.65	120.30
1	AA	1538	C	N3-C2-O2	-8.38	116.03	121.90
4	AD	27	G	N1-C2-N2	-8.38	108.66	116.20
3	AC	52	U	N3-C2-O2	-8.38	116.34	122.20
26	BB	527	C	C5-C4-N4	-8.38	114.33	120.20
26	BB	569	U	P-O3'-C3'	8.38	129.75	119.70
26	BB	861	A	C5-C6-N1	8.38	121.89	117.70
26	BB	2619	C	N1-C2-O2	8.38	123.93	118.90
26	BB	2879	A	C3'-C2'-C1'	8.38	108.20	101.50
1	AA	546	A	N1-C2-N3	8.38	133.49	129.30
1	AA	800	G	N7-C8-N9	8.38	117.29	113.10
1	AA	1144	G	C6-C5-N7	-8.38	125.37	130.40
26	BB	463	G	N7-C8-N9	8.38	117.29	113.10
1	AA	1489	G	C5'-C4'-O4'	8.37	119.15	109.10
26	BB	936	A	N7-C8-N9	8.37	117.99	113.80
26	BB	2236	U	C5-C6-N1	-8.38	118.51	122.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	388	G	C5-C6-N1	-8.37	107.31	111.50
26	BB	142	A	O4'-C1'-N9	8.37	114.90	108.20
26	BB	1761	C	C3'-C2'-C1'	-8.37	94.80	101.50
26	BB	1478	G	N3-C4-C5	-8.37	124.41	128.60
26	BB	1903	G	C5-C6-O6	-8.37	123.58	128.60
26	BB	2809	A	C5-C6-N1	8.37	121.89	117.70
4	AD	25	U	N1-C2-O2	8.37	128.66	122.80
26	BB	281	C	C6-N1-C2	-8.37	116.95	120.30
26	BB	1443	U	O4'-C1'-N1	8.37	114.89	108.20
26	BB	2352	A	N1-C2-N3	-8.37	125.11	129.30
26	BB	2688	G	C5'-C4'-C3'	-8.37	102.61	116.00
26	BB	1434	A	N1-C2-N3	8.37	133.48	129.30
26	BB	1466	U	N1-C1'-C2'	-8.37	102.80	112.00
26	BB	2018	G	C3'-C2'-C1'	-8.37	94.81	101.50
26	BB	2142	A	C8-N9-C4	-8.37	102.45	105.80
26	BB	2634	A	C4-C5-C6	-8.37	112.82	117.00
26	BB	2872	A	C6-C5-N7	8.37	138.16	132.30
1	AA	247	G	N3-C2-N2	8.37	125.76	119.90
1	AA	399	G	C4-C5-C6	8.37	123.82	118.80
1	AA	406	G	C1'-O4'-C4'	8.37	116.59	109.90
2	AB	68	C	N3-C4-N4	8.37	123.86	118.00
26	BB	1013	C	C5-C4-N4	-8.37	114.34	120.20
26	BB	1191	G	C8-N9-C4	-8.37	103.05	106.40
26	BB	1619	G	N3-C4-N9	8.37	131.02	126.00
26	BB	2141	G	C4-C5-C6	8.37	123.82	118.80
26	BB	2162	G	C2-N3-C4	8.37	116.08	111.90
1	AA	58	C	N3-C2-O2	-8.36	116.05	121.90
1	AA	200	G	N7-C8-N9	8.36	117.28	113.10
1	AA	431	A	N7-C8-N9	8.36	117.98	113.80
1	AA	1529	G	C5-C6-N1	8.36	115.68	111.50
1	AA	1488	G	C8-N9-C4	-8.36	103.06	106.40
26	BB	3	U	O4'-C1'-N1	8.36	114.89	108.20
26	BB	137	U	C5-C4-O4	-8.36	120.88	125.90
26	BB	953	G	C6-N1-C2	-8.36	120.08	125.10
26	BB	530	G	N9-C4-C5	8.36	108.74	105.40
26	BB	803	U	C3'-C2'-C1'	8.36	108.19	101.50
26	BB	2290	G	N3-C4-C5	-8.36	124.42	128.60
26	BB	2883	A	N1-C6-N6	8.36	123.62	118.60
1	AA	573	A	C5'-C4'-O4'	8.36	119.13	109.10
1	AA	913	A	N9-C4-C5	8.36	109.14	105.80
7	AG	13	ARG	NE-CZ-NH1	8.36	124.48	120.30
39	BO	59	ARG	NE-CZ-NH2	8.36	124.48	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	53	A	C6-N1-C2	8.36	123.61	118.60
1	AA	124	C	N3-C4-C5	8.36	125.24	121.90
1	AA	191	G	C5-C6-O6	-8.36	123.59	128.60
1	AA	787	A	C8-N9-C4	-8.36	102.46	105.80
26	BB	77	G	N7-C8-N9	8.36	117.28	113.10
26	BB	109	C	C5-C6-N1	8.36	125.18	121.00
26	BB	254	G	N3-C4-C5	-8.36	124.42	128.60
26	BB	1809	A	C3'-C2'-C1'	8.36	108.19	101.50
26	BB	1622	G	C5-C6-N1	8.36	115.68	111.50
26	BB	1989	G	O4'-C1'-N9	8.36	114.88	108.20
26	BB	2089	C	O4'-C1'-N1	8.36	114.89	108.20
26	BB	2337	G	N3-C4-C5	-8.36	124.42	128.60
26	BB	2803	G	C6-N1-C2	-8.36	120.09	125.10
1	AA	57	G	N3-C4-N9	-8.35	120.99	126.00
1	AA	646	G	C4-C5-N7	8.35	114.14	110.80
4	AD	7	G	C4-C5-C6	8.35	123.81	118.80
1	AA	177	G	O4'-C1'-C2'	-8.35	97.45	105.80
1	AA	228	A	N7-C8-N9	-8.35	109.62	113.80
1	AA	337	G	C8-N9-C4	-8.35	103.06	106.40
1	AA	565	U	N3-C2-O2	-8.35	116.35	122.20
1	AA	1263	C	N3-C2-O2	-8.35	116.05	121.90
26	BB	1015	U	N1-C1'-C2'	-8.35	102.81	112.00
26	BB	1219	U	N3-C2-O2	-8.35	116.35	122.20
26	BB	1735	A	C5-C6-N1	8.35	121.88	117.70
26	BB	1982	U	N3-C4-O4	8.35	125.25	119.40
26	BB	1425	G	C5-C6-N1	8.35	115.67	111.50
1	AA	1349	A	C5'-C4'-C3'	-8.35	102.64	116.00
25	BA	20	G	N7-C8-N9	8.35	117.28	113.10
1	AA	428	G	C5-N7-C8	-8.35	100.13	104.30
26	BB	344	A	N9-C4-C5	8.35	109.14	105.80
26	BB	478	A	O4'-C4'-C3'	8.35	112.78	106.10
26	BB	510	C	C4'-C3'-C2'	-8.35	94.25	102.60
26	BB	831	G	N3-C4-C5	-8.35	124.43	128.60
26	BB	1188	U	C5-C6-N1	-8.35	118.53	122.70
1	AA	194	C	C2-N3-C4	8.35	124.07	119.90
26	BB	719	C	C5'-C4'-O4'	8.35	119.12	109.10
26	BB	809	G	C5-C6-N1	8.35	115.67	111.50
26	BB	2359	C	N3-C4-C5	8.35	125.24	121.90
1	AA	649	A	C3'-C2'-C1'	8.35	108.18	101.50
1	AA	711	G	N3-C4-C5	-8.35	124.43	128.60
1	AA	832	G	C2-N3-C4	8.35	116.07	111.90
22	AV	77	ARG	NE-CZ-NH2	-8.35	116.13	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1310	G	N9-C4-C5	8.35	108.74	105.40
41	BQ	25	ARG	NE-CZ-NH1	8.35	124.47	120.30
26	BB	658	U	N1-C2-O2	-8.34	116.96	122.80
26	BB	1422	G	N3-C2-N2	-8.34	114.06	119.90
1	AA	1223	C	C2-N3-C4	8.34	124.07	119.90
26	BB	1056	G	C6-C5-N7	8.34	135.41	130.40
26	BB	2632	A	C8-N9-C4	-8.34	102.46	105.80
1	AA	418	C	C5-C6-N1	8.34	125.17	121.00
1	AA	646	G	N9-C4-C5	-8.34	102.06	105.40
1	AA	1187	G	C5-C6-N1	8.34	115.67	111.50
4	AD	2	G	O4'-C4'-C3'	8.34	112.77	106.10
26	BB	216	A	O4'-C1'-N9	8.34	114.87	108.20
26	BB	386	G	N3-C2-N2	8.34	125.74	119.90
26	BB	355	U	C5-C6-N1	-8.34	118.53	122.70
26	BB	636	G	N1-C6-O6	8.34	124.90	119.90
26	BB	1701	A	N7-C8-N9	-8.34	109.63	113.80
26	BB	1828	G	N7-C8-N9	8.34	117.27	113.10
26	BB	2093	G	C2-N3-C4	8.34	116.07	111.90
26	BB	2276	G	O4'-C4'-C3'	8.34	112.77	106.10
26	BB	2336	A	O4'-C1'-N9	8.34	114.87	108.20
1	AA	903	G	C6-C5-N7	-8.34	125.40	130.40
26	BB	1765	U	C2-N3-C4	-8.34	122.00	127.00
26	BB	1861	G	C5-C6-N1	8.34	115.67	111.50
26	BB	2484	G	N7-C8-N9	8.34	117.27	113.10
26	BB	2662	A	O4'-C1'-N9	8.34	114.87	108.20
1	AA	87	C	N1-C2-O2	8.34	123.90	118.90
26	BB	2018	G	N7-C8-N9	8.34	117.27	113.10
26	BB	2569	G	C3'-C2'-C1'	8.34	108.17	101.50
26	BB	2591	C	C2-N3-C4	-8.34	115.73	119.90
26	BB	2895	G	C5-N7-C8	-8.34	100.13	104.30
1	AA	1356	G	O4'-C1'-N9	8.33	114.87	108.20
1	AA	980	C	C6-N1-C2	8.33	123.63	120.30
1	AA	1169	A	N1-C6-N6	-8.33	113.60	118.60
2	AB	73	G	C6-N1-C2	-8.33	120.10	125.10
26	BB	467	G	N9-C4-C5	8.33	108.73	105.40
26	BB	1843	C	N3-C4-N4	8.33	123.83	118.00
26	BB	2228	G	C5-C6-N1	8.33	115.67	111.50
1	AA	887	G	N3-C4-N9	8.33	131.00	126.00
1	AA	1206	G	C5-C6-O6	-8.33	123.60	128.60
1	AA	199	A	O4'-C4'-C3'	8.33	112.76	106.10
1	AA	1220	G	N3-C4-C5	-8.33	124.44	128.60
4	AD	59	A	C4-C5-C6	-8.33	112.83	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	AF	87	ARG	NE-CZ-NH1	8.33	124.47	120.30
26	BB	53	A	C4-C5-C6	8.33	121.17	117.00
26	BB	530	G	N3-C4-C5	-8.33	124.44	128.60
26	BB	539	G	O4'-C1'-N9	8.33	114.86	108.20
26	BB	560	C	C6-N1-C2	-8.33	116.97	120.30
26	BB	889	C	C4-C5-C6	-8.33	113.23	117.40
26	BB	1059	G	C6-C5-N7	-8.33	125.40	130.40
26	BB	1160	G	N3-C4-C5	-8.33	124.44	128.60
26	BB	2203	U	N3-C2-O2	-8.33	116.37	122.20
26	BB	2232	C	C4-C5-C6	8.33	121.56	117.40
32	BH	57	TYR	CB-CG-CD2	-8.33	116.00	121.00
1	AA	161	A	C5-N7-C8	-8.33	99.74	103.90
1	AA	399	G	N1-C2-N2	8.33	123.69	116.20
1	AA	491	G	N9-C4-C5	8.33	108.73	105.40
1	AA	663	A	C5'-C4'-C3'	-8.33	102.67	116.00
1	AA	696	A	C6-N1-C2	8.33	123.60	118.60
1	AA	1096	C	N1-C2-N3	8.33	125.03	119.20
26	BB	734	A	C5'-C4'-C3'	-8.33	102.67	116.00
2	AB	45	U	N1-C2-O2	-8.33	116.97	122.80
26	BB	979	A	C2-N3-C4	8.33	114.76	110.60
26	BB	1384	A	N9-C4-C5	8.33	109.13	105.80
28	BD	86	ARG	NE-CZ-NH2	-8.33	116.14	120.30
26	BB	2121	G	N7-C8-N9	8.32	117.26	113.10
2	AB	3	G	C5-N7-C8	-8.32	100.14	104.30
26	BB	1602	U	C2-N3-C4	-8.32	122.01	127.00
26	BB	1955	U	N3-C2-O2	-8.32	116.37	122.20
26	BB	2547	A	O4'-C1'-N9	8.32	114.86	108.20
26	BB	2755	C	N1-C2-O2	8.32	123.89	118.90
42	BR	112	ARG	NE-CZ-NH1	8.32	124.46	120.30
1	AA	1525	G	N3-C4-C5	-8.32	124.44	128.60
26	BB	449	A	C5-N7-C8	8.32	108.06	103.90
26	BB	1148	U	C2-N3-C4	-8.32	122.01	127.00
1	AA	978	A	N7-C8-N9	8.32	117.96	113.80
26	BB	859	G	C3'-C2'-C1'	-8.32	94.84	101.50
26	BB	1311	G	C5-C6-O6	-8.32	123.61	128.60
26	BB	1505	A	N1-C2-N3	-8.32	125.14	129.30
26	BB	1782	U	C5-C4-O4	8.32	130.89	125.90
1	AA	283	U	N3-C4-C5	-8.32	109.61	114.60
1	AA	807	A	C3'-C2'-C1'	-8.32	94.85	101.50
1	AA	1347	G	C5-C6-O6	8.32	133.59	128.60
26	BB	500	G	N3-C4-C5	-8.32	124.44	128.60
26	BB	1087	G	N3-C2-N2	-8.32	114.08	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1919	A	C2-N3-C4	8.32	114.76	110.60
26	BB	1961	C	O4'-C1'-N1	-8.32	101.55	108.20
26	BB	2584	U	C5-C6-N1	-8.32	118.54	122.70
39	BO	6	ARG	NE-CZ-NH1	8.32	124.46	120.30
1	AA	347	G	O4'-C1'-N9	8.31	114.85	108.20
1	AA	1295	U	O4'-C1'-N1	8.31	114.85	108.20
25	BA	97	C	C2-N3-C4	-8.31	115.74	119.90
26	BB	176	A	N1-C2-N3	-8.31	125.14	129.30
26	BB	1128	G	C1'-O4'-C4'	-8.31	103.25	109.90
27	BC	60	ARG	CD-NE-CZ	8.31	135.24	123.60
1	AA	390	U	N1-C2-O2	-8.31	116.98	122.80
1	AA	869	G	C5-C6-O6	8.31	133.59	128.60
1	AA	1399	C	N1-C2-O2	8.31	123.89	118.90
1	AA	1520	C	C2-N3-C4	8.31	124.06	119.90
26	BB	2107	G	O4'-C1'-N9	8.31	114.85	108.20
26	BB	2259	U	N3-C2-O2	-8.31	116.38	122.20
2	AB	61	C	N1-C2-O2	8.31	123.89	118.90
26	BB	250	G	C1'-O4'-C4'	-8.31	103.25	109.90
26	BB	1210	G	C4-C5-N7	8.31	114.12	110.80
26	BB	979	A	O4'-C1'-N9	8.31	114.85	108.20
26	BB	2596	U	O4'-C1'-N1	8.31	114.85	108.20
26	BB	2631	G	O4'-C1'-N9	8.31	114.85	108.20
1	AA	130	A	C8-N9-C4	-8.31	102.48	105.80
26	BB	1587	G	N3-C4-C5	-8.31	124.45	128.60
1	AA	303	A	N9-C4-C5	-8.30	102.48	105.80
1	AA	420	U	N3-C4-C5	-8.30	109.62	114.60
4	AD	59	A	N1-C6-N6	-8.31	113.62	118.60
32	BH	111	PRO	N-CA-CB	8.31	113.27	103.30
1	AA	505	G	N3-C4-C5	-8.30	124.45	128.60
26	BB	304	U	C5-C4-O4	-8.30	120.92	125.90
26	BB	687	C	N3-C4-N4	-8.31	112.19	118.00
26	BB	816	C	C6-N1-C2	-8.30	116.98	120.30
26	BB	822	G	C2-N3-C4	8.30	116.05	111.90
26	BB	2301	C	C5-C4-N4	-8.31	114.39	120.20
1	AA	712	A	C8-N9-C4	-8.30	102.48	105.80
1	AA	721	G	C4-C5-N7	-8.30	107.48	110.80
4	AD	77	A	O4'-C1'-C2'	-8.30	97.50	105.80
26	BB	232	G	C2-N3-C4	-8.30	107.75	111.90
26	BB	1814	G	C4-C5-N7	8.30	114.12	110.80
26	BB	431	U	N3-C4-O4	8.30	125.21	119.40
26	BB	704	G	N3-C4-C5	-8.30	124.45	128.60
26	BB	1297	C	C5-C4-N4	-8.30	114.39	120.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1944	U	C4-C5-C6	-8.30	114.72	119.70
4	AD	66	C	O4'-C1'-N1	8.30	114.84	108.20
25	BA	115	A	C4-C5-N7	-8.30	106.55	110.70
26	BB	555	G	N3-C4-C5	-8.30	124.45	128.60
26	BB	1980	G	C4-C5-C6	8.30	123.78	118.80
26	BB	580	U	C5'-C4'-O4'	8.30	119.06	109.10
39	BO	18	ARG	NE-CZ-NH1	-8.30	116.15	120.30
1	AA	3	A	N1-C2-N3	-8.30	125.15	129.30
26	BB	1359	A	C4-C5-N7	-8.30	106.55	110.70
26	BB	1497	U	C5-C6-N1	-8.30	118.55	122.70
26	BB	1559	U	N1-C2-N3	8.30	119.88	114.90
26	BB	2176	A	C5-C6-N6	-8.30	117.06	123.70
26	BB	2903	U	N1-C2-N3	8.30	119.88	114.90
26	BB	861	A	C6-C5-N7	8.30	138.11	132.30
26	BB	877	A	C4-C5-N7	-8.30	106.55	110.70
26	BB	2303	G	C1'-O4'-C4'	8.30	116.54	109.90
31	BG	101	ARG	NE-CZ-NH2	8.30	124.45	120.30
23	AW	9	ARG	NE-CZ-NH1	8.29	124.45	120.30
26	BB	763	G	C6-N1-C2	-8.29	120.12	125.10
26	BB	879	G	C4'-C3'-C2'	-8.29	94.31	102.60
26	BB	1421	G	C4'-C3'-C2'	-8.29	94.31	102.60
26	BB	2180	U	O4'-C4'-C3'	8.30	112.74	106.10
26	BB	2434	A	N7-C8-N9	8.29	117.95	113.80
26	BB	2637	U	C5-C6-N1	-8.29	118.55	122.70
1	AA	18	C	C6-N1-C2	-8.29	116.98	120.30
26	BB	1884	G	O4'-C1'-N9	8.29	114.83	108.20
1	AA	422	C	C6-N1-C2	-8.29	116.98	120.30
1	AA	1152	A	C5-N7-C8	8.29	108.05	103.90
1	AA	1453	G	C6-C5-N7	-8.29	125.43	130.40
26	BB	611	C	C2-N3-C4	-8.29	115.75	119.90
26	BB	2287	A	N9-C4-C5	8.29	109.12	105.80
1	AA	279	A	C5-C6-N1	8.29	121.84	117.70
1	AA	620	C	O4'-C1'-N1	8.29	114.83	108.20
1	AA	1200	C	C5-C6-N1	8.29	125.14	121.00
26	BB	455	C	C6-N1-C2	8.29	123.62	120.30
26	BB	560	C	C2-N3-C4	8.29	124.05	119.90
26	BB	2895	G	N9-C4-C5	8.29	108.72	105.40
26	BB	343	C	N1-C1'-C2'	-8.29	102.88	112.00
26	BB	2750	A	C5-N7-C8	8.29	108.04	103.90
1	AA	346	G	O4'-C1'-N9	8.29	114.83	108.20
1	AA	462	G	C4-C5-N7	-8.29	107.49	110.80
1	AA	704	A	C8-N9-C4	8.29	109.11	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
13	AM	44	THR	CA-CB-CG2	8.29	124.00	112.40
1	AA	820	U	N3-C2-O2	-8.28	116.40	122.20
1	AA	963	G	C1'-O4'-C4'	-8.28	103.27	109.90
3	AC	32	U	P-O3'-C3'	8.29	129.64	119.70
25	BA	79	G	C6-C5-N7	-8.29	125.43	130.40
26	BB	178	G	C5-N7-C8	-8.29	100.16	104.30
26	BB	384	A	O4'-C1'-N9	8.29	114.83	108.20
26	BB	1604	C	C3'-C2'-C1'	8.29	108.13	101.50
26	BB	1693	U	N1-C2-N3	8.29	119.87	114.90
26	BB	669	G	N9-C4-C5	8.28	108.71	105.40
26	BB	863	A	C4-C5-C6	-8.29	112.86	117.00
26	BB	1198	U	N1-C2-N3	8.29	119.87	114.90
26	BB	1891	G	C5-C6-N1	8.29	115.64	111.50
1	AA	1140	C	C2-N3-C4	-8.28	115.76	119.90
25	BA	13	G	N7-C8-N9	8.28	117.24	113.10
26	BB	588	U	C2-N3-C4	-8.28	122.03	127.00
26	BB	940	G	C2-N3-C4	8.28	116.04	111.90
26	BB	1527	G	N9-C4-C5	8.28	108.71	105.40
26	BB	2005	A	N7-C8-N9	8.28	117.94	113.80
26	BB	2709	G	C6-N1-C2	-8.28	120.13	125.10
1	AA	99	C	N3-C2-O2	-8.28	116.11	121.90
1	AA	607	A	C4-C5-N7	-8.28	106.56	110.70
1	AA	714	G	N3-C2-N2	-8.28	114.10	119.90
1	AA	1168	U	C1'-O4'-C4'	8.28	116.52	109.90
26	BB	2586	U	N3-C4-O4	8.28	125.19	119.40
1	AA	90	C	N3-C4-N4	8.28	123.79	118.00
26	BB	493	G	N7-C8-N9	8.28	117.24	113.10
26	BB	1706	C	C2-N3-C4	-8.28	115.76	119.90
26	BB	2541	A	C8-N9-C4	8.28	109.11	105.80
30	BF	69	ARG	NH1-CZ-NH2	-8.28	110.30	119.40
1	AA	840	C	N3-C2-O2	-8.28	116.11	121.90
25	BA	3	C	O4'-C1'-N1	8.28	114.82	108.20
26	BB	89	A	N1-C2-N3	-8.28	125.16	129.30
26	BB	1252	G	C4-C5-N7	-8.28	107.49	110.80
26	BB	1386	C	N1-C2-O2	8.28	123.86	118.90
1	AA	1480	A	C8-N9-C4	-8.27	102.49	105.80
26	BB	112	U	O4'-C1'-C2'	8.27	115.05	107.60
26	BB	2837	A	C5-N7-C8	-8.27	99.76	103.90
1	AA	637	C	N1-C2-O2	8.27	123.86	118.90
1	AA	1525	G	C4-C5-C6	8.27	123.76	118.80
25	BA	99	A	N1-C2-N3	-8.27	125.16	129.30
26	BB	2259	U	N1-C2-O2	8.27	128.59	122.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	489	G	N1-C6-O6	-8.27	114.94	119.90
26	BB	1176	U	N3-C2-O2	-8.27	116.41	122.20
26	BB	2120	G	C8-N9-C4	-8.27	103.09	106.40
26	BB	2485	G	C6-N1-C2	-8.27	120.14	125.10
26	BB	2696	U	O4'-C1'-N1	8.27	114.82	108.20
26	BB	2709	G	N3-C2-N2	-8.27	114.11	119.90
26	BB	1721	G	N3-C4-C5	-8.27	124.46	128.60
26	BB	1746	A	N1-C2-N3	8.27	133.44	129.30
1	AA	740	U	N3-C2-O2	-8.27	116.41	122.20
1	AA	1072	G	C2-N3-C4	8.27	116.03	111.90
26	BB	224	U	N3-C4-C5	-8.27	109.64	114.60
26	BB	2207	C	O4'-C1'-N1	8.27	114.81	108.20
1	AA	284	C	N3-C4-C5	-8.27	118.59	121.90
1	AA	995	C	C2-N3-C4	8.27	124.03	119.90
26	BB	327	G	C5-C6-N1	8.27	115.63	111.50
26	BB	2164	C	C6-N1-C2	8.27	123.61	120.30
3	AC	45	G	N1-C2-N3	-8.27	118.94	123.90
26	BB	722	A	C1'-O4'-C4'	8.27	116.51	109.90
26	BB	821	A	C4'-C3'-C2'	-8.27	94.33	102.60
26	BB	768	G	C8-N9-C4	-8.27	103.09	106.40
26	BB	1288	G	O4'-C1'-N9	8.27	114.81	108.20
26	BB	2056	G	N1-C6-O6	-8.27	114.94	119.90
26	BB	2480	C	C6-N1-C2	8.27	123.61	120.30
2	AB	68	C	N1-C2-O2	8.26	123.86	118.90
50	BZ	10	ARG	NE-CZ-NH1	-8.26	116.17	120.30
1	AA	561	U	C4-C5-C6	8.26	124.66	119.70
1	AA	691	G	C6-N1-C2	-8.26	120.14	125.10
1	AA	1345	U	C4-C5-C6	8.26	124.66	119.70
26	BB	2800	A	C2-N3-C4	8.26	114.73	110.60
25	BA	3	C	N1-C2-O2	8.26	123.86	118.90
26	BB	631	A	C2-N3-C4	8.26	114.73	110.60
26	BB	829	A	C5-N7-C8	-8.26	99.77	103.90
26	BB	2256	G	C4-C5-N7	-8.26	107.50	110.80
32	BH	9	VAL	CA-CB-CG1	8.26	123.29	110.90
1	AA	151	A	C5-N7-C8	8.26	108.03	103.90
1	AA	675	A	C5-C6-N6	8.26	130.31	123.70
26	BB	2220	U	N1-C1'-C2'	-8.26	102.91	112.00
1	AA	1192	C	N3-C2-O2	-8.26	116.12	121.90
1	AA	1264	U	C5-C4-O4	-8.26	120.94	125.90
26	BB	44	A	O4'-C1'-N9	8.26	114.81	108.20
26	BB	96	C	O4'-C1'-N1	8.26	114.81	108.20
26	BB	982	C	N3-C2-O2	-8.26	116.12	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2126	A	N3-C4-C5	-8.26	121.02	126.80
26	BB	2746	U	O4'-C4'-C3'	8.26	112.71	106.10
1	AA	506	G	C6-N1-C2	-8.26	120.14	125.10
1	AA	383	A	C5-C6-N6	-8.26	117.09	123.70
1	AA	529	G	C5-C6-N1	-8.26	107.37	111.50
1	AA	1294	G	C6-C5-N7	-8.26	125.44	130.40
1	AA	1442	G	C2-N3-C4	8.26	116.03	111.90
25	BA	36	C	C2-N3-C4	8.26	124.03	119.90
26	BB	475	C	O4'-C1'-N1	8.26	114.81	108.20
26	BB	1470	A	C5-N7-C8	-8.26	99.77	103.90
26	BB	2438	U	O4'-C1'-N1	8.26	114.81	108.20
1	AA	807	A	C4-C5-C6	-8.26	112.87	117.00
1	AA	1143	G	N1-C2-N3	-8.26	118.95	123.90
26	BB	2682	A	N1-C2-N3	-8.26	125.17	129.30
1	AA	1382	C	N3-C4-C5	8.26	125.20	121.90
26	BB	1011	G	C8-N9-C4	-8.26	103.10	106.40
26	BB	2394	C	C4-C5-C6	8.26	121.53	117.40
26	BB	2608	G	N9-C4-C5	8.26	108.70	105.40
26	BB	2780	G	N9-C4-C5	8.26	108.70	105.40
1	AA	530	G	P-O3'-C3'	8.25	129.60	119.70
1	AA	694	A	C5-C6-N1	8.25	121.83	117.70
26	BB	2108	A	C2-N3-C4	8.25	114.73	110.60
1	AA	723	U	C4-C5-C6	8.25	124.65	119.70
1	AA	1206	G	N1-C6-O6	8.25	124.85	119.90
26	BB	1227	G	N9-C4-C5	8.25	108.70	105.40
26	BB	1648	U	O4'-C1'-N1	8.25	114.80	108.20
26	BB	1824	G	C4-N9-C1'	-8.25	115.77	126.50
1	AA	76	G	N7-C8-N9	8.25	117.22	113.10
1	AA	240	G	N1-C2-N2	8.25	123.63	116.20
1	AA	247	G	N3-C4-C5	-8.25	124.47	128.60
1	AA	1006	G	C4-C5-C6	8.25	123.75	118.80
1	AA	1276	G	C5-C6-O6	-8.25	123.65	128.60
1	AA	1423	G	O4'-C1'-N9	8.25	114.80	108.20
2	AB	57	G	C6-N1-C2	-8.25	120.15	125.10
26	BB	552	U	N1-C2-O2	8.25	128.58	122.80
26	BB	1262	A	N7-C8-N9	8.25	117.93	113.80
26	BB	1830	C	O4'-C1'-N1	8.25	114.80	108.20
26	BB	1966	A	O4'-C1'-N9	8.25	114.80	108.20
26	BB	2186	G	N3-C2-N2	-8.25	114.12	119.90
26	BB	2552	OMU	P-O3'-C3'	8.25	129.60	119.70
1	AA	575	G	C5-C6-O6	-8.25	123.65	128.60
1	AA	1040	U	C6-N1-C2	-8.25	116.05	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	10	G	C5-N7-C8	8.25	108.42	104.30
26	BB	1229	C	C5'-C4'-O4'	8.25	119.00	109.10
26	BB	1364	G	C6-C5-N7	-8.25	125.45	130.40
26	BB	1588	G	N9-C4-C5	8.25	108.70	105.40
26	BB	1869	G	C4-C5-N7	-8.25	107.50	110.80
26	BB	1922	G	O4'-C1'-N9	8.25	114.80	108.20
26	BB	2104	C	C6-N1-C2	-8.25	117.00	120.30
26	BB	2298	A	C1'-O4'-C4'	8.25	116.50	109.90
26	BB	2686	G	N3-C4-C5	-8.25	124.48	128.60
1	AA	275	G	C6-C5-N7	-8.24	125.45	130.40
1	AA	1364	U	C4-C5-C6	8.24	124.65	119.70
26	BB	313	G	N7-C8-N9	8.24	117.22	113.10
1	AA	62	U	C3'-C2'-C1'	-8.24	94.91	101.50
1	AA	400	C	N3-C4-C5	8.24	125.20	121.90
25	BA	17	C	N3-C4-N4	-8.24	112.23	118.00
26	BB	1540	G	N1-C6-O6	-8.24	114.95	119.90
26	BB	1853	A	N3-C4-N9	8.24	134.00	127.40
26	BB	25	U	N3-C4-C5	-8.24	109.66	114.60
26	BB	270	A	C6-N1-C2	8.24	123.55	118.60
26	BB	947	A	O4'-C1'-N9	8.24	114.79	108.20
26	BB	1125	G	N3-C2-N2	8.24	125.67	119.90
26	BB	2497	A	C2-N3-C4	-8.24	106.48	110.60
26	BB	2786	U	N1-C1'-C2'	-8.24	102.93	112.00
1	AA	793	U	O4'-C1'-N1	8.24	114.79	108.20
1	AA	1030	U	O4'-C1'-N1	8.24	114.79	108.20
26	BB	67	U	N3-C4-O4	-8.24	113.63	119.40
26	BB	219	A	N1-C6-N6	8.24	123.54	118.60
26	BB	733	G	C5-C6-O6	-8.24	123.66	128.60
26	BB	2536	G	O4'-C1'-N9	8.24	114.79	108.20
26	BB	2886	A	O4'-C1'-N9	8.24	114.79	108.20
36	BL	27	ARG	NE-CZ-NH1	8.24	124.42	120.30
1	AA	1400	C	N3-C2-O2	-8.24	116.13	121.90
25	BA	49	C	N1-C2-O2	8.24	123.84	118.90
26	BB	228	C	O4'-C1'-N1	8.24	114.79	108.20
26	BB	1157	G	C5-N7-C8	-8.24	100.18	104.30
1	AA	437	U	C5-C6-N1	-8.24	118.58	122.70
26	BB	451	U	N3-C2-O2	-8.24	116.44	122.20
26	BB	818	G	N1-C6-O6	-8.24	114.96	119.90
26	BB	928	A	C5-C6-N1	8.24	121.82	117.70
26	BB	1821	A	O4'-C1'-N9	8.24	114.79	108.20
26	BB	1018	U	O4'-C1'-N1	8.24	114.79	108.20
26	BB	1986	C	C5-C4-N4	-8.24	114.43	120.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2770	G	C1'-O4'-C4'	8.24	116.49	109.90
26	BB	2885	G	O4'-C1'-N9	8.24	114.79	108.20
1	AA	1206	G	O4'-C1'-N9	8.23	114.79	108.20
1	AA	7	A	C3'-C2'-C1'	8.23	108.09	101.50
1	AA	1270	G	N3-C2-N2	-8.23	114.14	119.90
1	AA	1394	A	C4-C5-C6	8.23	121.12	117.00
26	BB	434	U	N3-C2-O2	-8.23	116.44	122.20
26	BB	838	C	C4-C5-C6	8.23	121.52	117.40
26	BB	893	C	N1-C2-O2	8.23	123.84	118.90
26	BB	1157	G	C4-C5-N7	8.23	114.09	110.80
26	BB	1205	A	C4-C5-N7	8.23	114.82	110.70
26	BB	1424	G	C8-N9-C4	-8.23	103.11	106.40
26	BB	1433	A	C2-N3-C4	8.23	114.72	110.60
26	BB	1529	G	N7-C8-N9	-8.23	108.98	113.10
26	BB	1824	G	P-O3'-C3'	8.23	129.58	119.70
1	AA	458	U	N3-C4-O4	8.23	125.16	119.40
26	BB	38	A	C4-C5-N7	-8.23	106.58	110.70
26	BB	66	C	N3-C4-C5	-8.23	118.61	121.90
26	BB	443	A	O4'-C1'-N9	8.23	114.78	108.20
26	BB	711	G	C8-N9-C4	8.23	109.69	106.40
26	BB	1616	A	N1-C2-N3	8.23	133.41	129.30
26	BB	2772	C	N3-C2-O2	-8.23	116.14	121.90
45	BU	92	ARG	NE-CZ-NH1	8.23	124.42	120.30
2	AB	70	C	N3-C2-O2	-8.23	116.14	121.90
1	AA	112	G	C2-N3-C4	8.23	116.01	111.90
25	BA	79	G	N3-C4-N9	8.23	130.94	126.00
26	BB	1682	G	C2-N3-C4	8.23	116.02	111.90
1	AA	351	G	N1-C2-N3	-8.23	118.96	123.90
26	BB	1344	U	C5-C4-O4	-8.23	120.96	125.90
26	BB	2614	A	C4-C5-C6	8.23	121.11	117.00
26	BB	336	C	C5-C6-N1	8.22	125.11	121.00
26	BB	1790	C	N3-C4-C5	-8.22	118.61	121.90
26	BB	2169	A	C6-N1-C2	8.22	123.53	118.60
1	AA	675	A	N7-C8-N9	8.22	117.91	113.80
26	BB	26	G	N3-C4-C5	-8.22	124.49	128.60
26	BB	1221	C	C6-N1-C2	-8.22	117.01	120.30
1	AA	350	G	O4'-C1'-N9	8.22	114.78	108.20
1	AA	1088	G	C4-C5-N7	-8.22	107.51	110.80
26	BB	530	G	N7-C8-N9	8.22	117.21	113.10
26	BB	1229	C	C6-N1-C2	8.22	123.59	120.30
26	BB	1983	G	C1'-O4'-C4'	-8.22	103.32	109.90
26	BB	936	A	N1-C2-N3	-8.22	125.19	129.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1723	G	N9-C4-C5	8.22	108.69	105.40
1	AA	375	U	C5-C6-N1	-8.22	118.59	122.70
1	AA	436	C	C4-C5-C6	-8.22	113.29	117.40
1	AA	741	G	C3'-C2'-C1'	8.22	108.07	101.50
26	BB	370	G	N9-C4-C5	8.22	108.69	105.40
26	BB	1236	G	N3-C2-N2	8.22	125.65	119.90
26	BB	1673	G	C5-C6-N1	-8.22	107.39	111.50
26	BB	2126	A	N1-C2-N3	-8.22	125.19	129.30
26	BB	2642	G	C4-C5-N7	-8.22	107.51	110.80
1	AA	957	U	C5-C6-N1	-8.22	118.59	122.70
1	AA	1475	G	C5-C6-O6	-8.21	123.67	128.60
26	BB	1308	A	N7-C8-N9	8.22	117.91	113.80
26	BB	543	G	C6-N1-C2	-8.21	120.17	125.10
26	BB	666	A	C1'-O4'-C4'	-8.21	103.33	109.90
26	BB	1776	G	C5-N7-C8	-8.21	100.19	104.30
26	BB	2278	A	O4'-C1'-N9	8.21	114.77	108.20
26	BB	2856	A	N7-C8-N9	-8.22	109.69	113.80
26	BB	2755	C	N3-C2-O2	-8.21	116.15	121.90
1	AA	601	G	C8-N9-C4	-8.21	103.11	106.40
1	AA	760	G	N1-C6-O6	-8.21	114.97	119.90
1	AA	806	C	O4'-C1'-N1	8.21	114.77	108.20
12	AL	63	TYR	CB-CG-CD2	8.21	125.93	121.00
26	BB	1182	G	N3-C4-C5	-8.21	124.49	128.60
26	BB	1359	A	N1-C2-N3	-8.21	125.19	129.30
26	BB	1393	A	C6-C5-N7	8.21	138.05	132.30
26	BB	1598	A	N1-C2-N3	-8.21	125.19	129.30
26	BB	2446	G	C6-C5-N7	-8.21	125.47	130.40
25	BA	5	U	C2-N3-C4	-8.21	122.07	127.00
26	BB	99	U	N1-C2-N3	8.21	119.83	114.90
26	BB	1387	A	C5-C6-N1	8.21	121.81	117.70
26	BB	2540	C	N1-C2-O2	8.21	123.83	118.90
1	AA	124	C	O4'-C1'-N1	8.21	114.77	108.20
1	AA	292	G	C4-C5-N7	-8.21	107.52	110.80
1	AA	431	A	O4'-C1'-N9	8.21	114.77	108.20
1	AA	486	U	C5-C4-O4	-8.21	120.97	125.90
1	AA	1075	U	O4'-C1'-N1	8.21	114.77	108.20
1	AA	1092	A	O4'-C1'-N9	8.21	114.77	108.20
2	AB	14	A	C8-N9-C4	-8.21	102.52	105.80
1	AA	196	A	O4'-C4'-C3'	8.21	112.67	106.10
26	BB	4	U	C5-C4-O4	-8.21	120.98	125.90
26	BB	2055	C	C5-C6-N1	8.21	125.10	121.00
1	AA	1059	C	O4'-C1'-N1	8.20	114.76	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1134	G	C5-C6-N1	-8.21	107.40	111.50
26	BB	2834	G	C5-N7-C8	-8.21	100.20	104.30
48	BX	93	ARG	NE-CZ-NH1	8.21	124.40	120.30
1	AA	1246	A	C1'-O4'-C4'	-8.20	103.34	109.90
26	BB	49	A	O5'-P-OP2	-8.20	98.32	105.70
26	BB	408	G	C2-N3-C4	8.20	116.00	111.90
26	BB	1245	G	N9-C4-C5	8.21	108.68	105.40
26	BB	2728	U	N1-C2-N3	8.21	119.82	114.90
31	BG	124	ARG	NE-CZ-NH1	8.21	124.40	120.30
1	AA	1025	U	C3'-C2'-C1'	8.20	108.06	101.50
1	AA	1234	C	C5-C6-N1	8.20	125.10	121.00
2	AB	34	C	P-O3'-C3'	8.20	129.54	119.70
26	BB	286	U	C4-C5-C6	8.20	124.62	119.70
26	BB	1154	G	C5-N7-C8	-8.20	100.20	104.30
26	BB	1541	C	C6-N1-C2	-8.20	117.02	120.30
26	BB	1585	C	C4-C5-C6	-8.20	113.30	117.40
26	BB	2505	G	C4-C5-C6	8.20	123.72	118.80
26	BB	2820	A	O4'-C1'-C2'	-8.20	97.60	105.80
1	AA	808	C	N1-C2-O2	8.20	123.82	118.90
1	AA	819	A	P-O3'-C3'	8.20	129.54	119.70
26	BB	1142	A	N9-C4-C5	8.20	109.08	105.80
1	AA	834	U	N1-C2-N3	8.20	119.82	114.90
9	AI	45	ARG	NE-CZ-NH1	8.20	124.40	120.30
26	BB	2750	A	C1'-O4'-C4'	-8.20	103.34	109.90
26	BB	144	A	N1-C6-N6	8.20	123.52	118.60
1	AA	938	A	C6-N1-C2	-8.20	113.68	118.60
25	BA	82	U	C2-N3-C4	-8.20	122.08	127.00
26	BB	669	G	O4'-C4'-C3'	8.20	112.66	106.10
26	BB	805	G	C3'-C2'-C1'	-8.20	94.94	101.50
26	BB	2226	C	O4'-C1'-N1	8.20	114.76	108.20
26	BB	2765	A	C5-C6-N1	8.20	121.80	117.70
1	AA	1032	G	C5-N7-C8	-8.19	100.20	104.30
1	AA	1146	A	N9-C4-C5	8.19	109.08	105.80
1	AA	1152	A	C6-C5-N7	8.19	138.04	132.30
1	AA	1192	C	N1-C2-O2	8.20	123.82	118.90
26	BB	196	A	O4'-C4'-C3'	8.19	112.66	106.10
26	BB	2426	A	N7-C8-N9	8.19	117.90	113.80
26	BB	2824	C	C4-C5-C6	-8.19	113.30	117.40
1	AA	180	U	O4'-C1'-N1	8.19	114.75	108.20
26	BB	928	A	O4'-C1'-N9	8.19	114.75	108.20
26	BB	1854	A	C4-C5-N7	-8.19	106.60	110.70
26	BB	1896	G	N3-C4-C5	-8.19	124.50	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	638	U	N1-C2-N3	8.19	119.81	114.90
26	BB	496	G	C6-N1-C2	-8.19	120.19	125.10
26	BB	2852	G	N3-C4-C5	-8.19	124.50	128.60
1	AA	585	G	N1-C6-O6	8.19	124.81	119.90
1	AA	963	G	C2-N3-C4	8.19	116.00	111.90
1	AA	1112	C	C5-C4-N4	-8.19	114.47	120.20
10	AJ	108	ARG	NE-CZ-NH2	-8.19	116.21	120.30
26	BB	380	G	C5-N7-C8	-8.19	100.21	104.30
26	BB	485	C	N3-C4-N4	8.19	123.73	118.00
26	BB	2893	A	C4-C5-C6	-8.19	112.91	117.00
1	AA	1342	C	C5-C4-N4	8.19	125.93	120.20
26	BB	84	A	O4'-C1'-C2'	-8.19	97.61	105.80
26	BB	315	G	N9-C4-C5	8.19	108.67	105.40
26	BB	1747	U	N1-C2-N3	8.19	119.81	114.90
26	BB	2341	G	C5-C6-N1	8.19	115.59	111.50
1	AA	2	A	C5'-C4'-O4'	8.19	118.92	109.10
2	AB	10	G	C6-N1-C2	-8.19	120.19	125.10
26	BB	673	C	O4'-C4'-C3'	-8.19	95.81	104.00
26	BB	1209	U	C6-N1-C2	-8.19	116.09	121.00
26	BB	2485	G	N7-C8-N9	8.19	117.19	113.10
1	AA	314	C	N3-C4-C5	-8.18	118.63	121.90
26	BB	677	A	C5'-C4'-O4'	8.18	118.92	109.10
26	BB	1156	A	C5-N7-C8	-8.18	99.81	103.90
26	BB	912	C	O4'-C1'-N1	8.18	114.75	108.20
26	BB	1323	C	C5-C6-N1	8.18	125.09	121.00
26	BB	2813	A	C5-N7-C8	8.18	107.99	103.90
1	AA	586	C	N3-C4-C5	-8.18	118.63	121.90
1	AA	30	U	N3-C4-C5	8.18	119.51	114.60
26	BB	39	G	C2-N3-C4	8.18	115.99	111.90
26	BB	1019	U	N3-C2-O2	-8.18	116.47	122.20
26	BB	1021	A	C4-C5-N7	-8.18	106.61	110.70
26	BB	1544	A	C5'-C4'-C3'	-8.18	102.91	116.00
26	BB	1584	U	N1-C2-N3	8.18	119.81	114.90
26	BB	1860	G	O4'-C1'-N9	8.18	114.74	108.20
26	BB	1988	G	N3-C4-C5	-8.18	124.51	128.60
26	BB	2571	U	C3'-C2'-C1'	-8.18	94.96	101.50
1	AA	406	G	C5-C6-O6	-8.18	123.69	128.60
1	AA	848	C	C5-C6-N1	8.18	125.09	121.00
1	AA	385	C	N3-C4-C5	-8.18	118.63	121.90
1	AA	867	G	C2-N3-C4	8.18	115.99	111.90
26	BB	320	A	O4'-C1'-N9	8.18	114.74	108.20
26	BB	761	A	N1-C2-N3	-8.18	125.21	129.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	956	G	C4-C5-C6	8.18	123.70	118.80
26	BB	1053	C	N1-C2-O2	8.18	123.81	118.90
26	BB	2823	A	C5-C6-N6	-8.18	117.16	123.70
1	AA	1008	U	N1-C2-N3	8.17	119.80	114.90
1	AA	1248	A	C1'-O4'-C4'	-8.17	103.36	109.90
1	AA	1459	G	C4-C5-C6	8.17	123.70	118.80
26	BB	738	G	N3-C4-C5	-8.17	124.51	128.60
26	BB	954	G	C5-N7-C8	-8.17	100.21	104.30
26	BB	979	A	N1-C6-N6	-8.17	113.69	118.60
26	BB	1401	G	C5-C6-O6	-8.17	123.70	128.60
26	BB	1430	G	N7-C8-N9	8.17	117.19	113.10
26	BB	2524	G	C5-C6-O6	-8.17	123.70	128.60
1	AA	632	U	C5-C6-N1	-8.17	118.61	122.70
1	AA	599	C	O4'-C1'-N1	8.17	114.73	108.20
1	AA	744	C	C5'-C4'-O4'	8.17	118.90	109.10
1	AA	952	U	N1-C2-N3	8.17	119.80	114.90
1	AA	1129	C	O4'-C1'-N1	8.17	114.74	108.20
3	AC	14	G	C4-C5-N7	-8.17	107.53	110.80
26	BB	599	A	C5-C6-N1	8.17	121.78	117.70
26	BB	1858	A	N7-C8-N9	8.17	117.89	113.80
26	BB	1863	G	N7-C8-N9	8.17	117.19	113.10
26	BB	1865	U	N1-C2-N3	8.17	119.80	114.90
26	BB	2741	A	C5-N7-C8	8.17	107.98	103.90
26	BB	2772	C	N3-C4-N4	8.17	123.72	118.00
1	AA	193	C	N3-C4-N4	8.17	123.72	118.00
1	AA	1000	A	C4'-C3'-C2'	8.17	110.77	102.60
1	AA	1193	G	C6-N1-C2	-8.17	120.20	125.10
1	AA	1414	U	O4'-C1'-N1	8.17	114.73	108.20
26	BB	2198	A	C2-N3-C4	8.17	114.68	110.60
1	AA	1514	G	N1-C6-O6	-8.16	115.00	119.90
1	AA	636	U	N1-C2-O2	-8.16	117.09	122.80
1	AA	1054	C	C3'-C2'-C1'	-8.16	94.97	101.50
1	AA	1334	G	N3-C4-N9	8.16	130.90	126.00
1	AA	1353	G	C5-C6-O6	8.16	133.50	128.60
26	BB	343	C	N3-C4-N4	8.16	123.72	118.00
26	BB	439	A	C8-N9-C4	-8.16	102.53	105.80
26	BB	1596	A	O4'-C1'-N9	8.16	114.73	108.20
1	AA	1472	U	O4'-C1'-N1	8.16	114.73	108.20
26	BB	946	C	C5'-C4'-C3'	-8.16	102.94	116.00
26	BB	2189	U	N3-C2-O2	-8.16	116.49	122.20
26	BB	2192	U	C2-N3-C4	-8.16	122.10	127.00
26	BB	2206	C	N3-C4-C5	-8.16	118.64	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	253	A	N7-C8-N9	8.16	117.88	113.80
1	AA	778	G	C8-N9-C4	-8.16	103.14	106.40
1	AA	1331	G	C1'-O4'-C4'	8.16	116.43	109.90
25	BA	15	A	C4-C5-C6	8.16	121.08	117.00
26	BB	188	G	C3'-C2'-C1'	8.16	108.03	101.50
26	BB	327	G	C5-C6-O6	-8.16	123.70	128.60
26	BB	600	G	N7-C8-N9	8.16	117.18	113.10
26	BB	2794	C	O4'-C4'-C3'	-8.16	95.84	104.00
26	BB	379	G	C4-C5-N7	-8.16	107.54	110.80
26	BB	1460	U	P-O3'-C3'	8.16	129.49	119.70
1	AA	864	A	C5-C6-N1	-8.16	113.62	117.70
1	AA	1106	G	C8-N9-C4	-8.16	103.14	106.40
1	AA	352	C	C3'-C2'-C1'	8.16	108.03	101.50
1	AA	481	G	N3-C4-N9	8.16	130.89	126.00
26	BB	1139	G	C4-C5-N7	-8.16	107.54	110.80
26	BB	2293	G	C6-N1-C2	-8.16	120.20	125.10
26	BB	1206	G	C6-N1-C2	-8.16	120.21	125.10
26	BB	2087	G	N3-C4-C5	-8.16	124.52	128.60
26	BB	2695	U	C4'-C3'-C2'	-8.16	94.44	102.60
1	AA	460	A	P-O3'-C3'	8.15	129.49	119.70
26	BB	352	A	O4'-C1'-N9	8.15	114.72	108.20
26	BB	2836	U	O4'-C1'-C2'	8.15	114.94	107.60
1	AA	582	C	P-O3'-C3'	8.15	129.48	119.70
1	AA	1260	G	C5'-C4'-O4'	8.15	118.88	109.10
2	AB	4	G	N1-C6-O6	-8.15	115.01	119.90
26	BB	251	A	C2-N3-C4	8.15	114.68	110.60
26	BB	819	A	O4'-C1'-N9	8.15	114.72	108.20
26	BB	308	G	C5-C6-N1	8.15	115.58	111.50
26	BB	752	A	O4'-C1'-N9	8.15	114.72	108.20
26	BB	819	A	C8-N9-C4	-8.15	102.54	105.80
26	BB	1257	C	C5-C6-N1	8.15	125.08	121.00
26	BB	2640	G	O4'-C1'-N9	8.15	114.72	108.20
26	BB	2808	G	C5-C6-N1	-8.15	107.42	111.50
26	BB	2839	G	O4'-C1'-N9	8.15	114.72	108.20
1	AA	97	G	N3-C4-C5	-8.15	124.52	128.60
1	AA	624	C	N3-C4-C5	-8.15	118.64	121.90
1	AA	1294	G	C4-C5-N7	8.15	114.06	110.80
1	AA	1486	G	C4-C5-C6	8.15	123.69	118.80
26	BB	183	C	C6-N1-C2	-8.15	117.04	120.30
26	BB	821	A	C3'-C2'-C1'	8.15	108.02	101.50
26	BB	1088	A	O4'-C1'-N9	8.15	114.72	108.20
26	BB	1277	G	C4-C5-N7	-8.15	107.54	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2688	G	C2-N3-C4	8.15	115.98	111.90
26	BB	1673	G	C6-C5-N7	-8.15	125.51	130.40
26	BB	1867	G	N3-C4-N9	8.15	130.89	126.00
1	AA	537	G	N9-C4-C5	8.15	108.66	105.40
1	AA	779	C	O4'-C4'-C3'	8.15	112.62	106.10
1	AA	1436	U	O4'-C1'-N1	8.15	114.72	108.20
26	BB	972	A	C2-N3-C4	8.15	114.67	110.60
26	BB	1903	G	C5'-C4'-O4'	8.15	118.88	109.10
26	BB	2169	A	N9-C4-C5	-8.15	102.54	105.80
1	AA	1488	G	O4'-C1'-N9	8.15	114.72	108.20
2	AB	75	C	O4'-C1'-N1	8.15	114.72	108.20
26	BB	1701	A	C3'-C2'-C1'	8.15	108.02	101.50
1	AA	537	G	C8-N9-C4	-8.14	103.14	106.40
1	AA	1524	C	C4'-C3'-C2'	-8.14	94.45	102.60
2	AB	40	C	C5-C4-N4	-8.14	114.50	120.20
26	BB	41	C	O4'-C1'-N1	8.14	114.72	108.20
26	BB	2707	U	C5-C6-N1	-8.14	118.63	122.70
26	BB	828	U	C5-C4-O4	8.14	130.79	125.90
26	BB	1075	C	C4-C5-C6	-8.14	113.33	117.40
26	BB	1132	U	O4'-C1'-N1	8.14	114.72	108.20
1	AA	301	G	C8-N9-C4	-8.14	103.14	106.40
26	BB	1384	A	C8-N9-C4	-8.14	102.54	105.80
1	AA	505	G	C2-N3-C4	8.14	115.97	111.90
1	AA	804	U	O4'-C1'-N1	8.14	114.71	108.20
1	AA	887	G	O4'-C1'-N9	8.14	114.71	108.20
1	AA	1320	C	C5-C6-N1	8.14	125.07	121.00
26	BB	2183	A	C4-C5-N7	8.14	114.77	110.70
26	BB	2819	G	N9-C4-C5	-8.14	102.14	105.40
1	AA	1122	U	N3-C2-O2	-8.14	116.50	122.20
1	AA	1123	U	C5'-C4'-O4'	8.14	118.87	109.10
26	BB	2717	C	C5-C4-N4	-8.14	114.50	120.20
26	BB	810	U	C3'-C2'-C1'	8.14	108.01	101.50
26	BB	903	C	C2-N3-C4	8.14	123.97	119.90
26	BB	1137	G	O4'-C1'-N9	8.14	114.71	108.20
1	AA	10	A	C6-C5-N7	-8.14	126.60	132.30
26	BB	98	G	C8-N9-C4	-8.14	103.15	106.40
26	BB	543	G	N3-C2-N2	-8.14	114.20	119.90
26	BB	1353	A	C5-N7-C8	-8.14	99.83	103.90
26	BB	1989	G	N3-C4-C5	-8.14	124.53	128.60
26	BB	2558	C	N1-C2-O2	8.14	123.78	118.90
1	AA	7	A	C1'-O4'-C4'	-8.13	103.39	109.90
26	BB	890	C	C5-C6-N1	8.13	125.07	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	688	G	C8-N9-C4	-8.13	103.15	106.40
1	AA	917	G	C5-N7-C8	-8.13	100.23	104.30
1	AA	1144	G	C5-N7-C8	-8.13	100.23	104.30
1	AA	1183	U	C5-C4-O4	-8.13	121.02	125.90
1	AA	1227	A	P-O3'-C3'	8.13	129.46	119.70
26	BB	1561	C	N3-C4-C5	-8.13	118.65	121.90
26	BB	2846	G	N3-C2-N2	-8.13	114.21	119.90
26	BB	189	G	N1-C6-O6	-8.13	115.02	119.90
26	BB	1304	A	N3-C4-C5	8.13	132.49	126.80
26	BB	1525	A	C2-N3-C4	-8.13	106.53	110.60
26	BB	2523	G	C2-N3-C4	8.13	115.97	111.90
26	BB	2526	G	C4-C5-N7	-8.13	107.55	110.80
54	B3	9	ARG	NE-CZ-NH2	8.13	124.36	120.30
26	BB	2762	C	C4'-C3'-C2'	-8.13	94.47	102.60
1	AA	212	G	C5'-C4'-C3'	-8.13	103.00	116.00
1	AA	338	A	C4-C5-N7	-8.13	106.64	110.70
1	AA	509	A	N1-C2-N3	-8.13	125.24	129.30
26	BB	392	U	C3'-C2'-C1'	-8.13	95.00	101.50
1	AA	691	G	N7-C8-N9	8.13	117.16	113.10
1	AA	1059	C	C5-C4-N4	-8.13	114.51	120.20
26	BB	60	G	O4'-C1'-N9	8.13	114.70	108.20
1	AA	65	A	N7-C8-N9	-8.13	109.74	113.80
26	BB	2170	A	N1-C2-N3	-8.13	125.24	129.30
1	AA	188	C	N3-C4-C5	-8.12	118.65	121.90
1	AA	349	A	N1-C6-N6	-8.12	113.72	118.60
1	AA	360	G	C8-N9-C4	-8.12	103.15	106.40
1	AA	769	G	C4-C5-N7	-8.12	107.55	110.80
1	AA	785	G	N1-C6-O6	-8.12	115.03	119.90
1	AA	995	C	O4'-C1'-N1	8.12	114.70	108.20
26	BB	929	U	O4'-C1'-N1	8.12	114.70	108.20
26	BB	1534	U	N3-C2-O2	-8.12	116.51	122.20
26	BB	2218	G	O4'-C1'-N9	8.12	114.70	108.20
1	AA	87	C	C4'-C3'-C2'	-8.12	94.48	102.60
25	BA	47	C	N1-C1'-C2'	-8.12	103.06	112.00
26	BB	342	A	C6-N1-C2	8.12	123.47	118.60
26	BB	1704	C	C1'-O4'-C4'	-8.12	103.40	109.90
3	AC	58	C	C4'-C3'-C2'	-8.12	94.48	102.60
4	AD	20	G	C5-C6-N1	-8.12	107.44	111.50
26	BB	917	A	C6-N1-C2	8.12	123.47	118.60
26	BB	931	U	N3-C2-O2	-8.12	116.51	122.20
26	BB	1271	G	N3-C4-C5	-8.12	124.54	128.60
26	BB	1957	C	N3-C4-C5	-8.12	118.65	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2298	A	O4'-C1'-N9	8.12	114.70	108.20
26	BB	2135	A	N9-C4-C5	8.12	109.05	105.80
26	BB	2193	G	O4'-C1'-N9	8.12	114.70	108.20
33	BI	123	ARG	NE-CZ-NH1	8.12	124.36	120.30
1	AA	89	U	C5-C4-O4	8.12	130.77	125.90
1	AA	332	G	N7-C8-N9	8.12	117.16	113.10
1	AA	479	U	N3-C4-C5	-8.12	109.73	114.60
1	AA	636	U	N1-C2-N3	8.12	119.77	114.90
1	AA	1216	A	C6-N1-C2	8.12	123.47	118.60
1	AA	1379	G	C6-C5-N7	8.12	135.27	130.40
2	AB	19	G	C6-C5-N7	8.12	135.27	130.40
26	BB	729	G	N3-C4-N9	8.12	130.87	126.00
26	BB	1170	C	C5-C6-N1	8.12	125.06	121.00
26	BB	1636	U	O4'-C1'-N1	8.12	114.70	108.20
26	BB	2374	C	O4'-C1'-N1	8.12	114.69	108.20
1	AA	682	G	N3-C2-N2	-8.12	114.22	119.90
14	AN	64	VAL	CA-CB-CG2	8.12	123.08	110.90
26	BB	1061	U	C5'-C4'-O4'	8.12	118.84	109.10
26	BB	1447	C	N1-C2-O2	8.12	123.77	118.90
26	BB	1568	G	C5'-C4'-O4'	8.12	118.84	109.10
26	BB	1666	G	C5-N7-C8	8.12	108.36	104.30
26	BB	2378	A	C1'-O4'-C4'	-8.12	103.41	109.90
1	AA	522	C	O4'-C1'-N1	8.12	114.69	108.20
26	BB	155	A	C2-N3-C4	8.12	114.66	110.60
26	BB	1372	U	O4'-C1'-N1	8.12	114.69	108.20
26	BB	2488	G	N7-C8-N9	8.12	117.16	113.10
25	BA	43	C	C2-N3-C4	8.11	123.96	119.90
26	BB	1056	G	C4-C5-C6	-8.11	113.93	118.80
26	BB	1857	G	C5-C6-N1	8.11	115.56	111.50
26	BB	2225	A	C2-N3-C4	8.12	114.66	110.60
26	BB	2666	C	C5-C6-N1	8.11	125.06	121.00
26	BB	2817	U	N3-C2-O2	-8.11	116.52	122.20
1	AA	1237	C	C5-C6-N1	8.11	125.06	121.00
1	AA	396	C	N3-C2-O2	-8.11	116.22	121.90
1	AA	1487	G	C8-N9-C4	-8.11	103.16	106.40
25	BA	58	A	C8-N9-C4	-8.11	102.56	105.80
26	BB	379	G	O4'-C1'-N9	8.11	114.69	108.20
26	BB	1102	C	N3-C4-C5	-8.11	118.66	121.90
26	BB	2332	C	O4'-C1'-N1	8.11	114.69	108.20
26	BB	1357	C	O4'-C1'-N1	8.11	114.69	108.20
26	BB	1935	G	C6-C5-N7	-8.11	125.53	130.40
1	AA	159	G	N3-C4-C5	-8.11	124.55	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	180	U	C5-C4-O4	-8.11	121.03	125.90
1	AA	666	G	C2-N3-C4	8.11	115.95	111.90
1	AA	1008	U	C6-N1-C2	-8.11	116.14	121.00
1	AA	1453	G	C8-N9-C4	-8.11	103.16	106.40
2	AB	36	A	C5-C6-N1	8.11	121.75	117.70
26	BB	1392	A	N9-C4-C5	8.11	109.04	105.80
26	BB	1776	G	C8-N9-C4	-8.11	103.16	106.40
26	BB	240	C	N3-C2-O2	-8.11	116.22	121.90
1	AA	378	G	C6-C5-N7	-8.11	125.54	130.40
1	AA	663	A	C2-N3-C4	8.11	114.65	110.60
1	AA	1033	G	N3-C4-C5	-8.11	124.55	128.60
1	AA	1471	U	N3-C2-O2	-8.11	116.53	122.20
26	BB	1062	G	C5-C6-N1	8.11	115.55	111.50
26	BB	1653	G	N9-C4-C5	8.11	108.64	105.40
26	BB	1868	C	N3-C2-O2	-8.11	116.23	121.90
1	AA	1302	C	P-O3'-C3'	8.10	129.43	119.70
2	AB	74	C	C2-N3-C4	8.10	123.95	119.90
26	BB	2411	A	N7-C8-N9	8.10	117.85	113.80
26	BB	2496	C	C6-N1-C2	8.10	123.54	120.30
1	AA	1390	U	O4'-C1'-N1	8.10	114.68	108.20
26	BB	2237	G	N1-C6-O6	-8.10	115.04	119.90
26	BB	2842	G	N1-C6-O6	-8.10	115.04	119.90
26	BB	2112	G	C4-C5-N7	-8.10	107.56	110.80
26	BB	2835	A	O4'-C1'-N9	-8.10	101.72	108.20
1	AA	895	G	N3-C4-C5	-8.10	124.55	128.60
1	AA	1439	G	N3-C4-N9	8.10	130.86	126.00
26	BB	1712	U	O4'-C1'-N1	8.10	114.68	108.20
26	BB	119	A	C4-C5-C6	8.10	121.05	117.00
26	BB	248	G	N1-C6-O6	-8.10	115.04	119.90
26	BB	424	G	N9-C4-C5	-8.10	102.16	105.40
26	BB	1836	C	C3'-C2'-C1'	8.10	107.98	101.50
26	BB	1900	A	O4'-C1'-N9	8.10	114.68	108.20
26	BB	2876	G	N9-C4-C5	8.10	108.64	105.40
1	AA	401	C	O4'-C1'-N1	8.10	114.68	108.20
1	AA	223	A	C4'-C3'-C2'	-8.10	94.50	102.60
1	AA	879	C	C1'-O4'-C4'	-8.10	103.42	109.90
1	AA	1026	G	C6-C5-N7	-8.10	125.54	130.40
3	AC	27	A	C8-N9-C4	-8.10	102.56	105.80
1	AA	902	G	C4'-C3'-C2'	8.10	110.69	102.60
1	AA	1092	A	N1-C2-N3	-8.10	125.25	129.30
1	AA	1256	A	C3'-C2'-C1'	8.10	107.98	101.50
25	BA	23	G	C5'-C4'-O4'	8.10	118.81	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	61	G	O4'-C1'-N9	8.10	114.68	108.20
26	BB	234	U	O4'-C1'-N1	8.10	114.68	108.20
26	BB	2095	A	N1-C6-N6	8.10	123.46	118.60
26	BB	970	U	C5-C6-N1	-8.09	118.65	122.70
26	BB	2201	G	C8-N9-C4	-8.09	103.16	106.40
26	BB	2546	U	N3-C4-O4	8.09	125.07	119.40
26	BB	2660	A	N7-C8-N9	-8.09	109.75	113.80
26	BB	102	U	C3'-C2'-C1'	8.09	107.97	101.50
26	BB	2643	G	O4'-C1'-N9	8.09	114.67	108.20
1	AA	346	G	N1-C2-N3	-8.09	119.05	123.90
1	AA	714	G	N9-C1'-C2'	-8.09	103.10	112.00
25	BA	41	G	C2-N3-C4	8.09	115.94	111.90
26	BB	1783	A	O4'-C1'-N9	8.09	114.67	108.20
26	BB	2487	G	C4-C5-N7	-8.09	107.56	110.80
1	AA	145	G	C6-N1-C2	-8.09	120.25	125.10
1	AA	1440	U	C4-C5-C6	8.09	124.55	119.70
26	BB	1377	G	C4-C5-C6	8.09	123.65	118.80
26	BB	1380	G	C2-N3-C4	8.09	115.94	111.90
26	BB	2472	G	C2-N3-C4	-8.09	107.86	111.90
26	BB	2472	G	C6-C5-N7	-8.09	125.55	130.40
1	AA	232	G	N1-C6-O6	8.09	124.75	119.90
1	AA	737	C	N3-C4-C5	8.09	125.14	121.90
26	BB	200	U	C4'-C3'-C2'	-8.09	94.51	102.60
26	BB	296	U	C4-C5-C6	8.09	124.55	119.70
26	BB	569	U	C1'-O4'-C4'	-8.09	103.43	109.90
26	BB	874	G	N3-C4-N9	-8.09	121.15	126.00
26	BB	1801	A	C2-N3-C4	8.09	114.64	110.60
26	BB	2029	G	C5-C6-N1	8.09	115.54	111.50
26	BB	2436	G	N1-C2-N3	-8.09	119.05	123.90
1	AA	39	G	C6-N1-C2	-8.09	120.25	125.10
1	AA	117	G	O4'-C1'-N9	8.09	114.67	108.20
1	AA	161	A	N1-C2-N3	-8.09	125.26	129.30
26	BB	760	G	C4-C5-C6	8.09	123.65	118.80
26	BB	1934	C	O4'-C1'-N1	8.09	114.67	108.20
26	BB	2091	C	N3-C4-C5	-8.09	118.67	121.90
1	AA	156	C	N3-C2-O2	-8.08	116.24	121.90
26	BB	2110	G	O4'-C1'-N9	8.08	114.67	108.20
26	BB	135	U	N1-C2-N3	-8.08	110.05	114.90
26	BB	2651	C	N3-C4-N4	8.08	123.66	118.00
28	BD	51	ARG	NE-CZ-NH1	8.08	124.34	120.30
1	AA	848	C	N3-C2-O2	-8.08	116.24	121.90
1	AA	773	G	N1-C2-N3	8.08	128.75	123.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1021	A	C5-C6-N6	-8.08	117.24	123.70
26	BB	253	C	C5'-C4'-O4'	8.08	118.80	109.10
16	AP	85	TYR	CB-CG-CD2	8.08	125.85	121.00
26	BB	524	G	C2-N3-C4	8.08	115.94	111.90
26	BB	1563	U	O4'-C1'-N1	8.08	114.66	108.20
26	BB	1579	A	N9-C1'-C2'	-8.08	103.11	112.00
26	BB	1867	G	N7-C8-N9	8.08	117.14	113.10
26	BB	2280	G	C2-N3-C4	8.08	115.94	111.90
26	BB	2789	C	O4'-C1'-N1	8.08	114.66	108.20
1	AA	38	G	C4-C5-N7	-8.08	107.57	110.80
1	AA	1355	G	C8-N9-C4	-8.08	103.17	106.40
26	BB	141	G	C8-N9-C4	-8.08	103.17	106.40
26	BB	295	G	C8-N9-C4	-8.08	103.17	106.40
26	BB	385	C	C4'-C3'-C2'	-8.08	94.52	102.60
26	BB	1694	C	O4'-C1'-N1	8.08	114.66	108.20
26	BB	1763	G	C4'-C3'-C2'	-8.08	94.52	102.60
1	AA	1217	C	C3'-C2'-C1'	8.08	107.96	101.50
1	AA	1473	G	C4'-C3'-C2'	-8.08	94.52	102.60
26	BB	81	G	N9-C4-C5	8.08	108.63	105.40
26	BB	969	G	C5'-C4'-O4'	8.08	118.79	109.10
26	BB	1277	G	C2-N3-C4	8.08	115.94	111.90
26	BB	1711	A	C5'-C4'-O4'	8.08	118.79	109.10
26	BB	2677	G	N1-C2-N2	8.08	123.47	116.20
39	BO	50	ARG	NE-CZ-NH2	-8.08	116.26	120.30
1	AA	87	C	C6-N1-C2	-8.07	117.07	120.30
1	AA	255	G	N1-C6-O6	8.07	124.75	119.90
1	AA	359	G	N3-C2-N2	-8.07	114.25	119.90
1	AA	695	A	N1-C6-N6	-8.07	113.75	118.60
26	BB	300	A	C3'-C2'-C1'	-8.07	95.04	101.50
1	AA	267	C	C2-N3-C4	-8.07	115.86	119.90
26	BB	506	G	O4'-C4'-C3'	8.07	112.56	106.10
26	BB	522	A	C4-C5-C6	8.07	121.04	117.00
26	BB	541	A	N7-C8-N9	8.07	117.84	113.80
28	BD	261	ARG	NE-CZ-NH2	-8.07	116.26	120.30
1	AA	5	U	C3'-C2'-C1'	-8.07	95.04	101.50
1	AA	1505	G	C5-C6-N1	8.07	115.54	111.50
26	BB	939	G	N1-C2-N3	-8.07	119.06	123.90
26	BB	2486	C	O4'-C1'-N1	8.07	114.66	108.20
26	BB	2866	U	C5'-C4'-O4'	8.07	118.79	109.10
1	AA	1506	U	N3-C4-C5	-8.07	109.76	114.60
9	AI	59	TYR	CB-CG-CD2	-8.07	116.16	121.00
26	BB	1860	G	C8-N9-C4	-8.07	103.17	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2152	G	C2-N3-C4	8.07	115.94	111.90
34	BJ	60	ARG	NE-CZ-NH2	-8.07	116.27	120.30
1	AA	1201	A	C5'-C4'-O4'	8.07	118.78	109.10
4	AD	22	A	N1-C6-N6	8.07	123.44	118.60
26	BB	130	C	C6-N1-C2	8.07	123.53	120.30
26	BB	1728	C	N1-C2-O2	8.07	123.74	118.90
1	AA	1213	A	C8-N9-C4	-8.07	102.57	105.80
1	AA	1358	U	C5-C4-O4	-8.07	121.06	125.90
3	AC	46	C	O4'-C1'-C2'	8.07	114.86	107.60
5	AE	197	PHE	CB-CG-CD2	-8.07	115.15	120.80
26	BB	306	U	N3-C4-C5	-8.07	109.76	114.60
26	BB	567	U	C4-C5-C6	8.07	124.54	119.70
1	AA	469	C	N1-C2-O2	8.06	123.74	118.90
1	AA	1142	G	N9-C4-C5	8.06	108.62	105.40
4	AD	40	C	O4'-C1'-N1	8.06	114.65	108.20
26	BB	98	G	C5'-C4'-O4'	8.06	118.78	109.10
26	BB	247	G	C8-N9-C4	-8.06	103.17	106.40
26	BB	1304	A	O4'-C1'-N9	8.06	114.65	108.20
26	BB	1646	C	C4-C5-C6	-8.06	113.37	117.40
26	BB	1607	C	N3-C2-O2	-8.06	116.26	121.90
1	AA	139	A	N9-C4-C5	8.06	109.02	105.80
26	BB	623	C	O4'-C1'-N1	8.06	114.65	108.20
1	AA	1147	C	N1-C2-O2	8.06	123.74	118.90
26	BB	1361	G	O4'-C1'-N9	8.06	114.65	108.20
26	BB	2543	G	N3-C2-N2	8.06	125.54	119.90
26	BB	2559	C	C2-N3-C4	8.06	123.93	119.90
26	BB	2618	G	C5-C6-O6	-8.06	123.76	128.60
26	BB	2870	C	O4'-C1'-N1	8.06	114.65	108.20
1	AA	213	G	C4-C5-C6	8.06	123.64	118.80
1	AA	270	A	O4'-C1'-N9	8.06	114.65	108.20
26	BB	95	A	C4-C5-N7	8.06	114.73	110.70
26	BB	669	G	N7-C8-N9	8.06	117.13	113.10
26	BB	674	G	N3-C4-N9	8.06	130.83	126.00
26	BB	1267	U	C5-C4-O4	-8.06	121.06	125.90
26	BB	1543	G	C8-N9-C4	-8.06	103.18	106.40
36	BL	14	ASP	CB-CG-OD2	-8.06	111.05	118.30
1	AA	627	G	N3-C2-N2	-8.06	114.26	119.90
1	AA	936	C	O4'-C1'-N1	8.06	114.64	108.20
26	BB	2304	G	C6-N1-C2	-8.06	120.27	125.10
1	AA	1256	A	C5'-C4'-C3'	-8.05	103.11	116.00
26	BB	214	G	O4'-C1'-N9	8.05	114.64	108.20
26	BB	772	C	N1-C2-O2	8.05	123.73	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1390	U	N3-C2-O2	-8.05	116.56	122.20
26	BB	1659	G	N9-C4-C5	8.05	108.62	105.40
1	AA	717	U	O4'-C1'-N1	8.05	114.64	108.20
26	BB	620	G	C5-C6-N1	-8.05	107.47	111.50
1	AA	92	U	N3-C2-O2	-8.05	116.56	122.20
1	AA	419	C	O4'-C1'-N1	8.05	114.64	108.20
1	AA	677	U	N1-C2-O2	-8.05	117.17	122.80
1	AA	1016	A	C2-N3-C4	8.05	114.62	110.60
1	AA	1386	G	N3-C4-C5	-8.05	124.58	128.60
4	AD	53	G	N9-C4-C5	-8.05	102.18	105.40
26	BB	247	G	N1-C6-O6	-8.05	115.07	119.90
26	BB	1908	C	N3-C4-C5	-8.05	118.68	121.90
26	BB	1916	A	C2-N3-C4	8.05	114.63	110.60
26	BB	2124	G	N3-C4-N9	-8.05	121.17	126.00
26	BB	2827	C	N1-C2-O2	8.05	123.73	118.90
41	BQ	13	ARG	NE-CZ-NH1	8.05	124.33	120.30
2	AB	66	C	N3-C2-O2	-8.05	116.27	121.90
26	BB	898	C	N1-C2-O2	8.05	123.73	118.90
26	BB	1675	C	N1-C2-O2	8.05	123.73	118.90
1	AA	981	U	C1'-O4'-C4'	-8.05	103.46	109.90
2	AB	29	G	C4-C5-N7	8.05	114.02	110.80
25	BA	35	C	C1'-O4'-C4'	-8.05	103.46	109.90
26	BB	814	C	C4-C5-C6	-8.05	113.38	117.40
26	BB	1295	C	N1-C2-O2	8.05	123.73	118.90
26	BB	2435	A	O4'-C1'-N9	8.05	114.64	108.20
26	BB	2729	G	C6-N1-C2	-8.05	120.27	125.10
4	AD	54	G	N1-C6-O6	-8.05	115.07	119.90
26	BB	2740	A	N9-C4-C5	8.05	109.02	105.80
1	AA	609	A	C1'-O4'-C4'	-8.04	103.47	109.90
1	AA	918	A	N7-C8-N9	8.04	117.82	113.80
1	AA	1101	A	N1-C2-N3	8.04	133.32	129.30
23	AW	28	ARG	NE-CZ-NH1	8.04	124.32	120.30
26	BB	121	G	C3'-C2'-C1'	-8.04	95.06	101.50
26	BB	586	A	N1-C2-N3	-8.05	125.28	129.30
26	BB	1623	G	N3-C2-N2	-8.04	114.27	119.90
26	BB	2182	U	N3-C4-C5	8.04	119.43	114.60
26	BB	2227	A	O4'-C1'-N9	8.05	114.64	108.20
26	BB	2885	G	C3'-C2'-C1'	-8.04	95.06	101.50
31	BG	29	ARG	NE-CZ-NH2	-8.04	116.28	120.30
1	AA	279	A	C4-C5-N7	8.04	114.72	110.70
25	BA	102	G	C4-C5-N7	-8.04	107.58	110.80
26	BB	794	A	C4-C5-C6	-8.04	112.98	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2825	G	N1-C6-O6	-8.04	115.07	119.90
26	BB	373	U	C6-N1-C2	-8.04	116.18	121.00
26	BB	2621	G	O4'-C1'-N9	8.04	114.63	108.20
37	BM	18	ARG	NE-CZ-NH2	-8.04	116.28	120.30
1	AA	18	C	C5-C4-N4	-8.04	114.57	120.20
1	AA	240	G	N3-C2-N2	-8.04	114.27	119.90
1	AA	366	A	N7-C8-N9	8.04	117.82	113.80
21	AU	34	GLU	OE1-CD-OE2	8.04	132.95	123.30
26	BB	328	U	O4'-C1'-N1	8.04	114.63	108.20
26	BB	354	A	O4'-C1'-N9	8.04	114.63	108.20
26	BB	192	C	C2-N3-C4	8.04	123.92	119.90
26	BB	474	G	O4'-C1'-N9	8.04	114.63	108.20
26	BB	523	C	N1-C2-O2	8.04	123.72	118.90
26	BB	864	G	N3-C4-C5	-8.04	124.58	128.60
26	BB	1924	C	C4-C5-C6	-8.04	113.38	117.40
26	BB	2496	C	C5-C6-N1	-8.04	116.98	121.00
1	AA	502	A	C3'-C2'-C1'	-8.04	95.07	101.50
1	AA	1112	C	C2-N3-C4	8.04	123.92	119.90
1	AA	1264	U	C6-N1-C2	-8.04	116.18	121.00
3	AC	47	C	C1'-O4'-C4'	-8.04	103.47	109.90
26	BB	1046	A	O4'-C1'-N9	8.04	114.63	108.20
26	BB	1294	U	C3'-C2'-C1'	-8.04	95.07	101.50
26	BB	1772	A	C5-C6-N6	-8.03	117.27	123.70
26	BB	1896	G	C5-C6-O6	-8.03	123.78	128.60
26	BB	2780	G	C6-C5-N7	-8.03	125.58	130.40
1	AA	464	U	C4-C5-C6	8.03	124.52	119.70
1	AA	634	C	C5-C6-N1	8.03	125.02	121.00
26	BB	88	G	C5-C6-O6	-8.03	123.78	128.60
26	BB	498	G	C4'-C3'-C2'	-8.03	94.57	102.60
26	BB	1757	A	C6-C5-N7	8.03	137.92	132.30
26	BB	2630	G	N3-C2-N2	-8.03	114.28	119.90
26	BB	1307	A	C5-N7-C8	8.03	107.92	103.90
26	BB	1567	G	C6-C5-N7	-8.03	125.58	130.40
26	BB	2027	G	N9-C4-C5	8.03	108.61	105.40
26	BB	2590	A	O4'-C1'-N9	8.03	114.62	108.20
1	AA	1501	C	O4'-C1'-N1	8.03	114.62	108.20
4	AD	23	G	C2-N3-C4	8.03	115.91	111.90
26	BB	125	A	C5-C6-N1	8.03	121.71	117.70
26	BB	314	C	C4-C5-C6	-8.03	113.39	117.40
26	BB	453	A	N9-C4-C5	8.03	109.01	105.80
26	BB	833	A	C4-C5-C6	-8.03	112.99	117.00
26	BB	1008	A	N1-C2-N3	8.03	133.31	129.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2460	U	N1-C2-N3	8.03	119.72	114.90
26	BB	2726	A	C2-N3-C4	8.03	114.61	110.60
1	AA	761	G	N3-C4-C5	-8.03	124.59	128.60
1	AA	767	A	N9-C1'-C2'	-8.03	103.17	112.00
26	BB	946	C	C5-C6-N1	8.03	125.01	121.00
26	BB	2061	G	N1-C2-N2	8.03	123.42	116.20
26	BB	1056	G	O4'-C1'-N9	8.03	114.62	108.20
26	BB	1360	G	C5-C6-N1	8.03	115.51	111.50
1	AA	795	C	C6-N1-C2	-8.02	117.09	120.30
26	BB	345	A	C8-N9-C4	8.02	109.01	105.80
1	AA	799	G	N3-C4-C5	-8.02	124.59	128.60
1	AA	888	G	C2-N3-C4	8.02	115.91	111.90
4	AD	71	G	N3-C4-N9	8.02	130.81	126.00
26	BB	363	G	N3-C4-C5	-8.02	124.59	128.60
26	BB	1642	G	N9-C4-C5	8.02	108.61	105.40
26	BB	2178	C	C1'-O4'-C4'	8.02	116.32	109.90
26	BB	2655	G	C8-N9-C4	-8.02	103.19	106.40
1	AA	1471	U	C5-C6-N1	-8.02	118.69	122.70
26	BB	119	A	N3-C4-C5	-8.02	121.19	126.80
26	BB	696	G	O4'-C1'-N9	8.02	114.62	108.20
26	BB	708	G	C6-C5-N7	-8.02	125.59	130.40
26	BB	775	G	C6-C5-N7	-8.02	125.59	130.40
26	BB	1771	C	N3-C4-C5	-8.02	118.69	121.90
26	BB	2282	G	C4-C5-N7	-8.02	107.59	110.80
26	BB	2722	G	C4-C5-N7	8.02	114.01	110.80
26	BB	2529	G	N1-C6-O6	-8.02	115.09	119.90
1	AA	1107	C	N3-C2-O2	-8.02	116.29	121.90
25	BA	47	C	N3-C2-O2	-8.02	116.29	121.90
26	BB	393	C	N3-C4-C5	-8.02	118.69	121.90
26	BB	458	G	C5'-C4'-C3'	-8.02	103.17	116.00
26	BB	491	G	C5'-C4'-O4'	8.02	118.72	109.10
26	BB	1202	G	C8-N9-C4	-8.02	103.19	106.40
26	BB	2025	C	N3-C4-N4	8.02	123.61	118.00
26	BB	2378	A	O4'-C4'-C3'	8.02	112.52	106.10
26	BB	2763	G	C8-N9-C4	-8.02	103.19	106.40
26	BB	2847	U	O4'-C4'-C3'	8.02	112.51	106.10
26	BB	2859	G	O4'-C1'-N9	8.02	114.61	108.20
1	AA	515	G	N1-C6-O6	8.02	124.71	119.90
1	AA	617	G	N3-C4-C5	-8.02	124.59	128.60
1	AA	984	C	N1-C2-O2	8.02	123.71	118.90
1	AA	1016	A	N3-C4-C5	-8.02	121.19	126.80
1	AA	1046	A	O4'-C1'-N9	8.02	114.61	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	247	G	N7-C8-N9	8.02	117.11	113.10
26	BB	1373	A	C6-C5-N7	8.02	137.91	132.30
1	AA	1438	G	C5-C6-O6	8.02	133.41	128.60
26	BB	249	C	N3-C2-O2	-8.02	116.29	121.90
26	BB	343	C	N3-C4-C5	-8.02	118.69	121.90
26	BB	693	A	N9-C4-C5	8.02	109.01	105.80
26	BB	841	G	N7-C8-N9	8.02	117.11	113.10
26	BB	1284	A	N1-C6-N6	8.02	123.41	118.60
26	BB	1792	G	O4'-C1'-N9	8.02	114.61	108.20
26	BB	1881	C	C5-C6-N1	8.02	125.01	121.00
26	BB	2895	G	C2-N3-C4	8.02	115.91	111.90
1	AA	23	C	N3-C2-O2	-8.01	116.29	121.90
1	AA	206	C	C5'-C4'-O4'	8.01	118.72	109.10
1	AA	599	C	N1-C2-O2	8.01	123.71	118.90
26	BB	1694	C	C2-N3-C4	8.01	123.91	119.90
26	BB	1700	A	C5-C6-N1	8.01	121.71	117.70
26	BB	2279	G	N1-C6-O6	8.01	124.71	119.90
1	AA	730	G	N3-C4-C5	-8.01	124.59	128.60
19	AS	14	ARG	NE-CZ-NH1	8.01	124.31	120.30
26	BB	444	C	N3-C4-N4	8.01	123.61	118.00
26	BB	663	G	C5-N7-C8	-8.01	100.29	104.30
26	BB	985	C	O4'-C1'-N1	8.01	114.61	108.20
26	BB	1963	U	O4'-C1'-N1	8.01	114.61	108.20
26	BB	667	U	C5-C6-N1	-8.01	118.69	122.70
26	BB	2310	C	C5'-C4'-O4'	8.01	118.71	109.10
26	BB	2749	A	N9-C4-C5	8.01	109.00	105.80
1	AA	41	G	C8-N9-C4	-8.01	103.20	106.40
1	AA	898	G	N9-C4-C5	8.01	108.60	105.40
1	AA	1154	G	C6-N1-C2	-8.01	120.30	125.10
26	BB	727	A	O4'-C1'-N9	8.01	114.61	108.20
26	BB	777	G	N7-C8-N9	8.01	117.10	113.10
26	BB	1307	A	C1'-O4'-C4'	-8.01	103.49	109.90
26	BB	1805	A	C5-N7-C8	-8.01	99.89	103.90
26	BB	1955	U	C1'-O4'-C4'	-8.01	103.49	109.90
1	AA	161	A	N9-C4-C5	-8.01	102.60	105.80
1	AA	355	C	C4-C5-C6	-8.01	113.40	117.40
2	AB	10	G	N9-C4-C5	8.01	108.60	105.40
26	BB	1695	G	C5-C6-N1	-8.01	107.50	111.50
26	BB	2018	G	C4-C5-C6	8.01	123.60	118.80
26	BB	2295	C	C5-C6-N1	8.01	125.00	121.00
1	AA	772	U	C2-N3-C4	-8.01	122.20	127.00
26	BB	54	G	N7-C8-N9	8.01	117.10	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	609	A	C3'-C2'-C1'	8.01	107.90	101.50
26	BB	1292	G	N9-C1'-C2'	-8.01	103.19	112.00
26	BB	2757	A	C3'-C2'-C1'	8.01	107.91	101.50
26	BB	2884	U	N3-C2-O2	-8.01	116.60	122.20
1	AA	1334	G	N9-C4-C5	-8.00	102.20	105.40
2	AB	44	G	N3-C4-N9	8.00	130.80	126.00
26	BB	37	C	P-O3'-C3'	8.00	129.30	119.70
26	BB	1158	C	C2-N3-C4	8.00	123.90	119.90
26	BB	1248	G	C4-C5-N7	8.00	114.00	110.80
26	BB	1305	C	C2-N3-C4	8.00	123.90	119.90
26	BB	1936	A	N3-C4-C5	-8.00	121.20	126.80
26	BB	2029	G	N3-C4-C5	-8.00	124.60	128.60
26	BB	2057	G	C5-C6-O6	8.00	133.40	128.60
26	BB	2591	C	N3-C4-N4	8.00	123.60	118.00
1	AA	419	C	C2-N3-C4	8.00	123.90	119.90
26	BB	25	U	C1'-O4'-C4'	-8.00	103.50	109.90
26	BB	273	G	N3-C4-C5	-8.00	124.60	128.60
26	BB	467	G	C5-N7-C8	8.00	108.30	104.30
26	BB	469	G	N1-C2-N2	-8.00	109.00	116.20
1	AA	208	U	C4-C5-C6	8.00	124.50	119.70
1	AA	1120	C	N1-C1'-C2'	-8.00	103.20	112.00
1	AA	1154	G	C5-C6-N1	8.00	115.50	111.50
1	AA	1488	G	C4-C5-C6	8.00	123.60	118.80
1	AA	1533	C	N3-C4-C5	-8.00	118.70	121.90
26	BB	1300	G	C1'-O4'-C4'	8.00	116.30	109.90
26	BB	1622	G	N3-C4-C5	-8.00	124.60	128.60
26	BB	1936	A	C8-N9-C4	-8.00	102.60	105.80
26	BB	2146	C	O4'-C1'-N1	8.00	114.60	108.20
1	AA	379	C	C4'-C3'-C2'	-8.00	94.60	102.60
26	BB	204	A	N1-C6-N6	-8.00	113.80	118.60
26	BB	719	C	C1'-O4'-C4'	8.00	116.30	109.90
26	BB	1634	A	O4'-C4'-C3'	8.00	112.50	106.10
26	BB	2115	G	C4'-C3'-C2'	-8.00	94.60	102.60
28	BD	167	ASP	CB-CG-OD1	-8.00	111.10	118.30
1	AA	1011	C	N3-C4-N4	8.00	123.60	118.00
26	BB	185	G	N7-C8-N9	8.00	117.10	113.10
26	BB	822	G	C5-N7-C8	8.00	108.30	104.30
26	BB	1452	G	C5-N7-C8	-8.00	100.30	104.30
1	AA	489	C	N3-C4-C5	-7.99	118.70	121.90
26	BB	1121	C	N3-C4-C5	-7.99	118.70	121.90
26	BB	1134	A	C6-N1-C2	7.99	123.40	118.60
26	BB	1376	C	N1-C2-N3	-7.99	113.61	119.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
49	BY	19	ARG	NE-CZ-NH2	-7.99	116.30	120.30
25	BA	43	C	C6-N1-C2	7.99	123.50	120.30
26	BB	1364	G	N3-C4-N9	7.99	130.79	126.00
58	B7	24	ARG	NE-CZ-NH2	7.99	124.30	120.30
26	BB	331	C	C6-N1-C2	-7.99	117.10	120.30
26	BB	527	C	N1-C2-O2	7.99	123.69	118.90
26	BB	2639	A	C4-C5-C6	-7.99	113.00	117.00
26	BB	759	G	C5'-C4'-O4'	7.99	118.69	109.10
26	BB	1037	G	N9-C1'-C2'	-7.99	103.21	112.00
26	BB	1766	G	N3-C2-N2	-7.99	114.31	119.90
1	AA	64	G	N3-C4-C5	-7.99	124.61	128.60
1	AA	330	C	C4'-C3'-C2'	-7.99	94.61	102.60
1	AA	860	A	C2-N3-C4	7.99	114.59	110.60
26	BB	251	A	C1'-O4'-C4'	-7.99	103.51	109.90
26	BB	1933	G	N1-C2-N2	7.99	123.39	116.20
26	BB	2569	G	N7-C8-N9	7.99	117.09	113.10
26	BB	179	C	C6-N1-C2	-7.99	117.11	120.30
26	BB	509	C	C6-N1-C2	7.99	123.49	120.30
26	BB	774	G	C5-N7-C8	-7.99	100.31	104.30
26	BB	960	A	C5-N7-C8	-7.99	99.91	103.90
26	BB	1352	U	C3'-C2'-C1'	-7.99	95.11	101.50
26	BB	2012	G	N3-C4-C5	-7.99	124.61	128.60
26	BB	2485	G	C4'-C3'-C2'	-7.99	94.61	102.60
26	BB	976	G	N1-C6-O6	7.98	124.69	119.90
26	BB	1882	U	C5'-C4'-O4'	7.98	118.68	109.10
1	AA	325	A	C1'-O4'-C4'	-7.98	103.51	109.90
1	AA	503	C	C2-N3-C4	7.98	123.89	119.90
1	AA	616	G	N1-C2-N2	7.98	123.38	116.20
1	AA	973	G	C4-C5-C6	-7.98	114.01	118.80
1	AA	1385	G	N1-C6-O6	7.98	124.69	119.90
4	AD	28	U	C1'-O4'-C4'	7.98	116.29	109.90
26	BB	1487	U	O4'-C4'-C3'	7.98	112.49	106.10
26	BB	1723	G	P-O3'-C3'	7.98	129.28	119.70
26	BB	1997	C	C3'-C2'-C1'	7.98	107.89	101.50
26	BB	2126	A	C2-N3-C4	7.98	114.59	110.60
26	BB	2332	C	C3'-C2'-C1'	7.98	107.89	101.50
55	B4	27	ARG	NH1-CZ-NH2	-7.98	110.62	119.40
26	BB	810	U	C6-N1-C2	-7.98	116.21	121.00
26	BB	1034	G	N7-C8-N9	7.98	117.09	113.10
26	BB	2137	U	C5-C6-N1	-7.98	118.71	122.70
26	BB	2868	A	N7-C8-N9	7.98	117.79	113.80
1	AA	497	G	C5-C6-O6	-7.98	123.81	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	786	G	C2-N3-C4	7.98	115.89	111.90
1	AA	963	G	C8-N9-C4	-7.98	103.21	106.40
1	AA	1378	C	C4-C5-C6	-7.98	113.41	117.40
26	BB	276	U	O4'-C1'-N1	7.98	114.58	108.20
26	BB	986	C	O4'-C1'-N1	7.98	114.58	108.20
26	BB	2081	U	O4'-C1'-N1	7.98	114.58	108.20
1	AA	100	G	N7-C8-N9	7.98	117.09	113.10
26	BB	219	A	C3'-C2'-C1'	7.98	107.88	101.50
26	BB	1157	G	N3-C4-N9	7.98	130.79	126.00
26	BB	2638	G	N1-C2-N3	-7.98	119.11	123.90
1	AA	207	C	C5-C4-N4	-7.97	114.62	120.20
1	AA	378	G	N3-C4-C5	-7.97	124.61	128.60
1	AA	944	G	N3-C4-N9	7.97	130.78	126.00
1	AA	1187	G	O4'-C1'-N9	7.97	114.58	108.20
7	AG	145	ARG	NE-CZ-NH2	7.97	124.29	120.30
11	AK	83	ARG	NE-CZ-NH1	-7.97	116.31	120.30
25	BA	115	A	C5-N7-C8	7.97	107.89	103.90
26	BB	322	A	N7-C8-N9	-7.97	109.81	113.80
26	BB	466	A	C5-C6-N6	-7.97	117.32	123.70
26	BB	1630	A	N9-C1'-C2'	-7.97	103.23	112.00
26	BB	2263	C	N1-C1'-C2'	-7.97	103.23	112.00
43	BS	27	ARG	NE-CZ-NH1	7.97	124.29	120.30
1	AA	458	U	O4'-C1'-N1	7.97	114.58	108.20
1	AA	819	A	C6-C5-N7	-7.97	126.72	132.30
2	AB	2	G	N3-C4-C5	-7.97	124.61	128.60
26	BB	170	U	C5-C6-N1	-7.97	118.71	122.70
26	BB	1324	G	C8-N9-C4	-7.97	103.21	106.40
26	BB	1377	G	C2-N3-C4	7.97	115.89	111.90
26	BB	1788	C	C2-N3-C4	7.97	123.89	119.90
26	BB	325	G	C2-N3-C4	7.97	115.89	111.90
26	BB	968	C	O4'-C1'-N1	7.97	114.58	108.20
26	BB	1011	G	C5-C6-N1	7.97	115.48	111.50
26	BB	1282	U	C4-C5-C6	7.97	124.48	119.70
26	BB	2535	G	C4-C5-C6	7.97	123.58	118.80
1	AA	382	A	O4'-C1'-N9	7.97	114.58	108.20
1	AA	428	G	N7-C8-N9	7.97	117.08	113.10
1	AA	430	A	C4-C5-N7	-7.97	106.72	110.70
25	BA	72	G	N9-C4-C5	7.97	108.59	105.40
26	BB	4	U	C5-C6-N1	-7.97	118.72	122.70
26	BB	309	A	C4-C5-N7	-7.97	106.72	110.70
26	BB	382	A	C1'-O4'-C4'	7.97	116.28	109.90
26	BB	1007	C	N1-C2-O2	7.97	123.68	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1017	G	C6-N1-C2	-7.97	120.32	125.10
26	BB	1137	G	C6-C5-N7	-7.97	125.62	130.40
26	BB	2128	G	N9-C4-C5	-7.97	102.21	105.40
26	BB	2238	G	N9-C4-C5	7.97	108.59	105.40
26	BB	2332	C	N1-C2-O2	7.97	123.68	118.90
1	AA	669	G	N9-C4-C5	7.97	108.59	105.40
4	AD	73	A	N1-C2-N3	-7.97	125.32	129.30
26	BB	1984	G	C4-C5-N7	-7.97	107.61	110.80
26	BB	2779	U	C4-C5-C6	7.97	124.48	119.70
1	AA	39	G	C5-C6-O6	7.97	133.38	128.60
1	AA	1027	C	O4'-C1'-N1	7.97	114.57	108.20
26	BB	49	A	C4-C5-N7	-7.97	106.72	110.70
26	BB	1390	U	C5-C4-O4	-7.97	121.12	125.90
26	BB	1578	U	C5-C6-N1	-7.97	118.72	122.70
26	BB	1713	A	N9-C4-C5	7.97	108.99	105.80
26	BB	2150	C	C5-C4-N4	-7.97	114.62	120.20
26	BB	2638	G	N7-C8-N9	7.97	117.08	113.10
1	AA	266	G	C5-C6-N1	7.96	115.48	111.50
1	AA	1046	A	N1-C2-N3	-7.96	125.32	129.30
1	AA	1157	A	C1'-O4'-C4'	7.96	116.27	109.90
1	AA	1301	U	C5-C6-N1	7.96	126.68	122.70
1	AA	1474	U	C5-C4-O4	-7.96	121.12	125.90
26	BB	763	G	C5-C6-N1	7.96	115.48	111.50
26	BB	1036	G	N7-C8-N9	7.96	117.08	113.10
26	BB	1141	U	N1-C2-O2	-7.96	117.22	122.80
26	BB	2576	G	C6-N1-C2	-7.96	120.32	125.10
1	AA	52	C	O4'-C1'-N1	7.96	114.57	108.20
26	BB	1072	C	C4'-C3'-C2'	-7.96	94.64	102.60
26	BB	1300	G	C6-C5-N7	7.96	135.18	130.40
26	BB	1602	U	C5-C4-O4	-7.96	121.12	125.90
26	BB	1850	G	C5'-C4'-C3'	-7.96	103.26	116.00
26	BB	1884	G	C8-N9-C4	-7.96	103.22	106.40
26	BB	2396	G	C3'-C2'-C1'	7.96	107.87	101.50
1	AA	282	A	C8-N9-C4	-7.96	102.61	105.80
1	AA	1303	C	C6-N1-C2	-7.96	117.11	120.30
1	AA	1314	C	N3-C4-C5	7.96	125.08	121.90
1	AA	1530	G	N1-C6-O6	-7.96	115.12	119.90
3	AC	40	G	C1'-O4'-C4'	-7.96	103.53	109.90
26	BB	401	A	N9-C4-C5	7.96	108.98	105.80
26	BB	1449	G	C6-C5-N7	7.96	135.18	130.40
26	BB	2025	C	N3-C4-C5	-7.96	118.72	121.90
26	BB	2882	A	C6-N1-C2	-7.96	113.82	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	78	A	N7-C8-N9	7.96	117.78	113.80
1	AA	1073	U	C4-C5-C6	7.96	124.48	119.70
4	AD	74	A	N7-C8-N9	7.96	117.78	113.80
26	BB	964	C	C1'-O4'-C4'	-7.96	103.53	109.90
26	BB	2064	C	N3-C4-N4	7.96	123.57	118.00
26	BB	2125	G	C8-N9-C4	-7.96	103.22	106.40
26	BB	2381	A	O4'-C1'-N9	7.96	114.57	108.20
1	AA	187	G	C6-N1-C2	7.96	129.88	125.10
1	AA	970	C	O4'-C1'-N1	7.96	114.57	108.20
26	BB	324	A	N3-C4-C5	-7.96	121.23	126.80
26	BB	428	A	C3'-C2'-C1'	7.96	107.87	101.50
26	BB	985	C	C6-N1-C2	-7.96	117.12	120.30
26	BB	1948	G	N3-C4-C5	-7.96	124.62	128.60
26	BB	2182	U	C2-N3-C4	-7.96	122.22	127.00
1	AA	742	G	N3-C2-N2	-7.96	114.33	119.90
2	AB	52	A	N7-C8-N9	7.96	117.78	113.80
26	BB	630	G	C8-N9-C4	-7.96	103.22	106.40
26	BB	2395	C	O4'-C1'-N1	7.96	114.56	108.20
1	AA	664	G	C5'-C4'-O4'	7.96	118.65	109.10
2	AB	56	C	C4'-C3'-C2'	-7.96	94.64	102.60
7	AG	71	PHE	CB-CG-CD1	7.96	126.37	120.80
26	BB	9	G	N1-C6-O6	-7.96	115.13	119.90
26	BB	2002	G	C5-C6-N1	7.96	115.48	111.50
1	AA	17	U	P-O3'-C3'	7.95	129.24	119.70
1	AA	45	G	N1-C6-O6	-7.95	115.13	119.90
1	AA	889	A	C4-C5-C6	-7.95	113.02	117.00
1	AA	946	A	N1-C2-N3	7.95	133.28	129.30
1	AA	965	U	C1'-O4'-C4'	-7.95	103.54	109.90
25	BA	7	G	O4'-C1'-N9	7.95	114.56	108.20
26	BB	1831	G	C4-C5-C6	7.95	123.57	118.80
26	BB	2664	G	O4'-C1'-N9	7.95	114.56	108.20
1	AA	674	G	C6-N1-C2	-7.95	120.33	125.10
1	AA	1174	G	N9-C4-C5	-7.95	102.22	105.40
26	BB	750	A	N1-C2-N3	-7.95	125.32	129.30
26	BB	1680	U	O4'-C1'-N1	7.95	114.56	108.20
1	AA	322	C	O4'-C1'-N1	7.95	114.56	108.20
1	AA	926	G	C8-N9-C4	-7.95	103.22	106.40
1	AA	1157	A	C8-N9-C4	-7.95	102.62	105.80
1	AA	1187	G	C6-N1-C2	-7.95	120.33	125.10
1	AA	1327	C	C3'-C2'-C1'	7.95	107.86	101.50
26	BB	1103	A	C5-N7-C8	7.95	107.88	103.90
26	BB	2141	G	C8-N9-C1'	7.95	137.34	127.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2758	A	C6-C5-N7	7.95	137.87	132.30
1	AA	211	G	C5-C6-O6	-7.95	123.83	128.60
1	AA	1272	G	O4'-C1'-N9	7.95	114.56	108.20
26	BB	534	U	C4-C5-C6	7.95	124.47	119.70
26	BB	2387	U	N3-C4-C5	7.95	119.37	114.60
27	BC	7	ARG	NE-CZ-NH1	7.95	124.27	120.30
26	BB	490	C	C6-N1-C2	-7.95	117.12	120.30
26	BB	1331	G	N9-C4-C5	7.95	108.58	105.40
26	BB	1882	U	N1-C2-N3	7.95	119.67	114.90
26	BB	2367	G	N3-C2-N2	-7.95	114.34	119.90
26	BB	2721	A	C8-N9-C4	7.95	108.98	105.80
1	AA	275	G	C4-C5-N7	7.95	113.98	110.80
26	BB	1098	A	C5'-C4'-C3'	-7.95	103.29	116.00
26	BB	1310	G	C6-N1-C2	-7.95	120.33	125.10
26	BB	2300	C	C1'-O4'-C4'	7.95	116.26	109.90
26	BB	2673	G	N7-C8-N9	7.95	117.07	113.10
25	BA	112	G	C6-N1-C2	-7.94	120.33	125.10
26	BB	1574	C	C6-N1-C2	-7.94	117.12	120.30
42	BR	38	ARG	NE-CZ-NH2	7.94	124.27	120.30
1	AA	354	G	N7-C8-N9	7.94	117.07	113.10
26	BB	432	A	C4'-C3'-C2'	-7.94	94.66	102.60
26	BB	571	U	C5-C4-O4	-7.94	121.14	125.90
26	BB	734	A	C5-C6-N6	-7.94	117.35	123.70
26	BB	1137	G	N9-C4-C5	-7.94	102.22	105.40
1	AA	663	A	N9-C4-C5	7.94	108.98	105.80
1	AA	1371	G	O4'-C1'-N9	7.94	114.55	108.20
26	BB	283	G	C8-N9-C4	-7.94	103.22	106.40
26	BB	1611	C	C4-C5-C6	-7.94	113.43	117.40
26	BB	2824	C	N3-C2-O2	-7.94	116.34	121.90
38	BN	117	THR	CA-CB-CG2	-7.94	101.28	112.40
26	BB	2165	C	C5-C6-N1	7.94	124.97	121.00
31	BG	91	ARG	NE-CZ-NH1	-7.94	116.33	120.30
1	AA	80	A	O4'-C1'-N9	7.94	114.55	108.20
1	AA	411	A	C8-N9-C4	-7.94	102.62	105.80
25	BA	47	C	C5-C6-N1	-7.94	117.03	121.00
26	BB	195	A	C8-N9-C4	-7.94	102.62	105.80
26	BB	469	G	C6-N1-C2	-7.94	120.34	125.10
26	BB	524	G	O4'-C1'-N9	7.94	114.55	108.20
26	BB	587	C	O4'-C1'-N1	7.94	114.55	108.20
26	BB	833	A	C5'-C4'-O4'	7.94	118.62	109.10
26	BB	1453	A	O4'-C1'-N9	7.94	114.55	108.20
26	BB	2299	U	O4'-C1'-C2'	7.94	114.74	107.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2302	U	C4'-C3'-C2'	-7.94	94.66	102.60
26	BB	2577	A	N1-C6-N6	-7.94	113.84	118.60
28	BD	220	ARG	NE-CZ-NH2	-7.94	116.33	120.30
1	AA	520	A	C8-N9-C4	-7.94	102.63	105.80
26	BB	1113	U	N3-C4-C5	-7.94	109.84	114.60
26	BB	2065	C	C1'-O4'-C4'	7.94	116.25	109.90
26	BB	586	A	N1-C6-N6	-7.93	113.84	118.60
26	BB	872	U	C1'-O4'-C4'	-7.93	103.55	109.90
26	BB	872	U	O4'-C4'-C3'	7.93	112.45	106.10
26	BB	1027	A	C4'-C3'-C2'	-7.93	94.67	102.60
26	BB	1598	A	N1-C6-N6	7.93	123.36	118.60
26	BB	1739	A	N7-C8-N9	7.93	117.77	113.80
26	BB	1908	C	C2-N3-C4	7.93	123.87	119.90
1	AA	237	G	O4'-C1'-N9	7.93	114.55	108.20
26	BB	34	U	O4'-C1'-N1	7.93	114.55	108.20
26	BB	560	C	O4'-C1'-N1	7.93	114.55	108.20
26	BB	779	U	N1-C2-O2	-7.93	117.25	122.80
26	BB	964	C	N3-C4-N4	7.93	123.55	118.00
26	BB	1576	U	N1-C1'-C2'	-7.93	103.27	112.00
26	BB	2232	C	C5-C6-N1	-7.93	117.03	121.00
26	BB	2412	A	N7-C8-N9	-7.93	109.83	113.80
1	AA	200	G	C6-N1-C2	-7.93	120.34	125.10
1	AA	251	G	N3-C4-C5	-7.93	124.64	128.60
1	AA	564	C	O4'-C1'-N1	7.93	114.55	108.20
1	AA	806	C	C6-N1-C2	-7.93	117.13	120.30
26	BB	45	G	C2-N3-C4	7.93	115.87	111.90
26	BB	916	G	C8-N9-C4	-7.93	103.23	106.40
1	AA	59	A	C8-N9-C4	-7.93	102.63	105.80
1	AA	687	A	C2-N3-C4	7.93	114.56	110.60
26	BB	966	G	O4'-C1'-N9	7.93	114.54	108.20
26	BB	1318	U	C5-C4-O4	-7.93	121.14	125.90
26	BB	1705	A	O4'-C1'-N9	7.93	114.54	108.20
26	BB	1974	C	N1-C2-O2	7.93	123.66	118.90
26	BB	2834	G	O4'-C1'-N9	-7.93	101.86	108.20
1	AA	576	C	C6-N1-C1'	7.93	130.31	120.80
1	AA	1314	C	C3'-C2'-C1'	7.93	107.84	101.50
26	BB	454	A	C5-C6-N6	7.93	130.04	123.70
26	BB	2377	A	C6-N1-C2	-7.93	113.84	118.60
1	AA	56	U	O4'-C1'-N1	7.93	114.54	108.20
1	AA	420	U	C5-C6-N1	7.93	126.66	122.70
1	AA	565	U	N1-C2-N3	7.93	119.66	114.90
26	BB	1846	G	C5-C6-N1	7.93	115.46	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1471	U	C5-C4-O4	-7.92	121.15	125.90
7	AG	46	ARG	NE-CZ-NH2	-7.92	116.34	120.30
16	AP	100	ARG	NE-CZ-NH1	7.92	124.26	120.30
26	BB	422	A	C6-C5-N7	-7.92	126.75	132.30
26	BB	642	U	C2-N3-C4	-7.92	122.25	127.00
26	BB	1015	U	O4'-C1'-N1	7.92	114.54	108.20
26	BB	1589	U	N3-C2-O2	-7.92	116.65	122.20
26	BB	2616	C	N3-C4-C5	-7.92	118.73	121.90
1	AA	848	C	C6-N1-C2	-7.92	117.13	120.30
1	AA	1205	U	N3-C2-O2	-7.92	116.65	122.20
26	BB	1554	U	N1-C2-N3	7.92	119.65	114.90
26	BB	1946	U	N3-C2-O2	-7.92	116.65	122.20
1	AA	1490	U	O4'-C1'-N1	7.92	114.54	108.20
2	AB	66	C	N1-C2-O2	7.92	123.65	118.90
26	BB	719	C	C6-N1-C2	-7.92	117.13	120.30
26	BB	1546	G	C6-N1-C2	-7.92	120.35	125.10
26	BB	1609	A	C5-C6-N6	7.92	130.04	123.70
26	BB	2100	G	N3-C4-C5	-7.92	124.64	128.60
26	BB	2453	A	O4'-C1'-N9	7.92	114.54	108.20
26	BB	670	A	C5-N7-C8	7.92	107.86	103.90
26	BB	966	G	N3-C4-C5	-7.92	124.64	128.60
26	BB	1914	C	N3-C4-C5	7.92	125.07	121.90
1	AA	581	G	C8-N9-C4	7.92	109.57	106.40
1	AA	1063	C	C2-N3-C4	7.92	123.86	119.90
1	AA	1190	G	C6-N1-C2	-7.92	120.35	125.10
3	AC	20	G	N3-C2-N2	-7.92	114.36	119.90
26	BB	259	G	C1'-O4'-C4'	7.92	116.23	109.90
26	BB	1193	G	N3-C2-N2	-7.92	114.36	119.90
26	BB	2553	G	C3'-C2'-C1'	7.92	107.83	101.50
26	BB	2561	U	C5'-C4'-O4'	7.92	118.60	109.10
26	BB	2572	A	C1'-O4'-C4'	7.92	116.23	109.90
1	AA	442	G	C5-C6-O6	-7.92	123.85	128.60
1	AA	1190	G	C8-N9-C4	-7.92	103.23	106.40
1	AA	1538	C	C4'-C3'-C2'	-7.92	94.68	102.60
26	BB	263	G	C6-C5-N7	7.92	135.15	130.40
26	BB	1193	G	C6-C5-N7	-7.92	125.65	130.40
26	BB	1445	G	C2-N3-C4	7.92	115.86	111.90
26	BB	1981	A	C5-N7-C8	7.92	107.86	103.90
1	AA	595	A	N7-C8-N9	7.91	117.76	113.80
1	AA	1018	G	C6-C5-N7	-7.91	125.65	130.40
4	AD	65	G	N9-C4-C5	7.91	108.57	105.40
25	BA	54	G	N9-C4-C5	7.91	108.57	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	726	G	C4-C5-N7	-7.91	107.63	110.80
26	BB	1197	G	O4'-C4'-C3'	7.91	112.43	106.10
26	BB	1210	G	N7-C8-N9	7.91	117.06	113.10
26	BB	2719	G	N1-C2-N3	7.91	128.65	123.90
1	AA	433	G	C4-C5-N7	-7.91	107.64	110.80
1	AA	1176	A	C3'-C2'-C1'	7.91	107.83	101.50
1	AA	1208	C	N3-C4-N4	-7.91	112.46	118.00
1	AA	462	G	C3'-C2'-C1'	-7.91	95.17	101.50
1	AA	1471	U	C2-N3-C4	-7.91	122.25	127.00
26	BB	312	G	C6-N1-C2	-7.91	120.35	125.10
26	BB	1889	A	C4-C5-N7	-7.91	106.75	110.70
26	BB	2540	C	C2-N3-C4	7.91	123.86	119.90
26	BB	2759	G	C2-N3-C4	7.91	115.86	111.90
1	AA	503	C	O4'-C1'-N1	7.91	114.53	108.20
1	AA	661	G	N3-C2-N2	-7.91	114.36	119.90
1	AA	1374	A	C4'-C3'-C2'	-7.91	94.69	102.60
26	BB	980	A	N1-C2-N3	-7.91	125.34	129.30
26	BB	1679	A	O4'-C1'-N9	7.91	114.53	108.20
26	BB	2523	G	C5-C6-O6	-7.91	123.86	128.60
1	AA	478	A	C5-C6-N1	7.91	121.65	117.70
26	BB	665	U	C4-C5-C6	7.91	124.44	119.70
26	BB	1997	C	N3-C4-C5	-7.91	118.74	121.90
26	BB	2074	U	C5'-C4'-O4'	7.91	118.59	109.10
1	AA	830	G	C5-C6-N1	7.91	115.45	111.50
26	BB	102	U	O3'-P-O5'	-7.91	88.98	104.00
26	BB	473	G	O4'-C1'-N9	7.91	114.52	108.20
26	BB	2223	G	N3-C4-C5	-7.91	124.65	128.60
1	AA	988	G	N1-C6-O6	-7.90	115.16	119.90
1	AA	521	G	C5'-C4'-O4'	7.90	118.58	109.10
1	AA	723	U	C4'-C3'-C2'	7.90	110.50	102.60
1	AA	887	G	C4-C5-N7	7.90	113.96	110.80
1	AA	1306	A	C4-C5-C6	7.90	120.95	117.00
26	BB	699	A	C8-N9-C4	-7.90	102.64	105.80
26	BB	997	G	C3'-C2'-C1'	-7.90	95.18	101.50
26	BB	1016	G	C4'-C3'-C2'	-7.90	94.70	102.60
26	BB	1713	A	N3-C4-N9	-7.90	121.08	127.40
1	AA	987	G	C6-N1-C2	-7.90	120.36	125.10
1	AA	1177	G	N1-C6-O6	-7.90	115.16	119.90
1	AA	1421	G	C5-C6-N1	7.90	115.45	111.50
26	BB	199	A	N1-C2-N3	-7.90	125.35	129.30
26	BB	2863	C	C1'-O4'-C4'	7.90	116.22	109.90
26	BB	803	U	O4'-C1'-N1	7.90	114.52	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	804	U	C5-C4-O4	-7.90	121.16	125.90
1	AA	1417	G	N1-C2-N3	-7.90	119.16	123.90
1	AA	1444	U	C5-C4-O4	-7.90	121.16	125.90
26	BB	228	C	N1-C2-O2	7.90	123.64	118.90
26	BB	521	U	C5-C6-N1	-7.90	118.75	122.70
26	BB	896	A	C3'-C2'-C1'	-7.90	95.18	101.50
26	BB	1259	G	N3-C4-C5	-7.90	124.65	128.60
26	BB	2359	C	N3-C2-O2	-7.90	116.37	121.90
40	BP	96	ARG	NE-CZ-NH2	-7.90	116.35	120.30
25	BA	27	C	C5'-C4'-C3'	-7.90	103.37	116.00
26	BB	66	C	C3'-C2'-C1'	7.90	107.82	101.50
26	BB	794	A	C4-C5-N7	7.90	114.65	110.70
1	AA	483	C	N3-C4-C5	-7.89	118.74	121.90
1	AA	563	A	O4'-C1'-N9	7.89	114.52	108.20
1	AA	929	G	N9-C4-C5	7.89	108.56	105.40
1	AA	1491	G	C4'-C3'-C2'	-7.89	94.70	102.60
26	BB	796	C	O4'-C1'-N1	7.89	114.52	108.20
26	BB	920	A	C5-C6-N6	-7.89	117.39	123.70
26	BB	2830	C	N3-C4-C5	-7.89	118.74	121.90
4	AD	15	G	C5-N7-C8	-7.89	100.35	104.30
26	BB	93	G	N7-C8-N9	7.89	117.05	113.10
26	BB	377	G	C5-C6-O6	-7.89	123.86	128.60
26	BB	648	G	C2-N3-C4	7.89	115.85	111.90
26	BB	2205	A	C3'-C2'-C1'	-7.89	95.19	101.50
1	AA	371	A	N1-C2-N3	-7.89	125.35	129.30
26	BB	794	A	N3-C4-C5	7.89	132.32	126.80
26	BB	2606	C	O4'-C1'-N1	7.89	114.51	108.20
26	BB	2656	U	N3-C4-C5	-7.89	109.86	114.60
29	BE	176	ASP	CB-CG-OD1	7.89	125.40	118.30
1	AA	188	C	N3-C4-N4	7.89	123.52	118.00
1	AA	622	A	C5-N7-C8	-7.89	99.95	103.90
2	AB	58	A	C5-C6-N1	7.89	121.64	117.70
25	BA	7	G	N3-C2-N2	-7.89	114.38	119.90
26	BB	1118	C	O4'-C1'-N1	7.89	114.51	108.20
1	AA	669	G	C5-C6-O6	-7.89	123.87	128.60
26	BB	2748	A	C3'-C2'-C1'	7.89	107.81	101.50
25	BA	11	C	C6-N1-C2	-7.89	117.15	120.30
26	BB	410	G	P-O3'-C3'	7.89	129.16	119.70
26	BB	1163	G	N1-C2-N2	7.89	123.30	116.20
26	BB	1355	G	O4'-C1'-N9	7.89	114.51	108.20
26	BB	1858	A	N1-C2-N3	7.89	133.24	129.30
26	BB	2054	A	N9-C1'-C2'	-7.89	103.32	112.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	791	G	C4-C5-N7	7.88	113.95	110.80
1	AA	1452	C	C2-N3-C4	7.88	123.84	119.90
2	AB	36	A	O4'-C1'-N9	7.88	114.51	108.20
26	BB	217	A	N3-C4-C5	-7.88	121.28	126.80
26	BB	711	G	N7-C8-N9	-7.88	109.16	113.10
26	BB	830	G	C5-C6-O6	7.88	133.33	128.60
26	BB	1225	G	C8-N9-C4	-7.88	103.25	106.40
26	BB	1887	C	C6-N1-C2	7.88	123.45	120.30
26	BB	2081	U	O4'-C4'-C3'	7.88	112.41	106.10
26	BB	2735	G	C5-N7-C8	-7.88	100.36	104.30
26	BB	2787	C	C5'-C4'-O4'	7.88	118.56	109.10
26	BB	2823	A	C5-N7-C8	-7.88	99.96	103.90
50	BZ	37	PHE	CB-CG-CD1	-7.88	115.28	120.80
26	BB	290	U	C3'-C2'-C1'	7.88	107.81	101.50
26	BB	1595	C	C4-C5-C6	-7.88	113.46	117.40
26	BB	1597	A	C5-C6-N6	-7.88	117.39	123.70
43	BS	2	ARG	NE-CZ-NH1	-7.88	116.36	120.30
1	AA	909	A	C5-N7-C8	7.88	107.84	103.90
4	AD	4	G	N3-C4-C5	-7.88	124.66	128.60
26	BB	446	G	C4-C5-C6	7.88	123.53	118.80
26	BB	2484	G	P-O3'-C3'	7.88	129.16	119.70
1	AA	1542	A	O4'-C4'-C3'	7.88	112.40	106.10
26	BB	424	G	N3-C4-N9	7.88	130.73	126.00
26	BB	443	A	N3-C4-N9	7.88	133.70	127.40
26	BB	261	G	C4-C5-N7	-7.88	107.65	110.80
26	BB	445	C	C2-N3-C4	7.88	123.84	119.90
26	BB	900	A	C5-N7-C8	7.88	107.84	103.90
26	BB	1635	A	N3-C4-C5	-7.88	121.29	126.80
26	BB	1670	C	C4'-C3'-C2'	-7.88	94.72	102.60
26	BB	2447	G	C6-C5-N7	-7.88	125.67	130.40
26	BB	2832	U	N1-C2-N3	7.88	119.63	114.90
40	BP	80	PHE	CB-CG-CD2	7.88	126.31	120.80
1	AA	388	G	C4-C5-C6	7.88	123.53	118.80
1	AA	433	G	N3-C4-C5	-7.88	124.66	128.60
1	AA	556	C	N1-C2-O2	7.88	123.63	118.90
1	AA	1267	C	C5'-C4'-O4'	7.88	118.55	109.10
2	AB	21	A	N1-C2-N3	-7.88	125.36	129.30
26	BB	1503	A	C4-C5-N7	7.88	114.64	110.70
26	BB	2623	G	C5-N7-C8	-7.88	100.36	104.30
32	BH	148	ARG	NE-CZ-NH2	7.88	124.24	120.30
1	AA	987	G	N1-C2-N3	7.88	128.62	123.90
26	BB	1131	G	N3-C4-C5	-7.88	124.66	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1361	G	N1-C6-O6	7.88	124.62	119.90
1	AA	87	C	C4-C5-C6	-7.87	113.46	117.40
1	AA	374	A	N7-C8-N9	7.87	117.74	113.80
1	AA	1196	A	N1-C2-N3	-7.87	125.36	129.30
6	AF	64	ARG	NE-CZ-NH2	7.87	124.24	120.30
18	AR	17	ASP	CB-CG-OD2	-7.87	111.21	118.30
25	BA	87	U	C4-C5-C6	-7.87	114.97	119.70
26	BB	579	G	N3-C4-C5	-7.87	124.66	128.60
26	BB	1091	G	N1-C2-N2	7.87	123.29	116.20
26	BB	1855	U	C1'-O4'-C4'	-7.87	103.60	109.90
26	BB	1868	C	C3'-C2'-C1'	7.87	107.80	101.50
26	BB	1661	G	C5'-C4'-O4'	7.87	118.55	109.10
26	BB	1827	U	N3-C4-C5	7.87	119.32	114.60
26	BB	2799	A	C4-C5-C6	-7.87	113.06	117.00
1	AA	669	G	C2-N3-C4	7.87	115.83	111.90
1	AA	1530	G	C8-N9-C4	-7.87	103.25	106.40
26	BB	1916	A	C3'-C2'-C1'	7.87	107.80	101.50
26	BB	1956	U	O4'-C1'-N1	7.87	114.50	108.20
1	AA	639	G	C2-N3-C4	7.87	115.83	111.90
1	AA	813	U	C5-C6-N1	-7.87	118.77	122.70
1	AA	1175	G	C6-N1-C2	7.87	129.82	125.10
1	AA	1538	C	O4'-C1'-N1	7.87	114.50	108.20
26	BB	258	G	N7-C8-N9	7.87	117.03	113.10
26	BB	551	G	C8-N9-C4	-7.87	103.25	106.40
26	BB	558	U	C6-N1-C2	-7.87	116.28	121.00
26	BB	752	A	C2-N3-C4	7.87	114.53	110.60
26	BB	1732	C	C4-C5-C6	-7.87	113.47	117.40
26	BB	2541	A	C4-C5-C6	-7.87	113.07	117.00
1	AA	533	A	C5-C6-N1	7.87	121.63	117.70
26	BB	47	C	N3-C4-N4	7.87	123.51	118.00
26	BB	2433	A	C4'-C3'-C2'	-7.87	94.73	102.60
26	BB	2441	U	C2-N3-C4	7.87	131.72	127.00
26	BB	2581	G	C6-N1-C2	-7.87	120.38	125.10
26	BB	2587	A	C3'-C2'-C1'	7.87	107.79	101.50
1	AA	86	G	O3'-P-O5'	-7.87	89.06	104.00
1	AA	474	G	C1'-O4'-C4'	7.87	116.19	109.90
1	AA	1222	G	N3-C2-N2	-7.87	114.39	119.90
1	AA	1275	A	C5-C6-N1	7.87	121.63	117.70
2	AB	43	G	C4-C5-C6	7.87	123.52	118.80
26	BB	733	G	C4-C5-N7	-7.87	107.65	110.80
26	BB	1337	G	C2-N3-C4	7.87	115.83	111.90
26	BB	1582	C	N3-C4-N4	-7.87	112.49	118.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2766	A	N1-C2-N3	7.87	133.23	129.30
1	AA	1279	G	P-O3'-C3'	7.86	129.13	119.70
1	AA	1438	G	N9-C4-C5	7.86	108.55	105.40
26	BB	299	A	C5-C6-N6	7.86	129.99	123.70
26	BB	2444	G	C2-N3-C4	-7.86	107.97	111.90
26	BB	2806	C	N3-C4-N4	-7.86	112.50	118.00
26	BB	1000	A	C8-N9-C4	7.86	108.94	105.80
26	BB	1087	G	C4-C5-N7	-7.86	107.66	110.80
26	BB	1362	C	C2-N3-C4	7.86	123.83	119.90
26	BB	1843	C	C5-C4-N4	-7.86	114.70	120.20
26	BB	2409	G	N1-C2-N3	-7.86	119.18	123.90
26	BB	2751	G	N7-C8-N9	-7.86	109.17	113.10
1	AA	384	G	C6-N1-C2	-7.86	120.38	125.10
1	AA	837	U	N1-C2-N3	7.86	119.62	114.90
26	BB	1682	G	N1-C2-N2	7.86	123.27	116.20
28	BD	155	ARG	NE-CZ-NH1	7.86	124.23	120.30
1	AA	131	A	N9-C4-C5	7.86	108.94	105.80
1	AA	806	C	C1'-O4'-C4'	7.86	116.19	109.90
1	AA	894	G	C5'-C4'-O4'	7.86	118.53	109.10
1	AA	1193	G	C5-C6-N1	7.86	115.43	111.50
26	BB	1473	G	C5-C6-N1	7.86	115.43	111.50
1	AA	39	G	N3-C4-N9	7.86	130.71	126.00
1	AA	1318	A	N1-C2-N3	-7.86	125.37	129.30
26	BB	414	C	C6-N1-C2	7.86	123.44	120.30
26	BB	1008	A	C6-N1-C2	-7.86	113.89	118.60
26	BB	2287	A	N7-C8-N9	7.86	117.73	113.80
26	BB	2644	G	N1-C6-O6	-7.86	115.19	119.90
54	B3	9	ARG	NE-CZ-NH1	-7.86	116.37	120.30
1	AA	264	C	C5-C4-N4	7.86	125.70	120.20
1	AA	790	A	O4'-C1'-N9	7.86	114.48	108.20
1	AA	793	U	C2-N3-C4	-7.86	122.29	127.00
1	AA	1111	A	C2-N3-C4	-7.86	106.67	110.60
1	AA	1534	A	C6-N1-C2	7.86	123.31	118.60
26	BB	773	U	C3'-C2'-C1'	7.86	107.78	101.50
26	BB	804	A	N1-C2-N3	7.86	133.23	129.30
26	BB	1026	G	C2-N3-C4	7.86	115.83	111.90
26	BB	1412	U	O4'-C1'-N1	7.86	114.48	108.20
26	BB	1752	C	O4'-C1'-N1	7.86	114.48	108.20
26	BB	1959	G	N3-C2-N2	-7.86	114.40	119.90
1	AA	843	U	C5-C4-O4	-7.85	121.19	125.90
1	AA	1178	G	N3-C4-C5	-7.85	124.67	128.60
2	AB	42	G	C5'-C4'-O4'	7.85	118.53	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
48	BX	9	ARG	NE-CZ-NH1	7.85	124.23	120.30
1	AA	152	A	C6-C5-N7	7.85	137.80	132.30
1	AA	193	C	C5-C4-N4	-7.85	114.70	120.20
1	AA	1087	G	C6-C5-N7	7.85	135.11	130.40
1	AA	1248	A	C6-N1-C2	7.85	123.31	118.60
2	AB	18	G	P-O3'-C3'	7.85	129.12	119.70
10	AJ	4	ARG	NE-CZ-NH1	7.85	124.23	120.30
26	BB	1101	U	C2-N3-C4	-7.85	122.29	127.00
26	BB	1816	C	P-O3'-C3'	7.85	129.12	119.70
26	BB	2089	C	C5-C4-N4	7.85	125.70	120.20
26	BB	2277	G	C5-C6-O6	-7.85	123.89	128.60
26	BB	2592	G	O4'-C1'-N9	7.85	114.48	108.20
1	AA	344	A	P-O3'-C3'	7.85	129.12	119.70
1	AA	690	G	C4-C5-N7	-7.85	107.66	110.80
1	AA	778	G	C5-C6-N1	7.85	115.42	111.50
26	BB	1877	A	N9-C4-C5	-7.85	102.66	105.80
1	AA	75	G	C6-N1-C2	-7.85	120.39	125.10
1	AA	663	A	C4-C5-N7	-7.85	106.78	110.70
1	AA	833	G	N3-C4-C5	-7.85	124.68	128.60
1	AA	1523	G	O4'-C1'-N9	7.85	114.48	108.20
3	AC	19	A	N7-C8-N9	7.85	117.72	113.80
26	BB	1878	G	N9-C4-C5	7.85	108.54	105.40
26	BB	2685	G	C6-C5-N7	-7.85	125.69	130.40
30	BF	21	ARG	NE-CZ-NH2	7.85	124.22	120.30
1	AA	139	A	N1-C6-N6	7.85	123.31	118.60
1	AA	937	A	N1-C6-N6	7.85	123.31	118.60
26	BB	217	A	C4'-C3'-C2'	-7.85	94.75	102.60
26	BB	1134	A	N1-C2-N3	-7.85	125.38	129.30
26	BB	1248	G	N1-C6-O6	-7.85	115.19	119.90
26	BB	1638	C	C2-N3-C4	7.85	123.82	119.90
26	BB	1938	A	C8-N9-C4	-7.85	102.66	105.80
1	AA	440	C	C6-N1-C2	7.85	123.44	120.30
1	AA	815	A	C5-C6-N6	7.85	129.98	123.70
8	AH	67	ARG	NH1-CZ-NH2	-7.85	110.77	119.40
26	BB	159	G	C8-N9-C4	-7.85	103.26	106.40
26	BB	2660	A	C1'-O4'-C4'	-7.85	103.62	109.90
1	AA	1001	C	C5-C4-N4	-7.84	114.71	120.20
26	BB	523	C	C5-C4-N4	-7.84	114.71	120.20
26	BB	1531	C	C5-C6-N1	-7.84	117.08	121.00
1	AA	1000	A	C5'-C4'-C3'	-7.84	103.45	116.00
1	AA	1277	C	C5-C6-N1	7.84	124.92	121.00
2	AB	26	A	N9-C4-C5	7.84	108.94	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	666	A	O4'-C1'-C2'	7.84	114.66	107.60
26	BB	899	A	O4'-C1'-N9	7.84	114.47	108.20
26	BB	1178	C	C6-N1-C2	7.84	123.44	120.30
26	BB	1178	C	N1-C2-O2	7.84	123.61	118.90
26	BB	1464	G	C2-N3-C4	7.84	115.82	111.90
26	BB	1651	G	C8-N9-C4	-7.84	103.26	106.40
26	BB	1662	U	N3-C2-O2	-7.84	116.71	122.20
26	BB	2023	C	N1-C2-O2	7.84	123.61	118.90
1	AA	314	C	C3'-C2'-C1'	7.84	107.77	101.50
1	AA	824	G	C8-N9-C4	-7.84	103.26	106.40
1	AA	1015	G	N3-C4-N9	7.84	130.70	126.00
1	AA	1162	C	C1'-O4'-C4'	-7.84	103.63	109.90
26	BB	1265	A	C3'-C2'-C1'	7.84	107.77	101.50
26	BB	1503	A	C6-C5-N7	-7.84	126.81	132.30
26	BB	1928	A	N7-C8-N9	7.84	117.72	113.80
26	BB	2607	G	C8-N9-C4	-7.84	103.26	106.40
32	BH	156	TYR	CG-CD2-CE2	-7.84	115.03	121.30
52	B1	40	THR	CA-CB-CG2	-7.84	101.42	112.40
26	BB	1981	A	C6-C5-N7	7.84	137.79	132.30
1	AA	194	C	O4'-C1'-N1	7.84	114.47	108.20
1	AA	201	G	N9-C1'-C2'	-7.84	103.38	112.00
1	AA	803	G	C2-N3-C4	-7.84	107.98	111.90
1	AA	885	G	N3-C4-N9	-7.84	121.30	126.00
1	AA	1112	C	N3-C4-N4	7.84	123.48	118.00
26	BB	349	U	O4'-C1'-N1	7.84	114.47	108.20
26	BB	613	A	C5-N7-C8	7.84	107.82	103.90
26	BB	901	C	C5-C4-N4	7.84	125.69	120.20
26	BB	2290	G	C6-N1-C2	-7.84	120.40	125.10
26	BB	2759	G	C4-C5-N7	-7.84	107.67	110.80
1	AA	121	U	C5'-C4'-O4'	7.83	118.50	109.10
1	AA	1043	G	C5'-C4'-O4'	7.83	118.50	109.10
24	AX	44	ARG	NE-CZ-NH2	-7.83	116.38	120.30
26	BB	711	G	C4-C5-N7	-7.83	107.67	110.80
26	BB	1337	G	N9-C4-C5	7.83	108.53	105.40
26	BB	2518	A	C4-C5-C6	7.83	120.92	117.00
1	AA	372	C	P-O3'-C3'	7.83	129.10	119.70
25	BA	75	G	N3-C4-C5	-7.83	124.68	128.60
25	BA	80	U	C5-C6-N1	-7.83	118.78	122.70
26	BB	863	A	N9-C4-C5	-7.83	102.67	105.80
26	BB	1034	G	C5-C6-O6	-7.83	123.90	128.60
26	BB	1666	G	N1-C2-N3	7.83	128.60	123.90
26	BB	1805	A	C5-C6-N1	7.83	121.62	117.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2304	G	C2-N3-C4	7.83	115.82	111.90
26	BB	2548	U	C3'-C2'-C1'	7.83	107.77	101.50
26	BB	2823	A	C4-C5-N7	7.83	114.62	110.70
1	AA	259	G	N3-C4-C5	7.83	132.52	128.60
1	AA	529	G	C5'-C4'-O4'	7.83	118.50	109.10
1	AA	867	G	C5-C6-O6	-7.83	123.90	128.60
26	BB	565	C	C5-C6-N1	-7.83	117.08	121.00
26	BB	605	G	C5-C6-O6	7.83	133.30	128.60
26	BB	894	U	O4'-C1'-N1	7.83	114.46	108.20
26	BB	930	G	N3-C4-C5	-7.83	124.68	128.60
26	BB	1307	A	C6-N1-C2	7.83	123.30	118.60
26	BB	1889	A	C8-N9-C4	-7.83	102.67	105.80
26	BB	2472	G	C4-C5-N7	7.83	113.93	110.80
26	BB	2081	U	C3'-C2'-C1'	7.83	107.76	101.50
26	BB	2210	U	N1-C2-O2	7.83	128.28	122.80
1	AA	4	U	O4'-C1'-C2'	-7.83	97.97	105.80
1	AA	457	G	N9-C4-C5	-7.83	102.27	105.40
1	AA	817	C	P-O3'-C3'	7.83	129.09	119.70
26	BB	77	G	C2-N3-C4	7.83	115.81	111.90
26	BB	550	C	C1'-O4'-C4'	7.83	116.16	109.90
26	BB	612	G	C8-N9-C4	-7.83	103.27	106.40
26	BB	1222	U	C5-C4-O4	-7.83	121.20	125.90
26	BB	1259	G	C4-C5-C6	7.83	123.50	118.80
26	BB	1743	G	N1-C6-O6	7.83	124.60	119.90
26	BB	1989	G	C4-C5-C6	7.83	123.50	118.80
26	BB	2238	G	C4-C5-C6	7.83	123.50	118.80
1	AA	409	U	O4'-C1'-N1	7.83	114.46	108.20
1	AA	1028	C	C1'-O4'-C4'	-7.83	103.64	109.90
1	AA	1225	A	C4-C5-N7	-7.83	106.79	110.70
1	AA	384	G	N1-C2-N2	-7.83	109.16	116.20
1	AA	428	G	C8-N9-C4	-7.83	103.27	106.40
1	AA	773	G	C4-C5-N7	-7.83	107.67	110.80
1	AA	957	U	N3-C4-C5	-7.83	109.91	114.60
26	BB	176	A	C4-C5-C6	-7.83	113.09	117.00
26	BB	1127	A	C8-N9-C4	-7.83	102.67	105.80
1	AA	668	G	C5-C6-O6	-7.82	123.91	128.60
1	AA	1523	G	C5'-C4'-O4'	7.82	118.49	109.10
26	BB	404	A	N7-C8-N9	7.82	117.71	113.80
26	BB	740	C	O4'-C1'-N1	7.82	114.46	108.20
26	BB	887	U	C3'-C2'-C1'	7.82	107.76	101.50
26	BB	1651	G	C5-C6-N1	7.82	115.41	111.50
26	BB	1689	A	N7-C8-N9	7.82	117.71	113.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1723	G	C8-N9-C4	-7.82	103.27	106.40
26	BB	1813	G	C5'-C4'-O4'	7.82	118.49	109.10
40	BP	103	ARG	NE-CZ-NH1	7.82	124.21	120.30
12	AL	17	ARG	NE-CZ-NH2	-7.82	116.39	120.30
26	BB	117	G	N3-C4-C5	-7.82	124.69	128.60
26	BB	2717	C	C4-C5-C6	-7.82	113.49	117.40
1	AA	1063	C	C6-N1-C2	-7.82	117.17	120.30
26	BB	1492	G	C4-C5-N7	-7.82	107.67	110.80
26	BB	1609	A	N1-C2-N3	7.82	133.21	129.30
26	BB	2757	A	C5'-C4'-O4'	7.82	118.48	109.10
26	BB	800	A	C5-N7-C8	7.82	107.81	103.90
26	BB	2749	A	C4'-C3'-C2'	-7.82	94.78	102.60
1	AA	96	U	O4'-C1'-N1	7.82	114.45	108.20
11	AK	85	TYR	CG-CD1-CE1	-7.82	115.05	121.30
26	BB	338	G	C4-C5-N7	7.82	113.93	110.80
26	BB	2232	C	O4'-C1'-N1	7.82	114.45	108.20
26	BB	2563	U	C5-C4-O4	7.82	130.59	125.90
1	AA	469	C	N3-C4-C5	-7.82	118.77	121.90
1	AA	1067	A	C8-N9-C4	-7.82	102.67	105.80
26	BB	1182	G	N9-C4-C5	7.82	108.53	105.40
1	AA	368	U	C1'-O4'-C4'	-7.81	103.65	109.90
1	AA	534	U	N3-C4-O4	7.81	124.87	119.40
26	BB	1271	G	N3-C2-N2	7.81	125.37	119.90
26	BB	1952	A	C5-N7-C8	-7.81	99.99	103.90
26	BB	2279	G	C5-C6-O6	-7.81	123.91	128.60
1	AA	3	A	C6-C5-N7	7.81	137.77	132.30
1	AA	364	A	O4'-C1'-N9	7.81	114.45	108.20
1	AA	440	C	P-O3'-C3'	7.81	129.07	119.70
1	AA	1106	G	N1-C2-N2	7.81	123.23	116.20
6	AF	29	ALA	N-CA-CB	-7.81	99.16	110.10
26	BB	322	A	N1-C6-N6	-7.81	113.91	118.60
26	BB	908	C	N3-C2-O2	-7.81	116.43	121.90
26	BB	1239	G	C2-N3-C4	7.81	115.81	111.90
26	BB	2040	G	N9-C4-C5	-7.81	102.28	105.40
26	BB	2644	G	O4'-C1'-N9	7.81	114.45	108.20
1	AA	1161	C	C4-C5-C6	-7.81	113.50	117.40
26	BB	262	A	N3-C4-C5	-7.81	121.33	126.80
1	AA	1092	A	C5'-C4'-O4'	7.81	118.47	109.10
1	AA	1367	C	N1-C2-O2	7.81	123.59	118.90
1	AA	1494	G	C5'-C4'-O4'	7.81	118.47	109.10
12	AL	90	ASP	CB-CG-OD2	-7.81	111.27	118.30
26	BB	336	C	C5'-C4'-O4'	7.81	118.47	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1561	C	C5-C4-N4	-7.81	114.73	120.20
26	BB	2574	G	C1'-O4'-C4'	7.81	116.15	109.90
1	AA	383	A	N9-C4-C5	-7.81	102.68	105.80
1	AA	634	C	C5'-C4'-O4'	7.81	118.47	109.10
26	BB	1959	G	C6-N1-C2	-7.81	120.42	125.10
1	AA	326	G	N9-C1'-C2'	-7.80	103.41	112.00
1	AA	565	U	C6-N1-C2	-7.80	116.32	121.00
1	AA	1327	C	N1-C2-O2	7.80	123.58	118.90
26	BB	218	A	C1'-O4'-C4'	-7.80	103.66	109.90
26	BB	521	U	O4'-C1'-N1	7.80	114.44	108.20
26	BB	933	A	N7-C8-N9	-7.80	109.90	113.80
26	BB	1041	G	O4'-C1'-N9	7.80	114.44	108.20
26	BB	2236	U	C4'-C3'-C2'	-7.80	94.80	102.60
36	BL	53	TYR	CB-CG-CD1	-7.80	116.32	121.00
1	AA	1522	U	N3-C2-O2	7.80	127.66	122.20
26	BB	792	A	C4-C5-N7	-7.80	106.80	110.70
26	BB	1274	A	C6-N1-C2	7.80	123.28	118.60
26	BB	1386	C	N3-C2-O2	-7.80	116.44	121.90
26	BB	1903	G	C6-N1-C2	-7.80	120.42	125.10
26	BB	1274	A	N9-C4-C5	-7.80	102.68	105.80
26	BB	1338	G	C4-C5-N7	7.80	113.92	110.80
26	BB	1602	U	N3-C4-C5	7.80	119.28	114.60
26	BB	1620	G	O4'-C1'-N9	7.80	114.44	108.20
26	BB	1965	C	C6-N1-C2	-7.80	117.18	120.30
1	AA	169	C	N1-C2-N3	-7.80	113.74	119.20
1	AA	479	U	C5'-C4'-O4'	7.80	118.46	109.10
1	AA	588	G	C5-C6-O6	-7.80	123.92	128.60
26	BB	372	G	O4'-C1'-C2'	-7.80	98.00	105.80
26	BB	1404	C	C4'-C3'-C2'	-7.80	94.80	102.60
26	BB	1465	G	N1-C2-N2	-7.80	109.18	116.20
26	BB	1941	C	C1'-O4'-C4'	7.80	116.14	109.90
26	BB	2011	U	N3-C4-C5	7.80	119.28	114.60
27	BC	21	TYR	CG-CD2-CE2	-7.80	115.06	121.30
1	AA	554	A	N9-C4-C5	7.80	108.92	105.80
1	AA	672	U	C5'-C4'-O4'	7.80	118.46	109.10
1	AA	721	G	C2-N3-C4	7.80	115.80	111.90
3	AC	22	G	C3'-C2'-C1'	7.80	107.74	101.50
26	BB	35	G	O4'-C4'-C3'	-7.80	96.20	104.00
26	BB	484	C	N3-C4-C5	7.80	125.02	121.90
26	BB	957	C	O4'-C1'-N1	7.80	114.44	108.20
26	BB	2319	G	O4'-C1'-N9	7.80	114.44	108.20
1	AA	227	G	O4'-C1'-N9	7.79	114.44	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	261	U	N3-C4-O4	7.79	124.86	119.40
1	AA	1199	U	O4'-C1'-N1	7.79	114.44	108.20
26	BB	1240	U	C5-C6-N1	-7.79	118.80	122.70
1	AA	1483	A	N7-C8-N9	7.79	117.70	113.80
6	AF	22	PHE	CB-CG-CD2	-7.79	115.34	120.80
25	BA	90	C	O4'-C1'-N1	7.79	114.44	108.20
26	BB	973	A	C6-N1-C2	7.79	123.28	118.60
26	BB	1365	A	C5-C6-N6	-7.79	117.47	123.70
26	BB	1601	G	N3-C2-N2	7.79	125.36	119.90
26	BB	1641	A	N1-C6-N6	7.79	123.28	118.60
26	BB	2017	U	C5'-C4'-O4'	7.79	118.45	109.10
1	AA	805	C	N1-C2-O2	7.79	123.58	118.90
26	BB	1877	A	C6-N1-C2	-7.79	113.93	118.60
26	BB	2010	G	C5-C6-N1	7.79	115.40	111.50
26	BB	2577	A	N7-C8-N9	7.79	117.70	113.80
1	AA	75	G	N1-C6-O6	-7.79	115.23	119.90
1	AA	942	G	N9-C4-C5	7.79	108.52	105.40
26	BB	165	A	C2-N3-C4	7.79	114.50	110.60
26	BB	1530	G	C8-N9-C4	-7.79	103.28	106.40
26	BB	1719	G	C5'-C4'-O4'	7.79	118.45	109.10
26	BB	1877	A	C5-C6-N1	7.79	121.59	117.70
26	BB	2592	G	C4-C5-N7	-7.79	107.68	110.80
26	BB	2827	C	N3-C2-O2	-7.79	116.45	121.90
37	BM	71	ARG	NE-CZ-NH2	-7.79	116.41	120.30
1	AA	694	A	C4'-C3'-C2'	-7.79	94.81	102.60
1	AA	985	C	C4'-C3'-C2'	-7.79	94.81	102.60
1	AA	1049	U	C2-N3-C4	-7.79	122.33	127.00
4	AD	68	C	N1-C1'-C2'	-7.79	103.43	112.00
5	AE	6	ARG	NE-CZ-NH2	-7.79	116.41	120.30
26	BB	36	G	N9-C4-C5	7.79	108.52	105.40
26	BB	123	G	C8-N9-C4	-7.79	103.28	106.40
26	BB	2365	G	C2-N3-C4	7.79	115.79	111.90
1	AA	1094	G	N3-C4-N9	7.79	130.67	126.00
1	AA	1476	A	N9-C4-C5	7.79	108.92	105.80
26	BB	2400	G	C1'-O4'-C4'	7.79	116.13	109.90
1	AA	36	C	C5-C4-N4	-7.79	114.75	120.20
1	AA	839	C	N1-C2-N3	7.79	124.65	119.20
26	BB	180	G	C5-N7-C8	-7.79	100.41	104.30
26	BB	356	G	O4'-C1'-N9	7.79	114.43	108.20
26	BB	614	A	P-O3'-C3'	7.79	129.04	119.70
26	BB	777	G	N3-C4-C5	-7.79	124.71	128.60
26	BB	1654	A	C4-C5-N7	-7.79	106.81	110.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2000	C	O4'-C1'-N1	7.79	114.43	108.20
26	BB	2051	A	C3'-C2'-C1'	7.79	107.73	101.50
26	BB	2516	A	N9-C4-C5	7.79	108.91	105.80
26	BB	2688	G	N1-C2-N3	-7.79	119.23	123.90
25	BA	28	C	C3'-C2'-C1'	7.78	107.73	101.50
26	BB	339	U	N3-C4-C5	7.78	119.27	114.60
26	BB	1330	C	N3-C4-C5	7.78	125.01	121.90
26	BB	1731	G	N9-C4-C5	7.78	108.51	105.40
26	BB	2567	G	N1-C6-O6	-7.78	115.23	119.90
26	BB	2765	A	C2-N3-C4	7.78	114.49	110.60
2	AB	39	A	O4'-C1'-N9	7.78	114.42	108.20
1	AA	222	C	C6-N1-C2	-7.78	117.19	120.30
1	AA	748	G	C4-C5-N7	-7.78	107.69	110.80
16	AP	91	ARG	NE-CZ-NH2	-7.78	116.41	120.30
26	BB	142	A	C4-C5-N7	-7.78	106.81	110.70
26	BB	813	U	O4'-C1'-N1	7.78	114.42	108.20
26	BB	1683	U	C3'-C2'-C1'	7.78	107.72	101.50
26	BB	1824	G	N1-C6-O6	-7.78	115.23	119.90
28	BD	269	ARG	NE-CZ-NH2	-7.78	116.41	120.30
48	BX	43	ASP	CB-CG-OD2	-7.78	111.30	118.30
1	AA	58	C	C4-C5-C6	7.78	121.29	117.40
26	BB	906	U	O4'-C1'-N1	7.78	114.42	108.20
46	BV	77	ARG	NE-CZ-NH2	7.78	124.19	120.30
26	BB	1511	G	N3-C4-N9	-7.78	121.33	126.00
26	BB	2833	U	N1-C2-O2	7.78	128.24	122.80
1	AA	71	A	N1-C2-N3	7.78	133.19	129.30
1	AA	770	C	O4'-C1'-N1	7.78	114.42	108.20
7	AG	153	ARG	NH1-CZ-NH2	-7.78	110.85	119.40
8	AH	137	ARG	NE-CZ-NH1	-7.78	116.41	120.30
26	BB	1210	G	N3-C2-N2	-7.78	114.46	119.90
26	BB	1212	G	C2-N3-C4	7.78	115.79	111.90
26	BB	1658	C	C4'-C3'-C2'	-7.78	94.82	102.60
26	BB	1960	A	C5-N7-C8	7.78	107.79	103.90
26	BB	2381	A	C1'-O4'-C4'	7.78	116.12	109.90
26	BB	2502	G	N3-C4-C5	-7.78	124.71	128.60
26	BB	26	G	N3-C2-N2	7.77	125.34	119.90
26	BB	659	G	C4-C5-C6	-7.77	114.14	118.80
26	BB	2205	A	N9-C4-C5	7.77	108.91	105.80
1	AA	20	U	O4'-C1'-N1	7.77	114.42	108.20
3	AC	32	U	N3-C2-O2	7.77	127.64	122.20
26	BB	91	A	N7-C8-N9	7.77	117.69	113.80
26	BB	602	A	C3'-C2'-C1'	7.77	107.72	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2840	C	N3-C4-C5	7.77	125.01	121.90
1	AA	143	A	N1-C6-N6	-7.77	113.94	118.60
1	AA	1415	G	N3-C4-C5	-7.77	124.72	128.60
26	BB	2370	G	P-O3'-C3'	7.77	129.02	119.70
26	BB	2617	U	C5-C4-O4	-7.77	121.24	125.90
26	BB	2646	C	C1'-O4'-C4'	7.77	116.12	109.90
26	BB	2673	G	C5-C6-O6	-7.77	123.94	128.60
26	BB	2843	G	C4'-C3'-C2'	-7.77	94.83	102.60
1	AA	568	G	N7-C8-N9	7.77	116.98	113.10
1	AA	575	G	N1-C6-O6	7.77	124.56	119.90
1	AA	635	A	N9-C1'-C2'	-7.77	103.45	112.00
1	AA	745	G	N3-C2-N2	-7.77	114.46	119.90
1	AA	809	G	N9-C4-C5	-7.77	102.29	105.40
26	BB	234	U	C3'-C2'-C1'	7.77	107.71	101.50
26	BB	725	G	N9-C4-C5	7.77	108.51	105.40
26	BB	881	G	C4-C5-N7	7.77	113.91	110.80
26	BB	882	G	N9-C4-C5	7.77	108.51	105.40
26	BB	2105	U	N3-C2-O2	-7.77	116.76	122.20
26	BB	2267	A	N9-C1'-C2'	7.77	124.10	114.00
1	AA	632	U	C1'-O4'-C4'	-7.77	103.69	109.90
1	AA	697	U	C2-N3-C4	-7.77	122.34	127.00
1	AA	1270	G	C4'-C3'-C2'	-7.77	94.83	102.60
26	BB	85	G	N3-C4-C5	-7.77	124.72	128.60
26	BB	651	G	C5-C6-O6	-7.77	123.94	128.60
26	BB	818	G	P-O3'-C3'	7.77	129.02	119.70
26	BB	2568	U	N3-C2-O2	-7.77	116.76	122.20
1	AA	236	A	C5-N7-C8	-7.76	100.02	103.90
1	AA	340	U	C6-N1-C2	-7.76	116.34	121.00
1	AA	356	A	N7-C8-N9	-7.76	109.92	113.80
1	AA	425	G	N3-C4-N9	7.76	130.66	126.00
1	AA	454	G	C8-N9-C4	-7.76	103.29	106.40
1	AA	671	G	C4-C5-N7	-7.76	107.69	110.80
26	BB	457	A	C8-N9-C4	-7.76	102.69	105.80
26	BB	908	C	C1'-O4'-C4'	-7.76	103.69	109.90
1	AA	440	C	N3-C4-N4	-7.76	112.57	118.00
26	BB	883	G	C8-N9-C4	-7.76	103.30	106.40
26	BB	2157	G	N3-C4-N9	-7.76	121.34	126.00
1	AA	78	A	N1-C6-N6	7.76	123.26	118.60
1	AA	122	G	N9-C4-C5	7.76	108.50	105.40
1	AA	332	G	N1-C2-N3	-7.76	119.24	123.90
1	AA	374	A	C8-N9-C4	-7.76	102.69	105.80
1	AA	1043	G	O4'-C1'-N9	7.76	114.41	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	496	G	C2-N3-C4	7.76	115.78	111.90
26	BB	1010	A	C4'-C3'-C2'	7.76	110.36	102.60
26	BB	1284	A	N9-C4-C5	7.76	108.91	105.80
26	BB	1498	C	C1'-O4'-C4'	7.76	116.11	109.90
26	BB	1587	G	N9-C4-C5	7.76	108.50	105.40
1	AA	730	G	C6-N1-C2	-7.76	120.44	125.10
1	AA	873	A	C2-N3-C4	7.76	114.48	110.60
1	AA	1425	U	C5'-C4'-O4'	7.76	118.41	109.10
4	AD	65	G	O4'-C1'-N9	7.76	114.41	108.20
24	AX	6	ARG	NE-CZ-NH2	-7.76	116.42	120.30
26	BB	835	C	C6-N1-C2	-7.76	117.20	120.30
26	BB	980	A	C3'-C2'-C1'	7.76	107.71	101.50
26	BB	2071	A	O4'-C1'-N9	-7.76	101.99	108.20
26	BB	2131	U	C5-C4-O4	-7.76	121.25	125.90
26	BB	2532	G	O4'-C1'-N9	7.76	114.41	108.20
1	AA	626	G	C8-N9-C4	-7.76	103.30	106.40
1	AA	741	G	O4'-C1'-N9	7.76	114.41	108.20
1	AA	1310	G	N3-C4-C5	-7.76	124.72	128.60
26	BB	916	G	C6-C5-N7	-7.76	125.75	130.40
26	BB	1289	C	O4'-C4'-C3'	7.76	112.31	106.10
26	BB	1485	U	N3-C2-O2	-7.76	116.77	122.20
26	BB	2140	G	C6-C5-N7	7.76	135.06	130.40
26	BB	2184	A	O4'-C1'-N9	7.76	114.41	108.20
1	AA	64	G	N9-C4-C5	7.76	108.50	105.40
1	AA	155	A	N1-C2-N3	-7.76	125.42	129.30
1	AA	367	U	N3-C2-O2	-7.76	116.77	122.20
1	AA	460	A	C5-N7-C8	-7.76	100.02	103.90
26	BB	911	A	C1'-O4'-C4'	7.76	116.11	109.90
26	BB	2277	G	C2-N3-C4	7.76	115.78	111.90
26	BB	2626	C	C2-N3-C4	7.76	123.78	119.90
26	BB	2886	A	N1-C2-N3	7.76	133.18	129.30
1	AA	1428	A	P-O3'-C3'	7.75	129.01	119.70
26	BB	666	A	N1-C6-N6	-7.75	113.95	118.60
26	BB	1191	G	N3-C4-C5	-7.75	124.72	128.60
26	BB	2649	C	N1-C2-O2	7.75	123.55	118.90
26	BB	2819	G	C6-N1-C2	-7.75	120.45	125.10
1	AA	111	G	N1-C2-N2	-7.75	109.22	116.20
1	AA	1180	A	C3'-C2'-C1'	7.75	107.70	101.50
1	AA	1417	G	C4-C5-N7	7.75	113.90	110.80
3	AC	24	A	C3'-C2'-C1'	7.75	107.70	101.50
4	AD	30	G	N9-C4-C5	-7.75	102.30	105.40
4	AD	51	U	N3-C4-O4	7.75	124.83	119.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	361	G	C8-N9-C4	-7.75	103.30	106.40
26	BB	570	G	O4'-C1'-N9	-7.75	102.00	108.20
26	BB	855	G	C4-C5-N7	-7.75	107.70	110.80
26	BB	978	G	C5-C6-O6	-7.75	123.95	128.60
26	BB	1155	A	C1'-O4'-C4'	-7.75	103.70	109.90
26	BB	2315	G	C4-C5-N7	7.75	113.90	110.80
26	BB	2802	G	C3'-C2'-C1'	-7.75	95.30	101.50
1	AA	398	U	C4'-C3'-C2'	-7.75	94.85	102.60
1	AA	1216	A	C5-C6-N1	-7.75	113.82	117.70
3	AC	23	C	N1-C2-O2	7.75	123.55	118.90
26	BB	143	C	C6-N1-C2	-7.75	117.20	120.30
26	BB	552	U	N1-C1'-C2'	-7.75	103.47	112.00
26	BB	2014	A	O4'-C1'-C2'	7.75	114.58	107.60
26	BB	2215	C	C5'-C4'-O4'	7.75	118.40	109.10
26	BB	2724	U	N1-C1'-C2'	-7.75	103.47	112.00
1	AA	926	G	C6-N1-C2	-7.75	120.45	125.10
7	AG	75	TYR	CD1-CE1-CZ	7.75	126.78	119.80
26	BB	1151	A	O4'-C1'-N9	7.75	114.40	108.20
1	AA	29	U	C6-N1-C2	7.75	125.65	121.00
26	BB	333	G	C8-N9-C4	-7.75	103.30	106.40
26	BB	1207	C	N1-C2-O2	7.75	123.55	118.90
26	BB	2576	G	C8-N9-C1'	-7.75	116.93	127.00
1	AA	425	G	N3-C2-N2	-7.75	114.48	119.90
1	AA	1315	U	N1-C2-N3	7.75	119.55	114.90
1	AA	1387	G	N3-C4-N9	7.75	130.65	126.00
26	BB	625	G	C6-N1-C2	-7.75	120.45	125.10
26	BB	784	G	N3-C2-N2	7.75	125.32	119.90
26	BB	796	C	C6-N1-C2	-7.75	117.20	120.30
26	BB	1181	U	C5-C6-N1	-7.75	118.83	122.70
26	BB	1208	C	C5-C6-N1	-7.75	117.13	121.00
26	BB	1212	G	N9-C4-C5	7.75	108.50	105.40
26	BB	2007	U	C5-C4-O4	-7.75	121.25	125.90
1	AA	142	G	C5-C6-O6	-7.75	123.95	128.60
1	AA	1215	G	N9-C4-C5	7.75	108.50	105.40
25	BA	107	G	N1-C6-O6	7.75	124.55	119.90
26	BB	408	G	N1-C2-N3	-7.75	119.25	123.90
26	BB	495	G	N3-C4-C5	-7.75	124.73	128.60
26	BB	1617	C	N1-C2-O2	7.75	123.55	118.90
26	BB	1884	G	P-O3'-C3'	7.75	128.99	119.70
1	AA	39	G	C4-C5-N7	7.74	113.90	110.80
1	AA	149	A	C3'-C2'-C1'	7.74	107.69	101.50
1	AA	182	A	O4'-C1'-N9	7.74	114.39	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	491	G	O4'-C4'-C3'	7.74	112.29	106.10
26	BB	1764	C	N3-C2-O2	-7.74	116.48	121.90
26	BB	2002	G	N3-C4-C5	-7.74	124.73	128.60
26	BB	2080	A	N1-C6-N6	7.74	123.25	118.60
26	BB	2300	C	C5'-C4'-C3'	-7.74	103.61	116.00
26	BB	2621	G	N3-C2-N2	-7.74	114.48	119.90
26	BB	2792	A	N9-C1'-C2'	-7.74	103.48	112.00
1	AA	172	A	N7-C8-N9	7.74	117.67	113.80
2	AB	25	C	N3-C4-C5	-7.74	118.80	121.90
1	AA	559	A	N7-C8-N9	7.74	117.67	113.80
1	AA	746	A	C1'-O4'-C4'	-7.74	103.71	109.90
1	AA	1323	G	N3-C4-C5	-7.74	124.73	128.60
26	BB	370	G	C4-C5-N7	-7.74	107.70	110.80
26	BB	1051	G	N9-C4-C5	7.74	108.50	105.40
26	BB	1449	G	O4'-C1'-N9	7.74	114.39	108.20
26	BB	2426	A	C6-N1-C2	7.74	123.24	118.60
26	BB	2590	A	C2-N3-C4	-7.74	106.73	110.60
26	BB	2747	G	O4'-C1'-N9	7.74	114.39	108.20
1	AA	650	G	C5-C6-O6	7.74	133.24	128.60
1	AA	867	G	C8-N9-C4	-7.74	103.31	106.40
1	AA	1138	G	N7-C8-N9	-7.74	109.23	113.10
1	AA	1414	U	N3-C2-O2	-7.74	116.78	122.20
25	BA	18	G	C4-C5-N7	-7.74	107.70	110.80
26	BB	684	G	N7-C8-N9	7.74	116.97	113.10
26	BB	975	A	N1-C2-N3	-7.74	125.43	129.30
26	BB	1902	C	C6-N1-C2	-7.74	117.20	120.30
26	BB	2223	G	C5-N7-C8	-7.74	100.43	104.30
26	BB	2292	U	C5-C4-O4	-7.74	121.26	125.90
34	BJ	41	ARG	NE-CZ-NH2	-7.74	116.43	120.30
1	AA	298	A	C8-N9-C4	-7.74	102.70	105.80
26	BB	292	U	N3-C2-O2	-7.74	116.78	122.20
26	BB	620	G	C5'-C4'-O4'	-7.74	99.81	109.10
26	BB	1366	A	C5-N7-C8	-7.74	100.03	103.90
26	BB	2812	G	C5-C6-N1	7.74	115.37	111.50
26	BB	2849	U	P-O3'-C3'	7.74	128.98	119.70
1	AA	376	G	C1'-O4'-C4'	-7.74	103.71	109.90
1	AA	1042	A	C5-N7-C8	-7.74	100.03	103.90
1	AA	1255	G	N3-C2-N2	-7.74	114.49	119.90
3	AC	50	U	C5-C6-N1	-7.74	118.83	122.70
26	BB	340	A	C5-N7-C8	7.74	107.77	103.90
26	BB	1069	A	N1-C2-N3	7.74	133.17	129.30
25	BA	10	G	N9-C1'-C2'	-7.73	103.49	112.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	775	G	C8-N9-C4	-7.73	103.31	106.40
26	BB	1055	G	O4'-C1'-N9	7.73	114.39	108.20
26	BB	1421	G	N1-C2-N3	-7.73	119.26	123.90
26	BB	2370	G	O4'-C1'-N9	7.73	114.39	108.20
1	AA	1270	G	N1-C2-N2	7.73	123.16	116.20
26	BB	384	A	N1-C2-N3	-7.73	125.43	129.30
26	BB	1540	G	N7-C8-N9	-7.73	109.23	113.10
1	AA	1432	G	C5-C6-N1	7.73	115.36	111.50
26	BB	767	U	C2-N3-C4	-7.73	122.36	127.00
26	BB	1387	A	N9-C4-C5	-7.73	102.71	105.80
26	BB	2407	A	C8-N9-C4	-7.73	102.71	105.80
1	AA	599	C	N3-C2-O2	-7.73	116.49	121.90
1	AA	728	A	C8-N9-C4	-7.73	102.71	105.80
1	AA	1312	G	C4-C5-C6	7.73	123.44	118.80
26	BB	183	C	O4'-C4'-C3'	7.73	112.28	106.10
26	BB	1266	G	C8-N9-C4	-7.73	103.31	106.40
1	AA	230	G	C5-C6-O6	7.73	133.24	128.60
1	AA	268	U	O4'-C1'-N1	7.73	114.38	108.20
1	AA	633	G	N1-C6-O6	-7.73	115.26	119.90
1	AA	1358	U	C5-C6-N1	-7.73	118.84	122.70
8	AH	68	ARG	NE-CZ-NH1	7.73	124.16	120.30
26	BB	262	A	C2-N3-C4	7.73	114.46	110.60
26	BB	769	U	C2-N3-C4	-7.73	122.36	127.00
26	BB	931	U	N1-C2-N3	7.73	119.54	114.90
26	BB	1613	G	N7-C8-N9	-7.73	109.24	113.10
26	BB	493	G	O4'-C1'-N9	7.73	114.38	108.20
26	BB	555	G	C2-N3-C4	7.73	115.76	111.90
26	BB	1522	A	O4'-C4'-C3'	7.73	112.28	106.10
26	BB	1882	U	N3-C4-O4	7.73	124.81	119.40
26	BB	2137	U	C2-N3-C4	-7.73	122.36	127.00
1	AA	372	C	C1'-O4'-C4'	-7.72	103.72	109.90
1	AA	903	G	C2-N3-C4	7.72	115.76	111.90
26	BB	134	G	N7-C8-N9	7.72	116.96	113.10
26	BB	705	A	C5-N7-C8	7.72	107.76	103.90
26	BB	1215	G	O4'-C1'-N9	7.72	114.38	108.20
26	BB	1216	G	C2-N3-C4	7.72	115.76	111.90
26	BB	1651	G	N1-C6-O6	-7.72	115.27	119.90
26	BB	1815	A	C8-N9-C4	-7.72	102.71	105.80
26	BB	2607	G	C5-C6-N1	7.72	115.36	111.50
1	AA	1	A	C5-N7-C8	7.72	107.76	103.90
1	AA	61	G	C5-C6-N1	7.72	115.36	111.50
1	AA	897	C	O4'-C1'-N1	7.72	114.38	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	AC	39	U	N1-C2-N3	7.72	119.53	114.90
26	BB	660	C	O4'-C1'-N1	7.72	114.38	108.20
26	BB	803	U	N3-C4-O4	-7.72	114.00	119.40
26	BB	843	G	C3'-C2'-C1'	7.72	107.68	101.50
26	BB	2644	G	N9-C1'-C2'	-7.72	103.50	112.00
26	BB	34	U	C5-C4-O4	7.72	130.53	125.90
26	BB	874	G	C8-N9-C4	-7.72	103.31	106.40
1	AA	843	U	C5'-C4'-O4'	7.72	118.36	109.10
1	AA	921	U	C5-C4-O4	-7.72	121.27	125.90
3	AC	47	C	N3-C4-C5	7.72	124.99	121.90
26	BB	628	G	N1-C6-O6	7.72	124.53	119.90
26	BB	775	G	N3-C4-N9	7.72	130.63	126.00
26	BB	946	C	N3-C4-N4	7.72	123.40	118.00
26	BB	1026	G	N7-C8-N9	7.72	116.96	113.10
26	BB	1300	G	P-O3'-C3'	7.72	128.96	119.70
26	BB	1477	A	N7-C8-N9	7.72	117.66	113.80
26	BB	1532	A	C4-C5-C6	-7.72	113.14	117.00
26	BB	1968	G	C4-C5-N7	7.72	113.89	110.80
1	AA	91	U	N1-C2-O2	7.72	128.20	122.80
26	BB	346	A	C5-N7-C8	-7.72	100.04	103.90
26	BB	2376	A	N9-C4-C5	7.72	108.89	105.80
1	AA	1006	G	N3-C4-C5	-7.72	124.74	128.60
1	AA	1234	C	C5-C4-N4	-7.72	114.80	120.20
1	AA	1303	C	C4-C5-C6	-7.72	113.54	117.40
26	BB	189	G	C3'-C2'-C1'	-7.72	95.33	101.50
26	BB	1926	U	N3-C2-O2	-7.72	116.80	122.20
26	BB	2383	G	C5-N7-C8	-7.72	100.44	104.30
28	BD	170	TYR	CB-CG-CD1	-7.72	116.37	121.00
1	AA	85	U	O4'-C1'-N1	7.71	114.37	108.20
1	AA	1106	G	N7-C8-N9	7.71	116.96	113.10
1	AA	1347	G	N9-C4-C5	7.71	108.49	105.40
26	BB	119	A	C6-C5-N7	-7.71	126.90	132.30
26	BB	442	G	O4'-C1'-N9	7.71	114.37	108.20
26	BB	982	C	N1-C2-O2	7.71	123.53	118.90
49	BY	25	PHE	CB-CG-CD2	-7.71	115.40	120.80
26	BB	265	A	C4-C5-N7	-7.71	106.84	110.70
1	AA	80	A	C5-N7-C8	7.71	107.75	103.90
1	AA	744	C	C4-C5-C6	7.71	121.26	117.40
2	AB	48	U	C1'-O4'-C4'	-7.71	103.73	109.90
26	BB	362	A	C5'-C4'-O4'	7.71	118.36	109.10
26	BB	730	A	C3'-C2'-C1'	-7.71	95.33	101.50
26	BB	970	U	C4-C5-C6	7.71	124.33	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1238	G	N1-C2-N2	-7.71	109.26	116.20
26	BB	1420	A	N1-C6-N6	7.71	123.23	118.60
26	BB	1735	A	C5-C6-N6	-7.71	117.53	123.70
26	BB	1850	G	N3-C4-N9	7.71	130.63	126.00
26	BB	2315	G	C5'-C4'-O4'	7.71	118.35	109.10
26	BB	2811	G	C4'-C3'-C2'	-7.71	94.89	102.60
1	AA	455	G	O4'-C4'-C3'	7.71	112.27	106.10
1	AA	1403	C	C4-C5-C6	-7.71	113.55	117.40
26	BB	1811	G	C5-C6-N1	7.71	115.36	111.50
26	BB	2006	C	C6-N1-C2	-7.71	117.22	120.30
26	BB	2316	G	C5-N7-C8	-7.71	100.44	104.30
32	BH	163	TYR	CB-CG-CD1	-7.71	116.37	121.00
1	AA	264	C	C2-N3-C4	7.71	123.75	119.90
1	AA	893	C	O4'-C1'-N1	7.71	114.37	108.20
1	AA	1190	G	N9-C4-C5	7.71	108.48	105.40
1	AA	1486	G	N9-C4-C5	-7.71	102.32	105.40
26	BB	53	A	C5-C6-N6	7.71	129.87	123.70
26	BB	580	U	N3-C4-O4	-7.71	114.00	119.40
26	BB	650	C	C2-N3-C4	7.71	123.75	119.90
26	BB	920	A	C5-C6-N1	7.71	121.56	117.70
26	BB	1487	U	C5-C4-O4	-7.71	121.28	125.90
26	BB	2062	A	N3-C4-C5	-7.71	121.40	126.80
26	BB	2586	U	C3'-C2'-C1'	7.71	107.67	101.50
26	BB	2801	G	C5-C6-N1	-7.71	107.65	111.50
1	AA	236	A	C2-N3-C4	7.71	114.45	110.60
1	AA	973	G	C4-C5-N7	7.71	113.88	110.80
26	BB	213	A	N1-C2-N3	-7.71	125.45	129.30
26	BB	470	A	C5-N7-C8	7.71	107.75	103.90
26	BB	1518	C	N1-C2-O2	7.71	123.52	118.90
26	BB	1926	U	C5-C4-O4	7.71	130.52	125.90
1	AA	869	G	C8-N9-C4	-7.71	103.32	106.40
26	BB	535	G	C8-N9-C4	-7.71	103.32	106.40
26	BB	2112	G	N7-C8-N9	-7.71	109.25	113.10
1	AA	719	C	C5'-C4'-O4'	-7.70	99.86	109.10
1	AA	1104	G	C4-C5-C6	7.70	123.42	118.80
26	BB	54	G	C4-C5-N7	7.70	113.88	110.80
26	BB	449	A	O4'-C1'-N9	7.70	114.36	108.20
26	BB	476	G	C4-C5-N7	-7.70	107.72	110.80
26	BB	719	C	O4'-C1'-N1	7.70	114.36	108.20
26	BB	1824	G	C8-N9-C1'	7.70	137.01	127.00
26	BB	2412	A	C5-N7-C8	7.70	107.75	103.90
26	BB	2688	G	C8-N9-C4	-7.70	103.32	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	456	A	C2-N3-C4	-7.70	106.75	110.60
1	AA	985	C	N1-C2-O2	7.70	123.52	118.90
26	BB	496	G	C5-C6-N1	7.70	115.35	111.50
26	BB	1567	G	C5-C6-O6	-7.70	123.98	128.60
26	BB	1846	G	C5'-C4'-O4'	7.70	118.34	109.10
26	BB	2723	C	C6-N1-C2	-7.70	117.22	120.30
1	AA	155	A	N7-C8-N9	7.70	117.65	113.80
1	AA	665	A	C8-N9-C4	7.70	108.88	105.80
1	AA	1247	U	N3-C4-C5	7.70	119.22	114.60
1	AA	1368	A	N1-C6-N6	-7.70	113.98	118.60
3	AC	24	A	C5-C6-N1	-7.70	113.85	117.70
7	AG	61	ARG	NE-CZ-NH1	7.70	124.15	120.30
25	BA	76	G	N1-C2-N3	7.70	128.52	123.90
25	BA	117	G	C5-C6-N1	7.70	115.35	111.50
26	BB	533	G	C2-N3-C4	7.70	115.75	111.90
26	BB	869	G	C5-C6-O6	7.70	133.22	128.60
26	BB	1232	G	N7-C8-N9	7.70	116.95	113.10
26	BB	1546	G	O4'-C1'-N9	7.70	114.36	108.20
26	BB	1997	C	O4'-C1'-N1	7.70	114.36	108.20
1	AA	115	G	N1-C6-O6	-7.70	115.28	119.90
1	AA	248	C	C5-C6-N1	-7.70	117.15	121.00
1	AA	1171	A	C4'-C3'-C2'	7.70	110.30	102.60
1	AA	1176	A	C8-N9-C4	-7.70	102.72	105.80
26	BB	424	G	C4-N9-C1'	-7.70	116.49	126.50
26	BB	1182	G	N1-C2-N3	7.70	128.52	123.90
26	BB	1452	G	C5-C6-N1	7.70	115.35	111.50
26	BB	2637	U	C4-C5-C6	7.70	124.32	119.70
1	AA	41	G	C4-C5-N7	-7.70	107.72	110.80
26	BB	931	U	C2-N3-C4	-7.70	122.38	127.00
26	BB	2018	G	N3-C4-N9	7.70	130.62	126.00
1	AA	1529	G	C2-N3-C4	7.70	115.75	111.90
26	BB	86	G	C1'-O4'-C4'	-7.70	103.74	109.90
26	BB	1128	G	N1-C6-O6	-7.70	115.28	119.90
26	BB	2173	A	C4-C5-C6	-7.70	113.15	117.00
26	BB	2825	G	C6-N1-C2	-7.70	120.48	125.10
1	AA	873	A	C5-N7-C8	7.69	107.75	103.90
26	BB	713	G	O4'-C1'-N9	7.69	114.36	108.20
26	BB	1002	G	C5-C6-O6	-7.69	123.98	128.60
1	AA	619	U	C2-N3-C4	-7.69	122.38	127.00
1	AA	1070	U	C5'-C4'-C3'	-7.69	103.69	116.00
1	AA	1086	U	O4'-C1'-N1	7.69	114.35	108.20
1	AA	1502	A	N7-C8-N9	7.69	117.65	113.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	AC	48	C	N1-C2-O2	7.69	123.52	118.90
26	BB	525	U	N3-C4-O4	7.69	124.78	119.40
26	BB	1896	G	C8-N9-C4	-7.69	103.32	106.40
1	AA	936	C	O4'-C4'-C3'	7.69	112.25	106.10
26	BB	553	G	C6-N1-C2	-7.69	120.48	125.10
26	BB	1203	U	C5-C6-N1	-7.69	118.85	122.70
1	AA	291	U	C5-C6-N1	-7.69	118.86	122.70
26	BB	130	C	C5-C4-N4	-7.69	114.82	120.20
26	BB	821	A	C5-C6-N1	-7.69	113.86	117.70
26	BB	1417	C	C4-C5-C6	7.69	121.24	117.40
26	BB	2087	G	C1'-O4'-C4'	-7.69	103.75	109.90
1	AA	3	A	C4-C5-N7	-7.69	106.86	110.70
1	AA	411	A	C6-C5-N7	7.69	137.68	132.30
1	AA	1330	U	N3-C4-O4	7.69	124.78	119.40
25	BA	25	U	N3-C2-O2	-7.69	116.82	122.20
26	BB	1	G	O4'-C4'-C3'	7.69	112.25	106.10
26	BB	838	C	N3-C4-C5	-7.69	118.83	121.90
26	BB	872	U	C4'-C3'-C2'	-7.69	94.91	102.60
26	BB	1847	A	N7-C8-N9	7.69	117.64	113.80
26	BB	1971	U	N3-C2-O2	-7.69	116.82	122.20
1	AA	704	A	N7-C8-N9	-7.69	109.96	113.80
1	AA	740	U	C4'-C3'-C2'	-7.69	94.91	102.60
1	AA	860	A	N1-C2-N3	-7.69	125.46	129.30
4	AD	50	G	N1-C2-N3	-7.69	119.29	123.90
26	BB	495	G	C2-N3-C4	7.69	115.74	111.90
26	BB	565	C	C2-N3-C4	-7.69	116.06	119.90
26	BB	1192	G	C5-C6-N1	-7.69	107.66	111.50
1	AA	1366	C	O4'-C1'-N1	7.68	114.35	108.20
26	BB	206	U	C4'-C3'-C2'	-7.68	94.92	102.60
26	BB	254	G	C6-C5-N7	7.68	135.01	130.40
26	BB	448	U	C3'-C2'-C1'	7.68	107.65	101.50
26	BB	2737	G	C1'-O4'-C4'	-7.68	103.75	109.90
1	AA	143	A	O4'-C1'-N9	7.68	114.35	108.20
1	AA	1209	C	O4'-C1'-N1	7.68	114.34	108.20
10	AJ	2	ARG	NE-CZ-NH2	-7.68	116.46	120.30
26	BB	877	A	N1-C2-N3	-7.68	125.46	129.30
26	BB	1477	A	C5-N7-C8	-7.68	100.06	103.90
26	BB	2103	C	N1-C2-O2	7.68	123.51	118.90
26	BB	2249	U	C1'-O4'-C4'	7.68	116.05	109.90
26	BB	2274	A	C1'-O4'-C4'	7.68	116.05	109.90
1	AA	575	G	O4'-C1'-N9	7.68	114.34	108.20
2	AB	33	U	P-O3'-C3'	7.68	128.92	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
44	BT	54	VAL	CG1-CB-CG2	-7.68	98.61	110.90
1	AA	526	C	C4'-C3'-C2'	-7.68	94.92	102.60
1	AA	1298	U	O4'-C1'-N1	7.68	114.34	108.20
26	BB	863	A	N1-C6-N6	7.68	123.21	118.60
26	BB	940	G	C4'-C3'-C2'	-7.68	94.92	102.60
26	BB	999	U	N1-C2-N3	7.68	119.51	114.90
26	BB	2724	U	N1-C2-N3	-7.68	110.29	114.90
26	BB	2876	G	C5-N7-C8	7.68	108.14	104.30
26	BB	441	U	C4-C5-C6	7.68	124.31	119.70
26	BB	525	U	N1-C2-O2	-7.68	117.42	122.80
1	AA	310	G	C5-N7-C8	-7.68	100.46	104.30
1	AA	382	A	N9-C4-C5	7.68	108.87	105.80
26	BB	390	U	C4-C5-C6	7.68	124.31	119.70
26	BB	1381	G	N3-C4-C5	-7.68	124.76	128.60
26	BB	1465	G	C4-C5-C6	7.68	123.41	118.80
26	BB	1595	C	C6-N1-C2	7.68	123.37	120.30
26	BB	1634	A	N3-C4-C5	-7.68	121.43	126.80
26	BB	2845	U	N1-C2-N3	7.68	119.51	114.90
1	AA	197	A	C5-C6-N1	7.67	121.54	117.70
1	AA	353	A	C2-N3-C4	7.67	114.44	110.60
1	AA	630	A	C5-N7-C8	-7.67	100.06	103.90
26	BB	361	G	C2-N3-C4	7.67	115.74	111.90
26	BB	1259	G	N1-C2-N3	7.67	128.50	123.90
1	AA	364	A	C4-C5-C6	-7.67	113.16	117.00
26	BB	1140	C	C5'-C4'-O4'	7.67	118.31	109.10
1	AA	486	U	N3-C4-O4	7.67	124.77	119.40
1	AA	1102	A	O4'-C1'-N9	7.67	114.34	108.20
19	AS	51	ARG	NE-CZ-NH2	-7.67	116.46	120.30
25	BA	119	A	N7-C8-N9	-7.67	109.96	113.80
26	BB	27	G	C8-N9-C4	-7.67	103.33	106.40
26	BB	654	A	C5-C6-N1	-7.67	113.86	117.70
26	BB	669	G	C5-C6-O6	7.67	133.20	128.60
26	BB	1282	U	C6-N1-C2	7.67	125.60	121.00
26	BB	1392	A	C4-C5-C6	-7.67	113.16	117.00
26	BB	1839	G	C8-N9-C4	-7.67	103.33	106.40
30	BF	102	ARG	NE-CZ-NH2	7.67	124.14	120.30
1	AA	404	G	N3-C4-C5	-7.67	124.77	128.60
1	AA	1257	A	C2-N3-C4	7.67	114.44	110.60
1	AA	1342	C	C5-C6-N1	-7.67	117.17	121.00
1	AA	1419	G	C6-C5-N7	7.67	135.00	130.40
26	BB	373	U	C5-C4-O4	7.67	130.50	125.90
26	BB	409	G	C4-C5-C6	7.67	123.40	118.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1863	G	N3-C4-N9	7.67	130.60	126.00
26	BB	1952	A	C3'-C2'-C1'	7.67	107.64	101.50
1	AA	585	G	C4-C5-C6	7.67	123.40	118.80
26	BB	179	C	C1'-O4'-C4'	7.67	116.03	109.90
26	BB	235	U	O4'-C4'-C3'	7.67	112.23	106.10
26	BB	1963	U	P-O3'-C3'	7.67	128.90	119.70
26	BB	1993	U	C2-N3-C4	-7.67	122.40	127.00
26	BB	2433	A	O4'-C4'-C3'	7.67	112.23	106.10
1	AA	1133	G	N3-C4-C5	-7.67	124.77	128.60
26	BB	1455	G	C5-C6-N1	7.67	115.33	111.50
26	BB	2358	A	C4'-C3'-C2'	-7.67	94.93	102.60
26	BB	2745	C	N3-C4-N4	7.67	123.37	118.00
26	BB	910	A	C5-C6-N1	7.67	121.53	117.70
26	BB	1418	G	C8-N9-C4	-7.67	103.33	106.40
32	BH	156	TYR	CB-CG-CD1	-7.67	116.40	121.00
1	AA	76	G	C6-C5-N7	7.66	135.00	130.40
1	AA	1057	G	C2-N3-C4	7.66	115.73	111.90
4	AD	28	U	O4'-C1'-C2'	-7.66	98.14	105.80
26	BB	228	C	C6-N1-C2	-7.66	117.23	120.30
26	BB	1428	C	O3'-P-O5'	-7.66	89.44	104.00
26	BB	2235	G	C5-C6-N1	7.66	115.33	111.50
26	BB	2785	C	C2-N3-C4	-7.66	116.07	119.90
1	AA	862	C	C4'-C3'-C2'	-7.66	94.94	102.60
1	AA	1449	C	C2-N3-C4	-7.66	116.07	119.90
26	BB	203	A	N1-C2-N3	7.66	133.13	129.30
26	BB	1890	A	C2-N3-C4	7.66	114.43	110.60
1	AA	752	G	O4'-C1'-N9	7.66	114.33	108.20
25	BA	47	C	C5'-C4'-O4'	7.66	118.29	109.10
26	BB	832	U	O4'-C1'-N1	7.66	114.33	108.20
1	AA	113	G	N3-C2-N2	-7.66	114.54	119.90
1	AA	615	G	C4-C5-N7	-7.66	107.74	110.80
1	AA	772	U	N1-C2-N3	7.66	119.50	114.90
1	AA	877	G	N9-C1'-C2'	-7.66	103.58	112.00
1	AA	1214	C	O4'-C1'-N1	-7.66	102.07	108.20
26	BB	155	A	N9-C1'-C2'	-7.66	103.58	112.00
26	BB	228	C	N1-C1'-C2'	-7.66	103.58	112.00
26	BB	655	A	C6-N1-C2	7.66	123.19	118.60
26	BB	874	G	C4-C5-C6	-7.66	114.20	118.80
26	BB	2120	G	C6-N1-C2	-7.66	120.50	125.10
26	BB	2509	G	C5-C6-O6	7.66	133.20	128.60
48	BX	82	TYR	CD1-CG-CD2	7.66	126.33	117.90
1	AA	579	A	C1'-O4'-C4'	-7.66	103.77	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2313	C	C4-C5-C6	-7.66	113.57	117.40
26	BB	2314	A	C4'-C3'-C2'	-7.66	94.94	102.60
26	BB	2316	G	C6-C5-N7	-7.66	125.81	130.40
1	AA	81	A	C3'-C2'-C1'	7.66	107.62	101.50
16	AP	97	ARG	NE-CZ-NH1	7.66	124.13	120.30
26	BB	1084	A	N1-C2-N3	7.66	133.13	129.30
26	BB	2394	C	N3-C4-C5	-7.66	118.84	121.90
34	BJ	60	ARG	NE-CZ-NH1	7.66	124.13	120.30
1	AA	1043	G	C5-C6-O6	7.65	133.19	128.60
26	BB	843	G	N7-C8-N9	7.65	116.93	113.10
26	BB	1649	G	N9-C1'-C2'	-7.65	103.58	112.00
26	BB	1799	G	P-O3'-C3'	7.65	128.88	119.70
26	BB	2118	U	P-O3'-C3'	7.65	128.88	119.70
26	BB	2206	C	N3-C2-O2	-7.65	116.54	121.90
26	BB	2368	C	N3-C2-O2	-7.65	116.54	121.90
50	BZ	49	ARG	NE-CZ-NH2	7.65	124.13	120.30
1	AA	800	G	C1'-O4'-C4'	-7.65	103.78	109.90
1	AA	1097	C	C5-C4-N4	-7.65	114.84	120.20
26	BB	887	U	N3-C2-O2	-7.65	116.84	122.20
26	BB	998	C	N3-C2-O2	-7.65	116.54	121.90
26	BB	1772	A	C8-N9-C4	7.65	108.86	105.80
26	BB	2229	U	N1-C2-N3	7.65	119.49	114.90
26	BB	2518	A	N7-C8-N9	7.65	117.63	113.80
1	AA	14	U	C5-C4-O4	-7.65	121.31	125.90
1	AA	446	G	C4-C5-N7	-7.65	107.74	110.80
1	AA	1162	C	C5-C6-N1	-7.65	117.17	121.00
1	AA	1279	G	C8-N9-C4	-7.65	103.34	106.40
26	BB	571	U	C4-C5-C6	-7.65	115.11	119.70
26	BB	619	G	C5-C6-O6	-7.65	124.01	128.60
26	BB	662	G	C2-N3-C4	7.65	115.72	111.90
26	BB	1080	A	C5-N7-C8	-7.65	100.08	103.90
26	BB	1394	U	C2-N3-C4	-7.65	122.41	127.00
26	BB	1510	G	N7-C8-N9	7.65	116.92	113.10
26	BB	1924	C	O4'-C4'-C3'	7.65	112.22	106.10
26	BB	2304	G	C5-C6-N1	7.65	115.33	111.50
3	AC	31	U	N3-C4-O4	7.65	124.75	119.40
1	AA	834	U	C2-N3-C4	-7.65	122.41	127.00
1	AA	1195	C	O4'-C4'-C3'	7.65	112.22	106.10
2	AB	63	C	O4'-C1'-N1	7.65	114.32	108.20
26	BB	783	A	C3'-C2'-C1'	-7.65	95.38	101.50
26	BB	1144	A	O4'-C1'-N9	7.65	114.32	108.20
26	BB	1375	U	C5-C6-N1	-7.65	118.88	122.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2556	C	C2-N3-C4	7.65	123.72	119.90
28	BD	216	ARG	NE-CZ-NH1	7.65	124.12	120.30
1	AA	21	G	C4-C5-N7	-7.65	107.74	110.80
1	AA	661	G	N3-C4-N9	7.65	130.59	126.00
26	BB	2210	U	C5'-C4'-O4'	7.65	118.28	109.10
48	BX	93	ARG	NE-CZ-NH2	-7.65	116.48	120.30
1	AA	437	U	N3-C4-C5	-7.64	110.01	114.60
1	AA	499	A	C5-N7-C8	7.64	107.72	103.90
1	AA	1011	C	C6-N1-C2	7.64	123.36	120.30
1	AA	1491	G	P-O3'-C3'	7.64	128.87	119.70
26	BB	373	U	N1-C2-N3	7.64	119.49	114.90
26	BB	1022	G	C4-C5-N7	-7.64	107.74	110.80
26	BB	1696	G	N9-C4-C5	7.64	108.46	105.40
26	BB	1889	A	C2-N3-C4	7.64	114.42	110.60
1	AA	710	G	C1'-O4'-C4'	-7.64	103.78	109.90
1	AA	835	U	N1-C2-N3	7.64	119.49	114.90
1	AA	1198	G	N7-C8-N9	7.64	116.92	113.10
2	AB	3	G	N9-C4-C5	7.64	108.46	105.40
26	BB	578	G	O3'-P-O5'	-7.64	89.48	104.00
26	BB	1275	A	C2-N3-C4	7.64	114.42	110.60
26	BB	2009	A	C5-C6-N6	-7.64	117.59	123.70
26	BB	2195	U	C5-C6-N1	-7.64	118.88	122.70
26	BB	2352	A	C6-N1-C2	7.64	123.19	118.60
1	AA	781	A	C5'-C4'-O4'	7.64	118.27	109.10
1	AA	1391	U	N3-C2-O2	-7.64	116.85	122.20
26	BB	841	G	N1-C2-N3	-7.64	119.32	123.90
1	AA	1061	G	O4'-C1'-N9	7.64	114.31	108.20
25	BA	65	U	C4'-C3'-C2'	-7.64	94.96	102.60
26	BB	1085	A	N9-C4-C5	7.64	108.86	105.80
26	BB	1510	G	C6-N1-C2	7.64	129.68	125.10
26	BB	1874	C	N1-C2-O2	7.64	123.48	118.90
26	BB	1887	C	N1-C2-O2	7.64	123.48	118.90
1	AA	1087	G	C5-N7-C8	7.64	108.12	104.30
1	AA	1191	A	C5-C6-N1	-7.64	113.88	117.70
26	BB	376	G	O4'-C1'-N9	7.64	114.31	108.20
26	BB	436	C	N3-C4-C5	7.64	124.95	121.90
26	BB	504	A	O4'-C1'-N9	7.64	114.31	108.20
26	BB	875	G	N7-C8-N9	7.64	116.92	113.10
26	BB	2334	U	C5-C4-O4	-7.64	121.32	125.90
1	AA	894	G	N1-C2-N2	-7.64	109.33	116.20
3	AC	24	A	C6-N1-C2	7.64	123.18	118.60
26	BB	420	C	C5-C6-N1	-7.64	117.18	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1120	G	C6-C5-N7	-7.64	125.82	130.40
26	BB	1699	G	C8-N9-C4	-7.64	103.34	106.40
26	BB	1753	G	C8-N9-C4	-7.64	103.35	106.40
26	BB	1875	G	N9-C4-C5	7.64	108.45	105.40
26	BB	2208	C	N3-C2-O2	-7.64	116.55	121.90
48	BX	70	ILE	CA-CB-CG1	7.64	125.51	111.00
1	AA	428	G	O4'-C1'-N9	7.63	114.31	108.20
26	BB	628	G	C6-N1-C2	7.63	129.68	125.10
26	BB	655	A	N7-C8-N9	7.63	117.62	113.80
1	AA	105	G	C4'-C3'-C2'	-7.63	94.97	102.60
1	AA	1173	U	N3-C2-O2	-7.63	116.86	122.20
25	BA	59	A	O4'-C1'-N9	7.63	114.31	108.20
26	BB	1636	U	C2-N3-C4	-7.63	122.42	127.00
26	BB	1819	A	O5'-P-OP2	-7.63	98.83	105.70
26	BB	2600	A	N1-C6-N6	7.63	123.18	118.60
26	BB	2874	C	N1-C2-O2	7.63	123.48	118.90
1	AA	399	G	N3-C2-N2	-7.63	114.56	119.90
1	AA	719	C	C5-C6-N1	7.63	124.82	121.00
1	AA	720	C	C1'-O4'-C4'	-7.63	103.80	109.90
1	AA	1374	A	O4'-C1'-N9	7.63	114.30	108.20
26	BB	639	U	O4'-C4'-C3'	7.63	112.20	106.10
26	BB	1113	U	C5-C4-O4	7.63	130.48	125.90
26	BB	1871	A	N9-C4-C5	-7.63	102.75	105.80
26	BB	2556	C	C5-C6-N1	-7.63	117.18	121.00
1	AA	993	G	C4-C5-N7	-7.63	107.75	110.80
1	AA	1345	U	O4'-C4'-C3'	7.63	112.20	106.10
26	BB	2289	G	C4'-C3'-C2'	-7.63	94.97	102.60
1	AA	159	G	C5-C6-N1	7.63	115.31	111.50
25	BA	88	C	C6-N1-C2	-7.63	117.25	120.30
26	BB	171	U	C4'-C3'-C2'	-7.63	94.97	102.60
26	BB	427	U	O4'-C1'-N1	7.63	114.30	108.20
26	BB	768	G	N7-C8-N9	7.63	116.91	113.10
26	BB	823	C	N3-C4-C5	-7.63	118.85	121.90
26	BB	1883	U	O4'-C4'-C3'	7.63	112.20	106.10
26	BB	1974	C	C2-N3-C4	7.63	123.71	119.90
1	AA	249	U	C5-C6-N1	-7.63	118.89	122.70
23	AW	42	ASP	CB-CG-OD2	-7.63	111.44	118.30
26	BB	1454	C	C5'-C4'-O4'	7.63	118.25	109.10
26	BB	2517	C	O4'-C1'-N1	7.63	114.30	108.20
26	BB	2559	C	C5'-C4'-O4'	7.63	118.25	109.10
26	BB	1284	A	C4-C5-N7	-7.62	106.89	110.70
1	AA	98	A	N7-C8-N9	-7.62	109.99	113.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	226	G	C5-N7-C8	7.62	108.11	104.30
1	AA	741	G	N9-C4-C5	-7.62	102.35	105.40
2	AB	56	C	C6-N1-C2	-7.62	117.25	120.30
26	BB	66	C	O4'-C1'-N1	7.62	114.30	108.20
26	BB	1526	C	N3-C4-C5	-7.62	118.85	121.90
26	BB	1978	A	C5-C6-N1	7.62	121.51	117.70
26	BB	2238	G	C1'-O4'-C4'	-7.62	103.80	109.90
26	BB	2365	G	N7-C8-N9	7.62	116.91	113.10
26	BB	2392	A	C8-N9-C4	-7.62	102.75	105.80
1	AA	855	U	C5-C4-O4	-7.62	121.33	125.90
1	AA	1184	G	C8-N9-C4	-7.62	103.35	106.40
1	AA	1452	C	N1-C2-O2	7.62	123.47	118.90
1	AA	1499	A	N1-C6-N6	7.62	123.17	118.60
4	AD	46	G	C8-N9-C4	-7.62	103.35	106.40
26	BB	536	G	O4'-C1'-N9	7.62	114.30	108.20
26	BB	787	C	N1-C1'-C2'	-7.62	103.62	112.00
26	BB	1516	G	N1-C2-N3	-7.62	119.33	123.90
26	BB	1654	A	N9-C4-C5	7.62	108.85	105.80
26	BB	1717	A	N1-C2-N3	7.62	133.11	129.30
1	AA	364	A	C2-N3-C4	-7.62	106.79	110.60
1	AA	866	C	C1'-O4'-C4'	7.62	116.00	109.90
1	AA	1061	G	C5-C6-O6	-7.62	124.03	128.60
25	BA	97	C	C6-N1-C2	7.62	123.35	120.30
26	BB	723	C	P-O3'-C3'	7.62	128.84	119.70
26	BB	1418	G	N3-C4-N9	-7.62	121.43	126.00
26	BB	1525	A	O4'-C1'-N9	7.62	114.30	108.20
26	BB	1571	A	P-O3'-C3'	7.62	128.84	119.70
1	AA	399	G	C2-N3-C4	7.62	115.71	111.90
1	AA	1120	C	O4'-C1'-N1	7.62	114.30	108.20
26	BB	201	C	N1-C2-O2	7.62	123.47	118.90
26	BB	389	G	N3-C4-C5	-7.62	124.79	128.60
26	BB	1082	U	N3-C4-O4	7.62	124.73	119.40
26	BB	1346	G	N3-C4-C5	-7.62	124.79	128.60
26	BB	2791	G	C6-N1-C2	-7.62	120.53	125.10
1	AA	86	G	O4'-C1'-N9	7.62	114.29	108.20
26	BB	526	A	N7-C8-N9	-7.62	109.99	113.80
26	BB	578	G	N3-C4-C5	-7.62	124.79	128.60
26	BB	2803	G	N9-C1'-C2'	-7.62	103.62	112.00
1	AA	364	A	C5-C6-N6	-7.62	117.61	123.70
1	AA	583	A	C6-N1-C2	-7.62	114.03	118.60
2	AB	41	C	N3-C2-O2	-7.62	116.57	121.90
5	AE	207	ARG	NH1-CZ-NH2	-7.62	111.02	119.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	63	C	N3-C4-C5	-7.62	118.85	121.90
26	BB	89	A	C5'-C4'-C3'	-7.62	103.82	116.00
26	BB	377	G	N3-C2-N2	-7.62	114.57	119.90
26	BB	2269	G	C8-N9-C4	-7.62	103.35	106.40
1	AA	965	U	C5-C4-O4	-7.61	121.33	125.90
26	BB	201	C	N3-C2-O2	-7.61	116.57	121.90
26	BB	363	G	N7-C8-N9	7.61	116.91	113.10
26	BB	1316	U	C1'-O4'-C4'	-7.61	103.81	109.90
26	BB	2218	G	N9-C4-C5	7.61	108.44	105.40
26	BB	2263	C	C6-N1-C2	7.61	123.35	120.30
26	BB	2483	C	N3-C2-O2	-7.61	116.57	121.90
1	AA	547	A	C1'-O4'-C4'	7.61	115.99	109.90
2	AB	71	C	N1-C1'-C2'	-7.61	103.63	112.00
26	BB	1479	G	C4-C5-N7	-7.61	107.75	110.80
2	AB	65	C	C4-C5-C6	-7.61	113.59	117.40
25	BA	77	U	C2-N3-C4	-7.61	122.43	127.00
26	BB	190	A	C5-C6-N1	7.61	121.50	117.70
26	BB	669	G	C2-N3-C4	7.61	115.70	111.90
26	BB	726	G	C5-N7-C8	7.61	108.11	104.30
26	BB	1169	A	O4'-C1'-N9	7.61	114.29	108.20
1	AA	184	G	C5'-C4'-O4'	7.61	118.23	109.10
26	BB	1491	G	N9-C1'-C2'	-7.61	103.63	112.00
26	BB	2397	G	C5-C6-O6	7.61	133.17	128.60
1	AA	645	G	C5-N7-C8	-7.61	100.50	104.30
1	AA	858	G	O4'-C1'-N9	7.61	114.28	108.20
1	AA	989	U	C4-C5-C6	7.61	124.27	119.70
26	BB	1331	G	C8-N9-C4	-7.61	103.36	106.40
26	BB	1940	U	C6-N1-C2	7.61	125.56	121.00
26	BB	2199	A	N1-C6-N6	-7.61	114.03	118.60
26	BB	2219	U	N3-C4-O4	7.61	124.72	119.40
26	BB	2780	G	C5-N7-C8	-7.61	100.50	104.30
26	BB	2860	A	N7-C8-N9	7.61	117.60	113.80
1	AA	191	G	N7-C8-N9	7.61	116.90	113.10
1	AA	257	G	N3-C4-N9	7.61	130.56	126.00
1	AA	781	A	C4-C5-C6	-7.61	113.20	117.00
1	AA	1529	G	N9-C4-C5	7.61	108.44	105.40
24	AX	33	ARG	NE-CZ-NH2	-7.61	116.50	120.30
25	BA	91	C	O4'-C1'-C2'	-7.61	98.19	105.80
26	BB	42	A	O4'-C1'-N9	7.61	114.28	108.20
26	BB	1227	G	N1-C2-N3	-7.61	119.34	123.90
26	BB	1550	C	C3'-C2'-C1'	7.61	107.58	101.50
26	BB	1649	G	C4-C5-N7	-7.61	107.76	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1689	A	C8-N9-C4	-7.61	102.76	105.80
26	BB	1870	C	O4'-C1'-N1	7.61	114.28	108.20
26	BB	1976	U	C3'-C2'-C1'	7.61	107.58	101.50
26	BB	2183	A	C8-N9-C4	-7.61	102.76	105.80
1	AA	534	U	O4'-C1'-N1	7.60	114.28	108.20
26	BB	80	G	C4'-C3'-C2'	-7.60	95.00	102.60
26	BB	1045	C	O4'-C1'-N1	7.60	114.28	108.20
26	BB	1509	A	C5-C6-N6	-7.60	117.62	123.70
1	AA	218	U	C5-C6-N1	-7.60	118.90	122.70
1	AA	343	U	C3'-C2'-C1'	7.60	107.58	101.50
1	AA	635	A	N1-C2-N3	7.60	133.10	129.30
1	AA	1227	A	C5-C6-N6	7.60	129.78	123.70
2	AB	58	A	N9-C4-C5	-7.60	102.76	105.80
4	AD	22	A	N1-C2-N3	-7.60	125.50	129.30
26	BB	1184	U	N1-C2-O2	-7.60	117.48	122.80
26	BB	1407	G	C4-C5-C6	7.60	123.36	118.80
26	BB	1473	G	N3-C2-N2	7.60	125.22	119.90
26	BB	2128	G	C5-C6-N1	7.60	115.30	111.50
26	BB	2135	A	O4'-C1'-N9	7.60	114.28	108.20
1	AA	400	C	C6-N1-C2	7.60	123.34	120.30
1	AA	1416	G	O4'-C1'-N9	7.60	114.28	108.20
26	BB	1231	U	C4-C5-C6	7.60	124.26	119.70
26	BB	2357	G	C5-N7-C8	7.60	108.10	104.30
1	AA	49	U	C5-C6-N1	-7.60	118.90	122.70
1	AA	1447	A	N7-C8-N9	7.60	117.60	113.80
26	BB	997	G	P-O3'-C3'	7.60	128.82	119.70
26	BB	2750	A	C4-C5-N7	-7.60	106.90	110.70
1	AA	1045	C	O4'-C1'-N1	7.60	114.28	108.20
1	AA	1489	G	C2-N3-C4	7.60	115.70	111.90
7	AG	103	ARG	NE-CZ-NH1	7.60	124.10	120.30
26	BB	98	G	C4-C5-C6	7.60	123.36	118.80
2	AB	33	U	O4'-C1'-N1	7.60	114.28	108.20
26	BB	756	A	C5-C6-N1	7.60	121.50	117.70
26	BB	1242	U	C3'-C2'-C1'	7.60	107.58	101.50
26	BB	2461	A	N3-C4-N9	-7.60	121.32	127.40
1	AA	1072	G	C6-N1-C2	-7.59	120.54	125.10
1	AA	1259	C	O4'-C1'-N1	7.59	114.28	108.20
26	BB	430	A	C2-N3-C4	7.59	114.40	110.60
26	BB	704	G	C2-N3-C4	7.59	115.70	111.90
26	BB	1072	C	O4'-C1'-N1	7.59	114.28	108.20
26	BB	1735	A	C2-N3-C4	7.59	114.40	110.60
26	BB	2035	G	C5-C6-O6	-7.59	124.04	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2859	G	C2-N3-C4	7.59	115.70	111.90
1	AA	378	G	N1-C2-N2	7.59	123.03	116.20
1	AA	1400	C	C4-C5-C6	7.59	121.20	117.40
1	AA	227	G	N3-C2-N2	7.59	125.21	119.90
1	AA	458	U	C5'-C4'-O4'	7.59	118.21	109.10
1	AA	478	A	O4'-C1'-N9	7.59	114.27	108.20
1	AA	1080	A	N1-C6-N6	7.59	123.16	118.60
25	BA	87	U	P-O3'-C3'	7.59	128.81	119.70
26	BB	233	A	C3'-C2'-C1'	7.59	107.57	101.50
26	BB	815	C	C4'-C3'-C2'	-7.59	95.01	102.60
26	BB	1219	U	N1-C2-O2	7.59	128.12	122.80
26	BB	1395	A	N1-C2-N3	-7.59	125.50	129.30
1	AA	936	C	C5-C4-N4	-7.59	114.89	120.20
1	AA	1012	A	N1-C2-N3	-7.59	125.50	129.30
1	AA	1236	A	C4-C5-C6	-7.59	113.21	117.00
1	AA	1373	G	N9-C4-C5	7.59	108.44	105.40
2	AB	9	A	C5-C6-N1	7.59	121.50	117.70
26	BB	624	C	C3'-C2'-C1'	7.59	107.57	101.50
26	BB	2060	A	C4-C5-N7	-7.59	106.91	110.70
26	BB	2511	U	N1-C1'-C2'	-7.59	103.65	112.00
26	BB	2565	A	C5-C6-N1	7.59	121.50	117.70
1	AA	96	U	N1-C2-N3	7.59	119.45	114.90
1	AA	825	A	C4'-C3'-C2'	-7.59	95.01	102.60
1	AA	878	A	O4'-C1'-N9	7.59	114.27	108.20
26	BB	527	C	O4'-C1'-N1	7.59	114.27	108.20
26	BB	1776	G	C5'-C4'-O4'	7.59	118.20	109.10
26	BB	1838	C	C5-C6-N1	7.59	124.79	121.00
26	BB	1980	G	C4'-C3'-C2'	-7.59	95.01	102.60
26	BB	2699	C	N1-C1'-C2'	-7.59	103.65	112.00
31	BG	177	ARG	NE-CZ-NH1	7.59	124.09	120.30
1	AA	260	G	C8-N9-C4	-7.59	103.36	106.40
1	AA	910	C	C4-C5-C6	7.59	121.19	117.40
20	AT	61	ARG	NE-CZ-NH1	7.59	124.09	120.30
26	BB	1461	C	N1-C2-O2	7.59	123.45	118.90
26	BB	1682	G	N3-C4-C5	-7.59	124.81	128.60
26	BB	1740	G	N3-C4-C5	-7.59	124.81	128.60
26	BB	1959	G	N3-C4-N9	7.59	130.55	126.00
26	BB	2228	G	N3-C2-N2	7.59	125.21	119.90
26	BB	2862	G	C4'-C3'-C2'	-7.59	95.01	102.60
26	BB	438	G	C2-N3-C4	7.58	115.69	111.90
26	BB	506	G	C4-C5-C6	7.58	123.35	118.80
26	BB	1233	C	N1-C2-O2	7.58	123.45	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2213	U	N1-C2-N3	7.58	119.45	114.90
1	AA	384	G	N3-C4-N9	7.58	130.55	126.00
1	AA	459	A	C5-C6-N1	-7.58	113.91	117.70
1	AA	511	C	O4'-C1'-N1	7.58	114.27	108.20
1	AA	818	G	C8-N9-C4	-7.58	103.37	106.40
26	BB	65	U	N1-C2-N3	7.58	119.45	114.90
26	BB	98	G	O4'-C4'-C3'	-7.58	96.42	104.00
1	AA	864	A	C6-N1-C2	7.58	123.15	118.60
1	AA	1346	A	C5-C6-N1	7.58	121.49	117.70
25	BA	16	G	N1-C6-O6	7.58	124.45	119.90
26	BB	1115	G	C6-C5-N7	-7.58	125.85	130.40
26	BB	1671	U	N1-C2-O2	7.58	128.11	122.80
26	BB	2376	A	N1-C6-N6	-7.58	114.05	118.60
26	BB	2541	A	N7-C8-N9	-7.58	110.01	113.80
40	BP	46	ARG	NH1-CZ-NH2	-7.58	111.06	119.40
1	AA	670	G	C2-N3-C4	7.58	115.69	111.90
26	BB	25	U	O4'-C1'-C2'	7.58	114.42	107.60
26	BB	1300	G	C3'-C2'-C1'	7.58	107.56	101.50
26	BB	1537	G	O4'-C1'-N9	7.58	114.26	108.20
26	BB	1833	C	C5'-C4'-O4'	7.58	118.20	109.10
1	AA	1063	C	P-O3'-C3'	7.58	128.79	119.70
2	AB	72	U	C5-C6-N1	-7.58	118.91	122.70
2	AB	73	G	N3-C4-C5	-7.58	124.81	128.60
26	BB	372	G	C4-C5-C6	7.58	123.35	118.80
26	BB	885	C	C2-N3-C4	-7.58	116.11	119.90
26	BB	1250	G	O4'-C1'-N9	7.58	114.26	108.20
26	BB	1281	G	N9-C4-C5	7.58	108.43	105.40
26	BB	1652	A	C8-N9-C4	-7.58	102.77	105.80
26	BB	2180	U	C4'-C3'-C2'	-7.58	95.02	102.60
1	AA	1110	A	C8-N9-C4	-7.58	102.77	105.80
26	BB	1532	A	C5'-C4'-O4'	7.58	118.19	109.10
26	BB	1885	A	C5-N7-C8	-7.58	100.11	103.90
1	AA	235	C	C6-N1-C2	7.58	123.33	120.30
1	AA	615	G	N3-C4-N9	7.58	130.55	126.00
1	AA	1387	G	C4-C5-N7	-7.58	107.77	110.80
1	AA	1388	C	O4'-C1'-N1	7.58	114.26	108.20
7	AG	153	ARG	NE-CZ-NH1	7.58	124.09	120.30
25	BA	43	C	O4'-C1'-N1	7.58	114.26	108.20
26	BB	134	G	C5-N7-C8	-7.58	100.51	104.30
50	BZ	27	ARG	NE-CZ-NH2	7.58	124.09	120.30
1	AA	2	A	O4'-C1'-N9	7.57	114.26	108.20
1	AA	175	C	N1-C1'-C2'	-7.57	103.67	112.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	186	C	N1-C2-O2	7.57	123.44	118.90
1	AA	275	G	N3-C4-C5	-7.57	124.81	128.60
26	BB	576	U	C3'-C2'-C1'	7.57	107.56	101.50
26	BB	1764	C	C5-C6-N1	7.57	124.79	121.00
1	AA	424	G	C6-N1-C2	-7.57	120.56	125.10
1	AA	926	G	P-O3'-C3'	7.57	128.79	119.70
1	AA	1154	G	N1-C2-N2	7.57	123.02	116.20
20	AT	39	ARG	NE-CZ-NH1	7.57	124.09	120.30
26	BB	224	U	C4-C5-C6	7.57	124.24	119.70
1	AA	114	U	N3-C2-O2	-7.57	116.90	122.20
1	AA	566	G	O4'-C4'-C3'	7.57	112.16	106.10
26	BB	58	G	N9-C4-C5	7.57	108.43	105.40
26	BB	386	G	N1-C2-N3	-7.57	119.36	123.90
26	BB	1394	U	O4'-C4'-C3'	-7.57	96.43	104.00
1	AA	328	C	C5'-C4'-O4'	7.57	118.18	109.10
26	BB	1718	G	O4'-C1'-N9	7.57	114.25	108.20
26	BB	2230	G	C5-N7-C8	-7.57	100.52	104.30
27	BC	181	ASP	CB-CG-OD1	-7.57	111.49	118.30
1	AA	1105	A	C4-C5-N7	-7.57	106.92	110.70
26	BB	707	G	N9-C1'-C2'	-7.57	103.67	112.00
26	BB	925	A	O4'-C1'-N9	7.57	114.25	108.20
26	BB	1496	A	N7-C8-N9	7.57	117.58	113.80
26	BB	1919	A	C4-C5-C6	-7.57	113.22	117.00
26	BB	1967	C	N3-C4-C5	7.57	124.93	121.90
26	BB	2317	A	N9-C4-C5	7.57	108.83	105.80
1	AA	227	G	N9-C1'-C2'	-7.57	103.68	112.00
1	AA	849	G	N1-C6-O6	7.57	124.44	119.90
1	AA	1229	A	O4'-C1'-N9	7.57	114.25	108.20
26	BB	68	G	C5-C6-N1	7.57	115.28	111.50
26	BB	470	A	N1-C6-N6	-7.57	114.06	118.60
26	BB	1195	G	C8-N9-C4	-7.57	103.37	106.40
26	BB	1342	A	C5-C6-N1	7.57	121.48	117.70
26	BB	1613	G	C5'-C4'-O4'	7.57	118.18	109.10
26	BB	1714	U	N3-C2-O2	-7.57	116.91	122.20
26	BB	1972	G	N9-C4-C5	7.57	108.43	105.40
26	BB	1986	C	N3-C4-N4	7.57	123.30	118.00
1	AA	117	G	C8-N9-C4	-7.56	103.37	106.40
4	AD	63	C	C4-C5-C6	-7.56	113.62	117.40
26	BB	386	G	C8-N9-C4	-7.56	103.37	106.40
26	BB	2111	U	O4'-C4'-C3'	7.56	112.15	106.10
26	BB	2791	G	C5-C6-N1	7.56	115.28	111.50
1	AA	338	A	N3-C4-N9	-7.56	121.35	127.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	413	G	C4-C5-C6	7.56	123.34	118.80
1	AA	731	G	C2-N3-C4	7.56	115.68	111.90
26	BB	370	G	C8-N9-C4	-7.56	103.38	106.40
26	BB	950	G	C6-N1-C2	-7.56	120.56	125.10
26	BB	1474	U	C6-N1-C2	7.56	125.54	121.00
26	BB	1802	A	C6-C5-N7	-7.56	127.01	132.30
1	AA	842	U	C5-C4-O4	-7.56	121.36	125.90
26	BB	73	A	C8-N9-C4	-7.56	102.78	105.80
26	BB	2850	A	C8-N9-C4	-7.56	102.78	105.80
2	AB	48	U	C4-C5-C6	7.56	124.23	119.70
26	BB	1390	U	N3-C4-C5	7.56	119.14	114.60
26	BB	17	G	N1-C6-O6	7.56	124.44	119.90
26	BB	235	U	C4'-C3'-C2'	-7.56	95.04	102.60
26	BB	567	U	N1-C2-N3	7.56	119.44	114.90
26	BB	606	U	N3-C2-O2	-7.56	116.91	122.20
26	BB	646	U	C4-C5-C6	7.56	124.23	119.70
26	BB	1949	G	C5'-C4'-O4'	7.56	118.17	109.10
26	BB	2608	G	C4-C5-N7	-7.56	107.78	110.80
1	AA	30	U	C5-C6-N1	-7.56	118.92	122.70
1	AA	534	U	C2-N1-C1'	7.56	126.77	117.70
1	AA	1405	G	C6-C5-N7	-7.56	125.87	130.40
26	BB	273	G	C8-N9-C4	-7.56	103.38	106.40
44	BT	82	HIS	CB-CA-C	7.56	125.51	110.40
1	AA	1044	A	C6-N1-C2	7.55	123.13	118.60
26	BB	787	C	C5-C6-N1	7.55	124.78	121.00
26	BB	991	C	N1-C2-O2	7.55	123.43	118.90
26	BB	1355	G	N9-C4-C5	7.55	108.42	105.40
26	BB	2470	G	C5-N7-C8	-7.55	100.52	104.30
26	BB	2685	G	C5'-C4'-O4'	7.55	118.17	109.10
28	BD	226	PRO	N-CA-CB	7.55	112.36	103.30
1	AA	102	G	C4-C5-N7	7.55	113.82	110.80
1	AA	291	U	C4-C5-C6	7.55	124.23	119.70
1	AA	718	A	N9-C1'-C2'	-7.55	103.69	112.00
26	BB	2356	U	C5-C6-N1	-7.55	118.92	122.70
1	AA	231	U	C3'-C2'-C1'	7.55	107.54	101.50
1	AA	873	A	N1-C6-N6	-7.55	114.07	118.60
1	AA	1297	G	N1-C6-O6	-7.55	115.37	119.90
26	BB	1715	G	O4'-C1'-N9	7.55	114.24	108.20
35	BK	41	PHE	CB-CG-CD1	7.55	126.08	120.80
1	AA	307	C	C2-N3-C4	7.55	123.67	119.90
4	AD	5	G	N9-C4-C5	-7.55	102.38	105.40
26	BB	1059	G	C1'-O4'-C4'	-7.55	103.86	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1892	C	N3-C4-N4	7.55	123.28	118.00
26	BB	2477	U	C5-C6-N1	-7.55	118.92	122.70
26	BB	2499	C	C2-N3-C4	7.55	123.67	119.90
26	BB	2769	U	O4'-C4'-C3'	7.55	112.14	106.10
31	BG	138	PRO	N-CA-CB	7.55	112.36	103.30
44	BT	2	TYR	CB-CG-CD2	-7.55	116.47	121.00
1	AA	15	G	C4-C5-C6	7.55	123.33	118.80
1	AA	1111	A	C4-C5-N7	7.55	114.47	110.70
1	AA	942	G	C8-N9-C4	-7.55	103.38	106.40
1	AA	1422	G	N1-C6-O6	7.55	124.43	119.90
26	BB	91	A	C2-N3-C4	7.55	114.37	110.60
26	BB	1179	G	C6-C5-N7	-7.55	125.87	130.40
26	BB	2347	C	C5-C6-N1	-7.55	117.23	121.00
26	BB	2757	A	C5'-C4'-C3'	-7.55	103.92	116.00
1	AA	412	A	C5-C6-N1	7.54	121.47	117.70
1	AA	1447	A	C5-C6-N1	7.54	121.47	117.70
25	BA	82	U	C5-C4-O4	-7.54	121.37	125.90
26	BB	1473	G	C5-N7-C8	-7.54	100.53	104.30
1	AA	793	U	C5'-C4'-O4'	7.54	118.15	109.10
1	AA	1393	U	C4-C5-C6	7.54	124.23	119.70
25	BA	64	G	N1-C6-O6	-7.54	115.37	119.90
26	BB	182	A	N7-C8-N9	-7.54	110.03	113.80
26	BB	862	G	N7-C8-N9	7.54	116.87	113.10
26	BB	2582	G	C5-C6-O6	-7.54	124.07	128.60
1	AA	778	G	N9-C4-C5	-7.54	102.38	105.40
1	AA	930	C	C4-C5-C6	-7.54	113.63	117.40
1	AA	1442	G	N3-C4-N9	7.54	130.52	126.00
25	BA	46	A	C2-N3-C4	7.54	114.37	110.60
26	BB	172	A	N1-C2-N3	-7.54	125.53	129.30
26	BB	977	G	N1-C2-N3	7.54	128.43	123.90
26	BB	1879	C	C5-C4-N4	-7.54	114.92	120.20
26	BB	2120	G	C4-C5-C6	7.54	123.33	118.80
26	BB	2148	G	C6-N1-C2	-7.54	120.58	125.10
26	BB	2183	A	N7-C8-N9	7.54	117.57	113.80
26	BB	2205	A	N7-C8-N9	7.54	117.57	113.80
26	BB	188	G	C2-N3-C4	7.54	115.67	111.90
26	BB	801	G	O4'-C1'-N9	7.54	114.23	108.20
26	BB	1663	G	N3-C4-C5	-7.54	124.83	128.60
26	BB	1840	G	N3-C4-N9	7.54	130.52	126.00
1	AA	106	C	C5-C4-N4	-7.54	114.92	120.20
1	AA	464	U	C5-C6-N1	-7.54	118.93	122.70
1	AA	1200	C	C4-C5-C6	-7.54	113.63	117.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	34	C	C3'-C2'-C1'	7.54	107.53	101.50
26	BB	80	G	O4'-C1'-N9	7.54	114.23	108.20
26	BB	725	G	N9-C1'-C2'	-7.54	103.71	112.00
26	BB	1568	G	O4'-C1'-N9	7.54	114.23	108.20
26	BB	2530	A	C2-N3-C4	7.54	114.37	110.60
1	AA	796	C	O4'-C1'-N1	7.54	114.23	108.20
26	BB	1984	G	N9-C1'-C2'	-7.54	103.71	112.00
26	BB	733	G	C8-N9-C4	-7.54	103.39	106.40
26	BB	1560	G	C5-C6-N1	7.54	115.27	111.50
26	BB	2117	A	C5-N7-C8	7.54	107.67	103.90
25	BA	20	G	C5-N7-C8	-7.53	100.53	104.30
26	BB	990	A	C3'-C2'-C1'	7.53	107.53	101.50
26	BB	1321	A	C5-N7-C8	-7.53	100.13	103.90
26	BB	1824	G	C2-N3-C4	7.53	115.67	111.90
26	BB	2067	G	N1-C2-N2	7.53	122.98	116.20
26	BB	2277	G	C8-N9-C4	-7.53	103.39	106.40
26	BB	2635	A	C8-N9-C4	-7.53	102.79	105.80
1	AA	46	G	N3-C4-C5	-7.53	124.83	128.60
1	AA	1186	G	C4-C5-C6	7.53	123.32	118.80
8	AH	67	ARG	NE-CZ-NH1	7.53	124.07	120.30
26	BB	2117	A	C5-C6-N1	-7.53	113.93	117.70
26	BB	2475	C	O4'-C1'-N1	7.53	114.23	108.20
1	AA	89	U	C4'-C3'-C2'	-7.53	95.07	102.60
1	AA	1437	A	O4'-C1'-N9	7.53	114.22	108.20
25	BA	33	G	C8-N9-C4	-7.53	103.39	106.40
26	BB	1154	G	C4-C5-N7	7.53	113.81	110.80
26	BB	1337	G	N3-C4-C5	-7.53	124.83	128.60
26	BB	1624	U	C5-C4-O4	-7.53	121.38	125.90
26	BB	1780	A	N3-C4-C5	-7.53	121.53	126.80
26	BB	1925	C	O4'-C1'-N1	7.53	114.22	108.20
26	BB	1969	A	C5-N7-C8	7.53	107.67	103.90
26	BB	2049	G	N3-C4-C5	-7.53	124.83	128.60
1	AA	566	G	O4'-C1'-N9	7.53	114.22	108.20
1	AA	728	A	C6-N1-C2	-7.53	114.08	118.60
1	AA	1185	G	C2-N3-C4	7.53	115.66	111.90
25	BA	16	G	C8-N9-C4	-7.53	103.39	106.40
26	BB	232	G	C3'-C2'-C1'	-7.53	95.48	101.50
26	BB	638	G	C8-N9-C4	-7.53	103.39	106.40
26	BB	2891	U	C5-C6-N1	7.53	126.46	122.70
56	B5	12	ARG	NE-CZ-NH2	7.53	124.06	120.30
25	BA	53	A	C5-N7-C8	7.53	107.66	103.90
26	BB	98	G	C4'-C3'-C2'	-7.53	95.07	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1010	A	C5'-C4'-O4'	7.53	118.13	109.10
26	BB	1339	G	N9-C4-C5	7.53	108.41	105.40
26	BB	1519	G	C5-C6-N1	7.53	115.26	111.50
26	BB	1960	A	C5-C6-N6	-7.53	117.68	123.70
2	AB	58	A	C1'-O4'-C4'	-7.53	103.88	109.90
26	BB	320	A	C3'-C2'-C1'	-7.53	95.48	101.50
26	BB	1145	C	N3-C4-C5	-7.53	118.89	121.90
33	BI	51	ARG	NE-CZ-NH1	7.53	124.06	120.30
1	AA	1169	A	C5-N7-C8	7.52	107.66	103.90
26	BB	64	A	C4-C5-N7	-7.52	106.94	110.70
26	BB	392	U	O4'-C4'-C3'	-7.52	96.48	104.00
26	BB	432	A	N9-C4-C5	-7.52	102.79	105.80
26	BB	957	C	O4'-C4'-C3'	7.52	112.12	106.10
26	BB	2059	A	C5-C6-N1	-7.52	113.94	117.70
45	BU	88	ARG	NE-CZ-NH2	7.52	124.06	120.30
1	AA	98	A	N1-C6-N6	7.52	123.11	118.60
1	AA	431	A	N9-C1'-C2'	-7.52	103.72	112.00
4	AD	58	A	C8-N9-C4	7.52	108.81	105.80
26	BB	185	G	C4-C5-N7	-7.52	107.79	110.80
26	BB	995	C	N3-C4-N4	-7.52	112.73	118.00
26	BB	1269	A	N9-C4-C5	7.52	108.81	105.80
26	BB	1541	C	N3-C4-C5	-7.52	118.89	121.90
26	BB	1879	C	N1-C2-O2	7.52	123.41	118.90
26	BB	2389	G	N7-C8-N9	7.52	116.86	113.10
26	BB	2412	A	C5'-C4'-O4'	7.52	118.13	109.10
26	BB	2741	A	N1-C6-N6	-7.52	114.09	118.60
26	BB	2781	A	C5'-C4'-O4'	7.52	118.13	109.10
26	BB	2813	A	C5-C6-N6	7.52	129.72	123.70
1	AA	74	A	C6-N1-C2	7.52	123.11	118.60
1	AA	320	A	N1-C6-N6	7.52	123.11	118.60
26	BB	266	G	C5-C6-N1	7.52	115.26	111.50
1	AA	113	G	C6-N1-C2	-7.52	120.59	125.10
1	AA	300	A	O4'-C1'-N9	7.52	114.22	108.20
1	AA	472	U	C3'-C2'-C1'	7.52	107.52	101.50
1	AA	566	G	C2-N3-C4	7.52	115.66	111.90
1	AA	1336	C	O4'-C1'-N1	7.52	114.22	108.20
26	BB	222	A	C5-N7-C8	7.52	107.66	103.90
26	BB	623	C	C6-N1-C2	-7.52	117.29	120.30
26	BB	2616	C	N3-C2-O2	-7.52	116.64	121.90
35	BK	68	PHE	CB-CG-CD2	-7.52	115.54	120.80
1	AA	2	A	N1-C6-N6	7.52	123.11	118.60
1	AA	559	A	C6-C5-N7	-7.52	127.04	132.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	579	A	O4'-C4'-C3'	7.52	112.11	106.10
1	AA	627	G	N1-C2-N2	7.52	122.97	116.20
1	AA	1224	U	C5-C6-N1	-7.52	118.94	122.70
4	AD	46	G	N9-C4-C5	7.52	108.41	105.40
26	BB	1222	U	N3-C4-O4	7.52	124.66	119.40
26	BB	1273	U	O4'-C1'-N1	-7.52	102.19	108.20
26	BB	1626	A	C6-C5-N7	7.52	137.56	132.30
26	BB	1821	A	N7-C8-N9	7.52	117.56	113.80
26	BB	2009	A	N3-C4-C5	-7.52	121.54	126.80
26	BB	2515	C	O4'-C1'-N1	7.52	114.21	108.20
26	BB	2687	U	N3-C4-C5	7.52	119.11	114.60
1	AA	894	G	C5-N7-C8	-7.52	100.54	104.30
1	AA	1447	A	C6-C5-N7	7.52	137.56	132.30
2	AB	6	C	C5-C6-N1	7.52	124.76	121.00
26	BB	75	G	C4-C5-N7	7.52	113.81	110.80
26	BB	1771	C	C2-N3-C4	7.52	123.66	119.90
26	BB	2254	C	N1-C2-O2	7.52	123.41	118.90
26	BB	2274	A	N9-C4-C5	-7.52	102.79	105.80
1	AA	181	A	C4-C5-C6	-7.51	113.24	117.00
1	AA	258	G	C2-N3-C4	7.51	115.66	111.90
1	AA	859	G	N1-C2-N2	7.51	122.96	116.20
1	AA	1306	A	C6-C5-N7	-7.51	127.04	132.30
26	BB	126	A	N7-C8-N9	7.51	117.56	113.80
26	BB	148	U	O4'-C1'-N1	7.51	114.21	108.20
26	BB	604	G	C3'-C2'-C1'	-7.51	95.49	101.50
26	BB	735	A	C5-C6-N6	-7.51	117.69	123.70
26	BB	2269	G	P-O3'-C3'	7.51	128.72	119.70
26	BB	2394	C	C4'-C3'-C2'	-7.51	95.09	102.60
26	BB	70	G	C8-N9-C4	-7.51	103.39	106.40
26	BB	2195	U	O4'-C1'-N1	7.51	114.21	108.20
1	AA	42	G	C4'-C3'-C2'	-7.51	95.09	102.60
1	AA	101	A	C5-C6-N1	7.51	121.46	117.70
1	AA	351	G	C4-C5-N7	-7.51	107.80	110.80
1	AA	433	G	C4-C5-C6	7.51	123.31	118.80
1	AA	1399	C	O4'-C1'-N1	7.51	114.21	108.20
26	BB	640	C	N1-C2-O2	7.51	123.41	118.90
26	BB	1055	G	C5'-C4'-O4'	7.51	118.11	109.10
26	BB	1577	C	C4'-C3'-C2'	-7.51	95.09	102.60
26	BB	2209	G	C3'-C2'-C1'	7.51	107.51	101.50
26	BB	2687	U	O4'-C1'-N1	7.51	114.21	108.20
26	BB	2832	U	N3-C2-O2	-7.51	116.94	122.20
1	AA	294	U	C4-C5-C6	7.51	124.21	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	840	C	N3-C4-C5	-7.51	118.90	121.90
1	AA	868	C	N1-C1'-C2'	-7.51	103.74	112.00
1	AA	971	G	C5-C6-N1	7.51	115.25	111.50
1	AA	1153	G	N1-C2-N2	7.51	122.96	116.20
1	AA	1497	G	C5-N7-C8	-7.51	100.55	104.30
25	BA	107	G	N3-C4-C5	-7.51	124.84	128.60
26	BB	874	G	N3-C4-C5	7.51	132.35	128.60
26	BB	1874	C	C4-C5-C6	-7.51	113.64	117.40
1	AA	1063	C	N3-C4-C5	-7.51	118.90	121.90
26	BB	144	A	C8-N9-C4	-7.51	102.80	105.80
26	BB	185	G	C5'-C4'-O4'	7.51	118.11	109.10
26	BB	2005	A	N1-C2-N3	-7.51	125.55	129.30
26	BB	2105	U	C5-C6-N1	-7.51	118.95	122.70
1	AA	241	G	N1-C6-O6	-7.51	115.40	119.90
1	AA	453	G	N7-C8-N9	-7.51	109.35	113.10
1	AA	556	C	N1-C2-N3	-7.51	113.95	119.20
1	AA	886	G	C4'-C3'-C2'	-7.51	95.09	102.60
1	AA	968	A	O4'-C1'-N9	7.51	114.20	108.20
1	AA	1000	A	O4'-C1'-C2'	7.51	114.36	107.60
1	AA	1002	G	C6-N1-C2	-7.51	120.60	125.10
25	BA	74	U	O4'-C1'-N1	7.51	114.20	108.20
26	BB	63	A	C5-C6-N1	-7.51	113.95	117.70
26	BB	441	U	N3-C4-O4	7.51	124.65	119.40
26	BB	1232	G	C6-C5-N7	-7.51	125.90	130.40
26	BB	1319	C	N3-C4-N4	7.51	123.25	118.00
1	AA	903	G	N3-C4-N9	7.50	130.50	126.00
1	AA	1327	C	C6-N1-C2	7.50	123.30	120.30
1	AA	1421	G	C6-N1-C2	-7.50	120.60	125.10
1	AA	836	G	C6-C5-N7	-7.50	125.90	130.40
1	AA	1080	A	N9-C1'-C2'	-7.50	103.75	112.00
1	AA	1382	C	N3-C4-N4	-7.50	112.75	118.00
26	BB	113	U	C6-N1-C2	-7.50	116.50	121.00
26	BB	287	G	C4'-C3'-C2'	-7.50	95.10	102.60
26	BB	2055	C	C3'-C2'-C1'	7.50	107.50	101.50
26	BB	2151	U	C5-C6-N1	-7.50	118.95	122.70
26	BB	2663	G	C6-N1-C2	-7.50	120.60	125.10
1	AA	437	U	C4-C5-C6	7.50	124.20	119.70
1	AA	630	A	C4-C5-N7	7.50	114.45	110.70
1	AA	663	A	C8-N9-C4	-7.50	102.80	105.80
1	AA	1237	C	C6-N1-C2	-7.50	117.30	120.30
4	AD	44	A	N9-C1'-C2'	-7.50	103.75	112.00
25	BA	104	A	N1-C6-N6	-7.50	114.10	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	583	G	C2-N3-C4	7.50	115.65	111.90
26	BB	2009	A	N9-C1'-C2'	-7.50	103.75	112.00
26	BB	2164	C	O4'-C4'-C3'	-7.50	96.50	104.00
26	BB	2333	A	C6-C5-N7	7.50	137.55	132.30
26	BB	2568	U	C4-C5-C6	-7.50	115.20	119.70
26	BB	2790	U	N3-C2-O2	-7.50	116.95	122.20
1	AA	759	A	C8-N9-C4	7.50	108.80	105.80
1	AA	1110	A	N9-C1'-C2'	-7.50	103.75	112.00
26	BB	518	G	C5-C6-N1	7.50	115.25	111.50
1	AA	634	C	C3'-C2'-C1'	7.50	107.50	101.50
1	AA	1323	G	N7-C8-N9	7.50	116.85	113.10
26	BB	988	A	C2-N3-C4	7.50	114.35	110.60
26	BB	1073	A	C8-N9-C4	-7.50	102.80	105.80
26	BB	1714	U	O4'-C4'-C3'	7.50	112.10	106.10
26	BB	1853	A	N9-C4-C5	-7.50	102.80	105.80
26	BB	1973	G	N9-C1'-C2'	-7.50	103.75	112.00
26	BB	2346	A	N1-C6-N6	7.50	123.10	118.60
26	BB	2779	U	O4'-C1'-N1	7.50	114.20	108.20
26	BB	2842	G	C6-C5-N7	-7.50	125.90	130.40
1	AA	94	G	C3'-C2'-C1'	-7.50	95.50	101.50
1	AA	610	U	C6-N1-C2	-7.50	116.50	121.00
4	AD	7	G	C5'-C4'-C3'	-7.50	104.00	116.00
26	BB	258	G	C5-N7-C8	-7.50	100.55	104.30
26	BB	569	U	N3-C2-O2	-7.50	116.95	122.20
26	BB	1613	G	C5-N7-C8	7.50	108.05	104.30
4	AD	5	G	N3-C4-N9	7.50	130.50	126.00
4	AD	25	U	N1-C2-N3	-7.50	110.40	114.90
25	BA	97	C	C4-C5-C6	7.50	121.15	117.40
25	BA	120	U	C6-N1-C1'	-7.50	110.71	121.20
26	BB	43	G	C5-N7-C8	-7.50	100.55	104.30
26	BB	735	A	N9-C4-C5	7.50	108.80	105.80
26	BB	1882	U	C5-C4-O4	-7.50	121.40	125.90
26	BB	2350	C	C5-C6-N1	-7.50	117.25	121.00
1	AA	426	U	C4-C5-C6	-7.49	115.20	119.70
1	AA	915	A	C5-C6-N6	-7.49	117.71	123.70
1	AA	1150	A	O4'-C4'-C3'	7.49	112.09	106.10
25	BA	114	C	N1-C2-N3	7.49	124.44	119.20
26	BB	468	G	C5-C6-O6	-7.49	124.10	128.60
26	BB	1175	A	N9-C4-C5	-7.49	102.80	105.80
26	BB	1755	A	C8-N9-C4	-7.49	102.80	105.80
1	AA	189	A	C8-N9-C4	-7.49	102.80	105.80
1	AA	332	G	C8-N9-C4	-7.49	103.40	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1849	G	N1-C6-O6	-7.49	115.41	119.90
1	AA	711	G	N7-C8-N9	7.49	116.84	113.10
1	AA	1408	A	C8-N9-C4	7.49	108.80	105.80
1	AA	1513	A	N9-C1'-C2'	-7.49	103.76	112.00
3	AC	55	A	N1-C6-N6	7.49	123.09	118.60
25	BA	104	A	C8-N9-C4	-7.49	102.80	105.80
26	BB	591	U	N1-C2-N3	7.49	119.39	114.90
26	BB	1948	G	C5-N7-C8	-7.49	100.56	104.30
26	BB	2438	U	C5-C6-N1	-7.49	118.95	122.70
1	AA	47	C	C2-N3-C4	7.49	123.64	119.90
1	AA	168	G	N9-C1'-C2'	-7.49	103.76	112.00
1	AA	725	G	N7-C8-N9	7.49	116.84	113.10
1	AA	1368	A	N9-C1'-C2'	-7.49	103.76	112.00
1	AA	1461	G	C5'-C4'-O4'	7.49	118.09	109.10
26	BB	46	G	C2-N3-C4	7.49	115.64	111.90
26	BB	390	U	C2-N3-C4	-7.49	122.51	127.00
26	BB	440	C	C3'-C2'-C1'	-7.49	95.51	101.50
26	BB	490	C	N1-C2-O2	7.49	123.39	118.90
26	BB	603	A	P-O3'-C3'	7.49	128.69	119.70
26	BB	1490	A	C2-N3-C4	7.49	114.34	110.60
26	BB	1863	G	C3'-C2'-C1'	-7.49	95.51	101.50
26	BB	2045	C	C4'-C3'-C2'	-7.49	95.11	102.60
26	BB	2432	A	C2'-C3'-O3'	7.49	125.98	109.50
26	BB	518	G	C5-C6-O6	-7.49	124.11	128.60
26	BB	842	U	N3-C2-O2	-7.49	116.96	122.20
26	BB	2648	G	N3-C2-N2	7.49	125.14	119.90
31	BG	121	PHE	CD1-CE1-CZ	7.49	129.08	120.10
4	AD	46	G	C4-C5-N7	-7.49	107.81	110.80
26	BB	718	A	O4'-C1'-N9	7.49	114.19	108.20
26	BB	1242	U	C4-C5-C6	7.49	124.19	119.70
26	BB	2053	G	C6-N1-C2	-7.49	120.61	125.10
26	BB	2411	A	C8-N9-C4	-7.49	102.81	105.80
26	BB	2616	C	N1-C2-O2	7.49	123.39	118.90
1	AA	852	G	C4-C5-C6	7.48	123.29	118.80
1	AA	859	G	C8-N9-C4	-7.48	103.41	106.40
25	BA	4	C	N3-C4-C5	-7.48	118.91	121.90
1	AA	213	G	O4'-C1'-N9	7.48	114.19	108.20
1	AA	553	A	C5-C6-N1	7.48	121.44	117.70
1	AA	561	U	C4'-C3'-C2'	-7.48	95.12	102.60
17	AQ	62	ARG	NE-CZ-NH1	7.48	124.04	120.30
26	BB	150	U	O4'-C1'-N1	7.48	114.19	108.20
26	BB	1848	A	C1'-O4'-C4'	7.48	115.89	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1968	G	C3'-C2'-C1'	7.48	107.49	101.50
44	BT	77	PHE	CB-CG-CD2	-7.48	115.56	120.80
1	AA	311	C	N1-C1'-C2'	-7.48	103.77	112.00
1	AA	799	G	N1-C6-O6	7.48	124.39	119.90
2	AB	12	U	N3-C2-O2	-7.48	116.96	122.20
26	BB	541	A	N9-C4-C5	7.48	108.79	105.80
26	BB	1116	G	C6-C5-N7	7.48	134.89	130.40
26	BB	1590	A	C1'-O4'-C4'	-7.48	103.92	109.90
26	BB	1654	A	C5-N7-C8	7.48	107.64	103.90
26	BB	2242	G	C4-C5-N7	7.48	113.79	110.80
26	BB	2461	A	C6-C5-N7	7.48	137.54	132.30
26	BB	2870	C	C6-N1-C2	-7.48	117.31	120.30
1	AA	873	A	P-O3'-C3'	7.48	128.68	119.70
25	BA	43	C	P-O3'-C3'	7.48	128.68	119.70
26	BB	1491	G	N3-C4-C5	-7.48	124.86	128.60
26	BB	1593	A	C5-C6-N6	-7.48	117.72	123.70
26	BB	2585	U	C4-C5-C6	7.48	124.19	119.70
26	BB	2797	U	C5'-C4'-O4'	7.48	118.08	109.10
1	AA	300	A	C5-C6-N6	-7.48	117.72	123.70
1	AA	1003	G	C5-C6-O6	-7.48	124.11	128.60
1	AA	1186	G	C8-N9-C4	-7.48	103.41	106.40
25	BA	41	G	C6-N1-C2	7.48	129.59	125.10
26	BB	1737	G	C2-N3-C4	7.48	115.64	111.90
26	BB	2776	A	C4'-C3'-C2'	-7.48	95.12	102.60
49	BY	40	ARG	CD-NE-CZ	7.48	134.07	123.60
1	AA	1251	A	N9-C4-C5	7.48	108.79	105.80
18	AR	77	TYR	CB-CG-CD1	-7.48	116.52	121.00
19	AS	8	ARG	NE-CZ-NH2	-7.48	116.56	120.30
1	AA	1239	A	N3-C4-C5	-7.47	121.57	126.80
26	BB	330	A	C5-C6-N1	-7.47	113.96	117.70
26	BB	1043	C	C2-N3-C4	-7.47	116.16	119.90
26	BB	1731	G	C4-C5-N7	-7.47	107.81	110.80
26	BB	1738	G	N7-C8-N9	7.47	116.84	113.10
26	BB	2237	G	C6-N1-C2	7.47	129.59	125.10
26	BB	323	C	N1-C2-O2	7.47	123.38	118.90
26	BB	348	A	N1-C6-N6	7.47	123.08	118.60
26	BB	527	C	N3-C2-O2	-7.47	116.67	121.90
26	BB	1202	G	O4'-C1'-N9	7.47	114.18	108.20
26	BB	1246	A	C4-C5-C6	-7.47	113.26	117.00
26	BB	1941	C	N1-C2-N3	-7.47	113.97	119.20
2	AB	58	A	C4-C5-C6	-7.47	113.27	117.00
13	AM	68	ARG	NE-CZ-NH1	7.47	124.04	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2156	G	N3-C2-N2	-7.47	114.67	119.90
26	BB	2728	U	C6-N1-C2	-7.47	116.52	121.00
1	AA	531	U	C6-N1-C2	-7.47	116.52	121.00
2	AB	29	G	N1-C6-O6	-7.47	115.42	119.90
26	BB	804	A	C2-N3-C4	-7.47	106.86	110.60
26	BB	816	C	C2-N3-C4	7.47	123.64	119.90
26	BB	2357	G	O4'-C1'-N9	7.47	114.18	108.20
1	AA	1479	C	O4'-C1'-N1	7.47	114.17	108.20
26	BB	447	A	N3-C4-C5	7.47	132.03	126.80
26	BB	1347	A	C4-C5-N7	-7.47	106.97	110.70
26	BB	1954	G	N9-C4-C5	-7.47	102.41	105.40
26	BB	2355	G	N3-C4-N9	7.47	130.48	126.00
1	AA	171	A	C4-C5-C6	-7.47	113.27	117.00
3	AC	13	A	O4'-C1'-N9	7.47	114.17	108.20
26	BB	13	A	C1'-O4'-C4'	-7.47	103.93	109.90
26	BB	807	U	N1-C2-O2	7.47	128.03	122.80
26	BB	883	G	C6-N1-C2	-7.47	120.62	125.10
26	BB	1116	G	C5-N7-C8	7.47	108.03	104.30
26	BB	1280	G	C2-N3-C4	7.47	115.63	111.90
26	BB	1506	U	C5-C4-O4	-7.47	121.42	125.90
26	BB	1731	G	C5-C6-O6	-7.47	124.12	128.60
26	BB	1782	U	N3-C4-C5	-7.47	110.12	114.60
1	AA	37	U	C5'-C4'-O4'	7.46	118.06	109.10
1	AA	785	G	C8-N9-C4	-7.46	103.41	106.40
1	AA	927	G	N3-C4-C5	-7.46	124.87	128.60
1	AA	928	G	N3-C4-N9	7.46	130.48	126.00
1	AA	1465	A	P-O3'-C3'	7.46	128.66	119.70
13	AM	65	TYR	CB-CG-CD2	-7.46	116.52	121.00
25	BA	61	G	N7-C8-N9	7.46	116.83	113.10
26	BB	779	U	C5-C4-O4	-7.46	121.42	125.90
26	BB	1019	U	O5'-P-OP1	-7.46	98.98	105.70
26	BB	1081	U	O4'-C1'-N1	7.46	114.17	108.20
26	BB	1802	A	C4-C5-N7	7.46	114.43	110.70
26	BB	1854	A	C8-N9-C4	-7.46	102.81	105.80
26	BB	2533	U	C5-C4-O4	-7.46	121.42	125.90
26	BB	2760	C	C6-N1-C2	-7.46	117.31	120.30
1	AA	368	U	C5-C6-N1	-7.46	118.97	122.70
1	AA	1309	G	C6-C5-N7	-7.46	125.92	130.40
26	BB	2190	G	N1-C6-O6	7.46	124.38	119.90
26	BB	897	C	N3-C2-O2	-7.46	116.68	121.90
26	BB	2211	A	C4'-C3'-C2'	-7.46	95.14	102.60
26	BB	2804	U	O4'-C1'-N1	7.46	114.17	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
31	BG	146	ASP	CB-CG-OD1	-7.46	111.58	118.30
34	BJ	62	ALA	CB-CA-C	7.46	121.29	110.10
1	AA	711	G	C6-C5-N7	-7.46	125.92	130.40
1	AA	1014	A	P-O3'-C3'	7.46	128.65	119.70
1	AA	1456	A	C8-N9-C4	-7.46	102.82	105.80
26	BB	114	U	C2'-C3'-O3'	7.46	125.91	109.50
26	BB	624	C	N3-C4-C5	7.46	124.88	121.90
26	BB	1935	G	C5-C6-O6	7.46	133.08	128.60
26	BB	2297	A	C5-C6-N1	7.46	121.43	117.70
26	BB	2438	U	C2-N3-C4	-7.46	122.53	127.00
26	BB	2571	U	N3-C4-O4	7.46	124.62	119.40
1	AA	483	C	C5-C4-N4	-7.46	114.98	120.20
6	AF	142	ARG	NE-CZ-NH2	-7.46	116.57	120.30
26	BB	324	A	N7-C8-N9	7.46	117.53	113.80
26	BB	420	C	N1-C2-O2	7.46	123.37	118.90
26	BB	938	G	C5'-C4'-O4'	7.46	118.05	109.10
26	BB	1170	C	C6-N1-C2	-7.46	117.32	120.30
26	BB	1323	C	O4'-C4'-C3'	7.46	112.06	106.10
26	BB	1577	C	C4-C5-C6	-7.46	113.67	117.40
26	BB	2039	U	C5'-C4'-O4'	7.46	118.05	109.10
26	BB	2419	U	N1-C1'-C2'	-7.46	103.80	112.00
26	BB	2583	G	C5-C6-O6	-7.46	124.13	128.60
26	BB	2719	G	N1-C2-N2	-7.46	109.49	116.20
26	BB	2851	A	O4'-C1'-N9	7.46	114.17	108.20
26	BB	268	C	C4'-C3'-C2'	-7.46	95.14	102.60
26	BB	1759	A	C6-N1-C2	7.46	123.07	118.60
26	BB	2216	G	N3-C4-N9	7.46	130.47	126.00
1	AA	366	A	N3-C4-N9	-7.45	121.44	127.40
4	AD	6	G	C2-N3-C4	7.45	115.63	111.90
26	BB	912	C	N3-C4-C5	-7.45	118.92	121.90
26	BB	1104	C	C4'-C3'-C2'	-7.45	95.15	102.60
26	BB	1134	A	C8-N9-C4	-7.45	102.82	105.80
26	BB	2318	G	C5-N7-C8	-7.45	100.57	104.30
1	AA	856	C	N1-C1'-C2'	-7.45	103.80	112.00
1	AA	720	C	C5'-C4'-C3'	-7.45	104.08	116.00
2	AB	34	C	C5'-C4'-C3'	-7.45	104.08	116.00
26	BB	1291	C	C6-N1-C2	-7.45	117.32	120.30
26	BB	1303	G	C6-C5-N7	-7.45	125.93	130.40
26	BB	1827	U	N1-C2-N3	7.45	119.37	114.90
26	BB	2454	G	N7-C8-N9	7.45	116.83	113.10
1	AA	1177	G	N7-C8-N9	7.45	116.82	113.10
26	BB	372	G	C4-C5-N7	-7.45	107.82	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	887	U	C4'-C3'-C2'	-7.45	95.15	102.60
26	BB	931	U	O4'-C1'-N1	7.45	114.16	108.20
26	BB	1617	C	O4'-C1'-N1	7.45	114.16	108.20
26	BB	1630	A	N7-C8-N9	-7.45	110.08	113.80
26	BB	2763	G	O4'-C1'-N9	7.45	114.16	108.20
26	BB	2867	G	C1'-O4'-C4'	7.45	115.86	109.90
26	BB	2900	A	N1-C6-N6	7.45	123.07	118.60
26	BB	2606	C	C2-N3-C4	7.45	123.62	119.90
1	AA	1078	U	O4'-C1'-N1	7.45	114.16	108.20
1	AA	1277	C	O4'-C1'-N1	7.45	114.16	108.20
1	AA	1285	A	C5'-C4'-O4'	7.45	118.04	109.10
25	BA	25	U	P-O3'-C3'	7.45	128.63	119.70
26	BB	455	C	N1-C1'-C2'	7.45	123.68	114.00
26	BB	835	C	C4'-C3'-C2'	-7.45	95.16	102.60
26	BB	1026	G	N1-C6-O6	-7.45	115.43	119.90
26	BB	1388	G	N9-C1'-C2'	-7.45	103.81	112.00
1	AA	590	U	C4-C5-C6	7.44	124.17	119.70
4	AD	61	U	N3-C2-O2	7.44	127.41	122.20
6	AF	130	ARG	CD-NE-CZ	7.44	134.02	123.60
26	BB	254	G	C8-N9-C4	7.44	109.38	106.40
26	BB	873	C	N3-C4-C5	7.44	124.88	121.90
1	AA	22	G	C8-N9-C4	-7.44	103.42	106.40
1	AA	25	C	C2-N3-C4	7.44	123.62	119.90
26	BB	1902	C	N3-C2-O2	-7.44	116.69	121.90
26	BB	1968	G	N7-C8-N9	7.44	116.82	113.10
1	AA	1024	G	C2-N3-C4	7.44	115.62	111.90
1	AA	1109	C	C4-C5-C6	-7.44	113.68	117.40
1	AA	1296	C	N1-C2-N3	-7.44	113.99	119.20
1	AA	1339	A	N1-C2-N3	-7.44	125.58	129.30
26	BB	1708	C	C2-N3-C4	7.44	123.62	119.90
26	BB	1749	A	C5-N7-C8	-7.44	100.18	103.90
26	BB	1755	A	O5'-P-OP2	7.44	119.63	110.70
26	BB	1893	C	N1-C1'-C2'	-7.44	103.81	112.00
26	BB	1932	A	C8-N9-C4	-7.44	102.82	105.80
26	BB	2213	U	C5'-C4'-O4'	7.44	118.03	109.10
26	BB	2346	A	C5-C6-N1	-7.44	113.98	117.70
26	BB	2628	C	N1-C2-O2	7.44	123.36	118.90
1	AA	531	U	C3'-C2'-C1'	7.44	107.45	101.50
26	BB	40	U	C4-C5-C6	7.44	124.16	119.70
26	BB	1910	G	C5-C6-O6	-7.44	124.14	128.60
26	BB	2845	U	N1-C1'-C2'	-7.44	103.82	112.00
26	BB	2846	G	C1'-O4'-C4'	-7.44	103.95	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	309	A	N7-C8-N9	7.44	117.52	113.80
1	AA	821	G	C2-N3-C4	7.44	115.62	111.90
1	AA	985	C	C6-N1-C2	7.44	123.28	120.30
26	BB	717	C	N3-C4-C5	7.44	124.88	121.90
26	BB	1302	A	C8-N9-C4	7.44	108.78	105.80
26	BB	1742	U	P-O3'-C3'	7.44	128.62	119.70
26	BB	1853	A	C2-N3-C4	7.44	114.32	110.60
26	BB	2280	G	O4'-C1'-N9	7.44	114.15	108.20
25	BA	8	C	C2-N3-C4	-7.44	116.18	119.90
26	BB	361	G	C1'-O4'-C4'	7.44	115.85	109.90
1	AA	347	G	C5-C6-N1	7.43	115.22	111.50
1	AA	977	A	C1'-O4'-C4'	-7.43	103.95	109.90
26	BB	326	G	N7-C8-N9	7.43	116.82	113.10
26	BB	1172	C	O4'-C1'-N1	7.43	114.15	108.20
26	BB	1565	C	C5-C6-N1	-7.43	117.28	121.00
26	BB	1721	G	C5-N7-C8	-7.43	100.58	104.30
26	BB	1843	C	O4'-C1'-N1	7.43	114.15	108.20
26	BB	1868	C	N3-C4-C5	-7.43	118.93	121.90
26	BB	2153	C	C5'-C4'-O4'	-7.43	100.18	109.10
26	BB	2742	G	N1-C6-O6	-7.43	115.44	119.90
1	AA	219	U	O4'-C1'-N1	7.43	114.15	108.20
1	AA	416	G	O4'-C1'-N9	7.43	114.15	108.20
1	AA	633	G	O4'-C1'-N9	-7.43	102.25	108.20
26	BB	1207	C	N3-C2-O2	-7.43	116.70	121.90
26	BB	1901	A	C5'-C4'-O4'	7.43	118.02	109.10
26	BB	2013	A	C8-N9-C4	-7.43	102.83	105.80
26	BB	2739	U	C5'-C4'-O4'	7.43	118.02	109.10
1	AA	266	G	N9-C4-C5	7.43	108.37	105.40
26	BB	1295	C	C2-N3-C4	-7.43	116.19	119.90
26	BB	2167	U	C2-N3-C4	-7.43	122.54	127.00
26	BB	2318	G	C6-N1-C2	-7.43	120.64	125.10
26	BB	2467	C	O4'-C1'-N1	7.43	114.14	108.20
26	BB	2708	G	C2-N3-C4	7.43	115.61	111.90
1	AA	945	G	C8-N9-C4	-7.43	103.43	106.40
26	BB	20	C	C2-N3-C4	-7.43	116.19	119.90
26	BB	1102	C	C2-N3-C4	7.43	123.61	119.90
26	BB	1538	G	N3-C2-N2	-7.43	114.70	119.90
26	BB	2029	G	C2-N3-C4	7.43	115.61	111.90
26	BB	2230	G	N7-C8-N9	7.43	116.81	113.10
26	BB	2307	G	N3-C4-C5	-7.43	124.89	128.60
26	BB	622	G	C4-C5-N7	-7.43	107.83	110.80
26	BB	775	G	C5-N7-C8	-7.43	100.59	104.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1163	G	N9-C4-C5	7.43	108.37	105.40
26	BB	1341	G	N9-C1'-C2'	-7.43	103.83	112.00
1	AA	60	A	C8-N9-C4	7.43	108.77	105.80
1	AA	472	U	C4'-C3'-C2'	-7.43	95.17	102.60
1	AA	812	G	N9-C4-C5	-7.43	102.43	105.40
1	AA	1177	G	C2-N3-C4	7.43	115.61	111.90
26	BB	33	C	N3-C2-O2	-7.43	116.70	121.90
26	BB	2036	C	C1'-O4'-C4'	7.43	115.84	109.90
26	BB	2478	A	C1'-O4'-C4'	-7.43	103.96	109.90
26	BB	2567	G	C6-N1-C2	-7.43	120.64	125.10
1	AA	641	U	O4'-C1'-N1	7.42	114.14	108.20
26	BB	208	C	O4'-C1'-N1	7.42	114.14	108.20
26	BB	236	C	O4'-C1'-N1	7.42	114.14	108.20
26	BB	451	U	P-O3'-C3'	7.42	128.61	119.70
26	BB	837	C	C4-C5-C6	-7.42	113.69	117.40
26	BB	1206	G	N7-C8-N9	-7.42	109.39	113.10
26	BB	1773	A	O4'-C1'-N9	7.42	114.14	108.20
26	BB	2080	A	C1'-O4'-C4'	-7.42	103.96	109.90
26	BB	2409	G	C8-N9-C4	-7.42	103.43	106.40
1	AA	96	U	C6-N1-C2	-7.42	116.55	121.00
1	AA	631	C	O4'-C1'-N1	7.42	114.14	108.20
1	AA	964	A	C4-C5-N7	-7.42	106.99	110.70
1	AA	1044	A	C2-N3-C4	7.42	114.31	110.60
1	AA	1111	A	C3'-C2'-C1'	7.42	107.44	101.50
1	AA	1319	A	C5-C6-N1	7.42	121.41	117.70
4	AD	2	G	C8-N9-C4	-7.42	103.43	106.40
26	BB	160	A	O4'-C1'-N9	7.42	114.14	108.20
26	BB	1244	A	O4'-C1'-N9	7.42	114.14	108.20
26	BB	1649	G	N3-C4-C5	-7.42	124.89	128.60
26	BB	1785	A	N1-C2-N3	7.42	133.01	129.30
26	BB	1981	A	C4-C5-C6	-7.42	113.29	117.00
1	AA	1387	G	C3'-C2'-C1'	-7.42	95.56	101.50
1	AA	1491	G	O4'-C4'-C3'	7.42	112.04	106.10
26	BB	1176	U	O4'-C1'-N1	7.42	114.14	108.20
1	AA	264	C	N3-C4-N4	-7.42	112.81	118.00
1	AA	309	A	N1-C6-N6	-7.42	114.15	118.60
1	AA	769	G	N7-C8-N9	-7.42	109.39	113.10
1	AA	1502	A	O4'-C1'-N9	7.42	114.14	108.20
26	BB	548	G	N7-C8-N9	7.42	116.81	113.10
26	BB	1869	G	N7-C8-N9	-7.42	109.39	113.10
26	BB	2085	U	N3-C4-O4	7.42	124.59	119.40
1	AA	183	C	O4'-C1'-C2'	-7.42	98.38	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	922	G	N3-C4-C5	-7.42	124.89	128.60
1	AA	1323	G	N3-C4-N9	-7.42	121.55	126.00
25	BA	68	C	N3-C2-O2	-7.42	116.71	121.90
26	BB	39	G	O4'-C1'-N9	7.42	114.13	108.20
26	BB	328	U	O4'-C4'-C3'	7.42	112.03	106.10
26	BB	1371	G	N3-C4-C5	-7.42	124.89	128.60
26	BB	1873	G	N3-C2-N2	-7.42	114.71	119.90
26	BB	2178	C	N1-C2-O2	7.42	123.35	118.90
31	BG	137	PHE	CB-CG-CD1	-7.42	115.61	120.80
1	AA	537	G	N9-C1'-C2'	-7.42	103.84	112.00
1	AA	585	G	N9-C4-C5	7.42	108.37	105.40
26	BB	2601	C	N3-C2-O2	-7.42	116.71	121.90
26	BB	2754	U	N3-C2-O2	-7.42	117.01	122.20
1	AA	756	C	C5'-C4'-O4'	7.41	118.00	109.10
1	AA	886	G	O4'-C4'-C3'	7.41	112.03	106.10
26	BB	233	A	C5-N7-C8	-7.41	100.19	103.90
26	BB	2316	G	C8-N9-C4	-7.41	103.44	106.40
26	BB	2540	C	N3-C4-N4	7.41	123.19	118.00
1	AA	615	G	C5-N7-C8	7.41	108.01	104.30
26	BB	380	G	N9-C4-C5	7.41	108.36	105.40
26	BB	2745	C	C3'-C2'-C1'	7.41	107.43	101.50
26	BB	2811	G	C5-C6-O6	7.41	133.05	128.60
1	AA	6	G	N9-C4-C5	7.41	108.36	105.40
1	AA	847	G	C8-N9-C4	-7.41	103.44	106.40
1	AA	907	A	C8-N9-C4	-7.41	102.83	105.80
26	BB	247	G	C2-N3-C4	7.41	115.61	111.90
26	BB	1954	G	N3-C4-N9	7.41	130.45	126.00
26	BB	2651	C	C6-N1-C2	-7.41	117.34	120.30
26	BB	2731	G	O5'-P-OP2	-7.41	99.03	105.70
25	BA	61	G	C8-N9-C4	-7.41	103.44	106.40
26	BB	158	U	C1'-O4'-C4'	7.41	115.83	109.90
26	BB	529	A	C5'-C4'-O4'	7.41	117.99	109.10
26	BB	583	G	C5-C6-N1	7.41	115.20	111.50
26	BB	1367	A	P-O3'-C3'	7.41	128.59	119.70
26	BB	1723	G	N9-C1'-C2'	-7.41	103.85	112.00
26	BB	2018	G	C8-N9-C4	-7.41	103.44	106.40
26	BB	2175	C	C6-N1-C2	7.41	123.26	120.30
26	BB	2716	C	O4'-C4'-C3'	-7.41	96.59	104.00
28	BD	83	ASP	CB-CG-OD1	7.41	124.97	118.30
1	AA	178	C	N3-C2-O2	-7.41	116.72	121.90
26	BB	45	G	C3'-C2'-C1'	7.41	107.43	101.50
26	BB	87	U	C5-C6-N1	-7.41	119.00	122.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1907	G	N3-C4-C5	-7.41	124.90	128.60
26	BB	2478	A	O4'-C1'-N9	7.41	114.13	108.20
1	AA	536	C	O4'-C1'-N1	7.41	114.12	108.20
26	BB	1692	U	C4-C5-C6	7.41	124.14	119.70
26	BB	1790	C	N3-C4-N4	7.41	123.18	118.00
26	BB	1975	G	O4'-C1'-C2'	7.41	114.27	107.60
26	BB	1978	A	O4'-C1'-N9	7.41	114.12	108.20
1	AA	1466	C	P-O3'-C3'	7.40	128.59	119.70
36	BL	15	TRP	CG-CD1-NE1	-7.40	102.70	110.10
1	AA	99	C	N3-C4-C5	-7.40	118.94	121.90
1	AA	1470	U	O4'-C1'-N1	-7.40	102.28	108.20
26	BB	355	U	O4'-C1'-N1	7.40	114.12	108.20
26	BB	1037	G	C5-N7-C8	7.40	108.00	104.30
26	BB	1662	U	C2-N3-C4	-7.40	122.56	127.00
26	BB	1857	G	C3'-C2'-C1'	-7.40	95.58	101.50
26	BB	2411	A	N3-C4-C5	-7.40	121.62	126.80
1	AA	482	A	N7-C8-N9	7.40	117.50	113.80
26	BB	98	G	N3-C2-N2	-7.40	114.72	119.90
26	BB	980	A	C2-N3-C4	7.40	114.30	110.60
26	BB	991	C	O4'-C1'-N1	7.40	114.12	108.20
26	BB	1620	G	C5-C6-N1	7.40	115.20	111.50
26	BB	1892	C	N3-C2-O2	-7.40	116.72	121.90
26	BB	2675	A	N1-C6-N6	7.40	123.04	118.60
1	AA	977	A	N7-C8-N9	-7.40	110.10	113.80
26	BB	550	C	C5'-C4'-C3'	7.40	127.84	116.00
26	BB	2568	U	C5-C6-N1	7.40	126.40	122.70
1	AA	289	G	C2-N3-C4	7.40	115.60	111.90
1	AA	362	G	C1'-O4'-C4'	7.40	115.82	109.90
1	AA	1452	C	C3'-C2'-C1'	-7.40	95.58	101.50
1	AA	1526	G	N7-C8-N9	7.40	116.80	113.10
3	AC	58	C	C3'-C2'-C1'	7.40	107.42	101.50
26	BB	355	U	N3-C4-C5	-7.40	110.16	114.60
26	BB	422	A	C2-N3-C4	-7.40	106.90	110.60
26	BB	500	G	N7-C8-N9	7.40	116.80	113.10
26	BB	670	A	N3-C4-C5	-7.40	121.62	126.80
26	BB	1943	U	C4-C5-C6	7.40	124.14	119.70
26	BB	2468	A	C4-C5-N7	7.40	114.40	110.70
26	BB	2756	U	C2-N3-C4	-7.40	122.56	127.00
1	AA	1125	U	O4'-C1'-N1	7.40	114.12	108.20
26	BB	101	A	C4-C5-N7	-7.40	107.00	110.70
26	BB	841	G	N1-C2-N2	7.40	122.86	116.20
26	BB	1097	U	C3'-C2'-C1'	7.40	107.42	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1555	G	N3-C4-C5	-7.40	124.90	128.60
1	AA	12	U	N3-C2-O2	-7.39	117.02	122.20
1	AA	1030	U	N3-C4-O4	7.39	124.58	119.40
1	AA	1307	U	N3-C2-O2	-7.39	117.02	122.20
26	BB	962	G	C1'-O4'-C4'	7.39	115.82	109.90
26	BB	1284	A	N3-C4-C5	-7.39	121.62	126.80
26	BB	1304	A	N3-C4-N9	-7.39	121.48	127.40
26	BB	1337	G	O4'-C1'-N9	7.39	114.12	108.20
26	BB	1476	U	C3'-C2'-C1'	-7.39	95.58	101.50
26	BB	1641	A	C6-N1-C2	7.39	123.04	118.60
26	BB	2487	G	C4-C5-C6	7.39	123.24	118.80
27	BC	9	ARG	CD-NE-CZ	7.39	133.95	123.60
26	BB	380	G	C5'-C4'-O4'	7.39	117.97	109.10
26	BB	1527	G	C2-N3-C4	7.39	115.60	111.90
26	BB	1998	A	C2-N3-C4	7.39	114.30	110.60
26	BB	2184	A	C2-N3-C4	7.39	114.30	110.60
26	BB	2357	G	C4-C5-C6	7.39	123.23	118.80
1	AA	1140	C	C1'-O4'-C4'	7.39	115.81	109.90
26	BB	825	A	C5-C6-N1	7.39	121.39	117.70
26	BB	837	C	N1-C2-O2	7.39	123.33	118.90
26	BB	1587	G	C3'-C2'-C1'	7.39	107.41	101.50
1	AA	1121	U	N1-C2-N3	7.39	119.33	114.90
2	AB	45	U	C5-C4-O4	-7.39	121.47	125.90
4	AD	9	G	N3-C2-N2	-7.39	114.73	119.90
26	BB	309	A	C5'-C4'-C3'	-7.39	104.17	116.00
26	BB	1941	C	C5-C4-N4	7.39	125.37	120.20
26	BB	2008	C	O4'-C1'-N1	7.39	114.11	108.20
26	BB	714	U	N3-C2-O2	-7.39	117.03	122.20
1	AA	819	A	C4-C5-C6	7.39	120.69	117.00
26	BB	1043	C	N3-C4-C5	7.39	124.86	121.90
26	BB	1612	C	N3-C4-C5	7.39	124.85	121.90
26	BB	2595	G	C4-C5-C6	7.39	123.23	118.80
1	AA	1505	G	C6-N1-C2	-7.38	120.67	125.10
26	BB	1072	C	C2-N3-C4	7.38	123.59	119.90
26	BB	1143	A	O3'-P-O5'	-7.38	89.97	104.00
4	AD	69	C	N3-C4-N4	7.38	123.17	118.00
26	BB	2052	A	O4'-C1'-N9	7.38	114.11	108.20
1	AA	155	A	C4-C5-C6	-7.38	113.31	117.00
1	AA	599	C	C6-N1-C2	7.38	123.25	120.30
26	BB	583	G	C6-N1-C2	-7.38	120.67	125.10
26	BB	619	G	N7-C8-N9	-7.38	109.41	113.10
26	BB	705	A	C1'-O4'-C4'	-7.38	104.00	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	713	G	C4-C5-C6	7.38	123.23	118.80
26	BB	1648	U	C5-C4-O4	-7.38	121.47	125.90
26	BB	2626	C	C6-N1-C2	-7.38	117.35	120.30
41	BQ	99	TYR	CB-CG-CD1	7.38	125.43	121.00
1	AA	1200	C	C6-N1-C2	-7.38	117.35	120.30
1	AA	1473	G	C6-C5-N7	-7.38	125.97	130.40
3	AC	44	U	C3'-C2'-C1'	7.38	107.40	101.50
26	BB	1040	A	N1-C6-N6	7.38	123.03	118.60
26	BB	1418	G	N1-C2-N2	-7.38	109.56	116.20
26	BB	2496	C	N1-C2-O2	7.38	123.33	118.90
26	BB	2788	C	N3-C4-N4	7.38	123.17	118.00
57	B6	41	ARG	NE-CZ-NH2	7.38	123.99	120.30
1	AA	783	C	C5-C6-N1	7.38	124.69	121.00
4	AD	18	U	N3-C4-C5	-7.38	110.17	114.60
1	AA	608	A	C8-N9-C4	-7.38	102.85	105.80
1	AA	681	A	C2-N3-C4	-7.38	106.91	110.60
1	AA	816	A	N1-C2-N3	-7.38	125.61	129.30
26	BB	604	G	C5'-C4'-O4'	7.38	117.95	109.10
26	BB	2319	G	N7-C8-N9	7.38	116.79	113.10
1	AA	53	A	C5'-C4'-O4'	7.38	117.95	109.10
1	AA	122	G	C8-N9-C4	-7.38	103.45	106.40
1	AA	438	U	O4'-C4'-C3'	7.38	112.00	106.10
4	AD	53	G	O4'-C1'-N9	7.38	114.10	108.20
26	BB	583	G	N3-C2-N2	-7.38	114.74	119.90
26	BB	1464	G	N3-C4-N9	7.38	130.43	126.00
26	BB	2539	C	C2-N3-C4	7.38	123.59	119.90
26	BB	2697	G	N3-C4-N9	7.38	130.43	126.00
1	AA	228	A	C5-N7-C8	7.37	107.59	103.90
1	AA	1332	A	N9-C1'-C2'	-7.37	103.89	112.00
1	AA	1456	A	O4'-C1'-N9	7.37	114.10	108.20
26	BB	735	A	C2-N3-C4	7.37	114.29	110.60
26	BB	1853	A	C3'-C2'-C1'	7.37	107.40	101.50
1	AA	673	A	N3-C4-N9	7.37	133.30	127.40
1	AA	1180	A	C4'-C3'-C2'	-7.37	95.23	102.60
26	BB	199	A	C3'-C2'-C1'	-7.37	95.60	101.50
26	BB	1963	U	C5-C4-O4	-7.37	121.48	125.90
26	BB	2471	A	C2'-C3'-O3'	7.37	125.72	109.50
1	AA	784	A	N9-C4-C5	7.37	108.75	105.80
2	AB	5	G	C5-C6-N1	7.37	115.18	111.50
25	BA	108	A	C1'-O4'-C4'	-7.37	104.00	109.90
26	BB	317	G	N9-C4-C5	7.37	108.35	105.40
26	BB	1121	C	O4'-C1'-N1	7.37	114.09	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2193	G	C1'-O4'-C4'	-7.37	104.00	109.90
1	AA	181	A	C8-N9-C4	-7.37	102.85	105.80
4	AD	6	G	N1-C2-N3	-7.37	119.48	123.90
26	BB	1303	G	C4-C5-C6	7.37	123.22	118.80
1	AA	971	G	C8-N9-C4	-7.37	103.45	106.40
1	AA	1072	G	N3-C4-C5	-7.37	124.92	128.60
26	BB	131	A	O4'-C1'-N9	7.37	114.09	108.20
26	BB	210	C	C5'-C4'-O4'	7.37	117.94	109.10
26	BB	348	A	C6-C5-N7	-7.37	127.14	132.30
26	BB	385	C	C2-N3-C4	7.37	123.58	119.90
26	BB	586	A	N9-C4-C5	7.37	108.75	105.80
26	BB	848	C	C5'-C4'-O4'	7.37	117.94	109.10
26	BB	1636	U	C4-C5-C6	7.37	124.12	119.70
26	BB	2641	G	C8-N9-C4	-7.37	103.45	106.40
1	AA	44	A	O4'-C1'-N9	7.36	114.09	108.20
1	AA	151	A	O4'-C1'-N9	7.36	114.09	108.20
1	AA	955	U	O4'-C1'-N1	7.36	114.09	108.20
1	AA	999	C	C5-C4-N4	7.36	125.35	120.20
1	AA	1282	C	C3'-C2'-C1'	7.36	107.39	101.50
16	AP	97	ARG	NE-CZ-NH2	-7.36	116.62	120.30
26	BB	281	C	O4'-C1'-N1	7.36	114.09	108.20
26	BB	372	G	C5-C6-N1	-7.36	107.82	111.50
26	BB	924	G	N1-C2-N3	-7.36	119.48	123.90
26	BB	1526	C	O4'-C1'-N1	7.36	114.09	108.20
26	BB	2236	U	N3-C2-O2	-7.36	117.05	122.20
26	BB	2851	A	C6-N1-C2	-7.36	114.18	118.60
46	BV	51	PHE	CB-CG-CD2	7.36	125.95	120.80
26	BB	483	A	N7-C8-N9	-7.36	110.12	113.80
1	AA	53	A	O4'-C1'-N9	7.36	114.09	108.20
1	AA	497	G	C4-C5-N7	7.36	113.74	110.80
1	AA	687	A	C6-C5-N7	7.36	137.45	132.30
1	AA	893	C	N3-C2-O2	-7.36	116.75	121.90
23	AW	35	TYR	CB-CG-CD1	-7.36	116.58	121.00
26	BB	168	G	C4-C5-N7	-7.36	107.86	110.80
26	BB	487	C	O4'-C1'-N1	7.36	114.09	108.20
26	BB	1132	U	O4'-C4'-C3'	7.36	111.99	106.10
26	BB	1627	G	C5'-C4'-O4'	7.36	117.93	109.10
26	BB	2050	C	O4'-C1'-N1	7.36	114.09	108.20
26	BB	2145	C	C2-N3-C4	7.36	123.58	119.90
26	BB	2231	U	O4'-C1'-N1	7.36	114.09	108.20
1	AA	1456	A	C2-N3-C4	-7.36	106.92	110.60
26	BB	614	A	C8-N9-C4	-7.36	102.86	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	624	C	C4-C5-C6	-7.36	113.72	117.40
26	BB	1228	G	C4-C5-N7	7.36	113.74	110.80
1	AA	283	U	C4'-C3'-C2'	-7.36	95.24	102.60
1	AA	504	C	C3'-C2'-C1'	7.36	107.39	101.50
25	BA	49	C	C6-N1-C2	-7.36	117.36	120.30
25	BA	53	A	N9-C1'-C2'	-7.36	103.91	112.00
26	BB	264	C	N3-C4-C5	-7.36	118.96	121.90
26	BB	270	A	N1-C2-N3	-7.36	125.62	129.30
26	BB	668	A	C5-C6-N1	7.36	121.38	117.70
1	AA	822	U	O4'-C1'-N1	7.36	114.08	108.20
1	AA	1154	G	O4'-C1'-N9	7.36	114.08	108.20
1	AA	1181	G	N1-C2-N3	7.36	128.31	123.90
25	BA	86	G	P-O3'-C3'	7.36	128.53	119.70
26	BB	233	A	O4'-C4'-C3'	7.36	111.98	106.10
26	BB	988	A	N1-C6-N6	7.36	123.01	118.60
26	BB	2594	C	N3-C4-C5	-7.36	118.96	121.90
1	AA	746	A	O4'-C1'-N9	7.35	114.08	108.20
26	BB	682	G	O4'-C4'-C3'	7.35	111.98	106.10
26	BB	974	G	C3'-C2'-C1'	-7.35	95.62	101.50
26	BB	1576	U	C6-N1-C2	-7.35	116.59	121.00
26	BB	2224	G	N3-C2-N2	7.35	125.05	119.90
26	BB	2422	C	P-O3'-C3'	7.35	128.52	119.70
1	AA	1511	G	C8-N9-C4	-7.35	103.46	106.40
26	BB	218	A	C5-C6-N6	-7.35	117.82	123.70
26	BB	599	A	P-O3'-C3'	7.35	128.52	119.70
26	BB	781	A	P-O3'-C3'	7.35	128.52	119.70
26	BB	999	U	N3-C4-O4	7.35	124.55	119.40
26	BB	2216	G	N1-C2-N2	-7.35	109.58	116.20
26	BB	2872	A	C5-C6-N6	-7.35	117.82	123.70
1	AA	599	C	C5-C6-N1	-7.35	117.32	121.00
4	AD	54	G	O4'-C1'-N9	7.35	114.08	108.20
1	AA	219	U	C3'-C2'-C1'	7.35	107.38	101.50
1	AA	494	G	C5-C6-O6	-7.35	124.19	128.60
26	BB	70	G	N7-C8-N9	7.35	116.78	113.10
26	BB	730	A	N1-C2-N3	-7.35	125.63	129.30
26	BB	1040	A	C5-C6-N6	-7.35	117.82	123.70
26	BB	1327	A	C4-C5-C6	-7.35	113.33	117.00
26	BB	1355	G	C5'-C4'-O4'	7.35	117.92	109.10
28	BD	79	ARG	NE-CZ-NH1	-7.35	116.62	120.30
1	AA	264	C	O4'-C1'-N1	7.35	114.08	108.20
1	AA	711	G	C5-N7-C8	-7.35	100.63	104.30
1	AA	885	G	C5-C6-O6	-7.35	124.19	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	125	A	C1'-O4'-C4'	7.35	115.78	109.90
26	BB	1052	C	C5-C6-N1	-7.35	117.33	121.00
1	AA	130	A	O4'-C1'-C2'	7.35	114.21	107.60
1	AA	1130	A	C3'-C2'-C1'	-7.35	95.62	101.50
1	AA	1234	C	N3-C4-C5	7.35	124.84	121.90
26	BB	191	A	N7-C8-N9	7.35	117.47	113.80
26	BB	1466	U	O4'-C1'-N1	7.35	114.08	108.20
26	BB	1896	G	C2-N3-C4	7.35	115.57	111.90
26	BB	2629	U	C5'-C4'-C3'	-7.35	104.25	116.00
1	AA	61	G	C6-N1-C2	-7.34	120.69	125.10
1	AA	491	G	N3-C4-C5	-7.34	124.93	128.60
1	AA	709	U	O4'-C1'-N1	7.34	114.08	108.20
1	AA	740	U	C3'-C2'-C1'	7.34	107.38	101.50
1	AA	1322	C	C6-N1-C1'	-7.34	111.99	120.80
4	AD	57	C	C6-N1-C2	7.34	123.24	120.30
26	BB	506	G	C6-C5-N7	-7.34	125.99	130.40
26	BB	1283	G	C4-C5-N7	-7.34	107.86	110.80
26	BB	1452	G	C6-N1-C2	-7.34	120.69	125.10
26	BB	1553	A	N1-C6-N6	-7.34	114.19	118.60
26	BB	2353	G	C2-N3-C4	7.34	115.57	111.90
26	BB	2482	A	N1-C6-N6	7.34	123.01	118.60
45	BU	38	TYR	CB-CG-CD1	-7.34	116.59	121.00
1	AA	271	C	O4'-C1'-N1	7.34	114.07	108.20
1	AA	397	A	C2-N3-C4	7.34	114.27	110.60
1	AA	1296	C	C2-N3-C4	7.34	123.57	119.90
1	AA	1408	A	N9-C1'-C2'	-7.34	103.92	112.00
26	BB	167	A	C5-N7-C8	7.34	107.57	103.90
26	BB	1297	C	O4'-C1'-N1	7.34	114.08	108.20
26	BB	2584	U	O4'-C1'-N1	7.34	114.08	108.20
1	AA	203	G	N3-C4-N9	7.34	130.40	126.00
1	AA	1520	C	N3-C4-N4	7.34	123.14	118.00
11	AK	58	LEU	CB-CG-CD2	7.34	123.48	111.00
26	BB	604	G	N7-C8-N9	7.34	116.77	113.10
26	BB	725	G	N1-C2-N2	-7.34	109.59	116.20
26	BB	774	G	N1-C6-O6	-7.34	115.50	119.90
26	BB	1299	G	C5-C6-N1	7.34	115.17	111.50
26	BB	1502	A	C5-N7-C8	-7.34	100.23	103.90
1	AA	100	G	C5-C6-O6	7.34	133.00	128.60
1	AA	1048	G	N3-C2-N2	-7.34	114.76	119.90
1	AA	1304	G	N1-C2-N2	7.34	122.81	116.20
26	BB	315	G	N3-C4-N9	-7.34	121.60	126.00
26	BB	1518	C	C5-C4-N4	7.34	125.34	120.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1255	G	N1-C6-O6	7.34	124.30	119.90
2	AB	15	A	C8-N9-C4	-7.34	102.86	105.80
26	BB	83	A	C8-N9-C4	-7.34	102.86	105.80
26	BB	1881	C	C6-N1-C2	-7.34	117.36	120.30
1	AA	207	C	C5-C6-N1	7.34	124.67	121.00
1	AA	652	U	O4'-C1'-N1	7.34	114.07	108.20
26	BB	224	U	C5'-C4'-C3'	-7.34	104.26	116.00
26	BB	1045	C	N1-C2-N3	-7.34	114.06	119.20
26	BB	1554	U	C6-N1-C2	-7.34	116.60	121.00
26	BB	2281	A	O4'-C1'-N9	7.34	114.07	108.20
26	BB	2393	U	C4-C5-C6	7.34	124.10	119.70
26	BB	2482	A	N9-C4-C5	7.34	108.73	105.80
26	BB	2602	A	O4'-C4'-C3'	7.34	111.97	106.10
26	BB	2640	G	C5'-C4'-O4'	7.34	117.90	109.10
1	AA	1381	U	N3-C4-O4	7.33	124.53	119.40
26	BB	377	G	C5-C6-N1	7.33	115.17	111.50
26	BB	1288	G	C8-N9-C4	-7.33	103.47	106.40
1	AA	643	C	C5-C6-N1	7.33	124.67	121.00
1	AA	1317	C	N3-C2-O2	-7.33	116.77	121.90
1	AA	1439	G	C4-C5-C6	7.33	123.20	118.80
4	AD	41	C	P-O3'-C3'	7.33	128.50	119.70
26	BB	446	G	N3-C2-N2	7.33	125.03	119.90
26	BB	529	A	C6-N1-C2	-7.33	114.20	118.60
26	BB	567	U	P-O3'-C3'	7.33	128.50	119.70
26	BB	1661	G	C6-N1-C2	-7.33	120.70	125.10
26	BB	1897	G	C5-C6-O6	-7.33	124.20	128.60
26	BB	2680	U	N1-C2-N3	7.33	119.30	114.90
1	AA	839	C	N3-C2-O2	-7.33	116.77	121.90
1	AA	1455	G	C5-C6-O6	-7.33	124.20	128.60
26	BB	446	G	C2-N3-C4	7.33	115.56	111.90
26	BB	476	G	C5-N7-C8	7.33	107.97	104.30
26	BB	2235	G	O4'-C1'-N9	7.33	114.06	108.20
26	BB	2283	C	O5'-P-OP1	-7.33	99.10	105.70
1	AA	460	A	C5-C6-N6	-7.33	117.84	123.70
1	AA	490	C	C5-C6-N1	7.33	124.67	121.00
26	BB	739	A	C5-C6-N6	-7.33	117.84	123.70
26	BB	804	A	C8-N9-C4	7.33	108.73	105.80
26	BB	1504	A	C5-C6-N1	7.33	121.36	117.70
1	AA	31	G	N1-C6-O6	7.33	124.30	119.90
1	AA	828	U	P-O3'-C3'	7.33	128.49	119.70
1	AA	1323	G	C4-C5-C6	7.33	123.20	118.80
4	AD	3	C	C2-N3-C4	7.33	123.56	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	AD	51	U	N3-C4-C5	-7.33	110.20	114.60
25	BA	66	A	C2-N3-C4	7.33	114.26	110.60
26	BB	1521	G	N3-C2-N2	7.33	125.03	119.90
26	BB	1712	U	C5-C6-N1	-7.33	119.04	122.70
26	BB	2037	A	C4-C5-C6	7.33	120.66	117.00
26	BB	2062	A	N3-C4-N9	7.33	133.26	127.40
26	BB	2301	C	P-O3'-C3'	7.33	128.50	119.70
26	BB	2558	C	C5'-C4'-O4'	7.33	117.89	109.10
26	BB	2648	G	N1-C2-N3	-7.33	119.50	123.90
1	AA	482	A	N3-C4-C5	-7.33	121.67	126.80
26	BB	51	G	O4'-C1'-N9	7.33	114.06	108.20
26	BB	432	A	N7-C8-N9	-7.33	110.14	113.80
26	BB	1431	A	C6-N1-C2	7.33	123.00	118.60
26	BB	2110	G	C4-C5-N7	-7.33	107.87	110.80
26	BB	2415	G	C5-N7-C8	-7.33	100.64	104.30
26	BB	2885	G	N7-C8-N9	7.33	116.76	113.10
1	AA	702	A	C1'-O4'-C4'	7.33	115.76	109.90
25	BA	34	A	C6-C5-N7	7.33	137.43	132.30
26	BB	456	C	O4'-C1'-N1	7.33	114.06	108.20
26	BB	2230	G	N3-C2-N2	-7.33	114.77	119.90
26	BB	2397	G	N3-C2-N2	7.33	125.03	119.90
26	BB	2711	A	C5-N7-C8	-7.33	100.24	103.90
1	AA	635	A	O4'-C1'-N9	7.32	114.06	108.20
1	AA	1349	A	O4'-C1'-N9	7.32	114.06	108.20
1	AA	1369	C	N3-C4-N4	7.32	123.13	118.00
25	BA	100	G	C6-C5-N7	-7.32	126.01	130.40
26	BB	17	G	N3-C4-C5	-7.32	124.94	128.60
26	BB	194	G	N3-C4-C5	-7.32	124.94	128.60
26	BB	257	C	N3-C2-O2	-7.32	116.77	121.90
26	BB	630	G	C5-C6-N1	7.32	115.16	111.50
26	BB	2502	G	C5'-C4'-O4'	7.32	117.89	109.10
26	BB	2537	U	N3-C2-O2	-7.32	117.07	122.20
1	AA	863	U	N1-C1'-C2'	-7.32	103.95	112.00
1	AA	867	G	N9-C4-C5	7.32	108.33	105.40
1	AA	918	A	C8-N9-C4	-7.32	102.87	105.80
26	BB	966	G	C1'-O4'-C4'	7.32	115.76	109.90
26	BB	1344	U	O4'-C1'-N1	7.32	114.06	108.20
26	BB	2220	U	C5-C4-O4	7.32	130.29	125.90
26	BB	2823	A	C6-C5-N7	-7.32	127.17	132.30
1	AA	171	A	N9-C4-C5	-7.32	102.87	105.80
1	AA	436	C	C5-C4-N4	-7.32	115.08	120.20
1	AA	617	G	C6-N1-C2	-7.32	120.71	125.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	791	G	N7-C8-N9	7.32	116.76	113.10
1	AA	874	G	C2-N3-C4	7.32	115.56	111.90
1	AA	889	A	O4'-C1'-C2'	-7.32	98.48	105.80
1	AA	1370	G	C6-N1-C2	-7.32	120.71	125.10
4	AD	52	C	N3-C2-O2	-7.32	116.78	121.90
26	BB	82	U	C5'-C4'-C3'	-7.32	104.29	116.00
26	BB	2846	G	N7-C8-N9	7.32	116.76	113.10
1	AA	319	G	N3-C2-N2	-7.32	114.78	119.90
1	AA	739	C	C5-C6-N1	7.32	124.66	121.00
26	BB	775	G	N3-C2-N2	-7.32	114.78	119.90
26	BB	992	C	C5'-C4'-O4'	7.32	117.88	109.10
26	BB	1689	A	N1-C6-N6	-7.32	114.21	118.60
26	BB	915	C	P-O3'-C3'	7.32	128.48	119.70
26	BB	2008	C	C2-N3-C4	7.32	123.56	119.90
26	BB	2663	G	C5-C6-O6	-7.32	124.21	128.60
1	AA	1368	A	C4'-C3'-C2'	-7.32	95.28	102.60
26	BB	1969	A	O4'-C1'-N9	7.32	114.05	108.20
26	BB	2245	U	C5-C4-O4	7.32	130.29	125.90
31	BG	176	PHE	CB-CG-CD2	7.32	125.92	120.80
1	AA	1061	G	C5-C6-N1	7.31	115.16	111.50
26	BB	30	G	N9-C1'-C2'	-7.31	103.95	112.00
26	BB	355	U	N1-C1'-C2'	-7.31	103.95	112.00
26	BB	2643	G	C5'-C4'-O4'	7.31	117.88	109.10
1	AA	1058	G	C8-N9-C4	-7.31	103.47	106.40
25	BA	43	C	N3-C4-N4	7.31	123.12	118.00
26	BB	107	G	N7-C8-N9	7.31	116.76	113.10
26	BB	363	G	N3-C2-N2	-7.31	114.78	119.90
26	BB	436	C	C1'-O4'-C4'	7.31	115.75	109.90
26	BB	2143	C	N1-C2-N3	-7.31	114.08	119.20
4	AD	47	A	C4'-C3'-C2'	-7.31	95.29	102.60
25	BA	94	A	C1'-O4'-C4'	-7.31	104.05	109.90
26	BB	817	C	N3-C4-C5	-7.31	118.98	121.90
1	AA	731	G	N7-C8-N9	7.31	116.75	113.10
1	AA	838	G	C6-C5-N7	7.31	134.79	130.40
1	AA	889	A	C8-N9-C4	-7.31	102.88	105.80
4	AD	52	C	C6-N1-C2	-7.31	117.38	120.30
25	BA	18	G	C5-N7-C8	7.31	107.95	104.30
26	BB	1207	C	C5-C6-N1	7.31	124.65	121.00
26	BB	1248	G	N3-C4-N9	7.31	130.39	126.00
26	BB	1914	C	C3'-C2'-C1'	-7.31	95.65	101.50
26	BB	2241	A	O4'-C1'-C2'	7.31	114.18	107.60
26	BB	2294	G	N7-C8-N9	7.31	116.75	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	802	A	C5-N7-C8	-7.31	100.25	103.90
1	AA	867	G	C6-N1-C2	-7.31	120.72	125.10
1	AA	1309	G	N3-C2-N2	-7.31	114.78	119.90
26	BB	297	G	C8-N9-C4	-7.31	103.48	106.40
26	BB	718	A	C2-N3-C4	7.31	114.25	110.60
26	BB	760	G	C6-C5-N7	-7.31	126.02	130.40
26	BB	1183	U	O4'-C1'-N1	7.31	114.05	108.20
26	BB	1235	G	C5-N7-C8	7.31	107.95	104.30
26	BB	1647	U	N1-C1'-C2'	7.31	123.50	114.00
26	BB	1894	C	P-O3'-C3'	7.31	128.47	119.70
1	AA	130	A	N1-C6-N6	7.31	122.98	118.60
1	AA	278	G	C2-N3-C4	-7.31	108.25	111.90
26	BB	91	A	O4'-C4'-C3'	7.31	111.94	106.10
26	BB	1979	U	C5-C6-N1	7.31	126.35	122.70
26	BB	2472	G	C5-N7-C8	-7.31	100.65	104.30
1	AA	52	C	N3-C4-C5	-7.30	118.98	121.90
1	AA	81	A	C6-C5-N7	7.30	137.41	132.30
1	AA	696	A	C4-C5-C6	7.30	120.65	117.00
1	AA	947	G	C3'-C2'-C1'	7.30	107.34	101.50
1	AA	1124	G	N7-C8-N9	7.30	116.75	113.10
4	AD	67	C	N1-C2-O2	7.30	123.28	118.90
26	BB	604	G	C8-N9-C4	-7.30	103.48	106.40
26	BB	1112	G	N1-C2-N3	-7.30	119.52	123.90
26	BB	1491	G	C2-N3-C4	7.30	115.55	111.90
26	BB	1762	A	C4'-C3'-C2'	-7.30	95.30	102.60
26	BB	2238	G	N7-C8-N9	7.30	116.75	113.10
26	BB	2246	G	C6-C5-N7	-7.30	126.02	130.40
26	BB	2660	A	N1-C2-N3	-7.30	125.65	129.30
52	B1	46	MET	CA-CB-CG	-7.30	100.88	113.30
1	AA	199	A	N1-C2-N3	-7.30	125.65	129.30
4	AD	17	C	N1-C2-O2	7.30	123.28	118.90
26	BB	308	G	C4-C5-N7	-7.30	107.88	110.80
26	BB	1627	G	N3-C4-C5	-7.30	124.95	128.60
1	AA	306	A	N9-C4-C5	7.30	108.72	105.80
1	AA	738	C	O4'-C1'-N1	7.30	114.04	108.20
1	AA	758	C	O4'-C1'-N1	7.30	114.04	108.20
1	AA	795	C	C2-N3-C4	-7.30	116.25	119.90
1	AA	1119	C	N3-C4-N4	7.30	123.11	118.00
1	AA	1206	G	C5'-C4'-C3'	-7.30	104.32	116.00
26	BB	463	G	C6-N1-C2	-7.30	120.72	125.10
26	BB	2282	G	C4-C5-C6	7.30	123.18	118.80
1	AA	638	U	C2-N3-C4	-7.30	122.62	127.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	791	G	C6-N1-C2	-7.30	120.72	125.10
1	AA	689	C	N1-C2-O2	7.30	123.28	118.90
26	BB	452	G	N1-C6-O6	-7.30	115.52	119.90
26	BB	509	C	N3-C4-C5	7.30	124.82	121.90
26	BB	512	G	C5-C6-N1	7.30	115.15	111.50
26	BB	681	G	C8-N9-C4	-7.30	103.48	106.40
1	AA	616	G	C4'-C3'-C2'	-7.30	95.30	102.60
1	AA	888	G	N3-C4-C5	-7.30	124.95	128.60
1	AA	1277	C	N1-C2-O2	7.30	123.28	118.90
1	AA	1463	U	O4'-C1'-N1	7.30	114.04	108.20
26	BB	109	C	C1'-O4'-C4'	-7.30	104.06	109.90
26	BB	528	A	N9-C4-C5	-7.30	102.88	105.80
26	BB	646	U	C3'-C2'-C1'	7.30	107.34	101.50
26	BB	923	G	N3-C2-N2	7.30	125.01	119.90
26	BB	1942	C	C3'-C2'-C1'	7.30	107.34	101.50
26	BB	2322	A	C2-N3-C4	7.30	114.25	110.60
1	AA	1334	G	C6-C5-N7	-7.29	126.02	130.40
25	BA	81	G	C5-C6-O6	-7.29	124.22	128.60
26	BB	809	G	C6-N1-C2	-7.29	120.72	125.10
26	BB	844	A	C4-C5-N7	-7.29	107.05	110.70
26	BB	1298	C	O4'-C1'-N1	7.29	114.04	108.20
1	AA	202	G	C1'-O4'-C4'	-7.29	104.06	109.90
1	AA	380	G	N1-C2-N3	7.29	128.28	123.90
1	AA	866	C	O4'-C1'-N1	7.29	114.04	108.20
1	AA	917	G	N3-C2-N2	-7.29	114.80	119.90
2	AB	72	U	N3-C2-O2	-7.29	117.09	122.20
17	AQ	37	ASP	CB-CG-OD2	-7.29	111.74	118.30
26	BB	6	A	N9-C4-C5	7.29	108.72	105.80
26	BB	1091	G	N3-C2-N2	-7.29	114.80	119.90
26	BB	2225	A	N1-C6-N6	-7.29	114.22	118.60
26	BB	2551	C	C5-C6-N1	7.29	124.65	121.00
26	BB	2844	G	C3'-C2'-C1'	7.29	107.33	101.50
1	AA	875	U	N3-C2-O2	-7.29	117.10	122.20
1	AA	900	A	O4'-C4'-C3'	7.29	111.93	106.10
1	AA	1352	C	C5'-C4'-O4'	7.29	117.85	109.10
4	AD	33	OMC	P-O3'-C3'	7.29	128.45	119.70
25	BA	75	G	C5-C6-N1	7.29	115.15	111.50
26	BB	146	A	N1-C2-N3	-7.29	125.66	129.30
26	BB	245	G	C2-N3-C4	7.29	115.55	111.90
26	BB	407	G	N9-C4-C5	7.29	108.32	105.40
26	BB	474	G	C5-C6-O6	-7.29	124.23	128.60
26	BB	948	C	N3-C2-O2	-7.29	116.80	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1157	G	N7-C8-N9	7.29	116.75	113.10
26	BB	1651	G	C4'-C3'-C2'	-7.29	95.31	102.60
26	BB	2339	C	O4'-C1'-N1	7.29	114.03	108.20
26	BB	2871	U	P-O3'-C3'	7.29	128.45	119.70
1	AA	664	G	N7-C8-N9	7.29	116.75	113.10
1	AA	894	G	C4-C5-N7	7.29	113.72	110.80
26	BB	243	U	O4'-C4'-C3'	7.29	111.93	106.10
26	BB	806	C	C2-N3-C4	7.29	123.55	119.90
26	BB	2002	G	N3-C2-N2	-7.29	114.80	119.90
26	BB	2424	C	P-O3'-C3'	7.29	128.45	119.70
26	BB	2537	U	C4-C5-C6	7.29	124.07	119.70
26	BB	2819	G	C2-N3-C4	7.29	115.55	111.90
1	AA	1355	G	N9-C4-C5	7.29	108.31	105.40
4	AD	31	G	C5-C6-O6	-7.29	124.23	128.60
26	BB	335	C	C5-C6-N1	-7.29	117.36	121.00
26	BB	462	C	C2-N3-C4	-7.29	116.26	119.90
26	BB	642	U	N3-C2-O2	-7.29	117.10	122.20
26	BB	1003	G	N1-C2-N2	-7.29	109.64	116.20
26	BB	2312	U	C2-N3-C4	-7.29	122.63	127.00
26	BB	2446	G	P-O3'-C3'	7.29	128.45	119.70
26	BB	2879	A	O4'-C1'-N9	7.29	114.03	108.20
26	BB	659	G	N3-C2-N2	-7.29	114.80	119.90
26	BB	1038	G	C8-N9-C4	-7.29	103.48	106.40
26	BB	2697	G	C8-N9-C4	-7.29	103.48	106.40
1	AA	9	G	N9-C4-C5	7.29	108.31	105.40
1	AA	1434	A	O4'-C1'-N9	7.29	114.03	108.20
26	BB	1145	C	C6-N1-C2	-7.29	117.39	120.30
26	BB	1221	C	N3-C4-C5	-7.29	118.99	121.90
26	BB	1239	G	C4'-C3'-C2'	-7.29	95.31	102.60
26	BB	1704	C	N3-C4-C5	7.29	124.81	121.90
26	BB	2749	A	C3'-C2'-C1'	7.29	107.33	101.50
45	BU	75	PHE	CB-CG-CD2	-7.29	115.70	120.80
1	AA	324	G	C6-C5-N7	-7.28	126.03	130.40
25	BA	2	G	N1-C6-O6	7.28	124.27	119.90
25	BA	92	C	C5'-C4'-O4'	7.28	117.84	109.10
26	BB	339	U	C5-C4-O4	-7.28	121.53	125.90
26	BB	1983	G	N9-C1'-C2'	-7.28	103.99	112.00
26	BB	2044	C	C6-N1-C2	7.28	123.21	120.30
26	BB	2268	A	N3-C4-N9	7.28	133.23	127.40
1	AA	751	U	O4'-C1'-N1	7.28	114.03	108.20
1	AA	1308	U	O4'-C1'-N1	7.28	114.03	108.20
1	AA	1416	G	O4'-C4'-C3'	7.28	111.92	106.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	10	G	C8-N9-C4	-7.28	103.49	106.40
26	BB	904	G	C4-N9-C1'	-7.28	117.03	126.50
1	AA	883	C	N1-C2-O2	7.28	123.27	118.90
1	AA	932	C	C3'-C2'-C1'	7.28	107.32	101.50
1	AA	1103	C	C5'-C4'-C3'	-7.28	104.35	116.00
3	AC	48	C	N3-C2-O2	-7.28	116.80	121.90
26	BB	248	G	N9-C4-C5	-7.28	102.49	105.40
26	BB	322	A	C8-N9-C4	7.28	108.71	105.80
26	BB	1147	A	C6-N1-C2	-7.28	114.23	118.60
26	BB	1302	A	C5-C6-N1	-7.28	114.06	117.70
26	BB	1622	G	O4'-C1'-N9	7.28	114.02	108.20
26	BB	2136	G	C5-C6-O6	7.28	132.97	128.60
26	BB	2289	G	C2-N3-C4	-7.28	108.26	111.90
26	BB	2574	G	C5-C6-N1	7.28	115.14	111.50
26	BB	2800	A	C5-C6-N1	7.28	121.34	117.70
1	AA	1250	A	N1-C6-N6	7.28	122.97	118.60
2	AB	7	G	C1'-O4'-C4'	7.28	115.72	109.90
26	BB	703	U	C3'-C2'-C1'	-7.28	95.68	101.50
26	BB	1317	G	N7-C8-N9	7.28	116.74	113.10
1	AA	98	A	N3-C4-C5	-7.28	121.70	126.80
1	AA	530	G	C2-N3-C4	7.28	115.54	111.90
1	AA	1182	G	P-O3'-C3'	7.28	128.43	119.70
25	BA	60	C	O4'-C1'-N1	7.28	114.02	108.20
26	BB	357	C	N1-C2-O2	7.28	123.27	118.90
26	BB	637	A	C5'-C4'-C3'	-7.28	104.36	116.00
26	BB	1059	G	C4-C5-N7	7.28	113.71	110.80
26	BB	1460	U	C3'-C2'-C1'	7.28	107.32	101.50
26	BB	1864	U	C3'-C2'-C1'	7.28	107.32	101.50
53	B2	63	ARG	NH1-CZ-NH2	-7.28	111.39	119.40
1	AA	68	G	N9-C4-C5	7.28	108.31	105.40
1	AA	145	G	C5-C6-N1	7.28	115.14	111.50
1	AA	269	C	C4'-C3'-C2'	-7.28	95.33	102.60
1	AA	307	C	C4-C5-C6	7.28	121.04	117.40
26	BB	420	C	C6-N1-C2	7.28	123.21	120.30
26	BB	1105	U	C4-C5-C6	7.28	124.06	119.70
26	BB	434	U	N1-C2-O2	7.27	127.89	122.80
26	BB	1369	G	N3-C4-C5	-7.27	124.96	128.60
26	BB	1523	U	C4-C5-C6	7.27	124.06	119.70
26	BB	2677	G	N1-C2-N3	-7.27	119.54	123.90
4	AD	42	C	C6-N1-C2	-7.27	117.39	120.30
25	BA	103	U	C4'-C3'-C2'	-7.27	95.33	102.60
25	BA	113	C	N1-C2-O2	7.27	123.26	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	64	A	C3'-C2'-C1'	-7.27	95.68	101.50
26	BB	670	A	C3'-C2'-C1'	7.27	107.32	101.50
26	BB	1783	A	N7-C8-N9	-7.27	110.16	113.80
26	BB	1968	G	C5-N7-C8	-7.27	100.66	104.30
26	BB	2088	A	C5-C6-N1	7.27	121.34	117.70
26	BB	2316	G	C4-C5-N7	7.27	113.71	110.80
26	BB	2762	C	C5-C6-N1	7.27	124.64	121.00
26	BB	2823	A	N1-C6-N6	7.27	122.96	118.60
26	BB	784	G	N7-C8-N9	7.27	116.74	113.10
26	BB	1459	G	C4'-C3'-C2'	-7.27	95.33	102.60
26	BB	1630	A	C5-N7-C8	7.27	107.53	103.90
1	AA	308	C	P-O3'-C3'	7.27	128.42	119.70
1	AA	1081	A	C4-C5-C6	-7.27	113.37	117.00
1	AA	1487	G	N1-C2-N3	-7.27	119.54	123.90
4	AD	22	A	C1'-O4'-C4'	-7.27	104.08	109.90
26	BB	189	G	C6-N1-C2	-7.27	120.74	125.10
26	BB	431	U	C4'-C3'-C2'	-7.27	95.33	102.60
26	BB	916	G	N3-C4-C5	-7.27	124.97	128.60
26	BB	1193	G	C2-N3-C4	-7.27	108.27	111.90
26	BB	1678	A	C5'-C4'-O4'	7.27	117.82	109.10
26	BB	2267	A	O4'-C1'-N9	-7.27	102.39	108.20
26	BB	2352	A	P-O3'-C3'	7.27	128.42	119.70
26	BB	2531	A	P-O3'-C3'	7.27	128.42	119.70
26	BB	2534	A	C2-N3-C4	7.27	114.23	110.60
1	AA	427	U	N3-C4-O4	7.27	124.49	119.40
1	AA	532	A	N9-C4-C5	-7.27	102.89	105.80
1	AA	1113	C	N3-C4-C5	-7.27	118.99	121.90
1	AA	1141	C	O4'-C1'-N1	7.27	114.01	108.20
26	BB	250	G	N7-C8-N9	7.27	116.73	113.10
26	BB	1099	G	N1-C6-O6	7.27	124.26	119.90
26	BB	1149	G	N9-C4-C5	7.27	108.31	105.40
26	BB	1702	G	C5-C6-O6	-7.27	124.24	128.60
26	BB	2170	A	N7-C8-N9	7.27	117.43	113.80
26	BB	2182	U	C5-C4-O4	-7.27	121.54	125.90
26	BB	2197	U	C1'-O4'-C4'	7.27	115.71	109.90
26	BB	2414	G	N1-C2-N3	-7.27	119.54	123.90
26	BB	2781	A	C5-C6-N6	-7.27	117.89	123.70
26	BB	2889	C	C5-C6-N1	7.27	124.63	121.00
26	BB	1342	A	C4-C5-C6	-7.27	113.37	117.00
1	AA	21	G	N3-C4-N9	7.26	130.36	126.00
1	AA	634	C	C4-C5-C6	-7.26	113.77	117.40
1	AA	858	G	C5-N7-C8	-7.26	100.67	104.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	62	U	C5-C6-N1	-7.26	119.07	122.70
26	BB	682	G	N9-C4-C5	7.26	108.31	105.40
26	BB	860	U	C5-C6-N1	-7.26	119.07	122.70
26	BB	882	G	N7-C8-N9	7.26	116.73	113.10
26	BB	958	U	N3-C2-O2	-7.26	117.11	122.20
26	BB	1143	A	N1-C6-N6	-7.26	114.24	118.60
26	BB	1537	G	N1-C6-O6	-7.26	115.54	119.90
26	BB	1770	G	N7-C8-N9	-7.26	109.47	113.10
26	BB	2075	U	C5-C6-N1	-7.26	119.07	122.70
26	BB	2543	G	C5-C6-O6	7.26	132.96	128.60
1	AA	67	C	P-O3'-C3'	7.26	128.42	119.70
1	AA	741	G	C4'-C3'-C2'	-7.26	95.34	102.60
1	AA	1371	G	C4-C5-N7	-7.26	107.89	110.80
4	AD	3	C	N3-C2-O2	-7.26	116.82	121.90
38	BN	66	PHE	CB-CG-CD1	-7.26	115.72	120.80
1	AA	662	U	C5-C6-N1	-7.26	119.07	122.70
1	AA	684	U	N1-C2-N3	7.26	119.26	114.90
1	AA	732	C	C5-C6-N1	7.26	124.63	121.00
1	AA	1008	U	N3-C2-O2	-7.26	117.12	122.20
1	AA	1009	U	C5-C6-N1	-7.26	119.07	122.70
2	AB	30	G	N7-C8-N9	-7.26	109.47	113.10
25	BA	10	G	C5'-C4'-C3'	-7.26	104.38	116.00
26	BB	1474	U	C2-N3-C4	-7.26	122.64	127.00
26	BB	1545	A	N9-C4-C5	7.26	108.70	105.80
26	BB	1842	G	C4-C5-C6	7.26	123.16	118.80
26	BB	1969	A	C4'-C3'-C2'	-7.26	95.34	102.60
26	BB	2555	U	C3'-C2'-C1'	7.26	107.31	101.50
26	BB	2734	A	C6-N1-C2	-7.26	114.24	118.60
45	BU	99	ARG	NE-CZ-NH2	-7.26	116.67	120.30
1	AA	155	A	C2-N3-C4	7.26	114.23	110.60
1	AA	457	G	C5-N7-C8	7.26	107.93	104.30
1	AA	894	G	C5-C6-O6	-7.26	124.24	128.60
1	AA	1374	A	N3-C4-N9	-7.26	121.59	127.40
25	BA	29	A	C8-N9-C4	-7.26	102.90	105.80
26	BB	1067	A	C4'-C3'-C2'	7.26	109.86	102.60
26	BB	1139	G	N1-C6-O6	-7.26	115.55	119.90
26	BB	1308	A	C5'-C4'-O4'	7.26	117.81	109.10
26	BB	1379	U	N3-C4-C5	-7.26	110.24	114.60
26	BB	1601	G	C5-C6-O6	-7.26	124.24	128.60
26	BB	1649	G	C5-C6-O6	7.26	132.96	128.60
26	BB	1707	G	C5'-C4'-C3'	-7.26	104.38	116.00
26	BB	2195	U	C4'-C3'-C2'	-7.26	95.34	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	BN	51	GLU	OE1-CD-OE2	7.26	132.01	123.30
1	AA	158	G	N7-C8-N9	7.26	116.73	113.10
1	AA	1217	C	C4-C5-C6	-7.26	113.77	117.40
1	AA	1435	G	C5-N7-C8	7.26	107.93	104.30
26	BB	536	G	N9-C1'-C2'	-7.26	104.02	112.00
26	BB	751	A	C6-C5-N7	7.26	137.38	132.30
26	BB	1964	G	N1-C2-N3	-7.26	119.55	123.90
6	AF	131	ARG	CD-NE-CZ	7.26	133.76	123.60
26	BB	305	C	N3-C2-O2	-7.26	116.82	121.90
26	BB	544	C	P-O3'-C3'	7.26	128.41	119.70
26	BB	1811	G	N9-C4-C5	-7.26	102.50	105.40
26	BB	2826	A	P-O3'-C3'	7.26	128.41	119.70
1	AA	411	A	O4'-C1'-N9	7.25	114.00	108.20
1	AA	2	A	C5-C6-N1	7.25	121.33	117.70
1	AA	277	C	C5-C6-N1	7.25	124.63	121.00
1	AA	915	A	C6-N1-C2	-7.25	114.25	118.60
26	BB	86	G	O4'-C1'-C2'	7.25	114.13	107.60
26	BB	620	G	N7-C8-N9	7.25	116.73	113.10
26	BB	664	G	O4'-C1'-N9	7.25	114.00	108.20
26	BB	1266	G	C4'-C3'-C2'	-7.25	95.35	102.60
26	BB	1476	U	C5-C6-N1	-7.25	119.07	122.70
39	BO	64	TRP	NE1-CE2-CZ2	7.25	138.38	130.40
1	AA	764	C	C4-C5-C6	7.25	121.03	117.40
1	AA	895	G	C5-C6-O6	-7.25	124.25	128.60
1	AA	1530	G	N1-C2-N3	-7.25	119.55	123.90
26	BB	306	U	C5'-C4'-O4'	7.25	117.80	109.10
26	BB	914	G	O4'-C1'-N9	7.25	114.00	108.20
26	BB	1280	G	C4-C5-N7	-7.25	107.90	110.80
26	BB	1959	G	C5-N7-C8	-7.25	100.67	104.30
26	BB	2660	A	C4'-C3'-C2'	-7.25	95.35	102.60
26	BB	122	G	N7-C8-N9	7.25	116.72	113.10
26	BB	2170	A	C8-N9-C4	-7.25	102.90	105.80
26	BB	2368	C	N3-C4-N4	7.25	123.08	118.00
26	BB	2497	A	O4'-C1'-N9	7.25	114.00	108.20
1	AA	310	G	C4-C5-N7	7.25	113.70	110.80
1	AA	959	A	N3-C4-N9	7.25	133.20	127.40
1	AA	1536	C	C4-C5-C6	7.25	121.02	117.40
16	AP	92	ARG	NE-CZ-NH2	7.25	123.92	120.30
25	BA	85	G	C6-C5-N7	-7.25	126.05	130.40
25	BA	97	C	C5-C4-N4	-7.25	115.13	120.20
26	BB	132	G	N7-C8-N9	-7.25	109.48	113.10
26	BB	934	U	C3'-C2'-C1'	-7.25	95.70	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1360	G	N9-C1'-C2'	-7.25	104.03	112.00
26	BB	1787	A	N1-C6-N6	7.25	122.95	118.60
26	BB	1948	G	N3-C4-N9	7.25	130.35	126.00
26	BB	2054	A	C4-C5-N7	7.25	114.32	110.70
1	AA	80	A	N7-C8-N9	-7.25	110.18	113.80
1	AA	922	G	P-O3'-C3'	7.25	128.40	119.70
4	AD	57	C	C5-C4-N4	7.25	125.27	120.20
26	BB	830	G	C1'-O4'-C4'	7.25	115.70	109.90
26	BB	1292	G	N3-C4-C5	-7.25	124.98	128.60
26	BB	1543	G	C5-N7-C8	7.25	107.92	104.30
26	BB	1692	U	P-O3'-C3'	7.25	128.40	119.70
26	BB	2290	G	N1-C6-O6	-7.25	115.55	119.90
26	BB	2333	A	O4'-C4'-C3'	7.25	111.90	106.10
26	BB	2789	C	N1-C1'-C2'	-7.25	104.03	112.00
1	AA	173	U	O4'-C1'-N1	7.25	114.00	108.20
1	AA	726	C	N1-C2-N3	-7.25	114.13	119.20
26	BB	539	G	C6-N1-C2	-7.25	120.75	125.10
26	BB	1388	G	C8-N9-C4	-7.25	103.50	106.40
26	BB	1966	A	N1-C2-N3	-7.25	125.68	129.30
1	AA	369	G	C4-C5-N7	-7.24	107.90	110.80
26	BB	73	A	N7-C8-N9	7.24	117.42	113.80
26	BB	319	G	N1-C6-O6	7.24	124.25	119.90
26	BB	562	U	O4'-C1'-N1	-7.24	102.41	108.20
26	BB	677	A	C2-N3-C4	7.24	114.22	110.60
26	BB	1068	G	C5-N7-C8	-7.24	100.68	104.30
26	BB	1935	G	C5-C6-N1	-7.24	107.88	111.50
26	BB	2280	G	N3-C4-N9	7.24	130.35	126.00
1	AA	108	G	C2-N3-C4	7.24	115.52	111.90
1	AA	939	G	C8-N9-C4	-7.24	103.50	106.40
26	BB	406	G	C5-C6-N1	7.24	115.12	111.50
26	BB	817	C	C2-N3-C4	7.24	123.52	119.90
26	BB	2123	G	N1-C2-N2	7.24	122.72	116.20
26	BB	2693	G	C4'-C3'-C2'	-7.24	95.36	102.60
26	BB	2745	C	C1'-O4'-C4'	7.24	115.69	109.90
1	AA	554	A	C6-C5-N7	7.24	137.37	132.30
1	AA	1317	C	C3'-C2'-C1'	7.24	107.29	101.50
3	AC	30	U	C3'-C2'-C1'	7.24	107.29	101.50
4	AD	65	G	C3'-C2'-C1'	7.24	107.29	101.50
26	BB	410	G	C5-C6-N1	7.24	115.12	111.50
26	BB	637	A	C2-N3-C4	-7.24	106.98	110.60
26	BB	1701	A	N1-C6-N6	7.24	122.94	118.60
1	AA	74	A	C6-C5-N7	7.24	137.37	132.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	174	A	N1-C2-N3	7.24	132.92	129.30
1	AA	290	C	C3'-C2'-C1'	-7.24	95.71	101.50
1	AA	418	C	N3-C4-N4	7.24	123.07	118.00
1	AA	656	G	C5-C6-N1	7.24	115.12	111.50
1	AA	724	G	C5-C6-O6	-7.24	124.26	128.60
1	AA	1525	G	C6-C5-N7	-7.24	126.06	130.40
26	BB	720	U	C3'-C2'-C1'	7.24	107.29	101.50
26	BB	939	G	N7-C8-N9	-7.24	109.48	113.10
26	BB	1889	A	N9-C4-C5	7.24	108.70	105.80
26	BB	1937	A	C4-C5-C6	7.24	120.62	117.00
26	BB	2827	C	N3-C4-N4	7.24	123.07	118.00
1	AA	1108	G	C2-N3-C4	7.24	115.52	111.90
1	AA	1456	A	C4-C5-N7	-7.24	107.08	110.70
26	BB	92	U	C2-N3-C4	-7.24	122.66	127.00
26	BB	421	C	O3'-P-O5'	-7.24	90.25	104.00
26	BB	981	A	C8-N9-C4	-7.24	102.91	105.80
26	BB	1383	A	C3'-C2'-C1'	7.24	107.29	101.50
1	AA	72	A	N7-C8-N9	-7.24	110.18	113.80
1	AA	344	A	C5-C6-N1	7.24	121.32	117.70
1	AA	515	G	N1-C2-N2	7.24	122.71	116.20
1	AA	1344	C	O4'-C1'-N1	7.24	113.99	108.20
26	BB	1794	A	C2-N3-C4	-7.24	106.98	110.60
26	BB	2156	G	C8-N9-C4	-7.24	103.51	106.40
26	BB	2473	U	N1-C2-N3	7.24	119.24	114.90
57	B6	31	ILE	CB-CA-C	7.24	126.07	111.60
2	AB	24	G	C5'-C4'-O4'	7.23	117.78	109.10
26	BB	335	C	N3-C2-O2	-7.23	116.84	121.90
26	BB	1974	C	N1-C1'-C2'	-7.23	104.04	112.00
1	AA	320	A	O4'-C1'-N9	7.23	113.99	108.20
26	BB	103	A	C5-N7-C8	7.23	107.52	103.90
26	BB	1434	A	C1'-O4'-C4'	-7.23	104.11	109.90
26	BB	2400	G	O4'-C1'-N9	7.23	113.99	108.20
26	BB	2406	A	C6-C5-N7	-7.23	127.24	132.30
26	BB	2797	U	O4'-C1'-N1	7.23	113.99	108.20
1	AA	111	G	N3-C2-N2	7.23	124.96	119.90
1	AA	903	G	O4'-C1'-N9	7.23	113.98	108.20
1	AA	1293	C	C5-C4-N4	-7.23	115.14	120.20
1	AA	1529	G	N1-C6-O6	-7.23	115.56	119.90
2	AB	73	G	N3-C2-N2	-7.23	114.84	119.90
20	AT	72	TRP	CB-CG-CD1	-7.23	117.60	127.00
26	BB	174	U	C1'-O4'-C4'	-7.23	104.12	109.90
26	BB	1047	G	C2-N3-C4	7.23	115.52	111.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1061	U	C4'-C3'-C2'	-7.23	95.37	102.60
26	BB	1290	C	C5-C4-N4	-7.23	115.14	120.20
26	BB	1459	G	C3'-C2'-C1'	7.23	107.28	101.50
26	BB	1867	G	C4-N9-C1'	-7.23	117.10	126.50
26	BB	2617	U	C3'-C2'-C1'	7.23	107.28	101.50
36	BL	116	ARG	NE-CZ-NH2	-7.23	116.68	120.30
1	AA	211	G	N1-C2-N2	7.23	122.71	116.20
1	AA	944	G	C3'-C2'-C1'	-7.23	95.72	101.50
26	BB	863	A	N7-C8-N9	-7.23	110.19	113.80
26	BB	1235	G	C4-C5-N7	-7.23	107.91	110.80
26	BB	1547	C	N3-C2-O2	-7.23	116.84	121.90
26	BB	1548	A	C5-C6-N6	-7.23	117.92	123.70
26	BB	1740	G	O4'-C1'-N9	7.23	113.98	108.20
26	BB	1836	C	C4'-C3'-C2'	-7.23	95.37	102.60
26	BB	2325	G	C5-N7-C8	7.23	107.92	104.30
26	BB	2400	G	C2-N3-C4	7.23	115.52	111.90
1	AA	363	A	N9-C4-C5	-7.23	102.91	105.80
4	AD	15	G	N7-C8-N9	7.23	116.71	113.10
26	BB	611	C	C4'-C3'-C2'	-7.23	95.37	102.60
26	BB	1468	U	O4'-C1'-N1	7.23	113.98	108.20
1	AA	600	A	N1-C2-N3	-7.23	125.69	129.30
1	AA	1024	G	N3-C4-C5	-7.23	124.99	128.60
1	AA	1216	A	N1-C6-N6	7.23	122.94	118.60
2	AB	5	G	O4'-C1'-N9	7.23	113.98	108.20
26	BB	2451	A	C3'-C2'-C1'	7.23	107.28	101.50
1	AA	139	A	N9-C1'-C2'	-7.22	104.05	112.00
1	AA	556	C	C5'-C4'-C3'	7.22	127.56	116.00
1	AA	645	G	C2-N3-C4	7.22	115.51	111.90
1	AA	1424	U	C5-C4-O4	-7.22	121.57	125.90
1	AA	1446	A	C1'-O4'-C4'	-7.22	104.12	109.90
26	BB	330	A	C4-C5-C6	7.22	120.61	117.00
26	BB	998	C	N1-C2-O2	7.22	123.23	118.90
26	BB	1302	A	N7-C8-N9	-7.22	110.19	113.80
26	BB	1885	A	C5-C6-N1	-7.22	114.09	117.70
1	AA	126	G	C5-C6-N1	-7.22	107.89	111.50
1	AA	262	A	C8-N9-C4	7.22	108.69	105.80
1	AA	496	A	C1'-O4'-C4'	-7.22	104.12	109.90
1	AA	499	A	C5-C6-N1	-7.22	114.09	117.70
1	AA	540	G	N3-C4-N9	-7.22	121.67	126.00
1	AA	1320	C	C5-C4-N4	-7.22	115.14	120.20
2	AB	27	C	C5-C6-N1	7.22	124.61	121.00
25	BA	28	C	C4'-C3'-C2'	-7.22	95.38	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	136	G	N9-C4-C5	7.22	108.29	105.40
26	BB	144	A	C5-C6-N6	-7.22	117.92	123.70
26	BB	682	G	C4-C5-N7	-7.22	107.91	110.80
26	BB	2468	A	C1'-O4'-C4'	-7.22	104.12	109.90
26	BB	235	U	C5-C4-O4	-7.22	121.57	125.90
26	BB	2708	G	N3-C4-C5	-7.22	124.99	128.60
1	AA	188	C	C6-N1-C2	-7.22	117.41	120.30
1	AA	377	G	C8-N9-C4	-7.22	103.51	106.40
26	BB	935	C	C4-C5-C6	7.22	121.01	117.40
26	BB	1651	G	N9-C4-C5	7.22	108.29	105.40
26	BB	1864	U	N3-C4-C5	7.22	118.93	114.60
26	BB	1933	G	O4'-C1'-N9	7.22	113.98	108.20
26	BB	1980	G	C4-C5-N7	-7.22	107.91	110.80
26	BB	2053	G	N3-C4-C5	-7.22	124.99	128.60
26	BB	2756	U	C5-C4-O4	-7.22	121.57	125.90
1	AA	1315	U	O4'-C1'-N1	7.22	113.97	108.20
1	AA	165	G	C8-N9-C4	-7.22	103.51	106.40
1	AA	681	A	N1-C2-N3	7.22	132.91	129.30
1	AA	1323	G	C5-C6-O6	-7.22	124.27	128.60
1	AA	1423	G	C5-C6-N1	7.22	115.11	111.50
2	AB	1	A	C2-N3-C4	7.22	114.21	110.60
26	BB	1688	U	N1-C1'-C2'	-7.22	104.06	112.00
26	BB	2177	C	C3'-C2'-C1'	-7.22	95.73	101.50
26	BB	2816	G	O3'-P-O5'	7.22	117.71	104.00
26	BB	2829	A	O4'-C1'-N9	7.22	113.97	108.20
1	AA	2	A	C5-N7-C8	-7.21	100.29	103.90
1	AA	86	G	N3-C4-C5	-7.21	124.99	128.60
1	AA	1310	G	C5-C6-N1	7.21	115.11	111.50
8	AH	111	ARG	NE-CZ-NH1	7.21	123.91	120.30
26	BB	157	C	N1-C2-N3	-7.21	114.15	119.20
26	BB	1980	G	N7-C8-N9	7.21	116.71	113.10
26	BB	1990	C	N3-C2-O2	-7.21	116.85	121.90
26	BB	1996	C	N1-C2-O2	7.21	123.23	118.90
26	BB	2858	C	N1-C2-N3	-7.21	114.15	119.20
1	AA	394	G	C3'-C2'-C1'	7.21	107.27	101.50
1	AA	851	G	C5-N7-C8	7.21	107.91	104.30
4	AD	29	C	N3-C4-C5	7.21	124.78	121.90
26	BB	242	G	N9-C4-C5	7.21	108.28	105.40
26	BB	627	A	C3'-C2'-C1'	-7.21	95.73	101.50
26	BB	659	G	N1-C2-N2	7.21	122.69	116.20
26	BB	729	G	C4-C5-N7	7.21	113.69	110.80
26	BB	877	A	C2-N3-C4	7.21	114.21	110.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1419	A	C1'-O4'-C4'	-7.21	104.13	109.90
26	BB	2029	G	C8-N9-C4	-7.21	103.52	106.40
1	AA	738	C	N3-C4-N4	7.21	123.05	118.00
1	AA	1395	C	C5-C4-N4	-7.21	115.15	120.20
26	BB	185	G	N3-C4-N9	7.21	130.33	126.00
26	BB	738	G	C5-C6-N1	7.21	115.11	111.50
26	BB	1521	G	C1'-O4'-C4'	7.21	115.67	109.90
26	BB	1534	U	C1'-O4'-C4'	-7.21	104.13	109.90
26	BB	1557	C	C6-N1-C2	7.21	123.18	120.30
26	BB	1799	G	C8-N9-C4	-7.21	103.52	106.40
26	BB	1887	C	O4'-C1'-C2'	7.21	114.09	107.60
26	BB	1916	A	P-O5'-C5'	7.21	132.44	120.90
26	BB	1957	C	C6-N1-C2	-7.21	117.42	120.30
1	AA	705	G	C2-N3-C4	7.21	115.50	111.90
26	BB	186	G	N1-C2-N3	7.21	128.23	123.90
26	BB	1839	G	C4'-C3'-C2'	-7.21	95.39	102.60
1	AA	792	A	O4'-C1'-N9	7.21	113.97	108.20
1	AA	820	U	O4'-C1'-N1	7.21	113.97	108.20
26	BB	190	A	C6-N1-C2	-7.21	114.28	118.60
26	BB	443	A	C1'-O4'-C4'	-7.21	104.13	109.90
26	BB	978	G	N7-C8-N9	7.21	116.70	113.10
26	BB	1964	G	N1-C6-O6	7.21	124.22	119.90
1	AA	288	A	C4-C5-C6	-7.21	113.40	117.00
1	AA	1294	G	C5-N7-C8	-7.21	100.70	104.30
3	AC	46	C	C5'-C4'-O4'	7.21	117.75	109.10
26	BB	1365	A	C5-C6-N1	7.21	121.30	117.70
26	BB	1143	A	C5-C6-N1	7.21	121.30	117.70
26	BB	2160	C	C3'-C2'-C1'	7.21	107.26	101.50
1	AA	278	G	N1-C2-N3	7.20	128.22	123.90
26	BB	316	C	C5-C6-N1	7.20	124.60	121.00
26	BB	1840	G	P-O3'-C3'	7.20	128.34	119.70
1	AA	181	A	C3'-C2'-C1'	-7.20	95.74	101.50
1	AA	1330	U	O4'-C1'-N1	7.20	113.96	108.20
26	BB	233	A	N1-C2-N3	-7.20	125.70	129.30
1	AA	100	G	N1-C6-O6	-7.20	115.58	119.90
1	AA	309	A	C5-N7-C8	-7.20	100.30	103.90
1	AA	345	C	C4'-C3'-C2'	-7.20	95.40	102.60
1	AA	995	C	N1-C2-O2	7.20	123.22	118.90
1	AA	1129	C	N1-C1'-C2'	-7.20	104.08	112.00
1	AA	1131	G	N3-C2-N2	7.20	124.94	119.90
1	AA	1147	C	N3-C2-O2	-7.20	116.86	121.90
4	AD	50	G	C8-N9-C4	-7.20	103.52	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1375	U	N1-C2-N3	7.20	119.22	114.90
26	BB	2722	G	C5-C6-N1	7.20	115.10	111.50
1	AA	1127	G	N3-C2-N2	7.20	124.94	119.90
25	BA	48	U	C5'-C4'-C3'	-7.20	104.48	116.00
26	BB	743	A	C4'-C3'-C2'	-7.20	95.40	102.60
26	BB	2513	A	C2-N3-C4	7.20	114.20	110.60
26	BB	710	U	O4'-C1'-N1	7.20	113.96	108.20
26	BB	1154	G	N3-C4-N9	7.20	130.32	126.00
26	BB	1460	U	C5-C4-O4	7.20	130.22	125.90
26	BB	2628	C	C5-C4-N4	-7.20	115.16	120.20
1	AA	1171	A	C3'-C2'-C1'	-7.20	95.74	101.50
1	AA	1185	G	O4'-C1'-N9	7.20	113.96	108.20
1	AA	1491	G	C6-N1-C2	-7.20	120.78	125.10
4	AD	71	G	C5-C6-N1	7.20	115.10	111.50
26	BB	137	U	N1-C2-O2	7.20	127.84	122.80
26	BB	285	G	O4'-C1'-N9	7.20	113.96	108.20
26	BB	519	U	N3-C4-C5	-7.20	110.28	114.60
26	BB	735	A	N7-C8-N9	7.20	117.40	113.80
26	BB	867	C	O4'-C1'-N1	7.20	113.96	108.20
26	BB	1271	G	N3-C4-N9	7.20	130.32	126.00
26	BB	1965	C	O4'-C1'-N1	7.20	113.96	108.20
1	AA	97	G	C4-C5-N7	-7.19	107.92	110.80
1	AA	755	G	N9-C4-C5	7.19	108.28	105.40
1	AA	1354	U	O4'-C4'-C3'	7.19	111.86	106.10
26	BB	1213	A	N1-C2-N3	-7.19	125.70	129.30
2	AB	40	C	C2-N3-C4	7.19	123.50	119.90
26	BB	455	C	C5-C4-N4	-7.19	115.17	120.20
26	BB	881	G	C3'-C2'-C1'	7.19	107.25	101.50
26	BB	956	G	C6-C5-N7	-7.19	126.08	130.40
26	BB	2173	A	C5-N7-C8	-7.19	100.30	103.90
26	BB	2174	C	C5-C6-N1	7.19	124.60	121.00
26	BB	2847	U	C3'-C2'-C1'	7.19	107.25	101.50
1	AA	937	A	C5-C6-N6	-7.19	117.95	123.70
26	BB	500	G	C5'-C4'-O4'	7.19	117.73	109.10
26	BB	578	G	C6-C5-N7	-7.19	126.09	130.40
26	BB	1912	A	C4-C5-N7	-7.19	107.10	110.70
26	BB	1991	U	N1-C2-N3	7.19	119.22	114.90
1	AA	366	A	C6-N1-C2	-7.19	114.29	118.60
1	AA	1455	G	C4-C5-N7	7.19	113.67	110.80
26	BB	2614	A	C6-C5-N7	-7.19	127.27	132.30
1	AA	1194	U	C4-C5-C6	7.19	124.01	119.70
25	BA	13	G	C2-N3-C4	7.19	115.49	111.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	26	C	C3'-C2'-C1'	-7.19	95.75	101.50
25	BA	59	A	N9-C1'-C2'	-7.19	104.09	112.00
26	BB	650	C	N3-C4-N4	7.19	123.03	118.00
26	BB	2058	A	N9-C4-C5	7.19	108.67	105.80
26	BB	2670	A	C5'-C4'-O4'	7.19	117.73	109.10
1	AA	776	G	N3-C2-N2	-7.19	114.87	119.90
1	AA	816	A	C2-N3-C4	7.19	114.19	110.60
1	AA	1085	U	C5-C6-N1	-7.19	119.11	122.70
1	AA	1502	A	C5'-C4'-O4'	-7.19	100.48	109.10
26	BB	2403	C	N3-C4-C5	7.19	124.77	121.90
26	BB	2881	U	C5'-C4'-O4'	7.19	117.72	109.10
1	AA	515	G	C5'-C4'-O4'	7.18	117.72	109.10
1	AA	528	C	C5'-C4'-O4'	7.18	117.72	109.10
26	BB	261	G	N3-C4-C5	-7.18	125.01	128.60
26	BB	674	G	C1'-O4'-C4'	-7.18	104.15	109.90
26	BB	1218	G	C8-N9-C4	7.18	109.27	106.40
1	AA	465	A	C8-N9-C4	-7.18	102.93	105.80
1	AA	683	G	C8-N9-C4	7.18	109.27	106.40
25	BA	39	A	O4'-C1'-N9	7.18	113.95	108.20
26	BB	158	U	O4'-C1'-N1	7.18	113.95	108.20
26	BB	540	C	N3-C4-C5	-7.18	119.03	121.90
26	BB	2505	G	C6-C5-N7	-7.18	126.09	130.40
26	BB	2630	G	N1-C2-N2	7.18	122.67	116.20
51	B0	52	ARG	NE-CZ-NH2	7.18	123.89	120.30
1	AA	11	G	C5-C6-O6	-7.18	124.29	128.60
1	AA	1166	G	N3-C4-C5	-7.18	125.01	128.60
26	BB	1810	A	O4'-C1'-N9	7.18	113.94	108.20
1	AA	254	G	C6-N1-C2	-7.18	120.79	125.10
1	AA	812	G	C3'-C2'-C1'	7.18	107.24	101.50
1	AA	1154	G	N1-C6-O6	-7.18	115.59	119.90
26	BB	1610	A	O4'-C1'-N9	7.18	113.94	108.20
26	BB	2131	U	N3-C4-O4	7.18	124.43	119.40
1	AA	649	A	C5-C6-N1	-7.18	114.11	117.70
26	BB	100	U	O4'-C1'-C2'	7.18	114.06	107.60
26	BB	1570	A	N1-C2-N3	-7.18	125.71	129.30
37	BM	98	ARG	NE-CZ-NH1	7.18	123.89	120.30
1	AA	152	A	C8-N9-C4	-7.18	102.93	105.80
1	AA	788	U	C2-N3-C4	-7.18	122.69	127.00
25	BA	78	A	N7-C8-N9	7.18	117.39	113.80
26	BB	503	A	C1'-O4'-C4'	-7.18	104.16	109.90
26	BB	901	C	O4'-C1'-N1	7.18	113.94	108.20
26	BB	1160	G	C4'-C3'-C2'	-7.18	95.42	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1949	G	O4'-C1'-N9	7.18	113.94	108.20
26	BB	2358	A	N1-C2-N3	7.18	132.89	129.30
26	BB	2784	U	C5-C6-N1	-7.18	119.11	122.70
1	AA	201	G	C5-C6-N1	7.17	115.09	111.50
1	AA	669	G	N1-C6-O6	7.17	124.20	119.90
1	AA	774	G	C4'-C3'-C2'	-7.17	95.42	102.60
26	BB	66	C	C2-N3-C4	7.17	123.49	119.90
26	BB	737	C	N3-C2-O2	-7.17	116.88	121.90
26	BB	757	G	N3-C4-C5	-7.17	125.01	128.60
26	BB	1305	C	N1-C2-N3	-7.17	114.18	119.20
26	BB	1743	G	N3-C4-C5	-7.17	125.01	128.60
26	BB	2355	G	C4-C5-C6	7.17	123.10	118.80
26	BB	2536	G	N1-C2-N2	7.17	122.66	116.20
1	AA	865	A	C4-C5-N7	7.17	114.29	110.70
1	AA	926	G	N1-C2-N3	7.17	128.20	123.90
26	BB	201	C	N3-C4-N4	7.17	123.02	118.00
26	BB	1346	G	N9-C4-C5	7.17	108.27	105.40
26	BB	1838	C	N1-C1'-C2'	-7.17	104.11	112.00
26	BB	2012	G	C5-N7-C8	-7.17	100.71	104.30
1	AA	277	C	C4-C5-C6	-7.17	113.81	117.40
1	AA	1217	C	C5-C6-N1	7.17	124.58	121.00
26	BB	1936	A	O4'-C1'-N9	7.17	113.94	108.20
26	BB	2617	U	O4'-C1'-N1	7.17	113.94	108.20
28	BD	247	TRP	NE1-CE2-CZ2	7.17	138.29	130.40
1	AA	390	U	C5-C6-N1	-7.17	119.11	122.70
6	AF	163	ARG	NE-CZ-NH1	7.17	123.89	120.30
9	AI	114	ASP	CB-CG-OD1	-7.17	111.85	118.30
25	BA	1	U	N1-C1'-C2'	-7.17	104.11	112.00
1	AA	453	G	N3-C4-C5	-7.17	125.02	128.60
26	BB	912	C	C5'-C4'-O4'	7.17	117.70	109.10
26	BB	1571	A	N7-C8-N9	7.17	117.39	113.80
26	BB	1578	U	C4'-C3'-C2'	-7.17	95.43	102.60
26	BB	2883	A	C5-C6-N6	-7.17	117.96	123.70
1	AA	316	C	N3-C4-C5	-7.17	119.03	121.90
1	AA	536	C	C5-C6-N1	7.17	124.58	121.00
1	AA	942	G	C5-C6-O6	-7.17	124.30	128.60
26	BB	633	A	C6-N1-C2	7.17	122.90	118.60
26	BB	715	A	C6-N1-C2	7.17	122.90	118.60
26	BB	868	U	O4'-C1'-N1	7.17	113.93	108.20
26	BB	1522	A	C8-N9-C4	-7.17	102.93	105.80
26	BB	1548	A	N7-C8-N9	7.17	117.38	113.80
26	BB	2071	A	C4-C5-C6	-7.17	113.42	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2480	C	C5-C6-N1	-7.17	117.42	121.00
1	AA	555	U	C4-C5-C6	7.17	124.00	119.70
1	AA	640	A	N1-C2-N3	-7.17	125.72	129.30
1	AA	823	C	N1-C2-O2	7.17	123.20	118.90
26	BB	1021	A	C3'-C2'-C1'	-7.17	95.77	101.50
26	BB	1777	U	N3-C2-O2	-7.17	117.19	122.20
26	BB	2647	U	O4'-C1'-N1	7.17	113.93	108.20
1	AA	435	A	N9-C1'-C2'	-7.16	104.12	112.00
1	AA	550	G	N3-C4-C5	-7.16	125.02	128.60
26	BB	333	G	N1-C6-O6	7.16	124.20	119.90
26	BB	365	U	C3'-C2'-C1'	7.16	107.23	101.50
26	BB	693	A	C5-C6-N6	-7.16	117.97	123.70
26	BB	1975	G	C1'-O4'-C4'	-7.16	104.17	109.90
26	BB	2021	C	C3'-C2'-C1'	7.16	107.23	101.50
26	BB	2072	C	N1-C2-O2	7.16	123.20	118.90
1	AA	968	A	C2'-C3'-O3'	7.16	125.26	109.50
26	BB	1422	G	O5'-P-OP1	7.16	119.29	110.70
26	BB	2093	G	C6-C5-N7	-7.16	126.10	130.40
1	AA	450	G	N9-C4-C5	-7.16	102.54	105.40
1	AA	650	G	C6-N1-C2	-7.16	120.80	125.10
1	AA	702	A	N7-C8-N9	7.16	117.38	113.80
1	AA	757	U	C4'-C3'-C2'	-7.16	95.44	102.60
1	AA	926	G	C4-C5-N7	-7.16	107.94	110.80
1	AA	939	G	C3'-C2'-C1'	-7.16	95.77	101.50
1	AA	939	G	N1-C2-N3	-7.16	119.60	123.90
1	AA	1353	G	N7-C8-N9	-7.16	109.52	113.10
26	BB	1711	A	N7-C8-N9	-7.16	110.22	113.80
26	BB	2175	C	C5-C4-N4	-7.16	115.19	120.20
26	BB	2387	U	O5'-P-OP2	-7.16	99.26	105.70
26	BB	2591	C	N1-C2-N3	7.16	124.21	119.20
26	BB	2770	G	N9-C4-C5	7.16	108.26	105.40
26	BB	2813	A	C8-N9-C4	-7.16	102.94	105.80
44	BT	16	GLU	OE1-CD-OE2	7.16	131.89	123.30
56	B5	41	ARG	NE-CZ-NH2	7.16	123.88	120.30
1	AA	280	C	N3-C4-C5	-7.16	119.04	121.90
1	AA	588	G	N1-C2-N3	-7.16	119.61	123.90
1	AA	1208	C	C5'-C4'-O4'	7.16	117.69	109.10
2	AB	59	G	C5-C6-O6	-7.16	124.30	128.60
25	BA	20	G	C8-N9-C4	-7.16	103.54	106.40
26	BB	907	G	C5'-C4'-O4'	7.16	117.69	109.10
26	BB	916	G	C4-C5-C6	7.16	123.09	118.80
26	BB	1484	U	N3-C4-O4	7.16	124.41	119.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2548	U	O4'-C4'-C3'	7.16	111.83	106.10
1	AA	537	G	C6-C5-N7	-7.16	126.11	130.40
1	AA	859	G	O4'-C1'-N9	7.16	113.92	108.20
1	AA	950	U	N3-C2-O2	-7.16	117.19	122.20
6	AF	130	ARG	NH1-CZ-NH2	-7.16	111.53	119.40
26	BB	261	G	C6-N1-C2	-7.16	120.81	125.10
26	BB	1971	U	O4'-C1'-N1	7.16	113.92	108.20
1	AA	543	U	C4-C5-C6	7.16	123.99	119.70
1	AA	592	G	C6-C5-N7	7.16	134.69	130.40
1	AA	782	A	P-O3'-C3'	7.16	128.29	119.70
1	AA	799	G	N3-C4-N9	7.16	130.29	126.00
1	AA	873	A	O4'-C1'-N9	7.16	113.92	108.20
1	AA	1099	G	C5-C6-N1	-7.16	107.92	111.50
4	AD	30	G	O4'-C1'-N9	7.16	113.92	108.20
26	BB	68	G	P-O3'-C3'	7.16	128.29	119.70
26	BB	125	A	N3-C4-N9	7.16	133.12	127.40
26	BB	881	G	C5-N7-C8	-7.16	100.72	104.30
26	BB	1168	G	C2-N3-C4	7.16	115.48	111.90
26	BB	1256	G	P-O3'-C3'	7.16	128.29	119.70
26	BB	1678	A	C5-N7-C8	7.16	107.48	103.90
26	BB	1703	G	N7-C8-N9	7.16	116.68	113.10
26	BB	1763	G	C4-C5-N7	-7.16	107.94	110.80
26	BB	1856	U	N3-C4-O4	7.16	124.41	119.40
26	BB	2054	A	C5-C6-N1	7.16	121.28	117.70
31	BG	137	PHE	CB-CG-CD2	7.16	125.81	120.80
1	AA	1281	C	C5-C4-N4	-7.15	115.19	120.20
3	AC	36	U	O4'-C1'-N1	7.15	113.92	108.20
26	BB	353	C	N1-C2-O2	7.15	123.19	118.90
26	BB	1534	U	C3'-C2'-C1'	7.15	107.22	101.50
56	B5	3	ARG	NE-CZ-NH1	-7.15	116.72	120.30
26	BB	148	U	N1-C2-O2	-7.15	117.79	122.80
26	BB	572	A	N9-C4-C5	7.15	108.66	105.80
26	BB	615	U	P-O3'-C3'	7.15	128.28	119.70
26	BB	728	G	N7-C8-N9	7.15	116.68	113.10
26	BB	1029	A	N1-C2-N3	-7.15	125.72	129.30
26	BB	2730	C	C4'-C3'-C2'	-7.15	95.45	102.60
25	BA	19	C	C4-C5-C6	7.15	120.97	117.40
26	BB	743	A	N1-C6-N6	-7.15	114.31	118.60
26	BB	1258	U	N3-C2-O2	-7.15	117.19	122.20
26	BB	1420	A	O4'-C1'-N9	7.15	113.92	108.20
26	BB	2666	C	O4'-C1'-N1	7.15	113.92	108.20
42	BR	85	VAL	CA-CB-CG1	7.15	121.62	110.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2633	G	N3-C4-N9	7.15	130.29	126.00
1	AA	714	G	C4-C5-C6	7.15	123.09	118.80
1	AA	1049	U	N3-C2-O2	-7.15	117.20	122.20
26	BB	119	A	O4'-C1'-C2'	-7.15	98.65	105.80
26	BB	476	G	N9-C4-C5	7.15	108.26	105.40
26	BB	1062	G	C2-N3-C4	7.15	115.47	111.90
26	BB	1157	G	N3-C4-C5	-7.15	125.03	128.60
26	BB	1232	G	C5-N7-C8	-7.15	100.73	104.30
26	BB	2059	A	N9-C4-C5	7.15	108.66	105.80
1	AA	453	G	C5-N7-C8	7.15	107.87	104.30
1	AA	1387	G	O4'-C1'-C2'	7.15	114.03	107.60
1	AA	1392	G	C5-C6-O6	-7.15	124.31	128.60
26	BB	283	G	N9-C4-C5	7.15	108.26	105.40
26	BB	883	G	C5-N7-C8	7.15	107.87	104.30
1	AA	421	U	N3-C2-O2	-7.14	117.20	122.20
1	AA	506	G	C5-C6-N1	7.14	115.07	111.50
1	AA	630	A	C6-C5-N7	-7.14	127.30	132.30
1	AA	725	G	C5-N7-C8	-7.14	100.73	104.30
26	BB	598	U	N1-C2-N3	7.14	119.19	114.90
26	BB	877	A	C5-N7-C8	7.14	107.47	103.90
26	BB	2886	A	C3'-C2'-C1'	7.14	107.22	101.50
1	AA	177	G	N3-C4-C5	-7.14	125.03	128.60
1	AA	318	G	C4-C5-N7	-7.14	107.94	110.80
1	AA	534	U	C5-C4-O4	-7.14	121.61	125.90
1	AA	859	G	N3-C4-C5	-7.14	125.03	128.60
1	AA	1345	U	N1-C2-N3	7.14	119.19	114.90
3	AC	27	A	C2-N3-C4	7.14	114.17	110.60
4	AD	5	G	C5'-C4'-O4'	7.14	117.67	109.10
26	BB	342	A	N1-C6-N6	7.14	122.89	118.60
26	BB	387	U	N1-C1'-C2'	-7.14	104.14	112.00
26	BB	780	G	C5'-C4'-O4'	7.14	117.67	109.10
26	BB	1912	A	N3-C4-C5	-7.14	121.80	126.80
1	AA	894	G	C6-C5-N7	-7.14	126.12	130.40
2	AB	10	G	C5'-C4'-O4'	7.14	117.67	109.10
26	BB	2273	A	C3'-C2'-C1'	7.14	107.21	101.50
26	BB	2535	G	N1-C2-N2	-7.14	109.77	116.20
26	BB	2545	G	C5-N7-C8	7.14	107.87	104.30
1	AA	280	C	N3-C4-N4	7.14	123.00	118.00
2	AB	56	C	C2-N3-C4	7.14	123.47	119.90
26	BB	454	A	C3'-C2'-C1'	-7.14	95.79	101.50
26	BB	2796	U	C5-C6-N1	-7.14	119.13	122.70
55	B4	51	ALA	CB-CA-C	7.14	120.81	110.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1268	A	C4-C5-N7	-7.14	107.13	110.70
26	BB	1769	U	C3'-C2'-C1'	7.14	107.21	101.50
26	BB	2119	A	C8-N9-C4	-7.14	102.94	105.80
1	AA	1059	C	P-O3'-C3'	7.14	128.26	119.70
1	AA	1079	G	N9-C4-C5	7.14	108.25	105.40
1	AA	1392	G	N9-C4-C5	7.14	108.25	105.40
26	BB	304	U	C6-N1-C2	-7.14	116.72	121.00
26	BB	694	U	N1-C2-O2	-7.14	117.80	122.80
26	BB	763	G	C5-C6-O6	-7.14	124.32	128.60
26	BB	874	G	N3-C2-N2	-7.14	114.90	119.90
26	BB	1125	G	C2-N3-C4	7.14	115.47	111.90
26	BB	2663	G	N7-C8-N9	7.14	116.67	113.10
26	BB	2812	G	C6-N1-C2	-7.14	120.82	125.10
1	AA	566	G	C5-N7-C8	-7.13	100.73	104.30
1	AA	696	A	C6-C5-N7	-7.13	127.31	132.30
1	AA	1209	C	P-O3'-C3'	7.13	128.26	119.70
26	BB	453	A	N3-C4-C5	-7.13	121.81	126.80
26	BB	822	G	O4'-C1'-N9	7.13	113.91	108.20
26	BB	1032	A	C5-C6-N1	7.13	121.27	117.70
26	BB	1191	G	C4-C5-C6	7.13	123.08	118.80
26	BB	1201	U	N3-C2-O2	-7.13	117.21	122.20
26	BB	1603	A	N1-C2-N3	-7.13	125.73	129.30
26	BB	1648	U	N3-C4-O4	7.13	124.39	119.40
26	BB	1772	A	N1-C6-N6	7.13	122.88	118.60
26	BB	1840	G	N1-C6-O6	-7.13	115.62	119.90
26	BB	1980	G	C3'-C2'-C1'	7.13	107.21	101.50
26	BB	2349	G	C6-N1-C2	-7.13	120.82	125.10
26	BB	2508	G	N3-C4-C5	-7.13	125.03	128.60
1	AA	425	G	C3'-C2'-C1'	-7.13	95.79	101.50
26	BB	2369	A	C5-C6-N1	7.13	121.27	117.70
25	BA	6	G	C6-N1-C2	-7.13	120.82	125.10
26	BB	686	U	C5-C6-N1	-7.13	119.13	122.70
26	BB	959	A	C4-C5-C6	-7.13	113.43	117.00
26	BB	1351	C	O4'-C1'-N1	7.13	113.91	108.20
26	BB	1385	A	C2-N3-C4	7.13	114.17	110.60
26	BB	1672	A	C4-C5-C6	-7.13	113.43	117.00
26	BB	1848	A	C5'-C4'-O4'	7.13	117.66	109.10
26	BB	2020	A	C1'-O4'-C4'	-7.13	104.19	109.90
26	BB	2311	A	C3'-C2'-C1'	7.13	107.21	101.50
26	BB	275	C	C5-C4-N4	7.13	125.19	120.20
26	BB	585	G	C5'-C4'-O4'	7.13	117.66	109.10
26	BB	960	A	N9-C4-C5	7.13	108.65	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1171	G	P-O3'-C3'	7.13	128.26	119.70
26	BB	1787	A	C5-C6-N6	-7.13	118.00	123.70
26	BB	1926	U	C4-C5-C6	7.13	123.98	119.70
26	BB	2807	U	O4'-C1'-N1	7.13	113.90	108.20
1	AA	842	U	N3-C4-C5	7.13	118.88	114.60
1	AA	1018	G	C4-C5-N7	7.13	113.65	110.80
26	BB	729	G	N3-C4-C5	-7.13	125.04	128.60
26	BB	1496	A	C5'-C4'-O4'	7.13	117.66	109.10
26	BB	1710	G	C4-C5-N7	7.13	113.65	110.80
26	BB	2396	G	N7-C8-N9	-7.13	109.54	113.10
1	AA	3	A	C6-N1-C2	7.13	122.88	118.60
1	AA	480	U	C5'-C4'-O4'	7.13	117.65	109.10
1	AA	957	U	N1-C2-O2	7.13	127.79	122.80
1	AA	989	U	C5-C6-N1	-7.13	119.14	122.70
1	AA	1525	G	N9-C4-C5	7.13	108.25	105.40
4	AD	26	C	C1'-O4'-C4'	7.13	115.60	109.90
26	BB	129	C	O4'-C1'-C2'	-7.13	98.67	105.80
26	BB	262	A	N9-C4-C5	7.13	108.65	105.80
26	BB	912	C	N3-C4-N4	7.13	122.99	118.00
26	BB	1841	U	N3-C2-O2	-7.13	117.21	122.20
26	BB	2294	G	N1-C6-O6	-7.13	115.62	119.90
26	BB	97	C	N1-C2-O2	7.12	123.17	118.90
26	BB	558	U	P-O3'-C3'	7.12	128.25	119.70
26	BB	2236	U	C5-C4-O4	-7.12	121.62	125.90
1	AA	696	A	N1-C6-N6	7.12	122.88	118.60
3	AC	59	A	C5-N7-C8	7.12	107.46	103.90
25	BA	25	U	C1'-O4'-C4'	-7.12	104.20	109.90
26	BB	260	G	C4-C5-N7	-7.12	107.95	110.80
26	BB	336	C	C4-C5-C6	-7.12	113.84	117.40
26	BB	607	U	C5'-C4'-O4'	7.12	117.65	109.10
26	BB	760	G	C8-N9-C1'	7.12	136.26	127.00
26	BB	777	G	C5-N7-C8	-7.12	100.74	104.30
26	BB	861	A	C5-C6-N6	-7.12	118.00	123.70
26	BB	1231	U	N3-C2-O2	-7.12	117.21	122.20
26	BB	1985	C	C6-N1-C2	7.12	123.15	120.30
26	BB	2400	G	N1-C2-N2	7.12	122.61	116.20
26	BB	2453	A	C8-N9-C4	-7.12	102.95	105.80
26	BB	2565	A	P-O3'-C3'	7.12	128.25	119.70
26	BB	2781	A	C5'-C4'-C3'	-7.12	104.60	116.00
26	BB	2867	G	N9-C4-C5	7.12	108.25	105.40
1	AA	598	U	N3-C4-O4	7.12	124.39	119.40
1	AA	855	U	N3-C4-O4	7.12	124.39	119.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1115	U	O4'-C1'-N1	7.12	113.90	108.20
1	AA	1144	G	C4-C5-C6	7.12	123.07	118.80
2	AB	68	C	C4-C5-C6	7.12	120.96	117.40
26	BB	485	C	C2-N1-C1'	-7.12	110.97	118.80
26	BB	1038	G	C4-C5-N7	7.12	113.65	110.80
26	BB	1611	C	O4'-C1'-N1	7.12	113.90	108.20
26	BB	2106	U	C2-N3-C4	-7.12	122.73	127.00
30	BF	145	ASP	CB-CG-OD2	-7.12	111.89	118.30
1	AA	13	U	O5'-C5'-C4'	7.12	125.23	111.70
26	BB	66	C	C5-C6-N1	7.12	124.56	121.00
26	BB	368	A	C5'-C4'-O4'	7.12	117.64	109.10
26	BB	1105	U	N1-C2-N3	7.12	119.17	114.90
26	BB	2728	U	P-O3'-C3'	7.12	128.24	119.70
1	AA	119	A	N7-C8-N9	-7.12	110.24	113.80
1	AA	247	G	C4-C5-N7	-7.12	107.95	110.80
1	AA	945	G	N3-C4-C5	-7.12	125.04	128.60
1	AA	1245	C	C5'-C4'-O4'	7.12	117.64	109.10
1	AA	1392	G	C1'-O4'-C4'	-7.12	104.20	109.90
26	BB	89	A	C2-N3-C4	7.12	114.16	110.60
26	BB	234	U	C4'-C3'-C2'	-7.12	95.48	102.60
26	BB	410	G	C4-C5-C6	-7.12	114.53	118.80
26	BB	415	A	C5-C6-N1	7.12	121.26	117.70
26	BB	514	A	N1-C2-N3	7.12	132.86	129.30
26	BB	1412	U	C2-N3-C4	-7.12	122.73	127.00
26	BB	1896	G	C5-C6-N1	7.12	115.06	111.50
26	BB	2028	U	N3-C2-O2	-7.12	117.22	122.20
26	BB	2138	G	C6-N1-C2	-7.12	120.83	125.10
1	AA	1000	A	O4'-C4'-C3'	-7.12	96.88	104.00
1	AA	1215	G	N7-C8-N9	7.12	116.66	113.10
26	BB	446	G	C1'-O4'-C4'	7.12	115.59	109.90
26	BB	853	C	N3-C4-C5	-7.12	119.05	121.90
26	BB	1112	G	C8-N9-C4	-7.12	103.55	106.40
26	BB	2331	G	C2-N3-C4	7.12	115.46	111.90
1	AA	415	A	N9-C1'-C2'	-7.12	104.17	112.00
1	AA	1159	U	C1'-O4'-C4'	-7.12	104.21	109.90
26	BB	1039	A	O4'-C1'-N9	7.12	113.89	108.20
26	BB	1138	G	C5'-C4'-O4'	7.12	117.64	109.10
26	BB	1449	G	C8-N9-C4	7.12	109.25	106.40
26	BB	2406	A	O4'-C1'-N9	7.12	113.89	108.20
1	AA	113	G	N1-C2-N3	7.11	128.17	123.90
1	AA	1431	A	C5-N7-C8	7.11	107.46	103.90
1	AA	1504	G	N9-C4-C5	-7.11	102.56	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1001	A	N1-C6-N6	-7.11	114.33	118.60
26	BB	2062	A	C4-C5-C6	7.11	120.56	117.00
26	BB	2247	A	C5-N7-C8	-7.11	100.34	103.90
28	BD	51	ARG	NE-CZ-NH2	-7.11	116.74	120.30
1	AA	291	U	N3-C4-O4	7.11	124.38	119.40
26	BB	1379	U	C5-C4-O4	-7.11	121.63	125.90
1	AA	1405	G	N9-C4-C5	-7.11	102.56	105.40
3	AC	47	C	C6-N1-C2	-7.11	117.46	120.30
26	BB	372	G	C8-N9-C4	-7.11	103.56	106.40
26	BB	755	U	N1-C2-N3	7.11	119.17	114.90
26	BB	1372	U	N3-C2-O2	-7.11	117.22	122.20
26	BB	2009	A	N7-C8-N9	-7.11	110.25	113.80
26	BB	2462	C	C5-C6-N1	7.11	124.56	121.00
1	AA	475	C	C6-N1-C2	-7.11	117.46	120.30
1	AA	668	G	N3-C4-C5	-7.11	125.05	128.60
1	AA	709	U	N3-C4-C5	-7.11	110.33	114.60
1	AA	868	C	N1-C2-O2	7.11	123.17	118.90
26	BB	861	A	C2-N3-C4	7.11	114.15	110.60
26	BB	1250	G	C4-C5-C6	7.11	123.06	118.80
26	BB	2516	A	C2-N3-C4	7.11	114.15	110.60
1	AA	947	G	C1'-O4'-C4'	-7.11	104.21	109.90
25	BA	86	G	C5-C6-N1	7.11	115.05	111.50
26	BB	374	A	N1-C6-N6	-7.11	114.34	118.60
26	BB	672	C	C6-N1-C2	-7.11	117.46	120.30
26	BB	862	G	C8-N9-C4	-7.11	103.56	106.40
26	BB	924	G	N1-C6-O6	-7.11	115.64	119.90
26	BB	1069	A	O4'-C1'-C2'	-7.11	98.69	105.80
26	BB	2502	G	C2-N3-C4	7.11	115.45	111.90
26	BB	2518	A	C5-C6-N6	7.11	129.39	123.70
26	BB	2588	G	C2-N3-C4	7.11	115.45	111.90
26	BB	2723	C	N1-C1'-C2'	-7.11	104.18	112.00
1	AA	351	G	N3-C4-C5	-7.11	125.05	128.60
1	AA	356	A	O4'-C1'-N9	7.11	113.88	108.20
1	AA	725	G	N1-C6-O6	-7.11	115.64	119.90
1	AA	805	C	C5-C4-N4	7.11	125.17	120.20
1	AA	862	C	O4'-C1'-N1	7.11	113.89	108.20
1	AA	1164	G	N7-C8-N9	7.11	116.65	113.10
1	AA	1389	C	C4-C5-C6	7.11	120.95	117.40
26	BB	334	C	C6-N1-C2	-7.11	117.46	120.30
26	BB	454	A	N1-C6-N6	-7.11	114.34	118.60
26	BB	655	A	P-O3'-C3'	7.11	128.23	119.70
26	BB	899	A	N9-C4-C5	7.11	108.64	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1759	A	C4-C5-N7	-7.11	107.15	110.70
26	BB	2333	A	C5'-C4'-C3'	-7.11	104.63	116.00
32	BH	113	ASP	CB-CG-OD2	-7.11	111.91	118.30
1	AA	306	A	C5-C6-N1	-7.10	114.15	117.70
1	AA	909	A	P-O3'-C3'	7.10	128.22	119.70
25	BA	64	G	C5-N7-C8	-7.10	100.75	104.30
26	BB	117	G	C2-N3-C4	7.10	115.45	111.90
26	BB	202	U	N3-C2-O2	-7.10	117.23	122.20
26	BB	463	G	N9-C4-C5	7.10	108.24	105.40
26	BB	2186	G	N9-C1'-C2'	-7.10	104.19	112.00
26	BB	2383	G	C8-N9-C4	-7.10	103.56	106.40
1	AA	382	A	C5'-C4'-C3'	7.10	127.36	116.00
6	AF	39	ARG	NE-CZ-NH1	7.10	123.85	120.30
25	BA	24	G	C5-N7-C8	7.10	107.85	104.30
25	BA	91	C	C2-N3-C4	7.10	123.45	119.90
26	BB	16	C	C4'-C3'-C2'	-7.10	95.50	102.60
26	BB	160	A	C5'-C4'-O4'	7.10	117.62	109.10
26	BB	580	U	C2-N3-C4	-7.10	122.74	127.00
26	BB	1234	U	C5-C4-O4	7.10	130.16	125.90
26	BB	1441	G	O4'-C1'-N9	7.10	113.88	108.20
26	BB	1560	G	C6-N1-C2	-7.10	120.84	125.10
26	BB	1876	A	N7-C8-N9	7.10	117.35	113.80
1	AA	68	G	C5-C6-O6	-7.10	124.34	128.60
25	BA	17	C	C5-C4-N4	7.10	125.17	120.20
26	BB	82	U	N3-C4-O4	7.10	124.37	119.40
26	BB	1762	A	C5-C6-N1	-7.10	114.15	117.70
1	AA	585	G	C5-C6-N1	-7.10	107.95	111.50
1	AA	759	A	C5'-C4'-O4'	7.10	117.62	109.10
25	BA	58	A	C4'-C3'-C2'	-7.10	95.50	102.60
26	BB	1659	G	N1-C2-N2	7.10	122.59	116.20
26	BB	1829	A	C4-C5-C6	-7.10	113.45	117.00
26	BB	1954	G	C5-N7-C8	-7.10	100.75	104.30
26	BB	2113	U	C1'-O4'-C4'	-7.10	104.22	109.90
26	BB	2268	A	N1-C6-N6	7.10	122.86	118.60
26	BB	2370	G	C4'-C3'-C2'	-7.10	95.50	102.60
26	BB	2518	A	O4'-C1'-C2'	-7.10	98.70	105.80
26	BB	2543	G	C6-N1-C2	7.10	129.36	125.10
30	BF	40	ARG	NE-CZ-NH1	7.10	123.85	120.30
1	AA	1	A	C6-N1-C2	7.10	122.86	118.60
1	AA	115	G	C8-N9-C4	-7.10	103.56	106.40
1	AA	928	G	N9-C4-C5	-7.10	102.56	105.40
1	AA	1345	U	C6-N1-C2	-7.10	116.74	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1396	A	C4-C5-N7	-7.10	107.15	110.70
1	AA	1520	C	O4'-C1'-N1	7.10	113.88	108.20
25	BA	78	A	N1-C6-N6	-7.10	114.34	118.60
26	BB	59	U	N3-C4-C5	-7.10	110.34	114.60
26	BB	157	C	N1-C2-O2	7.10	123.16	118.90
26	BB	464	U	O4'-C4'-C3'	7.10	111.78	106.10
26	BB	711	G	N1-C6-O6	-7.10	115.64	119.90
26	BB	1488	C	N3-C4-C5	7.10	124.74	121.90
26	BB	1992	G	C3'-C2'-C1'	7.10	107.18	101.50
1	AA	655	A	C4-C5-N7	7.10	114.25	110.70
1	AA	724	G	N7-C8-N9	7.10	116.65	113.10
1	AA	1427	C	C6-N1-C2	-7.10	117.46	120.30
26	BB	1863	G	N1-C2-N3	-7.10	119.64	123.90
26	BB	2130	U	C5-C4-O4	7.10	130.16	125.90
26	BB	2496	C	P-O3'-C3'	7.10	128.22	119.70
1	AA	906	A	N9-C4-C5	7.09	108.64	105.80
1	AA	1088	G	C5-C6-O6	-7.09	124.34	128.60
26	BB	213	A	O4'-C1'-N9	7.09	113.88	108.20
26	BB	377	G	C6-N1-C2	-7.09	120.84	125.10
26	BB	738	G	N3-C4-N9	7.09	130.26	126.00
26	BB	1058	U	C4'-C3'-C2'	-7.09	95.50	102.60
26	BB	1978	A	C4-C5-N7	-7.09	107.15	110.70
26	BB	2120	G	N3-C4-C5	-7.09	125.05	128.60
26	BB	2902	C	N1-C1'-C2'	-7.09	104.20	112.00
1	AA	935	A	C2-N3-C4	7.09	114.15	110.60
2	AB	51	G	C5-N7-C8	-7.09	100.75	104.30
26	BB	784	G	O4'-C1'-N9	7.09	113.87	108.20
26	BB	2746	U	O4'-C1'-N1	7.09	113.87	108.20
1	AA	842	U	N3-C2-O2	-7.09	117.24	122.20
4	AD	22	A	C5'-C4'-O4'	7.09	117.61	109.10
26	BB	648	G	C5-N7-C8	-7.09	100.75	104.30
26	BB	1238	G	C3'-C2'-C1'	7.09	107.17	101.50
26	BB	1576	U	N3-C2-O2	-7.09	117.23	122.20
26	BB	2259	U	O4'-C1'-N1	7.09	113.87	108.20
1	AA	116	A	O4'-C1'-N9	7.09	113.87	108.20
1	AA	1043	G	N7-C8-N9	7.09	116.64	113.10
25	BA	34	A	C3'-C2'-C1'	7.09	107.17	101.50
26	BB	797	G	C4'-C3'-C2'	-7.09	95.51	102.60
26	BB	892	A	C8-N9-C4	7.09	108.64	105.80
1	AA	383	A	N1-C6-N6	7.09	122.85	118.60
1	AA	1097	C	C5-C6-N1	7.09	124.54	121.00
1	AA	1439	G	C4-C5-N7	7.09	113.64	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1204	A	N1-C2-N3	-7.09	125.76	129.30
26	BB	1746	A	C6-N1-C2	-7.09	114.35	118.60
1	AA	72	A	O4'-C1'-N9	7.09	113.87	108.20
1	AA	259	G	C5-N7-C8	-7.09	100.76	104.30
1	AA	412	A	C2-N3-C4	-7.09	107.06	110.60
1	AA	573	A	C2-N3-C4	7.09	114.14	110.60
1	AA	606	G	N1-C6-O6	-7.09	115.65	119.90
1	AA	769	G	C5-N7-C8	7.09	107.84	104.30
2	AB	74	C	N3-C2-O2	-7.09	116.94	121.90
4	AD	31	G	N7-C8-N9	7.09	116.64	113.10
25	BA	28	C	O4'-C1'-N1	7.09	113.87	108.20
26	BB	842	U	C5-C6-N1	7.09	126.24	122.70
26	BB	1526	C	N1-C2-O2	-7.09	114.65	118.90
26	BB	1770	G	C4-C5-C6	7.09	123.05	118.80
26	BB	2275	C	C4-C5-C6	7.09	120.94	117.40
26	BB	2419	U	C6-N1-C2	-7.09	116.75	121.00
26	BB	2602	A	N9-C4-C5	7.09	108.64	105.80
26	BB	2726	A	C5-C6-N6	-7.09	118.03	123.70
26	BB	361	G	C5'-C4'-O4'	7.08	117.60	109.10
26	BB	2534	A	N7-C8-N9	7.08	117.34	113.80
26	BB	2657	A	N7-C8-N9	-7.08	110.26	113.80
1	AA	135	C	C5-C6-N1	-7.08	117.46	121.00
1	AA	528	C	N3-C2-O2	-7.08	116.94	121.90
1	AA	533	A	N1-C6-N6	7.08	122.85	118.60
1	AA	1294	G	N9-C1'-C2'	-7.08	104.21	112.00
26	BB	923	G	C5'-C4'-O4'	7.08	117.60	109.10
26	BB	1202	G	N3-C4-N9	-7.08	121.75	126.00
26	BB	2470	G	C5-C6-O6	-7.08	124.35	128.60
26	BB	2790	U	C5-C4-O4	-7.08	121.65	125.90
1	AA	666	G	N7-C8-N9	7.08	116.64	113.10
1	AA	1047	G	C6-C5-N7	-7.08	126.15	130.40
1	AA	1291	U	N1-C2-O2	7.08	127.76	122.80
1	AA	1377	A	C3'-C2'-C1'	7.08	107.17	101.50
1	AA	1430	A	O5'-C5'-C4'	7.08	125.16	111.70
26	BB	382	A	O4'-C4'-C3'	-7.08	96.92	104.00
26	BB	1755	A	N7-C8-N9	7.08	117.34	113.80
26	BB	2690	U	C4-C5-C6	7.08	123.95	119.70
26	BB	1732	C	O4'-C1'-N1	7.08	113.86	108.20
26	BB	1764	C	N3-C4-C5	-7.08	119.07	121.90
27	BC	78	PHE	CB-CG-CD1	-7.08	115.84	120.80
1	AA	419	C	C5-C4-N4	7.08	125.16	120.20
1	AA	1152	A	C5-C6-N6	-7.08	118.04	123.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	AD	37	U	C3'-C2'-C1'	7.08	107.16	101.50
26	BB	140	C	C3'-C2'-C1'	7.08	107.16	101.50
26	BB	218	A	N9-C4-C5	-7.08	102.97	105.80
26	BB	412	A	C5'-C4'-O4'	7.08	117.59	109.10
26	BB	929	U	C5'-C4'-O4'	7.08	117.59	109.10
26	BB	1511	G	C8-N9-C4	-7.08	103.57	106.40
26	BB	1738	G	C6-N1-C2	-7.08	120.85	125.10
26	BB	1799	G	N1-C6-O6	7.08	124.15	119.90
1	AA	832	G	N3-C2-N2	7.08	124.85	119.90
1	AA	963	G	C4'-C3'-C2'	-7.08	95.52	102.60
1	AA	1084	G	C5'-C4'-O4'	-7.08	100.61	109.10
1	AA	1532	U	N3-C2-O2	-7.08	117.25	122.20
26	BB	2271	G	N9-C4-C5	7.08	108.23	105.40
1	AA	591	U	C5'-C4'-O4'	7.08	117.59	109.10
26	BB	1321	A	N9-C4-C5	7.08	108.63	105.80
26	BB	1514	G	C5-C6-O6	-7.08	124.36	128.60
26	BB	1637	A	C5-C6-N1	7.08	121.24	117.70
26	BB	1731	G	C6-N1-C2	-7.08	120.86	125.10
26	BB	1760	C	N3-C4-C5	-7.08	119.07	121.90
26	BB	2394	C	N1-C1'-C2'	-7.08	104.22	112.00
26	BB	2435	A	C8-N9-C4	-7.08	102.97	105.80
26	BB	2487	G	N7-C8-N9	7.08	116.64	113.10
26	BB	2825	G	C4'-C3'-C2'	-7.08	95.52	102.60
26	BB	2888	C	N3-C4-C5	-7.08	119.07	121.90
26	BB	2901	C	C2-N3-C4	-7.08	116.36	119.90
1	AA	13	U	N1-C1'-C2'	7.07	123.19	114.00
1	AA	374	A	N9-C4-C5	7.07	108.63	105.80
1	AA	863	U	C5'-C4'-O4'	7.07	117.59	109.10
1	AA	1272	G	C5-N7-C8	-7.07	100.76	104.30
2	AB	68	C	C5-C6-N1	-7.07	117.46	121.00
26	BB	238	C	C5-C4-N4	-7.07	115.25	120.20
26	BB	2840	C	C5'-C4'-O4'	7.07	117.59	109.10
1	AA	145	G	C1'-O4'-C4'	-7.07	104.24	109.90
1	AA	499	A	N1-C6-N6	7.07	122.84	118.60
26	BB	57	C	N1-C1'-C2'	-7.07	104.22	112.00
26	BB	354	A	C6-C5-N7	7.07	137.25	132.30
26	BB	985	C	C4-C5-C6	7.07	120.94	117.40
26	BB	2441	U	C5-C6-N1	7.07	126.24	122.70
26	BB	2778	A	N1-C6-N6	7.07	122.84	118.60
1	AA	585	G	N3-C4-C5	-7.07	125.06	128.60
1	AA	1275	A	N1-C6-N6	-7.07	114.36	118.60
1	AA	1378	C	N3-C2-O2	-7.07	116.95	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	271	G	C2-N3-C4	7.07	115.44	111.90
26	BB	415	A	C5-N7-C8	-7.07	100.36	103.90
26	BB	578	G	N9-C4-C5	7.07	108.23	105.40
26	BB	1064	C	N3-C2-O2	-7.07	116.95	121.90
26	BB	1092	C	C5'-C4'-O4'	7.07	117.58	109.10
26	BB	1123	C	O4'-C1'-N1	7.07	113.86	108.20
26	BB	2147	A	C3'-C2'-C1'	-7.07	95.84	101.50
26	BB	2461	A	C6-N1-C2	-7.07	114.36	118.60
26	BB	2876	G	O4'-C1'-N9	7.07	113.86	108.20
1	AA	682	G	N3-C4-C5	-7.07	125.07	128.60
2	AB	40	C	C4-C5-C6	-7.07	113.87	117.40
26	BB	1837	C	N3-C2-O2	-7.07	116.95	121.90
1	AA	691	G	O4'-C1'-N9	7.07	113.86	108.20
1	AA	1181	G	C3'-C2'-C1'	-7.07	95.85	101.50
1	AA	1304	G	N1-C6-O6	7.07	124.14	119.90
26	BB	294	A	C5-C6-N6	-7.07	118.05	123.70
26	BB	1154	G	C6-C5-N7	-7.07	126.16	130.40
26	BB	1298	C	C4-C5-C6	-7.07	113.87	117.40
26	BB	1550	C	N3-C4-C5	7.07	124.73	121.90
26	BB	2746	U	C4'-C3'-C2'	-7.07	95.53	102.60
1	AA	126	G	C6-C5-N7	-7.07	126.16	130.40
1	AA	800	G	C5-C6-N1	7.07	115.03	111.50
9	AI	78	PHE	CB-CG-CD2	-7.07	115.85	120.80
26	BB	775	G	C5-C6-O6	-7.07	124.36	128.60
26	BB	1134	A	O4'-C1'-N9	7.07	113.85	108.20
26	BB	1234	U	C5'-C4'-O4'	7.07	117.58	109.10
26	BB	1678	A	C5-C6-N1	-7.07	114.17	117.70
26	BB	2083	G	N9-C4-C5	-7.07	102.57	105.40
26	BB	2101	A	N9-C4-C5	-7.07	102.97	105.80
26	BB	2674	G	N3-C2-N2	-7.07	114.95	119.90
1	AA	774	G	C3'-C2'-C1'	7.06	107.15	101.50
1	AA	1106	G	C6-C5-N7	-7.06	126.16	130.40
26	BB	420	C	C2-N3-C4	-7.06	116.37	119.90
26	BB	1094	U	C5-C4-O4	7.06	130.14	125.90
26	BB	1519	G	N3-C4-C5	-7.06	125.07	128.60
26	BB	1633	G	N3-C4-N9	7.06	130.24	126.00
26	BB	2056	G	C5-C6-O6	7.06	132.84	128.60
26	BB	2376	A	C5-N7-C8	-7.06	100.37	103.90
26	BB	2693	G	N9-C4-C5	7.06	108.23	105.40
1	AA	165	G	N3-C2-N2	-7.06	114.96	119.90
1	AA	1049	U	C5-C6-N1	-7.06	119.17	122.70
1	AA	1486	G	C1'-O4'-C4'	-7.06	104.25	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	44	G	C2-N3-C4	7.06	115.43	111.90
4	AD	19	G	O4'-C1'-N9	7.06	113.85	108.20
26	BB	472	A	C5'-C4'-O4'	7.06	117.58	109.10
26	BB	536	G	C2-N3-C4	7.06	115.43	111.90
26	BB	1766	G	C5-C6-N1	7.06	115.03	111.50
25	BA	50	A	C3'-C2'-C1'	7.06	107.15	101.50
26	BB	220	G	N7-C8-N9	7.06	116.63	113.10
26	BB	1041	G	C4'-C3'-O3'	7.06	127.12	113.00
26	BB	1356	G	C5-N7-C8	-7.06	100.77	104.30
26	BB	2116	G	C4'-C3'-C2'	-7.06	95.54	102.60
26	BB	2424	C	C5-C6-N1	7.06	124.53	121.00
26	BB	2447	G	C2-N3-C4	7.06	115.43	111.90
26	BB	2603	G	N7-C8-N9	7.06	116.63	113.10
51	B0	23	ARG	NE-CZ-NH1	7.06	123.83	120.30
1	AA	65	A	O4'-C1'-N9	7.06	113.85	108.20
1	AA	122	G	C3'-C2'-C1'	7.06	107.15	101.50
1	AA	435	A	C5-C6-N1	7.06	121.23	117.70
1	AA	452	A	N9-C4-C5	7.06	108.62	105.80
1	AA	1057	G	C1'-O4'-C4'	-7.06	104.25	109.90
25	BA	44	G	C5-C6-N1	7.06	115.03	111.50
26	BB	2182	U	O4'-C1'-N1	7.06	113.85	108.20
26	BB	2820	A	N1-C6-N6	7.06	122.84	118.60
40	BP	4	ARG	NE-CZ-NH1	7.06	123.83	120.30
1	AA	628	G	C2-N3-C4	7.06	115.43	111.90
1	AA	1219	A	N1-C2-N3	-7.06	125.77	129.30
2	AB	33	U	C4'-C3'-C2'	-7.06	95.54	102.60
6	AF	41	TYR	CG-CD1-CE1	7.06	126.95	121.30
26	BB	227	A	P-O3'-C3'	7.06	128.17	119.70
26	BB	577	G	N7-C8-N9	7.06	116.63	113.10
26	BB	758	C	N3-C4-C5	-7.06	119.08	121.90
26	BB	1280	G	C5-C6-N1	7.06	115.03	111.50
26	BB	1635	A	N7-C8-N9	-7.06	110.27	113.80
26	BB	1651	G	O4'-C1'-N9	7.06	113.85	108.20
26	BB	1728	C	C4'-C3'-C2'	-7.06	95.54	102.60
26	BB	2514	U	P-O3'-C3'	7.06	128.17	119.70
26	BB	2639	A	C5'-C4'-C3'	-7.06	104.71	116.00
29	BE	127	PHE	CB-CG-CD1	-7.06	115.86	120.80
1	AA	1484	C	C5'-C4'-O4'	7.06	117.57	109.10
26	BB	480	A	C5'-C4'-O4'	7.06	117.57	109.10
26	BB	762	U	O4'-C1'-C2'	-7.06	98.74	105.80
26	BB	996	A	O4'-C1'-N9	7.06	113.84	108.20
26	BB	1343	G	C4-C5-N7	-7.06	107.98	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1555	G	C5'-C4'-C3'	-7.06	104.71	116.00
26	BB	2124	G	C5'-C4'-O4'	7.06	117.57	109.10
26	BB	2899	A	C5-C6-N6	-7.06	118.06	123.70
1	AA	194	C	C5-C6-N1	7.05	124.53	121.00
1	AA	373	A	C5-C6-N6	-7.05	118.06	123.70
1	AA	578	C	N3-C4-N4	7.05	122.94	118.00
1	AA	679	C	C1'-O4'-C4'	-7.05	104.26	109.90
2	AB	42	G	N3-C4-C5	-7.05	125.07	128.60
26	BB	319	G	C5-C6-O6	-7.05	124.37	128.60
26	BB	858	G	C4-C5-C6	7.05	123.03	118.80
26	BB	1901	A	N9-C4-C5	-7.05	102.98	105.80
26	BB	2305	U	N1-C2-N3	7.05	119.13	114.90
26	BB	2396	G	C8-N9-C4	7.05	109.22	106.40
26	BB	2781	A	C6-C5-N7	-7.05	127.36	132.30
1	AA	387	U	C5-C4-O4	-7.05	121.67	125.90
4	AD	49	C	C5'-C4'-C3'	-7.05	104.72	116.00
26	BB	1113	U	N3-C2-O2	-7.05	117.26	122.20
26	BB	1301	A	C8-N9-C4	-7.05	102.98	105.80
26	BB	1623	G	C5-N7-C8	-7.05	100.78	104.30
26	BB	2273	A	C8-N9-C4	-7.05	102.98	105.80
26	BB	2349	G	N3-C2-N2	7.05	124.84	119.90
26	BB	2812	G	N1-C2-N2	-7.05	109.85	116.20
26	BB	2875	C	C1'-O4'-C4'	-7.05	104.26	109.90
29	BE	24	VAL	CG1-CB-CG2	-7.05	99.62	110.90
1	AA	807	A	N7-C8-N9	7.05	117.33	113.80
1	AA	833	G	N9-C4-C5	7.05	108.22	105.40
4	AD	7	G	O4'-C4'-C3'	7.05	111.74	106.10
26	BB	1085	A	N7-C8-N9	7.05	117.33	113.80
26	BB	1680	U	N3-C2-O2	-7.05	117.27	122.20
26	BB	1851	U	N1-C2-O2	-7.05	117.86	122.80
1	AA	1535	C	O4'-C1'-N1	7.05	113.84	108.20
2	AB	56	C	C1'-O4'-C4'	-7.05	104.26	109.90
26	BB	1626	A	C5-C6-N6	-7.05	118.06	123.70
1	AA	507	C	O4'-C1'-N1	7.05	113.84	108.20
1	AA	562	U	C4-C5-C6	7.05	123.93	119.70
1	AA	615	G	N3-C2-N2	-7.05	114.97	119.90
1	AA	752	G	C4-C5-C6	7.05	123.03	118.80
1	AA	942	G	N3-C4-C5	-7.05	125.08	128.60
26	BB	1006	C	O4'-C1'-N1	7.05	113.84	108.20
26	BB	1444	G	C5-N7-C8	-7.05	100.78	104.30
26	BB	1516	G	N9-C1'-C2'	-7.05	104.25	112.00
26	BB	2749	A	N1-C2-N3	-7.05	125.78	129.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1198	G	O4'-C1'-N9	7.04	113.84	108.20
26	BB	207	A	C5'-C4'-O4'	7.04	117.55	109.10
26	BB	1022	G	O4'-C1'-N9	7.04	113.84	108.20
26	BB	1696	G	C5'-C4'-C3'	-7.04	104.73	116.00
26	BB	1726	C	N3-C4-C5	-7.04	119.08	121.90
1	AA	268	U	C5-C6-N1	-7.04	119.18	122.70
1	AA	491	G	C4-C5-C6	7.04	123.03	118.80
1	AA	610	U	C4-C5-C6	-7.04	115.47	119.70
9	AI	80	PHE	CB-CG-CD1	-7.04	115.87	120.80
26	BB	1103	A	C3'-C2'-C1'	7.04	107.14	101.50
26	BB	1201	U	C2-N3-C4	-7.04	122.77	127.00
26	BB	1756	G	N9-C4-C5	7.04	108.22	105.40
26	BB	1933	G	N1-C2-N3	-7.04	119.67	123.90
26	BB	2215	C	N3-C4-N4	7.04	122.93	118.00
26	BB	2385	C	N1-C2-O2	7.04	123.13	118.90
26	BB	2618	G	N3-C2-N2	-7.04	114.97	119.90
26	BB	2696	U	C6-N1-C2	-7.04	116.77	121.00
26	BB	2859	G	C4-C5-C6	7.04	123.03	118.80
1	AA	187	G	O4'-C1'-N9	7.04	113.83	108.20
1	AA	397	A	C1'-O4'-C4'	-7.04	104.27	109.90
1	AA	703	G	N9-C4-C5	7.04	108.22	105.40
1	AA	988	G	N9-C4-C5	-7.04	102.58	105.40
1	AA	1451	U	C5-C6-N1	-7.04	119.18	122.70
25	BA	6	G	N3-C4-N9	7.04	130.22	126.00
25	BA	118	C	N3-C2-O2	-7.04	116.97	121.90
26	BB	354	A	N3-C4-N9	-7.04	121.77	127.40
26	BB	374	A	C5-C6-N1	7.04	121.22	117.70
26	BB	1136	G	N7-C8-N9	7.04	116.62	113.10
26	BB	1549	A	O4'-C1'-N9	7.04	113.83	108.20
26	BB	2165	C	N3-C4-N4	7.04	122.93	118.00
26	BB	2834	G	N7-C8-N9	7.04	116.62	113.10
39	BO	64	TRP	CE2-CD2-CG	7.04	112.93	107.30
1	AA	343	U	O4'-C1'-N1	7.04	113.83	108.20
1	AA	957	U	P-O3'-C3'	7.04	128.15	119.70
26	BB	1846	G	N1-C6-O6	-7.04	115.68	119.90
1	AA	299	G	N3-C4-C5	-7.04	125.08	128.60
1	AA	317	U	N3-C4-O4	7.04	124.33	119.40
1	AA	662	U	C4'-C3'-C2'	-7.04	95.56	102.60
26	BB	2804	U	N3-C4-C5	7.04	118.82	114.60
28	BD	113	ASP	CB-CG-OD2	-7.04	111.97	118.30
1	AA	64	G	C4-C5-N7	-7.04	107.98	110.80
1	AA	1410	A	C4-C5-N7	7.04	114.22	110.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	787	C	O4'-C1'-N1	7.04	113.83	108.20
26	BB	1923	U	N3-C2-O2	7.04	127.13	122.20
1	AA	782	A	C2-N3-C4	7.04	114.12	110.60
1	AA	1029	U	C2-N3-C4	-7.04	122.78	127.00
1	AA	1353	G	C4-C5-C6	7.04	123.02	118.80
1	AA	1426	G	C5-C6-N1	7.04	115.02	111.50
2	AB	75	C	P-O3'-C3'	7.04	128.14	119.70
26	BB	603	A	N9-C1'-C2'	7.04	123.15	114.00
26	BB	756	A	N1-C6-N6	-7.04	114.38	118.60
26	BB	840	C	C5'-C4'-O4'	7.04	117.54	109.10
26	BB	1175	A	N3-C4-N9	7.04	133.03	127.40
26	BB	1306	C	N1-C2-O2	7.04	123.12	118.90
26	BB	1921	G	C6-N1-C2	-7.04	120.88	125.10
26	BB	2258	C	N3-C4-C5	7.04	124.72	121.90
26	BB	2641	G	N9-C4-C5	7.04	108.21	105.40
1	AA	198	G	C6-C5-N7	7.03	134.62	130.40
7	AG	74	TYR	CD1-CG-CD2	7.03	125.64	117.90
25	BA	82	U	N3-C4-C5	7.03	118.82	114.60
26	BB	15	G	C6-C5-N7	-7.03	126.18	130.40
26	BB	266	G	N1-C2-N2	7.03	122.53	116.20
26	BB	649	G	C2-N3-C4	7.03	115.42	111.90
26	BB	750	A	O4'-C4'-C3'	7.03	111.73	106.10
26	BB	1379	U	O4'-C1'-N1	7.03	113.83	108.20
26	BB	2415	G	N1-C2-N3	-7.03	119.68	123.90
26	BB	2673	G	C6-N1-C2	-7.03	120.88	125.10
1	AA	45	G	C5-C6-O6	7.03	132.82	128.60
26	BB	58	G	N1-C6-O6	7.03	124.12	119.90
26	BB	428	A	O4'-C1'-C2'	-7.03	98.77	105.80
26	BB	1316	U	N1-C1'-C2'	-7.03	104.26	112.00
26	BB	1370	C	C5-C6-N1	7.03	124.52	121.00
26	BB	1831	G	C6-C5-N7	-7.03	126.18	130.40
26	BB	2008	C	C4'-C3'-C2'	-7.03	95.57	102.60
26	BB	2601	C	C3'-C2'-C1'	-7.03	95.87	101.50
26	BB	2642	G	C6-C5-N7	7.03	134.62	130.40
1	AA	212	G	C5-N7-C8	7.03	107.82	104.30
1	AA	406	G	N7-C8-N9	-7.03	109.58	113.10
1	AA	949	A	N9-C1'-C2'	-7.03	104.27	112.00
1	AA	1265	C	N1-C1'-C2'	-7.03	104.27	112.00
1	AA	1404	C	C3'-C2'-C1'	-7.03	95.88	101.50
3	AC	56	G	C8-N9-C4	-7.03	103.59	106.40
26	BB	240	C	C6-N1-C2	7.03	123.11	120.30
26	BB	272	A	N7-C8-N9	-7.03	110.28	113.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	630	G	C3'-C2'-C1'	-7.03	95.88	101.50
26	BB	792	A	N9-C4-C5	7.03	108.61	105.80
26	BB	932	U	C1'-O4'-C4'	7.03	115.53	109.90
26	BB	1791	A	C6-N1-C2	7.03	122.82	118.60
26	BB	1985	C	N1-C2-O2	7.03	123.12	118.90
26	BB	2211	A	C2-N3-C4	7.03	114.11	110.60
57	B6	44	ARG	NE-CZ-NH2	-7.03	116.78	120.30
16	AP	28	ARG	NE-CZ-NH2	7.03	123.81	120.30
26	BB	177	G	C4-C5-N7	-7.03	107.99	110.80
26	BB	334	C	O4'-C1'-N1	7.03	113.82	108.20
26	BB	2531	A	O4'-C1'-N9	7.03	113.82	108.20
1	AA	939	G	C2-N3-C4	7.03	115.41	111.90
1	AA	1095	U	C6-N1-C2	-7.03	116.78	121.00
26	BB	85	G	O4'-C1'-N9	7.03	113.82	108.20
26	BB	181	A	O4'-C4'-C3'	7.03	111.72	106.10
26	BB	1329	U	C6-N1-C2	-7.03	116.78	121.00
26	BB	1469	A	O4'-C1'-N9	7.03	113.82	108.20
26	BB	2087	G	N1-C2-N3	7.03	128.12	123.90
26	BB	2557	G	C5-C6-O6	-7.03	124.38	128.60
1	AA	827	U	C2-N3-C4	-7.03	122.78	127.00
26	BB	1361	G	O4'-C4'-C3'	7.03	111.72	106.10
26	BB	1993	U	C1'-O4'-C4'	7.03	115.52	109.90
37	BM	70	ARG	NE-CZ-NH2	7.03	123.81	120.30
1	AA	478	A	C3'-C2'-C1'	-7.02	95.88	101.50
2	AB	41	C	C4'-C3'-C2'	-7.02	95.58	102.60
26	BB	1482	G	C4'-C3'-C2'	-7.02	95.58	102.60
26	BB	1662	U	N1-C2-N3	7.02	119.11	114.90
1	AA	153	C	C3'-C2'-C1'	7.02	107.12	101.50
1	AA	175	C	C2-N3-C4	-7.02	116.39	119.90
1	AA	675	A	C2-N3-C4	7.02	114.11	110.60
26	BB	48	G	N3-C4-N9	7.02	130.21	126.00
26	BB	733	G	C6-N1-C2	-7.02	120.89	125.10
26	BB	2288	A	N1-C6-N6	-7.02	114.39	118.60
26	BB	2516	A	P-O3'-C3'	7.02	128.13	119.70
26	BB	2762	C	C5'-C4'-O4'	-7.02	100.67	109.10
26	BB	2793	C	C5-C6-N1	7.02	124.51	121.00
1	AA	632	U	C5-C4-O4	-7.02	121.69	125.90
1	AA	678	U	C5-C6-N1	-7.02	119.19	122.70
4	AD	10	G	C5'-C4'-C3'	-7.02	104.77	116.00
26	BB	1594	U	N3-C4-O4	7.02	124.31	119.40
26	BB	2127	G	N3-C2-N2	7.02	124.81	119.90
1	AA	771	G	C4-N9-C1'	-7.02	117.38	126.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	126	A	C5'-C4'-O4'	7.02	117.52	109.10
26	BB	212	G	C4-C5-N7	-7.02	107.99	110.80
26	BB	265	A	N9-C4-C5	7.02	108.61	105.80
26	BB	620	G	C3'-C2'-C1'	7.02	107.11	101.50
26	BB	1659	G	C5-N7-C8	7.02	107.81	104.30
1	AA	239	U	O4'-C1'-N1	7.02	113.81	108.20
1	AA	257	G	C4'-C3'-C2'	-7.02	95.58	102.60
1	AA	359	G	C8-N9-C4	7.02	109.21	106.40
1	AA	438	U	C5-C6-N1	-7.02	119.19	122.70
1	AA	684	U	N3-C2-O2	-7.02	117.29	122.20
1	AA	980	C	P-O3'-C3'	7.02	128.12	119.70
11	AK	24	VAL	CA-CB-CG2	7.02	121.43	110.90
25	BA	9	G	N9-C4-C5	-7.02	102.59	105.40
26	BB	432	A	N1-C2-N3	-7.02	125.79	129.30
26	BB	730	A	C5-N7-C8	7.02	107.41	103.90
26	BB	952	G	C5-N7-C8	7.02	107.81	104.30
26	BB	1132	U	N1-C2-N3	7.02	119.11	114.90
26	BB	926	G	N1-C2-N2	-7.02	109.89	116.20
26	BB	2357	G	C8-N9-C4	-7.02	103.59	106.40
1	AA	395	C	C6-N1-C2	7.01	123.11	120.30
1	AA	640	A	C1'-O4'-C4'	-7.01	104.29	109.90
1	AA	821	G	C8-N9-C4	-7.01	103.59	106.40
1	AA	1276	G	N9-C4-C5	-7.01	102.59	105.40
1	AA	1352	C	O4'-C4'-C3'	-7.01	96.99	104.00
2	AB	6	C	N1-C1'-C2'	-7.01	104.28	112.00
5	AE	22	TRP	CD1-CG-CD2	-7.01	100.69	106.30
8	AH	160	VAL	CA-CB-CG2	7.01	121.42	110.90
26	BB	411	G	C6-N1-C2	-7.01	120.89	125.10
26	BB	767	U	C5-C4-O4	-7.01	121.69	125.90
26	BB	1522	A	C3'-C2'-C1'	7.01	107.11	101.50
26	BB	2408	U	C1'-O4'-C4'	7.01	115.51	109.90
26	BB	2796	U	C5'-C4'-C3'	-7.01	104.78	116.00
26	BB	2864	G	N9-C4-C5	7.01	108.21	105.40
1	AA	33	A	N1-C6-N6	7.01	122.81	118.60
1	AA	316	C	N3-C2-O2	7.01	126.81	121.90
1	AA	378	G	C4-C5-C6	7.01	123.01	118.80
1	AA	588	G	C6-C5-N7	-7.01	126.19	130.40
4	AD	27	G	N7-C8-N9	7.01	116.61	113.10
25	BA	54	G	N1-C2-N2	7.01	122.51	116.20
26	BB	897	C	N3-C4-C5	7.01	124.70	121.90
26	BB	2234	G	N9-C4-C5	7.01	108.20	105.40
26	BB	2288	A	C5-C6-N6	7.01	129.31	123.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2362	C	C4-C5-C6	-7.01	113.89	117.40
56	B5	12	ARG	NE-CZ-NH1	-7.01	116.79	120.30
1	AA	719	C	C4-C5-C6	-7.01	113.89	117.40
1	AA	1296	C	O4'-C1'-N1	-7.01	102.59	108.20
25	BA	35	C	C4'-C3'-C2'	-7.01	95.59	102.60
26	BB	91	A	O4'-C1'-N9	7.01	113.81	108.20
26	BB	805	G	N3-C4-N9	-7.01	121.79	126.00
26	BB	879	G	N1-C2-N3	-7.01	119.69	123.90
26	BB	1079	C	C4-C5-C6	-7.01	113.89	117.40
26	BB	1268	A	C3'-C2'-C1'	7.01	107.11	101.50
26	BB	1768	C	C5-C6-N1	-7.01	117.49	121.00
26	BB	1868	C	O4'-C1'-N1	7.01	113.81	108.20
26	BB	2308	G	N7-C8-N9	7.01	116.61	113.10
26	BB	2453	A	C5-N7-C8	-7.01	100.39	103.90
31	BG	45	ASP	CB-CG-OD1	-7.01	111.99	118.30
1	AA	7	A	O4'-C4'-C3'	7.01	111.71	106.10
1	AA	112	G	N3-C4-N9	7.01	130.21	126.00
1	AA	195	A	N7-C8-N9	7.01	117.31	113.80
1	AA	325	A	N1-C6-N6	-7.01	114.39	118.60
1	AA	663	A	C5-C6-N6	7.01	129.31	123.70
1	AA	1426	G	O4'-C1'-N9	7.01	113.81	108.20
26	BB	75	G	C5-N7-C8	-7.01	100.80	104.30
26	BB	820	A	C4-C5-C6	-7.01	113.50	117.00
26	BB	1236	G	N1-C6-O6	7.01	124.11	119.90
26	BB	1737	G	C8-N9-C4	-7.01	103.60	106.40
26	BB	2270	A	N9-C4-C5	7.01	108.60	105.80
26	BB	2637	U	N3-C4-C5	-7.01	110.39	114.60
1	AA	350	G	C5-N7-C8	7.01	107.80	104.30
1	AA	1300	G	O4'-C4'-C3'	7.01	111.71	106.10
26	BB	1545	A	C4-C5-N7	-7.01	107.20	110.70
26	BB	1572	A	C5-C6-N6	-7.01	118.09	123.70
26	BB	1974	C	N3-C4-C5	-7.01	119.10	121.90
1	AA	279	A	O4'-C4'-C3'	7.01	111.70	106.10
1	AA	1303	C	C5-C6-N1	7.01	124.50	121.00
26	BB	278	A	O4'-C4'-C3'	7.01	111.70	106.10
26	BB	508	A	N1-C6-N6	-7.01	114.40	118.60
26	BB	535	G	C6-N1-C2	-7.01	120.90	125.10
26	BB	1099	G	N1-C2-N3	-7.01	119.70	123.90
26	BB	1314	C	N3-C4-C5	-7.01	119.10	121.90
26	BB	1500	G	O4'-C1'-N9	7.01	113.81	108.20
26	BB	1676	A	C6-N1-C2	7.01	122.80	118.60
26	BB	1750	G	C4-C5-N7	-7.01	108.00	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1975	G	C5-C6-N1	7.01	115.00	111.50
26	BB	2036	C	O4'-C1'-N1	7.01	113.81	108.20
26	BB	2614	A	C5'-C4'-O4'	7.01	117.51	109.10
30	BF	122	GLU	OE1-CD-OE2	7.01	131.71	123.30
1	AA	141	G	C8-N9-C4	7.00	109.20	106.40
1	AA	319	G	N1-C2-N2	7.00	122.50	116.20
1	AA	396	C	C3'-C2'-C1'	7.00	107.10	101.50
1	AA	847	G	C5-C6-N1	7.00	115.00	111.50
1	AA	859	G	N3-C2-N2	-7.00	115.00	119.90
26	BB	733	G	O4'-C1'-N9	7.00	113.80	108.20
1	AA	71	A	C6-N1-C2	-7.00	114.40	118.60
1	AA	908	A	O4'-C1'-N9	7.00	113.80	108.20
26	BB	115	C	N3-C4-N4	7.00	122.90	118.00
26	BB	126	A	C8-N9-C4	-7.00	103.00	105.80
26	BB	129	C	C4'-C3'-C2'	-7.00	95.60	102.60
26	BB	282	A	C8-N9-C4	-7.00	103.00	105.80
26	BB	785	G	N7-C8-N9	7.00	116.60	113.10
26	BB	1422	G	C4-C5-N7	7.00	113.60	110.80
53	B2	21	VAL	CA-CB-CG2	7.00	121.41	110.90
1	AA	191	G	C8-N9-C4	-7.00	103.60	106.40
1	AA	1030	U	C3'-C2'-C1'	7.00	107.10	101.50
2	AB	27	C	P-O3'-C3'	7.00	128.10	119.70
26	BB	239	C	N1-C2-N3	7.00	124.10	119.20
26	BB	1645	G	C5-C6-N1	7.00	115.00	111.50
1	AA	306	A	C4-C5-C6	7.00	120.50	117.00
26	BB	1888	G	N3-C4-C5	-7.00	125.10	128.60
1	AA	450	G	O4'-C1'-N9	7.00	113.80	108.20
1	AA	1198	G	C4-C5-C6	7.00	123.00	118.80
1	AA	1317	C	C1'-O4'-C4'	7.00	115.50	109.90
26	BB	608	A	C3'-C2'-C1'	7.00	107.10	101.50
26	BB	1006	C	N3-C4-N4	7.00	122.90	118.00
26	BB	2331	G	N3-C4-N9	7.00	130.20	126.00
26	BB	2574	G	C5-C6-O6	-7.00	124.40	128.60
1	AA	243	A	P-O3'-C3'	7.00	128.10	119.70
1	AA	682	G	N9-C4-C5	7.00	108.20	105.40
1	AA	907	A	N9-C4-C5	7.00	108.60	105.80
2	AB	28	C	P-O3'-C3'	7.00	128.10	119.70
4	AD	7	G	C4'-C3'-C2'	-7.00	95.60	102.60
25	BA	83	G	C5-N7-C8	-7.00	100.80	104.30
26	BB	992	C	C6-N1-C2	7.00	123.10	120.30
26	BB	1007	C	N3-C4-C5	-7.00	119.10	121.90
26	BB	1979	U	C5'-C4'-C3'	-7.00	104.81	116.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2770	G	N3-C2-N2	7.00	124.80	119.90
30	BF	158	PHE	CB-CG-CD1	-7.00	115.90	120.80
1	AA	477	C	C2-N3-C4	7.00	123.40	119.90
1	AA	597	G	C4'-C3'-C2'	-7.00	95.61	102.60
4	AD	57	C	N3-C2-O2	-7.00	117.00	121.90
26	BB	212	G	C3'-C2'-C1'	7.00	107.10	101.50
26	BB	772	C	N3-C2-O2	-7.00	117.00	121.90
26	BB	1851	U	N1-C2-N3	7.00	119.10	114.90
1	AA	155	A	O4'-C1'-N9	6.99	113.80	108.20
1	AA	462	G	C8-N9-C4	-6.99	103.60	106.40
1	AA	576	C	C2-N1-C1'	-6.99	111.11	118.80
26	BB	134	G	C2-N3-C4	-6.99	108.40	111.90
26	BB	326	G	N3-C2-N2	-6.99	115.00	119.90
26	BB	605	G	N9-C1'-C2'	-6.99	104.31	112.00
26	BB	887	U	N1-C2-O2	6.99	127.70	122.80
26	BB	1132	U	N3-C2-O2	-6.99	117.31	122.20
26	BB	1404	C	N3-C2-O2	-6.99	117.00	121.90
26	BB	1423	G	O4'-C1'-N9	6.99	113.79	108.20
26	BB	1952	A	N7-C8-N9	6.99	117.30	113.80
26	BB	2308	G	N1-C6-O6	-6.99	115.70	119.90
26	BB	2521	C	C4-C5-C6	6.99	120.90	117.40
26	BB	2530	A	C8-N9-C4	-6.99	103.00	105.80
26	BB	2734	A	C5-C6-N6	-6.99	118.11	123.70
26	BB	2838	G	C8-N9-C4	-6.99	103.60	106.40
26	BB	249	C	C1'-O4'-C4'	-6.99	104.31	109.90
26	BB	325	G	C4-C5-N7	-6.99	108.00	110.80
26	BB	652	U	O4'-C1'-N1	6.99	113.79	108.20
26	BB	1779	U	N3-C4-O4	6.99	124.29	119.40
1	AA	548	G	N3-C4-C5	-6.99	125.11	128.60
1	AA	875	U	C4'-C3'-C2'	-6.99	95.61	102.60
26	BB	492	A	N3-C4-C5	6.99	131.69	126.80
26	BB	1674	G	C3'-C2'-C1'	-6.99	95.91	101.50
26	BB	1891	G	C5'-C4'-C3'	-6.99	104.82	116.00
26	BB	2148	G	N3-C2-N2	-6.99	115.01	119.90
26	BB	2187	U	C1'-O4'-C4'	6.99	115.49	109.90
54	B3	51	ARG	NE-CZ-NH2	6.99	123.80	120.30
1	AA	1431	A	N9-C4-C5	6.99	108.60	105.80
4	AD	71	G	N3-C2-N2	-6.99	115.01	119.90
25	BA	109	A	C2-N3-C4	-6.99	107.11	110.60
26	BB	448	U	O4'-C4'-C3'	6.99	111.69	106.10
26	BB	1445	G	C1'-O4'-C4'	6.99	115.49	109.90
26	BB	1453	A	N7-C8-N9	-6.99	110.31	113.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1552	A	C6-C5-N7	-6.99	127.41	132.30
26	BB	2647	U	C5-C6-N1	-6.99	119.20	122.70
26	BB	2864	G	C4-C5-C6	6.99	122.99	118.80
26	BB	2117	A	N3-C4-N9	-6.99	121.81	127.40
45	BU	88	ARG	NE-CZ-NH1	-6.99	116.81	120.30
2	AB	63	C	C6-N1-C2	-6.99	117.51	120.30
17	AQ	89	ARG	NE-CZ-NH1	6.99	123.79	120.30
26	BB	195	A	O4'-C4'-C3'	6.99	111.69	106.10
26	BB	323	C	N3-C2-O2	-6.99	117.01	121.90
26	BB	636	G	O4'-C1'-N9	6.99	113.79	108.20
26	BB	1228	G	O4'-C4'-C3'	6.99	111.69	106.10
26	BB	2003	A	P-O3'-C3'	6.99	128.08	119.70
26	BB	2027	G	N7-C8-N9	6.99	116.59	113.10
1	AA	626	G	C3'-C2'-C1'	6.98	107.09	101.50
26	BB	2590	A	C6-N1-C2	-6.98	114.41	118.60
1	AA	230	G	C5-C6-N1	-6.98	108.01	111.50
26	BB	200	U	C1'-O4'-C4'	-6.98	104.31	109.90
26	BB	275	C	O4'-C1'-N1	6.98	113.78	108.20
26	BB	1137	G	N3-C4-C5	-6.98	125.11	128.60
26	BB	1137	G	N3-C4-N9	6.98	130.19	126.00
26	BB	1237	A	N7-C8-N9	-6.98	110.31	113.80
26	BB	1345	C	O4'-C1'-N1	6.98	113.79	108.20
26	BB	1705	A	C2-N3-C4	-6.98	107.11	110.60
26	BB	2040	G	C2-N3-C4	6.98	115.39	111.90
1	AA	742	G	C2-N3-C4	6.98	115.39	111.90
1	AA	787	A	C2-N3-C4	6.98	114.09	110.60
1	AA	1016	A	C4-C5-N7	-6.98	107.21	110.70
25	BA	85	G	N3-C4-C5	-6.98	125.11	128.60
26	BB	484	C	O4'-C1'-N1	6.98	113.78	108.20
26	BB	632	A	N9-C4-C5	6.98	108.59	105.80
26	BB	1267	U	C6-N1-C2	-6.98	116.81	121.00
26	BB	1311	G	N7-C8-N9	6.98	116.59	113.10
26	BB	1557	C	C2-N3-C4	6.98	123.39	119.90
26	BB	2853	C	N1-C2-O2	6.98	123.09	118.90
1	AA	204	G	C2'-C3'-O3'	6.98	124.87	113.70
1	AA	230	G	N7-C8-N9	6.98	116.59	113.10
1	AA	424	G	C5-N7-C8	-6.98	100.81	104.30
1	AA	1064	G	O4'-C1'-N9	6.98	113.78	108.20
1	AA	1121	U	C5-C6-N1	-6.98	119.21	122.70
1	AA	1230	C	C1'-O4'-C4'	6.98	115.48	109.90
26	BB	615	U	C1'-O4'-C4'	-6.98	104.32	109.90
1	AA	168	G	N3-C2-N2	6.98	124.78	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	252	U	C6-N1-C2	-6.98	116.81	121.00
1	AA	621	A	N7-C8-N9	-6.98	110.31	113.80
1	AA	1104	G	N9-C4-C5	6.98	108.19	105.40
1	AA	1251	A	C2-N3-C4	6.98	114.09	110.60
25	BA	12	C	P-O3'-C3'	6.98	128.07	119.70
26	BB	254	G	N7-C8-N9	-6.98	109.61	113.10
26	BB	897	C	O4'-C1'-N1	6.98	113.78	108.20
26	BB	1387	A	C6-N1-C2	-6.98	114.41	118.60
26	BB	1635	A	C2-N3-C4	6.98	114.09	110.60
1	AA	15	G	C5-C6-N1	-6.98	108.01	111.50
1	AA	1508	A	C3'-C2'-C1'	-6.98	95.92	101.50
26	BB	1444	G	C4'-C3'-C2'	-6.98	95.62	102.60
26	BB	1645	G	C3'-C2'-C1'	6.98	107.08	101.50
26	BB	1903	G	C5-N7-C8	6.98	107.79	104.30
1	AA	131	A	C5-C6-N1	6.97	121.19	117.70
1	AA	767	A	C5-N7-C8	-6.97	100.41	103.90
1	AA	1014	A	C2'-C3'-O3'	6.97	124.86	113.70
1	AA	1397	C	C5'-C4'-C3'	-6.97	104.84	116.00
26	BB	397	U	C5-C4-O4	-6.97	121.72	125.90
26	BB	1073	A	C4-C5-C6	6.97	120.49	117.00
26	BB	1796	U	O4'-C1'-N1	6.97	113.78	108.20
1	AA	444	G	C4-C5-N7	-6.97	108.01	110.80
1	AA	690	G	C4'-C3'-C2'	-6.97	95.63	102.60
1	AA	890	G	C5-N7-C8	-6.97	100.81	104.30
1	AA	1104	G	C5-N7-C8	-6.97	100.81	104.30
1	AA	1470	U	O4'-C1'-C2'	6.97	113.88	107.60
2	AB	49	G	N3-C4-C5	-6.97	125.11	128.60
2	AB	65	C	N1-C2-N3	-6.97	114.32	119.20
26	BB	176	A	C3'-C2'-C1'	6.97	107.08	101.50
26	BB	252	G	C5'-C4'-O4'	6.97	117.47	109.10
26	BB	1035	U	O4'-C1'-N1	6.97	113.78	108.20
26	BB	1304	A	C1'-O4'-C4'	6.97	115.48	109.90
26	BB	1319	C	N3-C2-O2	-6.97	117.02	121.90
26	BB	1386	C	C5'-C4'-O4'	6.97	117.47	109.10
26	BB	1690	A	N9-C4-C5	6.97	108.59	105.80
26	BB	2012	G	O4'-C1'-N9	6.97	113.78	108.20
26	BB	2081	U	C4'-C3'-C2'	-6.97	95.63	102.60
26	BB	2886	A	C4-C5-N7	6.97	114.19	110.70
37	BM	18	ARG	CA-CB-CG	6.97	128.74	113.40
1	AA	1395	C	C4-C5-C6	-6.97	113.92	117.40
26	BB	126	A	C4-C5-C6	-6.97	113.52	117.00
26	BB	1209	U	C5-C6-N1	6.97	126.19	122.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1904	G	N1-C2-N3	-6.97	119.72	123.90
26	BB	2123	G	C5-N7-C8	6.97	107.79	104.30
26	BB	2308	G	N1-C2-N2	6.97	122.47	116.20
1	AA	925	G	N3-C4-C5	-6.97	125.12	128.60
1	AA	1053	G	N9-C4-C5	6.97	108.19	105.40
2	AB	67	G	C2-N3-C4	6.97	115.39	111.90
26	BB	10	A	C4-C5-C6	-6.97	113.52	117.00
26	BB	621	A	N9-C1'-C2'	-6.97	104.33	112.00
26	BB	1259	G	C5'-C4'-O4'	6.97	117.46	109.10
26	BB	1271	G	N1-C2-N2	-6.97	109.93	116.20
26	BB	1324	G	O4'-C1'-C2'	-6.97	98.83	105.80
26	BB	1407	G	O4'-C1'-N9	6.97	113.78	108.20
26	BB	2653	U	N3-C2-O2	-6.97	117.32	122.20
26	BB	32	C	N1-C2-O2	6.97	123.08	118.90
26	BB	548	G	N1-C2-N3	6.97	128.08	123.90
1	AA	81	A	C5-C6-N1	6.97	121.18	117.70
1	AA	831	A	C5-C6-N1	6.97	121.18	117.70
1	AA	1031	C	C4-C5-C6	-6.97	113.92	117.40
1	AA	1491	G	O3'-P-O5'	-6.97	90.77	104.00
7	AG	114	ARG	NE-CZ-NH1	-6.97	116.82	120.30
26	BB	375	G	O4'-C1'-N9	6.97	113.77	108.20
26	BB	1310	G	C4-C5-N7	-6.97	108.01	110.80
26	BB	1675	C	O4'-C1'-N1	6.97	113.77	108.20
26	BB	2639	A	C5'-C4'-O4'	6.97	117.46	109.10
26	BB	540	C	O4'-C1'-N1	6.96	113.77	108.20
26	BB	674	G	C4-C5-C6	6.96	122.98	118.80
26	BB	893	C	C2-N3-C4	6.96	123.38	119.90
1	AA	848	C	C5'-C4'-O4'	6.96	117.46	109.10
1	AA	1143	G	N1-C2-N2	6.96	122.47	116.20
1	AA	1275	A	C5'-C4'-O4'	6.96	117.45	109.10
1	AA	1310	G	C6-N1-C2	-6.96	120.92	125.10
26	BB	265	A	C2'-C3'-O3'	6.96	124.84	113.70
1	AA	181	A	N1-C2-N3	-6.96	125.82	129.30
1	AA	549	C	N1-C2-O2	6.96	123.08	118.90
1	AA	1080	A	C2-N3-C4	6.96	114.08	110.60
1	AA	1090	U	N1-C2-O2	-6.96	117.93	122.80
2	AB	2	G	C8-N9-C4	-6.96	103.62	106.40
5	AE	183	PHE	CG-CD2-CE2	6.96	128.46	120.80
26	BB	51	G	C2-N3-C4	6.96	115.38	111.90
26	BB	176	A	N7-C8-N9	6.96	117.28	113.80
26	BB	1433	A	C4-C5-N7	-6.96	107.22	110.70
26	BB	1653	G	C6-N1-C2	-6.96	120.92	125.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1733	G	C6-N1-C2	-6.96	120.92	125.10
26	BB	2264	C	N3-C4-C5	-6.96	119.11	121.90
26	BB	2904	U	C5-C6-N1	-6.96	119.22	122.70
1	AA	1224	U	C4-C5-C6	6.96	123.88	119.70
26	BB	108	G	N3-C4-N9	6.96	130.18	126.00
26	BB	803	U	O4'-C1'-C2'	-6.96	98.84	105.80
26	BB	1149	G	O4'-C1'-N9	6.96	113.77	108.20
26	BB	1616	A	C2-N3-C4	-6.96	107.12	110.60
26	BB	2629	U	C5-C4-O4	6.96	130.08	125.90
1	AA	4	U	C1'-O4'-C4'	6.96	115.47	109.90
1	AA	1280	A	C5-N7-C8	6.96	107.38	103.90
26	BB	439	A	C4'-C3'-C2'	-6.96	95.64	102.60
26	BB	551	G	C5'-C4'-O4'	6.96	117.45	109.10
26	BB	733	G	N1-C6-O6	6.96	124.08	119.90
26	BB	1423	G	N9-C1'-C2'	-6.96	104.35	112.00
26	BB	2469	A	N9-C1'-C2'	-6.96	104.35	112.00
1	AA	45	G	C6-C5-N7	-6.96	126.23	130.40
1	AA	92	U	C4-C5-C6	6.96	123.87	119.70
1	AA	354	G	N3-C4-N9	6.96	130.17	126.00
26	BB	544	C	N1-C2-O2	6.96	123.07	118.90
26	BB	810	U	N1-C2-N3	6.96	119.07	114.90
26	BB	1047	G	C5'-C4'-O4'	6.96	117.45	109.10
26	BB	1192	G	C2-N3-C4	-6.96	108.42	111.90
26	BB	1348	C	C2-N3-C4	6.96	123.38	119.90
26	BB	2230	G	C5-C6-N1	6.96	114.98	111.50
1	AA	248	C	N1-C1'-C2'	-6.96	104.35	112.00
1	AA	464	U	C5-C4-O4	6.96	130.07	125.90
26	BB	98	G	N3-C4-N9	6.96	130.17	126.00
26	BB	2736	A	O4'-C1'-N9	6.96	113.76	108.20
36	BL	13	ARG	NH1-CZ-NH2	6.96	127.05	119.40
1	AA	715	A	N1-C2-N3	6.95	132.78	129.30
26	BB	420	C	C4'-C3'-C2'	-6.95	95.65	102.60
26	BB	1030	C	N1-C1'-C2'	-6.95	104.35	112.00
26	BB	1252	G	N7-C8-N9	6.95	116.58	113.10
26	BB	1259	G	O5'-P-OP2	-6.95	99.44	105.70
26	BB	1717	A	C5-N7-C8	6.95	107.38	103.90
26	BB	1896	G	N9-C4-C5	6.95	108.18	105.40
26	BB	2197	U	N1-C2-N3	6.95	119.07	114.90
26	BB	2567	G	C1'-O4'-C4'	-6.95	104.34	109.90
40	BP	30	ARG	NH1-CZ-NH2	-6.95	111.75	119.40
1	AA	293	G	O4'-C1'-N9	6.95	113.76	108.20
1	AA	1186	G	C2-N3-C4	-6.95	108.42	111.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	415	A	C5-C6-N6	-6.95	118.14	123.70
26	BB	548	G	C5-C6-N1	6.95	114.98	111.50
35	BK	102	ARG	NE-CZ-NH1	6.95	123.78	120.30
1	AA	1226	C	P-O3'-C3'	6.95	128.04	119.70
1	AA	1368	A	C4-C5-N7	6.95	114.18	110.70
4	AD	20	G	O4'-C1'-N9	6.95	113.76	108.20
10	AJ	91	ARG	NE-CZ-NH1	6.95	123.78	120.30
25	BA	20	G	C3'-C2'-C1'	6.95	107.06	101.50
26	BB	1067	A	N1-C6-N6	-6.95	114.43	118.60
26	BB	1686	C	C5'-C4'-O4'	6.95	117.44	109.10
26	BB	2200	C	O4'-C1'-N1	6.95	113.76	108.20
1	AA	606	G	C3'-C2'-C1'	-6.95	95.94	101.50
1	AA	994	A	O4'-C1'-N9	6.95	113.76	108.20
1	AA	1239	A	C4-C5-N7	-6.95	107.22	110.70
3	AC	46	C	C6-N1-C2	-6.95	117.52	120.30
26	BB	98	G	C4-C5-N7	6.95	113.58	110.80
26	BB	217	A	C6-N1-C2	-6.95	114.43	118.60
26	BB	536	G	N3-C4-C5	-6.95	125.13	128.60
26	BB	1099	G	C5-C6-O6	-6.95	124.43	128.60
26	BB	2133	G	C6-N1-C2	-6.95	120.93	125.10
1	AA	605	U	C1'-O4'-C4'	-6.95	104.34	109.90
1	AA	964	A	C8-N9-C4	-6.95	103.02	105.80
1	AA	1100	C	C2-N3-C4	-6.95	116.43	119.90
26	BB	178	G	N3-C4-N9	-6.95	121.83	126.00
26	BB	1308	A	P-O3'-C3'	6.95	128.04	119.70
26	BB	1878	G	C4'-C3'-C2'	-6.95	95.65	102.60
26	BB	1918	A	C1'-O4'-C4'	6.95	115.46	109.90
26	BB	2517	C	C2-N3-C4	6.95	123.37	119.90
26	BB	2785	C	N3-C4-C5	6.95	124.68	121.90
52	B1	22	THR	CA-CB-CG2	6.95	122.13	112.40
1	AA	757	U	C3'-C2'-C1'	6.95	107.06	101.50
1	AA	1131	G	O4'-C1'-N9	6.95	113.76	108.20
1	AA	1246	A	C4'-C3'-C2'	-6.95	95.65	102.60
11	AK	127	TYR	CB-CG-CD1	6.95	125.17	121.00
26	BB	304	U	O4'-C1'-N1	6.95	113.76	108.20
26	BB	538	A	N3-C4-N9	-6.95	121.84	127.40
26	BB	752	A	O4'-C4'-C3'	6.95	111.66	106.10
26	BB	1450	G	C5-N7-C8	-6.95	100.83	104.30
26	BB	2077	A	C5'-C4'-O4'	6.95	117.44	109.10
26	BB	2440	C	P-O3'-C3'	6.95	128.03	119.70
26	BB	2640	G	N3-C4-C5	-6.95	125.13	128.60
41	BQ	30	ARG	NE-CZ-NH1	6.95	123.77	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	315	A	N1-C6-N6	-6.94	114.43	118.60
1	AA	337	G	N3-C2-N2	-6.94	115.04	119.90
1	AA	362	G	C5'-C4'-O4'	6.94	117.43	109.10
1	AA	407	U	C5-C6-N1	6.94	126.17	122.70
25	BA	111	U	C6-N1-C2	-6.94	116.83	121.00
26	BB	1642	G	C2-N3-C4	6.94	115.37	111.90
26	BB	2648	G	C1'-O4'-C4'	6.94	115.45	109.90
1	AA	97	G	C4-C5-C6	6.94	122.97	118.80
1	AA	509	A	O4'-C1'-N9	6.94	113.75	108.20
1	AA	596	A	C5-C6-N1	6.94	121.17	117.70
1	AA	1383	C	N3-C4-N4	-6.94	113.14	118.00
25	BA	33	G	N3-C2-N2	6.94	124.76	119.90
26	BB	68	G	C4-C5-C6	-6.94	114.63	118.80
26	BB	338	G	N9-C4-C5	-6.94	102.62	105.40
26	BB	431	U	C5-C4-O4	-6.94	121.73	125.90
26	BB	1287	A	O4'-C1'-N9	6.94	113.75	108.20
26	BB	1780	A	C4-C5-N7	-6.94	107.23	110.70
26	BB	1799	G	C4-C5-N7	-6.94	108.02	110.80
26	BB	2697	G	N7-C8-N9	6.94	116.57	113.10
26	BB	2705	A	N7-C8-N9	-6.94	110.33	113.80
26	BB	2845	U	C2-N3-C4	-6.94	122.83	127.00
1	AA	1341	U	N1-C2-O2	6.94	127.66	122.80
1	AA	1416	G	C1'-O4'-C4'	-6.94	104.35	109.90
4	AD	73	A	N9-C4-C5	6.94	108.58	105.80
25	BA	107	G	C2-N3-C4	6.94	115.37	111.90
26	BB	1486	U	C6-N1-C2	6.94	125.16	121.00
26	BB	1540	G	N1-C2-N2	6.94	122.45	116.20
26	BB	2326	C	N1-C2-O2	6.94	123.06	118.90
26	BB	832	U	C4-C5-C6	6.94	123.86	119.70
26	BB	1025	G	N9-C4-C5	6.94	108.17	105.40
26	BB	1918	A	C5-C6-N6	-6.94	118.15	123.70
26	BB	2055	C	P-O3'-C3'	6.94	128.03	119.70
46	BV	69	ARG	NE-CZ-NH2	6.94	123.77	120.30
1	AA	180	U	C5'-C4'-O4'	6.94	117.42	109.10
1	AA	755	G	C4-C5-N7	-6.94	108.03	110.80
1	AA	1328	C	N1-C2-O2	6.94	123.06	118.90
1	AA	1380	U	N1-C2-N3	6.94	119.06	114.90
3	AC	45	G	O4'-C1'-N9	6.94	113.75	108.20
26	BB	162	U	C5-C6-N1	-6.94	119.23	122.70
26	BB	687	C	N3-C4-C5	-6.94	119.12	121.90
26	BB	1577	C	C5-C6-N1	6.94	124.47	121.00
26	BB	2438	U	C1'-O4'-C4'	-6.94	104.35	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2493	U	O4'-C1'-N1	6.94	113.75	108.20
26	BB	2534	A	N1-C2-N3	-6.94	125.83	129.30
26	BB	2757	A	N7-C8-N9	6.94	117.27	113.80
2	AB	67	G	C5-C6-N1	6.94	114.97	111.50
26	BB	84	A	N7-C8-N9	6.94	117.27	113.80
26	BB	862	G	N1-C2-N2	-6.94	109.96	116.20
26	BB	1582	C	N1-C2-O2	6.94	123.06	118.90
26	BB	2145	C	N3-C4-N4	6.94	122.86	118.00
39	BO	64	TRP	NE1-CE2-CD2	-6.94	100.36	107.30
1	AA	495	A	N1-C6-N6	-6.93	114.44	118.60
1	AA	760	G	C3'-C2'-C1'	-6.93	95.95	101.50
1	AA	1491	G	N1-C2-N3	6.93	128.06	123.90
17	AQ	93	PRO	N-CA-CB	6.93	111.62	103.30
26	BB	372	G	N9-C4-C5	6.93	108.17	105.40
26	BB	407	G	C5-C6-N1	6.93	114.97	111.50
26	BB	538	A	N1-C2-N3	6.93	132.77	129.30
26	BB	1101	U	N1-C2-N3	6.93	119.06	114.90
26	BB	2216	G	P-O3'-C3'	6.93	128.02	119.70
26	BB	2284	A	C2-N3-C4	6.93	114.07	110.60
26	BB	2332	C	C2-N3-C4	6.93	123.37	119.90
26	BB	2594	C	C1'-O4'-C4'	-6.93	104.35	109.90
26	BB	2714	G	N1-C2-N3	6.93	128.06	123.90
26	BB	2730	C	C4-C5-C6	6.93	120.87	117.40
26	BB	2857	G	N3-C4-C5	-6.93	125.13	128.60
1	AA	278	G	C4-C5-C6	6.93	122.96	118.80
1	AA	688	G	N1-C6-O6	6.93	124.06	119.90
1	AA	838	G	C6-N1-C2	-6.93	120.94	125.10
1	AA	892	A	C5'-C4'-O4'	6.93	117.42	109.10
26	BB	1036	G	O4'-C1'-N9	6.93	113.75	108.20
26	BB	1177	G	C2-N3-C4	6.93	115.37	111.90
26	BB	1416	G	C8-N9-C4	-6.93	103.63	106.40
26	BB	2486	C	N3-C4-N4	6.93	122.85	118.00
26	BB	2730	C	C5-C6-N1	-6.93	117.53	121.00
1	AA	776	G	N1-C6-O6	-6.93	115.74	119.90
1	AA	1466	C	C1'-O4'-C4'	6.93	115.44	109.90
26	BB	497	A	C2-N3-C4	-6.93	107.13	110.60
26	BB	1419	A	N1-C6-N6	6.93	122.76	118.60
26	BB	1510	G	C5-C6-O6	6.93	132.76	128.60
26	BB	1850	G	N3-C4-C5	-6.93	125.14	128.60
30	BF	35	TYR	CG-CD1-CE1	-6.93	115.75	121.30
1	AA	514	C	C5-C4-N4	-6.93	115.35	120.20
1	AA	889	A	N9-C1'-C2'	-6.93	104.38	112.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1004	A	C8-N9-C4	-6.93	103.03	105.80
1	AA	1167	A	C4-C5-N7	-6.93	107.23	110.70
18	AR	62	ARG	NE-CZ-NH2	-6.93	116.83	120.30
26	BB	1025	G	C8-N9-C4	-6.93	103.63	106.40
26	BB	2735	G	N3-C2-N2	6.93	124.75	119.90
26	BB	2892	G	C5-C6-O6	-6.93	124.44	128.60
29	BE	46	ARG	NE-CZ-NH2	-6.93	116.83	120.30
50	BZ	45	PHE	CB-CG-CD2	-6.93	115.95	120.80
1	AA	146	G	O4'-C1'-N9	6.93	113.74	108.20
1	AA	1262	C	C6-N1-C2	-6.93	117.53	120.30
26	BB	764	A	C6-N1-C2	6.93	122.76	118.60
26	BB	1107	G	N7-C8-N9	6.93	116.56	113.10
26	BB	1451	C	C5'-C4'-O4'	6.93	117.41	109.10
26	BB	1587	G	C4'-C3'-C2'	-6.93	95.67	102.60
26	BB	2053	G	C4-C5-C6	6.93	122.96	118.80
26	BB	2085	U	N3-C4-C5	-6.93	110.44	114.60
26	BB	2541	A	N1-C6-N6	-6.93	114.44	118.60
26	BB	2740	A	C4-C5-N7	-6.93	107.24	110.70
1	AA	186	C	C5-C6-N1	6.93	124.46	121.00
1	AA	395	C	C5'-C4'-C3'	-6.93	104.92	116.00
1	AA	551	U	C5-C6-N1	6.93	126.16	122.70
1	AA	969	A	C5'-C4'-C3'	-6.93	104.92	116.00
26	BB	297	G	N1-C6-O6	6.93	124.06	119.90
26	BB	319	G	C2-N3-C4	6.93	115.36	111.90
26	BB	1646	C	O4'-C4'-C3'	6.93	111.64	106.10
26	BB	1895	C	C6-N1-C2	-6.93	117.53	120.30
26	BB	2566	A	N9-C4-C5	6.93	108.57	105.80
1	AA	537	G	C5-C6-O6	-6.92	124.44	128.60
1	AA	832	G	O4'-C1'-N9	6.92	113.74	108.20
1	AA	1032	G	N3-C4-N9	6.92	130.16	126.00
1	AA	1040	U	N3-C4-O4	-6.92	114.55	119.40
1	AA	1068	G	C8-N9-C4	-6.92	103.63	106.40
1	AA	1439	G	N3-C4-C5	-6.92	125.14	128.60
12	AL	89	TYR	CG-CD1-CE1	-6.92	115.76	121.30
25	BA	52	A	O4'-C1'-N9	6.92	113.74	108.20
25	BA	90	C	C2-N3-C4	-6.92	116.44	119.90
25	BA	103	U	C1'-O4'-C4'	-6.92	104.36	109.90
26	BB	291	G	C1'-O4'-C4'	6.92	115.44	109.90
26	BB	2321	U	C5-C4-O4	-6.92	121.75	125.90
1	AA	889	A	C4-C5-N7	6.92	114.16	110.70
1	AA	1049	U	N1-C2-N3	6.92	119.05	114.90
1	AA	1170	A	O4'-C1'-N9	6.92	113.74	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1249	U	N1-C2-O2	-6.92	117.95	122.80
26	BB	1386	C	C4-C5-C6	-6.92	113.94	117.40
26	BB	1919	A	C1'-O4'-C4'	-6.92	104.36	109.90
1	AA	352	C	C1'-O4'-C4'	6.92	115.44	109.90
1	AA	449	G	O4'-C1'-N9	-6.92	102.66	108.20
1	AA	537	G	C1'-O4'-C4'	-6.92	104.36	109.90
5	AE	112	ARG	NE-CZ-NH1	6.92	123.76	120.30
26	BB	286	U	N3-C4-C5	-6.92	110.45	114.60
26	BB	831	G	C8-N9-C4	-6.92	103.63	106.40
26	BB	1201	U	C5'-C4'-O4'	6.92	117.41	109.10
26	BB	1242	U	N3-C4-C5	-6.92	110.45	114.60
26	BB	1744	A	C5'-C4'-O4'	6.92	117.41	109.10
26	BB	2335	A	O4'-C1'-N9	6.92	113.74	108.20
26	BB	2816	G	N9-C4-C5	6.92	108.17	105.40
1	AA	519	C	C5'-C4'-C3'	-6.92	104.93	116.00
26	BB	69	C	C6-N1-C2	-6.92	117.53	120.30
26	BB	663	G	N3-C4-N9	6.92	130.15	126.00
26	BB	1854	A	N1-C6-N6	6.92	122.75	118.60
1	AA	239	U	N3-C2-O2	-6.92	117.36	122.20
1	AA	1174	G	O4'-C1'-N9	6.92	113.73	108.20
25	BA	67	G	O4'-C1'-N9	6.92	113.73	108.20
26	BB	123	G	C5-C6-O6	-6.92	124.45	128.60
26	BB	1954	G	C6-N1-C2	-6.92	120.95	125.10
26	BB	2334	U	N3-C4-O4	6.92	124.24	119.40
26	BB	2797	U	C4-C5-C6	6.92	123.85	119.70
26	BB	2871	U	C6-N1-C2	-6.92	116.85	121.00
1	AA	1217	C	C2-N3-C4	-6.92	116.44	119.90
1	AA	1245	C	N3-C4-C5	-6.92	119.13	121.90
1	AA	1512	U	O4'-C1'-N1	6.92	113.73	108.20
26	BB	73	A	C5-C6-N1	6.92	121.16	117.70
26	BB	142	A	C5-C6-N6	-6.92	118.17	123.70
26	BB	410	G	C3'-C2'-C1'	-6.92	95.97	101.50
26	BB	544	C	C5-C6-N1	-6.92	117.54	121.00
26	BB	804	A	C4-C5-N7	-6.92	107.24	110.70
26	BB	857	G	N1-C2-N2	6.92	122.42	116.20
26	BB	1519	G	C2-N3-C4	6.92	115.36	111.90
26	BB	2438	U	O4'-C4'-C3'	6.92	111.63	106.10
26	BB	2889	C	C6-N1-C1'	6.92	129.10	120.80
1	AA	1074	G	N9-C4-C5	-6.92	102.63	105.40
26	BB	125	A	N9-C4-C5	-6.92	103.03	105.80
26	BB	947	A	C4-C5-C6	6.92	120.46	117.00
26	BB	1840	G	C2-N3-C4	6.92	115.36	111.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	933	G	C2-N3-C4	-6.91	108.44	111.90
1	AA	1310	G	C5-N7-C8	6.91	107.76	104.30
26	BB	286	U	N3-C2-O2	-6.91	117.36	122.20
26	BB	612	G	C6-N1-C2	-6.91	120.95	125.10
26	BB	1128	G	N3-C4-N9	-6.91	121.85	126.00
26	BB	1142	A	N1-C6-N6	6.91	122.75	118.60
26	BB	2004	G	N3-C4-N9	6.91	130.15	126.00
26	BB	2423	U	N3-C4-O4	6.91	124.24	119.40
26	BB	2507	C	C5-C6-N1	6.91	124.46	121.00
1	AA	81	A	N9-C1'-C2'	-6.91	104.40	112.00
1	AA	320	A	C5-C6-N6	-6.91	118.17	123.70
1	AA	1066	C	C4'-C3'-C2'	6.91	109.51	102.60
26	BB	738	G	N1-C2-N3	6.91	128.05	123.90
26	BB	1193	G	C8-N9-C4	-6.91	103.64	106.40
42	BR	41	ALA	CB-CA-C	6.91	120.47	110.10
1	AA	1068	G	C4-C5-C6	6.91	122.95	118.80
1	AA	1418	A	N9-C4-C5	6.91	108.56	105.80
25	BA	57	A	C3'-C2'-C1'	-6.91	95.97	101.50
26	BB	210	C	N3-C4-C5	-6.91	119.14	121.90
26	BB	667	U	O4'-C1'-N1	6.91	113.73	108.20
26	BB	1110	G	O4'-C1'-N9	6.91	113.73	108.20
26	BB	1788	C	C4'-C3'-C2'	-6.91	95.69	102.60
26	BB	2193	G	N3-C4-C5	-6.91	125.14	128.60
26	BB	2363	G	N1-C2-N3	-6.91	119.75	123.90
26	BB	2726	A	C6-C5-N7	6.91	137.14	132.30
1	AA	321	A	C5-N7-C8	-6.91	100.45	103.90
1	AA	584	G	N1-C2-N3	6.91	128.04	123.90
26	BB	254	G	C2-N3-C4	6.91	115.36	111.90
26	BB	431	U	O4'-C1'-N1	6.91	113.73	108.20
26	BB	1524	G	N3-C4-C5	-6.91	125.15	128.60
26	BB	1906	G	C4'-C3'-C2'	-6.91	95.69	102.60
26	BB	2477	U	C3'-C2'-C1'	6.91	107.03	101.50
26	BB	2537	U	O4'-C4'-C3'	6.91	111.63	106.10
1	AA	255	G	C1'-O4'-C4'	-6.91	104.38	109.90
1	AA	1062	U	N1-C2-N3	6.91	119.04	114.90
26	BB	1097	U	N1-C2-O2	6.91	127.64	122.80
26	BB	1134	A	C5-C6-N1	-6.91	114.25	117.70
26	BB	2228	G	N7-C8-N9	6.91	116.55	113.10
26	BB	2673	G	C2-N3-C4	6.91	115.35	111.90
1	AA	812	G	C5'-C4'-C3'	-6.91	104.95	116.00
2	AB	75	C	N3-C4-C5	6.91	124.66	121.90
26	BB	308	G	N3-C4-N9	-6.91	121.86	126.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	308	G	N9-C1'-C2'	6.91	122.98	114.00
26	BB	1767	G	C5-C6-N1	6.91	114.95	111.50
26	BB	2217	G	C5-N7-C8	-6.91	100.85	104.30
26	BB	2493	U	N3-C2-O2	-6.91	117.37	122.20
34	BJ	95	PHE	CB-CG-CD1	-6.91	115.97	120.80
1	AA	298	A	C2-N3-C4	6.90	114.05	110.60
1	AA	312	C	C6-N1-C2	6.90	123.06	120.30
18	AR	52	ARG	NE-CZ-NH2	-6.90	116.85	120.30
26	BB	1225	G	C2-N3-C4	6.90	115.35	111.90
26	BB	2539	C	O4'-C4'-C3'	6.90	111.62	106.10
1	AA	139	A	C5-C6-N6	-6.90	118.18	123.70
1	AA	1206	G	N3-C2-N2	6.90	124.73	119.90
1	AA	1210	C	O4'-C1'-N1	6.90	113.72	108.20
1	AA	1483	A	C5-N7-C8	-6.90	100.45	103.90
1	AA	1521	C	O4'-C1'-N1	6.90	113.72	108.20
1	AA	1535	C	N3-C2-O2	-6.90	117.07	121.90
4	AD	58	A	N1-C2-N3	6.90	132.75	129.30
26	BB	278	A	P-O3'-C3'	6.90	127.98	119.70
26	BB	1046	A	N7-C8-N9	6.90	117.25	113.80
26	BB	1048	A	C4-C5-C6	6.90	120.45	117.00
26	BB	1456	G	N3-C4-C5	6.90	132.05	128.60
26	BB	1519	G	C3'-C2'-C1'	6.90	107.02	101.50
30	BF	35	TYR	CB-CG-CD1	-6.90	116.86	121.00
1	AA	7	A	C6-N1-C2	-6.90	114.46	118.60
12	AL	63	TYR	CB-CG-CD1	-6.90	116.86	121.00
26	BB	703	U	O4'-C4'-C3'	-6.90	97.10	104.00
26	BB	2068	U	O4'-C1'-C2'	6.90	113.81	107.60
1	AA	806	C	C2-N3-C4	6.90	123.35	119.90
26	BB	798	G	C8-N9-C1'	6.90	135.97	127.00
26	BB	1722	A	N1-C6-N6	-6.90	114.46	118.60
26	BB	2113	U	C2-N3-C4	6.90	131.14	127.00
1	AA	102	G	C5-C6-O6	-6.90	124.46	128.60
1	AA	843	U	N3-C2-O2	-6.90	117.37	122.20
1	AA	947	G	O4'-C4'-C3'	6.90	111.62	106.10
1	AA	1021	A	N1-C6-N6	6.90	122.74	118.60
1	AA	1440	U	N3-C4-O4	6.90	124.23	119.40
26	BB	1169	A	C4-C5-N7	-6.90	107.25	110.70
26	BB	1696	G	C6-N1-C2	-6.90	120.96	125.10
26	BB	1882	U	N1-C1'-C2'	-6.90	104.41	112.00
26	BB	2443	C	C5'-C4'-O4'	6.90	117.38	109.10
1	AA	1388	C	C6-N1-C2	6.90	123.06	120.30
26	BB	2476	A	C6-N1-C2	6.90	122.74	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2897	U	N1-C2-N3	6.90	119.04	114.90
1	AA	644	U	C4-C5-C6	6.89	123.84	119.70
1	AA	666	G	C1'-O4'-C4'	6.89	115.42	109.90
1	AA	964	A	N1-C6-N6	-6.89	114.46	118.60
1	AA	1031	C	C2-N3-C4	6.89	123.35	119.90
1	AA	1311	A	C4'-C3'-C2'	-6.89	95.70	102.60
26	BB	28	A	N1-C2-N3	-6.89	125.85	129.30
26	BB	450	G	O4'-C1'-N9	6.89	113.72	108.20
26	BB	818	G	O4'-C1'-N9	6.89	113.72	108.20
26	BB	1695	G	C4-C5-C6	6.89	122.94	118.80
26	BB	2189	U	C1'-O4'-C4'	-6.89	104.38	109.90
26	BB	2752	C	C4-C5-C6	-6.89	113.95	117.40
33	BI	17	ASP	CB-CG-OD1	-6.89	112.09	118.30
1	AA	545	C	N3-C4-N4	6.89	122.83	118.00
1	AA	1030	U	C1'-O4'-C4'	6.89	115.41	109.90
25	BA	92	C	N1-C1'-C2'	-6.89	104.42	112.00
25	BA	95	U	C3'-C2'-C1'	6.89	107.02	101.50
26	BB	61	C	C3'-C2'-C1'	6.89	107.01	101.50
26	BB	1902	C	N1-C2-O2	6.89	123.04	118.90
26	BB	2844	G	C8-N9-C1'	6.89	135.96	127.00
1	AA	55	A	N1-C6-N6	-6.89	114.47	118.60
2	AB	3	G	C6-N1-C2	-6.89	120.97	125.10
26	BB	971	G	C6-N1-C2	-6.89	120.97	125.10
26	BB	1291	C	C1'-O4'-C4'	-6.89	104.39	109.90
26	BB	2089	C	C2-N3-C4	6.89	123.34	119.90
26	BB	2559	C	P-O3'-C3'	6.89	127.97	119.70
26	BB	2802	G	N7-C8-N9	6.89	116.55	113.10
1	AA	631	C	C4-C5-C6	-6.89	113.95	117.40
1	AA	692	U	N3-C2-O2	-6.89	117.38	122.20
12	AL	112	ARG	NE-CZ-NH1	-6.89	116.86	120.30
26	BB	1156	A	C2-N3-C4	-6.89	107.16	110.60
26	BB	1649	G	N7-C8-N9	6.89	116.55	113.10
26	BB	2105	U	O4'-C1'-N1	6.89	113.71	108.20
1	AA	308	C	C5'-C4'-O4'	6.89	117.37	109.10
4	AD	31	G	C2-N3-C4	6.89	115.34	111.90
25	BA	112	G	C5-C6-O6	-6.89	124.47	128.60
26	BB	1867	G	N3-C4-C5	-6.89	125.16	128.60
26	BB	2339	C	C4-C5-C6	-6.89	113.96	117.40
48	BX	79	ARG	NE-CZ-NH2	-6.89	116.86	120.30
1	AA	28	A	C3'-C2'-C1'	-6.89	95.99	101.50
1	AA	815	A	N7-C8-N9	6.89	117.24	113.80
1	AA	906	A	C4'-C3'-C2'	-6.89	95.71	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1422	G	O4'-C1'-N9	6.89	113.71	108.20
26	BB	74	A	N3-C4-C5	-6.89	121.98	126.80
26	BB	111	A	P-O3'-C3'	6.89	127.96	119.70
26	BB	415	A	O4'-C1'-N9	6.89	113.71	108.20
26	BB	768	G	C2-N3-C4	-6.89	108.46	111.90
26	BB	1010	A	C5-N7-C8	6.89	107.34	103.90
26	BB	1165	A	N3-C4-N9	-6.89	121.89	127.40
26	BB	1989	G	N9-C1'-C2'	-6.89	104.43	112.00
26	BB	2348	U	C6-N1-C2	-6.89	116.87	121.00
31	BG	172	PHE	CB-CG-CD1	-6.89	115.98	120.80
1	AA	358	U	C2'-C3'-O3'	6.88	124.71	113.70
26	BB	2207	C	C4'-C3'-C2'	-6.88	95.72	102.60
26	BB	2385	C	C4-C5-C6	-6.88	113.96	117.40
26	BB	2415	G	N3-C2-N2	6.88	124.72	119.90
1	AA	334	C	N1-C2-O2	6.88	123.03	118.90
1	AA	458	U	C2-N3-C4	6.88	131.13	127.00
1	AA	593	U	O4'-C1'-N1	6.88	113.71	108.20
1	AA	368	U	C4-C5-C6	6.88	123.83	119.70
1	AA	499	A	N7-C8-N9	-6.88	110.36	113.80
3	AC	45	G	N3-C2-N2	6.88	124.72	119.90
26	BB	4	U	N3-C4-O4	6.88	124.22	119.40
26	BB	172	A	C4-C5-N7	-6.88	107.26	110.70
26	BB	565	C	C1'-O4'-C4'	-6.88	104.39	109.90
26	BB	577	G	N3-C4-C5	-6.88	125.16	128.60
26	BB	1009	A	P-O3'-C3'	6.88	127.96	119.70
26	BB	1160	G	C2-N3-C4	6.88	115.34	111.90
26	BB	1172	C	N1-C1'-C2'	-6.88	104.43	112.00
26	BB	1291	C	N1-C2-O2	6.88	123.03	118.90
26	BB	1395	A	C1'-O4'-C4'	-6.88	104.40	109.90
26	BB	1599	U	N3-C4-C5	6.88	118.73	114.60
26	BB	1862	G	C4-C5-N7	-6.88	108.05	110.80
26	BB	2271	G	C5'-C4'-O4'	6.88	117.36	109.10
26	BB	2463	C	N3-C4-C5	-6.88	119.15	121.90
26	BB	2581	G	N3-C2-N2	-6.88	115.08	119.90
1	AA	203	G	C5-N7-C8	-6.88	100.86	104.30
2	AB	42	G	O4'-C1'-N9	6.88	113.70	108.20
2	AB	73	G	O4'-C4'-C3'	6.88	111.60	106.10
26	BB	358	U	N3-C2-O2	-6.88	117.38	122.20
26	BB	802	A	N3-C4-C5	-6.88	121.98	126.80
26	BB	1603	A	C5-N7-C8	6.88	107.34	103.90
26	BB	1869	G	N9-C4-C5	6.88	108.15	105.40
26	BB	2185	U	N3-C4-O4	-6.88	114.58	119.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2433	A	O5'-P-OP1	6.88	118.96	110.70
26	BB	2606	C	P-O3'-C3'	6.88	127.96	119.70
26	BB	2627	G	P-O3'-C3'	6.88	127.96	119.70
1	AA	106	C	N1-C1'-C2'	-6.88	104.43	112.00
1	AA	1174	G	C1'-O4'-C4'	6.88	115.40	109.90
2	AB	52	A	C5-C6-N1	6.88	121.14	117.70
4	AD	30	G	C4-C5-N7	6.88	113.55	110.80
7	AG	154	VAL	CA-CB-CG1	6.88	121.22	110.90
26	BB	185	G	N1-C6-O6	6.88	124.03	119.90
26	BB	1132	U	C2-N3-C4	-6.88	122.87	127.00
26	BB	2137	U	N1-C2-N3	6.88	119.03	114.90
57	B6	12	ARG	NE-CZ-NH2	6.88	123.74	120.30
1	AA	434	U	C6-N1-C2	-6.88	116.87	121.00
1	AA	445	G	N9-C4-C5	6.88	108.15	105.40
1	AA	1344	C	N1-C2-N3	-6.88	114.39	119.20
26	BB	44	A	N1-C6-N6	-6.88	114.47	118.60
26	BB	276	U	C4-C5-C6	6.88	123.83	119.70
26	BB	1521	G	N1-C6-O6	-6.88	115.77	119.90
26	BB	1637	A	N1-C2-N3	6.88	132.74	129.30
26	BB	1753	G	N7-C8-N9	6.88	116.54	113.10
26	BB	1997	C	N3-C2-O2	-6.88	117.09	121.90
26	BB	2706	A	C1'-O4'-C4'	6.88	115.40	109.90
26	BB	2880	C	C3'-C2'-C1'	-6.88	96.00	101.50
28	BD	170	TYR	CG-CD2-CE2	-6.88	115.80	121.30
1	AA	644	U	N3-C4-C5	-6.88	110.47	114.60
26	BB	149	A	C4-C5-N7	6.88	114.14	110.70
26	BB	186	G	N3-C2-N2	-6.88	115.09	119.90
26	BB	706	A	N1-C2-N3	-6.88	125.86	129.30
26	BB	2314	A	N7-C8-N9	6.88	117.24	113.80
1	AA	72	A	C5'-C4'-O4'	6.87	117.35	109.10
1	AA	118	U	N3-C2-O2	-6.87	117.39	122.20
2	AB	44	G	C5'-C4'-O4'	6.87	117.35	109.10
26	BB	204	A	C6-C5-N7	6.87	137.11	132.30
26	BB	1142	A	C8-N9-C4	-6.87	103.05	105.80
43	BS	87	VAL	CG1-CB-CG2	-6.87	99.90	110.90
53	B2	56	ARG	NE-CZ-NH2	-6.87	116.86	120.30
1	AA	1294	G	C2-N3-C4	6.87	115.34	111.90
1	AA	1492	A	N9-C1'-C2'	6.87	122.93	114.00
25	BA	91	C	C3'-C2'-C1'	6.87	107.00	101.50
26	BB	161	A	C5-C6-N6	-6.87	118.20	123.70
26	BB	1625	C	N3-C2-O2	-6.87	117.09	121.90
26	BB	2321	U	C4'-C3'-C2'	6.87	109.47	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2602	A	C6-N1-C2	6.87	122.72	118.60
26	BB	2871	U	C3'-C2'-C1'	6.87	107.00	101.50
26	BB	1303	G	N3-C4-N9	6.87	130.12	126.00
26	BB	2466	C	N3-C2-O2	-6.87	117.09	121.90
26	BB	2597	G	N3-C4-C5	-6.87	125.17	128.60
1	AA	1007	U	C6-N1-C2	-6.87	116.88	121.00
1	AA	1347	G	N3-C4-C5	-6.87	125.17	128.60
26	BB	141	G	N3-C4-C5	-6.87	125.17	128.60
26	BB	149	A	N7-C8-N9	6.87	117.23	113.80
26	BB	205	G	C5-C6-O6	-6.87	124.48	128.60
26	BB	398	C	O4'-C1'-N1	6.87	113.69	108.20
26	BB	523	C	N3-C2-O2	-6.87	117.09	121.90
26	BB	559	G	C2-N3-C4	6.87	115.33	111.90
26	BB	914	G	N1-C2-N3	6.87	128.02	123.90
26	BB	976	G	C5'-C4'-O4'	6.87	117.34	109.10
26	BB	1073	A	O4'-C4'-C3'	6.87	111.59	106.10
26	BB	2817	U	C5-C4-O4	-6.87	121.78	125.90
26	BB	327	G	C4-C5-N7	6.87	113.55	110.80
26	BB	627	A	N9-C4-C5	6.87	108.55	105.80
26	BB	1378	A	N7-C8-N9	-6.87	110.37	113.80
1	AA	146	G	C8-N9-C4	-6.87	103.65	106.40
1	AA	541	G	C8-N9-C4	-6.87	103.65	106.40
1	AA	1272	G	C6-C5-N7	-6.87	126.28	130.40
26	BB	178	G	N9-C1'-C2'	-6.87	104.45	112.00
26	BB	291	G	C2-N3-C4	6.87	115.33	111.90
26	BB	440	C	N3-C4-N4	-6.87	113.19	118.00
26	BB	632	A	N1-C2-N3	6.87	132.73	129.30
26	BB	650	C	N3-C4-C5	-6.87	119.15	121.90
26	BB	651	G	C5-N7-C8	-6.87	100.87	104.30
26	BB	1034	G	C5-N7-C8	-6.87	100.87	104.30
26	BB	1166	G	C4-C5-N7	6.87	113.55	110.80
26	BB	1635	A	N1-C2-N3	-6.87	125.87	129.30
26	BB	2327	A	C4'-C3'-C2'	-6.87	95.73	102.60
26	BB	2439	A	O4'-C1'-N9	6.87	113.69	108.20
1	AA	714	G	C4-C5-N7	-6.86	108.06	110.80
26	BB	431	U	N1-C2-O2	-6.86	118.00	122.80
26	BB	468	G	C6-C5-N7	-6.86	126.28	130.40
26	BB	959	A	C3'-C2'-C1'	6.86	106.99	101.50
26	BB	1465	G	C5-N7-C8	6.86	107.73	104.30
26	BB	1632	A	O4'-C4'-C3'	6.86	111.59	106.10
26	BB	1916	A	C4-C5-N7	-6.86	107.27	110.70
26	BB	2492	U	N3-C2-O2	-6.86	117.40	122.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2534	A	P-O3'-C3'	6.86	127.94	119.70
26	BB	2608	G	C8-N9-C4	-6.86	103.66	106.40
1	AA	178	C	N3-C4-C5	-6.86	119.16	121.90
1	AA	806	C	C5-C6-N1	6.86	124.43	121.00
26	BB	1145	C	N1-C1'-C2'	-6.86	104.45	112.00
26	BB	1672	A	C5-C6-N1	6.86	121.13	117.70
26	BB	2322	A	C3'-C2'-C1'	6.86	106.99	101.50
26	BB	2519	U	C5-C6-N1	-6.86	119.27	122.70
1	AA	404	G	C5-N7-C8	6.86	107.73	104.30
1	AA	709	U	C1'-O4'-C4'	6.86	115.39	109.90
1	AA	873	A	C4-C5-N7	-6.86	107.27	110.70
1	AA	1417	G	C5'-C4'-O4'	6.86	117.33	109.10
3	AC	27	A	N1-C2-N3	-6.86	125.87	129.30
25	BA	105	G	C5-C6-O6	6.86	132.72	128.60
26	BB	428	A	C2-N3-C4	6.86	114.03	110.60
26	BB	2208	C	C6-N1-C2	-6.86	117.56	120.30
26	BB	2252	G	C1'-O4'-C4'	-6.86	104.41	109.90
26	BB	2802	G	C5'-C4'-O4'	6.86	117.33	109.10
1	AA	14	U	N3-C2-O2	-6.86	117.40	122.20
1	AA	735	C	N3-C2-O2	-6.86	117.10	121.90
1	AA	1078	U	N3-C2-O2	-6.86	117.40	122.20
1	AA	1167	A	C6-C5-N7	6.86	137.10	132.30
26	BB	629	G	C8-N9-C1'	6.86	135.92	127.00
26	BB	2586	U	C5-C4-O4	-6.86	121.78	125.90
26	BB	2639	A	N7-C8-N9	6.86	117.23	113.80
1	AA	196	A	C3'-C2'-C1'	6.86	106.99	101.50
1	AA	642	A	N1-C6-N6	6.86	122.72	118.60
1	AA	755	G	O4'-C1'-N9	6.86	113.69	108.20
1	AA	1336	C	N3-C4-N4	-6.86	113.20	118.00
4	AD	62	C	C6-N1-C2	-6.86	117.56	120.30
26	BB	1368	G	N3-C4-N9	-6.86	121.89	126.00
26	BB	1530	G	N7-C8-N9	6.86	116.53	113.10
26	BB	1622	G	N9-C4-C5	6.86	108.14	105.40
26	BB	1978	A	C6-C5-N7	6.86	137.10	132.30
26	BB	2473	U	C6-N1-C2	-6.86	116.89	121.00
31	BG	76	PHE	CB-CG-CD2	6.86	125.60	120.80
46	BV	95	PHE	CB-CG-CD1	-6.86	116.00	120.80
1	AA	540	G	C6-N1-C2	-6.86	120.99	125.10
1	AA	636	U	C2-N3-C4	-6.86	122.89	127.00
1	AA	1011	C	O4'-C1'-N1	6.86	113.69	108.20
26	BB	992	C	O4'-C1'-N1	6.86	113.69	108.20
26	BB	1601	G	C5-C6-N1	6.86	114.93	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2196	C	C1'-O4'-C4'	-6.86	104.42	109.90
26	BB	2490	G	C5-N7-C8	-6.86	100.87	104.30
26	BB	2775	G	C5-N7-C8	-6.86	100.87	104.30
1	AA	1291	U	N3-C2-O2	-6.85	117.40	122.20
1	AA	1324	A	C4-C5-N7	-6.85	107.27	110.70
2	AB	13	C	C6-N1-C2	6.85	123.04	120.30
2	AB	35	C	N1-C1'-C2'	6.85	122.91	114.00
26	BB	478	A	C5-C6-N1	6.85	121.13	117.70
26	BB	1360	G	N3-C4-N9	-6.85	121.89	126.00
26	BB	1390	U	O4'-C1'-N1	6.85	113.68	108.20
26	BB	1429	G	C8-N9-C4	-6.85	103.66	106.40
26	BB	1870	C	C2-N3-C4	6.85	123.33	119.90
26	BB	2165	C	C4'-C3'-C2'	-6.85	95.75	102.60
26	BB	2414	G	N3-C2-N2	6.85	124.70	119.90
28	BD	95	TYR	CB-CG-CD1	-6.85	116.89	121.00
1	AA	111	G	C5-C6-O6	-6.85	124.49	128.60
1	AA	396	C	N1-C2-O2	6.85	123.01	118.90
1	AA	1061	G	C8-N9-C4	-6.85	103.66	106.40
1	AA	1474	U	N3-C4-C5	6.85	118.71	114.60
26	BB	170	U	N3-C4-O4	6.85	124.20	119.40
26	BB	800	A	O4'-C1'-N9	6.85	113.68	108.20
26	BB	1504	A	C4'-C3'-C2'	-6.85	95.75	102.60
26	BB	1918	A	C2-N3-C4	6.85	114.03	110.60
26	BB	2708	G	N1-C2-N2	6.85	122.37	116.20
26	BB	2747	G	C5'-C4'-C3'	-6.85	105.04	116.00
1	AA	152	A	C5'-C4'-O4'	6.85	117.32	109.10
1	AA	682	G	N1-C2-N2	6.85	122.37	116.20
1	AA	882	C	N1-C2-N3	6.85	124.00	119.20
25	BA	58	A	N1-C6-N6	-6.85	114.49	118.60
26	BB	243	U	C6-N1-C2	-6.85	116.89	121.00
26	BB	903	C	O4'-C1'-N1	6.85	113.68	108.20
26	BB	1309	G	N9-C4-C5	6.85	108.14	105.40
26	BB	1392	A	C1'-O4'-C4'	-6.85	104.42	109.90
1	AA	48	C	N3-C4-N4	6.85	122.79	118.00
1	AA	100	G	C2-N3-C4	6.85	115.33	111.90
1	AA	334	C	N3-C2-O2	-6.85	117.11	121.90
1	AA	695	A	P-O3'-C3'	6.85	127.92	119.70
1	AA	1158	C	C1'-O4'-C4'	-6.85	104.42	109.90
1	AA	1501	C	C5-C6-N1	-6.85	117.58	121.00
26	BB	445	C	C5-C4-N4	6.85	125.00	120.20
26	BB	1209	U	N1-C1'-C2'	-6.85	104.47	112.00
26	BB	1590	A	C8-N9-C4	-6.85	103.06	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1705	A	C5-C6-N1	6.85	121.12	117.70
26	BB	1975	G	C2-N3-C4	6.85	115.33	111.90
50	BZ	36	ARG	NE-CZ-NH1	6.85	123.72	120.30
1	AA	1059	C	C4'-C3'-C2'	-6.85	95.75	102.60
1	AA	1296	C	N3-C2-O2	6.85	126.69	121.90
2	AB	18	G	C8-N9-C4	-6.85	103.66	106.40
26	BB	162	U	C5'-C4'-O4'	6.85	117.32	109.10
26	BB	213	A	N9-C1'-C2'	-6.85	104.47	112.00
26	BB	476	G	C5'-C4'-O4'	6.85	117.32	109.10
26	BB	653	U	C5-C4-O4	-6.85	121.79	125.90
26	BB	1425	G	N9-C1'-C2'	-6.85	104.47	112.00
26	BB	186	G	C6-N1-C2	-6.85	120.99	125.10
26	BB	1415	U	C5-C6-N1	-6.85	119.28	122.70
26	BB	1913	A	O3'-P-O5'	6.85	117.01	104.00
26	BB	330	A	N9-C1'-C2'	6.84	122.90	114.00
26	BB	780	G	C4-C5-N7	-6.84	108.06	110.80
26	BB	1205	A	O4'-C1'-N9	6.84	113.67	108.20
26	BB	1268	A	C5'-C4'-C3'	-6.84	105.05	116.00
26	BB	1834	U	N1-C2-N3	6.84	119.01	114.90
26	BB	1838	C	N3-C4-C5	-6.84	119.16	121.90
26	BB	1882	U	C2-N3-C4	-6.84	122.89	127.00
26	BB	2550	G	N7-C8-N9	6.84	116.52	113.10
26	BB	2733	A	C6-C5-N7	-6.84	127.51	132.30
26	BB	2836	U	C3'-C2'-C1'	-6.84	96.02	101.50
29	BE	33	ARG	NH1-CZ-NH2	-6.84	111.87	119.40
1	AA	912	C	N1-C2-O2	-6.84	114.79	118.90
1	AA	1071	C	C6-N1-C2	-6.84	117.56	120.30
26	BB	1046	A	P-O3'-C3'	6.84	127.91	119.70
26	BB	1104	C	N1-C2-N3	-6.84	114.41	119.20
26	BB	2117	A	C4'-C3'-C2'	-6.84	95.76	102.60
1	AA	899	C	N3-C4-C5	-6.84	119.16	121.90
1	AA	1047	G	C4-C5-C6	6.84	122.91	118.80
1	AA	1215	G	C3'-C2'-C1'	-6.84	96.03	101.50
1	AA	1334	G	C4-C5-N7	6.84	113.54	110.80
26	BB	77	G	C6-C5-N7	-6.84	126.30	130.40
26	BB	589	U	C4'-C3'-C2'	-6.84	95.76	102.60
26	BB	617	G	C5-C6-O6	-6.84	124.50	128.60
26	BB	855	G	C2-N3-C4	6.84	115.32	111.90
26	BB	1287	A	C5'-C4'-O4'	6.84	117.31	109.10
26	BB	1440	U	N1-C2-O2	6.84	127.59	122.80
26	BB	1697	G	N3-C2-N2	-6.84	115.11	119.90
26	BB	1905	C	N1-C2-O2	6.84	123.00	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1997	C	C4-C5-C6	6.84	120.82	117.40
26	BB	2246	G	N1-C6-O6	6.84	124.00	119.90
1	AA	846	G	O4'-C1'-N9	6.84	113.67	108.20
1	AA	929	G	C4'-C3'-C2'	-6.84	95.76	102.60
1	AA	969	A	C5-N7-C8	6.84	107.32	103.90
1	AA	1349	A	C2-N3-C4	-6.84	107.18	110.60
1	AA	1532	U	C2-N3-C4	-6.84	122.90	127.00
2	AB	34	C	N3-C2-O2	-6.84	117.11	121.90
25	BA	93	C	C2-N3-C4	-6.84	116.48	119.90
26	BB	59	U	O4'-C1'-N1	6.84	113.67	108.20
26	BB	1792	G	P-O3'-C3'	6.84	127.91	119.70
26	BB	1914	C	C6-N1-C2	-6.84	117.56	120.30
1	AA	122	G	C5'-C4'-O4'	6.84	117.31	109.10
26	BB	389	G	C5-N7-C8	6.84	107.72	104.30
1	AA	236	A	C5-C6-N1	6.84	121.12	117.70
1	AA	284	C	C4-C5-C6	6.84	120.82	117.40
1	AA	367	U	C2-N3-C4	-6.84	122.90	127.00
1	AA	1340	A	C5-N7-C8	-6.84	100.48	103.90
1	AA	1495	U	O4'-C1'-N1	6.84	113.67	108.20
26	BB	289	G	N1-C6-O6	-6.84	115.80	119.90
26	BB	391	A	C5'-C4'-O4'	6.84	117.30	109.10
26	BB	436	C	N3-C2-O2	-6.84	117.11	121.90
26	BB	1030	C	C4-C5-C6	-6.84	113.98	117.40
26	BB	2355	G	C4-C5-N7	-6.84	108.07	110.80
1	AA	427	U	N3-C4-C5	-6.83	110.50	114.60
1	AA	451	A	C5-C6-N1	-6.83	114.28	117.70
1	AA	564	C	C4-C5-C6	-6.83	113.98	117.40
26	BB	603	A	C4-C5-N7	-6.83	107.28	110.70
26	BB	1649	G	C4-C5-C6	6.83	122.90	118.80
26	BB	2709	G	C8-N9-C4	-6.83	103.67	106.40
1	AA	218	U	C4-C5-C6	6.83	123.80	119.70
26	BB	408	G	O4'-C4'-C3'	6.83	111.57	106.10
26	BB	2087	G	O4'-C1'-N9	-6.83	102.73	108.20
26	BB	2214	C	N3-C4-C5	-6.83	119.17	121.90
26	BB	2816	G	C4-C5-N7	-6.83	108.07	110.80
1	AA	117	G	N3-C4-N9	6.83	130.10	126.00
1	AA	383	A	P-O3'-C3'	6.83	127.90	119.70
1	AA	907	A	C1'-O4'-C4'	-6.83	104.44	109.90
1	AA	1417	G	C1'-O4'-C4'	-6.83	104.44	109.90
3	AC	30	U	N3-C2-O2	-6.83	117.42	122.20
4	AD	7	G	C6-C5-N7	-6.83	126.30	130.40
7	AG	61	ARG	CD-NE-CZ	6.83	133.16	123.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	31	C	C1'-O4'-C4'	-6.83	104.43	109.90
26	BB	294	A	N1-C6-N6	6.83	122.70	118.60
26	BB	324	A	N1-C6-N6	6.83	122.70	118.60
26	BB	1773	A	N1-C6-N6	6.83	122.70	118.60
26	BB	1776	G	N3-C4-C5	-6.83	125.19	128.60
26	BB	2087	G	C6-N1-C2	-6.83	121.00	125.10
26	BB	2152	G	C8-N9-C4	-6.83	103.67	106.40
1	AA	619	U	C3'-C2'-C1'	6.83	106.96	101.50
1	AA	690	G	C5'-C4'-O4'	6.83	117.30	109.10
26	BB	2557	G	C3'-C2'-C1'	-6.83	96.04	101.50
1	AA	10	A	O4'-C1'-N9	6.83	113.66	108.20
1	AA	206	C	C4-C5-C6	6.83	120.81	117.40
1	AA	949	A	C4-C5-C6	-6.83	113.59	117.00
1	AA	1422	G	C5-C6-O6	-6.83	124.50	128.60
26	BB	6	A	C5'-C4'-O4'	6.83	117.29	109.10
26	BB	429	A	N1-C6-N6	6.83	122.70	118.60
26	BB	600	G	N1-C2-N3	-6.83	119.80	123.90
26	BB	1027	A	C3'-C2'-C1'	6.83	106.96	101.50
26	BB	1228	G	N3-C2-N2	-6.83	115.12	119.90
26	BB	1776	G	C6-N1-C2	-6.83	121.00	125.10
26	BB	2107	G	C3'-C2'-C1'	6.83	106.96	101.50
26	BB	2363	G	C2-N3-C4	6.83	115.31	111.90
26	BB	243	U	C5'-C4'-O4'	6.83	117.29	109.10
26	BB	297	G	O4'-C4'-C3'	6.83	111.56	106.10
26	BB	1109	C	N1-C2-O2	6.83	123.00	118.90
26	BB	1265	A	C6-N1-C2	-6.83	114.50	118.60
26	BB	2345	G	C2-N3-C4	6.83	115.31	111.90
26	BB	2441	U	N3-C4-O4	6.83	124.18	119.40
1	AA	1033	G	C8-N9-C4	-6.83	103.67	106.40
1	AA	1119	C	C6-N1-C2	-6.83	117.57	120.30
2	AB	45	U	N1-C2-N3	6.83	119.00	114.90
17	AQ	100	TRP	CZ3-CH2-CZ2	-6.83	113.41	121.60
26	BB	260	G	N9-C4-C5	6.83	108.13	105.40
26	BB	1581	G	C6-N1-C2	-6.83	121.00	125.10
26	BB	1596	A	C2-N3-C4	6.83	114.01	110.60
26	BB	1615	C	P-O3'-C3'	6.83	127.89	119.70
26	BB	2319	G	N3-C2-N2	6.83	124.68	119.90
26	BB	2514	U	O3'-P-O5'	6.83	116.97	104.00
26	BB	2660	A	C2-N3-C4	6.83	114.01	110.60
1	AA	1442	G	N3-C4-C5	-6.82	125.19	128.60
26	BB	251	A	C3'-C2'-C1'	-6.82	96.04	101.50
26	BB	1566	A	N3-C4-N9	6.82	132.86	127.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1755	A	N1-C2-N3	-6.82	125.89	129.30
26	BB	2213	U	N3-C4-O4	6.82	124.18	119.40
1	AA	149	A	N9-C4-C5	6.82	108.53	105.80
26	BB	837	C	N3-C2-O2	-6.82	117.12	121.90
1	AA	998	C	N1-C2-O2	6.82	122.99	118.90
26	BB	212	G	N9-C4-C5	6.82	108.13	105.40
26	BB	1009	A	N1-C2-N3	-6.82	125.89	129.30
26	BB	1060	U	C4-C5-C6	6.82	123.79	119.70
26	BB	1103	A	C4-C5-C6	-6.82	113.59	117.00
26	BB	1190	G	C5-N7-C8	6.82	107.71	104.30
26	BB	1205	A	N9-C4-C5	-6.82	103.07	105.80
1	AA	225	C	C4-C5-C6	-6.82	113.99	117.40
1	AA	299	G	C8-N9-C4	-6.82	103.67	106.40
1	AA	879	C	O4'-C1'-N1	6.82	113.66	108.20
26	BB	1634	A	C2-N3-C4	6.82	114.01	110.60
26	BB	1706	C	N3-C2-O2	-6.82	117.13	121.90
25	BA	92	C	C6-N1-C2	6.82	123.03	120.30
26	BB	722	A	N1-C6-N6	-6.82	114.51	118.60
26	BB	871	U	O4'-C1'-N1	6.82	113.65	108.20
26	BB	1511	G	C5-N7-C8	6.82	107.71	104.30
26	BB	1761	C	O4'-C1'-N1	6.82	113.65	108.20
26	BB	1867	G	C1'-O4'-C4'	-6.82	104.45	109.90
28	BD	213	ARG	NE-CZ-NH1	6.82	123.71	120.30
1	AA	899	C	C2-N1-C1'	6.82	126.30	118.80
1	AA	1475	G	C5-C6-N1	-6.82	108.09	111.50
5	AE	212	TYR	CB-CG-CD2	-6.82	116.91	121.00
13	AM	48	ARG	NE-CZ-NH1	6.82	123.71	120.30
26	BB	470	A	C5-C6-N6	6.82	129.15	123.70
26	BB	1846	G	N3-C4-C5	-6.82	125.19	128.60
26	BB	1904	G	C8-N9-C1'	6.82	135.86	127.00
26	BB	2169	A	N1-C6-N6	6.82	122.69	118.60
1	AA	187	G	O4'-C4'-C3'	6.81	111.55	106.10
1	AA	627	G	C5-C6-O6	-6.81	124.51	128.60
1	AA	831	A	C8-N9-C4	-6.81	103.07	105.80
1	AA	1144	G	C2-N3-C4	-6.81	108.49	111.90
26	BB	61	C	N3-C2-O2	-6.81	117.13	121.90
26	BB	907	G	C8-N9-C4	-6.81	103.67	106.40
26	BB	1416	G	C6-C5-N7	-6.81	126.31	130.40
26	BB	1422	G	N9-C4-C5	6.81	108.12	105.40
1	AA	363	A	C4-C5-C6	-6.81	113.59	117.00
1	AA	608	A	N1-C2-N3	-6.81	125.89	129.30
1	AA	1469	C	O4'-C1'-N1	6.81	113.65	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1475	G	C5'-C4'-O4'	6.81	117.27	109.10
25	BA	73	A	N1-C2-N3	6.81	132.71	129.30
26	BB	6	A	C8-N9-C4	-6.81	103.08	105.80
26	BB	343	C	C4-C5-C6	6.81	120.81	117.40
26	BB	508	A	C5'-C4'-O4'	6.81	117.28	109.10
26	BB	895	U	O4'-C1'-N1	6.81	113.65	108.20
1	AA	1166	G	C6-C5-N7	-6.81	126.31	130.40
2	AB	74	C	N3-C4-C5	-6.81	119.17	121.90
3	AC	42	U	N3-C4-O4	-6.81	114.63	119.40
4	AD	22	A	C2-N3-C4	6.81	114.01	110.60
26	BB	514	A	C2-N3-C4	-6.81	107.19	110.60
26	BB	521	U	N3-C4-O4	6.81	124.17	119.40
26	BB	769	U	C4-C5-C6	6.81	123.79	119.70
26	BB	1291	C	C2-N3-C4	6.81	123.31	119.90
26	BB	1393	A	C5-N7-C8	6.81	107.31	103.90
26	BB	2064	C	C2-N3-C4	6.81	123.31	119.90
1	AA	765	G	N9-C4-C5	6.81	108.12	105.40
26	BB	528	A	O4'-C1'-N9	6.81	113.65	108.20
26	BB	557	C	O4'-C1'-N1	6.81	113.65	108.20
26	BB	571	U	N3-C2-O2	-6.81	117.43	122.20
26	BB	814	C	C5-C6-N1	6.81	124.41	121.00
26	BB	1116	G	C6-N1-C2	-6.81	121.01	125.10
26	BB	1479	G	N9-C4-C5	6.81	108.12	105.40
26	BB	2059	A	C4'-C3'-C2'	-6.81	95.79	102.60
26	BB	2867	G	N1-C2-N3	-6.81	119.81	123.90
1	AA	687	A	C4-C5-N7	-6.81	107.30	110.70
1	AA	1418	A	C4-C5-N7	-6.81	107.30	110.70
25	BA	91	C	N1-C2-O2	6.81	122.98	118.90
26	BB	1071	G	C5-N7-C8	-6.81	100.90	104.30
26	BB	1770	G	N3-C4-C5	-6.81	125.20	128.60
26	BB	1777	U	C5-C6-N1	-6.81	119.30	122.70
26	BB	2078	C	O4'-C1'-N1	6.81	113.65	108.20
1	AA	7	A	C4-C5-N7	-6.81	107.30	110.70
1	AA	549	C	N1-C2-N3	-6.81	114.44	119.20
15	AO	30	ARG	NE-CZ-NH2	-6.81	116.90	120.30
26	BB	406	G	N3-C4-N9	6.81	130.08	126.00
26	BB	997	G	N3-C4-C5	6.81	132.00	128.60
26	BB	1623	G	C5-C6-O6	-6.81	124.52	128.60
1	AA	529	G	P-O3'-C3'	6.80	127.87	119.70
1	AA	1280	A	C5-C6-N6	6.80	129.14	123.70
1	AA	1542	A	C1'-O4'-C4'	-6.80	104.46	109.90
4	AD	18	U	C5-C4-O4	6.80	129.98	125.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	719	C	C5-C6-N1	6.80	124.40	121.00
26	BB	1113	U	C4-C5-C6	6.80	123.78	119.70
26	BB	1190	G	O4'-C1'-N9	6.80	113.64	108.20
26	BB	1904	G	C4-N9-C1'	-6.80	117.66	126.50
26	BB	2203	U	C5'-C4'-O4'	6.80	117.27	109.10
26	BB	2555	U	P-O5'-C5'	6.80	131.79	120.90
1	AA	74	A	N9-C1'-C2'	-6.80	104.52	112.00
1	AA	944	G	C8-N9-C4	-6.80	103.68	106.40
1	AA	1124	G	O4'-C1'-N9	6.80	113.64	108.20
26	BB	94	A	C5-N7-C8	-6.80	100.50	103.90
26	BB	697	G	C8-N9-C4	-6.80	103.68	106.40
26	BB	1667	G	N3-C4-N9	6.80	130.08	126.00
26	BB	2271	G	C5-C6-O6	-6.80	124.52	128.60
26	BB	2333	A	C4-C5-N7	-6.80	107.30	110.70
1	AA	517	G	C2-N3-C4	6.80	115.30	111.90
1	AA	1198	G	C8-N9-C4	-6.80	103.68	106.40
1	AA	1257	A	N3-C4-C5	-6.80	122.04	126.80
1	AA	1385	G	O4'-C1'-N9	6.80	113.64	108.20
1	AA	1410	A	C8-N9-C4	-6.80	103.08	105.80
1	AA	1514	G	O4'-C1'-N9	6.80	113.64	108.20
26	BB	323	C	N1-C1'-C2'	-6.80	104.52	112.00
26	BB	1275	A	C4-C5-C6	6.80	120.40	117.00
26	BB	1570	A	N1-C6-N6	6.80	122.68	118.60
26	BB	1811	G	C5-N7-C8	-6.80	100.90	104.30
26	BB	1952	A	N1-C6-N6	-6.80	114.52	118.60
26	BB	2197	U	N3-C2-O2	-6.80	117.44	122.20
1	AA	779	C	N3-C2-O2	-6.80	117.14	121.90
1	AA	1349	A	C5'-C4'-O4'	6.80	117.26	109.10
1	AA	1368	A	C2-N3-C4	6.80	114.00	110.60
26	BB	583	G	N1-C2-N2	6.80	122.32	116.20
26	BB	1757	A	C4-C5-C6	-6.80	113.60	117.00
26	BB	1837	C	O4'-C1'-N1	6.80	113.64	108.20
26	BB	1935	G	O4'-C1'-N9	6.80	113.64	108.20
26	BB	1936	A	N7-C8-N9	6.80	117.20	113.80
26	BB	2039	U	N1-C2-N3	6.80	118.98	114.90
26	BB	2092	U	C6-N1-C2	6.80	125.08	121.00
26	BB	323	C	N3-C4-N4	6.80	122.76	118.00
1	AA	11	G	N3-C4-C5	-6.80	125.20	128.60
1	AA	1154	G	C8-N9-C4	-6.80	103.68	106.40
3	AC	25	U	N1-C1'-C2'	-6.80	104.52	112.00
26	BB	254	G	C5-C6-O6	-6.80	124.52	128.60
26	BB	273	G	C2-N3-C4	6.80	115.30	111.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	446	G	O4'-C1'-N9	6.80	113.64	108.20
26	BB	1139	G	N3-C4-N9	6.80	130.08	126.00
26	BB	1279	G	N7-C8-N9	6.80	116.50	113.10
26	BB	1940	U	C6-N1-C1'	-6.80	111.69	121.20
26	BB	2281	A	C3'-C2'-C1'	-6.80	96.06	101.50
1	AA	1	A	N7-C8-N9	-6.79	110.40	113.80
1	AA	414	A	C5'-C4'-O4'	6.79	117.25	109.10
1	AA	885	G	N9-C4-C5	6.79	108.12	105.40
1	AA	957	U	N3-C2-O2	-6.79	117.44	122.20
1	AA	1144	G	N3-C2-N2	-6.79	115.14	119.90
1	AA	1215	G	C2-N3-C4	6.79	115.30	111.90
25	BA	118	C	C3'-C2'-C1'	6.79	106.94	101.50
26	BB	41	C	N1-C2-O2	6.79	122.98	118.90
26	BB	1665	A	C4-C5-N7	-6.79	107.30	110.70
26	BB	2488	G	C5-C6-O6	-6.79	124.52	128.60
26	BB	2573	C	C2-N3-C4	6.79	123.30	119.90
26	BB	2657	A	C8-N9-C4	-6.79	103.08	105.80
1	AA	186	C	C2'-C3'-O3'	6.79	124.57	113.70
1	AA	714	G	C5-C6-O6	-6.79	124.52	128.60
3	AC	51	C	C5-C6-N1	-6.79	117.60	121.00
26	BB	156	A	C1'-O4'-C4'	-6.79	104.47	109.90
26	BB	217	A	N9-C4-C5	6.79	108.52	105.80
26	BB	335	C	P-O3'-C3'	6.79	127.85	119.70
26	BB	1704	C	C4-C5-C6	-6.79	114.00	117.40
26	BB	2122	U	C5'-C4'-O4'	6.79	117.25	109.10
26	BB	2314	A	N9-C4-C5	6.79	108.52	105.80
26	BB	2890	G	N9-C4-C5	6.79	108.12	105.40
42	BR	24	THR	CA-CB-CG2	-6.79	102.89	112.40
1	AA	510	A	O4'-C1'-N9	6.79	113.63	108.20
1	AA	1044	A	C4-C5-C6	6.79	120.40	117.00
26	BB	17	G	N9-C1'-C2'	-6.79	104.53	112.00
26	BB	1498	C	O4'-C1'-C2'	-6.79	99.01	105.80
26	BB	2857	G	N3-C2-N2	-6.79	115.15	119.90
1	AA	294	U	C2-N3-C4	-6.79	122.93	127.00
1	AA	502	A	N9-C4-C5	6.79	108.52	105.80
1	AA	1377	A	C5-C6-N6	-6.79	118.27	123.70
26	BB	1610	A	N1-C2-N3	-6.79	125.91	129.30
1	AA	1111	A	N9-C4-C5	-6.79	103.08	105.80
1	AA	1420	U	O4'-C1'-N1	6.79	113.63	108.20
1	AA	1432	G	N3-C4-C5	-6.79	125.21	128.60
1	AA	1470	U	N1-C2-O2	-6.79	118.05	122.80
2	AB	49	G	N9-C1'-C2'	-6.79	104.53	112.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
20	AT	72	TRP	CB-CG-CD2	6.79	135.42	126.60
26	BB	63	A	N1-C6-N6	6.79	122.67	118.60
26	BB	620	G	O4'-C4'-C3'	6.79	111.53	106.10
26	BB	1055	G	C6-C5-N7	-6.79	126.33	130.40
1	AA	213	G	N9-C4-C5	6.79	108.11	105.40
1	AA	820	U	C1'-O4'-C4'	6.79	115.33	109.90
1	AA	1068	G	O4'-C4'-C3'	6.79	111.53	106.10
26	BB	1410	G	N3-C4-N9	6.79	130.07	126.00
26	BB	1498	C	O4'-C1'-N1	6.79	113.63	108.20
26	BB	2755	C	O4'-C1'-N1	6.79	113.63	108.20
28	BD	257	ARG	NE-CZ-NH1	6.79	123.69	120.30
1	AA	852	G	C5-C6-O6	6.79	132.67	128.60
2	AB	33	U	C5-C4-O4	6.79	129.97	125.90
1	AA	104	G	C5'-C4'-O4'	6.78	117.24	109.10
1	AA	232	G	O4'-C1'-N9	6.78	113.63	108.20
1	AA	461	A	C5'-C4'-C3'	-6.78	105.15	116.00
1	AA	530	G	C6-N1-C2	-6.78	121.03	125.10
1	AA	932	C	C4'-C3'-C2'	-6.78	95.82	102.60
1	AA	1138	G	C4-C5-N7	-6.78	108.09	110.80
26	BB	177	G	C8-N9-C4	-6.78	103.69	106.40
26	BB	467	G	N9-C1'-C2'	-6.78	104.54	112.00
26	BB	898	C	C5-C6-N1	6.78	124.39	121.00
26	BB	1154	G	N3-C4-C5	-6.78	125.21	128.60
26	BB	1609	A	O4'-C1'-N9	-6.78	102.77	108.20
1	AA	71	A	N7-C8-N9	-6.78	110.41	113.80
1	AA	753	A	C5-N7-C8	-6.78	100.51	103.90
26	BB	1039	A	N9-C1'-C2'	-6.78	104.54	112.00
1	AA	106	C	O4'-C1'-N1	6.78	113.62	108.20
1	AA	208	U	C2-N3-C4	-6.78	122.93	127.00
26	BB	109	C	N1-C2-O2	6.78	122.97	118.90
26	BB	278	A	C2-N3-C4	-6.78	107.21	110.60
26	BB	1112	G	C2-N3-C4	6.78	115.29	111.90
26	BB	1232	G	N3-C4-C5	-6.78	125.21	128.60
26	BB	1378	A	C4-C5-N7	-6.78	107.31	110.70
26	BB	1619	G	C4-C5-C6	6.78	122.87	118.80
26	BB	2151	U	C2-N3-C4	-6.78	122.93	127.00
26	BB	2619	C	C5-C4-N4	6.78	124.95	120.20
26	BB	99	U	O4'-C1'-N1	6.78	113.62	108.20
26	BB	794	A	C5-C6-N6	-6.78	118.28	123.70
26	BB	947	A	N9-C4-C5	6.78	108.51	105.80
1	AA	1004	A	C4-C5-C6	6.78	120.39	117.00
4	AD	3	C	C1'-O4'-C4'	6.78	115.32	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	83	G	C5-C6-N1	6.78	114.89	111.50
26	BB	1235	G	N3-C4-C5	-6.78	125.21	128.60
26	BB	1914	C	N3-C2-O2	-6.78	117.16	121.90
26	BB	2002	G	C2-N3-C4	6.78	115.29	111.90
26	BB	2400	G	N1-C2-N3	-6.78	119.83	123.90
1	AA	144	G	N1-C2-N3	6.78	127.97	123.90
1	AA	632	U	N1-C2-O2	-6.78	118.06	122.80
1	AA	773	G	C6-N1-C2	-6.78	121.03	125.10
26	BB	22	C	N1-C2-N3	-6.78	114.46	119.20
26	BB	679	C	C5-C4-N4	-6.78	115.46	120.20
26	BB	987	C	N3-C4-N4	6.78	122.74	118.00
26	BB	1272	A	P-O3'-C3'	6.78	127.83	119.70
26	BB	2353	G	N1-C2-N2	6.78	122.30	116.20
26	BB	2447	G	C4-C5-C6	6.78	122.86	118.80
1	AA	1199	U	C5-C6-N1	-6.77	119.31	122.70
8	AH	120	HIS	CA-CB-CG	6.77	125.11	113.60
26	BB	73	A	C5-N7-C8	-6.77	100.51	103.90
26	BB	166	U	C4'-C3'-C2'	-6.77	95.83	102.60
26	BB	1370	C	N1-C2-O2	6.77	122.97	118.90
26	BB	2260	C	N1-C2-O2	6.77	122.96	118.90
26	BB	2603	G	N9-C4-C5	6.77	108.11	105.40
1	AA	103	U	N1-C2-N3	6.77	118.96	114.90
1	AA	559	A	N1-C2-N3	-6.77	125.91	129.30
1	AA	728	A	N1-C2-N3	6.77	132.69	129.30
1	AA	857	C	C4'-C3'-C2'	-6.77	95.83	102.60
1	AA	1178	G	C5-N7-C8	6.77	107.69	104.30
1	AA	1305	G	C6-N1-C2	-6.77	121.04	125.10
1	AA	1372	U	C6-N1-C2	6.77	125.06	121.00
26	BB	404	A	C5-N7-C8	-6.77	100.51	103.90
26	BB	1161	C	C5'-C4'-O4'	6.77	117.23	109.10
26	BB	1239	G	O4'-C1'-N9	6.77	113.62	108.20
26	BB	1323	C	N3-C4-C5	-6.77	119.19	121.90
26	BB	1663	G	C2-N3-C4	6.77	115.29	111.90
26	BB	2468	A	N1-C2-N3	-6.77	125.91	129.30
1	AA	1116	U	C5'-C4'-C3'	-6.77	105.17	116.00
1	AA	1333	A	C6-C5-N7	6.77	137.04	132.30
26	BB	629	G	C5-N7-C8	-6.77	100.91	104.30
26	BB	1115	G	C5-N7-C8	-6.77	100.91	104.30
26	BB	1428	C	C6-N1-C2	-6.77	117.59	120.30
26	BB	1450	G	C1'-O4'-C4'	-6.77	104.48	109.90
26	BB	422	A	C5-C6-N1	-6.77	114.31	117.70
26	BB	942	G	N1-C6-O6	-6.77	115.84	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1038	G	N3-C4-C5	-6.77	125.22	128.60
26	BB	1330	C	C5'-C4'-C3'	6.77	126.83	116.00
26	BB	1499	C	C5-C4-N4	6.77	124.94	120.20
26	BB	1729	U	C5-C6-N1	-6.77	119.31	122.70
26	BB	1954	G	C6-C5-N7	-6.77	126.34	130.40
26	BB	2170	A	C6-N1-C2	6.77	122.66	118.60
26	BB	2398	U	N1-C2-O2	6.77	127.54	122.80
26	BB	2620	C	N3-C2-O2	-6.77	117.16	121.90
1	AA	887	G	N9-C4-C5	-6.77	102.69	105.40
1	AA	893	C	C2-N3-C4	-6.77	116.52	119.90
1	AA	1060	U	C3'-C2'-C1'	6.77	106.91	101.50
1	AA	1406	U	C6-N1-C2	-6.77	116.94	121.00
1	AA	1446	A	N1-C6-N6	6.77	122.66	118.60
1	AA	1517	G	N7-C8-N9	6.77	116.48	113.10
1	AA	1524	C	O4'-C1'-N1	6.77	113.61	108.20
26	BB	132	G	C4-C5-N7	-6.77	108.09	110.80
26	BB	512	G	N1-C6-O6	-6.77	115.84	119.90
26	BB	892	A	C6-N1-C2	6.77	122.66	118.60
26	BB	1124	G	C1'-O4'-C4'	-6.77	104.49	109.90
26	BB	1238	G	C5-C6-N1	6.77	114.88	111.50
26	BB	1960	A	C4-C5-N7	-6.77	107.32	110.70
26	BB	2821	A	C2-N3-C4	6.77	113.98	110.60
1	AA	7	A	C5-C6-N1	6.77	121.08	117.70
1	AA	1308	U	C4'-C3'-C2'	-6.77	95.83	102.60
26	BB	12	U	N1-C2-O2	6.77	127.54	122.80
26	BB	1290	C	C4-C5-C6	-6.77	114.02	117.40
26	BB	1491	G	N1-C6-O6	6.77	123.96	119.90
26	BB	1993	U	O4'-C1'-N1	6.77	113.61	108.20
1	AA	139	A	C8-N9-C4	-6.76	103.09	105.80
1	AA	172	A	N1-C6-N6	6.76	122.66	118.60
4	AD	60	A	C6-N1-C2	6.76	122.66	118.60
26	BB	136	G	N3-C4-C5	-6.76	125.22	128.60
26	BB	280	U	N3-C4-O4	6.76	124.14	119.40
26	BB	389	G	C6-N1-C2	-6.76	121.04	125.10
26	BB	1743	G	C5'-C4'-O4'	6.76	117.22	109.10
26	BB	2545	G	C8-N9-C4	-6.76	103.69	106.40
26	BB	2561	U	C3'-C2'-C1'	-6.76	96.09	101.50
26	BB	2660	A	N1-C6-N6	-6.76	114.54	118.60
1	AA	1092	A	N9-C4-C5	-6.76	103.09	105.80
1	AA	1151	A	C5-N7-C8	6.76	107.28	103.90
26	BB	1251	C	C6-N1-C2	6.76	123.00	120.30
26	BB	2093	G	C6-N1-C2	-6.76	121.04	125.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	392	C	C5-C6-N1	6.76	124.38	121.00
1	AA	610	U	C5-C4-O4	6.76	129.96	125.90
1	AA	666	G	C5-C6-O6	-6.76	124.54	128.60
1	AA	1523	G	C4-C5-C6	-6.76	114.74	118.80
26	BB	74	A	C5-N7-C8	-6.76	100.52	103.90
26	BB	623	C	P-O3'-C3'	6.76	127.81	119.70
26	BB	1765	U	O4'-C4'-C3'	-6.76	97.24	104.00
26	BB	1987	A	O4'-C1'-N9	6.76	113.61	108.20
26	BB	2190	G	C4-C5-C6	6.76	122.86	118.80
26	BB	2255	G	C4-C5-N7	-6.76	108.10	110.80
26	BB	2276	G	N3-C2-N2	6.76	124.63	119.90
26	BB	2448	A	C6-N1-C2	6.76	122.66	118.60
26	BB	2465	C	C3'-C2'-C1'	-6.76	96.09	101.50
1	AA	238	A	C8-N9-C4	-6.76	103.10	105.80
4	AD	57	C	O4'-C1'-N1	6.76	113.61	108.20
26	BB	228	C	C2-N3-C4	6.76	123.28	119.90
26	BB	1179	G	N1-C2-N2	6.76	122.28	116.20
26	BB	1393	A	C8-N9-C4	-6.76	103.10	105.80
26	BB	1508	A	C2-N3-C4	-6.76	107.22	110.60
26	BB	1550	C	N3-C4-N4	-6.76	113.27	118.00
26	BB	2031	A	N7-C8-N9	6.76	117.18	113.80
26	BB	2038	G	C4'-C3'-C2'	-6.76	95.84	102.60
1	AA	33	A	C5'-C4'-O4'	6.76	117.21	109.10
1	AA	1442	G	N7-C8-N9	6.76	116.48	113.10
26	BB	436	C	O4'-C4'-C3'	-6.76	97.24	104.00
26	BB	768	G	N3-C2-N2	-6.76	115.17	119.90
26	BB	2476	A	N9-C1'-C2'	-6.76	104.57	112.00
1	AA	726	C	N3-C4-C5	-6.76	119.20	121.90
26	BB	87	U	C1'-O4'-C4'	6.76	115.31	109.90
26	BB	591	U	N3-C2-O2	-6.76	117.47	122.20
26	BB	831	G	O4'-C1'-N9	6.76	113.61	108.20
26	BB	904	G	C2-N3-C4	-6.76	108.52	111.90
26	BB	1021	A	N3-C4-C5	-6.76	122.07	126.80
26	BB	1421	G	N3-C4-C5	-6.76	125.22	128.60
26	BB	1528	A	C4'-C3'-C2'	-6.76	95.84	102.60
26	BB	1733	G	N3-C2-N2	-6.76	115.17	119.90
26	BB	1767	G	P-O3'-C3'	-6.76	111.59	119.70
26	BB	2168	G	C5-C6-N1	6.76	114.88	111.50
26	BB	2452	C	C6-N1-C2	-6.76	117.60	120.30
26	BB	2676	C	N3-C2-O2	-6.76	117.17	121.90
26	BB	2715	C	C4-C5-C6	6.76	120.78	117.40
26	BB	2811	G	C5-N7-C8	6.76	107.68	104.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	335	C	C3'-C2'-C1'	6.75	106.90	101.50
26	BB	1029	A	C8-N9-C4	-6.75	103.10	105.80
26	BB	1549	A	N1-C6-N6	6.75	122.65	118.60
26	BB	2049	G	C5-N7-C8	6.75	107.68	104.30
1	AA	147	G	C5-C6-O6	-6.75	124.55	128.60
1	AA	1417	G	O4'-C4'-C3'	6.75	111.50	106.10
1	AA	1429	A	O4'-C1'-N9	6.75	113.60	108.20
25	BA	24	G	N7-C8-N9	-6.75	109.72	113.10
26	BB	393	C	O4'-C1'-N1	6.75	113.60	108.20
26	BB	785	G	C8-N9-C4	-6.75	103.70	106.40
26	BB	1178	C	C2-N1-C1'	-6.75	111.37	118.80
26	BB	1867	G	N1-C6-O6	6.75	123.95	119.90
26	BB	1924	C	C5-C4-N4	6.75	124.93	120.20
26	BB	2035	G	C4-C5-N7	-6.75	108.10	110.80
26	BB	2181	U	C4'-C3'-C2'	-6.75	95.85	102.60
26	BB	2217	G	N1-C2-N3	-6.75	119.85	123.90
26	BB	2415	G	N3-C4-C5	-6.75	125.22	128.60
26	BB	2465	C	N1-C2-N3	-6.75	114.47	119.20
1	AA	279	A	N9-C4-C5	-6.75	103.10	105.80
1	AA	374	A	N3-C4-N9	-6.75	122.00	127.40
1	AA	689	C	C2-N3-C4	6.75	123.28	119.90
1	AA	1222	G	C3'-C2'-C1'	6.75	106.90	101.50
2	AB	60	U	O4'-C1'-N1	6.75	113.60	108.20
2	AB	69	C	N3-C4-N4	6.75	122.73	118.00
26	BB	26	G	N1-C2-N2	-6.75	110.12	116.20
26	BB	160	A	N9-C4-C5	-6.75	103.10	105.80
26	BB	857	G	N9-C1'-C2'	-6.75	104.57	112.00
26	BB	1807	G	P-O3'-C3'	6.75	127.80	119.70
26	BB	1929	G	N1-C6-O6	-6.75	115.85	119.90
26	BB	2405	G	C3'-C2'-C1'	6.75	106.90	101.50
1	AA	542	G	C6-C5-N7	-6.75	126.35	130.40
1	AA	1309	G	N1-C2-N3	6.75	127.95	123.90
26	BB	876	C	O4'-C1'-N1	6.75	113.60	108.20
1	AA	592	G	C5-N7-C8	6.75	107.67	104.30
1	AA	1201	A	P-O3'-C3'	6.75	127.80	119.70
1	AA	1309	G	C8-N9-C4	-6.75	103.70	106.40
3	AC	32	U	N3-C4-O4	6.75	124.12	119.40
4	AD	64	G	N9-C4-C5	6.75	108.10	105.40
26	BB	329	G	C6-C5-N7	-6.75	126.35	130.40
26	BB	581	C	N3-C2-O2	-6.75	117.18	121.90
26	BB	860	U	O4'-C1'-N1	6.75	113.60	108.20
26	BB	891	G	C5-C6-N1	6.75	114.87	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1035	U	N3-C2-O2	-6.75	117.48	122.20
26	BB	1947	C	C5-C6-N1	-6.75	117.63	121.00
26	BB	2604	U	C4-C5-C6	6.75	123.75	119.70
26	BB	2801	G	C4-C5-N7	6.75	113.50	110.80
1	AA	38	G	O4'-C1'-C2'	-6.75	99.05	105.80
1	AA	329	A	C3'-C2'-C1'	-6.75	96.10	101.50
1	AA	730	G	C5-N7-C8	6.75	107.67	104.30
25	BA	105	G	C2-N3-C4	6.75	115.27	111.90
26	BB	145	C	N3-C4-C5	-6.75	119.20	121.90
26	BB	248	G	C5-C6-O6	6.75	132.65	128.60
26	BB	362	A	N1-C6-N6	6.75	122.65	118.60
26	BB	1133	A	C2-N3-C4	6.75	113.97	110.60
26	BB	1988	G	C6-C5-N7	-6.75	126.35	130.40
26	BB	2039	U	C6-N1-C2	-6.75	116.95	121.00
26	BB	2516	A	C4-C5-N7	-6.75	107.33	110.70
26	BB	2769	U	N3-C4-C5	-6.75	110.55	114.60
26	BB	2812	G	N3-C2-N2	6.75	124.62	119.90
1	AA	261	U	C4'-C3'-C2'	-6.75	95.86	102.60
1	AA	468	A	C4'-C3'-C2'	-6.75	95.86	102.60
1	AA	983	A	N1-C6-N6	-6.75	114.55	118.60
26	BB	552	U	P-O3'-C3'	6.75	127.79	119.70
26	BB	670	A	N9-C4-C5	6.75	108.50	105.80
26	BB	1938	A	C6-C5-N7	6.75	137.02	132.30
26	BB	169	G	C1'-O4'-C4'	6.74	115.30	109.90
26	BB	736	C	N1-C2-N3	-6.74	114.48	119.20
26	BB	809	G	N9-C1'-C2'	-6.74	104.58	112.00
26	BB	1150	C	N1-C2-O2	6.74	122.95	118.90
26	BB	1965	C	C2-N3-C4	6.74	123.27	119.90
1	AA	699	C	N3-C4-C5	6.74	124.60	121.90
1	AA	850	U	N3-C4-O4	6.74	124.12	119.40
1	AA	1139	G	O4'-C4'-C3'	6.74	111.49	106.10
1	AA	1520	C	N1-C2-O2	6.74	122.94	118.90
25	BA	52	A	C6-C5-N7	6.74	137.02	132.30
1	AA	222	C	N3-C2-O2	-6.74	117.18	121.90
1	AA	483	C	O4'-C1'-N1	6.74	113.59	108.20
1	AA	661	G	C8-N9-C4	6.74	109.10	106.40
1	AA	912	C	C5-C4-N4	6.74	124.92	120.20
1	AA	947	G	C4'-C3'-C2'	-6.74	95.86	102.60
25	BA	115	A	C6-C5-N7	6.74	137.02	132.30
26	BB	172	A	N9-C4-C5	6.74	108.50	105.80
26	BB	252	G	C5-N7-C8	-6.74	100.93	104.30
26	BB	562	U	N3-C2-O2	-6.74	117.48	122.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	565	C	C5-C4-N4	-6.74	115.48	120.20
26	BB	907	G	N3-C4-C5	-6.74	125.23	128.60
26	BB	1311	G	C8-N9-C4	-6.74	103.70	106.40
1	AA	21	G	C6-N1-C2	-6.74	121.06	125.10
1	AA	241	G	O4'-C1'-N9	6.74	113.59	108.20
1	AA	243	A	N7-C8-N9	6.74	117.17	113.80
1	AA	705	G	N1-C2-N3	-6.74	119.86	123.90
1	AA	1454	G	C4-C5-N7	6.74	113.50	110.80
2	AB	33	U	C3'-C2'-C1'	6.74	106.89	101.50
26	BB	721	A	P-O3'-C3'	6.74	127.78	119.70
26	BB	752	A	C1'-O4'-C4'	-6.74	104.51	109.90
26	BB	1178	C	P-O3'-C3'	6.74	127.79	119.70
26	BB	1409	U	N3-C2-O2	-6.74	117.48	122.20
26	BB	1471	G	N3-C4-N9	6.74	130.04	126.00
26	BB	1720	U	O4'-C1'-N1	6.74	113.59	108.20
26	BB	1899	A	C4-C5-C6	6.74	120.37	117.00
26	BB	2507	C	O4'-C1'-N1	6.74	113.59	108.20
1	AA	384	G	C3'-C2'-C1'	-6.74	96.11	101.50
1	AA	725	G	C5-C6-O6	6.74	132.64	128.60
4	AD	4	G	N1-C6-O6	6.74	123.94	119.90
26	BB	173	A	C8-N9-C4	-6.74	103.11	105.80
26	BB	1011	G	C4-C5-C6	-6.74	114.76	118.80
26	BB	1749	A	N9-C1'-C2'	-6.74	104.59	112.00
26	BB	1858	A	N3-C4-C5	-6.74	122.08	126.80
1	AA	396	C	C6-N1-C2	-6.74	117.61	120.30
1	AA	610	U	C3'-C2'-C1'	6.74	106.89	101.50
1	AA	941	G	N3-C4-C5	6.74	131.97	128.60
1	AA	980	C	N1-C2-N3	-6.74	114.48	119.20
1	AA	1104	G	C1'-O4'-C4'	-6.74	104.51	109.90
2	AB	23	A	C5-C6-N1	-6.74	114.33	117.70
25	BA	34	A	P-O3'-C3'	6.74	127.78	119.70
26	BB	44	A	C4-C5-N7	-6.74	107.33	110.70
26	BB	496	G	C8-N9-C4	-6.74	103.71	106.40
26	BB	1035	U	N1-C2-O2	6.74	127.52	122.80
26	BB	1439	A	N9-C4-C5	6.74	108.49	105.80
26	BB	1447	C	C5'-C4'-O4'	6.74	117.18	109.10
26	BB	2320	U	O4'-C1'-C2'	-6.74	99.06	105.80
26	BB	2346	A	O4'-C4'-C3'	6.74	111.49	106.10
26	BB	2400	G	N7-C8-N9	6.74	116.47	113.10
1	AA	702	A	N1-C6-N6	6.73	122.64	118.60
1	AA	1421	G	C4'-C3'-C2'	-6.73	95.87	102.60
1	AA	1525	G	C4'-C3'-C2'	-6.73	95.87	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	305	C	P-O3'-C3'	6.73	127.78	119.70
26	BB	919	U	O4'-C1'-N1	6.73	113.59	108.20
26	BB	2501	C	N3-C4-N4	6.73	122.71	118.00
1	AA	198	G	C4-C5-N7	-6.73	108.11	110.80
1	AA	268	U	N3-C4-C5	-6.73	110.56	114.60
1	AA	346	G	C3'-C2'-C1'	6.73	106.89	101.50
26	BB	219	A	C4-C5-N7	-6.73	107.33	110.70
26	BB	443	A	N9-C4-C5	-6.73	103.11	105.80
26	BB	1601	G	C2-N3-C4	6.73	115.27	111.90
26	BB	2280	G	C4'-C3'-C2'	-6.73	95.87	102.60
26	BB	2520	C	C4-C5-C6	6.73	120.77	117.40
26	BB	2606	C	N3-C4-C5	-6.73	119.21	121.90
26	BB	2685	G	N1-C2-N3	-6.73	119.86	123.90
1	AA	1469	C	N1-C2-N3	-6.73	114.49	119.20
26	BB	191	A	C4-C5-C6	-6.73	113.64	117.00
26	BB	473	G	N3-C2-N2	-6.73	115.19	119.90
26	BB	636	G	C5-N7-C8	6.73	107.67	104.30
26	BB	890	C	N3-C4-C5	6.73	124.59	121.90
26	BB	1239	G	C5-C6-O6	-6.73	124.56	128.60
26	BB	2115	G	N1-C6-O6	-6.73	115.86	119.90
26	BB	2299	U	N3-C4-C5	-6.73	110.56	114.60
1	AA	1070	U	C5'-C4'-O4'	6.73	117.17	109.10
26	BB	451	U	C5-C6-N1	-6.73	119.33	122.70
26	BB	848	C	N1-C2-O2	6.73	122.94	118.90
26	BB	1756	G	C4-C5-N7	-6.73	108.11	110.80
26	BB	2055	C	N1-C2-N3	-6.73	114.49	119.20
1	AA	83	C	C2-N3-C4	6.73	123.26	119.90
1	AA	239	U	C2-N3-C4	-6.73	122.96	127.00
1	AA	955	U	N1-C2-O2	6.73	127.51	122.80
26	BB	490	C	C5'-C4'-O4'	6.73	117.17	109.10
26	BB	1414	C	C4'-C3'-C2'	-6.73	95.87	102.60
26	BB	1668	A	C5-C6-N6	-6.73	118.32	123.70
26	BB	2675	A	P-O3'-C3'	6.73	127.77	119.70
1	AA	777	A	C8-N9-C4	-6.73	103.11	105.80
1	AA	1428	A	O4'-C1'-N9	6.73	113.58	108.20
26	BB	777	G	N9-C4-C5	6.73	108.09	105.40
26	BB	941	A	N7-C8-N9	-6.73	110.44	113.80
26	BB	1610	A	N3-C4-C5	-6.73	122.09	126.80
26	BB	2351	G	C4-C5-N7	-6.73	108.11	110.80
26	BB	2436	G	N3-C4-N9	6.73	130.03	126.00
1	AA	625	U	C4'-C3'-C2'	-6.72	95.88	102.60
1	AA	628	G	C1'-O4'-C4'	-6.72	104.52	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	972	C	N1-C2-O2	6.72	122.93	118.90
1	AA	1026	G	C5-C6-N1	-6.72	108.14	111.50
1	AA	1145	A	N3-C4-C5	-6.72	122.09	126.80
1	AA	1227	A	C4'-C3'-C2'	-6.72	95.88	102.60
4	AD	25	U	O4'-C1'-N1	6.72	113.58	108.20
26	BB	417	C	C2-N3-C4	-6.72	116.54	119.90
26	BB	650	C	C5'-C4'-O4'	6.72	117.17	109.10
26	BB	1530	G	N9-C4-C5	6.72	108.09	105.40
26	BB	1576	U	N3-C4-O4	-6.72	114.69	119.40
26	BB	1682	G	C4'-C3'-C2'	-6.72	95.88	102.60
26	BB	1901	A	C5-C6-N1	-6.72	114.34	117.70
26	BB	1979	U	C5'-C4'-O4'	6.72	117.17	109.10
1	AA	635	A	N1-C6-N6	6.72	122.63	118.60
1	AA	922	G	C4-C5-N7	-6.72	108.11	110.80
2	AB	26	A	C5-C6-N6	6.72	129.08	123.70
26	BB	430	A	C5-C6-N1	6.72	121.06	117.70
26	BB	1277	G	N3-C2-N2	-6.72	115.19	119.90
26	BB	1496	A	C5-N7-C8	-6.72	100.54	103.90
26	BB	1840	G	C4-C5-N7	-6.72	108.11	110.80
26	BB	2016	U	N1-C1'-C2'	6.72	122.74	114.00
26	BB	2243	U	N1-C1'-C2'	-6.72	104.61	112.00
26	BB	2873	A	C6-C5-N7	-6.72	127.59	132.30
30	BF	22	ASP	CB-CG-OD1	-6.72	112.25	118.30
1	AA	1117	A	C4-C5-C6	-6.72	113.64	117.00
26	BB	305	C	C1'-O4'-C4'	6.72	115.28	109.90
26	BB	218	A	O4'-C4'-C3'	6.72	111.48	106.10
26	BB	734	A	P-O3'-C3'	6.72	127.76	119.70
26	BB	757	G	N9-C4-C5	6.72	108.09	105.40
26	BB	786	C	P-O3'-C3'	6.72	127.76	119.70
26	BB	1068	G	C5-C6-O6	-6.72	124.57	128.60
26	BB	1664	A	C5'-C4'-C3'	-6.72	105.25	116.00
26	BB	1812	U	C6-N1-C2	6.72	125.03	121.00
26	BB	2516	A	N1-C2-N3	-6.72	125.94	129.30
26	BB	2861	U	C2-N3-C4	-6.72	122.97	127.00
1	AA	81	A	C4'-C3'-C2'	-6.72	95.88	102.60
1	AA	200	G	N9-C1'-C2'	-6.72	104.61	112.00
1	AA	869	G	C6-C5-N7	-6.72	126.37	130.40
1	AA	936	C	C5'-C4'-C3'	-6.72	105.25	116.00
26	BB	978	G	C8-N9-C1'	6.72	135.73	127.00
26	BB	2594	C	C6-N1-C2	6.72	122.99	120.30
1	AA	743	A	N7-C8-N9	6.72	117.16	113.80
1	AA	776	G	N9-C4-C5	-6.72	102.71	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	334	C	N3-C2-O2	-6.72	117.20	121.90
26	BB	352	A	C5-C6-N6	-6.72	118.33	123.70
26	BB	990	A	N1-C6-N6	-6.72	114.57	118.60
26	BB	1362	C	N3-C4-C5	-6.72	119.21	121.90
26	BB	2232	C	N3-C4-C5	-6.72	119.21	121.90
26	BB	2725	A	N9-C4-C5	6.72	108.49	105.80
26	BB	2731	G	C5-C6-N1	6.72	114.86	111.50
32	BH	54	ARG	NH1-CZ-NH2	6.72	126.79	119.40
39	BO	6	ARG	NE-CZ-NH2	-6.72	116.94	120.30
1	AA	432	A	C5-N7-C8	-6.71	100.54	103.90
1	AA	607	A	C5-N7-C8	6.71	107.26	103.90
1	AA	842	U	C3'-C2'-C1'	6.71	106.87	101.50
2	AB	58	A	C2'-C3'-O3'	6.71	124.44	113.70
7	AG	187	ARG	NE-CZ-NH2	-6.71	116.94	120.30
25	BA	69	G	N1-C6-O6	-6.71	115.87	119.90
26	BB	803	U	C2-N3-C4	6.71	131.03	127.00
26	BB	1491	G	N9-C4-C5	6.71	108.09	105.40
26	BB	2339	C	P-O3'-C3'	6.71	127.76	119.70
26	BB	2665	A	C5-C6-N6	6.71	129.07	123.70
43	BS	96	ASP	CB-CG-OD1	-6.71	112.26	118.30
1	AA	700	G	N1-C6-O6	-6.71	115.87	119.90
1	AA	1323	G	C6-N1-C2	-6.71	121.07	125.10
2	AB	70	C	N1-C2-O2	6.71	122.93	118.90
26	BB	2199	A	C5-C6-N1	6.71	121.06	117.70
1	AA	389	A	C1'-O4'-C4'	-6.71	104.53	109.90
1	AA	715	A	N3-C4-C5	-6.71	122.10	126.80
1	AA	851	G	C4'-C3'-C2'	-6.71	95.89	102.60
1	AA	1205	U	O4'-C1'-N1	6.71	113.57	108.20
4	AD	34	U	C2-N3-C4	-6.71	122.97	127.00
26	BB	231	A	N1-C6-N6	6.71	122.63	118.60
26	BB	926	G	N3-C4-N9	6.71	130.03	126.00
26	BB	1148	U	N3-C4-C5	6.71	118.63	114.60
26	BB	2190	G	C4-C5-N7	-6.71	108.12	110.80
26	BB	2657	A	C1'-O4'-C4'	-6.71	104.53	109.90
26	BB	2726	A	C4-C5-N7	-6.71	107.34	110.70
1	AA	116	A	C3'-C2'-C1'	6.71	106.87	101.50
1	AA	1005	A	C5-N7-C8	6.71	107.25	103.90
2	AB	6	C	C5-C4-N4	-6.71	115.50	120.20
2	AB	9	A	C2-N3-C4	6.71	113.95	110.60
26	BB	2555	U	O4'-C1'-N1	6.71	113.57	108.20
26	BB	2570	G	C5'-C4'-O4'	6.71	117.15	109.10
26	BB	2820	A	C1'-O4'-C4'	6.71	115.27	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	32	A	N1-C2-N3	-6.71	125.94	129.30
1	AA	93	U	C1'-O4'-C4'	6.71	115.27	109.90
1	AA	535	A	N7-C8-N9	6.71	117.15	113.80
1	AA	762	U	N3-C2-O2	-6.71	117.50	122.20
1	AA	846	G	O4'-C1'-C2'	-6.71	99.09	105.80
1	AA	1024	G	N1-C2-N2	6.71	122.24	116.20
1	AA	1188	A	C6-N1-C2	6.71	122.62	118.60
26	BB	48	G	C8-N9-C4	6.71	109.08	106.40
26	BB	447	A	N3-C4-N9	-6.71	122.03	127.40
26	BB	1273	U	N3-C4-O4	6.71	124.10	119.40
26	BB	1721	G	C5-C6-O6	6.71	132.62	128.60
26	BB	2093	G	N3-C4-N9	6.71	130.03	126.00
26	BB	2101	A	C2-N3-C4	-6.71	107.25	110.60
26	BB	2608	G	N7-C8-N9	6.71	116.45	113.10
26	BB	2665	A	N1-C6-N6	-6.71	114.58	118.60
1	AA	31	G	N3-C2-N2	6.71	124.59	119.90
1	AA	420	U	N1-C2-N3	6.71	118.92	114.90
3	AC	59	A	C4'-C3'-C2'	6.71	109.31	102.60
4	AD	28	U	O4'-C1'-N1	6.71	113.56	108.20
26	BB	367	G	O4'-C1'-N9	6.71	113.56	108.20
1	AA	723	U	N3-C2-O2	-6.71	117.51	122.20
1	AA	819	A	C5-N7-C8	-6.71	100.55	103.90
1	AA	1365	G	C5-C6-N1	6.71	114.85	111.50
26	BB	2080	A	C5-C6-N6	-6.71	118.34	123.70
26	BB	2215	C	C5-C6-N1	6.71	124.35	121.00
1	AA	120	A	C4'-C3'-C2'	-6.70	95.90	102.60
1	AA	317	U	P-O5'-C5'	6.70	131.63	120.90
1	AA	586	C	N3-C4-N4	6.70	122.69	118.00
1	AA	665	A	C5-N7-C8	6.70	107.25	103.90
1	AA	851	G	C4-C5-N7	-6.70	108.12	110.80
1	AA	1015	G	N3-C4-C5	-6.70	125.25	128.60
1	AA	1019	A	N9-C4-C5	-6.70	103.12	105.80
1	AA	1301	U	C3'-C2'-C1'	-6.70	96.14	101.50
26	BB	452	G	C2-N3-C4	6.70	115.25	111.90
26	BB	679	C	O4'-C1'-N1	6.70	113.56	108.20
26	BB	884	U	O4'-C1'-N1	6.70	113.56	108.20
26	BB	1525	A	C4-C5-C6	-6.70	113.65	117.00
26	BB	2069	7MG	P-O3'-C3'	6.70	127.74	119.70
26	BB	2249	U	N3-C2-O2	-6.70	117.51	122.20
26	BB	2402	U	O4'-C1'-N1	6.70	113.56	108.20
27	BC	145	VAL	CG1-CB-CG2	-6.70	100.18	110.90
1	AA	303	A	O5'-P-OP2	-6.70	99.67	105.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	531	U	C4-C5-C6	6.70	123.72	119.70
1	AA	915	A	O4'-C1'-N9	6.70	113.56	108.20
1	AA	1450	U	C4-C5-C6	6.70	123.72	119.70
26	BB	313	G	C5-N7-C8	-6.70	100.95	104.30
26	BB	464	U	N3-C2-O2	-6.70	117.51	122.20
26	BB	2461	A	C4-C5-N7	-6.70	107.35	110.70
1	AA	270	A	C4-C5-C6	-6.70	113.65	117.00
1	AA	396	C	N3-C4-C5	-6.70	119.22	121.90
1	AA	454	G	C6-N1-C2	-6.70	121.08	125.10
1	AA	690	G	C3'-C2'-C1'	6.70	106.86	101.50
1	AA	832	G	C3'-C2'-C1'	-6.70	96.14	101.50
1	AA	877	G	C4-C5-N7	-6.70	108.12	110.80
1	AA	1338	G	C3'-C2'-C1'	6.70	106.86	101.50
2	AB	57	G	N7-C8-N9	6.70	116.45	113.10
26	BB	201	C	C4'-C3'-C2'	-6.70	95.90	102.60
26	BB	282	A	C4-C5-C6	6.70	120.35	117.00
26	BB	540	C	C2-N1-C1'	-6.70	111.43	118.80
26	BB	739	A	C8-N9-C4	-6.70	103.12	105.80
26	BB	933	A	C2-N3-C4	6.70	113.95	110.60
26	BB	1441	G	C6-N1-C2	-6.70	121.08	125.10
26	BB	1578	U	C1'-O4'-C4'	-6.70	104.54	109.90
26	BB	1928	A	C5-N7-C8	-6.70	100.55	103.90
26	BB	2352	A	C5'-C4'-C3'	-6.70	105.28	116.00
1	AA	277	C	C1'-O4'-C4'	-6.70	104.54	109.90
1	AA	950	U	O4'-C1'-N1	6.70	113.56	108.20
26	BB	11	C	O4'-C1'-N1	6.70	113.56	108.20
26	BB	224	U	C5-C4-O4	6.70	129.92	125.90
26	BB	1333	G	N9-C4-C5	6.70	108.08	105.40
26	BB	1337	G	N1-C6-O6	6.70	123.92	119.90
26	BB	1666	G	C4-C5-C6	6.70	122.82	118.80
26	BB	2164	C	N1-C2-N3	-6.70	114.51	119.20
26	BB	2267	A	C2-N3-C4	-6.70	107.25	110.60
26	BB	2459	A	O4'-C1'-N9	6.70	113.56	108.20
26	BB	2486	C	C1'-O4'-C4'	-6.70	104.54	109.90
26	BB	2644	G	N3-C2-N2	-6.70	115.21	119.90
26	BB	2702	G	N3-C4-N9	6.70	130.02	126.00
1	AA	558	G	C5-C6-O6	6.70	132.62	128.60
25	BA	44	G	N3-C4-C5	-6.70	125.25	128.60
26	BB	1470	A	N1-C2-N3	-6.70	125.95	129.30
26	BB	2460	U	C6-N1-C2	-6.70	116.98	121.00
1	AA	23	C	C2-N3-C4	-6.70	116.55	119.90
1	AA	406	G	N3-C4-C5	-6.70	125.25	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	638	U	C3'-C2'-C1'	-6.70	96.14	101.50
1	AA	664	G	O4'-C1'-N9	6.70	113.56	108.20
1	AA	1534	A	C5'-C4'-O4'	6.70	117.14	109.10
25	BA	62	C	C6-N1-C2	6.70	122.98	120.30
25	BA	108	A	P-O3'-C3'	6.70	127.73	119.70
26	BB	518	G	C2-N3-C4	6.70	115.25	111.90
26	BB	1536	C	C4-C5-C6	6.70	120.75	117.40
26	BB	2165	C	C3'-C2'-C1'	6.70	106.86	101.50
26	BB	2245	U	O4'-C1'-N1	-6.70	102.84	108.20
26	BB	2754	U	N1-C2-O2	6.70	127.49	122.80
1	AA	122	G	N3-C4-N9	6.69	130.02	126.00
1	AA	1086	U	C5-C4-O4	-6.69	121.88	125.90
26	BB	171	U	N3-C2-O2	-6.69	117.51	122.20
26	BB	985	C	N3-C2-O2	-6.69	117.21	121.90
26	BB	2898	U	N3-C4-O4	6.69	124.09	119.40
1	AA	137	U	C3'-C2'-C1'	6.69	106.85	101.50
26	BB	325	G	C8-N9-C4	-6.69	103.72	106.40
26	BB	579	G	C4-C5-C6	6.69	122.81	118.80
26	BB	790	U	C5-C4-O4	-6.69	121.89	125.90
26	BB	2114	A	O4'-C1'-N9	6.69	113.55	108.20
26	BB	2141	G	N7-C8-N9	6.69	116.45	113.10
1	AA	183	C	O4'-C4'-C3'	-6.69	97.31	104.00
1	AA	863	U	O4'-C1'-N1	6.69	113.55	108.20
1	AA	1033	G	C8-N9-C1'	6.69	135.70	127.00
1	AA	1119	C	C1'-O4'-C4'	-6.69	104.55	109.90
1	AA	1478	U	C4'-C3'-C2'	-6.69	95.91	102.60
7	AG	194	ILE	CA-CB-CG1	6.69	123.71	111.00
26	BB	678	C	N3-C4-N4	6.69	122.68	118.00
26	BB	1963	U	N3-C4-C5	6.69	118.61	114.60
26	BB	2174	C	C4-C5-C6	-6.69	114.05	117.40
26	BB	2271	G	P-O3'-C3'	6.69	127.73	119.70
26	BB	2330	G	N1-C2-N2	6.69	122.22	116.20
26	BB	2811	G	C6-C5-N7	6.69	134.41	130.40
1	AA	510	A	P-O3'-C3'	6.69	127.73	119.70
1	AA	847	G	N7-C8-N9	6.69	116.44	113.10
1	AA	1343	G	N7-C8-N9	6.69	116.44	113.10
25	BA	2	G	N3-C4-C5	-6.69	125.25	128.60
25	BA	52	A	C4-C5-N7	-6.69	107.36	110.70
25	BA	92	C	N3-C4-N4	6.69	122.68	118.00
26	BB	205	G	O4'-C1'-N9	6.69	113.55	108.20
26	BB	469	G	C8-N9-C4	-6.69	103.72	106.40
26	BB	2535	G	N1-C6-O6	6.69	123.91	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2640	G	C2-N3-C4	6.69	115.24	111.90
1	AA	26	A	N1-C2-N3	-6.69	125.96	129.30
25	BA	2	G	O4'-C4'-C3'	6.69	111.45	106.10
25	BA	102	G	N1-C6-O6	6.69	123.91	119.90
26	BB	482	A	C5'-C4'-O4'	6.69	117.13	109.10
26	BB	756	A	N7-C8-N9	-6.69	110.46	113.80
26	BB	1238	G	C4-C5-N7	-6.69	108.12	110.80
26	BB	1704	C	O4'-C1'-N1	6.69	113.55	108.20
38	BN	64	PHE	CB-CG-CD1	-6.69	116.12	120.80
26	BB	82	U	C2-N3-C4	-6.69	122.99	127.00
26	BB	356	G	N1-C2-N3	-6.69	119.89	123.90
26	BB	604	G	C5-N7-C8	-6.69	100.96	104.30
26	BB	669	G	C4-C5-N7	-6.69	108.12	110.80
26	BB	970	U	N3-C4-O4	6.69	124.08	119.40
26	BB	1972	G	C5-C6-N1	-6.69	108.16	111.50
26	BB	2038	G	N1-C2-N2	6.69	122.22	116.20
26	BB	2873	A	O4'-C4'-C3'	6.69	111.45	106.10
1	AA	217	C	C4'-C3'-C2'	-6.68	95.92	102.60
1	AA	276	G	C3'-C2'-C1'	6.68	106.85	101.50
1	AA	297	G	N1-C2-N3	-6.68	119.89	123.90
1	AA	582	C	N3-C4-C5	6.68	124.57	121.90
1	AA	673	A	N1-C2-N3	-6.68	125.96	129.30
1	AA	917	G	N3-C4-N9	6.68	130.01	126.00
1	AA	1072	G	N1-C2-N2	6.68	122.22	116.20
3	AC	24	A	N3-C4-C5	6.68	131.48	126.80
3	AC	46	C	N1-C2-O2	6.68	122.91	118.90
10	AJ	176	TYR	CG-CD2-CE2	-6.68	115.95	121.30
26	BB	278	A	C4-C5-N7	6.68	114.04	110.70
26	BB	279	A	N7-C8-N9	6.68	117.14	113.80
26	BB	315	G	N7-C8-N9	-6.68	109.76	113.10
26	BB	759	G	C6-N1-C2	-6.68	121.09	125.10
26	BB	2162	G	N9-C4-C5	6.68	108.07	105.40
26	BB	2405	G	C4'-C3'-C2'	-6.68	95.92	102.60
26	BB	2468	A	O3'-P-O5'	-6.68	91.30	104.00
26	BB	2554	U	C2-N1-C1'	6.68	125.72	117.70
1	AA	145	G	O4'-C1'-N9	6.68	113.55	108.20
1	AA	535	A	C4-C5-C6	6.68	120.34	117.00
1	AA	845	A	N9-C4-C5	6.68	108.47	105.80
1	AA	998	C	O4'-C1'-N1	6.68	113.55	108.20
1	AA	1068	G	N3-C4-C5	-6.68	125.26	128.60
25	BA	72	G	N9-C1'-C2'	-6.68	104.65	112.00
26	BB	2	G	C2-N3-C4	6.68	115.24	111.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	667	U	N3-C4-O4	6.68	124.08	119.40
26	BB	1133	A	N1-C2-N3	-6.68	125.96	129.30
26	BB	1184	U	N3-C2-O2	6.68	126.88	122.20
26	BB	1747	U	C4-C5-C6	6.68	123.71	119.70
26	BB	2517	C	N1-C2-O2	6.68	122.91	118.90
26	BB	2699	C	N3-C2-O2	-6.68	117.22	121.90
51	B0	11	VAL	CA-CB-CG2	6.68	120.92	110.90
1	AA	315	A	O4'-C1'-N9	6.68	113.55	108.20
4	AD	72	C	C3'-C2'-C1'	6.68	106.84	101.50
26	BB	241	A	N1-C2-N3	-6.68	125.96	129.30
26	BB	705	A	N7-C8-N9	-6.68	110.46	113.80
26	BB	20	C	C5-C4-N4	-6.68	115.53	120.20
26	BB	1912	A	C2-N3-C4	6.68	113.94	110.60
26	BB	2304	G	N7-C8-N9	6.68	116.44	113.10
40	BP	80	PHE	CB-CG-CD1	-6.68	116.12	120.80
1	AA	345	C	C1'-O4'-C4'	-6.68	104.56	109.90
2	AB	47	U	P-O3'-C3'	6.68	127.71	119.70
4	AD	12	G	N3-C2-N2	-6.68	115.23	119.90
26	BB	679	C	N3-C4-N4	6.68	122.67	118.00
26	BB	1351	C	N3-C4-C5	-6.68	119.23	121.90
26	BB	1747	U	C6-N1-C2	-6.68	116.99	121.00
1	AA	283	U	N1-C2-O2	6.68	127.47	122.80
1	AA	774	G	C4-C5-N7	-6.68	108.13	110.80
1	AA	989	U	N1-C2-N3	6.68	118.91	114.90
1	AA	1184	G	O4'-C1'-N9	-6.68	102.86	108.20
26	BB	170	U	C4-C5-C6	6.68	123.71	119.70
26	BB	920	A	C4-C5-C6	-6.68	113.66	117.00
26	BB	1292	G	N3-C4-N9	6.68	130.00	126.00
26	BB	1544	A	C5-N7-C8	6.68	107.24	103.90
26	BB	1795	C	C2-N3-C4	-6.68	116.56	119.90
26	BB	2410	G	P-O3'-C3'	6.68	127.71	119.70
1	AA	213	G	C4'-C3'-O3'	6.67	126.35	113.00
1	AA	258	G	N1-C2-N2	6.67	122.21	116.20
1	AA	439	U	N3-C2-O2	-6.67	117.53	122.20
1	AA	786	G	C8-N9-C4	-6.67	103.73	106.40
2	AB	68	C	P-O3'-C3'	6.67	127.71	119.70
5	AE	161	PHE	CB-CG-CD1	-6.67	116.13	120.80
26	BB	263	G	N7-C8-N9	6.67	116.44	113.10
26	BB	290	U	C4-C5-C6	6.67	123.70	119.70
26	BB	467	G	C6-C5-N7	6.67	134.40	130.40
26	BB	2076	U	O4'-C4'-C3'	6.67	111.44	106.10
26	BB	2263	C	N3-C2-O2	-6.67	117.23	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	81	A	N1-C2-N3	-6.67	125.96	129.30
1	AA	1387	G	N7-C8-N9	-6.67	109.76	113.10
26	BB	725	G	C8-N9-C4	-6.67	103.73	106.40
26	BB	834	G	C5-C6-O6	-6.67	124.60	128.60
26	BB	933	A	C5'-C4'-O4'	6.67	117.11	109.10
26	BB	2635	A	C3'-C2'-C1'	-6.67	96.16	101.50
26	BB	2824	C	C5-C4-N4	-6.67	115.53	120.20
1	AA	1	A	N9-C4-C5	-6.67	103.13	105.80
1	AA	1117	A	N1-C2-N3	-6.67	125.96	129.30
1	AA	1121	U	O4'-C1'-N1	6.67	113.54	108.20
1	AA	1151	A	N7-C8-N9	-6.67	110.46	113.80
25	BA	110	C	C5-C6-N1	6.67	124.33	121.00
25	BA	115	A	C4'-C3'-C2'	6.67	109.27	102.60
26	BB	217	A	C5-C6-N1	6.67	121.04	117.70
26	BB	304	U	N3-C2-O2	-6.67	117.53	122.20
26	BB	734	A	C5-C6-N1	6.67	121.03	117.70
26	BB	914	G	N3-C4-C5	-6.67	125.26	128.60
26	BB	942	G	N3-C4-C5	-6.67	125.26	128.60
26	BB	1614	A	O4'-C4'-C3'	6.67	111.44	106.10
26	BB	1739	A	C6-C5-N7	6.67	136.97	132.30
26	BB	1839	G	N9-C4-C5	6.67	108.07	105.40
26	BB	2600	A	C5-C6-N6	-6.67	118.36	123.70
26	BB	2886	A	N1-C6-N6	-6.67	114.60	118.60
33	BI	25	TYR	CB-CG-CD2	6.67	125.00	121.00
1	AA	771	G	C5-C6-N1	6.67	114.83	111.50
1	AA	1433	A	N7-C8-N9	6.67	117.14	113.80
26	BB	799	G	C8-N9-C4	-6.67	103.73	106.40
26	BB	1980	G	O4'-C1'-N9	6.67	113.54	108.20
1	AA	734	G	N3-C2-N2	-6.67	115.23	119.90
1	AA	1044	A	N7-C8-N9	6.67	117.13	113.80
1	AA	1346	A	C3'-C2'-C1'	6.67	106.83	101.50
1	AA	1510	C	N3-C2-O2	6.67	126.57	121.90
26	BB	181	A	C8-N9-C4	-6.67	103.13	105.80
26	BB	1507	C	C2-N3-C4	6.67	123.23	119.90
26	BB	1598	A	C6-N1-C2	6.67	122.60	118.60
26	BB	2341	G	C5'-C4'-O4'	6.67	117.10	109.10
1	AA	736	C	O4'-C1'-N1	6.67	113.53	108.20
1	AA	842	U	O5'-P-OP1	-6.67	99.70	105.70
1	AA	1509	C	C3'-C2'-C1'	-6.67	96.17	101.50
26	BB	719	C	C3'-C2'-C1'	6.67	106.83	101.50
26	BB	790	U	O4'-C1'-N1	6.67	113.53	108.20
26	BB	1102	C	C4'-C3'-C2'	-6.67	95.93	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1291	C	N3-C2-O2	-6.67	117.23	121.90
26	BB	1376	C	N1-C2-O2	6.67	122.90	118.90
26	BB	1817	G	C6-N1-C2	-6.67	121.10	125.10
26	BB	2216	G	C4'-C3'-C2'	-6.67	95.93	102.60
1	AA	640	A	C6-N1-C2	6.67	122.60	118.60
26	BB	1775	U	N1-C2-N3	6.67	118.90	114.90
34	BJ	83	TYR	CB-CG-CD2	6.67	125.00	121.00
26	BB	66	C	C4'-C3'-C2'	-6.66	95.94	102.60
26	BB	155	A	C5-N7-C8	6.66	107.23	103.90
26	BB	772	C	C2-N3-C4	-6.66	116.57	119.90
26	BB	1382	G	C5-C6-N1	6.66	114.83	111.50
26	BB	1547	C	C5-C6-N1	6.66	124.33	121.00
26	BB	1814	G	C1'-O4'-C4'	6.66	115.23	109.90
26	BB	1937	A	N3-C4-C5	-6.66	122.14	126.80
26	BB	2212	A	N9-C4-C5	-6.66	103.14	105.80
26	BB	2308	G	C5-C6-N1	6.66	114.83	111.50
26	BB	2702	G	C2-N3-C4	6.66	115.23	111.90
1	AA	504	C	C5'-C4'-C3'	-6.66	105.34	116.00
1	AA	1517	G	C4-C5-C6	6.66	122.80	118.80
26	BB	220	G	C5-N7-C8	-6.66	100.97	104.30
26	BB	1404	C	C5'-C4'-C3'	-6.66	105.34	116.00
26	BB	1847	A	C8-N9-C4	-6.66	103.14	105.80
26	BB	2356	U	N1-C1'-C2'	-6.66	104.67	112.00
26	BB	2461	A	O4'-C4'-C3'	6.66	111.43	106.10
1	AA	217	C	O4'-C1'-N1	6.66	113.53	108.20
1	AA	1353	G	C4'-C3'-C2'	-6.66	95.94	102.60
26	BB	805	G	C2-N3-C4	-6.66	108.57	111.90
26	BB	879	G	C8-N9-C4	-6.66	103.74	106.40
26	BB	951	C	O4'-C1'-N1	6.66	113.53	108.20
26	BB	1094	U	N3-C4-C5	-6.66	110.60	114.60
26	BB	1279	G	N1-C6-O6	-6.66	115.90	119.90
26	BB	1661	G	C8-N9-C4	-6.66	103.74	106.40
26	BB	1732	C	N1-C2-N3	-6.66	114.54	119.20
26	BB	2131	U	N1-C2-N3	6.66	118.90	114.90
26	BB	2275	C	N3-C2-O2	-6.66	117.24	121.90
26	BB	2820	A	O4'-C1'-N9	6.66	113.53	108.20
1	AA	429	U	N3-C4-C5	-6.66	110.61	114.60
1	AA	500	G	C1'-O4'-C4'	6.66	115.23	109.90
1	AA	574	A	C5-N7-C8	-6.66	100.57	103.90
1	AA	769	G	C6-N1-C2	-6.66	121.11	125.10
1	AA	1014	A	C8-N9-C4	-6.66	103.14	105.80
1	AA	1063	C	O4'-C1'-N1	6.66	113.53	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1208	C	N1-C2-N3	-6.66	114.54	119.20
26	BB	41	C	O4'-C4'-C3'	-6.66	97.34	104.00
26	BB	51	G	C5-N7-C8	-6.66	100.97	104.30
26	BB	637	A	C5-C6-N1	-6.66	114.37	117.70
26	BB	650	C	C6-N1-C2	-6.66	117.64	120.30
26	BB	800	A	P-O3'-C3'	6.66	127.69	119.70
26	BB	851	C	C3'-C2'-C1'	6.66	106.83	101.50
26	BB	1341	G	N3-C4-C5	-6.66	125.27	128.60
26	BB	2108	A	N1-C2-N3	-6.66	125.97	129.30
26	BB	2315	G	C3'-C2'-C1'	6.66	106.83	101.50
1	AA	577	G	N9-C4-C5	6.66	108.06	105.40
1	AA	1250	A	C2-N3-C4	-6.66	107.27	110.60
1	AA	1384	C	N1-C2-O2	6.66	122.89	118.90
19	AS	28	ARG	NE-CZ-NH2	6.66	123.63	120.30
26	BB	1895	C	N3-C4-C5	-6.66	119.24	121.90
26	BB	2346	A	N7-C8-N9	-6.66	110.47	113.80
56	B5	28	ARG	CD-NE-CZ	6.66	132.92	123.60
1	AA	606	G	C5'-C4'-O4'	6.66	117.09	109.10
1	AA	734	G	C1'-O4'-C4'	6.66	115.22	109.90
1	AA	1390	U	C6-N1-C2	-6.66	117.01	121.00
1	AA	1528	U	C6-N1-C2	-6.66	117.01	121.00
25	BA	57	A	C4-C5-N7	-6.66	107.37	110.70
26	BB	173	A	C1'-O4'-C4'	6.66	115.22	109.90
26	BB	188	G	C8-N9-C4	-6.66	103.74	106.40
26	BB	322	A	O4'-C1'-N9	-6.66	102.88	108.20
26	BB	360	U	C5-C6-N1	-6.66	119.37	122.70
26	BB	542	C	O4'-C1'-N1	6.66	113.53	108.20
26	BB	2808	G	C6-C5-N7	-6.66	126.41	130.40
26	BB	2854	G	C6-N1-C2	-6.66	121.11	125.10
1	AA	647	C	C1'-O4'-C4'	-6.65	104.58	109.90
1	AA	1109	C	N1-C2-O2	6.65	122.89	118.90
26	BB	899	A	C8-N9-C4	-6.65	103.14	105.80
26	BB	1800	C	C6-N1-C2	6.65	122.96	120.30
26	BB	2446	G	N3-C4-N9	6.65	129.99	126.00
1	AA	223	A	O4'-C1'-N9	-6.65	102.88	108.20
1	AA	280	C	C1'-O4'-C4'	6.65	115.22	109.90
1	AA	609	A	O4'-C1'-N9	6.65	113.52	108.20
1	AA	1360	A	C1'-O4'-C4'	-6.65	104.58	109.90
1	AA	1467	C	N3-C4-C5	-6.65	119.24	121.90
3	AC	44	U	N1-C2-N3	-6.65	110.91	114.90
9	AI	109	ARG	NE-CZ-NH2	-6.65	116.97	120.30
25	BA	14	U	C4'-C3'-C2'	-6.65	95.95	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	39	G	N1-C2-N3	-6.65	119.91	123.90
26	BB	115	C	C5-C4-N4	-6.65	115.54	120.20
26	BB	129	C	N3-C4-C5	-6.65	119.24	121.90
26	BB	708	G	C4-C5-N7	6.65	113.46	110.80
26	BB	944	C	N3-C4-N4	6.65	122.66	118.00
26	BB	1469	A	C5-C6-N1	6.65	121.03	117.70
26	BB	1693	U	C4'-C3'-C2'	-6.65	95.95	102.60
26	BB	2646	C	C6-N1-C2	6.65	122.96	120.30
1	AA	93	U	C2-N3-C4	-6.65	123.01	127.00
1	AA	127	G	C5-C6-O6	6.65	132.59	128.60
1	AA	425	G	N9-C1'-C2'	-6.65	104.69	112.00
1	AA	538	G	C5-C6-O6	-6.65	124.61	128.60
1	AA	898	G	C5-N7-C8	-6.65	100.97	104.30
4	AD	10	G	O4'-C1'-C2'	6.65	113.58	107.60
4	AD	69	C	C4'-C3'-C2'	-6.65	95.95	102.60
26	BB	695	G	N7-C8-N9	6.65	116.42	113.10
26	BB	935	C	N1-C2-O2	-6.65	114.91	118.90
26	BB	1225	G	N7-C8-N9	6.65	116.43	113.10
26	BB	1546	G	C5-C6-N1	6.65	114.83	111.50
26	BB	1586	A	N3-C4-C5	-6.65	122.14	126.80
26	BB	2013	A	C5-C6-N6	-6.65	118.38	123.70
26	BB	2286	G	C3'-C2'-C1'	6.65	106.82	101.50
26	BB	2308	G	C8-N9-C4	-6.65	103.74	106.40
25	BA	37	C	C5-C6-N1	-6.65	117.67	121.00
26	BB	2157	G	C5-C6-O6	-6.65	124.61	128.60
26	BB	2892	G	C4-C5-N7	6.65	113.46	110.80
45	BU	18	ARG	NE-CZ-NH2	6.65	123.62	120.30
1	AA	312	C	O5'-C5'-C4'	6.65	124.33	111.70
1	AA	436	C	C6-N1-C2	6.65	122.96	120.30
1	AA	814	A	O4'-C1'-N9	-6.65	102.88	108.20
1	AA	1044	A	C5-C6-N1	-6.65	114.38	117.70
26	BB	192	C	N3-C4-N4	6.65	122.65	118.00
26	BB	684	G	C6-N1-C2	-6.65	121.11	125.10
26	BB	780	G	C5-C6-N1	6.65	114.82	111.50
26	BB	1244	A	C4-C5-C6	6.65	120.32	117.00
26	BB	1427	A	N1-C6-N6	-6.65	114.61	118.60
26	BB	2032	G	C1'-O4'-C4'	-6.65	104.58	109.90
26	BB	2479	U	N3-C4-C5	-6.65	110.61	114.60
26	BB	2541	A	C2-N3-C4	6.65	113.92	110.60
1	AA	34	C	O4'-C1'-N1	6.65	113.52	108.20
1	AA	949	A	C6-C5-N7	6.65	136.95	132.30
26	BB	1880	U	C5'-C4'-O4'	6.65	117.08	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2555	U	N1-C2-N3	6.65	118.89	114.90
26	BB	2807	U	C4-C5-C6	6.65	123.69	119.70
1	AA	119	A	N9-C4-C5	-6.64	103.14	105.80
1	AA	830	G	C5-N7-C8	-6.64	100.98	104.30
1	AA	1091	U	C3'-C2'-C1'	-6.64	96.18	101.50
25	BA	29	A	N1-C6-N6	-6.64	114.61	118.60
26	BB	436	C	N1-C2-N3	6.64	123.85	119.20
26	BB	1865	U	C5-C6-N1	-6.64	119.38	122.70
26	BB	2319	G	C4-C5-N7	6.64	113.46	110.80
26	BB	2446	G	C8-N9-C4	-6.64	103.74	106.40
26	BB	2780	G	C4-C5-C6	6.64	122.79	118.80
1	AA	303	A	C4-C5-N7	6.64	114.02	110.70
1	AA	511	C	C3'-C2'-C1'	-6.64	96.19	101.50
1	AA	651	C	N3-C2-O2	-6.64	117.25	121.90
25	BA	54	G	N3-C2-N2	-6.64	115.25	119.90
26	BB	771	G	C5-C6-O6	-6.64	124.61	128.60
26	BB	931	U	C6-N1-C2	-6.64	117.01	121.00
26	BB	1306	C	C5'-C4'-O4'	6.64	117.07	109.10
26	BB	1723	G	C5-C6-N1	6.64	114.82	111.50
26	BB	2307	G	C1'-O4'-C4'	6.64	115.21	109.90
26	BB	2749	A	C4-C5-N7	-6.64	107.38	110.70
26	BB	146	A	C2-N3-C4	6.64	113.92	110.60
26	BB	892	A	N1-C2-N3	-6.64	125.98	129.30
26	BB	1395	A	N7-C8-N9	-6.64	110.48	113.80
26	BB	2332	C	N3-C4-C5	-6.64	119.24	121.90
1	AA	1144	G	C8-N9-C4	-6.64	103.74	106.40
1	AA	1260	G	N1-C6-O6	-6.64	115.92	119.90
25	BA	9	G	O4'-C1'-N9	6.64	113.51	108.20
26	BB	1197	G	C4-C5-N7	-6.64	108.14	110.80
26	BB	1277	G	N3-C4-C5	-6.64	125.28	128.60
26	BB	1303	G	C5-C6-O6	-6.64	124.62	128.60
26	BB	1309	G	C6-N1-C2	-6.64	121.12	125.10
26	BB	2096	C	N3-C4-N4	6.64	122.65	118.00
26	BB	2101	A	N1-C2-N3	6.64	132.62	129.30
26	BB	2359	C	N1-C2-O2	6.64	122.88	118.90
26	BB	2382	G	C4-C5-N7	-6.64	108.14	110.80
26	BB	2684	U	C4-C5-C6	6.64	123.68	119.70
1	AA	437	U	N1-C1'-C2'	-6.64	104.70	112.00
1	AA	1149	C	P-O3'-C3'	6.64	127.67	119.70
26	BB	1396	U	C3'-C2'-C1'	-6.64	96.19	101.50
26	BB	2402	U	C2-N1-C1'	6.64	125.67	117.70
1	AA	17	U	C5'-C4'-O4'	6.64	117.06	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	126	G	C5-N7-C8	6.64	107.62	104.30
1	AA	202	G	N1-C6-O6	-6.64	115.92	119.90
1	AA	656	G	N1-C6-O6	-6.64	115.92	119.90
1	AA	774	G	C8-N9-C4	-6.64	103.75	106.40
1	AA	914	A	C5-C6-N1	6.64	121.02	117.70
1	AA	942	G	O4'-C1'-N9	6.64	113.51	108.20
1	AA	1329	A	C8-N9-C4	-6.64	103.14	105.80
1	AA	1504	G	P-O3'-C3'	6.64	127.66	119.70
25	BA	50	A	N9-C4-C5	-6.64	103.14	105.80
26	BB	60	G	N7-C8-N9	6.64	116.42	113.10
26	BB	158	U	N1-C1'-C2'	-6.64	104.70	112.00
26	BB	439	A	N3-C4-C5	6.64	131.45	126.80
26	BB	753	A	C5-C6-N1	-6.64	114.38	117.70
26	BB	1254	A	C1'-O4'-C4'	-6.64	104.59	109.90
50	BZ	6	VAL	CG1-CB-CG2	-6.64	100.28	110.90
1	AA	196	A	N1-C6-N6	6.63	122.58	118.60
1	AA	232	G	C6-N1-C2	-6.63	121.12	125.10
1	AA	1069	C	O4'-C1'-N1	6.63	113.51	108.20
1	AA	1122	U	N3-C4-O4	6.63	124.04	119.40
4	AD	57	C	C4-C5-C6	6.63	120.72	117.40
26	BB	818	G	N3-C2-N2	6.63	124.54	119.90
26	BB	2598	A	N7-C8-N9	-6.63	110.48	113.80
1	AA	360	G	O4'-C1'-N9	6.63	113.51	108.20
1	AA	698	G	N3-C4-N9	6.63	129.98	126.00
1	AA	1080	A	N9-C4-C5	-6.63	103.15	105.80
26	BB	609	A	N1-C2-N3	-6.63	125.98	129.30
26	BB	1351	C	C5-C4-N4	6.63	124.84	120.20
26	BB	2697	G	C1'-O4'-C4'	-6.63	104.59	109.90
1	AA	733	G	N9-C4-C5	-6.63	102.75	105.40
26	BB	198	C	C1'-O4'-C4'	6.63	115.20	109.90
26	BB	640	C	N3-C4-N4	6.63	122.64	118.00
26	BB	959	A	C4-C5-N7	6.63	114.02	110.70
26	BB	1464	G	C5-C6-N1	6.63	114.82	111.50
26	BB	1604	C	C5-C4-N4	-6.63	115.56	120.20
26	BB	1683	U	N1-C2-N3	6.63	118.88	114.90
26	BB	2799	A	C5-C6-N1	6.63	121.02	117.70
1	AA	211	G	C8-N9-C4	-6.63	103.75	106.40
1	AA	422	C	N1-C2-O2	6.63	122.88	118.90
1	AA	779	C	N3-C4-N4	6.63	122.64	118.00
1	AA	1171	A	C6-N1-C2	6.63	122.58	118.60
1	AA	1272	G	C5-C6-N1	-6.63	108.19	111.50
1	AA	1357	A	C5'-C4'-O4'	6.63	117.06	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	116	G	C1'-O4'-C4'	-6.63	104.60	109.90
26	BB	1728	C	O4'-C1'-N1	6.63	113.50	108.20
1	AA	837	U	N1-C2-O2	-6.63	118.16	122.80
1	AA	1183	U	C3'-C2'-C1'	6.63	106.80	101.50
1	AA	1319	A	N7-C8-N9	-6.63	110.48	113.80
2	AB	26	A	N1-C6-N6	-6.63	114.62	118.60
3	AC	37	G	C5-C6-N1	6.63	114.81	111.50
26	BB	1901	A	O4'-C1'-N9	6.63	113.50	108.20
26	BB	2230	G	C1'-O4'-C4'	-6.63	104.60	109.90
1	AA	99	C	C5-C4-N4	6.63	124.84	120.20
1	AA	1169	A	C4-C5-C6	-6.63	113.69	117.00
26	BB	493	G	C5'-C4'-O4'	6.63	117.05	109.10
26	BB	1173	U	N1-C1'-C2'	-6.63	104.71	112.00
26	BB	1277	G	C5-C6-O6	-6.63	124.62	128.60
26	BB	1754	A	C8-N9-C4	-6.63	103.15	105.80
26	BB	2536	G	C8-N9-C4	-6.63	103.75	106.40
26	BB	2843	G	C5-C6-O6	-6.62	124.62	128.60
1	AA	84	U	C5-C4-O4	-6.62	121.93	125.90
1	AA	619	U	N1-C1'-C2'	6.62	122.61	114.00
1	AA	834	U	C4'-C3'-C2'	-6.62	95.98	102.60
26	BB	400	G	N1-C6-O6	6.62	123.87	119.90
26	BB	670	A	C4-C5-N7	-6.62	107.39	110.70
26	BB	800	A	C4-C5-N7	-6.62	107.39	110.70
26	BB	902	C	C5'-C4'-O4'	6.62	117.05	109.10
26	BB	1029	A	C5'-C4'-C3'	-6.62	105.40	116.00
26	BB	1544	A	C4-C5-N7	-6.62	107.39	110.70
26	BB	2534	A	C5'-C4'-O4'	6.62	117.05	109.10
26	BB	2584	U	C6-N1-C2	6.62	124.97	121.00
1	AA	941	G	C4-C5-C6	-6.62	114.83	118.80
1	AA	1350	A	P-O3'-C3'	6.62	127.65	119.70
1	AA	1455	G	N3-C4-N9	6.62	129.97	126.00
4	AD	29	C	N3-C4-N4	6.62	122.64	118.00
7	AG	62	ARG	NE-CZ-NH2	-6.62	116.99	120.30
26	BB	147	C	O4'-C4'-C3'	6.62	111.40	106.10
26	BB	843	G	N1-C2-N3	-6.62	119.93	123.90
26	BB	1244	A	C5'-C4'-O4'	6.62	117.05	109.10
26	BB	2019	A	C2'-C3'-O3'	6.62	124.30	113.70
26	BB	2574	G	C2-N3-C4	6.62	115.21	111.90
26	BB	2775	G	O4'-C1'-N9	6.62	113.50	108.20
1	AA	605	U	N3-C4-O4	6.62	124.03	119.40
3	AC	15	G	N3-C2-N2	6.62	124.53	119.90
26	BB	603	A	C5'-C4'-O4'	-6.62	101.16	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2649	C	C4-C5-C6	6.62	120.71	117.40
28	BD	247	TRP	CE3-CZ3-CH2	-6.62	113.92	121.20
1	AA	641	U	C4'-C3'-C2'	6.62	109.22	102.60
1	AA	657	U	C4-C5-C6	6.62	123.67	119.70
1	AA	1250	A	C5-C6-N6	-6.62	118.41	123.70
1	AA	1401	G	C5'-C4'-C3'	-6.62	105.41	116.00
2	AB	74	C	C3'-C2'-C1'	6.62	106.80	101.50
3	AC	20	G	C4'-C3'-C2'	-6.62	95.98	102.60
26	BB	131	A	N1-C6-N6	6.62	122.57	118.60
26	BB	157	C	C4-C5-C6	-6.62	114.09	117.40
26	BB	795	C	C6-N1-C2	6.62	122.95	120.30
26	BB	1114	C	N1-C2-O2	6.62	122.87	118.90
26	BB	1125	G	C4-C5-C6	6.62	122.77	118.80
26	BB	1148	U	N3-C4-O4	-6.62	114.77	119.40
26	BB	1354	A	C5-C6-N1	6.62	121.01	117.70
43	BS	82	LEU	CB-CG-CD1	6.62	122.25	111.00
1	AA	1073	U	C6-N1-C2	-6.62	117.03	121.00
26	BB	328	U	C5-C6-N1	6.62	126.01	122.70
26	BB	949	G	N7-C8-N9	6.62	116.41	113.10
26	BB	1437	C	C1'-O4'-C4'	6.62	115.19	109.90
26	BB	1654	A	C8-N9-C4	-6.62	103.15	105.80
26	BB	2837	A	C4'-C3'-C2'	-6.62	95.98	102.60
47	BW	85	ARG	NE-CZ-NH1	6.62	123.61	120.30
1	AA	320	A	C5'-C4'-C3'	-6.62	105.42	116.00
26	BB	72	U	C3'-C2'-C1'	-6.62	96.21	101.50
26	BB	777	G	C5-C6-N1	6.62	114.81	111.50
26	BB	1072	C	C4-C5-C6	-6.62	114.09	117.40
1	AA	1070	U	N3-C4-C5	-6.61	110.63	114.60
1	AA	1081	A	C5-C6-N6	-6.61	118.41	123.70
1	AA	1243	C	C5-C6-N1	6.61	124.31	121.00
1	AA	1453	G	C4'-C3'-C2'	-6.61	95.99	102.60
26	BB	1393	A	N1-C2-N3	-6.61	125.99	129.30
26	BB	1645	G	O4'-C1'-N9	6.61	113.49	108.20
26	BB	2058	A	O4'-C1'-N9	6.61	113.49	108.20
32	BH	156	TYR	CD1-CG-CD2	6.61	125.17	117.90
26	BB	146	A	C1'-O4'-C4'	-6.61	104.61	109.90
26	BB	473	G	N9-C4-C5	6.61	108.05	105.40
26	BB	913	U	C5-C6-N1	-6.61	119.39	122.70
26	BB	2286	G	C5-N7-C8	-6.61	100.99	104.30
1	AA	1337	G	C8-N9-C1'	6.61	135.59	127.00
1	AA	1410	A	N1-C6-N6	-6.61	114.63	118.60
4	AD	52	C	C5-C6-N1	6.61	124.31	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	28	C	C5-C4-N4	-6.61	115.57	120.20
26	BB	1164	C	C1'-O4'-C4'	-6.61	104.61	109.90
26	BB	1282	U	C6-N1-C1'	-6.61	111.94	121.20
26	BB	1369	G	C5'-C4'-O4'	6.61	117.03	109.10
26	BB	1880	U	C5-C4-O4	-6.61	121.93	125.90
26	BB	2082	A	C5-N7-C8	6.61	107.20	103.90
26	BB	2662	A	C2-N3-C4	-6.61	107.29	110.60
26	BB	2703	C	N3-C2-O2	-6.61	117.27	121.90
1	AA	771	G	C8-N9-C1'	6.61	135.59	127.00
26	BB	1652	A	N9-C4-C5	6.61	108.44	105.80
26	BB	1922	G	N3-C4-N9	6.61	129.97	126.00
42	BR	98	TYR	CB-CG-CD2	-6.61	117.03	121.00
1	AA	481	G	P-O3'-C3'	6.61	127.63	119.70
1	AA	932	C	C6-N1-C2	6.61	122.94	120.30
1	AA	1241	G	O3'-P-O5'	-6.61	91.45	104.00
1	AA	1400	C	O4'-C1'-N1	6.61	113.49	108.20
26	BB	64	A	N9-C1'-C2'	-6.61	104.73	112.00
26	BB	737	C	C4'-C3'-C2'	-6.61	95.99	102.60
26	BB	987	C	N3-C2-O2	-6.61	117.27	121.90
26	BB	2035	G	C5-C6-N1	6.61	114.80	111.50
26	BB	2448	A	C8-N9-C4	-6.61	103.16	105.80
26	BB	2643	G	N1-C6-O6	-6.61	115.94	119.90
28	BD	47	ARG	NE-CZ-NH2	-6.61	117.00	120.30
42	BR	112	ARG	NH1-CZ-NH2	-6.61	112.13	119.40
1	AA	521	G	C4-C5-C6	6.61	122.76	118.80
1	AA	1274	A	O4'-C1'-N9	6.61	113.48	108.20
25	BA	20	G	C6-C5-N7	-6.61	126.44	130.40
26	BB	1688	U	C4-C5-C6	6.61	123.66	119.70
1	AA	250	A	N7-C8-N9	6.60	117.10	113.80
1	AA	462	G	N7-C8-N9	6.60	116.40	113.10
26	BB	790	U	C2-N3-C4	-6.60	123.04	127.00
26	BB	2035	G	N3-C2-N2	-6.60	115.28	119.90
26	BB	2431	U	P-O3'-C3'	6.60	127.62	119.70
26	BB	2517	C	N3-C4-C5	-6.60	119.26	121.90
1	AA	545	C	N3-C2-O2	-6.60	117.28	121.90
1	AA	747	A	C4-C5-C6	6.60	120.30	117.00
1	AA	778	G	C6-N1-C2	-6.60	121.14	125.10
4	AD	4	G	C3'-C2'-C1'	6.60	106.78	101.50
4	AD	42	C	N3-C2-O2	-6.60	117.28	121.90
12	AL	18	VAL	CA-CB-CG2	6.60	120.81	110.90
25	BA	95	U	C6-N1-C2	-6.60	117.04	121.00
26	BB	166	U	C4-C5-C6	6.60	123.66	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	615	U	N1-C2-O2	6.60	127.42	122.80
26	BB	627	A	C4-C5-C6	6.60	120.30	117.00
26	BB	873	C	C2-N3-C4	-6.60	116.60	119.90
26	BB	1139	G	C5-N7-C8	6.60	107.60	104.30
26	BB	1187	G	C6-C5-N7	-6.60	126.44	130.40
26	BB	1663	G	C8-N9-C4	-6.60	103.76	106.40
26	BB	1719	G	C1'-O4'-C4'	-6.60	104.62	109.90
26	BB	2133	G	O4'-C1'-C2'	-6.60	99.20	105.80
26	BB	2560	A	C5'-C4'-O4'	6.60	117.02	109.10
26	BB	2603	G	C2-N3-C4	6.60	115.20	111.90
1	AA	1409	C	C6-N1-C2	-6.60	117.66	120.30
1	AA	1416	G	C8-N9-C4	-6.60	103.76	106.40
1	AA	1431	A	C6-C5-N7	6.60	136.92	132.30
25	BA	111	U	C1'-O4'-C4'	-6.60	104.62	109.90
26	BB	709	U	C5'-C4'-C3'	-6.60	105.44	116.00
26	BB	802	A	C6-N1-C2	-6.60	114.64	118.60
26	BB	1342	A	C5'-C4'-C3'	-6.60	105.44	116.00
26	BB	1945	G	C2-N3-C4	6.60	115.20	111.90
26	BB	2540	C	N1-C2-N3	-6.60	114.58	119.20
1	AA	75	G	N9-C4-C5	6.60	108.04	105.40
1	AA	159	G	N3-C4-N9	6.60	129.96	126.00
1	AA	230	G	C1'-O4'-C4'	-6.60	104.62	109.90
1	AA	852	G	C2-N3-C4	6.60	115.20	111.90
1	AA	1117	A	C6-N1-C2	6.60	122.56	118.60
4	AD	43	G	C2-N3-C4	6.60	115.20	111.90
4	AD	43	G	N9-C4-C5	6.60	108.04	105.40
26	BB	597	G	C4-C5-C6	6.60	122.76	118.80
26	BB	1827	U	N3-C4-O4	-6.60	114.78	119.40
26	BB	2141	G	N1-C2-N3	6.60	127.86	123.90
26	BB	2618	G	C5'-C4'-O4'	6.60	117.02	109.10
28	BD	173	LEU	O-C-N	6.60	133.26	122.70
1	AA	324	G	N1-C2-N3	-6.60	119.94	123.90
1	AA	354	G	C5-N7-C8	-6.60	101.00	104.30
1	AA	400	C	C5-C6-N1	-6.60	117.70	121.00
26	BB	311	A	C6-N1-C2	-6.60	114.64	118.60
26	BB	827	U	C2-N3-C4	-6.60	123.04	127.00
26	BB	1356	G	N3-C4-N9	6.60	129.96	126.00
26	BB	1425	G	C8-N9-C4	-6.60	103.76	106.40
26	BB	1864	U	C5-C4-O4	-6.60	121.94	125.90
26	BB	1987	A	C5'-C4'-O4'	6.60	117.02	109.10
1	AA	199	A	C5'-C4'-O4'	6.60	117.02	109.10
1	AA	1100	C	N1-C2-N3	6.60	123.82	119.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	AO	51	VAL	CA-CB-CG1	6.60	120.79	110.90
26	BB	1578	U	O4'-C1'-N1	6.60	113.48	108.20
1	AA	414	A	C6-N1-C2	6.59	122.56	118.60
1	AA	629	A	C1'-O4'-C4'	-6.59	104.62	109.90
1	AA	666	G	N3-C4-C5	-6.59	125.30	128.60
1	AA	689	C	N1-C1'-C2'	-6.59	104.75	112.00
1	AA	734	G	C5-C6-N1	-6.59	108.20	111.50
1	AA	1027	C	N1-C2-O2	-6.59	114.94	118.90
1	AA	1219	A	C6-C5-N7	6.59	136.92	132.30
2	AB	36	A	C5-C6-N6	-6.59	118.42	123.70
9	AI	109	ARG	NE-CZ-NH1	6.59	123.60	120.30
26	BB	252	G	C5-C6-O6	-6.59	124.64	128.60
26	BB	1104	C	C6-N1-C2	6.59	122.94	120.30
26	BB	1535	A	P-O3'-C3'	6.59	127.61	119.70
26	BB	2126	A	O5'-P-OP1	-6.59	99.77	105.70
26	BB	2489	U	C5-C4-O4	6.59	129.86	125.90
1	AA	51	A	O4'-C1'-N9	6.59	113.47	108.20
1	AA	523	A	N1-C6-N6	-6.59	114.64	118.60
1	AA	621	A	N9-C4-C5	6.59	108.44	105.80
1	AA	684	U	C5'-C4'-O4'	6.59	117.01	109.10
26	BB	316	C	C3'-C2'-C1'	6.59	106.78	101.50
26	BB	491	G	N7-C8-N9	-6.59	109.80	113.10
26	BB	2751	G	C8-N9-C4	6.59	109.04	106.40
1	AA	17	U	N3-C4-O4	-6.59	114.79	119.40
4	AD	12	G	N7-C8-N9	6.59	116.39	113.10
4	AD	12	G	N9-C1'-C2'	-6.59	104.75	112.00
26	BB	663	G	C6-C5-N7	-6.59	126.44	130.40
1	AA	10	A	C6-N1-C2	6.59	122.55	118.60
1	AA	200	G	C6-C5-N7	-6.59	126.45	130.40
1	AA	432	A	O4'-C1'-N9	6.59	113.47	108.20
1	AA	596	A	C5'-C4'-O4'	6.59	117.01	109.10
1	AA	776	G	C6-C5-N7	-6.59	126.45	130.40
1	AA	1057	G	O4'-C4'-C3'	6.59	111.37	106.10
2	AB	56	C	N3-C4-C5	-6.59	119.26	121.90
26	BB	175	G	O4'-C1'-N9	6.59	113.47	108.20
26	BB	401	A	C4'-C3'-C2'	-6.59	96.01	102.60
26	BB	786	C	C4'-C3'-C2'	-6.59	96.01	102.60
26	BB	869	G	N9-C1'-C2'	-6.59	104.75	112.00
26	BB	1416	G	N1-C6-O6	-6.59	115.95	119.90
26	BB	2435	A	N9-C4-C5	6.59	108.44	105.80
26	BB	2453	A	C3'-C2'-C1'	-6.59	96.23	101.50
1	AA	326	G	C2-N3-C4	6.59	115.19	111.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1058	G	N7-C8-N9	6.59	116.39	113.10
1	AA	1189	U	N1-C2-O2	6.59	127.41	122.80
1	AA	1374	A	C4-C5-N7	-6.59	107.41	110.70
26	BB	949	G	C4-C5-N7	6.59	113.44	110.80
26	BB	1473	G	C4'-C3'-C2'	-6.59	96.01	102.60
1	AA	688	G	C5-C6-O6	-6.59	124.65	128.60
1	AA	791	G	O5'-C5'-C4'	-6.59	99.19	111.70
1	AA	958	A	C5'-C4'-C3'	-6.59	105.46	116.00
1	AA	1383	C	C4-C5-C6	-6.59	114.11	117.40
26	BB	101	A	N1-C2-N3	-6.59	126.01	129.30
26	BB	215	G	C6-C5-N7	-6.59	126.45	130.40
26	BB	692	C	N1-C2-O2	6.59	122.85	118.90
26	BB	1580	A	C8-N9-C4	-6.59	103.17	105.80
26	BB	1743	G	N7-C8-N9	6.59	116.39	113.10
26	BB	2299	U	C5-C4-O4	6.59	129.85	125.90
26	BB	2401	U	C3'-C2'-C1'	6.59	106.77	101.50
26	BB	2437	G	C5-C6-O6	-6.59	124.65	128.60
1	AA	96	U	C5-C4-O4	6.58	129.85	125.90
1	AA	285	C	C4'-C3'-C2'	-6.58	96.02	102.60
25	BA	73	A	C5'-C4'-O4'	6.58	117.00	109.10
26	BB	348	A	C5-N7-C8	-6.58	100.61	103.90
26	BB	649	G	C1'-O4'-C4'	-6.58	104.63	109.90
26	BB	1891	G	C5'-C4'-O4'	6.58	117.00	109.10
1	AA	744	C	N1-C2-O2	6.58	122.85	118.90
1	AA	1008	U	O4'-C1'-N1	6.58	113.47	108.20
4	AD	63	C	C6-N1-C2	6.58	122.93	120.30
10	AJ	104	VAL	CA-CB-CG1	6.58	120.78	110.90
10	AJ	154	ARG	NE-CZ-NH2	-6.58	117.01	120.30
25	BA	43	C	N1-C2-O2	6.58	122.85	118.90
26	BB	780	G	O4'-C1'-N9	6.58	113.47	108.20
26	BB	2122	U	O5'-P-OP1	-6.58	99.78	105.70
26	BB	2247	A	C4-C5-N7	6.58	113.99	110.70
26	BB	2813	A	C4-C5-C6	6.58	120.29	117.00
1	AA	375	U	C2-N3-C4	-6.58	123.05	127.00
1	AA	686	U	N3-C2-O2	-6.58	117.59	122.20
1	AA	698	G	C5'-C4'-O4'	6.58	117.00	109.10
1	AA	1084	G	C4-C5-C6	6.58	122.75	118.80
3	AC	17	U	N3-C2-O2	-6.58	117.59	122.20
17	AQ	60	ARG	NE-CZ-NH1	6.58	123.59	120.30
26	BB	14	A	C5-N7-C8	-6.58	100.61	103.90
26	BB	760	G	O4'-C4'-C3'	6.58	111.37	106.10
26	BB	1649	G	C5'-C4'-O4'	6.58	117.00	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2884	U	C2-N1-C1'	6.58	125.60	117.70
1	AA	76	G	N1-C2-N3	-6.58	119.95	123.90
1	AA	1136	C	O4'-C1'-N1	6.58	113.46	108.20
14	AN	52	ARG	NE-CZ-NH1	6.58	123.59	120.30
26	BB	1938	A	N1-C6-N6	6.58	122.55	118.60
26	BB	2305	U	N3-C4-C5	-6.58	110.65	114.60
1	AA	505	G	N1-C6-O6	6.58	123.85	119.90
2	AB	26	A	C8-N9-C4	-6.58	103.17	105.80
5	AE	196	ASP	O-C-N	-6.58	112.17	122.70
25	BA	29	A	C5-C6-N6	6.58	128.96	123.70
26	BB	34	U	C5-C6-N1	-6.58	119.41	122.70
26	BB	311	A	O3'-P-O5'	-6.58	91.50	104.00
26	BB	603	A	C5'-C4'-C3'	-6.58	105.47	116.00
26	BB	1825	U	C6-N1-C2	-6.58	117.05	121.00
26	BB	1859	U	C5'-C4'-O4'	6.58	116.99	109.10
26	BB	2559	C	N1-C2-N3	-6.58	114.59	119.20
1	AA	825	A	C3'-C2'-C1'	6.58	106.76	101.50
26	BB	1236	G	C3'-C2'-C1'	6.58	106.76	101.50
26	BB	2515	C	C5-C6-N1	6.58	124.29	121.00
1	AA	1201	A	C4-C5-C6	-6.58	113.71	117.00
25	BA	69	G	N3-C4-C5	-6.58	125.31	128.60
26	BB	855	G	C8-N9-C4	-6.58	103.77	106.40
26	BB	912	C	C2-N3-C4	6.58	123.19	119.90
26	BB	1167	C	N3-C2-O2	-6.58	117.30	121.90
26	BB	1428	C	C5-C6-N1	6.58	124.29	121.00
26	BB	1587	G	C5'-C4'-O4'	6.58	116.99	109.10
26	BB	2599	G	N7-C8-N9	-6.58	109.81	113.10
1	AA	1102	A	C3'-C2'-C1'	6.57	106.76	101.50
1	AA	1533	C	C3'-C2'-C1'	6.57	106.76	101.50
6	AF	35	ASP	CB-CG-OD1	-6.57	112.39	118.30
26	BB	393	C	N1-C2-O2	6.57	122.84	118.90
26	BB	518	G	N1-C2-N3	-6.57	119.96	123.90
26	BB	720	U	C4'-C3'-C2'	-6.57	96.03	102.60
26	BB	1356	G	N9-C4-C5	-6.57	102.77	105.40
26	BB	2513	A	N9-C4-C5	6.57	108.43	105.80
26	BB	2678	C	O4'-C1'-N1	6.57	113.46	108.20
1	AA	1132	C	C2-N3-C4	-6.57	116.61	119.90
4	AD	23	G	O4'-C1'-N9	6.57	113.46	108.20
4	AD	37	U	O4'-C1'-N1	6.57	113.46	108.20
7	AG	153	ARG	NE-CZ-NH2	6.57	123.59	120.30
1	AA	251	G	C5'-C4'-C3'	6.57	126.51	116.00
1	AA	407	U	C6-N1-C2	-6.57	117.06	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	508	U	N1-C2-N3	6.57	118.84	114.90
1	AA	608	A	N3-C4-C5	-6.57	122.20	126.80
1	AA	827	U	N3-C2-O2	-6.57	117.60	122.20
1	AA	875	U	C1'-O4'-C4'	-6.57	104.64	109.90
1	AA	1181	G	P-O3'-C3'	6.57	127.59	119.70
26	BB	728	G	N3-C4-N9	6.57	129.94	126.00
26	BB	755	U	C6-N1-C2	-6.57	117.06	121.00
26	BB	876	C	C5'-C4'-O4'	6.57	116.98	109.10
26	BB	1065	U	N3-C4-O4	6.57	124.00	119.40
26	BB	1488	C	C2-N3-C4	-6.57	116.61	119.90
26	BB	1639	C	C4-C5-C6	6.57	120.69	117.40
26	BB	1928	A	C6-N1-C2	6.57	122.54	118.60
26	BB	2144	G	C6-N1-C2	-6.57	121.16	125.10
1	AA	583	A	C6-C5-N7	6.57	136.90	132.30
1	AA	625	U	N1-C2-N3	-6.57	110.96	114.90
1	AA	1354	U	O4'-C1'-N1	6.57	113.45	108.20
26	BB	397	U	N1-C1'-C2'	-6.57	104.77	112.00
26	BB	443	A	C8-N9-C4	6.57	108.43	105.80
26	BB	1207	C	O4'-C1'-N1	6.57	113.45	108.20
26	BB	2569	G	C8-N9-C4	-6.57	103.77	106.40
1	AA	138	G	C2-N3-C4	6.57	115.18	111.90
1	AA	260	G	N9-C4-C5	6.57	108.03	105.40
1	AA	1257	A	O3'-P-O5'	-6.57	91.52	104.00
1	AA	1329	A	C5-N7-C8	-6.57	100.62	103.90
26	BB	668	A	N7-C8-N9	-6.57	110.52	113.80
26	BB	977	G	N3-C4-N9	6.57	129.94	126.00
26	BB	1191	G	C4-C5-N7	-6.57	108.17	110.80
26	BB	1515	A	N3-C4-N9	6.57	132.65	127.40
26	BB	2203	U	N3-C4-C5	-6.57	110.66	114.60
1	AA	80	A	C5-C6-N6	-6.57	118.45	123.70
1	AA	111	G	C4-C5-C6	6.57	122.74	118.80
1	AA	758	C	N1-C2-O2	6.57	122.84	118.90
1	AA	898	G	N7-C8-N9	6.57	116.38	113.10
1	AA	1018	G	C5'-C4'-O4'	6.57	116.98	109.10
1	AA	1266	G	N3-C4-N9	6.57	129.94	126.00
26	BB	326	G	N1-C2-N2	6.57	122.11	116.20
26	BB	1516	G	C4-C5-N7	-6.57	108.17	110.80
26	BB	2376	A	N7-C8-N9	6.57	117.08	113.80
1	AA	186	C	N1-C1'-C2'	-6.56	104.78	112.00
1	AA	202	G	N3-C4-C5	-6.56	125.32	128.60
1	AA	523	A	C3'-C2'-C1'	6.56	106.75	101.50
1	AA	785	G	C6-N1-C2	-6.56	121.16	125.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	17	G	N3-C4-N9	6.56	129.94	126.00
26	BB	476	G	N1-C2-N3	-6.56	119.96	123.90
26	BB	2217	G	C5-C6-N1	6.56	114.78	111.50
26	BB	2574	G	O4'-C1'-N9	6.56	113.45	108.20
26	BB	2703	C	C4-C5-C6	-6.56	114.12	117.40
1	AA	593	U	C5-C6-N1	6.56	125.98	122.70
26	BB	375	G	N1-C2-N3	-6.56	119.96	123.90
26	BB	644	A	C8-N9-C4	-6.56	103.17	105.80
26	BB	829	A	N9-C4-C5	-6.56	103.17	105.80
26	BB	1399	C	N3-C4-N4	6.56	122.59	118.00
26	BB	1703	G	C6-N1-C2	-6.56	121.16	125.10
26	BB	2542	A	O4'-C4'-C3'	6.56	111.35	106.10
26	BB	2841	C	O4'-C1'-N1	6.56	113.45	108.20
28	BD	220	ARG	NE-CZ-NH1	6.56	123.58	120.30
1	AA	81	A	O4'-C4'-C3'	6.56	111.35	106.10
1	AA	1433	A	O4'-C1'-N9	6.56	113.45	108.20
26	BB	577	G	C6-C5-N7	-6.56	126.46	130.40
26	BB	1642	G	N3-C4-C5	-6.56	125.32	128.60
26	BB	1926	U	N3-C4-O4	-6.56	114.81	119.40
26	BB	2158	A	N1-C6-N6	-6.56	114.66	118.60
32	BH	57	TYR	CD1-CG-CD2	6.56	125.12	117.90
1	AA	213	G	C5'-C4'-O4'	6.56	116.97	109.10
1	AA	623	C	C6-N1-C2	-6.56	117.68	120.30
1	AA	728	A	N9-C1'-C2'	6.56	122.53	114.00
1	AA	800	G	N3-C2-N2	6.56	124.49	119.90
1	AA	822	U	N3-C2-O2	-6.56	117.61	122.20
2	AB	43	G	N3-C4-N9	6.56	129.94	126.00
4	AD	53	G	N3-C4-N9	6.56	129.94	126.00
26	BB	372	G	C1'-O4'-C4'	6.56	115.15	109.90
26	BB	716	A	O4'-C1'-N9	6.56	113.45	108.20
26	BB	1557	C	N3-C2-O2	6.56	126.49	121.90
26	BB	1812	U	N1-C2-O2	6.56	127.39	122.80
26	BB	2671	G	C1'-O4'-C4'	-6.56	104.65	109.90
26	BB	2882	A	P-O3'-C3'	6.56	127.57	119.70
1	AA	529	G	N9-C4-C5	6.56	108.02	105.40
1	AA	673	A	C1'-O4'-C4'	-6.56	104.65	109.90
1	AA	1418	A	C5-C6-N6	-6.56	118.45	123.70
4	AD	20	G	N7-C8-N9	6.56	116.38	113.10
26	BB	340	A	C5-C6-N1	-6.56	114.42	117.70
26	BB	976	G	C5-C6-O6	-6.56	124.67	128.60
26	BB	1056	G	C5-C6-N1	6.56	114.78	111.50
26	BB	1887	C	N3-C2-O2	-6.56	117.31	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2279	G	C4-C5-C6	6.56	122.73	118.80
26	BB	2718	G	N9-C4-C5	6.56	108.02	105.40
1	AA	320	A	N1-C2-N3	-6.56	126.02	129.30
26	BB	1842	G	N3-C4-C5	-6.56	125.32	128.60
26	BB	2189	U	C5-C4-O4	6.56	129.83	125.90
26	BB	2664	G	C6-C5-N7	-6.56	126.47	130.40
1	AA	128	G	N1-C6-O6	-6.55	115.97	119.90
1	AA	490	C	C5'-C4'-O4'	6.55	116.97	109.10
1	AA	1047	G	O4'-C1'-C2'	6.55	113.50	107.60
1	AA	1097	C	C3'-C2'-C1'	-6.55	96.26	101.50
1	AA	1152	A	N7-C8-N9	-6.55	110.52	113.80
1	AA	1299	A	O4'-C4'-C3'	-6.55	97.44	104.00
26	BB	685	A	N9-C1'-C2'	-6.55	104.79	112.00
26	BB	1588	G	C5-C6-N1	6.55	114.78	111.50
26	BB	2346	A	C5'-C4'-C3'	-6.55	105.51	116.00
26	BB	2663	G	P-O3'-C3'	6.55	127.57	119.70
26	BB	2698	U	P-O3'-C3'	6.55	127.56	119.70
1	AA	251	G	N9-C4-C5	6.55	108.02	105.40
26	BB	1961	C	N1-C2-O2	6.55	122.83	118.90
26	BB	2319	G	C2-N3-C4	6.55	115.18	111.90
26	BB	2357	G	O4'-C4'-C3'	6.55	111.34	106.10
26	BB	2499	C	O4'-C1'-N1	6.55	113.44	108.20
1	AA	461	A	C4-C5-N7	-6.55	107.42	110.70
1	AA	1201	A	C5-N7-C8	6.55	107.18	103.90
1	AA	1244	G	N9-C4-C5	6.55	108.02	105.40
1	AA	1443	C	C1'-O4'-C4'	-6.55	104.66	109.90
1	AA	1513	A	C1'-O4'-C4'	-6.55	104.66	109.90
26	BB	202	U	C2-N3-C4	-6.55	123.07	127.00
26	BB	273	G	N9-C4-C5	6.55	108.02	105.40
26	BB	881	G	C4'-C3'-C2'	-6.55	96.05	102.60
26	BB	1116	G	C2-N3-C4	6.55	115.18	111.90
26	BB	1497	U	N3-C2-O2	-6.55	117.61	122.20
26	BB	1639	C	C4'-C3'-C2'	-6.55	96.05	102.60
26	BB	1936	A	N1-C2-N3	-6.55	126.02	129.30
26	BB	2272	U	P-O3'-C3'	6.55	127.56	119.70
26	BB	2464	G	C6-C5-N7	6.55	134.33	130.40
26	BB	2564	A	C8-N9-C4	-6.55	103.18	105.80
26	BB	2838	G	C3'-C2'-C1'	6.55	106.74	101.50
33	BI	70	GLU	OE1-CD-OE2	-6.55	115.44	123.30
1	AA	478	A	C8-N9-C4	-6.55	103.18	105.80
1	AA	797	C	N3-C4-N4	6.55	122.58	118.00
1	AA	1011	C	C4-C5-C6	6.55	120.67	117.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1299	A	N1-C6-N6	-6.55	114.67	118.60
1	AA	1368	A	N7-C8-N9	6.55	117.08	113.80
26	BB	1770	G	N9-C4-C5	6.55	108.02	105.40
26	BB	2092	U	N1-C2-O2	6.55	127.39	122.80
26	BB	2335	A	C4'-C3'-C2'	-6.55	96.05	102.60
26	BB	2720	U	N1-C2-O2	6.55	127.39	122.80
28	BD	95	TYR	CB-CG-CD2	6.55	124.93	121.00
1	AA	627	G	C5-C6-N1	6.55	114.77	111.50
26	BB	2417	C	N3-C4-C5	-6.55	119.28	121.90
1	AA	426	U	N3-C2-O2	-6.55	117.62	122.20
1	AA	466	A	C2-N3-C4	6.55	113.87	110.60
1	AA	714	G	N9-C4-C5	6.55	108.02	105.40
1	AA	951	G	N1-C2-N2	6.55	122.09	116.20
1	AA	1378	C	C5-C6-N1	6.55	124.27	121.00
1	AA	1472	U	N3-C4-O4	-6.55	114.82	119.40
2	AB	36	A	C4-C5-C6	-6.55	113.73	117.00
26	BB	828	U	N1-C2-N3	-6.55	110.97	114.90
26	BB	1026	G	C5'-C4'-O4'	6.55	116.95	109.10
26	BB	2694	G	N3-C4-N9	-6.55	122.07	126.00
26	BB	2761	A	C3'-C2'-C1'	-6.55	96.26	101.50
26	BB	2889	C	C6-N1-C2	-6.55	117.68	120.30
1	AA	962	C	C4-C5-C6	6.54	120.67	117.40
1	AA	1208	C	C4-C5-C6	-6.54	114.13	117.40
1	AA	1233	G	C4-C5-N7	6.54	113.42	110.80
25	BA	120	U	C6-N1-C2	6.54	124.93	121.00
26	BB	872	U	N3-C2-O2	-6.54	117.62	122.20
26	BB	2862	G	N7-C8-N9	6.54	116.37	113.10
1	AA	682	G	O4'-C1'-N9	6.54	113.44	108.20
1	AA	693	G	C2-N3-C4	-6.54	108.63	111.90
1	AA	713	G	C5-C6-N1	6.54	114.77	111.50
1	AA	1033	G	C6-N1-C2	-6.54	121.17	125.10
25	BA	71	C	C5-C4-N4	-6.54	115.62	120.20
26	BB	90	U	N1-C2-N3	6.54	118.83	114.90
26	BB	311	A	O4'-C1'-N9	6.54	113.44	108.20
26	BB	329	G	C3'-C2'-C1'	6.54	106.73	101.50
26	BB	1226	A	N1-C2-N3	-6.54	126.03	129.30
26	BB	1276	A	C1'-O4'-C4'	6.54	115.13	109.90
26	BB	1524	G	C5-C6-N1	6.54	114.77	111.50
26	BB	1526	C	C2-N3-C4	6.54	123.17	119.90
26	BB	1710	G	C5-C6-N1	6.54	114.77	111.50
26	BB	1898	U	N1-C2-N3	6.54	118.83	114.90
26	BB	2077	A	P-O3'-C3'	6.54	127.55	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2454	G	N9-C4-C5	6.54	108.02	105.40
26	BB	2627	G	C6-N1-C2	-6.54	121.17	125.10
1	AA	319	G	C5'-C4'-C3'	-6.54	105.53	116.00
1	AA	760	G	C1'-O4'-C4'	-6.54	104.67	109.90
1	AA	800	G	C4-C5-C6	-6.54	114.88	118.80
1	AA	1120	C	C4'-C3'-C2'	-6.54	96.06	102.60
4	AD	16	C	C4-C5-C6	-6.54	114.13	117.40
25	BA	18	G	C6-N1-C2	-6.54	121.17	125.10
26	BB	81	G	N1-C6-O6	-6.54	115.98	119.90
26	BB	718	A	C5-N7-C8	-6.54	100.63	103.90
26	BB	780	G	N3-C4-C5	-6.54	125.33	128.60
26	BB	827	U	C3'-C2'-C1'	-6.54	96.27	101.50
26	BB	1277	G	N1-C2-N2	6.54	122.09	116.20
26	BB	1348	C	N1-C2-O2	6.54	122.83	118.90
26	BB	1574	C	C5-C6-N1	6.54	124.27	121.00
26	BB	2112	G	C5-N7-C8	6.54	107.57	104.30
26	BB	2156	G	C6-N1-C2	-6.54	121.17	125.10
26	BB	2430	A	N9-C1'-C2'	6.54	122.50	114.00
26	BB	2473	U	O4'-C1'-N1	6.54	113.43	108.20
1	AA	153	C	N3-C4-C5	-6.54	119.28	121.90
1	AA	528	C	O4'-C1'-N1	6.54	113.43	108.20
8	AH	56	PRO	N-CD-CG	6.54	113.01	103.20
26	BB	212	G	O4'-C1'-N9	6.54	113.43	108.20
26	BB	1589	U	N3-C4-O4	6.54	123.98	119.40
26	BB	1830	C	C4-C5-C6	-6.54	114.13	117.40
26	BB	1872	A	C4'-C3'-C2'	-6.54	96.06	102.60
26	BB	2122	U	N1-C2-N3	6.54	118.82	114.90
1	AA	911	U	O4'-C1'-N1	6.54	113.43	108.20
1	AA	1067	A	C4-C5-N7	-6.54	107.43	110.70
26	BB	110	G	C5-C6-N1	6.54	114.77	111.50
26	BB	1432	G	O4'-C1'-N9	6.54	113.43	108.20
26	BB	2737	G	C6-N1-C2	-6.54	121.18	125.10
1	AA	737	C	C3'-C2'-C1'	6.54	106.73	101.50
26	BB	715	A	O4'-C1'-C2'	6.54	113.48	107.60
26	BB	984	A	C4'-C3'-C2'	6.54	109.14	102.60
26	BB	2802	G	C2-N3-C4	6.54	115.17	111.90
26	BB	2853	C	C4'-C3'-C2'	-6.54	96.06	102.60
1	AA	55	A	C5-C6-N1	6.54	120.97	117.70
1	AA	1196	A	C3'-C2'-C1'	-6.54	96.27	101.50
2	AB	3	G	O4'-C1'-C2'	-6.54	99.27	105.80
26	BB	155	A	N9-C4-C5	6.54	108.41	105.80
26	BB	226	A	C4-C5-N7	-6.54	107.43	110.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	227	A	C2-N3-C4	6.54	113.87	110.60
26	BB	652	U	C5'-C4'-O4'	6.54	116.94	109.10
26	BB	1258	U	C4-C5-C6	6.54	123.62	119.70
26	BB	2058	A	C6-N1-C2	-6.54	114.68	118.60
26	BB	2067	G	C2-N3-C4	6.54	115.17	111.90
1	AA	421	U	N1-C2-O2	6.53	127.37	122.80
1	AA	799	G	C5-C6-O6	-6.53	124.68	128.60
1	AA	940	C	C4-C5-C6	6.53	120.67	117.40
1	AA	1069	C	N3-C2-O2	-6.53	117.33	121.90
1	AA	1091	U	C2-N3-C4	-6.53	123.08	127.00
1	AA	1541	U	N3-C2-O2	-6.53	117.63	122.20
25	BA	84	G	C2-N3-C4	6.53	115.17	111.90
26	BB	760	G	O4'-C1'-N9	6.53	113.43	108.20
26	BB	1030	C	C2-N3-C4	-6.53	116.63	119.90
26	BB	1274	A	C5-C6-N1	-6.53	114.43	117.70
26	BB	1343	G	N1-C2-N3	-6.53	119.98	123.90
26	BB	1436	G	O4'-C1'-N9	6.53	113.43	108.20
26	BB	1588	G	C2-N3-C4	6.53	115.17	111.90
26	BB	2748	A	N1-C6-N6	6.53	122.52	118.60
1	AA	7	A	N3-C4-C5	-6.53	122.23	126.80
1	AA	209	U	N1-C2-O2	-6.53	118.23	122.80
1	AA	908	A	N7-C8-N9	-6.53	110.53	113.80
1	AA	1272	G	C4-C5-C6	6.53	122.72	118.80
26	BB	767	U	C5'-C4'-O4'	6.53	116.94	109.10
26	BB	1178	C	N3-C2-O2	-6.53	117.33	121.90
26	BB	2277	G	C5'-C4'-O4'	6.53	116.94	109.10
26	BB	2489	U	C5-C6-N1	-6.53	119.43	122.70
26	BB	311	A	C5-C6-N1	6.53	120.97	117.70
26	BB	462	C	N1-C2-N3	6.53	123.77	119.20
26	BB	684	G	C5-N7-C8	-6.53	101.03	104.30
26	BB	691	C	N3-C4-N4	6.53	122.57	118.00
26	BB	1494	A	C8-N9-C4	-6.53	103.19	105.80
26	BB	1540	G	C5-C6-O6	6.53	132.52	128.60
26	BB	1773	A	C5-N7-C8	-6.53	100.64	103.90
26	BB	2067	G	N3-C2-N2	-6.53	115.33	119.90
26	BB	2242	G	C2-N3-C4	6.53	115.17	111.90
1	AA	920	U	N1-C2-O2	-6.53	118.23	122.80
1	AA	1306	A	P-O3'-C3'	6.53	127.53	119.70
26	BB	2185	U	N3-C4-C5	6.53	118.52	114.60
26	BB	2860	A	N9-C4-C5	6.53	108.41	105.80
1	AA	379	C	O4'-C1'-N1	6.53	113.42	108.20
1	AA	389	A	C8-N9-C4	-6.53	103.19	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	506	G	N3-C2-N2	-6.53	115.33	119.90
1	AA	683	G	N7-C8-N9	-6.53	109.84	113.10
1	AA	1205	U	N1-C2-N3	6.53	118.82	114.90
1	AA	1314	C	N3-C2-O2	-6.53	117.33	121.90
1	AA	1482	G	C6-N1-C2	-6.53	121.18	125.10
3	AC	14	G	N7-C8-N9	-6.53	109.84	113.10
4	AD	68	C	N3-C4-C5	-6.53	119.29	121.90
16	AP	85	TYR	CB-CG-CD1	-6.53	117.08	121.00
26	BB	425	G	C2-N3-C4	6.53	115.16	111.90
26	BB	1036	G	N9-C4-C5	6.53	108.01	105.40
26	BB	2072	C	C6-N1-C2	6.53	122.91	120.30
26	BB	2465	C	C2-N3-C4	6.53	123.16	119.90
26	BB	2598	A	C4-C5-C6	-6.53	113.74	117.00
1	AA	555	U	O4'-C1'-N1	6.53	113.42	108.20
1	AA	695	A	C5-C6-N6	6.53	128.92	123.70
1	AA	735	C	C4-C5-C6	6.53	120.66	117.40
1	AA	1066	C	C1'-O4'-C4'	6.53	115.12	109.90
1	AA	1243	C	N1-C2-O2	6.53	122.82	118.90
1	AA	1326	U	N1-C2-N3	6.53	118.81	114.90
25	BA	98	G	C8-N9-C4	-6.53	103.79	106.40
26	BB	61	C	N3-C4-C5	-6.53	119.29	121.90
26	BB	254	G	C5-C6-N1	6.53	114.76	111.50
26	BB	317	G	C4-C5-N7	-6.53	108.19	110.80
26	BB	478	A	N9-C1'-C2'	6.53	122.48	114.00
26	BB	538	A	C4-C5-N7	-6.53	107.44	110.70
26	BB	542	C	C2-N3-C4	-6.53	116.64	119.90
26	BB	732	C	C6-N1-C2	-6.53	117.69	120.30
26	BB	959	A	N9-C1'-C2'	-6.53	104.82	112.00
26	BB	1032	A	C3'-C2'-C1'	6.53	106.72	101.50
26	BB	1320	C	O4'-C1'-N1	6.53	113.42	108.20
26	BB	1392	A	C6-C5-N7	6.53	136.87	132.30
26	BB	1687	G	C5-N7-C8	6.53	107.56	104.30
26	BB	1824	G	N9-C4-C5	6.53	108.01	105.40
26	BB	1990	C	C5'-C4'-O4'	6.53	116.93	109.10
26	BB	160	A	P-O5'-C5'	6.52	131.34	120.90
26	BB	289	G	C5-C6-O6	6.52	132.51	128.60
26	BB	1055	G	N3-C2-N2	6.52	124.47	119.90
26	BB	1627	G	C4-C5-C6	6.52	122.71	118.80
26	BB	2842	G	P-O5'-C5'	6.52	131.34	120.90
1	AA	917	G	C6-N1-C2	-6.52	121.19	125.10
1	AA	1090	U	N1-C2-N3	6.52	118.81	114.90
1	AA	1454	G	C1'-O4'-C4'	6.52	115.12	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	28	C	N3-C2-O2	-6.52	117.33	121.90
25	BA	110	C	P-O3'-C3'	6.52	127.53	119.70
26	BB	1394	U	C3'-C2'-C1'	-6.52	96.28	101.50
26	BB	1677	A	P-O5'-C5'	6.52	131.34	120.90
26	BB	2052	A	C3'-C2'-C1'	6.52	106.72	101.50
26	BB	2309	A	C8-N9-C4	-6.52	103.19	105.80
26	BB	2499	C	O3'-P-O5'	-6.52	91.61	104.00
1	AA	781	A	O4'-C1'-N9	6.52	113.42	108.20
26	BB	1301	A	N3-C4-C5	-6.52	122.24	126.80
26	BB	2295	C	C4'-C3'-C2'	-6.52	96.08	102.60
26	BB	2386	A	N3-C4-C5	-6.52	122.23	126.80
1	AA	34	C	N3-C4-N4	6.52	122.56	118.00
1	AA	104	G	N3-C4-N9	6.52	129.91	126.00
1	AA	494	G	C6-N1-C2	-6.52	121.19	125.10
1	AA	1122	U	C5'-C4'-O4'	6.52	116.92	109.10
11	AK	127	TYR	CB-CG-CD2	-6.52	117.09	121.00
26	BB	516	C	N3-C2-O2	-6.52	117.34	121.90
26	BB	968	C	N3-C4-C5	-6.52	119.29	121.90
26	BB	1089	A	P-O3'-C3'	6.52	127.52	119.70
26	BB	1365	A	N3-C4-C5	-6.52	122.24	126.80
26	BB	1378	A	O4'-C1'-C2'	-6.52	99.28	105.80
26	BB	1515	A	C4-C5-C6	6.52	120.26	117.00
26	BB	1981	A	C5-C6-N6	-6.52	118.48	123.70
26	BB	1998	A	C5'-C4'-O4'	6.52	116.92	109.10
26	BB	2212	A	C6-N1-C2	6.52	122.51	118.60
26	BB	2806	C	C4'-C3'-C2'	-6.52	96.08	102.60
1	AA	975	A	C5-N7-C8	6.52	107.16	103.90
1	AA	1185	G	C5-N7-C8	-6.52	101.04	104.30
1	AA	1205	U	C2-N3-C4	-6.52	123.09	127.00
26	BB	239	C	N3-C4-N4	6.52	122.56	118.00
26	BB	627	A	C2-N3-C4	-6.52	107.34	110.60
26	BB	1227	G	N3-C4-N9	6.52	129.91	126.00
26	BB	1311	G	C4-C5-N7	-6.52	108.19	110.80
26	BB	1732	C	C2-N3-C4	6.52	123.16	119.90
26	BB	2242	G	C4'-C3'-C2'	-6.52	96.08	102.60
1	AA	784	A	N1-C6-N6	-6.52	114.69	118.60
1	AA	1470	U	C5-C6-N1	-6.52	119.44	122.70
26	BB	324	A	N3-C4-N9	6.52	132.61	127.40
26	BB	1151	A	N1-C2-N3	-6.52	126.04	129.30
28	BD	66	PHE	CB-CG-CD2	-6.52	116.24	120.80
1	AA	132	C	O4'-C1'-N1	6.51	113.41	108.20
1	AA	1272	G	C1'-O4'-C4'	-6.51	104.69	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1379	G	N1-C6-O6	-6.51	115.99	119.90
25	BA	55	U	C5'-C4'-C3'	-6.51	105.58	116.00
26	BB	700	G	N9-C4-C5	6.51	108.01	105.40
26	BB	765	C	C5-C6-N1	6.51	124.26	121.00
26	BB	1099	G	N3-C4-C5	-6.51	125.34	128.60
26	BB	1475	G	C8-N9-C4	-6.51	103.79	106.40
26	BB	2678	C	N1-C2-O2	6.51	122.81	118.90
1	AA	373	A	N1-C6-N6	6.51	122.51	118.60
1	AA	654	G	N1-C6-O6	-6.51	115.99	119.90
26	BB	57	C	C2-N3-C4	6.51	123.16	119.90
26	BB	297	G	N3-C2-N2	-6.51	115.34	119.90
26	BB	987	C	O4'-C1'-N1	6.51	113.41	108.20
1	AA	98	A	C4-C5-N7	-6.51	107.44	110.70
1	AA	115	G	C5-N7-C8	6.51	107.56	104.30
1	AA	479	U	N3-C4-O4	6.51	123.96	119.40
4	AD	12	G	C4'-C3'-C2'	-6.51	96.09	102.60
26	BB	140	C	O4'-C1'-N1	6.51	113.41	108.20
26	BB	1161	C	N1-C2-O2	6.51	122.81	118.90
26	BB	1521	G	O4'-C1'-C2'	-6.51	99.29	105.80
1	AA	890	G	N1-C2-N2	6.51	122.06	116.20
1	AA	922	G	O4'-C1'-N9	6.51	113.41	108.20
1	AA	1231	G	C5-N7-C8	-6.51	101.05	104.30
1	AA	1298	U	C1'-O4'-C4'	-6.51	104.69	109.90
1	AA	1509	C	C5'-C4'-O4'	6.51	116.91	109.10
25	BA	96	G	N3-C4-C5	-6.51	125.35	128.60
26	BB	83	A	C4-C5-N7	-6.51	107.44	110.70
26	BB	373	U	C6-N1-C1'	6.51	130.31	121.20
26	BB	571	U	C5-C6-N1	6.51	125.95	122.70
26	BB	957	C	C5-C6-N1	-6.51	117.75	121.00
26	BB	1031	G	C8-N9-C4	-6.51	103.80	106.40
26	BB	1142	A	C4-C5-N7	-6.51	107.44	110.70
26	BB	1771	C	N3-C4-N4	6.51	122.56	118.00
26	BB	2576	G	N3-C4-C5	-6.51	125.34	128.60
26	BB	2717	C	O4'-C1'-N1	6.51	113.41	108.20
1	AA	1059	C	C3'-C2'-C1'	6.51	106.71	101.50
26	BB	780	G	C2-N3-C4	6.51	115.15	111.90
26	BB	990	A	C4-C5-N7	-6.51	107.45	110.70
26	BB	1087	G	C2-N3-C4	6.51	115.15	111.90
1	AA	338	A	C4'-C3'-C2'	-6.51	96.09	102.60
1	AA	361	G	C5-C6-N1	6.51	114.75	111.50
1	AA	434	U	C3'-C2'-C1'	6.51	106.71	101.50
1	AA	598	U	C5-C4-O4	-6.51	122.00	125.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1048	G	C6-C5-N7	-6.51	126.50	130.40
1	AA	1333	A	C5-C6-N6	6.51	128.91	123.70
26	BB	463	G	C6-C5-N7	-6.51	126.50	130.40
26	BB	1434	A	N9-C4-C5	6.51	108.40	105.80
26	BB	1942	C	C5-C6-N1	-6.51	117.75	121.00
26	BB	2291	U	O4'-C1'-N1	6.51	113.41	108.20
26	BB	2779	U	P-O5'-C5'	6.51	131.31	120.90
1	AA	1011	C	C3'-C2'-C1'	6.50	106.70	101.50
26	BB	476	G	O5'-P-OP2	6.50	118.51	110.70
26	BB	2713	U	N3-C2-O2	-6.50	117.65	122.20
26	BB	2780	G	O4'-C1'-N9	6.50	113.40	108.20
1	AA	534	U	C5'-C4'-O4'	6.50	116.91	109.10
1	AA	1534	A	N1-C6-N6	6.50	122.50	118.60
26	BB	70	G	N3-C4-C5	-6.50	125.35	128.60
26	BB	319	G	N3-C4-C5	-6.50	125.35	128.60
26	BB	1331	G	C5-C6-N1	6.50	114.75	111.50
26	BB	1373	A	N1-C2-N3	-6.50	126.05	129.30
26	BB	1456	G	C2-N3-C4	-6.50	108.65	111.90
26	BB	1935	G	C8-N9-C4	-6.50	103.80	106.40
26	BB	1937	A	C2-N3-C4	6.50	113.85	110.60
26	BB	2044	C	P-O3'-C3'	6.50	127.50	119.70
26	BB	2320	U	N1-C1'-C2'	6.50	122.46	114.00
26	BB	2754	U	P-O3'-C3'	6.50	127.50	119.70
26	BB	2869	G	C4-C5-C6	6.50	122.70	118.80
31	BG	79	ARG	NE-CZ-NH2	-6.50	117.05	120.30
1	AA	50	A	C5-C6-N1	6.50	120.95	117.70
1	AA	53	A	N1-C2-N3	-6.50	126.05	129.30
1	AA	566	G	C4-C5-C6	-6.50	114.90	118.80
1	AA	726	C	N3-C4-N4	6.50	122.55	118.00
1	AA	957	U	C6-N1-C2	6.50	124.90	121.00
26	BB	17	G	C5-N7-C8	6.50	107.55	104.30
26	BB	313	G	C5'-C4'-O4'	6.50	116.90	109.10
26	BB	1173	U	O5'-P-OP2	-6.50	99.85	105.70
26	BB	1311	G	N1-C6-O6	6.50	123.80	119.90
26	BB	1340	U	C5-C6-N1	-6.50	119.45	122.70
26	BB	1589	U	C3'-C2'-C1'	6.50	106.70	101.50
26	BB	2048	G	C5-N7-C8	-6.50	101.05	104.30
26	BB	2146	C	C2-N3-C4	6.50	123.15	119.90
26	BB	2561	U	O4'-C1'-N1	6.50	113.40	108.20
26	BB	2768	U	C5'-C4'-O4'	6.50	116.90	109.10
26	BB	2856	A	N9-C4-C5	6.50	108.40	105.80
1	AA	178	C	P-O3'-C3'	6.50	127.50	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	398	U	C3'-C2'-C1'	6.50	106.70	101.50
1	AA	952	U	O4'-C1'-N1	6.50	113.40	108.20
26	BB	1457	U	C6-N1-C2	-6.50	117.10	121.00
26	BB	2782	G	N7-C8-N9	6.50	116.35	113.10
47	BW	80	ASP	CB-CG-OD1	-6.50	112.45	118.30
1	AA	295	C	C4-C5-C6	6.50	120.65	117.40
1	AA	473	U	N3-C2-O2	-6.50	117.65	122.20
26	BB	367	G	N1-C6-O6	6.50	123.80	119.90
26	BB	377	G	N3-C4-C5	-6.50	125.35	128.60
26	BB	428	A	N1-C6-N6	6.50	122.50	118.60
26	BB	867	C	N3-C2-O2	-6.50	117.35	121.90
26	BB	1869	G	N3-C2-N2	6.50	124.45	119.90
26	BB	2438	U	N3-C4-C5	6.50	118.50	114.60
33	BI	101	ASP	CB-CG-OD2	-6.50	112.45	118.30
1	AA	39	G	N3-C2-N2	-6.50	115.35	119.90
1	AA	352	C	C4-C5-C6	-6.50	114.15	117.40
1	AA	642	A	C5-C6-N1	-6.50	114.45	117.70
1	AA	781	A	C8-N9-C4	-6.50	103.20	105.80
1	AA	1043	G	C6-C5-N7	-6.50	126.50	130.40
1	AA	1418	A	C3'-C2'-C1'	6.50	106.70	101.50
26	BB	484	C	N1-C1'-C2'	-6.50	104.85	112.00
26	BB	1331	G	C6-C5-N7	6.50	134.30	130.40
26	BB	1526	C	P-O3'-C3'	6.50	127.50	119.70
26	BB	1736	U	O4'-C1'-N1	6.50	113.40	108.20
26	BB	1874	C	N3-C4-C5	6.50	124.50	121.90
26	BB	2363	G	N1-C2-N2	6.50	122.05	116.20
1	AA	369	G	N1-C2-N2	-6.50	110.36	116.20
2	AB	73	G	C5-C6-O6	-6.50	124.70	128.60
26	BB	1280	G	C8-N9-C4	-6.50	103.80	106.40
26	BB	2460	U	N3-C2-O2	-6.50	117.65	122.20
26	BB	2482	A	C8-N9-C4	-6.50	103.20	105.80
29	BE	179	ARG	NE-CZ-NH2	-6.50	117.05	120.30
1	AA	577	G	N3-C4-C5	-6.49	125.35	128.60
1	AA	883	C	O4'-C1'-N1	6.49	113.39	108.20
1	AA	1399	C	N3-C2-O2	-6.49	117.35	121.90
3	AC	30	U	C5-C6-N1	-6.49	119.45	122.70
7	AG	74	TYR	CG-CD1-CE1	-6.49	116.11	121.30
26	BB	293	U	N1-C1'-C2'	-6.49	104.86	112.00
26	BB	406	G	C6-N1-C2	-6.49	121.20	125.10
26	BB	471	A	O4'-C1'-N9	6.49	113.40	108.20
26	BB	1780	A	C8-N9-C4	-6.49	103.20	105.80
26	BB	1842	G	C5'-C4'-O4'	6.49	116.89	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1910	G	C8-N9-C4	-6.49	103.80	106.40
26	BB	1980	G	N3-C4-C5	-6.49	125.35	128.60
1	AA	209	U	C6-N1-C2	-6.49	117.11	121.00
1	AA	494	G	C4-C5-C6	-6.49	114.91	118.80
1	AA	749	A	N1-C2-N3	-6.49	126.05	129.30
1	AA	896	C	O4'-C1'-N1	6.49	113.39	108.20
1	AA	1038	C	C6-N1-C2	6.49	122.90	120.30
26	BB	826	U	O4'-C1'-C2'	6.49	113.44	107.60
26	BB	1257	C	N1-C1'-C2'	-6.49	104.86	112.00
26	BB	1519	G	N7-C8-N9	6.49	116.35	113.10
26	BB	1680	U	N1-C2-O2	6.49	127.34	122.80
26	BB	1793	C	O4'-C1'-N1	6.49	113.39	108.20
26	BB	2864	G	C2-N3-C4	6.49	115.15	111.90
1	AA	76	G	C5-N7-C8	-6.49	101.06	104.30
1	AA	178	C	O4'-C1'-N1	-6.49	103.01	108.20
1	AA	436	C	N3-C4-C5	6.49	124.50	121.90
1	AA	985	C	N1-C2-N3	-6.49	114.66	119.20
1	AA	1015	G	C5-C6-O6	6.49	132.49	128.60
1	AA	1146	A	C8-N9-C4	-6.49	103.20	105.80
7	AG	200	VAL	CA-CB-CG2	6.49	120.64	110.90
26	BB	15	G	O4'-C1'-N9	6.49	113.39	108.20
26	BB	301	G	N7-C8-N9	6.49	116.35	113.10
26	BB	1225	G	N3-C4-C5	-6.49	125.36	128.60
26	BB	1780	A	N9-C4-C5	6.49	108.40	105.80
26	BB	1946	U	O4'-C1'-N1	6.49	113.39	108.20
26	BB	2095	A	C8-N9-C4	-6.49	103.20	105.80
26	BB	2548	U	C6-N1-C2	-6.49	117.11	121.00
1	AA	531	U	P-O3'-C3'	6.49	127.49	119.70
1	AA	668	G	C8-N9-C4	-6.49	103.80	106.40
10	AJ	3	ARG	CD-NE-CZ	6.49	132.68	123.60
26	BB	576	U	C5-C6-N1	-6.49	119.45	122.70
26	BB	938	G	C4-C5-C6	6.49	122.69	118.80
26	BB	1784	A	N7-C8-N9	6.49	117.05	113.80
26	BB	1815	A	C5-N7-C8	6.49	107.14	103.90
1	AA	91	U	N3-C2-O2	-6.49	117.66	122.20
1	AA	353	A	N1-C6-N6	-6.49	114.71	118.60
1	AA	1043	G	C5-C6-N1	-6.49	108.26	111.50
26	BB	1133	A	N9-C4-C5	6.49	108.39	105.80
26	BB	1205	A	C6-C5-N7	-6.49	127.76	132.30
26	BB	1510	G	C3'-C2'-C1'	-6.49	96.31	101.50
26	BB	1910	G	N3-C4-N9	6.49	129.89	126.00
26	BB	2858	C	C5-C4-N4	-6.49	115.66	120.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1113	C	P-O3'-C3'	6.49	127.48	119.70
1	AA	1195	C	N1-C2-O2	6.49	122.79	118.90
3	AC	56	G	C6-N1-C2	-6.49	121.21	125.10
4	AD	24	C	C4-C5-C6	-6.49	114.16	117.40
25	BA	36	C	N1-C2-N3	-6.49	114.66	119.20
26	BB	209	C	N3-C2-O2	-6.49	117.36	121.90
26	BB	498	G	C5-C6-O6	-6.49	124.71	128.60
26	BB	565	C	C5'-C4'-O4'	6.49	116.88	109.10
26	BB	728	G	O4'-C1'-C2'	-6.49	99.31	105.80
26	BB	1586	A	C4-C5-C6	6.49	120.24	117.00
26	BB	1811	G	C4-C5-C6	-6.49	114.91	118.80
26	BB	2083	G	P-O3'-C3'	6.49	127.48	119.70
26	BB	2176	A	C4-C5-N7	-6.49	107.46	110.70
26	BB	2761	A	N7-C8-N9	6.49	117.04	113.80
1	AA	1141	C	C2-N3-C4	6.48	123.14	119.90
1	AA	1216	A	N3-C4-N9	-6.48	122.21	127.40
26	BB	313	G	C4-C5-C6	-6.48	114.91	118.80
26	BB	2322	A	N1-C6-N6	6.48	122.49	118.60
1	AA	107	G	O4'-C1'-C2'	6.48	113.44	107.60
1	AA	1149	C	C4'-C3'-C2'	-6.48	96.12	102.60
1	AA	1282	C	C5'-C4'-O4'	6.48	116.88	109.10
25	BA	65	U	P-O3'-C3'	6.48	127.48	119.70
26	BB	167	A	C4-C5-N7	-6.48	107.46	110.70
26	BB	263	G	C3'-C2'-C1'	-6.48	96.31	101.50
26	BB	881	G	C8-N9-C4	-6.48	103.81	106.40
26	BB	943	A	O4'-C1'-N9	-6.48	103.02	108.20
26	BB	1297	C	C1'-O4'-C4'	6.48	115.09	109.90
26	BB	2173	A	C2-N3-C4	-6.48	107.36	110.60
26	BB	2367	G	N1-C2-N2	6.48	122.03	116.20
26	BB	2594	C	C5-C4-N4	-6.48	115.66	120.20
1	AA	147	G	N9-C4-C5	6.48	107.99	105.40
1	AA	676	A	N1-C6-N6	6.48	122.49	118.60
2	AB	41	C	N3-C4-C5	-6.48	119.31	121.90
4	AD	61	U	N1-C2-O2	-6.48	118.26	122.80
26	BB	147	C	C5-C4-N4	6.48	124.74	120.20
26	BB	212	G	C5'-C4'-O4'	6.48	116.88	109.10
26	BB	1081	U	C4'-C3'-C2'	-6.48	96.12	102.60
26	BB	1407	G	N3-C4-N9	6.48	129.89	126.00
26	BB	1416	G	C4-N9-C1'	-6.48	118.08	126.50
26	BB	1676	A	O4'-C1'-C2'	6.48	113.43	107.60
26	BB	1783	A	N9-C4-C5	-6.48	103.21	105.80
26	BB	2246	G	C4-C5-C6	6.48	122.69	118.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2513	A	C6-C5-N7	6.48	136.84	132.30
1	AA	31	G	N3-C4-C5	-6.48	125.36	128.60
1	AA	376	G	N9-C1'-C2'	-6.48	104.87	112.00
2	AB	14	A	C3'-C2'-C1'	-6.48	96.32	101.50
26	BB	780	G	C6-N1-C2	-6.48	121.21	125.10
26	BB	809	G	C2-N3-C4	-6.48	108.66	111.90
26	BB	2056	G	N3-C4-C5	-6.48	125.36	128.60
1	AA	1	A	C2-N3-C4	6.48	113.84	110.60
1	AA	38	G	N7-C8-N9	6.48	116.34	113.10
1	AA	294	U	C4'-C3'-C2'	-6.48	96.12	102.60
1	AA	1183	U	C5'-C4'-O4'	6.48	116.87	109.10
1	AA	1324	A	N9-C4-C5	6.48	108.39	105.80
26	BB	422	A	C5-N7-C8	-6.48	100.66	103.90
26	BB	440	C	O4'-C4'-C3'	-6.48	97.52	104.00
26	BB	615	U	O4'-C1'-C2'	6.48	113.43	107.60
26	BB	1388	G	O4'-C4'-C3'	6.48	111.28	106.10
26	BB	2086	U	C4-C5-C6	6.48	123.59	119.70
26	BB	2140	G	C5-N7-C8	6.48	107.54	104.30
26	BB	2209	G	C4-C5-N7	-6.48	108.21	110.80
26	BB	2291	U	C6-N1-C2	-6.48	117.11	121.00
26	BB	2330	G	N1-C6-O6	-6.48	116.01	119.90
26	BB	2426	A	C4-C5-N7	-6.48	107.46	110.70
1	AA	1134	G	C8-N9-C1'	6.48	135.42	127.00
3	AC	45	G	C2-N3-C4	6.48	115.14	111.90
25	BA	115	A	C5-C6-N6	-6.48	118.52	123.70
1	AA	340	U	C5'-C4'-O4'	6.47	116.87	109.10
7	AG	50	TYR	CG-CD2-CE2	-6.47	116.12	121.30
26	BB	439	A	N3-C4-N9	-6.47	122.22	127.40
26	BB	696	G	N3-C4-N9	6.47	129.88	126.00
26	BB	962	G	N9-C4-C5	6.47	107.99	105.40
26	BB	985	C	N3-C4-N4	6.47	122.53	118.00
26	BB	1519	G	C6-N1-C2	-6.47	121.22	125.10
26	BB	2296	U	N3-C4-C5	-6.47	110.72	114.60
1	AA	265	G	C5-N7-C8	-6.47	101.06	104.30
1	AA	279	A	N3-C4-C5	6.47	131.33	126.80
1	AA	375	U	C3'-C2'-C1'	6.47	106.68	101.50
1	AA	380	G	N9-C1'-C2'	-6.47	104.88	112.00
1	AA	1005	A	N9-C4-C5	-6.47	103.21	105.80
1	AA	1011	C	N1-C2-N3	-6.47	114.67	119.20
1	AA	1087	G	C4'-C3'-C2'	-6.47	96.13	102.60
1	AA	1160	G	N3-C4-C5	-6.47	125.36	128.60
26	BB	806	C	C4'-C3'-C2'	-6.47	96.13	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1000	A	C5'-C4'-O4'	6.47	116.87	109.10
26	BB	1026	G	C5-C6-N1	6.47	114.74	111.50
26	BB	1883	U	C1'-O4'-C4'	-6.47	104.72	109.90
26	BB	2185	U	C2-N3-C4	-6.47	123.12	127.00
26	BB	675	A	C6-C5-N7	6.47	136.83	132.30
26	BB	755	U	P-O3'-C3'	6.47	127.47	119.70
26	BB	1050	A	C3'-C2'-C1'	6.47	106.68	101.50
26	BB	1521	G	N3-C4-C5	-6.47	125.36	128.60
26	BB	2002	G	C8-N9-C1'	6.47	135.41	127.00
26	BB	2170	A	N9-C4-C5	6.47	108.39	105.80
26	BB	2689	U	C1'-O4'-C4'	-6.47	104.72	109.90
1	AA	736	C	N1-C2-O2	6.47	122.78	118.90
3	AC	34	U	C5-C6-N1	-6.47	119.47	122.70
26	BB	86	G	N3-C4-C5	-6.47	125.37	128.60
26	BB	89	A	O4'-C1'-N9	6.47	113.38	108.20
26	BB	1268	A	N3-C4-C5	-6.47	122.27	126.80
26	BB	1412	U	N1-C2-N3	6.47	118.78	114.90
26	BB	1595	C	O4'-C1'-N1	6.47	113.38	108.20
26	BB	1949	G	C6-N1-C2	-6.47	121.22	125.10
26	BB	2005	A	C8-N9-C4	-6.47	103.21	105.80
26	BB	2064	C	C6-N1-C2	-6.47	117.71	120.30
26	BB	2289	G	C5-C6-O6	-6.47	124.72	128.60
26	BB	2882	A	N3-C4-C5	-6.47	122.27	126.80
26	BB	1089	A	C3'-C2'-C1'	6.47	106.67	101.50
26	BB	1156	A	C1'-O4'-C4'	6.47	115.08	109.90
26	BB	2852	G	N3-C4-N9	6.47	129.88	126.00
1	AA	256	U	C4'-C3'-C2'	-6.47	96.13	102.60
1	AA	546	A	O4'-C1'-C2'	-6.47	99.33	105.80
1	AA	785	G	C5-C6-N1	6.47	114.73	111.50
1	AA	1193	G	N3-C4-C5	-6.47	125.37	128.60
1	AA	1255	G	C6-C5-N7	-6.47	126.52	130.40
2	AB	57	G	C5'-C4'-O4'	6.47	116.86	109.10
3	AC	17	U	C6-N1-C2	-6.47	117.12	121.00
15	AO	82	ARG	NE-CZ-NH2	-6.47	117.07	120.30
19	AS	29	ASN	N-CA-CB	-6.47	98.96	110.60
25	BA	1	U	C2-N3-C4	-6.47	123.12	127.00
26	BB	410	G	N3-C4-N9	6.47	129.88	126.00
26	BB	924	G	N3-C4-C5	-6.47	125.37	128.60
26	BB	1705	A	C1'-O4'-C4'	-6.47	104.73	109.90
26	BB	2235	G	C1'-O4'-C4'	6.47	115.07	109.90
26	BB	2629	U	C6-N1-C2	6.47	124.88	121.00
1	AA	125	U	C2-N3-C4	-6.46	123.12	127.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	183	C	N3-C4-N4	-6.46	113.47	118.00
1	AA	213	G	N1-C2-N3	-6.46	120.02	123.90
1	AA	255	G	C4-C5-C6	6.46	122.68	118.80
1	AA	600	A	O4'-C1'-N9	6.46	113.37	108.20
2	AB	2	G	P-O3'-C3'	6.46	127.46	119.70
2	AB	52	A	C8-N9-C4	-6.46	103.21	105.80
26	BB	1205	A	C5-N7-C8	-6.46	100.67	103.90
26	BB	2311	A	O4'-C4'-C3'	6.46	111.27	106.10
26	BB	2742	G	N9-C4-C5	6.46	107.99	105.40
31	BG	109	ARG	NE-CZ-NH1	6.46	123.53	120.30
1	AA	570	G	C5'-C4'-O4'	6.46	116.86	109.10
1	AA	1245	C	C5-C6-N1	6.46	124.23	121.00
25	BA	33	G	N9-C4-C5	6.46	107.98	105.40
26	BB	1907	G	N9-C4-C5	6.46	107.98	105.40
26	BB	2100	G	C2-N3-C4	6.46	115.13	111.90
1	AA	355	C	O4'-C1'-N1	6.46	113.37	108.20
1	AA	577	G	C2-N3-C4	6.46	115.13	111.90
1	AA	661	G	C6-C5-N7	-6.46	126.52	130.40
1	AA	810	C	N3-C2-O2	-6.46	117.38	121.90
1	AA	872	A	N9-C4-C5	6.46	108.38	105.80
1	AA	1528	U	N1-C2-N3	6.46	118.78	114.90
26	BB	270	A	N9-C1'-C2'	-6.46	104.89	112.00
26	BB	592	A	P-O3'-C3'	6.46	127.45	119.70
26	BB	656	G	O4'-C1'-N9	6.46	113.37	108.20
26	BB	1954	G	C5-C6-N1	6.46	114.73	111.50
26	BB	2242	G	C4-C5-C6	6.46	122.68	118.80
26	BB	2587	A	N9-C1'-C2'	-6.46	104.89	112.00
26	BB	2901	C	C4'-C3'-C2'	-6.46	96.14	102.60
39	BO	105	MET	CG-SD-CE	6.46	110.54	100.20
1	AA	567	G	C5-C6-O6	-6.46	124.72	128.60
1	AA	1017	U	C2-N3-C4	-6.46	123.12	127.00
26	BB	2239	G	C8-N9-C1'	6.46	135.40	127.00
1	AA	192	A	P-O5'-C5'	6.46	131.23	120.90
1	AA	486	U	N3-C2-O2	-6.46	117.68	122.20
1	AA	969	A	O5'-C5'-C4'	-6.46	99.43	111.70
1	AA	1078	U	N1-C2-N3	6.46	118.78	114.90
1	AA	1161	C	N1-C2-N3	-6.46	114.68	119.20
1	AA	1219	A	C5'-C4'-C3'	-6.46	105.67	116.00
1	AA	1379	G	O4'-C1'-N9	6.46	113.37	108.20
3	AC	30	U	N3-C4-O4	6.46	123.92	119.40
26	BB	510	C	N3-C4-C5	-6.46	119.32	121.90
26	BB	761	A	C4-C5-N7	-6.46	107.47	110.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	847	U	N1-C1'-C2'	6.46	122.40	114.00
26	BB	1057	A	C3'-C2'-C1'	-6.46	96.33	101.50
26	BB	1491	G	C2'-C3'-O3'	6.46	124.03	113.70
26	BB	2451	A	N9-C1'-C2'	-6.46	104.89	112.00
26	BB	2731	G	C6-N1-C2	-6.46	121.22	125.10
1	AA	303	A	C8-N9-C4	-6.46	103.22	105.80
1	AA	382	A	O4'-C1'-C2'	-6.46	99.34	105.80
1	AA	418	C	C4-C5-C6	-6.46	114.17	117.40
26	BB	77	G	O4'-C1'-C2'	6.46	113.41	107.60
26	BB	87	U	C4-C5-C6	6.46	123.57	119.70
26	BB	1531	C	C4-C5-C6	6.46	120.63	117.40
26	BB	1878	G	O4'-C4'-C3'	6.46	111.27	106.10
26	BB	1985	C	C1'-O4'-C4'	6.46	115.06	109.90
26	BB	2104	C	N1-C2-O2	6.46	122.77	118.90
26	BB	2281	A	C8-N9-C4	-6.46	103.22	105.80
26	BB	2316	G	N7-C8-N9	6.46	116.33	113.10
26	BB	2761	A	C8-N9-C4	-6.46	103.22	105.80
26	BB	2803	G	N1-C6-O6	-6.46	116.03	119.90
1	AA	140	U	C1'-O4'-C4'	-6.46	104.74	109.90
1	AA	1057	G	N3-C4-N9	6.46	129.87	126.00
4	AD	15	G	C3'-C2'-C1'	6.46	106.66	101.50
4	AD	43	G	N3-C4-C5	-6.46	125.37	128.60
26	BB	162	U	C3'-C2'-C1'	-6.46	96.34	101.50
26	BB	761	A	N9-C4-C5	6.46	108.38	105.80
26	BB	933	A	C8-N9-C4	6.46	108.38	105.80
26	BB	1382	G	N3-C2-N2	-6.46	115.38	119.90
26	BB	2351	G	C5-C6-O6	6.46	132.47	128.60
26	BB	2419	U	N1-C2-N3	6.46	118.77	114.90
1	AA	1114	C	N1-C2-O2	6.45	122.77	118.90
2	AB	30	G	C6-C5-N7	-6.45	126.53	130.40
2	AB	67	G	C5-C6-O6	-6.45	124.73	128.60
7	AG	13	ARG	NE-CZ-NH2	-6.45	117.07	120.30
26	BB	25	U	C4-C5-C6	6.45	123.57	119.70
26	BB	40	U	O4'-C4'-C3'	6.45	111.26	106.10
26	BB	513	A	C3'-C2'-C1'	6.45	106.66	101.50
26	BB	530	G	O4'-C1'-N9	6.45	113.36	108.20
26	BB	702	U	C6-N1-C2	-6.45	117.13	121.00
26	BB	1162	G	C2-N3-C4	-6.45	108.67	111.90
26	BB	1391	U	C3'-C2'-C1'	-6.45	96.34	101.50
26	BB	2130	U	N1-C2-N3	6.45	118.77	114.90
26	BB	2184	A	C1'-O4'-C4'	-6.45	104.74	109.90
1	AA	754	C	N3-C4-N4	-6.45	113.48	118.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1198	G	C5'-C4'-O4'	6.45	116.84	109.10
1	AA	1340	A	N9-C1'-C2'	-6.45	104.90	112.00
4	AD	23	G	N9-C1'-C2'	-6.45	104.90	112.00
26	BB	504	A	N1-C6-N6	6.45	122.47	118.60
26	BB	647	G	C1'-O4'-C4'	6.45	115.06	109.90
26	BB	775	G	C3'-C2'-C1'	-6.45	96.34	101.50
26	BB	1852	U	C6-N1-C2	-6.45	117.13	121.00
26	BB	2798	U	C5-C4-O4	-6.45	122.03	125.90
1	AA	84	U	N3-C2-O2	-6.45	117.69	122.20
1	AA	885	G	C8-N9-C4	-6.45	103.82	106.40
1	AA	916	U	C2-N3-C4	-6.45	123.13	127.00
1	AA	1046	A	C5-N7-C8	-6.45	100.67	103.90
7	AG	136	VAL	CG1-CB-CG2	-6.45	100.58	110.90
26	BB	93	G	N9-C4-C5	6.45	107.98	105.40
26	BB	110	G	N3-C4-C5	-6.45	125.38	128.60
26	BB	414	C	N3-C2-O2	6.45	126.42	121.90
26	BB	416	U	C2-N3-C4	-6.45	123.13	127.00
26	BB	950	G	C5-C6-O6	-6.45	124.73	128.60
26	BB	2177	C	N1-C1'-C2'	-6.45	104.91	112.00
1	AA	671	G	C4-C5-C6	6.45	122.67	118.80
1	AA	1094	G	C3'-C2'-C1'	6.45	106.66	101.50
15	AO	93	ARG	NE-CZ-NH1	6.45	123.52	120.30
26	BB	334	C	N1-C2-O2	6.45	122.77	118.90
26	BB	712	G	P-O3'-C3'	6.45	127.44	119.70
26	BB	733	G	N7-C8-N9	6.45	116.32	113.10
26	BB	1405	U	C3'-C2'-C1'	6.45	106.66	101.50
26	BB	2089	C	C6-N1-C2	-6.45	117.72	120.30
26	BB	2126	A	C6-N1-C2	6.45	122.47	118.60
26	BB	2198	A	C6-C5-N7	6.45	136.81	132.30
1	AA	1302	C	O4'-C1'-C2'	-6.45	99.35	105.80
26	BB	6	A	C4-C5-N7	-6.45	107.48	110.70
26	BB	1382	G	N9-C4-C5	6.45	107.98	105.40
26	BB	1433	A	N9-C1'-C2'	-6.45	104.91	112.00
26	BB	2060	A	C5-N7-C8	6.45	107.12	103.90
1	AA	204	G	C5'-C4'-O4'	6.45	116.83	109.10
1	AA	262	A	N3-C4-C5	6.45	131.31	126.80
1	AA	603	U	C1'-O4'-C4'	-6.45	104.74	109.90
1	AA	971	G	N1-C6-O6	-6.45	116.03	119.90
1	AA	1249	C	N3-C4-C5	-6.45	119.32	121.90
1	AA	1394	A	O4'-C1'-N9	6.45	113.36	108.20
25	BA	104	A	N1-C2-N3	-6.45	126.08	129.30
26	BB	125	A	N1-C6-N6	-6.45	114.73	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	136	G	C8-N9-C4	-6.45	103.82	106.40
26	BB	300	A	N7-C8-N9	6.45	117.02	113.80
26	BB	734	A	C5'-C4'-O4'	6.45	116.83	109.10
26	BB	897	C	C5-C6-N1	-6.45	117.78	121.00
26	BB	1431	A	C4-C5-N7	-6.45	107.48	110.70
26	BB	1842	G	C5-C6-N1	-6.45	108.28	111.50
26	BB	1966	A	C5-N7-C8	6.45	107.12	103.90
26	BB	2317	A	C8-N9-C4	-6.45	103.22	105.80
26	BB	2679	A	C4-C5-N7	-6.45	107.48	110.70
1	AA	68	G	C4-C5-N7	-6.44	108.22	110.80
1	AA	873	A	N3-C4-C5	-6.44	122.29	126.80
5	AE	126	ASP	CB-CG-OD1	6.44	124.10	118.30
25	BA	55	U	C5'-C4'-O4'	6.44	116.83	109.10
26	BB	458	G	C6-C5-N7	6.44	134.27	130.40
26	BB	1598	A	N9-C1'-C2'	-6.44	104.91	112.00
1	AA	417	G	C4-C5-C6	6.44	122.67	118.80
1	AA	1138	G	N3-C4-C5	-6.44	125.38	128.60
2	AB	44	G	C6-C5-N7	-6.44	126.53	130.40
18	AR	57	ARG	NE-CZ-NH1	6.44	123.52	120.30
26	BB	393	C	N3-C2-O2	-6.44	117.39	121.90
26	BB	983	A	C3'-C2'-C1'	-6.44	96.34	101.50
26	BB	1188	U	C4-C5-C6	6.44	123.56	119.70
26	BB	1255	U	C5-C6-N1	-6.44	119.48	122.70
26	BB	1754	A	N3-C4-N9	-6.44	122.25	127.40
26	BB	2143	C	C6-N1-C2	6.44	122.88	120.30
26	BB	2554	U	N3-C2-O2	-6.44	117.69	122.20
26	BB	2597	G	P-O3'-C3'	6.44	127.43	119.70
1	AA	149	A	N3-C4-N9	-6.44	122.25	127.40
1	AA	333	U	C6-N1-C2	-6.44	117.14	121.00
1	AA	485	U	C5-C4-O4	-6.44	122.04	125.90
1	AA	683	G	N1-C6-O6	6.44	123.76	119.90
1	AA	969	A	O4'-C4'-C3'	6.44	111.25	106.10
1	AA	1123	U	O4'-C4'-C3'	6.44	111.25	106.10
2	AB	17	H2U	P-O3'-C3'	6.44	127.43	119.70
20	AT	2	ASP	CB-CG-OD2	-6.44	112.50	118.30
26	BB	231	A	P-O3'-C3'	6.44	127.43	119.70
26	BB	499	U	O4'-C1'-C2'	6.44	113.40	107.60
26	BB	1366	A	C8-N9-C4	-6.44	103.22	105.80
26	BB	1987	A	N1-C2-N3	6.44	132.52	129.30
26	BB	2043	C	C2-N3-C4	6.44	123.12	119.90
26	BB	2051	A	C4-C5-C6	-6.44	113.78	117.00
26	BB	2702	G	C6-C5-N7	-6.44	126.54	130.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	689	C	C6-N1-C2	6.44	122.88	120.30
1	AA	853	C	C4-C5-C6	-6.44	114.18	117.40
1	AA	1037	C	N3-C2-O2	-6.44	117.39	121.90
26	BB	68	G	O4'-C1'-N9	6.44	113.35	108.20
26	BB	96	C	P-O3'-C3'	6.44	127.43	119.70
26	BB	1341	G	C5-C6-N1	6.44	114.72	111.50
26	BB	1515	A	C2-N3-C4	6.44	113.82	110.60
1	AA	858	G	C3'-C2'-C1'	6.44	106.65	101.50
3	AC	52	U	C5-C4-O4	-6.44	122.04	125.90
4	AD	63	C	O4'-C1'-N1	6.44	113.35	108.20
14	AN	41	LEU	CB-CG-CD2	6.44	121.94	111.00
26	BB	654	A	C2-N3-C4	6.44	113.82	110.60
26	BB	723	C	O4'-C1'-N1	6.44	113.35	108.20
26	BB	1263	U	O4'-C1'-N1	6.44	113.35	108.20
26	BB	1473	G	C8-N9-C4	-6.44	103.83	106.40
26	BB	1595	C	C2-N3-C4	6.44	123.12	119.90
26	BB	1994	C	C2-N3-C4	-6.44	116.68	119.90
26	BB	2539	C	C5-C6-N1	6.44	124.22	121.00
26	BB	2828	G	C1'-O4'-C4'	-6.44	104.75	109.90
1	AA	972	C	O5'-C5'-C4'	-6.44	99.47	111.70
26	BB	973	A	C5-C6-N6	6.44	128.85	123.70
26	BB	1364	G	N3-C4-C5	-6.44	125.38	128.60
26	BB	2268	A	C8-N9-C4	6.44	108.38	105.80
1	AA	325	A	C6-N1-C2	6.43	122.46	118.60
1	AA	640	A	N1-C6-N6	6.43	122.46	118.60
1	AA	685	G	N1-C6-O6	6.43	123.76	119.90
1	AA	706	A	N1-C6-N6	6.43	122.46	118.60
1	AA	995	C	C5-C6-N1	6.43	124.22	121.00
1	AA	1084	G	C4-C5-N7	-6.43	108.23	110.80
22	AV	35	ARG	NH1-CZ-NH2	-6.43	112.32	119.40
25	BA	15	A	C5-C6-N6	-6.43	118.55	123.70
25	BA	48	U	C1'-O4'-C4'	-6.43	104.75	109.90
26	BB	372	G	O4'-C1'-N9	6.43	113.35	108.20
26	BB	1151	A	C4-C5-C6	-6.43	113.78	117.00
26	BB	2187	U	N3-C4-C5	-6.43	110.74	114.60
26	BB	2593	U	O4'-C1'-N1	6.43	113.35	108.20
26	BB	2625	G	N9-C4-C5	-6.43	102.83	105.40
26	BB	2901	C	N1-C2-O2	6.43	122.76	118.90
1	AA	540	G	C5-C6-N1	6.43	114.72	111.50
1	AA	1346	A	N1-C6-N6	6.43	122.46	118.60
1	AA	1422	G	C4-C5-N7	-6.43	108.23	110.80
1	AA	1535	C	N1-C2-O2	6.43	122.76	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	589	U	N3-C2-O2	-6.43	117.70	122.20
26	BB	593	U	N1-C2-N3	6.43	118.76	114.90
26	BB	1873	G	C5'-C4'-O4'	6.43	116.82	109.10
26	BB	2012	G	C2-N3-C4	6.43	115.12	111.90
26	BB	2402	U	C5-C6-N1	-6.43	119.48	122.70
26	BB	2799	A	C6-C5-N7	6.43	136.80	132.30
41	BQ	111	ARG	NE-CZ-NH1	6.43	123.52	120.30
1	AA	888	G	N1-C2-N3	-6.43	120.04	123.90
26	BB	1337	G	C5-C6-O6	-6.43	124.74	128.60
26	BB	1402	U	C5'-C4'-O4'	6.43	116.82	109.10
26	BB	2843	G	O4'-C1'-N9	6.43	113.34	108.20
1	AA	350	G	C6-C5-N7	6.43	134.26	130.40
1	AA	535	A	C5'-C4'-O4'	6.43	116.82	109.10
1	AA	600	A	C4-C5-N7	6.43	113.92	110.70
1	AA	897	C	C4-C5-C6	-6.43	114.19	117.40
1	AA	1185	G	N1-C6-O6	6.43	123.76	119.90
1	AA	1394	A	N3-C4-C5	-6.43	122.30	126.80
1	AA	1482	G	C4-C5-N7	6.43	113.37	110.80
4	AD	49	C	C2-N3-C4	6.43	123.11	119.90
25	BA	119	A	N1-C2-N3	-6.43	126.08	129.30
26	BB	68	G	N3-C4-N9	-6.43	122.14	126.00
26	BB	116	C	N1-C2-O2	-6.43	115.04	118.90
26	BB	182	A	C5-C6-N6	-6.43	118.56	123.70
26	BB	499	U	N1-C1'-C2'	-6.43	104.93	112.00
26	BB	540	C	C3'-C2'-C1'	6.43	106.64	101.50
26	BB	550	C	O4'-C1'-C2'	-6.43	99.37	105.80
26	BB	652	U	C6-N1-C2	-6.43	117.14	121.00
26	BB	825	A	N1-C6-N6	-6.43	114.74	118.60
26	BB	1128	G	O3'-P-O5'	-6.43	91.78	104.00
26	BB	2042	A	N3-C4-C5	-6.43	122.30	126.80
26	BB	2669	G	N7-C8-N9	6.43	116.31	113.10
1	AA	1510	C	C5-C4-N4	-6.43	115.70	120.20
26	BB	292	U	P-O3'-C3'	6.43	127.41	119.70
26	BB	2441	U	N3-C4-C5	-6.43	110.74	114.60
26	BB	2833	U	C5-C4-O4	-6.43	122.04	125.90
1	AA	446	G	C8-N9-C4	-6.43	103.83	106.40
1	AA	1042	A	C2-N3-C4	6.43	113.81	110.60
26	BB	60	G	C5-N7-C8	-6.43	101.09	104.30
26	BB	454	A	N9-C4-C5	6.43	108.37	105.80
26	BB	459	U	O4'-C1'-N1	6.43	113.34	108.20
26	BB	1045	C	C1'-O4'-C4'	6.43	115.04	109.90
26	BB	1256	G	O4'-C1'-N9	6.43	113.34	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1820	U	N1-C2-O2	6.43	127.30	122.80
26	BB	1934	C	C2-N3-C4	-6.43	116.69	119.90
26	BB	2106	U	N3-C4-C5	6.43	118.46	114.60
26	BB	2388	A	C4-C5-C6	-6.43	113.79	117.00
26	BB	2650	U	C2-N3-C4	-6.43	123.14	127.00
26	BB	2720	U	C6-N1-C2	-6.43	117.14	121.00
1	AA	855	U	O4'-C1'-N1	6.42	113.34	108.20
1	AA	1033	G	N3-C2-N2	-6.42	115.40	119.90
8	AH	52	ALA	CB-CA-C	6.42	119.74	110.10
25	BA	44	G	N3-C2-N2	-6.42	115.40	119.90
26	BB	21	A	N9-C1'-C2'	-6.42	104.93	112.00
26	BB	937	C	P-O3'-C3'	6.42	127.41	119.70
26	BB	1004	U	O4'-C1'-N1	6.42	113.34	108.20
1	AA	635	A	C6-C5-N7	-6.42	127.80	132.30
1	AA	1201	A	C6-C5-N7	6.42	136.80	132.30
1	AA	1379	G	C4-C5-N7	-6.42	108.23	110.80
2	AB	24	G	C6-N1-C2	6.42	128.95	125.10
26	BB	65	U	C2-N3-C4	-6.42	123.15	127.00
26	BB	416	U	C4-C5-C6	-6.42	115.85	119.70
26	BB	2009	A	C4-C5-C6	6.42	120.21	117.00
26	BB	2294	G	C3'-C2'-C1'	6.42	106.64	101.50
26	BB	2731	G	C8-N9-C4	-6.42	103.83	106.40
1	AA	579	A	N7-C8-N9	6.42	117.01	113.80
1	AA	584	G	C6-C5-N7	6.42	134.25	130.40
1	AA	774	G	C4-C5-C6	6.42	122.65	118.80
1	AA	980	C	C4-C5-C6	6.42	120.61	117.40
1	AA	1282	C	N1-C2-O2	6.42	122.75	118.90
1	AA	1357	A	C6-N1-C2	6.42	122.45	118.60
26	BB	212	G	C5-C6-O6	6.42	132.45	128.60
26	BB	1365	A	C6-C5-N7	6.42	136.79	132.30
26	BB	2212	A	P-O3'-C3'	6.42	127.41	119.70
26	BB	2582	G	N1-C6-O6	6.42	123.75	119.90
26	BB	2721	A	C5-N7-C8	6.42	107.11	103.90
1	AA	35	G	C6-N1-C2	6.42	128.95	125.10
1	AA	1052	U	N1-C2-N3	6.42	118.75	114.90
25	BA	44	G	C2'-C3'-O3'	6.42	123.97	113.70
25	BA	89	U	C2'-C3'-O3'	6.42	123.97	113.70
26	BB	32	C	N3-C2-O2	-6.42	117.41	121.90
26	BB	722	A	C5-N7-C8	-6.42	100.69	103.90
26	BB	1127	A	O4'-C1'-N9	-6.42	103.06	108.20
1	AA	292	G	C3'-C2'-C1'	6.42	106.64	101.50
1	AA	864	A	C8-N9-C4	-6.42	103.23	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1319	A	C6-N1-C2	-6.42	114.75	118.60
26	BB	263	G	P-O3'-C3'	6.42	127.40	119.70
26	BB	459	U	N1-C2-N3	6.42	118.75	114.90
26	BB	470	A	N1-C2-N3	-6.42	126.09	129.30
26	BB	1077	A	C5-C6-N6	6.42	128.84	123.70
26	BB	1696	G	C2-N3-C4	-6.42	108.69	111.90
26	BB	1898	U	C1'-O4'-C4'	6.42	115.03	109.90
26	BB	2312	U	N1-C2-N3	6.42	118.75	114.90
26	BB	2813	A	C5'-C4'-O4'	6.42	116.80	109.10
1	AA	130	A	N7-C8-N9	6.42	117.01	113.80
1	AA	475	C	C4'-C3'-C2'	-6.42	96.18	102.60
1	AA	983	A	C3'-C2'-C1'	6.42	106.63	101.50
1	AA	1134	G	P-O3'-C3'	6.42	127.40	119.70
1	AA	1248	A	O4'-C1'-C2'	6.42	113.38	107.60
25	BA	99	A	C1'-O4'-C4'	6.42	115.03	109.90
26	BB	144	A	C4'-C3'-C2'	-6.42	96.18	102.60
26	BB	295	G	C1'-O4'-C4'	-6.42	104.77	109.90
26	BB	533	G	N9-C4-C5	6.42	107.97	105.40
26	BB	893	C	N3-C4-C5	6.42	124.47	121.90
26	BB	1394	U	C6-N1-C2	-6.42	117.15	121.00
26	BB	2249	U	C2-N3-C4	-6.42	123.15	127.00
26	BB	2773	C	C3'-C2'-C1'	6.42	106.63	101.50
26	BB	2778	A	C5-C6-N6	-6.42	118.57	123.70
1	AA	461	A	N9-C1'-C2'	6.42	122.34	114.00
1	AA	535	A	N3-C4-C5	-6.42	122.31	126.80
4	AD	4	G	N9-C4-C5	6.42	107.97	105.40
26	BB	232	G	C6-N1-C2	-6.42	121.25	125.10
26	BB	1353	A	C1'-O4'-C4'	-6.42	104.77	109.90
26	BB	1464	G	O4'-C1'-N9	6.42	113.33	108.20
1	AA	145	G	N7-C8-N9	6.41	116.31	113.10
1	AA	303	A	C6-C5-N7	-6.41	127.81	132.30
1	AA	617	G	C6-C5-N7	-6.41	126.55	130.40
1	AA	793	U	N3-C2-O2	-6.41	117.71	122.20
1	AA	1143	G	C5-C6-O6	-6.41	124.75	128.60
1	AA	1388	C	C5'-C4'-C3'	-6.41	105.74	116.00
1	AA	1419	G	C5-C6-O6	-6.41	124.75	128.60
1	AA	1480	A	C5-N7-C8	-6.41	100.69	103.90
26	BB	279	A	N9-C4-C5	-6.41	103.23	105.80
26	BB	803	U	C4'-C3'-C2'	-6.41	96.19	102.60
26	BB	1362	C	N1-C2-N3	-6.41	114.71	119.20
26	BB	1510	G	C4'-C3'-C2'	6.41	109.01	102.60
26	BB	1746	A	N1-C6-N6	-6.41	114.75	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1837	C	C6-N1-C2	-6.41	117.73	120.30
26	BB	2670	A	P-O3'-C3'	6.41	127.40	119.70
26	BB	2872	A	C4'-C3'-C2'	-6.41	96.19	102.60
29	BE	77	ARG	NE-CZ-NH1	6.41	123.51	120.30
1	AA	186	C	C6-N1-C2	-6.41	117.73	120.30
1	AA	1208	C	C6-N1-C2	6.41	122.86	120.30
1	AA	1323	G	O4'-C1'-N9	6.41	113.33	108.20
2	AB	21	A	N7-C8-N9	-6.41	110.59	113.80
3	AC	15	G	O4'-C4'-C3'	6.41	111.23	106.10
4	AD	76	C	N3-C4-C5	-6.41	119.33	121.90
10	AJ	95	ARG	NE-CZ-NH2	-6.41	117.09	120.30
26	BB	135	U	N3-C4-O4	6.41	123.89	119.40
26	BB	137	U	C2-N1-C1'	-6.41	110.01	117.70
26	BB	383	C	N3-C4-N4	6.41	122.49	118.00
26	BB	2104	C	N3-C2-O2	-6.41	117.41	121.90
1	AA	179	A	N9-C4-C5	6.41	108.36	105.80
1	AA	228	A	N1-C2-N3	-6.41	126.09	129.30
1	AA	505	G	C5'-C4'-C3'	-6.41	105.74	116.00
1	AA	1015	G	P-O5'-C5'	6.41	131.16	120.90
1	AA	1307	U	C2-N3-C4	-6.41	123.15	127.00
1	AA	1523	G	O4'-C4'-C3'	6.41	111.23	106.10
25	BA	54	G	N7-C8-N9	-6.41	109.89	113.10
26	BB	938	G	C5-N7-C8	-6.41	101.09	104.30
26	BB	962	G	C8-N9-C1'	6.41	135.33	127.00
26	BB	1535	A	O4'-C1'-N9	6.41	113.33	108.20
26	BB	1653	G	C2-N3-C4	6.41	115.11	111.90
26	BB	1826	G	C4-C5-C6	6.41	122.65	118.80
26	BB	2181	U	N1-C2-O2	6.41	127.29	122.80
26	BB	2715	C	O4'-C1'-N1	6.41	113.33	108.20
28	BD	68	ARG	CB-CA-C	6.41	123.22	110.40
36	BL	57	LEU	CB-CG-CD1	6.41	121.90	111.00
1	AA	242	G	C4-C5-N7	-6.41	108.24	110.80
1	AA	323	U	C2-N3-C4	-6.41	123.16	127.00
1	AA	605	U	P-O3'-C3'	6.41	127.39	119.70
1	AA	1036	A	C5-N7-C8	6.41	107.10	103.90
1	AA	1057	G	C8-N9-C4	-6.41	103.84	106.40
1	AA	1129	C	N3-C4-N4	-6.41	113.52	118.00
1	AA	1366	C	C4-C5-C6	-6.41	114.20	117.40
1	AA	1373	G	N3-C4-C5	-6.41	125.40	128.60
1	AA	1379	G	C6-N1-C2	-6.41	121.25	125.10
3	AC	24	A	C1'-O4'-C4'	6.41	115.03	109.90
26	BB	151	C	C3'-C2'-C1'	6.41	106.63	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	909	A	C8-N9-C4	-6.41	103.24	105.80
26	BB	913	U	O4'-C1'-N1	6.41	113.33	108.20
26	BB	1362	C	C5'-C4'-O4'	6.41	116.79	109.10
26	BB	2727	A	C8-N9-C4	-6.41	103.24	105.80
27	BC	71	ARG	NH1-CZ-NH2	-6.41	112.35	119.40
1	AA	1231	G	C8-N9-C4	-6.41	103.84	106.40
1	AA	1454	G	N3-C4-C5	6.41	131.80	128.60
26	BB	780	G	P-O3'-C3'	6.41	127.39	119.70
26	BB	1606	C	O4'-C1'-N1	6.41	113.33	108.20
1	AA	462	G	C1'-O4'-C4'	-6.41	104.78	109.90
1	AA	520	A	P-O3'-C3'	6.41	127.39	119.70
1	AA	741	G	C4-C5-C6	-6.41	114.96	118.80
1	AA	987	G	C8-N9-C1'	6.41	135.33	127.00
1	AA	1164	G	C5'-C4'-O4'	6.41	116.79	109.10
1	AA	1288	A	O4'-C1'-N9	6.41	113.32	108.20
1	AA	1338	G	C5-C6-O6	-6.41	124.76	128.60
2	AB	26	A	N1-C2-N3	6.41	132.50	129.30
3	AC	39	U	C2-N3-C4	-6.41	123.16	127.00
26	BB	212	G	C6-C5-N7	-6.41	126.56	130.40
26	BB	721	A	O4'-C1'-N9	6.41	113.33	108.20
26	BB	1324	G	C2-N3-C4	-6.41	108.70	111.90
26	BB	1608	A	O3'-P-O5'	-6.41	91.83	104.00
26	BB	1682	G	N3-C4-N9	6.41	129.84	126.00
26	BB	1838	C	C6-N1-C2	-6.41	117.74	120.30
1	AA	384	G	C5-C6-O6	-6.40	124.76	128.60
5	AE	195	VAL	CA-CB-CG2	6.40	120.51	110.90
25	BA	80	U	C2-N3-C4	6.40	130.84	127.00
26	BB	473	G	N3-C4-N9	6.40	129.84	126.00
26	BB	2249	U	C5-C6-N1	-6.40	119.50	122.70
1	AA	131	A	N9-C1'-C2'	-6.40	104.96	112.00
1	AA	308	C	C1'-O4'-C4'	6.40	115.02	109.90
1	AA	491	G	O4'-C1'-N9	6.40	113.32	108.20
1	AA	762	U	C4'-C3'-C2'	-6.40	96.20	102.60
1	AA	879	C	C2'-C3'-O3'	6.40	123.94	113.70
4	AD	14	A	C5-C6-N6	6.40	128.82	123.70
25	BA	101	A	C3'-C2'-C1'	6.40	106.62	101.50
26	BB	48	G	C5'-C4'-O4'	6.40	116.78	109.10
26	BB	254	G	C5-N7-C8	6.40	107.50	104.30
26	BB	636	G	C5-C6-O6	-6.40	124.76	128.60
26	BB	725	G	C4'-C3'-C2'	-6.40	96.20	102.60
26	BB	990	A	C6-C5-N7	6.40	136.78	132.30
26	BB	1640	A	C8-N9-C4	-6.40	103.24	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1656	C	C5-C6-N1	-6.40	117.80	121.00
26	BB	2110	G	C2-N3-C4	6.40	115.10	111.90
26	BB	2117	A	C3'-C2'-C1'	6.40	106.62	101.50
1	AA	98	A	N3-C4-N9	6.40	132.52	127.40
1	AA	318	G	C1'-O4'-C4'	-6.40	104.78	109.90
1	AA	361	G	N7-C8-N9	-6.40	109.90	113.10
1	AA	478	A	P-O3'-C3'	6.40	127.38	119.70
1	AA	823	C	N3-C2-O2	-6.40	117.42	121.90
1	AA	1467	C	O4'-C1'-N1	6.40	113.32	108.20
1	AA	1539	C	C3'-C2'-C1'	6.40	106.62	101.50
5	AE	236	PHE	CB-CG-CD2	6.40	125.28	120.80
25	BA	64	G	O4'-C1'-C2'	6.40	113.36	107.60
25	BA	90	C	N3-C2-O2	-6.40	117.42	121.90
26	BB	596	U	C5-C6-N1	6.40	125.90	122.70
26	BB	1594	U	C3'-C2'-C1'	6.40	106.62	101.50
26	BB	1667	G	C5-C6-O6	6.40	132.44	128.60
26	BB	1916	A	N9-C4-C5	6.40	108.36	105.80
26	BB	2739	U	C5-C6-N1	-6.40	119.50	122.70
26	BB	2817	U	C1'-O4'-C4'	-6.40	104.78	109.90
1	AA	545	C	C3'-C2'-C1'	-6.40	96.38	101.50
1	AA	1104	G	C6-C5-N7	-6.40	126.56	130.40
1	AA	1298	U	C5'-C4'-O4'	-6.40	101.42	109.10
26	BB	1031	G	C2-N3-C4	6.40	115.10	111.90
26	BB	1888	G	C6-N1-C2	-6.40	121.26	125.10
26	BB	2672	U	C2-N3-C4	-6.40	123.16	127.00
1	AA	98	A	O4'-C1'-N9	6.40	113.32	108.20
1	AA	283	U	N3-C4-O4	6.40	123.88	119.40
1	AA	446	G	N3-C2-N2	-6.40	115.42	119.90
1	AA	505	G	C5'-C4'-O4'	6.40	116.78	109.10
1	AA	1311	A	C3'-C2'-C1'	6.40	106.62	101.50
1	AA	1338	G	C5'-C4'-O4'	6.40	116.78	109.10
2	AB	12	U	N1-C2-N3	6.40	118.74	114.90
26	BB	1039	A	N9-C4-C5	6.40	108.36	105.80
26	BB	1572	A	C4-C5-N7	6.40	113.90	110.70
26	BB	1588	G	N3-C4-C5	-6.40	125.40	128.60
26	BB	1952	A	C4-C5-C6	-6.40	113.80	117.00
26	BB	2125	G	O4'-C4'-C3'	-6.40	97.60	104.00
26	BB	2411	A	C6-N1-C2	6.40	122.44	118.60
26	BB	2700	A	N1-C2-N3	-6.40	126.10	129.30
26	BB	2889	C	N3-C4-C5	-6.40	119.34	121.90
55	B4	43	ARG	NE-CZ-NH2	-6.40	117.10	120.30
1	AA	195	A	N1-C2-N3	-6.40	126.10	129.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	704	G	C4'-C3'-C2'	-6.40	96.20	102.60
26	BB	1260	A	C6-C5-N7	6.40	136.78	132.30
26	BB	1386	C	N1-C1'-C2'	-6.40	104.97	112.00
26	BB	1577	C	C2-N3-C4	6.40	123.10	119.90
26	BB	1903	G	C3'-C2'-C1'	-6.40	96.38	101.50
1	AA	457	G	N1-C2-N3	-6.39	120.06	123.90
1	AA	917	G	C4-C5-C6	6.39	122.64	118.80
1	AA	945	G	N1-C2-N2	-6.39	110.45	116.20
1	AA	1278	G	C5-C6-O6	-6.39	124.76	128.60
2	AB	58	A	P-O3'-C3'	6.39	127.37	119.70
26	BB	53	A	O4'-C4'-C3'	-6.39	97.61	104.00
26	BB	326	G	C1'-O4'-C4'	-6.39	104.78	109.90
26	BB	381	G	O4'-C4'-C3'	6.39	111.22	106.10
26	BB	431	U	C2-N3-C4	-6.39	123.16	127.00
26	BB	656	G	N1-C2-N3	6.39	127.74	123.90
26	BB	1205	A	N7-C8-N9	6.39	117.00	113.80
26	BB	1507	C	N3-C4-N4	6.39	122.48	118.00
26	BB	1669	A	N7-C8-N9	6.39	117.00	113.80
26	BB	1849	G	C2-N3-C4	6.39	115.10	111.90
26	BB	1888	G	C1'-O4'-C4'	6.39	115.02	109.90
26	BB	2021	C	C5-C6-N1	-6.39	117.80	121.00
26	BB	2495	G	C5'-C4'-O4'	6.39	116.77	109.10
26	BB	2585	U	O4'-C1'-N1	6.39	113.31	108.20
1	AA	1065	U	C6-N1-C2	-6.39	117.17	121.00
1	AA	1202	U	O5'-P-OP1	-6.39	99.95	105.70
1	AA	1466	C	O4'-C1'-N1	6.39	113.31	108.20
4	AD	11	A	C6-N1-C2	-6.39	114.76	118.60
26	BB	469	G	N1-C2-N3	6.39	127.74	123.90
26	BB	1102	C	C5'-C4'-O4'	6.39	116.77	109.10
26	BB	1382	G	C6-N1-C2	-6.39	121.27	125.10
26	BB	2025	C	C2-N3-C4	6.39	123.10	119.90
26	BB	2527	C	C5-C6-N1	6.39	124.20	121.00
1	AA	524	G	O4'-C1'-N9	6.39	113.31	108.20
1	AA	1012	A	N9-C1'-C2'	-6.39	104.97	112.00
1	AA	1105	A	N9-C4-C5	6.39	108.36	105.80
26	BB	271	G	N7-C8-N9	6.39	116.30	113.10
1	AA	255	G	N7-C8-N9	-6.39	109.91	113.10
1	AA	408	A	C2-N3-C4	6.39	113.80	110.60
1	AA	633	G	C5-C6-N1	6.39	114.69	111.50
3	AC	22	G	C8-N9-C4	-6.39	103.84	106.40
3	AC	31	U	O4'-C1'-N1	6.39	113.31	108.20
25	BA	10	G	C8-N9-C4	6.39	108.96	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	66	C	N1-C2-O2	-6.39	115.07	118.90
26	BB	390	U	N1-C2-N3	6.39	118.73	114.90
26	BB	442	G	N7-C8-N9	6.39	116.30	113.10
26	BB	469	G	C4'-C3'-C2'	-6.39	96.21	102.60
26	BB	489	G	N1-C2-N2	-6.39	110.45	116.20
26	BB	934	U	C4-C5-C6	6.39	123.53	119.70
26	BB	1364	G	C4'-C3'-C2'	-6.39	96.21	102.60
26	BB	1500	G	C8-N9-C4	-6.39	103.84	106.40
26	BB	2147	A	C5'-C4'-O4'	6.39	116.77	109.10
26	BB	2234	G	N7-C8-N9	6.39	116.30	113.10
26	BB	2479	U	C6-N1-C2	-6.39	117.17	121.00
26	BB	2828	G	N9-C4-C5	6.39	107.96	105.40
1	AA	145	G	C2-N3-C4	6.39	115.09	111.90
26	BB	831	G	N9-C4-C5	6.39	107.95	105.40
26	BB	858	G	C4-C5-N7	-6.39	108.25	110.80
26	BB	1116	G	C5-C6-O6	-6.39	124.77	128.60
26	BB	1298	C	C5'-C4'-O4'	6.39	116.77	109.10
26	BB	1681	G	C5-C6-O6	-6.39	124.77	128.60
26	BB	2157	G	C4-C5-N7	-6.39	108.25	110.80
26	BB	2846	G	O4'-C4'-C3'	6.39	111.21	106.10
1	AA	108	G	O4'-C1'-C2'	6.39	113.35	107.60
1	AA	789	U	C2-N1-C1'	6.39	125.36	117.70
1	AA	1175	G	N1-C2-N2	6.39	121.95	116.20
1	AA	1216	A	N1-C2-N3	-6.39	126.11	129.30
26	BB	307	G	N3-C4-N9	6.39	129.83	126.00
26	BB	580	U	N1-C2-N3	6.39	118.73	114.90
26	BB	618	G	C4'-C3'-C2'	-6.39	96.21	102.60
26	BB	756	A	C5-N7-C8	6.39	107.09	103.90
26	BB	1645	G	O4'-C4'-C3'	6.39	111.21	106.10
26	BB	1659	G	C3'-C2'-C1'	-6.39	96.39	101.50
26	BB	1689	A	N3-C4-C5	-6.39	122.33	126.80
26	BB	1740	G	N3-C4-N9	6.39	129.83	126.00
26	BB	1793	C	C6-N1-C2	6.39	122.86	120.30
26	BB	2622	U	C1'-O4'-C4'	-6.39	104.79	109.90
26	BB	2681	C	N3-C4-C5	6.39	124.45	121.90
1	AA	895	G	N3-C4-N9	6.38	129.83	126.00
1	AA	985	C	C2-N3-C4	6.38	123.09	119.90
1	AA	1055	A	C8-N9-C4	6.38	108.35	105.80
1	AA	1157	A	O4'-C1'-N9	6.38	113.31	108.20
26	BB	197	A	O4'-C1'-N9	6.38	113.31	108.20
26	BB	389	G	O4'-C1'-N9	6.38	113.31	108.20
26	BB	1808	A	C8-N9-C4	-6.38	103.25	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2515	C	C2-N3-C4	6.38	123.09	119.90
26	BB	2822	G	C8-N9-C4	-6.38	103.85	106.40
26	BB	1091	G	C5-C6-O6	-6.38	124.77	128.60
26	BB	1700	A	C6-N1-C2	-6.38	114.77	118.60
26	BB	2556	C	N1-C2-O2	6.38	122.73	118.90
1	AA	765	G	C2-N3-C4	6.38	115.09	111.90
1	AA	769	G	C4-C5-C6	6.38	122.63	118.80
21	AU	65	SER	CB-CA-C	6.38	122.22	110.10
25	BA	51	G	N9-C4-C5	-6.38	102.85	105.40
26	BB	215	G	C8-N9-C4	-6.38	103.85	106.40
26	BB	1145	C	O4'-C1'-N1	6.38	113.31	108.20
26	BB	1825	U	N1-C2-N3	6.38	118.73	114.90
26	BB	2212	A	O4'-C1'-N9	6.38	113.31	108.20
26	BB	2894	G	N3-C4-C5	-6.38	125.41	128.60
1	AA	900	A	N3-C4-C5	-6.38	122.33	126.80
2	AB	11	U	O4'-C1'-N1	6.38	113.30	108.20
4	AD	10	G	C5-C6-N1	6.38	114.69	111.50
26	BB	1159	U	C3'-C2'-C1'	6.38	106.60	101.50
26	BB	1729	U	N1-C2-O2	-6.38	118.33	122.80
26	BB	2210	U	N3-C2-O2	-6.38	117.73	122.20
26	BB	2297	A	N1-C2-N3	-6.38	126.11	129.30
26	BB	2705	A	O4'-C4'-C3'	-6.38	97.62	104.00
29	BE	13	ARG	NE-CZ-NH2	6.38	123.49	120.30
1	AA	14	U	C6-N1-C1'	6.38	130.13	121.20
1	AA	95	C	N3-C4-N4	6.38	122.47	118.00
1	AA	1494	G	C5'-C4'-C3'	-6.38	105.79	116.00
25	BA	51	G	C5-N7-C8	-6.38	101.11	104.30
26	BB	311	A	N1-C6-N6	-6.38	114.77	118.60
26	BB	1528	A	C6-N1-C2	6.38	122.43	118.60
26	BB	1791	A	C5-N7-C8	6.38	107.09	103.90
26	BB	1940	U	C5-C6-N1	-6.38	119.51	122.70
26	BB	1993	U	C3'-C2'-C1'	6.38	106.60	101.50
26	BB	2271	G	C6-C5-N7	-6.38	126.57	130.40
26	BB	2854	G	N1-C6-O6	-6.38	116.07	119.90
27	BC	21	TYR	CZ-CE2-CD2	6.38	125.54	119.80
34	BJ	22	LEU	CB-CG-CD2	6.38	121.84	111.00
1	AA	181	A	C1'-O4'-C4'	-6.38	104.80	109.90
1	AA	283	U	N3-C2-O2	-6.38	117.74	122.20
1	AA	853	C	C2-N1-C1'	6.38	125.81	118.80
1	AA	854	U	N3-C4-O4	6.38	123.86	119.40
1	AA	1450	U	C5'-C4'-O4'	6.38	116.75	109.10
26	BB	357	C	N3-C4-N4	6.38	122.46	118.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	365	U	C5-C6-N1	-6.38	119.51	122.70
26	BB	714	U	C5'-C4'-O4'	6.38	116.75	109.10
26	BB	1117	C	O4'-C1'-N1	6.38	113.30	108.20
26	BB	1151	A	C5-N7-C8	-6.38	100.71	103.90
26	BB	1599	U	C5-C6-N1	-6.38	119.51	122.70
26	BB	2110	G	N1-C2-N3	-6.38	120.07	123.90
26	BB	2406	A	N9-C4-C5	-6.38	103.25	105.80
26	BB	2426	A	C2-N3-C4	-6.38	107.41	110.60
1	AA	1285	A	O3'-P-O5'	-6.38	91.89	104.00
26	BB	1742	U	C1'-O4'-C4'	-6.38	104.80	109.90
26	BB	1969	A	C4-C5-N7	-6.38	107.51	110.70
26	BB	2066	C	C6-N1-C2	6.38	122.85	120.30
1	AA	499	A	C1'-O4'-C4'	-6.37	104.80	109.90
1	AA	532	A	O4'-C1'-N9	6.37	113.30	108.20
1	AA	674	G	N1-C2-N3	6.37	127.72	123.90
1	AA	745	G	O4'-C1'-N9	-6.37	103.10	108.20
1	AA	1087	G	N3-C4-C5	-6.37	125.41	128.60
15	AO	65	TYR	CB-CG-CD1	-6.37	117.18	121.00
23	AW	59	ARG	CD-NE-CZ	6.37	132.52	123.60
26	BB	497	A	C5-C6-N1	-6.37	114.51	117.70
26	BB	672	C	N3-C4-C5	-6.37	119.35	121.90
26	BB	698	C	C6-N1-C2	6.37	122.85	120.30
26	BB	732	C	C5-C6-N1	6.37	124.19	121.00
26	BB	936	A	N3-C4-C5	-6.37	122.34	126.80
26	BB	1582	C	P-O3'-C3'	6.37	127.35	119.70
26	BB	2091	C	N1-C2-O2	6.37	122.72	118.90
26	BB	2682	A	C2-N3-C4	6.37	113.79	110.60
26	BB	2702	G	N7-C8-N9	6.37	116.29	113.10
1	AA	122	G	C6-N1-C2	-6.37	121.28	125.10
2	AB	45	U	C3'-C2'-C1'	6.37	106.60	101.50
25	BA	1	U	C5-C6-N1	-6.37	119.52	122.70
26	BB	471	A	C1'-O4'-C4'	-6.37	104.80	109.90
26	BB	548	G	O4'-C1'-N9	-6.37	103.10	108.20
26	BB	1248	G	C8-N9-C4	-6.37	103.85	106.40
26	BB	1360	G	C6-C5-N7	6.37	134.22	130.40
26	BB	1383	A	O4'-C1'-C2'	-6.37	99.43	105.80
26	BB	1518	C	N3-C4-C5	-6.37	119.35	121.90
26	BB	2209	G	O4'-C1'-N9	6.37	113.30	108.20
26	BB	2777	G	O4'-C4'-C3'	6.37	111.20	106.10
1	AA	1185	G	N3-C4-C5	-6.37	125.42	128.60
26	BB	288	U	C5-C4-O4	-6.37	122.08	125.90
26	BB	1863	G	C1'-O4'-C4'	-6.37	104.80	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2164	C	O4'-C1'-N1	6.37	113.30	108.20
26	BB	2169	A	P-O3'-C3'	6.37	127.34	119.70
1	AA	107	G	C8-N9-C4	-6.37	103.85	106.40
1	AA	792	A	C4-C5-N7	6.37	113.89	110.70
1	AA	1131	G	C5'-C4'-C3'	-6.37	105.81	116.00
1	AA	1450	U	C5-C4-O4	-6.37	122.08	125.90
2	AB	75	C	O5'-C5'-C4'	-6.37	99.60	111.70
4	AD	65	G	C4-C5-N7	-6.37	108.25	110.80
26	BB	6	A	N3-C4-C5	-6.37	122.34	126.80
26	BB	815	C	N3-C4-N4	6.37	122.46	118.00
26	BB	1299	G	N7-C8-N9	-6.37	109.92	113.10
26	BB	1364	G	C4-C5-C6	6.37	122.62	118.80
26	BB	2003	A	N1-C6-N6	6.37	122.42	118.60
26	BB	2104	C	C2-N3-C4	6.37	123.08	119.90
26	BB	2247	A	C4'-C3'-C2'	-6.37	96.23	102.60
26	BB	2310	C	C5'-C4'-C3'	-6.37	105.81	116.00
26	BB	2557	G	N7-C8-N9	6.37	116.28	113.10
26	BB	165	A	N1-C2-N3	-6.37	126.12	129.30
50	BZ	69	GLU	OE1-CD-OE2	6.37	130.94	123.30
1	AA	204	G	C5-C6-O6	6.37	132.42	128.60
1	AA	1075	U	N1-C2-N3	6.37	118.72	114.90
1	AA	1083	U	O4'-C1'-N1	6.37	113.29	108.20
3	AC	40	G	N3-C4-C5	-6.37	125.42	128.60
26	BB	491	G	C6-C5-N7	-6.37	126.58	130.40
26	BB	1403	A	C5-N7-C8	-6.37	100.72	103.90
26	BB	1579	A	C4-C5-N7	-6.37	107.52	110.70
26	BB	1602	U	N1-C1'-C2'	6.37	122.28	114.00
26	BB	1721	G	N3-C4-N9	6.37	129.82	126.00
26	BB	2226	C	N1-C2-O2	6.37	122.72	118.90
26	BB	2245	U	C6-N1-C2	-6.37	117.18	121.00
1	AA	920	U	C1'-O4'-C4'	6.36	114.99	109.90
1	AA	1276	G	C6-N1-C2	-6.36	121.28	125.10
1	AA	1300	G	C5-N7-C8	-6.36	101.12	104.30
8	AH	49	TYR	CG-CD2-CE2	-6.36	116.21	121.30
26	BB	177	G	C1'-O4'-C4'	-6.36	104.81	109.90
26	BB	1665	A	C6-N1-C2	6.36	122.42	118.60
26	BB	2266	A	C4-C5-N7	-6.36	107.52	110.70
26	BB	2383	G	N1-C6-O6	-6.36	116.08	119.90
1	AA	159	G	C6-N1-C2	-6.36	121.28	125.10
1	AA	436	C	C4'-C3'-C2'	-6.36	96.24	102.60
1	AA	744	C	N3-C4-C5	-6.36	119.36	121.90
1	AA	1202	U	C4'-C3'-C2'	-6.36	96.24	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1235	U	O4'-C1'-N1	6.36	113.29	108.20
3	AC	26	U	O3'-P-O5'	-6.36	91.91	104.00
26	BB	697	G	N1-C2-N3	6.36	127.72	123.90
26	BB	761	A	C8-N9-C4	-6.36	103.25	105.80
26	BB	939	G	C5-N7-C8	6.36	107.48	104.30
26	BB	2288	A	C6-N1-C2	6.36	122.42	118.60
1	AA	15	G	O4'-C1'-N9	6.36	113.29	108.20
1	AA	379	C	C6-N1-C2	-6.36	117.76	120.30
1	AA	391	G	N9-C4-C5	6.36	107.94	105.40
1	AA	649	A	N3-C4-C5	-6.36	122.35	126.80
2	AB	41	C	N1-C2-O2	6.36	122.72	118.90
2	AB	75	C	N1-C1'-C2'	-6.36	105.00	112.00
26	BB	622	G	C5-N7-C8	6.36	107.48	104.30
26	BB	910	A	N7-C8-N9	6.36	116.98	113.80
26	BB	1373	A	O4'-C1'-N9	6.36	113.29	108.20
26	BB	1432	G	C6-C5-N7	-6.36	126.58	130.40
26	BB	2094	A	P-O3'-C3'	6.36	127.33	119.70
26	BB	2311	A	C4'-C3'-C2'	-6.36	96.24	102.60
1	AA	502	A	N7-C8-N9	6.36	116.98	113.80
1	AA	565	U	C2-N3-C4	-6.36	123.19	127.00
1	AA	1156	G	C4-C5-C6	6.36	122.62	118.80
1	AA	1343	G	C3'-C2'-C1'	6.36	106.59	101.50
4	AD	38	A	N9-C4-C5	-6.36	103.26	105.80
25	BA	7	G	C4'-C3'-C2'	-6.36	96.24	102.60
26	BB	878	A	O4'-C1'-N9	6.36	113.29	108.20
26	BB	1967	C	O4'-C1'-N1	6.36	113.29	108.20
26	BB	2620	C	C5'-C4'-O4'	6.36	116.73	109.10
26	BB	2897	U	C4-C5-C6	6.36	123.52	119.70
1	AA	47	C	C1'-O4'-C4'	-6.36	104.81	109.90
1	AA	430	A	C4-C5-C6	6.36	120.18	117.00
1	AA	1272	G	N1-C6-O6	6.36	123.71	119.90
4	AD	43	G	N1-C2-N2	6.36	121.92	116.20
26	BB	286	U	C5-C6-N1	-6.36	119.52	122.70
26	BB	933	A	C5'-C4'-C3'	-6.36	105.83	116.00
26	BB	1286	A	N9-C1'-C2'	6.36	122.26	114.00
26	BB	2617	U	O4'-C1'-C2'	-6.36	99.44	105.80
1	AA	199	A	C3'-C2'-C1'	6.36	106.58	101.50
1	AA	952	U	C4-C5-C6	6.36	123.51	119.70
1	AA	1162	C	N1-C2-N3	6.36	123.65	119.20
1	AA	1369	C	N1-C1'-C2'	-6.36	105.01	112.00
25	BA	95	U	C5-C4-O4	-6.36	122.09	125.90
26	BB	1709	U	C1'-O4'-C4'	6.36	114.98	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2285	C	P-O3'-C3'	6.36	127.33	119.70
26	BB	2441	U	P-O3'-C3'	6.36	127.33	119.70
26	BB	2554	U	N1-C2-O2	6.36	127.25	122.80
1	AA	317	U	C4-C5-C6	6.35	123.51	119.70
1	AA	1201	A	C5-C6-N1	6.35	120.88	117.70
1	AA	1456	A	N1-C6-N6	6.35	122.41	118.60
4	AD	23	G	C5-C6-O6	-6.35	124.79	128.60
26	BB	2448	A	C4-C5-C6	-6.35	113.82	117.00
26	BB	2597	G	N9-C1'-C2'	-6.35	105.01	112.00
1	AA	162	A	C5-C6-N1	-6.35	114.52	117.70
1	AA	509	A	C6-C5-N7	6.35	136.75	132.30
1	AA	649	A	C6-C5-N7	-6.35	127.85	132.30
1	AA	697	U	N3-C4-O4	-6.35	114.95	119.40
1	AA	826	C	O4'-C1'-N1	6.35	113.28	108.20
1	AA	849	G	C5-C6-O6	-6.35	124.79	128.60
2	AB	13	C	C5'-C4'-C3'	-6.35	105.84	116.00
26	BB	111	A	C1'-O4'-C4'	-6.35	104.82	109.90
26	BB	371	A	C8-N9-C4	-6.35	103.26	105.80
26	BB	375	G	C8-N9-C4	-6.35	103.86	106.40
26	BB	588	U	N1-C2-N3	6.35	118.71	114.90
26	BB	943	A	C2-N3-C4	6.35	113.78	110.60
26	BB	1094	U	C4'-C3'-C2'	-6.35	96.25	102.60
26	BB	1176	U	N1-C2-O2	6.35	127.25	122.80
26	BB	1380	G	C8-N9-C4	6.35	108.94	106.40
26	BB	1391	U	C5'-C4'-O4'	6.35	116.72	109.10
26	BB	1416	G	C4-C5-C6	6.35	122.61	118.80
26	BB	1693	U	C2-N3-C4	-6.35	123.19	127.00
26	BB	2133	G	C2-N3-C4	6.35	115.08	111.90
26	BB	2507	C	C5'-C4'-O4'	6.35	116.72	109.10
26	BB	2744	G	N3-C4-N9	6.35	129.81	126.00
1	AA	196	A	N9-C4-C5	6.35	108.34	105.80
1	AA	503	C	C5-C6-N1	6.35	124.17	121.00
1	AA	1009	U	N1-C2-O2	-6.35	118.35	122.80
3	AC	21	U	C5-C6-N1	-6.35	119.52	122.70
26	BB	287	G	N1-C2-N3	-6.35	120.09	123.90
26	BB	2248	C	N1-C2-O2	6.35	122.71	118.90
26	BB	2386	A	P-O3'-C3'	6.35	127.32	119.70
1	AA	146	G	C5'-C4'-O4'	6.35	116.72	109.10
1	AA	1289	A	C1'-O4'-C4'	6.35	114.98	109.90
26	BB	31	C	N3-C4-C5	6.35	124.44	121.90
26	BB	368	A	C2-N3-C4	-6.35	107.43	110.60
26	BB	551	G	C4'-C3'-C2'	6.35	108.95	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	673	C	N1-C1'-C2'	-6.35	105.02	112.00
26	BB	809	G	N1-C6-O6	-6.35	116.09	119.90
26	BB	2473	U	N3-C2-O2	-6.35	117.75	122.20
40	BP	12	ARG	C-N-CA	6.35	137.58	121.70
1	AA	300	A	C3'-C2'-C1'	-6.35	96.42	101.50
1	AA	1343	G	N1-C6-O6	6.35	123.71	119.90
26	BB	485	C	N3-C4-C5	-6.35	119.36	121.90
26	BB	656	G	N3-C4-N9	-6.35	122.19	126.00
26	BB	772	C	C6-N1-C2	6.35	122.84	120.30
26	BB	815	C	O4'-C1'-N1	6.35	113.28	108.20
26	BB	1379	U	C4'-C3'-C2'	-6.35	96.25	102.60
26	BB	1608	A	C4-C5-N7	-6.35	107.53	110.70
26	BB	1882	U	C4-C5-C6	6.35	123.51	119.70
26	BB	2044	C	N1-C2-O2	6.35	122.71	118.90
1	AA	899	C	C6-N1-C2	-6.35	117.76	120.30
1	AA	1099	G	C4'-C3'-C2'	-6.35	96.25	102.60
1	AA	1224	U	C3'-C2'-C1'	6.35	106.58	101.50
1	AA	1323	G	O4'-C4'-C3'	-6.35	97.65	104.00
26	BB	101	A	N3-C4-C5	-6.35	122.36	126.80
26	BB	1563	U	C1'-O4'-C4'	6.35	114.98	109.90
1	AA	305	G	N3-C4-N9	6.34	129.81	126.00
1	AA	505	G	C5-C6-O6	-6.34	124.79	128.60
1	AA	522	C	C4-C5-C6	-6.34	114.23	117.40
1	AA	712	A	N1-C2-N3	-6.34	126.13	129.30
1	AA	968	A	N9-C4-C5	-6.34	103.26	105.80
1	AA	994	A	C5-N7-C8	6.34	107.07	103.90
1	AA	1219	A	C5'-C4'-O4'	6.34	116.71	109.10
25	BA	22	U	C5-C6-N1	-6.34	119.53	122.70
25	BA	52	A	C5'-C4'-C3'	-6.34	105.85	116.00
26	BB	138	U	O4'-C1'-N1	6.34	113.28	108.20
26	BB	198	C	O4'-C1'-N1	6.34	113.28	108.20
26	BB	325	G	N9-C1'-C2'	-6.34	105.02	112.00
26	BB	2609	U	C5-C6-N1	-6.34	119.53	122.70
1	AA	1131	G	N3-C4-C5	-6.34	125.43	128.60
1	AA	1274	A	C5'-C4'-O4'	6.34	116.71	109.10
1	AA	1535	C	O4'-C1'-C2'	-6.34	99.46	105.80
26	BB	528	A	C4'-C3'-C2'	-6.34	96.26	102.60
26	BB	619	G	N1-C6-O6	6.34	123.71	119.90
26	BB	640	C	P-O5'-C5'	6.34	131.05	120.90
26	BB	2466	C	C6-N1-C2	-6.34	117.76	120.30
26	BB	2550	G	C8-N9-C4	-6.34	103.86	106.40
26	BB	2823	A	C4'-C3'-C2'	-6.34	96.26	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1238	A	C5-N7-C8	-6.34	100.73	103.90
2	AB	38	A	C5'-C4'-O4'	6.34	116.71	109.10
26	BB	8	C	O4'-C1'-C2'	6.34	113.31	107.60
26	BB	1072	C	O5'-P-OP1	-6.34	99.99	105.70
26	BB	1380	G	C6-N1-C2	-6.34	121.30	125.10
26	BB	1544	A	N1-C6-N6	6.34	122.41	118.60
26	BB	1951	U	C2-N1-C1'	6.34	125.31	117.70
26	BB	2494	G	O4'-C1'-N9	6.34	113.27	108.20
26	BB	2611	C	C1'-O4'-C4'	6.34	114.97	109.90
26	BB	2725	A	C5-C6-N6	6.34	128.77	123.70
26	BB	2744	G	N3-C4-C5	-6.34	125.43	128.60
34	BJ	30	ARG	NE-CZ-NH1	6.34	123.47	120.30
1	AA	293	G	C4'-C3'-C2'	-6.34	96.26	102.60
1	AA	557	G	N3-C4-N9	6.34	129.80	126.00
1	AA	737	C	C5'-C4'-C3'	-6.34	105.86	116.00
1	AA	899	C	C4'-C3'-C2'	-6.34	96.26	102.60
1	AA	1297	G	C4-C5-C6	-6.34	115.00	118.80
25	BA	66	A	P-O3'-C3'	6.34	127.31	119.70
26	BB	338	G	C5-N7-C8	-6.34	101.13	104.30
26	BB	982	C	C2-N3-C4	-6.34	116.73	119.90
26	BB	995	C	N1-C2-O2	6.34	122.70	118.90
26	BB	1000	A	C4'-C3'-C2'	-6.34	96.26	102.60
26	BB	1011	G	C5-N7-C8	-6.34	101.13	104.30
26	BB	1091	G	C2-N3-C4	6.34	115.07	111.90
26	BB	1527	G	C3'-C2'-C1'	6.34	106.57	101.50
26	BB	2010	G	O4'-C1'-N9	6.34	113.27	108.20
26	BB	2155	U	O4'-C1'-N1	6.34	113.27	108.20
26	BB	2227	A	C8-N9-C4	-6.34	103.26	105.80
26	BB	2792	A	C4-C5-C6	-6.34	113.83	117.00
42	BR	61	ARG	NE-CZ-NH2	-6.34	117.13	120.30
1	AA	1431	A	O5'-C5'-C4'	6.34	123.74	111.70
26	BB	24	G	O4'-C1'-N9	6.34	113.27	108.20
26	BB	904	G	C5'-C4'-O4'	6.34	116.70	109.10
1	AA	31	G	O4'-C1'-N9	6.34	113.27	108.20
1	AA	367	U	N3-C4-O4	6.34	123.83	119.40
1	AA	659	U	C5'-C4'-O4'	6.34	116.70	109.10
1	AA	736	C	C5-C4-N4	-6.34	115.76	120.20
1	AA	1130	A	N1-C2-N3	-6.34	126.13	129.30
1	AA	1285	A	N3-C4-C5	-6.34	122.36	126.80
1	AA	1330	U	C4-C5-C6	6.34	123.50	119.70
4	AD	9	G	N3-C4-C5	-6.34	125.43	128.60
26	BB	1093	G	N3-C2-N2	-6.34	115.46	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1128	G	C5'-C4'-C3'	-6.34	105.86	116.00
1	AA	345	C	C3'-C2'-C1'	6.33	106.57	101.50
1	AA	902	G	N9-C4-C5	-6.33	102.87	105.40
26	BB	793	A	N9-C4-C5	-6.33	103.27	105.80
26	BB	1766	G	N3-C4-N9	6.33	129.80	126.00
26	BB	1924	C	C6-N1-C2	-6.33	117.77	120.30
26	BB	2186	G	C2-N3-C4	6.33	115.07	111.90
1	AA	782	A	N1-C2-N3	-6.33	126.13	129.30
1	AA	917	G	O4'-C1'-N9	6.33	113.27	108.20
1	AA	1076	U	N1-C2-O2	-6.33	118.37	122.80
26	BB	333	G	C5-C6-O6	-6.33	124.80	128.60
26	BB	641	U	O4'-C1'-N1	6.33	113.27	108.20
26	BB	701	G	N1-C6-O6	-6.33	116.10	119.90
26	BB	1239	G	N3-C2-N2	6.33	124.33	119.90
26	BB	1652	A	C5'-C4'-C3'	-6.33	105.87	116.00
26	BB	2411	A	C2-N3-C4	6.33	113.77	110.60
26	BB	2505	G	P-O3'-C3'	6.33	127.30	119.70
26	BB	2663	G	C1'-O4'-C4'	-6.33	104.83	109.90
26	BB	2803	G	N3-C4-N9	6.33	129.80	126.00
42	BR	113	LEU	CB-CG-CD1	6.33	121.77	111.00
1	AA	84	U	C5-C6-N1	-6.33	119.53	122.70
1	AA	189	A	C4'-C3'-C2'	-6.33	96.27	102.60
1	AA	193	C	C2-N3-C4	6.33	123.06	119.90
1	AA	1127	G	C5-C6-O6	-6.33	124.80	128.60
1	AA	1288	A	C5-N7-C8	6.33	107.07	103.90
26	BB	448	U	P-O3'-C3'	6.33	127.30	119.70
26	BB	1504	A	C2-N3-C4	6.33	113.77	110.60
26	BB	1626	A	O4'-C1'-N9	6.33	113.27	108.20
26	BB	1725	U	N1-C1'-C2'	6.33	122.23	114.00
26	BB	2234	G	P-O3'-C3'	6.33	127.30	119.70
26	BB	2569	G	N9-C4-C5	6.33	107.93	105.40
1	AA	404	G	N9-C1'-C2'	-6.33	105.04	112.00
1	AA	1047	G	C3'-C2'-C1'	-6.33	96.44	101.50
3	AC	31	U	N1-C2-N3	6.33	118.70	114.90
26	BB	71	A	C3'-C2'-C1'	-6.33	96.44	101.50
26	BB	281	C	C5-C4-N4	-6.33	115.77	120.20
26	BB	1585	C	N1-C2-O2	6.33	122.70	118.90
26	BB	1678	A	C5-C6-N6	6.33	128.76	123.70
26	BB	2772	C	C3'-C2'-C1'	-6.33	96.44	101.50
1	AA	70	U	C5-C4-O4	6.33	129.70	125.90
1	AA	245	U	N1-C2-N3	6.33	118.70	114.90
1	AA	610	U	C5-C6-N1	6.33	125.86	122.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	80	U	O4'-C1'-N1	6.33	113.26	108.20
26	BB	497	A	N3-C4-C5	6.33	131.23	126.80
26	BB	782	A	N1-C2-N3	-6.33	126.14	129.30
26	BB	1902	C	N1-C1'-C2'	-6.33	105.04	112.00
26	BB	2113	U	N1-C2-N3	-6.33	111.10	114.90
26	BB	2220	U	O4'-C1'-N1	6.33	113.26	108.20
26	BB	2236	U	C2-N3-C4	-6.33	123.20	127.00
26	BB	2353	G	C3'-C2'-C1'	-6.33	96.44	101.50
26	BB	2672	U	P-O3'-C3'	6.33	127.29	119.70
1	AA	688	G	C4'-C3'-C2'	-6.33	96.27	102.60
1	AA	834	U	N3-C2-O2	-6.33	117.77	122.20
17	AQ	12	ARG	NE-CZ-NH2	-6.33	117.14	120.30
26	BB	1265	A	C1'-O4'-C4'	6.33	114.96	109.90
26	BB	1852	U	O4'-C4'-C3'	6.33	111.16	106.10
1	AA	13	U	O4'-C1'-C2'	-6.33	99.47	105.80
1	AA	302	G	N3-C2-N2	-6.33	115.47	119.90
1	AA	351	G	N3-C2-N2	6.33	124.33	119.90
1	AA	506	G	C4-C5-N7	-6.33	108.27	110.80
1	AA	584	G	C5-C6-O6	-6.33	124.81	128.60
1	AA	992	U	O4'-C4'-C3'	6.33	111.16	106.10
26	BB	51	G	N7-C8-N9	6.33	116.26	113.10
26	BB	247	G	O4'-C1'-N9	-6.33	103.14	108.20
26	BB	820	A	O4'-C1'-N9	6.33	113.26	108.20
26	BB	921	C	O4'-C1'-N1	6.33	113.26	108.20
26	BB	1408	G	O4'-C1'-N9	6.33	113.26	108.20
26	BB	1798	U	O4'-C1'-N1	6.33	113.26	108.20
26	BB	2320	U	N1-C2-N3	6.33	118.69	114.90
26	BB	2418	A	C6-C5-N7	6.33	136.73	132.30
26	BB	2469	A	C4-C5-N7	6.33	113.86	110.70
26	BB	2750	A	C4'-C3'-C2'	-6.33	96.28	102.60
26	BB	2890	G	N3-C4-C5	-6.33	125.44	128.60
1	AA	41	G	C5-N7-C8	-6.32	101.14	104.30
1	AA	98	A	C4'-C3'-C2'	-6.32	96.28	102.60
1	AA	779	C	O4'-C1'-N1	6.32	113.26	108.20
1	AA	1317	C	O4'-C1'-C2'	-6.32	99.48	105.80
26	BB	12	U	N1-C2-N3	-6.32	111.11	114.90
26	BB	104	A	C8-N9-C4	-6.32	103.27	105.80
26	BB	209	C	O4'-C1'-N1	6.32	113.26	108.20
26	BB	403	U	N3-C4-O4	-6.32	114.97	119.40
26	BB	430	A	C5'-C4'-C3'	-6.32	105.88	116.00
26	BB	495	G	N1-C6-O6	-6.32	116.11	119.90
26	BB	523	C	C4-C5-C6	-6.32	114.24	117.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1396	U	N1-C2-O2	-6.32	118.37	122.80
26	BB	1501	G	P-O3'-C3'	6.32	127.29	119.70
26	BB	2830	C	N3-C4-N4	6.32	122.43	118.00
1	AA	113	G	C8-N9-C4	-6.32	103.87	106.40
1	AA	208	U	N1-C2-O2	-6.32	118.38	122.80
1	AA	1079	G	N3-C4-N9	6.32	129.79	126.00
26	BB	618	G	N9-C4-C5	-6.32	102.87	105.40
26	BB	883	G	C4-C5-C6	6.32	122.59	118.80
26	BB	993	G	C4'-C3'-C2'	-6.32	96.28	102.60
26	BB	1916	A	C1'-O4'-C4'	6.32	114.96	109.90
26	BB	2285	C	C5'-C4'-O4'	6.32	116.69	109.10
26	BB	2516	A	N7-C8-N9	6.32	116.96	113.80
26	BB	2733	A	C2-N3-C4	6.32	113.76	110.60
1	AA	275	G	N9-C4-C5	-6.32	102.87	105.40
1	AA	643	C	C5'-C4'-O4'	6.32	116.69	109.10
1	AA	935	A	C1'-O4'-C4'	6.32	114.96	109.90
1	AA	1233	G	C4'-C3'-C2'	-6.32	96.28	102.60
1	AA	1270	G	C5-C6-N1	6.32	114.66	111.50
4	AD	7	G	C2-N3-C4	6.32	115.06	111.90
26	BB	46	G	C4'-C3'-C2'	-6.32	96.28	102.60
26	BB	534	U	O4'-C1'-N1	6.32	113.26	108.20
26	BB	959	A	N9-C4-C5	-6.32	103.27	105.80
26	BB	1285	A	O3'-P-O5'	6.32	116.01	104.00
26	BB	1461	C	C4-C5-C6	-6.32	114.24	117.40
26	BB	1766	G	C3'-C2'-C1'	-6.32	96.44	101.50
26	BB	1919	A	O3'-P-O5'	-6.32	91.99	104.00
26	BB	1942	C	C4'-C3'-C2'	-6.32	96.28	102.60
26	BB	2039	U	O4'-C1'-N1	6.32	113.26	108.20
26	BB	2613	U	C4'-C3'-C2'	-6.32	96.28	102.60
51	B0	29	ARG	NE-CZ-NH2	6.32	123.46	120.30
1	AA	59	A	C5-C6-N1	6.32	120.86	117.70
1	AA	78	A	N9-C1'-C2'	-6.32	105.05	112.00
1	AA	1174	G	C4-N9-C1'	-6.32	118.28	126.50
26	BB	26	G	N9-C4-C5	6.32	107.93	105.40
26	BB	1225	G	C6-C5-N7	-6.32	126.61	130.40
26	BB	1323	C	C1'-O4'-C4'	-6.32	104.84	109.90
26	BB	1410	G	C3'-C2'-C1'	-6.32	96.44	101.50
26	BB	2846	G	C6-N1-C2	-6.32	121.31	125.10
26	BB	2900	A	O4'-C1'-N9	6.32	113.25	108.20
1	AA	138	G	O4'-C1'-N9	6.32	113.25	108.20
1	AA	366	A	N1-C2-N3	6.32	132.46	129.30
1	AA	383	A	C4-C5-N7	6.32	113.86	110.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	654	G	N9-C4-C5	-6.32	102.87	105.40
1	AA	1083	U	C6-N1-C2	6.32	124.79	121.00
26	BB	46	G	N9-C1'-C2'	-6.32	105.05	112.00
26	BB	125	A	N1-C2-N3	-6.32	126.14	129.30
26	BB	141	G	C3'-C2'-C1'	6.32	106.55	101.50
26	BB	227	A	C8-N9-C4	6.32	108.33	105.80
26	BB	382	A	C8-N9-C4	-6.32	103.27	105.80
26	BB	581	C	C5-C6-N1	6.32	124.16	121.00
26	BB	988	A	N9-C4-C5	-6.32	103.27	105.80
26	BB	1303	G	N7-C8-N9	6.32	116.26	113.10
26	BB	1544	A	C6-C5-N7	6.32	136.72	132.30
26	BB	1768	C	C4-C5-C6	6.32	120.56	117.40
26	BB	2458	G	C4-C5-N7	-6.32	108.27	110.80
1	AA	768	A	O4'-C1'-N9	6.32	113.25	108.20
1	AA	877	G	O4'-C1'-N9	6.32	113.25	108.20
1	AA	1090	U	C4-C5-C6	6.32	123.49	119.70
1	AA	1239	A	O4'-C1'-N9	6.32	113.25	108.20
1	AA	1246	A	N9-C4-C5	6.32	108.33	105.80
2	AB	21	A	P-O3'-C3'	6.32	127.28	119.70
2	AB	70	C	O4'-C4'-C3'	-6.32	97.69	104.00
25	BA	98	G	C4-C5-C6	6.32	122.59	118.80
25	BA	104	A	N3-C4-N9	-6.32	122.35	127.40
26	BB	430	A	P-O3'-C3'	6.32	127.28	119.70
26	BB	902	C	O4'-C1'-C2'	6.32	113.28	107.60
26	BB	941	A	C4'-C3'-C2'	-6.32	96.28	102.60
26	BB	1674	G	C4-C5-N7	-6.32	108.27	110.80
26	BB	2170	A	C5'-C4'-C3'	-6.32	105.89	116.00
26	BB	2267	A	C5-N7-C8	-6.32	100.74	103.90
26	BB	2396	G	N9-C4-C5	-6.32	102.87	105.40
26	BB	2894	G	O4'-C1'-N9	6.32	113.25	108.20
49	BY	13	ARG	NH1-CZ-NH2	-6.32	112.45	119.40
1	AA	644	U	O4'-C1'-N1	6.31	113.25	108.20
2	AB	29	G	N7-C8-N9	6.31	116.26	113.10
26	BB	2555	U	C5-C6-N1	-6.31	119.54	122.70
26	BB	2556	C	C5-C4-N4	6.31	124.62	120.20
31	BG	96	TRP	CD1-CG-CD2	-6.31	101.25	106.30
1	AA	57	G	C2-N3-C4	6.31	115.06	111.90
1	AA	209	U	N1-C2-N3	6.31	118.69	114.90
1	AA	773	G	C1'-O4'-C4'	6.31	114.95	109.90
26	BB	192	C	C5-C4-N4	-6.31	115.78	120.20
26	BB	313	G	N3-C2-N2	6.31	124.32	119.90
26	BB	926	G	P-O3'-C3'	6.31	127.28	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1898	U	C6-N1-C2	-6.31	117.21	121.00
26	BB	1938	A	C5-N7-C8	6.31	107.06	103.90
26	BB	2015	A	C1'-O4'-C4'	-6.31	104.85	109.90
26	BB	2499	C	C5'-C4'-O4'	6.31	116.67	109.10
1	AA	253	A	O4'-C1'-N9	6.31	113.25	108.20
1	AA	560	A	C4-C5-N7	6.31	113.86	110.70
1	AA	1264	U	N3-C4-O4	6.31	123.82	119.40
26	BB	515	A	C4-C5-C6	-6.31	113.84	117.00
26	BB	1137	G	N1-C6-O6	6.31	123.69	119.90
1	AA	340	U	N1-C1'-C2'	-6.31	105.06	112.00
1	AA	430	A	N7-C8-N9	6.31	116.95	113.80
1	AA	754	C	C5'-C4'-C3'	-6.31	105.91	116.00
1	AA	1410	A	O4'-C1'-N9	6.31	113.25	108.20
1	AA	1536	C	O4'-C1'-N1	-6.31	103.15	108.20
25	BA	6	G	C1'-O4'-C4'	6.31	114.95	109.90
25	BA	88	C	C2-N1-C1'	6.31	125.74	118.80
26	BB	207	A	C4-C5-C6	6.31	120.16	117.00
26	BB	519	U	C4-C5-C6	6.31	123.49	119.70
26	BB	1358	G	N7-C8-N9	6.31	116.25	113.10
26	BB	1397	U	C5-C4-O4	-6.31	122.11	125.90
26	BB	2450	A	C2'-C3'-O3'	6.31	123.80	113.70
26	BB	2538	C	O4'-C1'-N1	6.31	113.25	108.20
26	BB	2642	G	C5-C6-O6	6.31	132.39	128.60
57	B6	39	ARG	NE-CZ-NH2	6.31	123.45	120.30
1	AA	245	U	N1-C2-O2	-6.31	118.39	122.80
1	AA	725	G	C6-C5-N7	-6.31	126.62	130.40
1	AA	1150	A	C6-C5-N7	6.31	136.72	132.30
10	AJ	3	ARG	NE-CZ-NH2	-6.31	117.15	120.30
23	AW	17	ARG	NE-CZ-NH1	-6.31	117.15	120.30
26	BB	400	G	N1-C2-N2	-6.31	110.52	116.20
26	BB	564	C	C3'-C2'-C1'	6.31	106.55	101.50
26	BB	971	G	N3-C4-N9	6.31	129.78	126.00
26	BB	1339	G	C3'-C2'-C1'	-6.31	96.45	101.50
26	BB	1498	C	C4'-C3'-C2'	-6.31	96.29	102.60
26	BB	1971	U	N1-C2-O2	6.31	127.22	122.80
26	BB	2009	A	N1-C2-N3	6.31	132.45	129.30
26	BB	2195	U	C2-N3-C4	-6.31	123.22	127.00
26	BB	2202	U	C5-C6-N1	-6.31	119.55	122.70
26	BB	2859	G	N1-C2-N2	6.31	121.88	116.20
1	AA	307	C	N3-C4-C5	-6.31	119.38	121.90
26	BB	2	G	N3-C4-C5	-6.31	125.45	128.60
26	BB	572	A	O3'-P-O5'	6.31	115.98	104.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1902	C	O3'-P-O5'	-6.31	92.02	104.00
33	BI	115	VAL	CG1-CB-CG2	-6.31	100.81	110.90
1	AA	14	U	C6-N1-C2	-6.30	117.22	121.00
1	AA	181	A	N9-C4-C5	6.30	108.32	105.80
1	AA	697	U	N1-C2-O2	-6.30	118.39	122.80
1	AA	1048	G	C8-N9-C4	-6.30	103.88	106.40
25	BA	48	U	N3-C2-O2	-6.30	117.79	122.20
26	BB	263	G	N3-C4-C5	-6.30	125.45	128.60
26	BB	266	G	C8-N9-C4	-6.30	103.88	106.40
26	BB	890	C	C2-N3-C4	-6.30	116.75	119.90
26	BB	1189	A	C4-C5-N7	-6.30	107.55	110.70
26	BB	1439	A	C8-N9-C4	-6.30	103.28	105.80
26	BB	1494	A	N1-C6-N6	-6.30	114.82	118.60
26	BB	1566	A	N1-C6-N6	-6.30	114.82	118.60
26	BB	1923	U	O4'-C1'-N1	6.30	113.24	108.20
26	BB	2669	G	C6-N1-C2	-6.30	121.32	125.10
26	BB	2774	C	C6-N1-C2	-6.30	117.78	120.30
27	BC	39	VAL	CG1-CB-CG2	-6.30	100.81	110.90
26	BB	271	G	C4'-C3'-C2'	-6.30	96.30	102.60
26	BB	711	G	O4'-C1'-N9	6.30	113.24	108.20
26	BB	1023	U	C5'-C4'-O4'	-6.30	101.54	109.10
26	BB	2161	C	N3-C2-O2	-6.30	117.49	121.90
1	AA	377	G	N7-C8-N9	6.30	116.25	113.10
1	AA	809	G	C6-C5-N7	-6.30	126.62	130.40
26	BB	169	G	C3'-C2'-C1'	-6.30	96.46	101.50
26	BB	204	A	C4-C5-N7	-6.30	107.55	110.70
26	BB	364	C	N1-C2-N3	-6.30	114.79	119.20
26	BB	577	G	C8-N9-C4	-6.30	103.88	106.40
26	BB	937	C	N3-C2-O2	-6.30	117.49	121.90
26	BB	1130	U	N3-C4-C5	-6.30	110.82	114.60
26	BB	1478	G	C1'-O4'-C4'	-6.30	104.86	109.90
26	BB	1778	U	N3-C2-O2	-6.30	117.79	122.20
26	BB	2173	A	N7-C8-N9	6.30	116.95	113.80
26	BB	2238	G	C4'-C3'-C2'	-6.30	96.30	102.60
1	AA	229	U	C1'-O4'-C4'	-6.30	104.86	109.90
1	AA	301	G	N1-C2-N3	-6.30	120.12	123.90
1	AA	1139	G	C3'-C2'-C1'	6.30	106.54	101.50
3	AC	52	U	C2-N1-C1'	6.30	125.26	117.70
26	BB	696	G	C5'-C4'-O4'	6.30	116.66	109.10
26	BB	1297	C	N1-C2-N3	-6.30	114.79	119.20
26	BB	1408	G	C5-N7-C8	6.30	107.45	104.30
26	BB	2038	G	C3'-C2'-C1'	6.30	106.54	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2887	A	C2'-C3'-O3'	6.30	123.78	113.70
1	AA	788	U	C5-C4-O4	-6.30	122.12	125.90
1	AA	872	A	N1-C2-N3	6.30	132.45	129.30
1	AA	1508	A	O4'-C1'-N9	6.30	113.24	108.20
26	BB	1520	U	C5-C6-N1	-6.30	119.55	122.70
26	BB	2261	C	C4'-C3'-C2'	6.30	108.90	102.60
26	BB	2519	U	O3'-P-O5'	-6.30	92.03	104.00
26	BB	2863	C	N1-C2-O2	6.30	122.68	118.90
1	AA	215	C	C6-N1-C2	6.30	122.82	120.30
1	AA	871	U	N1-C2-N3	6.30	118.68	114.90
1	AA	1150	A	C4'-C3'-C2'	-6.30	96.30	102.60
1	AA	1204	A	C5'-C4'-O4'	6.30	116.66	109.10
1	AA	1242	G	N3-C2-N2	-6.30	115.49	119.90
1	AA	1255	G	C5-C6-O6	-6.30	124.82	128.60
1	AA	1371	G	N3-C4-C5	-6.30	125.45	128.60
26	BB	175	G	N1-C6-O6	-6.30	116.12	119.90
26	BB	1738	G	P-O3'-C3'	6.30	127.26	119.70
26	BB	2670	A	O4'-C1'-N9	6.30	113.24	108.20
26	BB	2740	A	C5'-C4'-O4'	6.30	116.66	109.10
26	BB	2752	C	C5-C4-N4	-6.30	115.79	120.20
49	BY	19	ARG	NE-CZ-NH1	6.30	123.45	120.30
1	AA	266	G	C2-N3-C4	6.29	115.05	111.90
1	AA	356	A	C4'-C3'-C2'	-6.29	96.31	102.60
1	AA	802	A	O5'-P-OP1	-6.29	100.03	105.70
1	AA	1229	A	N9-C1'-C2'	-6.29	105.08	112.00
26	BB	99	U	C4-C5-C6	6.29	123.48	119.70
26	BB	315	G	C6-N1-C2	-6.29	121.32	125.10
26	BB	1076	C	C4'-C3'-C2'	-6.29	96.31	102.60
26	BB	1136	G	C8-N9-C1'	6.29	135.18	127.00
26	BB	1218	G	N1-C6-O6	-6.29	116.12	119.90
26	BB	1865	U	O4'-C1'-N1	-6.29	103.16	108.20
26	BB	2035	G	C5'-C4'-C3'	6.29	126.07	116.00
26	BB	2040	G	C4'-C3'-C2'	-6.29	96.31	102.60
1	AA	937	A	C2-N3-C4	6.29	113.75	110.60
1	AA	1382	C	N3-C2-O2	-6.29	117.50	121.90
25	BA	91	C	C5'-C4'-C3'	-6.29	105.93	116.00
26	BB	68	G	C3'-C2'-C1'	6.29	106.53	101.50
26	BB	109	C	C4-C5-C6	-6.29	114.25	117.40
26	BB	281	C	C4-C5-C6	6.29	120.55	117.40
26	BB	730	A	N3-C4-C5	-6.29	122.39	126.80
26	BB	1198	U	O4'-C1'-N1	6.29	113.23	108.20
26	BB	2140	G	O4'-C1'-N9	6.29	113.23	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2660	A	C5-N7-C8	6.29	107.05	103.90
26	BB	2798	U	C5'-C4'-O4'	6.29	116.65	109.10
34	BJ	45	ARG	NE-CZ-NH1	6.29	123.45	120.30
1	AA	768	A	C5-N7-C8	6.29	107.05	103.90
1	AA	1069	C	P-O3'-C3'	6.29	127.25	119.70
1	AA	1289	A	N7-C8-N9	6.29	116.95	113.80
26	BB	270	A	O4'-C1'-N9	6.29	113.23	108.20
26	BB	347	A	O4'-C1'-N9	6.29	113.23	108.20
26	BB	810	U	C4'-C3'-C2'	-6.29	96.31	102.60
26	BB	831	G	C6-N1-C2	-6.29	121.33	125.10
26	BB	881	G	N7-C8-N9	6.29	116.25	113.10
26	BB	919	U	C5'-C4'-O4'	6.29	116.65	109.10
26	BB	1177	G	N9-C4-C5	-6.29	102.88	105.40
26	BB	1751	U	N3-C4-O4	-6.29	115.00	119.40
26	BB	2472	G	N7-C8-N9	6.29	116.25	113.10
26	BB	2582	G	C5-N7-C8	-6.29	101.16	104.30
26	BB	2794	C	C1'-O4'-C4'	6.29	114.93	109.90
1	AA	30	U	C2-N3-C4	-6.29	123.23	127.00
1	AA	575	G	N3-C4-C5	-6.29	125.45	128.60
26	BB	194	G	C4-C5-N7	-6.29	108.28	110.80
26	BB	1033	U	N3-C2-O2	-6.29	117.80	122.20
26	BB	1161	C	C5-C6-N1	6.29	124.14	121.00
26	BB	2194	U	O4'-C1'-N1	6.29	113.23	108.20
26	BB	2230	G	O4'-C1'-C2'	6.29	113.26	107.60
26	BB	2606	C	C3'-C2'-C1'	6.29	106.53	101.50
1	AA	241	G	N9-C1'-C2'	-6.29	105.08	112.00
1	AA	467	U	N1-C2-O2	6.29	127.20	122.80
1	AA	698	G	N1-C2-N3	-6.29	120.13	123.90
1	AA	833	G	O4'-C1'-N9	6.29	113.23	108.20
1	AA	1308	U	N3-C2-O2	-6.29	117.80	122.20
6	AF	213	VAL	CG1-CB-CG2	6.29	120.96	110.90
25	BA	72	G	C2-N3-C4	6.29	115.05	111.90
26	BB	119	A	O4'-C4'-C3'	6.29	111.13	106.10
26	BB	267	C	N3-C2-O2	-6.29	117.50	121.90
26	BB	1300	G	C8-N9-C4	-6.29	103.89	106.40
26	BB	1510	G	C5-C6-N1	-6.29	108.36	111.50
26	BB	1799	G	C5-C6-N1	-6.29	108.36	111.50
26	BB	2100	G	N1-C2-N2	-6.29	110.54	116.20
26	BB	2371	G	N1-C2-N3	-6.29	120.13	123.90
26	BB	2380	C	C1'-O4'-C4'	6.29	114.93	109.90
1	AA	299	G	O4'-C1'-N9	6.29	113.23	108.20
1	AA	1261	A	C5'-C4'-O4'	6.29	116.64	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	319	G	N7-C8-N9	6.29	116.24	113.10
26	BB	597	G	C5'-C4'-O4'	6.29	116.64	109.10
26	BB	938	G	N3-C4-N9	6.29	129.77	126.00
26	BB	2061	G	C6-N1-C2	6.29	128.87	125.10
26	BB	2586	U	O4'-C1'-N1	6.29	113.23	108.20
26	BB	2600	A	C3'-C2'-C1'	-6.29	96.47	101.50
1	AA	213	G	C3'-C2'-C1'	6.29	106.53	101.50
1	AA	287	U	O4'-C1'-N1	6.29	113.23	108.20
1	AA	921	U	N3-C2-O2	6.29	126.60	122.20
1	AA	1044	A	N3-C4-C5	-6.29	122.40	126.80
1	AA	1224	U	O4'-C1'-N1	6.29	113.23	108.20
1	AA	1237	C	O4'-C1'-N1	6.29	113.23	108.20
1	AA	1354	U	N1-C2-O2	6.29	127.20	122.80
1	AA	1426	G	N9-C1'-C2'	-6.29	105.09	112.00
7	AG	102	TYR	CZ-CE2-CD2	6.29	125.46	119.80
26	BB	448	U	N1-C2-O2	-6.29	118.40	122.80
26	BB	715	A	O4'-C1'-N9	-6.29	103.17	108.20
26	BB	2761	A	O4'-C1'-N9	6.29	113.23	108.20
1	AA	571	U	C5'-C4'-C3'	-6.28	105.94	116.00
1	AA	812	G	C4-C5-N7	6.28	113.31	110.80
25	BA	27	C	C6-N1-C2	-6.28	117.79	120.30
25	BA	29	A	C5-N7-C8	-6.28	100.76	103.90
26	BB	134	G	C8-N9-C4	-6.28	103.89	106.40
26	BB	267	C	C1'-O4'-C4'	6.28	114.93	109.90
26	BB	1025	G	C3'-C2'-C1'	-6.28	96.47	101.50
26	BB	1259	G	N9-C4-C5	6.28	107.91	105.40
26	BB	2799	A	N1-C2-N3	-6.28	126.16	129.30
1	AA	230	G	C4-C5-N7	6.28	113.31	110.80
1	AA	712	A	N9-C4-C5	6.28	108.31	105.80
25	BA	10	G	N7-C8-N9	-6.28	109.96	113.10
25	BA	33	G	C5-C6-N1	6.28	114.64	111.50
26	BB	967	U	N3-C4-O4	-6.28	115.00	119.40
26	BB	1740	G	N7-C8-N9	6.28	116.24	113.10
26	BB	2369	A	C5-C6-N6	-6.28	118.67	123.70
26	BB	2665	A	N9-C4-C5	6.28	108.31	105.80
1	AA	112	G	C4-C5-N7	-6.28	108.29	110.80
1	AA	1051	C	C5'-C4'-O4'	-6.28	101.56	109.10
1	AA	1323	G	C3'-C2'-C1'	-6.28	96.48	101.50
1	AA	1324	A	C5-C6-N1	6.28	120.84	117.70
1	AA	1333	A	C5'-C4'-O4'	6.28	116.64	109.10
25	BA	28	C	N3-C4-N4	6.28	122.40	118.00
25	BA	43	C	N3-C4-C5	-6.28	119.39	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	236	C	N1-C2-O2	6.28	122.67	118.90
26	BB	1187	G	P-O3'-C3'	6.28	127.24	119.70
26	BB	1251	C	O4'-C1'-N1	6.28	113.22	108.20
26	BB	1283	G	O4'-C1'-N9	6.28	113.22	108.20
26	BB	1614	A	O4'-C1'-N9	6.28	113.22	108.20
26	BB	2002	G	C6-N1-C2	-6.28	121.33	125.10
26	BB	2718	G	N1-C6-O6	6.28	123.67	119.90
1	AA	1026	G	O5'-P-OP2	-6.28	100.05	105.70
1	AA	1074	G	N1-C6-O6	6.28	123.67	119.90
26	BB	324	A	C2-N3-C4	6.28	113.74	110.60
26	BB	1391	U	P-O3'-C3'	6.28	127.23	119.70
1	AA	676	A	C3'-C2'-C1'	6.28	106.52	101.50
1	AA	873	A	N7-C8-N9	-6.28	110.66	113.80
1	AA	960	U	O4'-C1'-N1	6.28	113.22	108.20
8	AH	94	PHE	CG-CD1-CE1	-6.28	113.89	120.80
14	AN	12	ARG	NE-CZ-NH2	6.28	123.44	120.30
26	BB	5	A	N1-C2-N3	-6.28	126.16	129.30
26	BB	180	G	C5-C6-N1	6.28	114.64	111.50
26	BB	243	U	O4'-C1'-N1	6.28	113.22	108.20
26	BB	608	A	N9-C1'-C2'	-6.28	105.09	112.00
26	BB	1063	G	C3'-C2'-C1'	-6.28	96.48	101.50
26	BB	1319	C	C5-C6-N1	6.28	124.14	121.00
26	BB	2257	U	C4'-C3'-C2'	-6.28	96.32	102.60
26	BB	2547	A	C3'-C2'-C1'	6.28	106.52	101.50
26	BB	2771	C	C4'-C3'-C2'	-6.28	96.32	102.60
26	BB	2837	A	C4-C5-N7	6.28	113.84	110.70
1	AA	557	G	O4'-C1'-N9	6.28	113.22	108.20
1	AA	1081	A	O5'-C5'-C4'	-6.28	99.78	111.70
1	AA	1092	A	C1'-O4'-C4'	6.28	114.92	109.90
1	AA	1449	C	N1-C2-N3	6.28	123.59	119.20
26	BB	38	A	O4'-C1'-C2'	6.28	113.25	107.60
26	BB	400	G	N3-C2-N2	6.28	124.29	119.90
26	BB	591	U	C5-C4-O4	-6.28	122.14	125.90
26	BB	930	G	C5-N7-C8	-6.28	101.16	104.30
26	BB	1110	G	N9-C4-C5	6.28	107.91	105.40
26	BB	1505	A	N7-C8-N9	6.28	116.94	113.80
26	BB	1709	U	C6-N1-C2	-6.28	117.23	121.00
26	BB	2582	G	C6-C5-N7	-6.28	126.64	130.40
1	AA	1386	G	N3-C4-N9	6.27	129.76	126.00
1	AA	1504	G	N3-C4-N9	6.27	129.76	126.00
26	BB	1390	U	C3'-C2'-C1'	-6.27	96.48	101.50
26	BB	2252	G	P-O3'-C3'	6.27	127.23	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	523	A	C8-N9-C4	-6.27	103.29	105.80
1	AA	748	G	C6-N1-C2	-6.27	121.34	125.10
1	AA	974	A	P-O3'-C3'	6.27	127.23	119.70
1	AA	1092	A	C5-N7-C8	6.27	107.04	103.90
1	AA	1178	G	C8-N9-C4	-6.27	103.89	106.40
1	AA	1470	U	N1-C2-N3	6.27	118.66	114.90
2	AB	24	G	C8-N9-C4	-6.27	103.89	106.40
15	AO	8	ARG	NH1-CZ-NH2	6.27	126.30	119.40
25	BA	62	C	O4'-C1'-C2'	6.27	113.25	107.60
26	BB	607	U	N3-C4-C5	-6.27	110.84	114.60
26	BB	677	A	C4-C5-N7	6.27	113.84	110.70
26	BB	775	G	C1'-O4'-C4'	6.27	114.92	109.90
26	BB	949	G	N3-C4-C5	-6.27	125.46	128.60
1	AA	91	U	C5-C6-N1	-6.27	119.56	122.70
1	AA	1017	U	C5-C4-O4	-6.27	122.14	125.90
25	BA	35	C	O4'-C1'-N1	6.27	113.22	108.20
26	BB	665	U	N3-C4-O4	6.27	123.79	119.40
26	BB	1274	A	O4'-C4'-C3'	6.27	111.12	106.10
26	BB	1657	U	N3-C2-O2	-6.27	117.81	122.20
28	BD	97	ASP	CB-CG-OD2	-6.27	112.66	118.30
1	AA	538	G	C2-N3-C4	6.27	115.03	111.90
3	AC	26	U	P-O3'-C3'	6.27	127.22	119.70
4	AD	22	A	C2'-C3'-O3'	6.27	123.73	113.70
16	AP	22	TYR	CB-CG-CD1	6.27	124.76	121.00
26	BB	48	G	N7-C8-N9	-6.27	109.97	113.10
26	BB	185	G	C2-N3-C4	6.27	115.03	111.90
26	BB	522	A	C5'-C4'-O4'	6.27	116.62	109.10
26	BB	580	U	C5-C4-O4	6.27	129.66	125.90
26	BB	855	G	C5-N7-C8	6.27	107.44	104.30
26	BB	1055	G	N1-C2-N3	-6.27	120.14	123.90
26	BB	1120	G	C5-N7-C8	-6.27	101.17	104.30
26	BB	1580	A	N1-C6-N6	-6.27	114.84	118.60
26	BB	1780	A	O4'-C1'-N9	6.27	113.22	108.20
26	BB	1921	G	C5-C6-O6	-6.27	124.84	128.60
26	BB	2276	G	P-O3'-C3'	6.27	127.22	119.70
26	BB	2731	G	N7-C8-N9	6.27	116.23	113.10
1	AA	497	G	C4'-C3'-O3'	6.27	125.54	113.00
26	BB	362	A	C5'-C4'-C3'	-6.27	105.97	116.00
26	BB	363	G	C5'-C4'-C3'	-6.27	105.97	116.00
26	BB	620	G	O4'-C1'-C2'	-6.27	99.53	105.80
26	BB	761	A	N3-C4-C5	-6.27	122.41	126.80
26	BB	951	C	C2-N3-C4	-6.27	116.77	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1042	G	O4'-C1'-N9	6.27	113.21	108.20
26	BB	1111	A	O4'-C1'-N9	6.27	113.22	108.20
26	BB	2086	U	C4'-C3'-C2'	-6.27	96.33	102.60
26	BB	2369	A	C6-C5-N7	6.27	136.69	132.30
26	BB	2529	G	C2-N3-C4	6.27	115.03	111.90
26	BB	2572	A	C8-N9-C4	-6.27	103.29	105.80
1	AA	431	A	C5-N7-C8	-6.27	100.77	103.90
1	AA	642	A	C2-N3-C4	6.27	113.73	110.60
1	AA	875	U	C6-N1-C2	-6.27	117.24	121.00
1	AA	1146	A	P-O3'-C3'	6.27	127.22	119.70
26	BB	450	G	C3'-C2'-C1'	6.27	106.51	101.50
26	BB	953	G	C5-C6-N1	6.27	114.63	111.50
26	BB	1283	G	N9-C4-C5	6.27	107.91	105.40
26	BB	1625	C	C5'-C4'-O4'	6.27	116.62	109.10
26	BB	2601	C	C2-N3-C4	-6.27	116.77	119.90
1	AA	1490	U	C1'-O4'-C4'	-6.26	104.89	109.90
1	AA	1503	A	C4-C5-N7	-6.26	107.57	110.70
4	AD	71	G	C4-C5-N7	-6.26	108.29	110.80
26	BB	405	U	N1-C2-O2	6.26	127.19	122.80
26	BB	1239	G	N1-C6-O6	6.26	123.66	119.90
26	BB	1626	A	OP1-P-O3'	6.26	118.98	105.20
26	BB	1844	C	C5-C4-N4	6.26	124.58	120.20
26	BB	2279	G	N9-C1'-C2'	-6.26	105.11	112.00
26	BB	2294	G	N9-C4-C5	6.26	107.91	105.40
26	BB	2516	A	N1-C6-N6	6.26	122.36	118.60
26	BB	2612	C	N3-C4-C5	-6.26	119.39	121.90
26	BB	1201	U	C5-C4-O4	-6.26	122.14	125.90
26	BB	1491	G	C4-C5-N7	-6.26	108.30	110.80
26	BB	1811	G	N3-C4-C5	6.26	131.73	128.60
26	BB	1982	U	C1'-O4'-C4'	6.26	114.91	109.90
26	BB	2364	C	N1-C2-O2	6.26	122.66	118.90
26	BB	2382	G	N1-C2-N3	-6.26	120.14	123.90
26	BB	2771	C	C2-N3-C4	-6.26	116.77	119.90
1	AA	40	C	C4-C5-C6	-6.26	114.27	117.40
1	AA	198	G	C6-N1-C2	-6.26	121.34	125.10
1	AA	1184	G	C4'-C3'-C2'	-6.26	96.34	102.60
26	BB	1	G	C4-C5-C6	6.26	122.56	118.80
26	BB	444	C	P-O3'-C3'	6.26	127.21	119.70
26	BB	727	A	O4'-C4'-C3'	6.26	111.11	106.10
26	BB	962	G	N1-C2-N3	6.26	127.66	123.90
26	BB	1889	A	N7-C8-N9	6.26	116.93	113.80
26	BB	2271	G	C4-C5-C6	6.26	122.56	118.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2741	A	C5-C6-N1	6.26	120.83	117.70
26	BB	2759	G	C5-N7-C8	6.26	107.43	104.30
43	BS	2	ARG	NE-CZ-NH2	6.26	123.43	120.30
1	AA	11	G	C6-C5-N7	-6.26	126.64	130.40
1	AA	202	G	O4'-C4'-C3'	6.26	111.11	106.10
1	AA	353	A	N3-C4-C5	-6.26	122.42	126.80
26	BB	186	G	O4'-C4'-C3'	6.26	111.11	106.10
26	BB	307	G	N9-C4-C5	-6.26	102.90	105.40
26	BB	361	G	C4-C5-N7	6.26	113.30	110.80
26	BB	617	G	C1'-O4'-C4'	6.26	114.91	109.90
26	BB	1227	G	C8-N9-C4	-6.26	103.90	106.40
26	BB	1476	U	N1-C2-N3	6.26	118.66	114.90
1	AA	942	G	C3'-C2'-C1'	-6.26	96.49	101.50
4	AD	66	C	C6-N1-C2	6.26	122.80	120.30
26	BB	1363	C	N3-C2-O2	-6.26	117.52	121.90
26	BB	2064	C	C5-C6-N1	6.26	124.13	121.00
33	BI	25	TYR	CB-CG-CD1	-6.26	117.25	121.00
1	AA	161	A	N9-C1'-C2'	-6.26	105.12	112.00
1	AA	192	A	N7-C8-N9	-6.26	110.67	113.80
1	AA	472	U	C6-N1-C2	6.26	124.75	121.00
1	AA	596	A	C6-C5-N7	6.26	136.68	132.30
1	AA	760	G	N3-C4-N9	6.26	129.75	126.00
1	AA	1068	G	C5-N7-C8	-6.26	101.17	104.30
1	AA	1111	A	C1'-O4'-C4'	-6.26	104.89	109.90
1	AA	1523	G	N7-C8-N9	6.26	116.23	113.10
21	AU	7	ARG	NE-CZ-NH1	6.26	123.43	120.30
25	BA	75	G	C2-N3-C4	6.26	115.03	111.90
26	BB	43	G	C2-N3-C4	6.26	115.03	111.90
26	BB	70	G	N9-C4-C5	6.26	107.90	105.40
26	BB	702	U	O4'-C1'-N1	6.26	113.20	108.20
26	BB	840	C	N3-C4-C5	6.26	124.40	121.90
26	BB	1632	A	C4'-C3'-C2'	-6.26	96.34	102.60
26	BB	2093	G	C4-C5-N7	6.26	113.30	110.80
26	BB	2224	G	N1-C2-N2	-6.26	110.57	116.20
30	BF	32	VAL	CG1-CB-CG2	-6.26	100.89	110.90
56	B5	39	ARG	NE-CZ-NH1	-6.26	117.17	120.30
1	AA	1111	A	N1-C2-N3	6.25	132.43	129.30
1	AA	1124	G	C8-N9-C4	-6.25	103.90	106.40
26	BB	292	U	C5-C6-N1	-6.25	119.57	122.70
26	BB	677	A	N7-C8-N9	-6.25	110.67	113.80
26	BB	1587	G	C4-C5-C6	6.25	122.55	118.80
26	BB	1616	A	C4-C5-C6	-6.25	113.87	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1946	U	C4-C5-C6	6.25	123.45	119.70
26	BB	2490	G	C5'-C4'-O4'	6.25	116.61	109.10
28	BD	270	ARG	NH1-CZ-NH2	6.25	126.28	119.40
1	AA	71	A	C5-N7-C8	6.25	107.03	103.90
1	AA	482	A	N9-C1'-C2'	-6.25	105.12	112.00
1	AA	576	C	N1-C1'-C2'	-6.25	105.12	112.00
1	AA	586	C	O4'-C1'-N1	6.25	113.20	108.20
1	AA	667	G	N1-C2-N2	6.25	121.83	116.20
1	AA	1113	C	C2-N3-C4	6.25	123.03	119.90
1	AA	1205	U	C4-C5-C6	6.25	123.45	119.70
1	AA	1380	U	C5-C6-N1	-6.25	119.57	122.70
4	AD	41	C	C6-N1-C2	-6.25	117.80	120.30
26	BB	140	C	C6-N1-C1'	-6.25	113.30	120.80
26	BB	1345	C	N3-C4-N4	6.25	122.38	118.00
26	BB	2370	G	N1-C2-N3	-6.25	120.15	123.90
26	BB	2588	G	N1-C2-N3	-6.25	120.15	123.90
1	AA	184	G	C3'-C2'-C1'	6.25	106.50	101.50
1	AA	481	G	C5-C6-N1	-6.25	108.37	111.50
1	AA	745	G	C5-N7-C8	-6.25	101.17	104.30
6	AF	217	GLU	OE1-CD-OE2	6.25	130.80	123.30
26	BB	189	G	O3'-P-O5'	6.25	115.88	104.00
26	BB	464	U	C4'-C3'-C2'	-6.25	96.35	102.60
26	BB	492	A	P-O3'-C3'	6.25	127.20	119.70
26	BB	664	G	O4'-C4'-C3'	6.25	111.10	106.10
26	BB	1016	G	N3-C4-C5	-6.25	125.47	128.60
26	BB	1385	A	C5-N7-C8	-6.25	100.78	103.90
26	BB	2209	G	C5-C6-O6	6.25	132.35	128.60
26	BB	2236	U	P-O3'-C3'	6.25	127.20	119.70
26	BB	2742	G	C5-C6-O6	6.25	132.35	128.60
26	BB	2887	A	C4-C5-C6	-6.25	113.88	117.00
1	AA	1509	C	C6-N1-C2	-6.25	117.80	120.30
25	BA	50	A	C5-N7-C8	6.25	107.03	103.90
26	BB	534	U	C3'-C2'-C1'	-6.25	96.50	101.50
26	BB	703	U	C6-N1-C2	-6.25	117.25	121.00
26	BB	911	A	C8-N9-C4	-6.25	103.30	105.80
26	BB	1486	U	C2-N3-C4	-6.25	123.25	127.00
26	BB	2618	G	C6-N1-C2	-6.25	121.35	125.10
43	BS	69	ARG	NE-CZ-NH2	6.25	123.42	120.30
1	AA	308	C	C2-N3-C4	6.25	123.02	119.90
1	AA	828	U	C1'-O4'-C4'	-6.25	104.90	109.90
1	AA	833	G	C4'-C3'-C2'	-6.25	96.35	102.60
1	AA	1379	G	C4-N9-C1'	-6.25	118.38	126.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	44	G	C4-C5-C6	6.25	122.55	118.80
26	BB	1182	G	N7-C8-N9	6.25	116.22	113.10
26	BB	1646	C	C3'-C2'-C1'	6.25	106.50	101.50
26	BB	1897	G	N1-C6-O6	6.25	123.65	119.90
26	BB	1949	G	N1-C6-O6	-6.25	116.15	119.90
26	BB	2126	A	O4'-C1'-N9	6.25	113.20	108.20
26	BB	2190	G	O4'-C1'-N9	6.25	113.20	108.20
26	BB	2248	C	N3-C4-N4	6.25	122.37	118.00
26	BB	2284	A	N1-C2-N3	-6.25	126.18	129.30
1	AA	857	C	C2-N3-C4	-6.25	116.78	119.90
1	AA	1144	G	C5-C6-N1	-6.25	108.38	111.50
1	AA	1245	C	O4'-C1'-N1	6.25	113.20	108.20
26	BB	1475	G	N1-C2-N3	6.25	127.65	123.90
1	AA	203	G	C6-C5-N7	-6.25	126.65	130.40
1	AA	844	G	O4'-C1'-C2'	-6.25	99.56	105.80
26	BB	1180	U	P-O3'-C3'	6.25	127.19	119.70
26	BB	1646	C	C1'-O4'-C4'	-6.25	104.90	109.90
26	BB	1987	A	N1-C6-N6	-6.25	114.85	118.60
26	BB	2034	U	N3-C4-C5	6.25	118.35	114.60
26	BB	2867	G	N3-C2-N2	6.25	124.27	119.90
1	AA	414	A	N9-C4-C5	6.24	108.30	105.80
1	AA	964	A	N9-C4-C5	6.24	108.30	105.80
1	AA	989	U	C2-N3-C4	-6.24	123.25	127.00
1	AA	1083	U	C3'-C2'-C1'	6.24	106.50	101.50
1	AA	1408	A	C5-C6-N1	6.24	120.82	117.70
26	BB	580	U	C1'-O4'-C4'	6.24	114.89	109.90
26	BB	674	G	C2-N3-C4	6.24	115.02	111.90
26	BB	881	G	N3-C4-C5	6.24	131.72	128.60
26	BB	1191	G	C5-C6-N1	-6.24	108.38	111.50
26	BB	1394	U	C4'-C3'-C2'	6.24	108.84	102.60
26	BB	2466	C	O4'-C1'-N1	6.24	113.19	108.20
26	BB	2585	U	C1'-O4'-C4'	-6.24	104.91	109.90
26	BB	2862	G	C6-N1-C2	-6.24	121.35	125.10
1	AA	651	C	N1-C2-O2	6.24	122.64	118.90
1	AA	1390	U	N3-C4-C5	-6.24	110.86	114.60
2	AB	11	U	C6-N1-C2	6.24	124.75	121.00
6	AF	168	ARG	NE-CZ-NH2	6.24	123.42	120.30
26	BB	443	A	N1-C6-N6	-6.24	114.86	118.60
26	BB	845	A	C2-N3-C4	-6.24	107.48	110.60
26	BB	1458	U	O4'-C4'-C3'	6.24	111.09	106.10
1	AA	180	U	N3-C4-O4	6.24	123.77	119.40
1	AA	327	A	O4'-C4'-C3'	6.24	111.09	106.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1352	C	C2-N3-C4	6.24	123.02	119.90
1	AA	1395	C	C5'-C4'-C3'	-6.24	106.02	116.00
2	AB	13	C	C4'-C3'-C2'	-6.24	96.36	102.60
16	AP	90	HIS	CA-CB-CG	6.24	124.21	113.60
26	BB	407	G	C5'-C4'-C3'	6.24	125.99	116.00
26	BB	570	G	C5-N7-C8	6.24	107.42	104.30
26	BB	865	C	C3'-C2'-C1'	-6.24	96.51	101.50
26	BB	906	U	C5'-C4'-O4'	6.24	116.59	109.10
26	BB	1888	G	C5'-C4'-O4'	6.24	116.59	109.10
26	BB	1977	A	C2-N3-C4	-6.24	107.48	110.60
26	BB	2315	G	N1-C6-O6	6.24	123.64	119.90
26	BB	2355	G	N7-C8-N9	6.24	116.22	113.10
26	BB	2483	C	C6-N1-C2	-6.24	117.80	120.30
1	AA	107	G	N9-C1'-C2'	-6.24	105.14	112.00
1	AA	262	A	C5-C6-N6	-6.24	118.71	123.70
1	AA	902	G	C2-N3-C4	-6.24	108.78	111.90
1	AA	1246	A	P-O3'-C3'	6.24	127.19	119.70
1	AA	1370	G	C5-C6-N1	6.24	114.62	111.50
26	BB	141	G	N7-C8-N9	6.24	116.22	113.10
26	BB	261	G	N3-C2-N2	-6.24	115.53	119.90
26	BB	729	G	N3-C2-N2	-6.24	115.53	119.90
26	BB	817	C	C1'-O4'-C4'	-6.24	104.91	109.90
26	BB	1096	A	C4-C5-C6	6.24	120.12	117.00
26	BB	1115	G	C2-N3-C4	6.24	115.02	111.90
26	BB	1613	G	N1-C6-O6	-6.24	116.16	119.90
26	BB	1984	G	C6-N1-C2	-6.24	121.36	125.10
26	BB	2571	U	N1-C2-O2	6.24	127.17	122.80
26	BB	2796	U	N3-C4-O4	6.24	123.77	119.40
1	AA	543	U	N3-C2-O2	-6.24	117.83	122.20
1	AA	993	G	C2-N3-C4	6.24	115.02	111.90
1	AA	1400	C	N3-C4-C5	-6.24	119.41	121.90
1	AA	158	G	C5-N7-C8	-6.24	101.18	104.30
1	AA	526	C	N3-C2-O2	-6.24	117.53	121.90
1	AA	923	A	C5'-C4'-O4'	6.24	116.58	109.10
1	AA	1228	C	C4'-C3'-C2'	-6.24	96.36	102.60
4	AD	36	A	C5-C6-N1	6.24	120.82	117.70
25	BA	94	A	N1-C2-N3	-6.24	126.18	129.30
26	BB	1103	A	N9-C1'-C2'	-6.24	105.14	112.00
26	BB	1336	A	C4-C5-C6	-6.24	113.88	117.00
26	BB	1514	G	C1'-O4'-C4'	-6.24	104.91	109.90
26	BB	1575	C	N3-C2-O2	-6.24	117.53	121.90
26	BB	2700	A	N7-C8-N9	6.24	116.92	113.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	257	G	C4-C5-C6	6.23	122.54	118.80
1	AA	613	C	N1-C2-O2	6.23	122.64	118.90
1	AA	1341	U	C2-N3-C4	-6.23	123.26	127.00
4	AD	24	C	C5-C6-N1	6.23	124.12	121.00
26	BB	4	U	C6-N1-C2	6.23	124.74	121.00
26	BB	1117	C	C6-N1-C2	6.23	122.79	120.30
26	BB	1672	A	N1-C2-N3	-6.23	126.18	129.30
26	BB	2122	U	O4'-C1'-N1	6.23	113.19	108.20
1	AA	9	G	C6-N1-C2	-6.23	121.36	125.10
1	AA	545	C	N1-C2-N3	6.23	123.56	119.20
1	AA	711	G	C4-C5-C6	6.23	122.54	118.80
1	AA	1180	A	O4'-C1'-N9	6.23	113.19	108.20
10	AJ	61	PHE	CB-CG-CD2	6.23	125.16	120.80
25	BA	93	C	N3-C4-N4	6.23	122.36	118.00
26	BB	147	C	C4'-C3'-C2'	-6.23	96.37	102.60
26	BB	378	C	C2-N3-C4	6.23	123.02	119.90
26	BB	462	C	N3-C2-O2	-6.23	117.54	121.90
26	BB	662	G	N9-C1'-C2'	-6.23	105.14	112.00
26	BB	1110	G	C8-N9-C4	-6.23	103.91	106.40
26	BB	1341	G	N1-C6-O6	6.23	123.64	119.90
26	BB	1353	A	C5'-C4'-O4'	6.23	116.58	109.10
26	BB	1408	G	N9-C4-C5	6.23	107.89	105.40
26	BB	1565	C	P-O3'-C3'	6.23	127.18	119.70
26	BB	1842	G	N9-C4-C5	6.23	107.89	105.40
26	BB	1867	G	C8-N9-C1'	6.23	135.10	127.00
26	BB	2868	A	C5-N7-C8	-6.23	100.78	103.90
51	B0	19	LEU	CB-CG-CD1	6.23	121.60	111.00
1	AA	29	U	C5'-C4'-O4'	6.23	116.58	109.10
1	AA	115	G	N3-C4-C5	-6.23	125.48	128.60
1	AA	129	A	O4'-C1'-C2'	-6.23	99.57	105.80
1	AA	155	A	N3-C4-N9	-6.23	122.42	127.40
1	AA	620	C	N1-C1'-C2'	-6.23	105.15	112.00
1	AA	963	G	N1-C6-O6	6.23	123.64	119.90
1	AA	1500	A	O4'-C1'-N9	6.23	113.19	108.20
3	AC	40	G	C4-C5-C6	6.23	122.54	118.80
26	BB	58	G	C5-N7-C8	6.23	107.42	104.30
26	BB	141	G	O4'-C1'-N9	6.23	113.19	108.20
26	BB	276	U	C4'-C3'-C2'	-6.23	96.37	102.60
26	BB	354	A	C8-N9-C4	-6.23	103.31	105.80
26	BB	808	G	C2-N3-C4	6.23	115.02	111.90
26	BB	889	C	O4'-C4'-C3'	-6.23	97.77	104.00
26	BB	1050	A	C6-C5-N7	-6.23	127.94	132.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1062	G	N7-C8-N9	6.23	116.22	113.10
26	BB	1639	C	O4'-C4'-C3'	6.23	111.08	106.10
26	BB	1661	G	N3-C4-C5	-6.23	125.48	128.60
26	BB	2117	A	C6-C5-N7	6.23	136.66	132.30
26	BB	2272	U	C2-N1-C1'	-6.23	110.22	117.70
26	BB	2692	G	C6-C5-N7	-6.23	126.66	130.40
26	BB	2749	A	O4'-C4'-C3'	6.23	111.08	106.10
1	AA	765	G	N1-C2-N3	-6.23	120.16	123.90
1	AA	1018	G	N7-C8-N9	6.23	116.21	113.10
1	AA	1196	A	C1'-O4'-C4'	-6.23	104.92	109.90
1	AA	1416	G	C4'-C3'-C2'	-6.23	96.37	102.60
1	AA	1418	A	O4'-C4'-C3'	6.23	111.08	106.10
26	BB	75	G	O4'-C1'-N9	6.23	113.18	108.20
26	BB	522	A	C5-C6-N1	-6.23	114.58	117.70
26	BB	625	G	C1'-O4'-C4'	-6.23	104.92	109.90
26	BB	1702	G	N9-C1'-C2'	-6.23	105.15	112.00
1	AA	50	A	O4'-C1'-N9	6.23	113.18	108.20
1	AA	75	G	C4-C5-N7	-6.23	108.31	110.80
1	AA	694	A	N1-C6-N6	-6.23	114.86	118.60
1	AA	759	A	C2-N3-C4	6.23	113.71	110.60
1	AA	1231	G	C4-C5-C6	6.23	122.54	118.80
2	AB	19	G	C5-N7-C8	6.23	107.41	104.30
26	BB	217	A	C8-N9-C4	-6.23	103.31	105.80
26	BB	261	G	N3-C4-N9	6.23	129.74	126.00
26	BB	604	G	C1'-O4'-C4'	-6.23	104.92	109.90
26	BB	714	U	C2'-C3'-O3'	6.23	123.66	113.70
26	BB	923	G	C8-N9-C4	6.23	108.89	106.40
26	BB	1082	U	O4'-C1'-N1	6.23	113.18	108.20
26	BB	1236	G	C4-C5-C6	6.23	122.54	118.80
26	BB	1526	C	C3'-C2'-C1'	6.23	106.48	101.50
26	BB	1553	A	N7-C8-N9	-6.23	110.69	113.80
26	BB	1695	G	C4-C5-N7	-6.23	108.31	110.80
26	BB	2563	U	C1'-O4'-C4'	-6.23	104.92	109.90
26	BB	2702	G	C5'-C4'-O4'	6.23	116.57	109.10
26	BB	2875	C	O4'-C4'-C3'	6.23	111.08	106.10
26	BB	792	A	P-O3'-C3'	6.23	127.17	119.70
26	BB	1136	G	C8-N9-C4	-6.23	103.91	106.40
26	BB	1591	A	N9-C4-C5	-6.23	103.31	105.80
26	BB	2751	G	N9-C1'-C2'	6.23	122.09	114.00
1	AA	84	U	C3'-C2'-C1'	6.22	106.48	101.50
1	AA	402	G	C4-C5-C6	6.22	122.53	118.80
1	AA	886	G	N9-C1'-C2'	-6.22	105.15	112.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	991	U	N3-C4-C5	-6.22	110.86	114.60
1	AA	1415	G	C4-C5-N7	-6.22	108.31	110.80
1	AA	1432	G	C8-N9-C4	-6.22	103.91	106.40
1	AA	1502	A	C5-N7-C8	-6.22	100.79	103.90
25	BA	42	C	O4'-C1'-N1	6.22	113.18	108.20
26	BB	488	G	N3-C4-N9	-6.22	122.27	126.00
26	BB	1127	A	N1-C2-N3	-6.22	126.19	129.30
26	BB	1410	G	C4-C5-N7	-6.22	108.31	110.80
26	BB	1632	A	C5-N7-C8	-6.22	100.79	103.90
26	BB	1730	C	C5-C4-N4	6.22	124.56	120.20
26	BB	2329	U	C2-N3-C4	-6.22	123.27	127.00
1	AA	644	U	C6-N1-C2	-6.22	117.27	121.00
1	AA	687	A	C5-N7-C8	6.22	107.01	103.90
1	AA	1474	U	N1-C2-O2	-6.22	118.44	122.80
26	BB	36	G	C5'-C4'-O4'	6.22	116.57	109.10
26	BB	199	A	N7-C8-N9	6.22	116.91	113.80
26	BB	734	A	N9-C4-C5	6.22	108.29	105.80
26	BB	760	G	N9-C4-C5	6.22	107.89	105.40
26	BB	841	G	C2-N3-C4	6.22	115.01	111.90
26	BB	1195	G	C4'-C3'-C2'	-6.22	96.38	102.60
26	BB	1220	G	N3-C4-C5	-6.22	125.49	128.60
26	BB	1464	G	C3'-C2'-C1'	-6.22	96.52	101.50
26	BB	2570	G	C1'-O4'-C4'	-6.22	104.92	109.90
26	BB	2898	U	C5'-C4'-C3'	-6.22	106.04	116.00
30	BF	113	VAL	CA-CB-CG1	6.22	120.23	110.90
41	BQ	36	TYR	CG-CD2-CE2	6.22	126.28	121.30
1	AA	357	G	C5'-C4'-O4'	6.22	116.56	109.10
1	AA	498	A	O5'-P-OP2	-6.22	100.10	105.70
1	AA	502	A	C5-C6-N6	-6.22	118.72	123.70
26	BB	1097	U	N3-C2-O2	-6.22	117.85	122.20
26	BB	1450	G	N9-C1'-C2'	-6.22	105.16	112.00
26	BB	1711	A	C5-C6-N1	6.22	120.81	117.70
26	BB	1780	A	C2-N3-C4	6.22	113.71	110.60
44	BT	21	ARG	NE-CZ-NH1	6.22	123.41	120.30
47	BW	21	ARG	NE-CZ-NH2	-6.22	117.19	120.30
1	AA	50	A	C4'-C3'-C2'	-6.22	96.38	102.60
1	AA	1397	C	C5-C4-N4	6.22	124.55	120.20
26	BB	310	A	O4'-C1'-C2'	-6.22	99.58	105.80
26	BB	436	C	C5-C6-N1	6.22	124.11	121.00
26	BB	757	G	N3-C2-N2	-6.22	115.55	119.90
26	BB	1130	U	C5'-C4'-O4'	6.22	116.56	109.10
26	BB	1331	G	P-O3'-C3'	6.22	127.16	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1343	G	N1-C2-N2	6.22	121.80	116.20
26	BB	1529	G	C2-N3-C4	6.22	115.01	111.90
26	BB	1587	G	C4-C5-N7	-6.22	108.31	110.80
26	BB	1934	C	C4'-C3'-C2'	-6.22	96.38	102.60
26	BB	2383	G	N9-C4-C5	6.22	107.89	105.40
26	BB	2886	A	C8-N9-C4	-6.22	103.31	105.80
1	AA	22	G	C1'-O4'-C4'	-6.22	104.92	109.90
26	BB	2216	G	N1-C2-N3	6.22	127.63	123.90
26	BB	2316	G	C5'-C4'-O4'	6.22	116.56	109.10
26	BB	2881	U	C5-C4-O4	6.22	129.63	125.90
1	AA	534	U	C5-C6-N1	6.22	125.81	122.70
4	AD	67	C	C4-C5-C6	6.22	120.51	117.40
26	BB	259	G	C6-N1-C2	-6.22	121.37	125.10
26	BB	629	G	O4'-C1'-N9	6.22	113.17	108.20
26	BB	775	G	C4-C5-C6	6.22	122.53	118.80
26	BB	999	U	C4-C5-C6	6.22	123.43	119.70
26	BB	1007	C	C6-N1-C1'	6.22	128.26	120.80
26	BB	1368	G	C3'-C2'-C1'	6.22	106.47	101.50
26	BB	1555	G	O4'-C4'-C3'	6.22	111.07	106.10
26	BB	2511	U	C3'-C2'-C1'	6.22	106.47	101.50
26	BB	2655	G	N9-C4-C5	6.22	107.89	105.40
26	BB	2820	A	N9-C4-C5	6.22	108.29	105.80
1	AA	894	G	C6-N1-C2	-6.21	121.37	125.10
1	AA	1269	A	O4'-C1'-C2'	6.21	113.19	107.60
1	AA	1273	C	C5-C6-N1	6.21	124.11	121.00
9	AI	18	VAL	CG1-CB-CG2	-6.21	100.96	110.90
26	BB	821	A	N1-C6-N6	-6.21	114.87	118.60
26	BB	1168	G	N9-C4-C5	6.21	107.89	105.40
1	AA	14	U	N3-C4-O4	6.21	123.75	119.40
1	AA	1069	C	N3-C4-C5	6.21	124.39	121.90
26	BB	733	G	C4'-C3'-C2'	-6.21	96.39	102.60
26	BB	2352	A	N9-C4-C5	6.21	108.28	105.80
26	BB	2381	A	N9-C4-C5	-6.21	103.31	105.80
26	BB	2750	A	C4-C5-C6	6.21	120.11	117.00
26	BB	2812	G	N9-C4-C5	6.21	107.89	105.40
1	AA	186	C	N3-C2-O2	-6.21	117.55	121.90
1	AA	221	C	C5-C4-N4	-6.21	115.85	120.20
1	AA	354	G	C8-N9-C4	-6.21	103.92	106.40
1	AA	381	C	N3-C4-C5	-6.21	119.42	121.90
2	AB	4	G	N9-C4-C5	6.21	107.89	105.40
7	AG	71	PHE	CB-CG-CD2	-6.21	116.45	120.80
26	BB	232	G	C4'-C3'-C2'	6.21	108.81	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	916	G	C5-C6-N1	-6.21	108.39	111.50
26	BB	1000	A	C5-N7-C8	-6.21	100.79	103.90
26	BB	1057	A	C5'-C4'-C3'	-6.21	106.06	116.00
26	BB	1369	G	C1'-O4'-C4'	6.21	114.87	109.90
26	BB	1867	G	C4-C5-C6	6.21	122.53	118.80
26	BB	2130	U	N3-C4-C5	-6.21	110.87	114.60
1	AA	260	G	C5-C6-N1	6.21	114.61	111.50
1	AA	1277	C	N3-C2-O2	-6.21	117.55	121.90
26	BB	416	U	N1-C2-N3	6.21	118.63	114.90
26	BB	1422	G	C6-C5-N7	-6.21	126.67	130.40
26	BB	2621	G	C1'-O4'-C4'	-6.21	104.93	109.90
1	AA	402	G	C4'-C3'-C2'	-6.21	96.39	102.60
1	AA	529	G	O4'-C4'-C3'	6.21	111.07	106.10
1	AA	1294	G	N7-C8-N9	6.21	116.20	113.10
1	AA	1523	G	C8-N9-C4	-6.21	103.92	106.40
26	BB	1613	G	C5-C6-N1	6.21	114.60	111.50
26	BB	1884	G	C3'-C2'-C1'	6.21	106.47	101.50
26	BB	2091	C	N3-C2-O2	-6.21	117.55	121.90
26	BB	2164	C	C5'-C4'-O4'	6.21	116.55	109.10
26	BB	2293	G	C4-C5-N7	-6.21	108.32	110.80
26	BB	2722	G	N3-C2-N2	-6.21	115.55	119.90
1	AA	108	G	C6-C5-N7	-6.21	126.68	130.40
1	AA	432	A	C6-C5-N7	6.21	136.64	132.30
1	AA	445	G	C5-N7-C8	-6.21	101.20	104.30
1	AA	726	C	C5-C4-N4	-6.21	115.86	120.20
1	AA	750	C	P-O3'-C3'	6.21	127.15	119.70
1	AA	927	G	O4'-C1'-N9	6.21	113.17	108.20
1	AA	969	A	N1-C2-N3	-6.21	126.20	129.30
1	AA	1031	C	N3-C2-O2	6.21	126.24	121.90
1	AA	1196	A	P-O3'-C3'	6.21	127.15	119.70
1	AA	1537	U	N1-C2-N3	6.21	118.62	114.90
4	AD	37	U	C6-N1-C2	6.21	124.72	121.00
21	AU	11	ARG	NE-CZ-NH2	6.21	123.40	120.30
26	BB	405	U	O4'-C1'-N1	6.21	113.17	108.20
26	BB	512	G	N9-C4-C5	6.21	107.88	105.40
26	BB	662	G	C6-N1-C2	-6.21	121.38	125.10
26	BB	1016	G	C1'-O4'-C4'	-6.21	104.93	109.90
26	BB	1141	U	C5-C4-O4	6.21	129.62	125.90
26	BB	1445	G	N1-C6-O6	-6.21	116.18	119.90
26	BB	1537	G	C6-N1-C2	-6.21	121.38	125.10
26	BB	1786	A	C6-C5-N7	-6.21	127.96	132.30
26	BB	1799	G	N3-C4-N9	-6.21	122.28	126.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1991	U	C5'-C4'-O4'	6.21	116.55	109.10
26	BB	2323	G	C6-N1-C2	-6.21	121.38	125.10
26	BB	2346	A	C5'-C4'-O4'	6.21	116.55	109.10
26	BB	2722	G	C5'-C4'-C3'	-6.21	106.07	116.00
1	AA	1336	C	N1-C2-O2	6.21	122.62	118.90
26	BB	458	G	O4'-C1'-N9	6.21	113.16	108.20
36	BL	13	ARG	NE-CZ-NH1	-6.21	117.20	120.30
57	B6	48	MET	CB-CA-C	6.21	122.81	110.40
1	AA	325	A	N1-C2-N3	-6.20	126.20	129.30
1	AA	526	C	O4'-C1'-N1	6.20	113.16	108.20
1	AA	733	G	O3'-P-O5'	-6.20	92.21	104.00
1	AA	1255	G	C8-N9-C1'	6.20	135.06	127.00
1	AA	1494	G	N3-C4-C5	-6.20	125.50	128.60
2	AB	26	A	P-O3'-C3'	6.20	127.14	119.70
3	AC	34	U	C4-C5-C6	6.20	123.42	119.70
4	AD	50	G	O4'-C4'-C3'	6.20	111.06	106.10
26	BB	590	A	N1-C6-N6	-6.20	114.88	118.60
26	BB	665	U	N1-C2-N3	6.20	118.62	114.90
26	BB	764	A	C5-C6-N6	6.20	128.66	123.70
26	BB	1066	U	C5'-C4'-C3'	-6.20	106.07	116.00
26	BB	1702	G	C6-N1-C2	-6.20	121.38	125.10
26	BB	1734	G	C5'-C4'-O4'	6.20	116.55	109.10
26	BB	1878	G	N3-C4-N9	-6.20	122.28	126.00
26	BB	1888	G	C4-C5-N7	-6.20	108.32	110.80
26	BB	2320	U	C6-N1-C2	-6.20	117.28	121.00
26	BB	2358	A	N9-C1'-C2'	6.20	122.06	114.00
26	BB	2458	G	N3-C4-C5	-6.20	125.50	128.60
52	B1	36	GLU	OE1-CD-OE2	6.20	130.74	123.30
1	AA	656	G	C6-C5-N7	-6.20	126.68	130.40
1	AA	710	G	C6-N1-C2	-6.20	121.38	125.10
1	AA	753	A	C5-C6-N1	6.20	120.80	117.70
1	AA	829	G	N1-C2-N2	6.20	121.78	116.20
1	AA	1128	C	C2-N3-C4	6.20	123.00	119.90
1	AA	1182	G	C5-C6-N1	6.20	114.60	111.50
26	BB	1658	C	O4'-C1'-C2'	-6.20	99.60	105.80
26	BB	2803	G	C4-C5-N7	6.20	113.28	110.80
26	BB	2858	C	C2-N1-C1'	6.20	125.62	118.80
1	AA	124	C	C6-N1-C2	6.20	122.78	120.30
1	AA	201	G	C1'-O4'-C4'	6.20	114.86	109.90
1	AA	351	G	C5'-C4'-O4'	6.20	116.54	109.10
1	AA	941	G	N1-C2-N3	-6.20	120.18	123.90
1	AA	996	A	N1-C6-N6	-6.20	114.88	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1261	A	C4-C5-N7	-6.20	107.60	110.70
2	AB	13	C	C3'-C2'-C1'	6.20	106.46	101.50
2	AB	47	U	O3'-P-O5'	-6.20	92.22	104.00
26	BB	287	G	C5-C6-O6	-6.20	124.88	128.60
26	BB	798	G	C5-C6-O6	6.20	132.32	128.60
26	BB	1735	A	N7-C8-N9	6.20	116.90	113.80
26	BB	2255	G	C5-C6-O6	6.20	132.32	128.60
26	BB	2711	A	C6-N1-C2	6.20	122.32	118.60
1	AA	54	C	C6-N1-C2	6.20	122.78	120.30
1	AA	562	U	C3'-C2'-C1'	6.20	106.46	101.50
1	AA	759	A	P-O3'-C3'	6.20	127.14	119.70
1	AA	1004	A	O4'-C1'-N9	-6.20	103.24	108.20
1	AA	1396	A	C5'-C4'-C3'	6.20	125.92	116.00
1	AA	1488	G	N1-C2-N3	-6.20	120.18	123.90
3	AC	54	U	C4-C5-C6	6.20	123.42	119.70
26	BB	22	C	O4'-C1'-N1	6.20	113.16	108.20
26	BB	60	G	N9-C4-C5	6.20	107.88	105.40
26	BB	857	G	N1-C2-N3	-6.20	120.18	123.90
26	BB	1662	U	P-O3'-C3'	6.20	127.14	119.70
26	BB	1903	G	C4-C5-C6	6.20	122.52	118.80
26	BB	2027	G	O4'-C1'-N9	6.20	113.16	108.20
26	BB	2305	U	N1-C2-O2	-6.20	118.46	122.80
26	BB	1051	G	C4'-C3'-C2'	-6.20	96.40	102.60
26	BB	1149	G	N3-C4-N9	-6.20	122.28	126.00
26	BB	1756	G	C8-N9-C4	-6.20	103.92	106.40
26	BB	1981	A	N1-C2-N3	-6.20	126.20	129.30
26	BB	2387	U	N1-C2-N3	6.20	118.62	114.90
1	AA	141	G	O4'-C4'-C3'	6.20	111.06	106.10
1	AA	584	G	C4-C5-N7	-6.20	108.32	110.80
1	AA	675	A	C4'-C3'-C2'	-6.20	96.40	102.60
1	AA	982	U	N3-C4-C5	-6.20	110.88	114.60
1	AA	1088	G	C3'-C2'-C1'	6.20	106.46	101.50
1	AA	1092	A	C4-C5-C6	-6.20	113.90	117.00
2	AB	68	C	N3-C4-C5	-6.20	119.42	121.90
3	AC	52	U	N3-C4-O4	6.20	123.74	119.40
4	AD	54	G	C4-C5-N7	6.20	113.28	110.80
26	BB	881	G	N3-C4-N9	-6.20	122.28	126.00
26	BB	1013	C	N3-C4-N4	6.20	122.34	118.00
26	BB	1435	G	C5-C6-O6	-6.20	124.88	128.60
26	BB	2631	G	C4-C5-C6	6.20	122.52	118.80
1	AA	125	U	N1-C1'-C2'	-6.19	105.19	112.00
1	AA	213	G	C4-C5-N7	-6.19	108.32	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1303	C	N3-C4-C5	6.19	124.38	121.90
26	BB	1295	C	C5'-C4'-O4'	6.19	116.53	109.10
26	BB	1674	G	C5-C6-O6	6.19	132.32	128.60
26	BB	1697	G	C5-C6-N1	-6.19	108.40	111.50
26	BB	2090	A	C4-C5-C6	6.19	120.10	117.00
30	BF	91	ASP	CB-CG-OD2	-6.19	112.73	118.30
1	AA	353	A	N1-C2-N3	-6.19	126.20	129.30
1	AA	388	G	N3-C4-N9	6.19	129.72	126.00
1	AA	979	C	C3'-C2'-C1'	6.19	106.45	101.50
1	AA	1106	G	C5'-C4'-O4'	6.19	116.53	109.10
1	AA	1267	C	C3'-C2'-C1'	6.19	106.45	101.50
26	BB	175	G	N3-C4-C5	-6.19	125.50	128.60
26	BB	817	C	C4'-C3'-C2'	-6.19	96.41	102.60
26	BB	875	G	N9-C4-C5	6.19	107.88	105.40
26	BB	993	G	C2-N3-C4	6.19	115.00	111.90
26	BB	1603	A	C4-C5-N7	-6.19	107.60	110.70
26	BB	1893	C	C1'-O4'-C4'	6.19	114.85	109.90
26	BB	2598	A	C4-C5-N7	-6.19	107.60	110.70
26	BB	2849	U	N1-C2-O2	6.19	127.14	122.80
45	BU	71	VAL	CA-CB-CG1	6.19	120.19	110.90
1	AA	107	G	C1'-O4'-C4'	-6.19	104.95	109.90
1	AA	131	A	C5'-C4'-O4'	6.19	116.53	109.10
1	AA	661	G	C4-C5-N7	6.19	113.28	110.80
1	AA	680	C	O4'-C4'-C3'	6.19	111.05	106.10
1	AA	1307	U	O4'-C1'-N1	6.19	113.15	108.20
26	BB	84	A	C8-N9-C4	-6.19	103.32	105.80
26	BB	220	G	N3-C4-C5	-6.19	125.50	128.60
26	BB	556	A	C6-C5-N7	-6.19	127.97	132.30
26	BB	923	G	C1'-O4'-C4'	6.19	114.85	109.90
26	BB	2094	A	C8-N9-C4	6.19	108.28	105.80
26	BB	2489	U	O4'-C1'-N1	6.19	113.15	108.20
26	BB	2585	U	O4'-C4'-C3'	6.19	111.05	106.10
1	AA	661	G	N1-C6-O6	6.19	123.61	119.90
1	AA	1099	G	O4'-C1'-N9	6.19	113.15	108.20
26	BB	1786	A	P-O3'-C3'	6.19	127.13	119.70
26	BB	1805	A	C5-C6-N6	-6.19	118.75	123.70
1	AA	244	U	C5-C6-N1	6.19	125.79	122.70
1	AA	496	A	N7-C8-N9	6.19	116.89	113.80
1	AA	931	C	C3'-C2'-C1'	-6.19	96.55	101.50
1	AA	1063	C	N3-C4-N4	6.19	122.33	118.00
1	AA	1344	C	C4-C5-C6	-6.19	114.31	117.40
1	AA	1454	G	C5-N7-C8	-6.19	101.21	104.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	351	C	C3'-C2'-C1'	6.19	106.45	101.50
26	BB	394	C	O4'-C1'-N1	6.19	113.15	108.20
26	BB	737	C	N1-C2-O2	6.19	122.61	118.90
26	BB	1102	C	C6-N1-C2	-6.19	117.83	120.30
26	BB	1281	G	O4'-C1'-N9	6.19	113.15	108.20
26	BB	2083	G	C3'-C2'-C1'	6.19	106.45	101.50
26	BB	2234	G	N3-C4-C5	-6.19	125.51	128.60
26	BB	2802	G	C5-N7-C8	-6.19	101.21	104.30
1	AA	939	G	C5-C6-O6	6.19	132.31	128.60
1	AA	1300	G	N9-C1'-C2'	6.19	122.04	114.00
26	BB	1438	U	O4'-C1'-N1	6.19	113.15	108.20
26	BB	1700	A	C5'-C4'-C3'	-6.19	106.10	116.00
26	BB	2018	G	C4-C5-N7	-6.19	108.33	110.80
1	AA	51	A	P-O3'-C3'	6.18	127.12	119.70
1	AA	117	G	C4-C5-N7	-6.18	108.33	110.80
1	AA	263	A	N1-C2-N3	-6.18	126.21	129.30
1	AA	674	G	O4'-C1'-N9	6.18	113.15	108.20
1	AA	807	A	O4'-C1'-N9	6.18	113.15	108.20
1	AA	855	U	N3-C2-O2	-6.18	117.87	122.20
1	AA	950	U	N1-C2-N3	6.18	118.61	114.90
1	AA	1102	A	N1-C2-N3	-6.18	126.21	129.30
1	AA	1414	U	C6-N1-C2	-6.18	117.29	121.00
1	AA	1476	A	C5-N7-C8	6.18	106.99	103.90
2	AB	34	C	C5-C4-N4	-6.18	115.87	120.20
7	AG	75	TYR	CG-CD1-CE1	-6.18	116.35	121.30
26	BB	216	A	N1-C6-N6	-6.18	114.89	118.60
26	BB	351	C	C5'-C4'-O4'	6.18	116.52	109.10
26	BB	426	C	C3'-C2'-C1'	6.18	106.45	101.50
26	BB	632	A	C4'-C3'-C2'	-6.18	96.42	102.60
26	BB	633	A	C4-C5-C6	-6.18	113.91	117.00
26	BB	1334	G	C4-C5-N7	6.18	113.27	110.80
26	BB	1910	G	N1-C2-N3	-6.18	120.19	123.90
26	BB	2864	G	O4'-C1'-N9	6.18	113.15	108.20
1	AA	299	G	N9-C4-C5	6.18	107.87	105.40
1	AA	465	A	N9-C4-C5	6.18	108.27	105.80
1	AA	1346	A	C6-N1-C2	-6.18	114.89	118.60
2	AB	66	C	C5'-C4'-C3'	-6.18	106.11	116.00
3	AC	35	G	N3-C4-C5	-6.18	125.51	128.60
4	AD	1	C	N3-C2-O2	-6.18	117.57	121.90
4	AD	69	C	C2-N3-C4	6.18	122.99	119.90
7	AG	1	ALA	O-C-N	6.18	132.59	122.70
26	BB	463	G	C4-C5-C6	6.18	122.51	118.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	738	G	N1-C6-O6	-6.18	116.19	119.90
26	BB	862	G	C5-C6-N1	6.18	114.59	111.50
26	BB	2227	A	N3-C4-C5	-6.18	122.47	126.80
1	AA	419	C	C6-N1-C2	-6.18	117.83	120.30
1	AA	791	G	N1-C6-O6	-6.18	116.19	119.90
5	AE	22	TRP	CD1-NE1-CE2	6.18	114.56	109.00
26	BB	335	C	C4'-C3'-C2'	-6.18	96.42	102.60
26	BB	531	C	C6-N1-C2	-6.18	117.83	120.30
26	BB	1477	A	C8-N9-C4	-6.18	103.33	105.80
26	BB	1741	C	C4'-C3'-C2'	-6.18	96.42	102.60
26	BB	1836	C	N1-C1'-C2'	-6.18	105.20	112.00
26	BB	2482	A	O5'-P-OP1	-6.18	100.14	105.70
1	AA	779	C	N3-C4-C5	-6.18	119.43	121.90
1	AA	1188	A	P-O5'-C5'	6.18	130.79	120.90
1	AA	1529	G	C4-N9-C1'	6.18	134.53	126.50
26	BB	347	A	C5'-C4'-O4'	6.18	116.52	109.10
26	BB	374	A	C4'-C3'-C2'	-6.18	96.42	102.60
26	BB	980	A	C4-C5-N7	-6.18	107.61	110.70
26	BB	1408	G	C4-C5-N7	-6.18	108.33	110.80
26	BB	2133	G	C6-C5-N7	-6.18	126.69	130.40
26	BB	2548	U	C2-N1-C1'	6.18	125.12	117.70
26	BB	2876	G	N1-C6-O6	-6.18	116.19	119.90
1	AA	1397	C	C4-C5-C6	-6.18	114.31	117.40
25	BA	101	A	N7-C8-N9	6.18	116.89	113.80
26	BB	1093	G	N1-C2-N2	6.18	121.76	116.20
26	BB	1415	U	C4-C5-C6	6.18	123.41	119.70
26	BB	1820	U	C5-C6-N1	-6.18	119.61	122.70
26	BB	1885	A	C6-N1-C2	6.18	122.31	118.60
26	BB	2107	G	N9-C4-C5	6.18	107.87	105.40
26	BB	2112	G	C5-C6-O6	6.18	132.31	128.60
26	BB	132	G	N3-C4-N9	6.18	129.71	126.00
26	BB	1003	G	C2-N3-C4	-6.18	108.81	111.90
26	BB	1559	U	N3-C4-C5	-6.18	110.89	114.60
26	BB	1641	A	C3'-C2'-C1'	-6.18	96.56	101.50
26	BB	1736	U	N3-C4-O4	-6.18	115.08	119.40
26	BB	2002	G	N3-C4-N9	6.18	129.71	126.00
26	BB	2198	A	C5-C6-N6	-6.18	118.76	123.70
26	BB	2389	G	C8-N9-C4	-6.18	103.93	106.40
26	BB	2490	G	C6-N1-C2	-6.18	121.39	125.10
29	BE	9	VAL	CA-CB-CG1	6.18	120.16	110.90
1	AA	1369	C	C2-N3-C4	6.17	122.99	119.90
1	AA	1373	G	O4'-C1'-N9	6.17	113.14	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	AI	42	TRP	CH2-CZ2-CE2	6.17	123.57	117.40
26	BB	192	C	N3-C2-O2	-6.17	117.58	121.90
26	BB	520	G	N7-C8-N9	6.17	116.19	113.10
26	BB	640	C	O4'-C1'-C2'	6.17	113.16	107.60
26	BB	1293	C	C2'-C3'-O3'	6.17	123.58	113.70
26	BB	1327	A	C2-N3-C4	6.17	113.69	110.60
26	BB	1484	U	C5-C4-O4	-6.17	122.19	125.90
26	BB	1785	A	O5'-P-OP2	-6.17	100.14	105.70
26	BB	1978	A	C1'-O4'-C4'	-6.17	104.96	109.90
26	BB	2148	G	C5-C6-N1	6.17	114.59	111.50
30	BF	167	VAL	CA-CB-CG1	6.17	120.16	110.90
5	AE	7	ASP	CB-CG-OD1	6.17	123.86	118.30
26	BB	1250	G	C8-N9-C1'	6.17	135.03	127.00
26	BB	2041	U	N3-C4-O4	-6.17	115.08	119.40
40	BP	120	GLU	CA-CB-CG	6.17	126.98	113.40
1	AA	25	C	N3-C4-C5	-6.17	119.43	121.90
1	AA	25	C	O4'-C1'-N1	6.17	113.14	108.20
1	AA	128	G	N7-C8-N9	6.17	116.19	113.10
1	AA	1039	G	N1-C6-O6	6.17	123.60	119.90
1	AA	1122	U	C4'-C3'-C2'	-6.17	96.43	102.60
1	AA	1174	G	N3-C4-C5	6.17	131.69	128.60
1	AA	1405	G	P-O3'-C3'	6.17	127.11	119.70
3	AC	34	U	C5-C4-O4	-6.17	122.20	125.90
26	BB	858	G	N9-C4-C5	6.17	107.87	105.40
26	BB	1906	G	N1-C2-N2	6.17	121.75	116.20
26	BB	2354	C	C5'-C4'-O4'	6.17	116.51	109.10
26	BB	2391	G	O5'-C5'-C4'	-6.17	99.98	111.70
37	BM	17	ARG	NE-CZ-NH2	6.17	123.39	120.30
1	AA	942	G	N1-C2-N2	6.17	121.75	116.20
26	BB	1157	G	N3-C2-N2	-6.17	115.58	119.90
26	BB	1850	G	C2-N3-C4	6.17	114.98	111.90
1	AA	135	C	C5'-C4'-O4'	6.17	116.50	109.10
1	AA	466	A	C5-C6-N6	6.17	128.63	123.70
1	AA	628	G	N7-C8-N9	6.17	116.18	113.10
1	AA	1037	C	P-O5'-C5'	6.17	130.77	120.90
1	AA	1397	C	C2-N3-C4	6.17	122.98	119.90
1	AA	1507	A	C5'-C4'-O4'	6.17	116.50	109.10
26	BB	64	A	C6-C5-N7	6.17	136.62	132.30
26	BB	165	A	C6-C5-N7	6.17	136.62	132.30
26	BB	823	C	C5-C4-N4	-6.17	115.88	120.20
26	BB	868	U	C2-N3-C4	-6.17	123.30	127.00
26	BB	1091	G	C4-C5-N7	-6.17	108.33	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1627	G	C2-N3-C4	6.17	114.98	111.90
26	BB	1885	A	O4'-C1'-N9	6.17	113.14	108.20
26	BB	2412	A	C4-C5-N7	-6.17	107.61	110.70
1	AA	441	A	C5-C6-N1	-6.17	114.62	117.70
1	AA	757	U	O4'-C4'-C3'	6.17	111.03	106.10
1	AA	1294	G	C8-N9-C1'	6.17	135.02	127.00
26	BB	191	A	N9-C4-C5	-6.17	103.33	105.80
26	BB	343	C	N3-C2-O2	-6.17	117.58	121.90
26	BB	541	A	C2-N3-C4	-6.17	107.52	110.60
26	BB	665	U	C5-C6-N1	-6.17	119.62	122.70
26	BB	1450	G	O4'-C1'-C2'	6.17	113.15	107.60
26	BB	1913	A	C5-C6-N1	6.17	120.78	117.70
26	BB	1920	C	N3-C4-N4	6.17	122.32	118.00
26	BB	2118	U	O4'-C4'-C3'	6.17	111.03	106.10
27	BC	164	ARG	NE-CZ-NH1	-6.17	117.22	120.30
26	BB	419	U	N3-C2-O2	6.17	126.52	122.20
1	AA	225	C	P-O3'-C3'	6.16	127.10	119.70
1	AA	643	C	N3-C4-N4	6.16	122.31	118.00
1	AA	1229	A	O3'-P-O5'	-6.16	92.29	104.00
26	BB	1054	A	C5'-C4'-C3'	-6.16	106.14	116.00
26	BB	1243	C	N3-C4-N4	6.16	122.31	118.00
26	BB	1588	G	N7-C8-N9	6.16	116.18	113.10
26	BB	1649	G	C5-C6-N1	-6.16	108.42	111.50
26	BB	1776	G	C5-C6-N1	6.16	114.58	111.50
26	BB	2432	A	O4'-C1'-N9	6.16	113.13	108.20
26	BB	2516	A	C5-C6-N6	-6.16	118.77	123.70
26	BB	2616	C	C3'-C2'-C1'	6.16	106.43	101.50
38	BN	123	ARG	NE-CZ-NH2	-6.16	117.22	120.30
1	AA	206	C	N3-C4-C5	-6.16	119.44	121.90
1	AA	425	G	N1-C2-N2	6.16	121.75	116.20
1	AA	1061	G	C6-C5-N7	6.16	134.10	130.40
1	AA	1097	C	C6-N1-C2	-6.16	117.83	120.30
1	AA	1290	G	N3-C2-N2	6.16	124.21	119.90
26	BB	270	A	C4-C5-C6	-6.16	113.92	117.00
26	BB	1296	G	P-O3'-C3'	6.16	127.09	119.70
27	BC	16	ASP	CB-CG-OD1	-6.16	112.75	118.30
1	AA	117	G	N3-C2-N2	6.16	124.21	119.90
1	AA	289	G	N3-C4-C5	-6.16	125.52	128.60
1	AA	1142	G	C4'-C3'-C2'	-6.16	96.44	102.60
1	AA	1257	A	C4'-C3'-C2'	-6.16	96.44	102.60
1	AA	1475	G	N7-C8-N9	-6.16	110.02	113.10
11	AK	51	GLU	OE1-CD-OE2	6.16	130.69	123.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	36	G	N3-C2-N2	6.16	124.21	119.90
26	BB	252	G	N3-C2-N2	6.16	124.21	119.90
26	BB	397	U	N3-C4-C5	-6.16	110.90	114.60
26	BB	791	C	O4'-C1'-N1	6.16	113.13	108.20
26	BB	1190	G	N1-C6-O6	-6.16	116.20	119.90
26	BB	1681	G	O4'-C1'-N9	6.16	113.13	108.20
26	BB	2423	U	O4'-C1'-N1	6.16	113.13	108.20
26	BB	2662	A	C6-N1-C2	6.16	122.30	118.60
39	BO	64	TRP	CD2-CE3-CZ3	6.16	126.81	118.80
1	AA	182	A	O4'-C1'-C2'	-6.16	99.64	105.80
1	AA	306	A	C8-N9-C4	-6.16	103.34	105.80
1	AA	934	C	C4'-C3'-C2'	-6.16	96.44	102.60
1	AA	1014	A	C6-N1-C2	6.16	122.30	118.60
1	AA	1068	G	N7-C8-N9	6.16	116.18	113.10
1	AA	1405	G	C3'-C2'-C1'	-6.16	96.57	101.50
1	AA	1435	G	C5-C6-N1	6.16	114.58	111.50
25	BA	85	G	C6-N1-C2	-6.16	121.41	125.10
26	BB	194	G	C8-N9-C1'	6.16	135.00	127.00
26	BB	936	A	C5'-C4'-O4'	6.16	116.49	109.10
26	BB	1283	G	N1-C2-N3	-6.16	120.20	123.90
26	BB	2259	U	C4'-C3'-C2'	6.16	108.76	102.60
26	BB	2333	A	C8-N9-C4	6.16	108.26	105.80
26	BB	2380	C	O4'-C1'-C2'	-6.16	99.64	105.80
26	BB	2856	A	C4-C5-N7	-6.16	107.62	110.70
1	AA	954	G	C5-C6-O6	-6.16	124.91	128.60
1	AA	1072	G	N9-C4-C5	6.16	107.86	105.40
26	BB	709	U	O4'-C1'-N1	6.16	113.12	108.20
26	BB	722	A	N7-C8-N9	6.16	116.88	113.80
26	BB	1031	G	C5'-C4'-O4'	6.16	116.49	109.10
26	BB	1197	G	N1-C6-O6	6.16	123.59	119.90
26	BB	1623	G	N9-C4-C5	6.16	107.86	105.40
26	BB	1763	G	C5-N7-C8	6.16	107.38	104.30
26	BB	1964	G	O4'-C1'-N9	6.16	113.12	108.20
26	BB	2346	A	C4-C5-C6	6.16	120.08	117.00
1	AA	145	G	C5-C6-O6	-6.16	124.91	128.60
1	AA	605	U	N3-C2-O2	-6.16	117.89	122.20
1	AA	830	G	C1'-O4'-C4'	6.16	114.82	109.90
1	AA	1413	A	N1-C6-N6	6.16	122.29	118.60
1	AA	1507	A	O4'-C1'-N9	6.16	113.12	108.20
15	AO	108	ASP	CB-CG-OD2	6.16	123.84	118.30
26	BB	663	G	C8-N9-C4	-6.16	103.94	106.40
26	BB	944	C	C4-C5-C6	6.16	120.48	117.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1170	C	N3-C4-N4	6.16	122.31	118.00
26	BB	1359	A	C6-N1-C2	6.16	122.29	118.60
26	BB	1401	G	C5'-C4'-O4'	6.16	116.49	109.10
26	BB	1425	G	O4'-C1'-N9	6.16	113.12	108.20
26	BB	1948	G	N1-C2-N3	-6.16	120.21	123.90
26	BB	2544	G	C5-N7-C8	-6.16	101.22	104.30
26	BB	2737	G	C5-C6-N1	6.16	114.58	111.50
1	AA	807	A	N9-C4-C5	-6.15	103.34	105.80
26	BB	79	C	C4'-C3'-C2'	-6.15	96.45	102.60
26	BB	1222	U	N1-C2-N3	6.15	118.59	114.90
26	BB	1833	C	N1-C1'-C2'	-6.15	105.23	112.00
26	BB	2258	C	C1'-O4'-C4'	6.15	114.82	109.90
26	BB	2397	G	C2-N3-C4	6.15	114.98	111.90
26	BB	2791	G	C5-N7-C8	6.15	107.38	104.30
39	BO	50	ARG	NE-CZ-NH1	6.15	123.38	120.30
1	AA	49	U	C5'-C4'-O4'	6.15	116.48	109.10
1	AA	85	U	P-O3'-C3'	6.15	127.08	119.70
1	AA	359	G	N3-C4-C5	-6.15	125.52	128.60
1	AA	486	U	N1-C2-O2	6.15	127.11	122.80
1	AA	876	C	C5-C4-N4	6.15	124.51	120.20
1	AA	1081	A	C4-C5-N7	6.15	113.78	110.70
2	AB	9	A	C4-C5-C6	-6.15	113.92	117.00
5	AE	237	VAL	CA-CB-CG1	6.15	120.13	110.90
25	BA	79	G	N3-C4-C5	-6.15	125.52	128.60
26	BB	494	G	C5-C6-O6	-6.15	124.91	128.60
26	BB	698	C	C5'-C4'-O4'	6.15	116.48	109.10
26	BB	1234	U	O4'-C1'-N1	6.15	113.12	108.20
26	BB	1608	A	N3-C4-N9	-6.15	122.48	127.40
26	BB	2061	G	N9-C4-C5	6.15	107.86	105.40
26	BB	2362	C	C5'-C4'-O4'	6.15	116.48	109.10
26	BB	2559	C	C4'-C3'-C2'	-6.15	96.45	102.60
26	BB	2590	A	N1-C6-N6	-6.15	114.91	118.60
29	BE	169	ARG	NE-CZ-NH2	6.15	123.38	120.30
37	BM	63	VAL	CG1-CB-CG2	6.15	120.75	110.90
1	AA	204	G	N3-C4-C5	-6.15	125.52	128.60
1	AA	529	G	N1-C6-O6	6.15	123.59	119.90
1	AA	912	C	C3'-C2'-C1'	-6.15	96.58	101.50
1	AA	1279	G	C2-N3-C4	6.15	114.97	111.90
1	AA	1385	G	C6-N1-C2	-6.15	121.41	125.10
2	AB	75	C	C3'-C2'-C1'	6.15	106.42	101.50
26	BB	201	C	C5-C4-N4	-6.15	115.89	120.20
26	BB	503	A	C4'-C3'-C2'	-6.15	96.45	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	648	G	C4'-C3'-C2'	-6.15	96.45	102.60
26	BB	811	U	C6-N1-C2	-6.15	117.31	121.00
26	BB	939	G	N1-C6-O6	-6.15	116.21	119.90
26	BB	1721	G	N1-C6-O6	-6.15	116.21	119.90
26	BB	1972	G	C3'-C2'-C1'	-6.15	96.58	101.50
26	BB	2380	C	N1-C2-O2	6.15	122.59	118.90
26	BB	2485	G	C3'-C2'-C1'	6.15	106.42	101.50
26	BB	2607	G	C5-N7-C8	-6.15	101.22	104.30
26	BB	2708	G	N3-C2-N2	-6.15	115.59	119.90
26	BB	2788	C	O4'-C1'-N1	6.15	113.12	108.20
26	BB	2835	A	C8-N9-C4	6.15	108.26	105.80
1	AA	135	C	C4-C5-C6	6.15	120.47	117.40
1	AA	418	C	N1-C2-O2	6.15	122.59	118.90
1	AA	1132	C	C5-C6-N1	-6.15	117.92	121.00
26	BB	615	U	N3-C2-O2	-6.15	117.90	122.20
26	BB	719	C	O4'-C1'-C2'	-6.15	99.65	105.80
26	BB	949	G	N3-C4-N9	6.15	129.69	126.00
26	BB	1344	U	N1-C2-O2	6.15	127.10	122.80
26	BB	2173	A	C5-C6-N6	-6.15	118.78	123.70
26	BB	2439	A	C3'-C2'-C1'	-6.15	96.58	101.50
26	BB	2704	C	C3'-C2'-C1'	6.15	106.42	101.50
1	AA	145	G	C5-N7-C8	-6.15	101.23	104.30
1	AA	953	G	C5-C6-O6	-6.15	124.91	128.60
1	AA	1120	C	C5-C6-N1	-6.15	117.93	121.00
26	BB	42	A	C5'-C4'-O4'	6.15	116.48	109.10
26	BB	169	G	O4'-C1'-N9	6.15	113.12	108.20
26	BB	411	G	N3-C4-C5	6.15	131.67	128.60
26	BB	779	U	C4'-C3'-C2'	-6.15	96.45	102.60
26	BB	864	G	C4-C5-C6	6.15	122.49	118.80
26	BB	877	A	C8-N9-C4	-6.15	103.34	105.80
26	BB	927	A	C5-N7-C8	6.15	106.97	103.90
26	BB	1080	A	C1'-O4'-C4'	6.15	114.82	109.90
26	BB	1339	G	C6-N1-C2	6.15	128.79	125.10
26	BB	1407	G	N9-C4-C5	6.15	107.86	105.40
26	BB	1689	A	C5-N7-C8	-6.15	100.83	103.90
26	BB	1765	U	N1-C2-N3	6.15	118.59	114.90
26	BB	2019	A	N1-C6-N6	6.15	122.29	118.60
26	BB	2155	U	C4'-C3'-C2'	-6.15	96.45	102.60
26	BB	2302	U	C5-C6-N1	-6.15	119.63	122.70
26	BB	2322	A	C5-C6-N6	-6.15	118.78	123.70
1	AA	288	A	C5-N7-C8	-6.15	100.83	103.90
1	AA	340	U	C2-N3-C4	-6.15	123.31	127.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	638	U	C6-N1-C2	-6.15	117.31	121.00
1	AA	699	C	C4-C5-C6	-6.15	114.33	117.40
26	BB	577	G	C2-N3-C4	6.15	114.97	111.90
26	BB	2102	G	C5'-C4'-O4'	6.15	116.47	109.10
26	BB	2668	G	C2-N3-C4	-6.15	108.83	111.90
1	AA	75	G	C5-C6-N1	6.14	114.57	111.50
1	AA	158	G	C6-N1-C2	-6.14	121.41	125.10
3	AC	15	G	C8-N9-C4	-6.14	103.94	106.40
4	AD	64	G	N3-C4-N9	-6.14	122.31	126.00
26	BB	56	A	N1-C2-N3	-6.14	126.23	129.30
26	BB	58	G	C6-N1-C2	-6.14	121.41	125.10
26	BB	647	G	C5-C6-O6	-6.14	124.91	128.60
26	BB	1047	G	P-O3'-C3'	6.14	127.07	119.70
26	BB	1570	A	C3'-C2'-C1'	6.14	106.42	101.50
26	BB	1703	G	C5-C6-N1	6.14	114.57	111.50
26	BB	2048	G	C6-N1-C2	-6.14	121.41	125.10
26	BB	2200	C	C5-C6-N1	6.14	124.07	121.00
26	BB	2434	A	C2-N3-C4	6.14	113.67	110.60
26	BB	2810	A	C8-N9-C4	-6.14	103.34	105.80
28	BD	173	LEU	CB-CG-CD1	6.14	121.45	111.00
1	AA	1395	C	C4'-C3'-C2'	-6.14	96.46	102.60
1	AA	1501	C	C3'-C2'-C1'	6.14	106.41	101.50
26	BB	462	C	N3-C4-C5	6.14	124.36	121.90
26	BB	483	A	N1-C2-N3	6.14	132.37	129.30
26	BB	1802	A	N1-C2-N3	6.14	132.37	129.30
26	BB	2156	G	N9-C1'-C2'	-6.14	105.24	112.00
26	BB	2187	U	P-O3'-C3'	6.14	127.07	119.70
26	BB	2223	G	C5'-C4'-C3'	6.14	125.83	116.00
26	BB	2528	U	P-O3'-C3'	6.14	127.07	119.70
26	BB	2623	G	O5'-C5'-C4'	6.14	123.37	111.70
1	AA	65	A	C4-C5-N7	-6.14	107.63	110.70
1	AA	858	G	N3-C2-N2	6.14	124.20	119.90
1	AA	1124	G	C1'-O4'-C4'	-6.14	104.99	109.90
26	BB	833	A	N1-C6-N6	-6.14	114.92	118.60
26	BB	1705	A	P-O3'-C3'	6.14	127.07	119.70
1	AA	235	C	C3'-C2'-C1'	-6.14	96.59	101.50
1	AA	236	A	C5'-C4'-O4'	6.14	116.47	109.10
4	AD	24	C	O4'-C1'-N1	6.14	113.11	108.20
26	BB	205	G	C1'-O4'-C4'	6.14	114.81	109.90
26	BB	341	C	O4'-C4'-C3'	6.14	111.01	106.10
26	BB	381	G	P-O3'-C3'	6.14	127.07	119.70
26	BB	2004	G	C6-C5-N7	-6.14	126.72	130.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2685	G	N1-C2-N2	6.14	121.72	116.20
26	BB	2808	G	P-O3'-C3'	6.14	127.07	119.70
1	AA	694	A	C4-C5-N7	-6.14	107.63	110.70
1	AA	1086	U	C2-N3-C4	-6.14	123.32	127.00
4	AD	32	G	C8-N9-C4	6.14	108.86	106.40
26	BB	309	A	C5'-C4'-O4'	6.14	116.47	109.10
26	BB	986	C	N3-C2-O2	-6.14	117.60	121.90
26	BB	1220	G	N3-C4-N9	6.14	129.68	126.00
26	BB	1677	A	C5-C6-N1	-6.14	114.63	117.70
26	BB	1716	U	N3-C4-C5	-6.14	110.92	114.60
26	BB	2225	A	C5'-C4'-O4'	6.14	116.47	109.10
36	BL	75	TYR	CB-CG-CD2	-6.14	117.32	121.00
1	AA	152	A	C4-C5-N7	-6.14	107.63	110.70
1	AA	490	C	N3-C2-O2	6.14	126.19	121.90
1	AA	607	A	N9-C4-C5	6.14	108.25	105.80
26	BB	446	G	C5-C6-N1	-6.14	108.43	111.50
26	BB	698	C	C4-C5-C6	-6.14	114.33	117.40
26	BB	817	C	O4'-C1'-N1	6.14	113.11	108.20
26	BB	1155	A	C5-C6-N1	6.14	120.77	117.70
26	BB	1420	A	C5-C6-N6	-6.14	118.79	123.70
26	BB	1681	G	C8-N9-C4	6.14	108.86	106.40
26	BB	1995	U	N3-C4-O4	6.14	123.69	119.40
26	BB	2114	A	C5-C6-N6	6.14	128.61	123.70
26	BB	2117	A	C2-N3-C4	-6.14	107.53	110.60
1	AA	309	A	C1'-O4'-C4'	-6.13	104.99	109.90
1	AA	893	C	C4-C5-C6	6.13	120.47	117.40
1	AA	1145	A	C2-N3-C4	6.13	113.67	110.60
1	AA	1177	G	O4'-C1'-N9	6.13	113.11	108.20
1	AA	1326	U	N3-C2-O2	-6.13	117.91	122.20
25	BA	13	G	O4'-C1'-N9	6.13	113.11	108.20
26	BB	107	G	C6-C5-N7	-6.13	126.72	130.40
26	BB	819	A	P-O3'-C3'	6.13	127.06	119.70
26	BB	967	U	O4'-C1'-N1	6.13	113.11	108.20
26	BB	1175	A	N9-C1'-C2'	-6.13	105.25	112.00
26	BB	1202	G	C4-C5-N7	-6.13	108.35	110.80
26	BB	1590	A	N1-C2-N3	-6.13	126.23	129.30
26	BB	1665	A	C5-C6-N1	-6.13	114.63	117.70
26	BB	1919	A	N7-C8-N9	-6.13	110.73	113.80
26	BB	2443	C	C6-N1-C2	-6.13	117.85	120.30
26	BB	2664	G	N3-C2-N2	-6.13	115.61	119.90
1	AA	1030	U	N1-C2-O2	6.13	127.09	122.80
26	BB	155	A	O4'-C1'-N9	6.13	113.11	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	679	C	N3-C2-O2	-6.13	117.61	121.90
26	BB	731	C	O4'-C4'-C3'	6.13	111.01	106.10
26	BB	1154	G	O4'-C1'-N9	6.13	113.11	108.20
26	BB	2749	A	C2-N3-C4	6.13	113.67	110.60
37	BM	113	MET	CA-CB-CG	-6.13	102.87	113.30
1	AA	234	C	C5'-C4'-O4'	6.13	116.46	109.10
1	AA	683	G	O4'-C1'-N9	6.13	113.11	108.20
1	AA	1278	G	N7-C8-N9	6.13	116.17	113.10
2	AB	22	G	C5-C6-O6	-6.13	124.92	128.60
3	AC	23	C	C2-N1-C1'	-6.13	112.06	118.80
5	AE	22	TRP	NE1-CE2-CZ2	6.13	137.15	130.40
9	AI	26	THR	CA-CB-CG2	-6.13	103.82	112.40
25	BA	84	G	C5-C6-N1	6.13	114.57	111.50
26	BB	984	A	C5-N7-C8	6.13	106.97	103.90
26	BB	1056	G	N1-C2-N3	-6.13	120.22	123.90
26	BB	1274	A	C5'-C4'-C3'	-6.13	106.19	116.00
26	BB	1584	U	N3-C2-O2	-6.13	117.91	122.20
26	BB	1986	C	C5-C6-N1	6.13	124.07	121.00
26	BB	2456	C	N3-C4-C5	-6.13	119.45	121.90
1	AA	56	U	N3-C2-O2	6.13	126.49	122.20
1	AA	479	U	C2-N3-C4	6.13	130.68	127.00
1	AA	754	C	C5-C4-N4	6.13	124.49	120.20
1	AA	1531	A	N3-C4-C5	-6.13	122.51	126.80
26	BB	612	G	C5-N7-C8	6.13	107.36	104.30
26	BB	835	C	N1-C1'-C2'	-6.13	105.26	112.00
1	AA	172	A	C8-N9-C4	-6.13	103.35	105.80
1	AA	185	U	C5-C4-O4	-6.13	122.22	125.90
1	AA	1325	C	N1-C2-N3	6.13	123.49	119.20
1	AA	1539	C	O4'-C1'-N1	6.13	113.10	108.20
2	AB	3	G	C1'-O4'-C4'	6.13	114.80	109.90
4	AD	68	C	C4-C5-C6	6.13	120.46	117.40
26	BB	844	A	C5-C6-N1	-6.13	114.64	117.70
26	BB	1154	G	C2-N3-C4	6.13	114.96	111.90
26	BB	1495	A	N7-C8-N9	6.13	116.86	113.80
26	BB	1798	U	N3-C4-O4	6.13	123.69	119.40
1	AA	443	C	C6-N1-C2	-6.13	117.85	120.30
1	AA	1040	U	C5'-C4'-O4'	6.13	116.45	109.10
2	AB	48	U	C5-C6-N1	-6.13	119.64	122.70
26	BB	974	G	C1'-O4'-C4'	-6.13	105.00	109.90
26	BB	1322	A	C3'-C2'-C1'	-6.13	96.60	101.50
26	BB	1428	C	N3-C4-N4	6.13	122.29	118.00
26	BB	1944	U	N3-C4-O4	6.13	123.69	119.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2104	C	P-O3'-C3'	6.13	127.05	119.70
26	BB	2715	C	C5'-C4'-C3'	-6.13	106.20	116.00
1	AA	231	U	C5'-C4'-O4'	6.12	116.45	109.10
1	AA	1272	G	O4'-C4'-C3'	6.12	111.00	106.10
26	BB	1416	G	N9-C4-C5	6.12	107.85	105.40
26	BB	2041	U	P-O5'-C5'	6.12	130.70	120.90
1	AA	182	A	C5-N7-C8	-6.12	100.84	103.90
1	AA	410	G	C8-N9-C4	-6.12	103.95	106.40
1	AA	581	G	C4-N9-C1'	-6.12	118.54	126.50
26	BB	103	A	C4-C5-C6	-6.12	113.94	117.00
26	BB	401	A	C8-N9-C4	-6.12	103.35	105.80
26	BB	489	G	C4-C5-C6	6.12	122.47	118.80
26	BB	500	G	C2-N3-C4	6.12	114.96	111.90
26	BB	689	A	C5'-C4'-O4'	6.12	116.45	109.10
26	BB	776	G	C5'-C4'-O4'	6.12	116.45	109.10
26	BB	990	A	C2-N3-C4	6.12	113.66	110.60
26	BB	1200	C	O4'-C1'-N1	6.12	113.10	108.20
26	BB	1212	G	C5'-C4'-C3'	-6.12	106.20	116.00
26	BB	1220	G	N7-C8-N9	6.12	116.16	113.10
26	BB	1227	G	N1-C6-O6	6.12	123.58	119.90
26	BB	1269	A	C2-N3-C4	6.12	113.66	110.60
26	BB	1355	G	C8-N9-C4	-6.12	103.95	106.40
26	BB	2402	U	C6-N1-C1'	-6.12	112.63	121.20
26	BB	2410	G	C2-N3-C4	6.12	114.96	111.90
26	BB	2508	G	N1-C6-O6	6.12	123.57	119.90
26	BB	2550	G	P-O3'-C3'	6.12	127.05	119.70
26	BB	2579	C	N3-C4-C5	6.12	124.35	121.90
26	BB	2743	U	C5-C4-O4	-6.12	122.23	125.90
6	AF	28	PHE	CB-CG-CD1	-6.12	116.52	120.80
26	BB	121	G	O4'-C1'-C2'	6.12	113.11	107.60
26	BB	858	G	N1-C2-N2	6.12	121.71	116.20
26	BB	971	G	C8-N9-C4	-6.12	103.95	106.40
26	BB	1111	A	N1-C6-N6	-6.12	114.93	118.60
26	BB	1391	U	C5-C6-N1	-6.12	119.64	122.70
26	BB	2245	U	C2-N3-C4	-6.12	123.33	127.00
50	BZ	29	LEU	CB-CG-CD1	-6.12	100.59	111.00
1	AA	468	A	N7-C8-N9	6.12	116.86	113.80
1	AA	1243	C	N3-C2-O2	-6.12	117.62	121.90
26	BB	379	G	N3-C2-N2	-6.12	115.62	119.90
26	BB	1358	G	N9-C4-C5	6.12	107.85	105.40
26	BB	2764	A	C4-C5-C6	-6.12	113.94	117.00
1	AA	497	G	N1-C6-O6	6.12	123.57	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	728	A	P-O3'-C3'	6.12	127.04	119.70
1	AA	796	C	C2-N3-C4	6.12	122.96	119.90
1	AA	887	G	N3-C4-C5	-6.12	125.54	128.60
1	AA	1055	A	C3'-C2'-C1'	-6.12	96.61	101.50
1	AA	1294	G	C5-C6-O6	6.12	132.27	128.60
1	AA	1382	C	C4-C5-C6	-6.12	114.34	117.40
1	AA	1528	U	N3-C4-C5	-6.12	110.93	114.60
26	BB	8	C	C4-C5-C6	-6.12	114.34	117.40
26	BB	164	C	N3-C4-N4	-6.12	113.72	118.00
26	BB	373	U	N3-C2-O2	-6.12	117.92	122.20
26	BB	469	G	C6-C5-N7	-6.12	126.73	130.40
26	BB	495	G	O4'-C1'-N9	6.12	113.09	108.20
26	BB	1490	A	N3-C4-C5	-6.12	122.52	126.80
26	BB	1778	U	O4'-C1'-N1	6.12	113.09	108.20
26	BB	1992	G	C5-C6-N1	6.12	114.56	111.50
26	BB	2850	A	N9-C4-C5	6.12	108.25	105.80
26	BB	2903	U	C4-C5-C6	6.12	123.37	119.70
29	BE	80	TRP	NE1-CE2-CZ2	6.12	137.13	130.40
1	AA	328	C	N1-C2-O2	6.12	122.57	118.90
1	AA	798	U	C1'-O4'-C4'	6.12	114.79	109.90
26	BB	1366	A	C4'-C3'-C2'	-6.12	96.48	102.60
26	BB	2623	G	C5-C6-N1	6.12	114.56	111.50
3	AC	22	G	N3-C2-N2	-6.12	115.62	119.90
26	BB	248	G	C4-C5-N7	6.12	113.25	110.80
26	BB	496	G	N1-C6-O6	-6.12	116.23	119.90
26	BB	733	G	N1-C2-N3	6.12	127.57	123.90
26	BB	1379	U	N3-C2-O2	-6.12	117.92	122.20
26	BB	1454	C	N1-C2-O2	6.12	122.57	118.90
26	BB	1668	A	N1-C6-N6	6.12	122.27	118.60
26	BB	1704	C	C5-C6-N1	6.12	124.06	121.00
26	BB	2038	G	P-O3'-C3'	6.12	127.04	119.70
26	BB	2389	G	C4-C5-N7	6.12	113.25	110.80
26	BB	2451	A	N9-C4-C5	-6.12	103.35	105.80
40	BP	76	VAL	CA-CB-CG2	-6.12	101.73	110.90
41	BQ	90	VAL	CG1-CB-CG2	6.12	120.69	110.90
1	AA	715	A	C6-N1-C2	-6.11	114.93	118.60
1	AA	942	G	C6-N1-C2	-6.11	121.43	125.10
1	AA	1072	G	N9-C1'-C2'	-6.11	105.28	112.00
4	AD	69	C	C5-C6-N1	6.11	124.06	121.00
26	BB	156	A	N7-C8-N9	6.11	116.86	113.80
26	BB	437	U	C5'-C4'-O4'	6.11	116.44	109.10
26	BB	1039	A	C4-C5-C6	6.11	120.06	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1095	A	N1-C6-N6	-6.11	114.93	118.60
26	BB	1131	G	O4'-C1'-N9	6.11	113.09	108.20
26	BB	1368	G	C1'-O4'-C4'	6.11	114.79	109.90
26	BB	2106	U	N3-C2-O2	-6.11	117.92	122.20
26	BB	2200	C	C4-C5-C6	-6.11	114.34	117.40
1	AA	816	A	P-O3'-C3'	6.11	127.03	119.70
3	AC	55	A	N3-C4-C5	-6.11	122.52	126.80
26	BB	325	G	C6-N1-C2	-6.11	121.43	125.10
26	BB	390	U	C3'-C2'-C1'	-6.11	96.61	101.50
26	BB	1359	A	C2-N3-C4	6.11	113.66	110.60
1	AA	10	A	C4'-C3'-C2'	-6.11	96.49	102.60
1	AA	775	G	C6-C5-N7	-6.11	126.73	130.40
1	AA	820	U	C3'-C2'-C1'	6.11	106.39	101.50
1	AA	1111	A	C5-C6-N6	-6.11	118.81	123.70
1	AA	1236	A	C6-C5-N7	6.11	136.58	132.30
9	AI	4	TYR	CG-CD1-CE1	-6.11	116.41	121.30
25	BA	82	U	N1-C1'-C2'	-6.11	105.28	112.00
26	BB	100	U	C3'-C2'-C1'	-6.11	96.61	101.50
26	BB	396	G	N1-C2-N2	-6.11	110.70	116.20
26	BB	429	A	N9-C4-C5	6.11	108.24	105.80
26	BB	494	G	N9-C4-C5	-6.11	102.96	105.40
26	BB	623	C	N3-C4-C5	-6.11	119.45	121.90
26	BB	625	G	N7-C8-N9	6.11	116.16	113.10
26	BB	626	A	C8-N9-C4	-6.11	103.36	105.80
26	BB	809	G	C5'-C4'-C3'	-6.11	106.22	116.00
26	BB	1001	A	C5-C6-N1	6.11	120.76	117.70
26	BB	1107	G	C3'-C2'-C1'	6.11	106.39	101.50
26	BB	1235	G	C4-C5-C6	6.11	122.47	118.80
26	BB	1596	A	C6-N1-C2	6.11	122.27	118.60
26	BB	1601	G	N3-C4-C5	-6.11	125.54	128.60
26	BB	2173	A	N9-C4-C5	-6.11	103.36	105.80
26	BB	2890	G	C8-N9-C4	-6.11	103.96	106.40
34	BJ	79	THR	CA-CB-CG2	6.11	120.95	112.40
35	BK	108	ILE	CB-CA-C	6.11	123.82	111.60
1	AA	77	A	C1'-O4'-C4'	6.11	114.79	109.90
26	BB	80	G	O4'-C4'-C3'	6.11	110.99	106.10
26	BB	242	G	C5'-C4'-O4'	6.11	116.43	109.10
26	BB	295	G	C5'-C4'-O4'	6.11	116.43	109.10
26	BB	1400	U	C6-N1-C2	-6.11	117.33	121.00
26	BB	2310	C	C4-C5-C6	6.11	120.45	117.40
1	AA	172	A	N1-C2-N3	-6.11	126.25	129.30
1	AA	882	C	N3-C2-O2	-6.11	117.62	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	898	G	C5'-C4'-O4'	6.11	116.43	109.10
1	AA	1353	G	C6-N1-C2	6.11	128.76	125.10
9	AI	103	VAL	CA-CB-CG1	6.11	120.06	110.90
26	BB	942	G	N1-C2-N3	-6.11	120.24	123.90
26	BB	1285	A	P-O5'-C5'	6.11	130.67	120.90
26	BB	1858	A	N9-C1'-C2'	-6.11	105.28	112.00
26	BB	1884	G	N3-C2-N2	6.11	124.18	119.90
26	BB	1932	A	N7-C8-N9	6.11	116.85	113.80
26	BB	2397	G	C5'-C4'-O4'	6.11	116.43	109.10
26	BB	2455	G	C5'-C4'-C3'	-6.11	106.23	116.00
26	BB	2755	C	C2'-C3'-O3'	6.11	123.47	113.70
26	BB	2841	C	C5'-C4'-C3'	-6.11	106.23	116.00
30	BF	146	VAL	CA-CB-CG2	6.11	120.06	110.90
1	AA	537	G	N3-C4-C5	-6.11	125.55	128.60
1	AA	678	U	C5'-C4'-O4'	6.11	116.42	109.10
1	AA	724	G	N3-C4-C5	-6.11	125.55	128.60
1	AA	1143	G	C5-N7-C8	-6.11	101.25	104.30
1	AA	1344	C	C6-N1-C2	6.11	122.74	120.30
2	AB	45	U	N3-C4-O4	6.11	123.67	119.40
25	BA	5	U	N3-C2-O2	-6.11	117.93	122.20
26	BB	124	G	N7-C8-N9	-6.11	110.05	113.10
26	BB	464	U	C2-N3-C4	-6.11	123.34	127.00
26	BB	534	U	C2'-C3'-O3'	6.11	123.47	113.70
26	BB	774	G	C4-C5-N7	6.11	113.24	110.80
26	BB	1390	U	N1-C2-N3	6.11	118.56	114.90
26	BB	1783	A	C5-N7-C8	6.11	106.95	103.90
26	BB	2719	G	C2-N3-C4	-6.11	108.85	111.90
26	BB	2781	A	C4-C5-C6	6.11	120.05	117.00
46	BV	12	ARG	NE-CZ-NH1	6.11	123.35	120.30
1	AA	1297	G	C5'-C4'-C3'	-6.10	106.23	116.00
1	AA	1390	U	N3-C4-O4	-6.10	115.13	119.40
3	AC	26	U	C3'-C2'-C1'	6.10	106.38	101.50
14	AN	51	PHE	CG-CD1-CE1	-6.10	114.08	120.80
25	BA	94	A	N7-C8-N9	-6.10	110.75	113.80
26	BB	715	A	C1'-O4'-C4'	-6.10	105.02	109.90
26	BB	1303	G	C6-N1-C2	-6.10	121.44	125.10
26	BB	2764	A	C5'-C4'-O4'	6.10	116.42	109.10
28	BD	188	ARG	NE-CZ-NH1	6.10	123.35	120.30
1	AA	426	U	O4'-C1'-N1	6.10	113.08	108.20
1	AA	746	A	N9-C4-C5	6.10	108.24	105.80
1	AA	757	U	N3-C2-O2	-6.10	117.93	122.20
1	AA	1417	G	N1-C2-N2	6.10	121.69	116.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	9	G	C3'-C2'-C1'	6.10	106.38	101.50
26	BB	1086	A	N9-C1'-C2'	6.10	121.93	114.00
26	BB	1663	G	N1-C6-O6	-6.10	116.24	119.90
26	BB	1859	U	C5-C4-O4	-6.10	122.24	125.90
26	BB	2286	G	C5-C6-O6	-6.10	124.94	128.60
26	BB	2410	G	C5'-C4'-O4'	6.10	116.42	109.10
1	AA	735	C	N1-C2-O2	6.10	122.56	118.90
1	AA	886	G	C6-C5-N7	-6.10	126.74	130.40
1	AA	1077	G	N3-C4-N9	6.10	129.66	126.00
1	AA	1159	U	C2-N3-C4	-6.10	123.34	127.00
26	BB	405	U	P-O3'-C3'	6.10	127.02	119.70
26	BB	2805	C	N3-C2-O2	-6.10	117.63	121.90
29	BE	59	ARG	CD-NE-CZ	6.10	132.14	123.60
31	BG	50	ASP	CB-CG-OD1	-6.10	112.81	118.30
1	AA	236	A	C3'-C2'-C1'	-6.10	96.62	101.50
1	AA	263	A	N1-C6-N6	-6.10	114.94	118.60
1	AA	462	G	N1-C2-N2	-6.10	110.71	116.20
4	AD	65	G	C8-N9-C4	-6.10	103.96	106.40
25	BA	43	C	C3'-C2'-C1'	6.10	106.38	101.50
26	BB	543	G	N1-C2-N3	6.10	127.56	123.90
26	BB	620	G	C5-N7-C8	-6.10	101.25	104.30
26	BB	913	U	C1'-O4'-C4'	6.10	114.78	109.90
26	BB	1123	C	C1'-O4'-C4'	6.10	114.78	109.90
26	BB	1311	G	N9-C1'-C2'	-6.10	105.29	112.00
26	BB	1737	G	C1'-O4'-C4'	6.10	114.78	109.90
26	BB	2447	G	N3-C4-C5	-6.10	125.55	128.60
26	BB	2490	G	N7-C8-N9	6.10	116.15	113.10
26	BB	2527	C	C5'-C4'-O4'	6.10	116.42	109.10
26	BB	2594	C	C2-N3-C4	6.10	122.95	119.90
26	BB	2850	A	N3-C4-N9	-6.10	122.52	127.40
26	BB	2886	A	N9-C4-C5	-6.10	103.36	105.80
38	BN	59	ARG	NE-CZ-NH1	6.10	123.35	120.30
1	AA	127	G	O4'-C1'-N9	6.10	113.08	108.20
1	AA	137	U	O4'-C1'-N1	6.10	113.08	108.20
1	AA	148	G	N3-C2-N2	6.10	124.17	119.90
1	AA	631	C	C1'-O4'-C4'	-6.10	105.02	109.90
2	AB	41	C	C3'-C2'-C1'	6.10	106.38	101.50
26	BB	489	G	N3-C4-C5	-6.10	125.55	128.60
26	BB	1225	G	N1-C2-N3	-6.10	120.24	123.90
26	BB	2497	A	C3'-C2'-C1'	6.10	106.38	101.50
26	BB	2505	G	N3-C4-C5	-6.10	125.55	128.60
1	AA	290	C	C5'-C4'-O4'	6.10	116.42	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	483	C	N1-C2-O2	6.10	122.56	118.90
1	AA	552	U	N3-C2-O2	6.10	126.47	122.20
1	AA	905	U	C5-C4-O4	-6.10	122.24	125.90
1	AA	942	G	C2-N3-C4	6.10	114.95	111.90
1	AA	1022	A	N1-C6-N6	-6.10	114.94	118.60
26	BB	107	G	C2-N3-C4	6.10	114.95	111.90
26	BB	2390	U	C5-C4-O4	6.10	129.56	125.90
1	AA	154	U	N3-C2-O2	-6.09	117.93	122.20
1	AA	214	C	N3-C2-O2	-6.09	117.63	121.90
1	AA	441	A	O4'-C1'-N9	6.09	113.08	108.20
1	AA	472	U	C4'-C3'-O3'	6.09	125.19	113.00
1	AA	671	G	C4'-C3'-C2'	-6.09	96.50	102.60
1	AA	1312	G	C6-C5-N7	-6.09	126.74	130.40
1	AA	1386	G	O4'-C1'-N9	6.09	113.08	108.20
1	AA	1501	C	O4'-C4'-C3'	6.09	110.98	106.10
18	AR	52	ARG	CD-NE-CZ	6.09	132.13	123.60
26	BB	16	C	N3-C2-O2	-6.09	117.63	121.90
26	BB	127	A	C8-N9-C4	-6.09	103.36	105.80
26	BB	700	G	C4-C5-N7	-6.09	108.36	110.80
26	BB	753	A	C8-N9-C4	-6.09	103.36	105.80
26	BB	799	G	N9-C4-C5	6.09	107.84	105.40
26	BB	1923	U	N3-C4-O4	-6.09	115.13	119.40
26	BB	2050	C	P-O3'-C3'	6.09	127.01	119.70
26	BB	2084	C	C5'-C4'-O4'	6.09	116.41	109.10
35	BK	63	ASP	CB-CG-OD2	-6.09	112.81	118.30
43	BS	24	TYR	CG-CD2-CE2	-6.09	116.42	121.30
1	AA	57	G	P-O3'-C3'	6.09	127.01	119.70
1	AA	1417	G	C3'-C2'-C1'	-6.09	96.63	101.50
1	AA	292	G	O4'-C4'-C3'	6.09	110.97	106.10
1	AA	626	G	N9-C4-C5	6.09	107.84	105.40
1	AA	656	G	C4-C5-C6	-6.09	115.14	118.80
1	AA	1030	U	N3-C4-C5	-6.09	110.94	114.60
2	AB	57	G	C6-C5-N7	6.09	134.06	130.40
26	BB	387	U	C6-N1-C2	-6.09	117.34	121.00
26	BB	964	C	C5-C4-N4	-6.09	115.94	120.20
26	BB	1098	A	C5-C6-N6	6.09	128.57	123.70
26	BB	1144	A	C5'-C4'-O4'	6.09	116.41	109.10
26	BB	1342	A	C5'-C4'-O4'	6.09	116.41	109.10
26	BB	2205	A	C4-C5-C6	6.09	120.05	117.00
26	BB	2335	A	C5-N7-C8	6.09	106.94	103.90
26	BB	2370	G	C6-N1-C2	6.09	128.75	125.10
26	BB	2618	G	N1-C6-O6	6.09	123.56	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	BH	86	LEU	CB-CG-CD1	6.09	121.36	111.00
1	AA	840	C	O4'-C1'-N1	6.09	113.07	108.20
1	AA	888	G	N3-C2-N2	6.09	124.16	119.90
1	AA	1166	G	C5-C6-O6	-6.09	124.95	128.60
1	AA	1276	G	N9-C1'-C2'	-6.09	105.30	112.00
1	AA	1283	U	N1-C2-N3	6.09	118.55	114.90
1	AA	1339	A	N7-C8-N9	6.09	116.84	113.80
6	AF	178	ARG	NE-CZ-NH2	6.09	123.34	120.30
25	BA	9	G	C8-N9-C4	6.09	108.84	106.40
26	BB	267	C	N1-C2-N3	-6.09	114.94	119.20
26	BB	1246	A	N3-C4-N9	6.09	132.27	127.40
26	BB	1457	U	C5'-C4'-O4'	6.09	116.41	109.10
26	BB	1959	G	C8-N9-C4	-6.09	103.96	106.40
26	BB	2247	A	C3'-C2'-C1'	6.09	106.37	101.50
26	BB	2352	A	N1-C6-N6	6.09	122.25	118.60
26	BB	2490	G	C8-N9-C4	-6.09	103.96	106.40
26	BB	2763	G	C4-C5-N7	6.09	113.23	110.80
46	BV	84	TYR	CB-CG-CD1	6.09	124.65	121.00
1	AA	330	C	N3-C2-O2	-6.09	117.64	121.90
1	AA	467	U	C2-N3-C4	-6.09	123.35	127.00
1	AA	1192	C	C5-C4-N4	-6.09	115.94	120.20
2	AB	71	C	C1'-O4'-C4'	-6.09	105.03	109.90
26	BB	103	A	C4-C5-N7	-6.09	107.66	110.70
26	BB	262	A	O4'-C4'-C3'	6.09	110.97	106.10
26	BB	301	G	C5'-C4'-O4'	6.09	116.41	109.10
26	BB	413	C	P-O5'-C5'	6.09	130.64	120.90
26	BB	631	A	O4'-C1'-N9	6.09	113.07	108.20
26	BB	885	C	N3-C4-N4	-6.09	113.74	118.00
26	BB	1010	A	O5'-C5'-C4'	-6.09	100.13	111.70
26	BB	1210	G	C6-C5-N7	-6.09	126.75	130.40
26	BB	2213	U	C6-N1-C2	-6.09	117.35	121.00
1	AA	737	C	N1-C2-O2	6.09	122.55	118.90
1	AA	933	G	C5-N7-C8	-6.09	101.26	104.30
1	AA	991	U	N1-C2-N3	6.09	118.55	114.90
25	BA	44	G	C3'-C2'-C1'	6.09	106.37	101.50
26	BB	461	C	C3'-C2'-C1'	-6.09	96.63	101.50
26	BB	1858	A	C5-C6-N1	6.09	120.74	117.70
26	BB	2013	A	N7-C8-N9	6.09	116.84	113.80
26	BB	2152	G	C5-C6-O6	-6.09	124.95	128.60
29	BE	122	VAL	CG1-CB-CG2	-6.09	101.16	110.90
26	BB	271	G	O4'-C1'-C2'	-6.08	99.72	105.80
26	BB	2099	U	C4'-C3'-C2'	-6.08	96.52	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	269	C	N1-C2-N3	-6.08	114.94	119.20
1	AA	562	U	O4'-C1'-N1	6.08	113.07	108.20
1	AA	727	G	C5-C6-O6	-6.08	124.95	128.60
1	AA	764	C	N3-C4-N4	6.08	122.26	118.00
1	AA	1513	A	C5-C6-N6	-6.08	118.83	123.70
26	BB	123	G	C6-C5-N7	6.08	134.05	130.40
26	BB	245	G	C4-N9-C1'	-6.08	118.59	126.50
26	BB	725	G	C2-N3-C4	6.08	114.94	111.90
26	BB	1043	C	N3-C2-O2	-6.08	117.64	121.90
26	BB	2045	C	O5'-C5'-C4'	6.08	123.26	111.70
26	BB	2165	C	C2-N3-C4	6.08	122.94	119.90
26	BB	2627	G	C5'-C4'-C3'	-6.08	106.27	116.00
46	BV	52	GLU	CB-CA-C	6.08	122.57	110.40
1	AA	154	U	C1'-O4'-C4'	-6.08	105.03	109.90
1	AA	470	C	C4-C5-C6	-6.08	114.36	117.40
4	AD	40	C	C6-N1-C2	-6.08	117.87	120.30
4	AD	76	C	C4-C5-C6	-6.08	114.36	117.40
26	BB	36	G	N9-C1'-C2'	-6.08	105.31	112.00
26	BB	80	G	C5-C6-N1	6.08	114.54	111.50
26	BB	136	G	C5-C6-O6	-6.08	124.95	128.60
26	BB	277	G	N1-C2-N3	-6.08	120.25	123.90
26	BB	289	G	C5-N7-C8	6.08	107.34	104.30
26	BB	318	C	P-O3'-C3'	6.08	127.00	119.70
26	BB	381	G	C4'-C3'-C2'	-6.08	96.52	102.60
26	BB	597	G	O5'-P-OP1	-6.08	100.23	105.70
26	BB	764	A	C8-N9-C4	-6.08	103.37	105.80
26	BB	1388	G	C6-N1-C2	-6.08	121.45	125.10
26	BB	1668	A	N9-C4-C5	6.08	108.23	105.80
26	BB	1830	C	C6-N1-C2	6.08	122.73	120.30
26	BB	2126	A	C4-C5-C6	6.08	120.04	117.00
26	BB	2376	A	C4-C5-C6	-6.08	113.96	117.00
26	BB	2588	G	C4'-C3'-C2'	-6.08	96.52	102.60
44	BT	79	ARG	NE-CZ-NH1	6.08	123.34	120.30
1	AA	479	U	P-O3'-C3'	6.08	127.00	119.70
26	BB	143	C	N3-C2-O2	-6.08	117.64	121.90
26	BB	928	A	N7-C8-N9	6.08	116.84	113.80
26	BB	1065	U	O4'-C4'-C3'	-6.08	97.92	104.00
26	BB	1521	G	C5-N7-C8	-6.08	101.26	104.30
1	AA	127	G	C6-N1-C2	-6.08	121.45	125.10
1	AA	393	A	C4-C5-C6	-6.08	113.96	117.00
1	AA	490	C	N3-C4-N4	6.08	122.25	118.00
1	AA	605	U	C5-C4-O4	-6.08	122.25	125.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1046	A	C4-C5-C6	-6.08	113.96	117.00
25	BA	12	C	N3-C4-N4	6.08	122.25	118.00
26	BB	177	G	N9-C4-C5	6.08	107.83	105.40
26	BB	604	G	O3'-P-O5'	-6.08	92.45	104.00
26	BB	1147	A	C4-C5-N7	6.08	113.74	110.70
26	BB	1319	C	C5'-C4'-C3'	-6.08	106.27	116.00
26	BB	1720	U	N1-C2-O2	6.08	127.06	122.80
26	BB	1843	C	N1-C1'-C2'	-6.08	105.31	112.00
26	BB	2139	U	N3-C4-O4	6.08	123.66	119.40
26	BB	2625	G	N3-C2-N2	-6.08	115.64	119.90
1	AA	924	C	C1'-O4'-C4'	-6.08	105.04	109.90
1	AA	1327	C	C2-N1-C1'	-6.08	112.11	118.80
26	BB	69	C	O4'-C1'-N1	6.08	113.06	108.20
26	BB	794	A	C2-N3-C4	-6.08	107.56	110.60
26	BB	1717	A	C4-C5-N7	-6.08	107.66	110.70
1	AA	22	G	P-O3'-C3'	6.08	126.99	119.70
1	AA	99	C	O4'-C1'-N1	6.08	113.06	108.20
1	AA	182	A	C8-N9-C4	-6.08	103.37	105.80
1	AA	447	G	N3-C4-C5	-6.08	125.56	128.60
1	AA	718	A	N7-C8-N9	6.08	116.84	113.80
1	AA	1319	A	N9-C4-C5	6.08	108.23	105.80
22	AV	18	VAL	CA-CB-CG1	6.08	120.01	110.90
25	BA	4	C	C2-N3-C4	6.08	122.94	119.90
25	BA	62	C	N1-C2-O2	6.08	122.55	118.90
26	BB	173	A	P-O3'-C3'	6.08	126.99	119.70
26	BB	203	A	C4-C5-N7	6.08	113.74	110.70
26	BB	732	C	C4'-C3'-C2'	-6.08	96.53	102.60
26	BB	802	A	C5-C6-N1	6.08	120.74	117.70
26	BB	1527	G	C4-C5-N7	-6.08	108.37	110.80
26	BB	1675	C	C5-C6-N1	6.08	124.04	121.00
26	BB	1855	U	P-O5'-C5'	6.08	130.62	120.90
26	BB	1874	C	N3-C2-O2	-6.08	117.65	121.90
26	BB	1935	G	C4'-C3'-C2'	-6.08	96.53	102.60
26	BB	2732	G	N1-C2-N3	-6.08	120.25	123.90
1	AA	187	G	N1-C6-O6	6.07	123.54	119.90
1	AA	684	U	C6-N1-C2	-6.07	117.36	121.00
1	AA	829	G	C6-N1-C2	-6.07	121.45	125.10
1	AA	843	U	O4'-C4'-C3'	-6.07	97.93	104.00
1	AA	1530	G	N3-C2-N2	6.07	124.15	119.90
7	AG	12	ARG	NE-CZ-NH2	-6.07	117.26	120.30
9	AI	101	PRO	N-CA-CB	6.07	110.59	103.30
26	BB	142	A	N7-C8-N9	6.07	116.84	113.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	819	A	N9-C1'-C2'	-6.07	105.32	112.00
26	BB	930	G	C8-N9-C4	-6.07	103.97	106.40
26	BB	986	C	C4-C5-C6	-6.07	114.36	117.40
26	BB	1020	A	C4-C5-C6	-6.07	113.96	117.00
26	BB	1068	G	C3'-C2'-C1'	6.07	106.36	101.50
26	BB	1581	G	N9-C4-C5	6.07	107.83	105.40
26	BB	1646	C	O4'-C1'-N1	6.07	113.06	108.20
26	BB	1822	C	O4'-C1'-N1	6.07	113.06	108.20
26	BB	1902	C	C3'-C2'-C1'	6.07	106.36	101.50
26	BB	1979	U	C2-N3-C4	-6.07	123.36	127.00
26	BB	2195	U	N1-C2-N3	6.07	118.55	114.90
38	BN	21	ARG	NE-CZ-NH1	6.07	123.34	120.30
40	BP	29	VAL	CA-CB-CG2	6.07	120.01	110.90
1	AA	711	G	C2-N3-C4	6.07	114.94	111.90
1	AA	821	G	N1-C2-N3	-6.07	120.26	123.90
1	AA	961	U	C5'-C4'-O4'	6.07	116.39	109.10
1	AA	1409	C	P-O3'-C3'	6.07	126.99	119.70
25	BA	81	G	C2-N3-C4	6.07	114.94	111.90
26	BB	1203	U	C5-C4-O4	-6.07	122.26	125.90
26	BB	1326	U	N1-C2-N3	6.07	118.54	114.90
26	BB	1446	C	C5'-C4'-O4'	6.07	116.39	109.10
26	BB	2616	C	C2'-C3'-O3'	6.07	123.42	113.70
26	BB	2735	G	O4'-C1'-N9	6.07	113.06	108.20
1	AA	23	C	C5'-C4'-C3'	6.07	125.71	116.00
1	AA	741	G	O4'-C4'-C3'	6.07	110.96	106.10
1	AA	1332	A	O4'-C1'-N9	6.07	113.06	108.20
4	AD	60	A	O4'-C1'-C2'	6.07	113.06	107.60
13	AM	50	THR	CA-CB-CG2	6.07	120.90	112.40
26	BB	100	U	C1'-O4'-C4'	-6.07	105.04	109.90
26	BB	145	C	C5'-C4'-O4'	6.07	116.39	109.10
26	BB	793	A	C4-C5-N7	6.07	113.74	110.70
26	BB	1667	G	C5-C6-N1	-6.07	108.47	111.50
26	BB	1813	G	C4-C5-C6	6.07	122.44	118.80
26	BB	2019	A	C2-N3-C4	6.07	113.64	110.60
26	BB	2130	U	C4-C5-C6	6.07	123.34	119.70
26	BB	2524	G	N3-C2-N2	6.07	124.15	119.90
26	BB	2844	G	N7-C8-N9	6.07	116.14	113.10
29	BE	18	ASP	CB-CG-OD2	-6.07	112.84	118.30
1	AA	177	G	N3-C2-N2	6.07	124.15	119.90
1	AA	713	G	C6-C5-N7	-6.07	126.76	130.40
1	AA	1499	A	C5-C6-N6	-6.07	118.84	123.70
4	AD	69	C	C5-C4-N4	-6.07	115.95	120.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	458	G	C5'-C4'-O4'	6.07	116.38	109.10
26	BB	765	C	P-O3'-C3'	6.07	126.98	119.70
26	BB	2539	C	N1-C1'-C2'	-6.07	105.32	112.00
26	BB	2803	G	C5'-C4'-O4'	6.07	116.38	109.10
1	AA	627	G	N9-C4-C5	6.07	107.83	105.40
1	AA	927	G	N7-C8-N9	-6.07	110.07	113.10
1	AA	1075	U	C2-N3-C4	-6.07	123.36	127.00
1	AA	1370	G	C4'-C3'-C2'	-6.07	96.53	102.60
6	AF	55	VAL	CG1-CB-CG2	-6.07	101.19	110.90
26	BB	1315	C	C3'-C2'-C1'	-6.07	96.64	101.50
26	BB	1412	U	N3-C4-C5	6.07	118.24	114.60
26	BB	1457	U	O5'-C5'-C4'	-6.07	100.17	111.70
26	BB	2232	C	C3'-C2'-C1'	-6.07	96.65	101.50
26	BB	2570	G	C5-C6-N1	6.07	114.53	111.50
26	BB	2858	C	C6-N1-C1'	-6.07	113.52	120.80
1	AA	186	C	N3-C4-N4	6.07	122.25	118.00
1	AA	945	G	C4-C5-N7	-6.07	108.37	110.80
25	BA	104	A	C4-C5-C6	-6.07	113.97	117.00
26	BB	404	A	N9-C4-C5	-6.07	103.37	105.80
26	BB	1252	G	N3-C4-C5	-6.07	125.57	128.60
26	BB	1984	G	C5'-C4'-O4'	6.07	116.38	109.10
26	BB	2018	G	N9-C4-C5	6.07	107.83	105.40
26	BB	2110	G	C4-C5-C6	6.07	122.44	118.80
26	BB	2711	A	N7-C8-N9	6.07	116.83	113.80
26	BB	2805	C	C6-N1-C2	-6.07	117.87	120.30
42	BR	81	ASP	CB-CG-OD1	-6.07	112.84	118.30
1	AA	655	A	C4-C5-C6	-6.06	113.97	117.00
1	AA	690	G	N3-C4-C5	-6.06	125.57	128.60
5	AE	203	ASP	CB-CG-OD2	-6.06	112.84	118.30
26	BB	251	A	C5'-C4'-O4'	6.06	116.38	109.10
26	BB	400	G	N3-C4-N9	6.06	129.64	126.00
26	BB	948	C	N3-C4-C5	6.06	124.33	121.90
26	BB	1210	G	N1-C2-N3	6.06	127.54	123.90
1	AA	58	C	C4'-C3'-C2'	-6.06	96.54	102.60
1	AA	113	G	C5'-C4'-O4'	6.06	116.38	109.10
1	AA	594	U	C5-C6-N1	6.06	125.73	122.70
1	AA	1306	A	C2-N3-C4	6.06	113.63	110.60
1	AA	1348	U	C1'-O4'-C4'	6.06	114.75	109.90
25	BA	34	A	N3-C4-N9	-6.06	122.55	127.40
25	BA	46	A	N1-C6-N6	-6.06	114.96	118.60
26	BB	103	A	O4'-C1'-N9	6.06	113.05	108.20
26	BB	149	A	N9-C4-C5	-6.06	103.38	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	809	G	O4'-C1'-N9	6.06	113.05	108.20
26	BB	1338	G	C1'-O4'-C4'	-6.06	105.05	109.90
26	BB	1815	A	C5-C6-N1	-6.06	114.67	117.70
26	BB	1910	G	C2-N3-C4	6.06	114.93	111.90
26	BB	2380	C	N3-C2-O2	-6.06	117.66	121.90
26	BB	2495	G	C5-N7-C8	6.06	107.33	104.30
26	BB	2505	G	N3-C2-N2	-6.06	115.66	119.90
1	AA	113	G	O4'-C1'-N9	-6.06	103.35	108.20
15	AO	62	VAL	CG1-CB-CG2	-6.06	101.20	110.90
26	BB	102	U	C5-C6-N1	6.06	125.73	122.70
26	BB	695	G	C2-N3-C4	6.06	114.93	111.90
26	BB	930	G	C4'-C3'-C2'	-6.06	96.54	102.60
1	AA	31	G	C5-C6-O6	-6.06	124.97	128.60
1	AA	937	A	N3-C4-C5	-6.06	122.56	126.80
1	AA	948	C	N3-C4-C5	-6.06	119.48	121.90
1	AA	1015	G	C6-C5-N7	-6.06	126.77	130.40
1	AA	1139	G	C4-C5-N7	6.06	113.22	110.80
1	AA	1184	G	N1-C2-N3	-6.06	120.26	123.90
25	BA	32	U	O4'-C1'-N1	6.06	113.05	108.20
25	BA	83	G	N1-C6-O6	-6.06	116.26	119.90
26	BB	56	A	C1'-O4'-C4'	6.06	114.75	109.90
26	BB	451	U	O4'-C1'-N1	6.06	113.05	108.20
26	BB	828	U	N1-C2-O2	6.06	127.04	122.80
26	BB	978	G	C4'-C3'-C2'	-6.06	96.54	102.60
26	BB	2215	C	C6-N1-C2	-6.06	117.88	120.30
26	BB	2425	A	C4-C5-C6	6.06	120.03	117.00
26	BB	2527	C	O4'-C1'-N1	6.06	113.05	108.20
26	BB	2537	U	C3'-C2'-C1'	6.06	106.35	101.50
26	BB	2715	C	C5-C6-N1	-6.06	117.97	121.00
1	AA	32	A	C4-C5-C6	-6.06	113.97	117.00
1	AA	92	U	C5-C6-N1	-6.06	119.67	122.70
1	AA	564	C	C5-C6-N1	6.06	124.03	121.00
1	AA	750	C	C5-C6-N1	-6.06	117.97	121.00
1	AA	1201	A	N1-C6-N6	-6.06	114.97	118.60
1	AA	1205	U	C5-C4-O4	-6.06	122.27	125.90
1	AA	1368	A	C8-N9-C4	-6.06	103.38	105.80
26	BB	674	G	O4'-C4'-C3'	6.06	110.95	106.10
26	BB	1802	A	P-O3'-C3'	6.06	126.97	119.70
26	BB	1802	A	N9-C4-C5	-6.06	103.38	105.80
26	BB	1826	G	C5'-C4'-O4'	6.06	116.37	109.10
26	BB	1862	G	C5-N7-C8	6.06	107.33	104.30
26	BB	2668	G	C4'-C3'-C2'	-6.06	96.54	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	98	A	C2-N3-C4	6.06	113.63	110.60
1	AA	585	G	C8-N9-C4	-6.06	103.98	106.40
26	BB	345	A	N9-C4-C5	-6.06	103.38	105.80
26	BB	1665	A	C3'-C2'-C1'	-6.06	96.66	101.50
1	AA	945	G	C5'-C4'-C3'	-6.05	106.31	116.00
1	AA	1408	A	N3-C4-N9	6.05	132.24	127.40
3	AC	52	U	N1-C2-N3	6.05	118.53	114.90
26	BB	350	G	O4'-C1'-N9	6.05	113.04	108.20
26	BB	662	G	N9-C4-C5	6.05	107.82	105.40
26	BB	761	A	OP1-P-O3'	6.05	118.52	105.20
26	BB	930	G	C4-C5-N7	6.05	113.22	110.80
26	BB	954	G	C4'-C3'-C2'	-6.05	96.55	102.60
26	BB	1230	A	C8-N9-C4	-6.05	103.38	105.80
26	BB	1675	C	C6-N1-C2	-6.05	117.88	120.30
26	BB	2103	C	C6-N1-C2	6.05	122.72	120.30
26	BB	2372	U	C1'-O4'-C4'	6.05	114.74	109.90
26	BB	2448	A	C2-N3-C4	6.05	113.63	110.60
26	BB	2598	A	C8-N9-C4	6.05	108.22	105.80
1	AA	641	U	N1-C2-N3	6.05	118.53	114.90
1	AA	1169	A	N9-C4-C5	6.05	108.22	105.80
26	BB	1280	G	C4'-C3'-C2'	-6.05	96.55	102.60
26	BB	1537	G	C5-C6-O6	6.05	132.23	128.60
26	BB	2092	U	N3-C4-O4	6.05	123.64	119.40
26	BB	2876	G	N7-C8-N9	-6.05	110.07	113.10
1	AA	51	A	N7-C8-N9	6.05	116.83	113.80
1	AA	737	C	O4'-C4'-C3'	6.05	110.94	106.10
1	AA	934	C	O4'-C4'-C3'	6.05	110.94	106.10
1	AA	1265	C	N3-C4-C5	-6.05	119.48	121.90
25	BA	77	U	C4'-C3'-C2'	-6.05	96.55	102.60
26	BB	409	G	N9-C4-C5	6.05	107.82	105.40
26	BB	822	G	C8-N9-C4	-6.05	103.98	106.40
26	BB	1147	A	C5'-C4'-O4'	6.05	116.36	109.10
26	BB	1381	G	O4'-C1'-N9	6.05	113.04	108.20
26	BB	1921	G	N3-C2-N2	-6.05	115.66	119.90
26	BB	2380	C	O4'-C1'-N1	6.05	113.04	108.20
26	BB	2744	G	C5'-C4'-O4'	6.05	116.36	109.10
36	BL	15	TRP	CD1-CG-CD2	6.05	111.14	106.30
1	AA	148	G	C5'-C4'-O4'	6.05	116.36	109.10
1	AA	666	G	N3-C4-N9	6.05	129.63	126.00
1	AA	783	C	O4'-C1'-N1	6.05	113.04	108.20
1	AA	1104	G	N7-C8-N9	6.05	116.12	113.10
1	AA	1225	A	C2-N3-C4	6.05	113.62	110.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1282	C	C5'-C4'-C3'	-6.05	106.32	116.00
26	BB	736	C	N3-C4-C5	-6.05	119.48	121.90
26	BB	1159	U	N3-C2-O2	-6.05	117.97	122.20
26	BB	1183	U	N3-C4-C5	6.05	118.23	114.60
26	BB	1315	C	C5-C6-N1	-6.05	117.98	121.00
26	BB	1363	C	C5-C4-N4	6.05	124.43	120.20
26	BB	1431	A	C5-C6-N1	-6.05	114.68	117.70
26	BB	1527	G	C5-C6-O6	6.05	132.23	128.60
26	BB	1559	U	C2-N1-C1'	6.05	124.96	117.70
26	BB	1950	G	O4'-C4'-C3'	6.05	110.94	106.10
26	BB	2057	G	N1-C6-O6	-6.05	116.27	119.90
26	BB	2319	G	C5'-C4'-O4'	6.05	116.36	109.10
26	BB	2601	C	C4-C5-C6	6.05	120.42	117.40
1	AA	856	C	N3-C4-C5	-6.05	119.48	121.90
1	AA	1114	C	O4'-C1'-C2'	6.05	113.04	107.60
21	AU	9	PHE	CB-CG-CD1	-6.05	116.57	120.80
26	BB	19	A	C1'-O4'-C4'	6.05	114.74	109.90
26	BB	140	C	C6-N1-C2	6.05	122.72	120.30
26	BB	1168	G	C1'-O4'-C4'	-6.05	105.06	109.90
26	BB	1866	A	O4'-C1'-N9	6.05	113.04	108.20
26	BB	2249	U	C5-C4-O4	-6.05	122.27	125.90
1	AA	57	G	C5-C6-O6	6.05	132.23	128.60
1	AA	99	C	P-O3'-C3'	6.05	126.96	119.70
1	AA	287	U	N3-C4-O4	-6.05	115.17	119.40
1	AA	557	G	N1-C2-N3	-6.05	120.27	123.90
1	AA	666	G	C8-N9-C4	-6.05	103.98	106.40
1	AA	702	A	N9-C4-C5	6.05	108.22	105.80
1	AA	833	G	C6-N1-C2	-6.05	121.47	125.10
1	AA	844	G	N1-C6-O6	6.05	123.53	119.90
1	AA	858	G	C4'-C3'-C2'	-6.05	96.55	102.60
1	AA	1283	U	C2-N3-C4	-6.05	123.37	127.00
25	BA	44	G	C6-N1-C2	-6.05	121.47	125.10
26	BB	348	A	C4-C5-C6	6.05	120.02	117.00
26	BB	456	C	P-O3'-C3'	6.05	126.96	119.70
26	BB	649	G	N9-C1'-C2'	-6.05	105.35	112.00
26	BB	728	G	N3-C4-C5	-6.05	125.58	128.60
26	BB	903	C	N3-C4-N4	6.05	122.23	118.00
26	BB	1231	U	C5-C6-N1	-6.05	119.68	122.70
26	BB	1619	G	C8-N9-C4	6.05	108.82	106.40
26	BB	1920	C	C5'-C4'-O4'	6.05	116.36	109.10
26	BB	1965	C	N3-C2-O2	-6.05	117.67	121.90
26	BB	2071	A	C5-C6-N1	6.05	120.72	117.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2569	G	C5-N7-C8	-6.05	101.28	104.30
26	BB	2599	G	N3-C2-N2	-6.05	115.67	119.90
26	BB	2793	C	C3'-C2'-C1'	6.05	106.34	101.50
1	AA	710	G	C4'-C3'-C2'	-6.04	96.56	102.60
1	AA	867	G	O4'-C1'-C2'	-6.04	99.75	105.80
1	AA	877	G	N3-C4-N9	-6.04	122.37	126.00
26	BB	33	C	C4-C5-C6	6.04	120.42	117.40
26	BB	229	C	C3'-C2'-C1'	-6.04	96.66	101.50
26	BB	774	G	C5'-C4'-C3'	-6.04	106.33	116.00
26	BB	1715	G	C5-C6-O6	-6.04	124.97	128.60
36	BL	75	TYR	CG-CD1-CE1	-6.04	116.46	121.30
1	AA	625	U	N1-C2-O2	6.04	127.03	122.80
1	AA	1338	G	C6-C5-N7	-6.04	126.77	130.40
1	AA	1500	A	O5'-C5'-C4'	-6.04	100.22	111.70
5	AE	161	PHE	CB-CG-CD2	6.04	125.03	120.80
26	BB	625	G	C5-C6-N1	6.04	114.52	111.50
26	BB	655	A	N9-C4-C5	6.04	108.22	105.80
26	BB	1225	G	O5'-C5'-C4'	-6.04	100.22	111.70
26	BB	1532	A	O4'-C1'-N9	6.04	113.03	108.20
26	BB	1556	C	C4'-C3'-O3'	6.04	125.09	113.00
26	BB	1651	G	C6-N1-C2	-6.04	121.47	125.10
26	BB	1723	G	N1-C6-O6	-6.04	116.27	119.90
26	BB	2653	U	C6-N1-C2	-6.04	117.37	121.00
38	BN	30	THR	CA-CB-CG2	6.04	120.86	112.40
1	AA	402	G	N7-C8-N9	-6.04	110.08	113.10
1	AA	464	U	C2-N3-C4	-6.04	123.38	127.00
1	AA	963	G	C8-N9-C1'	6.04	134.85	127.00
1	AA	981	U	N3-C2-O2	-6.04	117.97	122.20
1	AA	1342	C	C2-N3-C4	6.04	122.92	119.90
1	AA	1377	A	C4-C5-C6	-6.04	113.98	117.00
1	AA	1389	C	N1-C2-O2	-6.04	115.28	118.90
4	AD	24	C	N3-C2-O2	6.04	126.13	121.90
17	AQ	67	GLY	CA-C-O	-6.04	109.73	120.60
25	BA	2	G	N9-C1'-C2'	-6.04	105.35	112.00
26	BB	266	G	N1-C2-N3	-6.04	120.28	123.90
26	BB	278	A	C5'-C4'-O4'	6.04	116.35	109.10
26	BB	514	A	N9-C4-C5	-6.04	103.38	105.80
26	BB	664	G	C5'-C4'-O4'	6.04	116.35	109.10
26	BB	1756	G	N1-C6-O6	6.04	123.53	119.90
26	BB	2416	C	C4-C5-C6	-6.04	114.38	117.40
26	BB	2574	G	N1-C2-N3	-6.04	120.28	123.90
26	BB	2903	U	C5-C6-N1	-6.04	119.68	122.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	135	C	O5'-P-OP2	-6.04	100.26	105.70
1	AA	1465	A	N1-C2-N3	6.04	132.32	129.30
26	BB	1143	A	C6-N1-C2	-6.04	114.98	118.60
26	BB	1342	A	C6-C5-N7	6.04	136.53	132.30
26	BB	1505	A	O4'-C1'-N9	6.04	113.03	108.20
26	BB	1734	G	C4'-C3'-C2'	-6.04	96.56	102.60
26	BB	1959	G	C5-C6-O6	-6.04	124.98	128.60
26	BB	2165	C	C6-N1-C2	-6.04	117.88	120.30
26	BB	2801	G	C2-N3-C4	-6.04	108.88	111.90
1	AA	751	U	N1-C2-O2	6.04	127.03	122.80
1	AA	869	G	C3'-C2'-C1'	-6.04	96.67	101.50
1	AA	1204	A	C6-C5-N7	6.04	136.53	132.30
7	AG	192	ALA	N-CA-CB	6.04	118.55	110.10
13	AM	49	PHE	CG-CD2-CE2	6.04	127.44	120.80
23	AW	34	VAL	CG1-CB-CG2	-6.04	101.24	110.90
26	BB	168	G	C6-C5-N7	6.04	134.02	130.40
26	BB	262	A	C1'-O4'-C4'	-6.04	105.07	109.90
26	BB	758	C	C5-C4-N4	-6.04	115.97	120.20
26	BB	1461	C	C4'-C3'-C2'	-6.04	96.56	102.60
26	BB	2006	C	C2-N3-C4	6.04	122.92	119.90
26	BB	2383	G	N3-C4-C5	-6.04	125.58	128.60
26	BB	2759	G	C4-N9-C1'	-6.04	118.65	126.50
1	AA	181	A	C5-C6-N1	6.04	120.72	117.70
3	AC	29	G	N3-C4-C5	-6.04	125.58	128.60
26	BB	235	U	C2-N3-C4	-6.04	123.38	127.00
26	BB	503	A	C5-C6-N6	-6.04	118.87	123.70
26	BB	1120	G	N1-C2-N2	6.04	121.63	116.20
26	BB	1315	C	C6-N1-C2	6.04	122.72	120.30
1	AA	97	G	O4'-C1'-N9	6.04	113.03	108.20
1	AA	645	G	N1-C2-N3	-6.04	120.28	123.90
1	AA	716	A	O4'-C4'-C3'	6.04	110.93	106.10
1	AA	930	C	C6-N1-C2	-6.04	117.89	120.30
26	BB	1206	G	C5-N7-C8	6.04	107.32	104.30
26	BB	1530	G	C4-C5-N7	-6.04	108.39	110.80
26	BB	1730	C	C3'-C2'-C1'	-6.04	96.67	101.50
26	BB	1922	G	C3'-C2'-C1'	-6.04	96.67	101.50
26	BB	2176	A	N1-C2-N3	-6.04	126.28	129.30
26	BB	2215	C	C5-C4-N4	-6.04	115.98	120.20
26	BB	2548	U	C4'-C3'-C2'	-6.04	96.56	102.60
44	BT	83	TYR	CD1-CE1-CZ	6.04	125.23	119.80
46	BV	94	ASP	CB-CG-OD2	-6.04	112.87	118.30
1	AA	1201	A	C2'-C3'-O3'	6.03	123.36	113.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	39	A	C4-C5-C6	-6.03	113.98	117.00
3	AC	35	G	N7-C8-N9	6.03	116.12	113.10
4	AD	69	C	C6-N1-C2	-6.03	117.89	120.30
19	AS	48	GLU	OE1-CD-OE2	6.03	130.54	123.30
26	BB	396	G	C4-C5-C6	6.03	122.42	118.80
26	BB	968	C	C5'-C4'-O4'	6.03	116.34	109.10
26	BB	1980	G	N1-C6-O6	6.03	123.52	119.90
26	BB	2090	A	C4-C5-N7	-6.03	107.68	110.70
26	BB	2105	U	N1-C2-N3	6.03	118.52	114.90
1	AA	406	G	N3-C2-N2	-6.03	115.68	119.90
1	AA	658	C	C4-C5-C6	-6.03	114.38	117.40
1	AA	1134	G	N9-C4-C5	6.03	107.81	105.40
1	AA	1302	C	C2'-C3'-O3'	6.03	123.35	113.70
4	AD	2	G	N3-C4-N9	6.03	129.62	126.00
26	BB	1390	U	C1'-O4'-C4'	-6.03	105.07	109.90
26	BB	2091	C	P-O3'-C3'	-6.03	112.46	119.70
26	BB	2310	C	N3-C4-C5	-6.03	119.49	121.90
26	BB	2355	G	C3'-C2'-C1'	-6.03	96.67	101.50
26	BB	2535	G	C5'-C4'-O4'	6.03	116.34	109.10
26	BB	2541	A	C5-N7-C8	6.03	106.92	103.90
26	BB	2581	G	N1-C2-N3	6.03	127.52	123.90
1	AA	447	G	N7-C8-N9	6.03	116.11	113.10
1	AA	579	A	N3-C4-C5	-6.03	122.58	126.80
1	AA	1013	G	N3-C2-N2	-6.03	115.68	119.90
1	AA	1182	G	C5-N7-C8	-6.03	101.28	104.30
26	BB	149	A	N1-C2-N3	-6.03	126.28	129.30
26	BB	474	G	N9-C4-C5	-6.03	102.99	105.40
26	BB	597	G	C5-C6-N1	6.03	114.52	111.50
26	BB	1319	C	C5-C4-N4	-6.03	115.98	120.20
26	BB	1438	U	C5-C6-N1	-6.03	119.69	122.70
26	BB	1773	A	C2-N3-C4	6.03	113.61	110.60
26	BB	1897	G	C8-N9-C4	-6.03	103.99	106.40
26	BB	2309	A	N7-C8-N9	6.03	116.82	113.80
26	BB	2454	G	C1'-O4'-C4'	-6.03	105.08	109.90
47	BW	21	ARG	NE-CZ-NH1	6.03	123.32	120.30
1	AA	138	G	C8-N9-C4	-6.03	103.99	106.40
1	AA	452	A	C8-N9-C4	-6.03	103.39	105.80
1	AA	720	C	N3-C4-N4	6.03	122.22	118.00
1	AA	1059	C	N1-C2-O2	-6.03	115.28	118.90
1	AA	1251	A	C6-N1-C2	-6.03	114.98	118.60
26	BB	1654	A	C5'-C4'-O4'	6.03	116.33	109.10
26	BB	2146	C	C4'-C3'-C2'	-6.03	96.57	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	197	A	C5-C6-N6	6.03	128.52	123.70
1	AA	355	C	C4'-C3'-C2'	-6.03	96.57	102.60
1	AA	708	C	O4'-C1'-N1	6.03	113.02	108.20
1	AA	1400	C	C5-C6-N1	-6.03	117.99	121.00
4	AD	65	G	N1-C2-N2	6.03	121.62	116.20
26	BB	230	G	C5'-C4'-O4'	6.03	116.33	109.10
26	BB	507	A	O4'-C1'-N9	6.03	113.02	108.20
26	BB	781	A	N1-C2-N3	-6.03	126.29	129.30
26	BB	784	G	C6-C5-N7	-6.03	126.78	130.40
26	BB	1996	C	N3-C4-N4	-6.03	113.78	118.00
31	BG	148	VAL	CG1-CB-CG2	-6.03	101.26	110.90
1	AA	171	A	C8-N9-C4	6.03	108.21	105.80
1	AA	289	G	N1-C2-N2	6.03	121.62	116.20
1	AA	935	A	O4'-C1'-N9	6.03	113.02	108.20
1	AA	971	G	C4-C5-N7	6.03	113.21	110.80
1	AA	1033	G	C5-C6-N1	6.03	114.51	111.50
1	AA	1061	G	N1-C2-N2	6.03	121.62	116.20
4	AD	31	G	N3-C4-C5	-6.03	125.59	128.60
18	AR	47	LYS	CA-CB-CG	6.03	126.66	113.40
25	BA	76	G	N9-C1'-C2'	-6.03	105.37	112.00
26	BB	88	G	N1-C2-N2	6.03	121.62	116.20
26	BB	319	G	N1-C2-N3	-6.03	120.28	123.90
26	BB	346	A	C4-C5-N7	6.03	113.71	110.70
26	BB	608	A	C4'-C3'-C2'	-6.03	96.57	102.60
26	BB	608	A	C8-N9-C4	-6.03	103.39	105.80
26	BB	641	U	C2-N3-C4	-6.03	123.38	127.00
26	BB	728	G	C5-C6-N1	6.03	114.51	111.50
26	BB	785	G	N1-C2-N3	-6.03	120.28	123.90
26	BB	799	G	N3-C2-N2	-6.03	115.68	119.90
26	BB	1206	G	C5-C6-O6	-6.03	124.98	128.60
26	BB	2147	A	C6-N1-C2	-6.03	114.98	118.60
26	BB	2269	G	C5'-C4'-C3'	-6.03	106.36	116.00
26	BB	2314	A	N9-C1'-C2'	-6.03	105.37	112.00
1	AA	1213	A	C5-N7-C8	-6.02	100.89	103.90
26	BB	329	G	O4'-C4'-C3'	6.02	110.92	106.10
26	BB	705	A	C5'-C4'-C3'	-6.02	106.36	116.00
26	BB	1040	A	C4'-C3'-C2'	-6.02	96.58	102.60
1	AA	399	G	N3-C4-N9	6.02	129.61	126.00
1	AA	673	A	N1-C6-N6	-6.02	114.99	118.60
1	AA	1113	C	O4'-C1'-N1	6.02	113.02	108.20
1	AA	1262	C	N3-C2-O2	-6.02	117.68	121.90
1	AA	1268	G	O4'-C4'-C3'	6.02	110.92	106.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1339	A	C4'-C3'-C2'	-6.02	96.58	102.60
3	AC	39	U	N3-C2-O2	-6.02	117.98	122.20
25	BA	48	U	C3'-C2'-C1'	-6.02	96.68	101.50
25	BA	117	G	N1-C6-O6	-6.02	116.29	119.90
26	BB	31	C	N3-C2-O2	-6.02	117.68	121.90
26	BB	285	G	C4-C5-N7	6.02	113.21	110.80
26	BB	320	A	C5-N7-C8	-6.02	100.89	103.90
26	BB	1984	G	C2-N3-C4	6.02	114.91	111.90
26	BB	2380	C	P-O3'-C3'	6.02	126.93	119.70
1	AA	318	G	C4'-C3'-C2'	-6.02	96.58	102.60
26	BB	94	A	C2'-C3'-O3'	6.02	123.33	113.70
26	BB	496	G	N3-C4-N9	6.02	129.61	126.00
26	BB	1329	U	N1-C2-O2	-6.02	118.58	122.80
26	BB	2099	U	C2-N3-C4	6.02	130.61	127.00
26	BB	2235	G	C3'-C2'-C1'	6.02	106.32	101.50
1	AA	75	G	C2-N3-C4	6.02	114.91	111.90
1	AA	756	C	C5'-C4'-C3'	-6.02	106.37	116.00
1	AA	1165	U	N1-C1'-C2'	-6.02	105.38	112.00
2	AB	34	C	O4'-C1'-C2'	-6.02	99.78	105.80
4	AD	22	A	C3'-C2'-C1'	6.02	106.31	101.50
6	AF	76	ILE	C-N-CA	6.02	134.94	122.30
26	BB	185	G	C3'-C2'-C1'	-6.02	96.68	101.50
26	BB	488	G	C4-C5-N7	-6.02	108.39	110.80
26	BB	577	G	N3-C4-N9	6.02	129.61	126.00
26	BB	1794	A	N1-C6-N6	6.02	122.21	118.60
26	BB	1831	G	O4'-C1'-N9	6.02	113.02	108.20
1	AA	5	U	C5-C6-N1	-6.02	119.69	122.70
1	AA	158	G	C5-C6-O6	-6.02	124.99	128.60
1	AA	330	C	O3'-P-O5'	6.02	115.43	104.00
1	AA	932	C	C5-C4-N4	-6.02	115.99	120.20
1	AA	1104	G	C5-C6-N1	-6.02	108.49	111.50
5	AE	90	PHE	CB-CG-CD1	6.02	125.01	120.80
12	AL	42	THR	CA-CB-CG2	-6.02	103.97	112.40
26	BB	161	A	C5'-C4'-O4'	6.02	116.32	109.10
26	BB	1017	G	N3-C4-C5	-6.02	125.59	128.60
26	BB	1301	A	N9-C1'-C2'	6.02	121.82	114.00
26	BB	1477	A	C5'-C4'-O4'	6.02	116.32	109.10
26	BB	1672	A	N7-C8-N9	6.02	116.81	113.80
26	BB	1692	U	N1-C2-O2	-6.02	118.59	122.80
26	BB	1820	U	O4'-C1'-N1	6.02	113.02	108.20
26	BB	2227	A	N7-C8-N9	6.02	116.81	113.80
26	BB	2895	G	N7-C8-N9	6.02	116.11	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	59	A	C6-C5-N7	6.02	136.51	132.30
1	AA	438	U	N3-C2-O2	6.02	126.41	122.20
3	AC	22	G	O4'-C1'-N9	6.02	113.01	108.20
3	AC	42	U	C3'-C2'-C1'	6.02	106.31	101.50
26	BB	818	G	N1-C2-N2	-6.02	110.79	116.20
26	BB	1919	A	N1-C6-N6	-6.02	114.99	118.60
26	BB	2272	U	N3-C2-O2	-6.02	117.99	122.20
26	BB	2376	A	C5'-C4'-O4'	6.02	116.32	109.10
26	BB	2405	G	N1-C6-O6	-6.02	116.29	119.90
1	AA	697	U	C5-C4-O4	6.01	129.51	125.90
1	AA	1092	A	N7-C8-N9	-6.01	110.79	113.80
1	AA	1301	U	C5-C4-O4	-6.01	122.29	125.90
4	AD	19	G	N3-C2-N2	-6.01	115.69	119.90
26	BB	34	U	C2-N3-C4	-6.01	123.39	127.00
26	BB	176	A	C8-N9-C1'	6.01	138.53	127.70
26	BB	361	G	N1-C2-N2	6.01	121.61	116.20
26	BB	537	G	N9-C4-C5	6.01	107.81	105.40
26	BB	561	G	C4-C5-N7	-6.01	108.39	110.80
26	BB	636	G	O4'-C4'-C3'	6.01	110.91	106.10
26	BB	824	U	N1-C2-O2	6.01	127.01	122.80
26	BB	1069	A	C1'-O4'-C4'	-6.01	105.09	109.90
26	BB	1912	A	O4'-C4'-C3'	6.01	110.91	106.10
26	BB	2276	G	N1-C2-N3	-6.01	120.29	123.90
26	BB	2436	G	C4-C5-C6	6.01	122.41	118.80
26	BB	2455	G	C5'-C4'-O4'	6.01	116.32	109.10
26	BB	2807	U	C4'-C3'-C2'	-6.01	96.59	102.60
1	AA	82	G	N9-C4-C5	6.01	107.81	105.40
1	AA	178	C	C4'-C3'-C2'	-6.01	96.59	102.60
6	AF	41	TYR	CD1-CE1-CZ	-6.01	114.39	119.80
26	BB	937	C	N1-C2-O2	6.01	122.51	118.90
26	BB	1853	A	C5-N7-C8	-6.01	100.89	103.90
26	BB	2169	A	N1-C2-N3	-6.01	126.29	129.30
1	AA	126	G	C6-N1-C2	-6.01	121.49	125.10
1	AA	572	A	C2-N3-C4	-6.01	107.59	110.60
1	AA	606	G	O5'-C5'-C4'	6.01	123.12	111.70
1	AA	692	U	C5'-C4'-O4'	6.01	116.31	109.10
1	AA	1118	U	C5-C6-N1	-6.01	119.69	122.70
6	AF	21	TRP	NE1-CE2-CD2	-6.01	101.29	107.30
26	BB	749	A	N1-C6-N6	-6.01	114.99	118.60
26	BB	944	C	C6-N1-C2	6.01	122.70	120.30
26	BB	966	G	C5-C6-O6	-6.01	124.99	128.60
26	BB	1589	U	C5-C4-O4	-6.01	122.29	125.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1972	G	C2-N3-C4	-6.01	108.89	111.90
26	BB	2239	G	N3-C4-C5	-6.01	125.59	128.60
26	BB	2269	G	C5-C6-N1	-6.01	108.49	111.50
26	BB	2408	U	N3-C2-O2	-6.01	117.99	122.20
26	BB	2586	U	O4'-C1'-C2'	-6.01	99.79	105.80
1	AA	263	A	C8-N9-C4	-6.01	103.40	105.80
1	AA	432	A	N7-C8-N9	6.01	116.80	113.80
1	AA	746	A	C8-N9-C4	-6.01	103.40	105.80
1	AA	1305	G	C5-C6-N1	6.01	114.50	111.50
4	AD	4	G	C4-C5-N7	-6.01	108.40	110.80
4	AD	5	G	C5-N7-C8	-6.01	101.30	104.30
25	BA	8	C	O4'-C1'-N1	6.01	113.01	108.20
26	BB	235	U	C4-C5-C6	6.01	123.31	119.70
26	BB	635	C	C5'-C4'-O4'	6.01	116.31	109.10
26	BB	1228	G	N3-C4-N9	6.01	129.61	126.00
26	BB	2041	U	C4-C5-C6	-6.01	116.09	119.70
26	BB	2249	U	C6-N1-C2	-6.01	117.39	121.00
26	BB	2261	C	O4'-C1'-N1	6.01	113.01	108.20
26	BB	2444	G	N1-C2-N3	6.01	127.50	123.90
26	BB	2466	C	N3-C4-C5	-6.01	119.50	121.90
26	BB	2848	G	N1-C2-N2	6.01	121.61	116.20
1	AA	951	G	N7-C8-N9	6.01	116.10	113.10
1	AA	1531	A	C2-N3-C4	6.01	113.60	110.60
4	AD	47	A	N9-C1'-C2'	-6.01	105.39	112.00
26	BB	618	G	C5-C6-N1	6.01	114.50	111.50
26	BB	763	G	P-O3'-C3'	6.01	126.91	119.70
26	BB	1664	A	C5-C6-N6	-6.01	118.89	123.70
36	BL	4	PHE	CB-CG-CD1	6.01	125.01	120.80
1	AA	182	A	C4'-C3'-C2'	-6.01	96.59	102.60
1	AA	715	A	C4-C5-C6	6.01	120.00	117.00
1	AA	1286	U	C1'-O4'-C4'	6.01	114.70	109.90
4	AD	64	G	N1-C6-O6	-6.01	116.30	119.90
17	AQ	100	TRP	CE2-CD2-CE3	-6.01	111.49	118.70
26	BB	98	G	N3-C4-C5	-6.01	125.60	128.60
26	BB	230	G	C3'-C2'-C1'	-6.01	96.69	101.50
26	BB	236	C	C5-C4-N4	-6.01	116.00	120.20
26	BB	1055	G	C4'-C3'-O3'	6.01	125.01	113.00
26	BB	1515	A	C8-N9-C4	6.01	108.20	105.80
26	BB	2097	A	C5-N7-C8	6.01	106.90	103.90
26	BB	2144	G	C5-N7-C8	-6.01	101.30	104.30
26	BB	2412	A	N1-C2-N3	-6.01	126.30	129.30
26	BB	2434	A	N9-C4-C5	6.01	108.20	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2704	C	O4'-C4'-C3'	6.01	110.91	106.10
26	BB	2870	C	N1-C2-O2	-6.01	115.30	118.90
1	AA	173	U	C3'-C2'-C1'	6.00	106.30	101.50
1	AA	778	G	C1'-O4'-C4'	6.00	114.70	109.90
4	AD	23	G	C3'-C2'-C1'	-6.00	96.70	101.50
4	AD	41	C	C5-C6-N1	6.00	124.00	121.00
26	BB	1295	C	N3-C2-O2	-6.00	117.70	121.90
26	BB	2058	A	C3'-C2'-C1'	6.00	106.30	101.50
26	BB	2181	U	C5-C6-N1	6.00	125.70	122.70
26	BB	2270	A	N9-C1'-C2'	6.00	121.81	114.00
26	BB	2808	G	C4'-C3'-C2'	-6.00	96.59	102.60
1	AA	166	U	O4'-C1'-N1	6.00	113.00	108.20
1	AA	173	U	N3-C2-O2	-6.00	118.00	122.20
1	AA	537	G	C5-N7-C8	-6.00	101.30	104.30
1	AA	713	G	C5-C6-O6	-6.00	125.00	128.60
1	AA	1185	G	N1-C2-N2	6.00	121.60	116.20
1	AA	1438	G	N1-C6-O6	-6.00	116.30	119.90
1	AA	1461	G	N3-C2-N2	6.00	124.10	119.90
1	AA	1536	C	N1-C1'-C2'	6.00	121.80	114.00
26	BB	199	A	C4-C5-C6	-6.00	114.00	117.00
26	BB	820	A	C4'-C3'-C2'	-6.00	96.60	102.60
26	BB	863	A	C5-C6-N1	6.00	120.70	117.70
26	BB	979	A	C5-N7-C8	-6.00	100.90	103.90
26	BB	1023	U	O4'-C1'-N1	6.00	113.00	108.20
26	BB	1464	G	C8-N9-C4	-6.00	104.00	106.40
26	BB	1608	A	C5'-C4'-O4'	6.00	116.30	109.10
26	BB	1813	G	C4-C5-N7	-6.00	108.40	110.80
26	BB	2083	G	N3-C2-N2	-6.00	115.70	119.90
26	BB	2598	A	N1-C2-N3	-6.00	126.30	129.30
1	AA	19	A	O4'-C1'-N9	6.00	113.00	108.20
1	AA	652	U	N1-C2-O2	6.00	127.00	122.80
1	AA	986	U	C5-C4-O4	-6.00	122.30	125.90
1	AA	1027	C	P-O3'-C3'	6.00	126.90	119.70
1	AA	1060	U	C2-N3-C4	-6.00	123.40	127.00
1	AA	1103	C	C6-N1-C2	-6.00	117.90	120.30
1	AA	1194	U	C5'-C4'-C3'	-6.00	106.40	116.00
1	AA	1340	A	O4'-C4'-C3'	6.00	110.90	106.10
1	AA	1497	G	N7-C8-N9	6.00	116.10	113.10
26	BB	891	G	O4'-C1'-N9	6.00	113.00	108.20
26	BB	1248	G	C3'-C2'-C1'	-6.00	96.70	101.50
26	BB	1266	G	C4-C5-N7	-6.00	108.40	110.80
26	BB	1372	U	C5'-C4'-O4'	6.00	116.30	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2091	C	C5'-C4'-O4'	6.00	116.30	109.10
26	BB	2106	U	C2'-C3'-O3'	6.00	123.30	113.70
26	BB	2711	A	N9-C4-C5	-6.00	103.40	105.80
26	BB	2784	U	C4-C5-C6	6.00	123.30	119.70
26	BB	2830	C	N1-C2-O2	6.00	122.50	118.90
4	AD	43	G	N1-C2-N3	-6.00	120.30	123.90
26	BB	1821	A	C4-C5-C6	6.00	120.00	117.00
26	BB	1970	A	C2-N3-C4	6.00	113.60	110.60
26	BB	2789	C	N1-C2-N3	6.00	123.40	119.20
1	AA	32	A	C5-C6-N6	-6.00	118.90	123.70
1	AA	1401	G	C5'-C4'-O4'	6.00	116.30	109.10
25	BA	57	A	N7-C8-N9	6.00	116.80	113.80
26	BB	757	G	C4-C5-N7	-6.00	108.40	110.80
26	BB	891	G	C8-N9-C4	-6.00	104.00	106.40
26	BB	1107	G	C6-N1-C2	-6.00	121.50	125.10
26	BB	2217	G	C4-C5-N7	6.00	113.20	110.80
26	BB	2340	A	C3'-C2'-C1'	6.00	106.30	101.50
41	BQ	36	TYR	CZ-CE2-CD2	-6.00	114.40	119.80
1	AA	171	A	P-O3'-C3'	6.00	126.90	119.70
1	AA	530	G	C8-N9-C4	-6.00	104.00	106.40
1	AA	748	G	C4-C5-C6	6.00	122.40	118.80
17	AQ	97	LYS	O-C-N	-6.00	113.11	122.70
26	BB	46	G	C5'-C4'-O4'	6.00	116.30	109.10
26	BB	329	G	C4-C5-N7	6.00	113.20	110.80
26	BB	1490	A	N3-C4-N9	6.00	132.20	127.40
26	BB	1543	G	P-O3'-C3'	6.00	126.90	119.70
26	BB	2120	G	C3'-C2'-C1'	-6.00	96.70	101.50
26	BB	2223	G	C5-C6-O6	-6.00	125.00	128.60
26	BB	2583	G	C5-N7-C8	-6.00	101.30	104.30
26	BB	2667	C	N3-C4-N4	6.00	122.20	118.00
1	AA	403	C	C4'-C3'-C2'	-6.00	96.61	102.60
1	AA	660	C	N1-C2-O2	6.00	122.50	118.90
1	AA	1088	G	C6-N1-C2	-6.00	121.50	125.10
26	BB	218	A	C5-C6-N1	6.00	120.70	117.70
26	BB	1095	A	O4'-C4'-C3'	6.00	110.90	106.10
26	BB	1211	C	C2-N3-C4	6.00	122.90	119.90
26	BB	1436	G	C4-C5-C6	6.00	122.40	118.80
26	BB	2319	G	N1-C2-N3	-6.00	120.30	123.90
1	AA	142	G	N9-C1'-C2'	-5.99	105.41	112.00
1	AA	203	G	C2-N3-C4	5.99	114.90	111.90
1	AA	334	C	N3-C4-C5	-5.99	119.50	121.90
1	AA	493	A	C5-N7-C8	-5.99	100.90	103.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	991	U	C6-N1-C2	-5.99	117.40	121.00
1	AA	1458	G	C5'-C4'-C3'	-5.99	106.41	116.00
12	AL	86	LEU	CB-CG-CD1	-5.99	100.81	111.00
25	BA	18	G	C6-C5-N7	5.99	134.00	130.40
26	BB	234	U	N3-C2-O2	5.99	126.39	122.20
26	BB	295	G	C2-N3-C4	5.99	114.90	111.90
26	BB	508	A	N9-C4-C5	-5.99	103.40	105.80
26	BB	546	U	C4-C5-C6	5.99	123.30	119.70
26	BB	644	A	C4'-C3'-C2'	-5.99	96.61	102.60
26	BB	800	A	N1-C6-N6	-5.99	115.00	118.60
26	BB	1577	C	O4'-C4'-C3'	5.99	110.89	106.10
26	BB	1682	G	N7-C8-N9	5.99	116.10	113.10
26	BB	1751	U	O4'-C1'-N1	5.99	112.99	108.20
26	BB	2053	G	O4'-C1'-N9	-5.99	103.41	108.20
26	BB	2054	A	O4'-C1'-N9	5.99	113.00	108.20
26	BB	2367	G	C6-C5-N7	-5.99	126.80	130.40
26	BB	2551	C	N1-C2-N3	5.99	123.39	119.20
26	BB	2566	A	C1'-O4'-C4'	5.99	114.69	109.90
26	BB	2874	C	N3-C2-O2	-5.99	117.70	121.90
1	AA	973	G	N3-C4-C5	-5.99	125.60	128.60
1	AA	1356	G	N9-C4-C5	-5.99	103.00	105.40
26	BB	1667	G	N3-C4-C5	-5.99	125.60	128.60
26	BB	2216	G	C4-C5-C6	5.99	122.39	118.80
26	BB	2253	G	N1-C2-N3	5.99	127.50	123.90
1	AA	459	A	N7-C8-N9	-5.99	110.81	113.80
1	AA	588	G	N3-C4-N9	5.99	129.59	126.00
1	AA	667	G	N1-C6-O6	-5.99	116.31	119.90
1	AA	860	A	N3-C4-C5	-5.99	122.61	126.80
1	AA	901	A	O4'-C1'-N9	5.99	112.99	108.20
15	AO	35	ARG	NE-CZ-NH1	5.99	123.30	120.30
25	BA	94	A	N3-C4-C5	-5.99	122.61	126.80
26	BB	173	A	C3'-C2'-C1'	5.99	106.29	101.50
26	BB	260	G	C4-C5-C6	5.99	122.39	118.80
26	BB	326	G	C5-C6-O6	-5.99	125.01	128.60
26	BB	439	A	C3'-C2'-C1'	5.99	106.29	101.50
26	BB	558	U	N3-C4-O4	5.99	123.59	119.40
26	BB	623	C	C3'-C2'-C1'	-5.99	96.71	101.50
26	BB	630	G	N1-C2-N3	-5.99	120.31	123.90
26	BB	1049	C	C5-C6-N1	-5.99	118.00	121.00
26	BB	1644	C	C5-C4-N4	-5.99	116.01	120.20
26	BB	2644	G	C2-N3-C4	5.99	114.90	111.90
26	BB	2742	G	C3'-C2'-C1'	-5.99	96.71	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	44	A	C8-N9-C4	-5.99	103.41	105.80
1	AA	654	G	C6-C5-N7	-5.99	126.81	130.40
1	AA	685	G	C5-C6-N1	5.99	114.49	111.50
1	AA	760	G	N9-C4-C5	-5.99	103.00	105.40
1	AA	852	G	C8-N9-C4	-5.99	104.00	106.40
1	AA	994	A	C5'-C4'-C3'	5.99	125.58	116.00
1	AA	1314	C	C2-N3-C4	-5.99	116.91	119.90
1	AA	1330	U	C5-C6-N1	-5.99	119.71	122.70
1	AA	1370	G	N9-C4-C5	5.99	107.80	105.40
26	BB	1088	A	C1'-O4'-C4'	-5.99	105.11	109.90
26	BB	1102	C	C5'-C4'-C3'	-5.99	106.42	116.00
39	BO	64	TRP	CH2-CZ2-CE2	5.99	123.39	117.40
50	BZ	66	VAL	CA-CB-CG2	-5.99	101.92	110.90
1	AA	926	G	N9-C4-C5	5.99	107.80	105.40
26	BB	175	G	P-O3'-C3'	5.99	126.89	119.70
26	BB	226	A	C6-N1-C2	5.99	122.19	118.60
26	BB	2257	U	C4-C5-C6	5.99	123.29	119.70
26	BB	2735	G	N1-C6-O6	-5.99	116.31	119.90
1	AA	343	U	O4'-C4'-C3'	5.99	110.89	106.10
1	AA	466	A	N9-C4-C5	5.99	108.19	105.80
26	BB	27	G	C5'-C4'-O4'	-5.99	101.92	109.10
26	BB	557	C	C3'-C2'-C1'	5.99	106.29	101.50
26	BB	676	A	C4-C5-C6	-5.99	114.01	117.00
26	BB	799	G	N1-C6-O6	5.99	123.49	119.90
26	BB	1190	G	O5'-P-OP2	-5.99	100.31	105.70
26	BB	1575	C	C5-C6-N1	5.99	123.99	121.00
26	BB	1582	C	C6-N1-C2	-5.99	117.91	120.30
26	BB	1739	A	N1-C6-N6	-5.99	115.01	118.60
26	BB	1877	A	N7-C8-N9	-5.99	110.81	113.80
26	BB	2215	C	P-O3'-C3'	5.99	126.88	119.70
26	BB	2423	U	C5-C4-O4	-5.99	122.31	125.90
26	BB	2579	C	N1-C1'-C2'	-5.99	105.42	112.00
26	BB	2602	A	N1-C2-N3	-5.99	126.31	129.30
26	BB	2769	U	P-O3'-C3'	5.99	126.88	119.70
26	BB	2852	G	C2-N3-C4	5.99	114.89	111.90
32	BH	41	GLU	N-CA-CB	-5.99	99.83	110.60
37	BM	56	ASP	CB-CG-OD1	-5.99	112.91	118.30
45	BU	5	ALA	O-C-N	5.99	132.28	122.70
1	AA	578	C	C1'-O4'-C4'	-5.98	105.11	109.90
1	AA	841	C	C5-C4-N4	5.98	124.39	120.20
26	BB	54	G	N9-C4-C5	-5.98	103.01	105.40
26	BB	360	U	C2-N3-C4	-5.98	123.41	127.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	25	C	N3-C4-N4	5.98	122.19	118.00
26	BB	153	U	C6-N1-C2	5.98	124.59	121.00
26	BB	301	G	C5-C6-O6	-5.98	125.01	128.60
26	BB	406	G	C2-N3-C4	5.98	114.89	111.90
26	BB	713	G	C5'-C4'-O4'	5.98	116.28	109.10
26	BB	892	A	C5-C6-N6	5.98	128.49	123.70
26	BB	1186	G	C5-C6-O6	5.98	132.19	128.60
26	BB	1259	G	O4'-C1'-C2'	-5.98	99.82	105.80
26	BB	1392	A	N7-C8-N9	5.98	116.79	113.80
26	BB	1449	G	N1-C2-N3	-5.98	120.31	123.90
26	BB	1538	G	C8-N9-C4	-5.98	104.01	106.40
26	BB	1645	G	C5-N7-C8	5.98	107.29	104.30
26	BB	2006	C	O4'-C1'-N1	5.98	112.99	108.20
26	BB	2052	A	C5'-C4'-O4'	5.98	116.28	109.10
26	BB	2480	C	N1-C2-O2	5.98	122.49	118.90
1	AA	455	G	C1'-O4'-C4'	-5.98	105.12	109.90
1	AA	492	C	N3-C2-O2	-5.98	117.71	121.90
15	AO	98	ARG	NE-CZ-NH1	5.98	123.29	120.30
26	BB	97	C	C5-C6-N1	5.98	123.99	121.00
26	BB	290	U	C6-N1-C2	5.98	124.59	121.00
26	BB	596	U	C6-N1-C2	-5.98	117.41	121.00
26	BB	1030	C	P-O3'-C3'	5.98	126.88	119.70
26	BB	1231	U	N3-C4-C5	-5.98	111.01	114.60
26	BB	1778	U	C3'-C2'-C1'	5.98	106.28	101.50
26	BB	2547	A	C5'-C4'-O4'	5.98	116.28	109.10
26	BB	2643	G	C4-C5-N7	5.98	113.19	110.80
26	BB	2849	U	N3-C4-O4	5.98	123.59	119.40
28	BD	155	ARG	NE-CZ-NH2	-5.98	117.31	120.30
1	AA	59	A	N9-C4-C5	5.98	108.19	105.80
2	AB	32	OMC	O3'-P-O5'	-5.98	92.64	104.00
4	AD	14	A	N3-C4-C5	-5.98	122.61	126.80
4	AD	15	G	P-O3'-C3'	5.98	126.88	119.70
26	BB	405	U	C6-N1-C2	-5.98	117.41	121.00
26	BB	1053	C	N3-C2-O2	-5.98	117.71	121.90
26	BB	2233	U	C2-N3-C4	-5.98	123.41	127.00
26	BB	2742	G	N3-C4-C5	-5.98	125.61	128.60
1	AA	128	G	C2'-C3'-O3'	5.98	123.27	113.70
1	AA	236	A	N1-C6-N6	5.98	122.19	118.60
1	AA	364	A	C8-N9-C4	-5.98	103.41	105.80
1	AA	424	G	O4'-C1'-N9	5.98	112.98	108.20
1	AA	795	C	C5-C4-N4	-5.98	116.02	120.20
1	AA	1004	A	N3-C4-C5	-5.98	122.62	126.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1018	G	N3-C2-N2	-5.98	115.72	119.90
2	AB	73	G	C4-C5-N7	-5.98	108.41	110.80
18	AR	83	ARG	NE-CZ-NH2	5.98	123.29	120.30
25	BA	26	C	C5'-C4'-O4'	5.98	116.27	109.10
26	BB	341	C	C6-N1-C2	5.98	122.69	120.30
26	BB	377	G	C3'-C2'-C1'	5.98	106.28	101.50
26	BB	720	U	P-O3'-C3'	5.98	126.87	119.70
26	BB	1389	G	C3'-C2'-C1'	-5.98	96.72	101.50
26	BB	1879	C	P-O3'-C3'	5.98	126.87	119.70
26	BB	2079	U	C5'-C4'-O4'	5.98	116.27	109.10
26	BB	2694	G	C4-C5-N7	-5.98	108.41	110.80
36	BL	8	PRO	N-CA-CB	5.98	110.47	103.30
1	AA	43	C	O4'-C1'-N1	5.98	112.98	108.20
1	AA	424	G	C5-C6-N1	5.98	114.49	111.50
1	AA	903	G	N3-C2-N2	5.98	124.08	119.90
3	AC	31	U	C3'-C2'-C1'	-5.98	96.72	101.50
26	BB	446	G	N1-C2-N2	-5.98	110.82	116.20
26	BB	1620	G	C5'-C4'-O4'	5.98	116.27	109.10
26	BB	1662	U	O4'-C4'-C3'	-5.98	98.02	104.00
1	AA	75	G	N3-C4-N9	5.97	129.59	126.00
1	AA	972	C	P-O3'-C3'	5.97	126.87	119.70
1	AA	1052	U	N3-C2-O2	-5.97	118.02	122.20
19	AS	51	ARG	NE-CZ-NH1	5.97	123.29	120.30
25	BA	54	G	C6-N1-C2	-5.97	121.52	125.10
26	BB	313	G	C6-N1-C2	-5.97	121.52	125.10
26	BB	588	U	O4'-C1'-N1	5.97	112.98	108.20
26	BB	662	G	N3-C2-N2	5.97	124.08	119.90
26	BB	1057	A	C2-N3-C4	5.97	113.59	110.60
26	BB	1205	A	O4'-C1'-C2'	5.97	112.98	107.60
26	BB	1581	G	C2-N3-C4	5.97	114.89	111.90
26	BB	1757	A	C8-N9-C4	-5.97	103.41	105.80
26	BB	2640	G	C5-C6-N1	5.97	114.49	111.50
38	BN	48	ARG	NE-CZ-NH1	-5.97	117.31	120.30
1	AA	1188	A	C1'-O4'-C4'	5.97	114.68	109.90
1	AA	1381	U	O4'-C1'-N1	5.97	112.98	108.20
22	AV	1	PRO	CA-N-CD	-5.97	103.14	111.50
25	BA	49	C	O4'-C1'-N1	5.97	112.98	108.20
25	BA	71	C	C4-C5-C6	-5.97	114.41	117.40
25	BA	88	C	N1-C1'-C2'	-5.97	105.43	112.00
26	BB	316	C	N3-C4-C5	-5.97	119.51	121.90
26	BB	368	A	C5-C6-N1	-5.97	114.71	117.70
26	BB	995	C	O4'-C1'-C2'	-5.97	99.83	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2176	A	P-O3'-C3'	5.97	126.87	119.70
26	BB	2513	A	C4-C5-N7	-5.97	107.71	110.70
26	BB	2514	U	C3'-C2'-C1'	-5.97	96.72	101.50
26	BB	2637	U	O4'-C1'-N1	5.97	112.98	108.20
43	BS	56	PHE	CB-CG-CD1	5.97	124.98	120.80
26	BB	220	G	N1-C2-N3	5.97	127.48	123.90
26	BB	601	C	C5-C4-N4	-5.97	116.02	120.20
26	BB	1025	G	C2-N3-C4	5.97	114.89	111.90
26	BB	1682	G	N3-C2-N2	-5.97	115.72	119.90
26	BB	2155	U	N3-C2-O2	-5.97	118.02	122.20
26	BB	2508	G	C5-N7-C8	5.97	107.29	104.30
1	AA	883	C	C1'-O4'-C4'	5.97	114.67	109.90
1	AA	1449	C	C6-N1-C2	-5.97	117.91	120.30
1	AA	1465	A	C5-C6-N1	5.97	120.69	117.70
2	AB	2	G	C6-C5-N7	-5.97	126.82	130.40
3	AC	29	G	C6-C5-N7	-5.97	126.82	130.40
26	BB	93	G	C4'-C3'-C2'	-5.97	96.63	102.60
26	BB	126	A	N1-C2-N3	-5.97	126.32	129.30
26	BB	708	G	C1'-O4'-C4'	5.97	114.68	109.90
26	BB	759	G	C5-N7-C8	-5.97	101.31	104.30
26	BB	759	G	N3-C4-C5	-5.97	125.61	128.60
26	BB	1197	G	C5-C6-N1	5.97	114.48	111.50
26	BB	2278	A	C5'-C4'-O4'	5.97	116.26	109.10
26	BB	2517	C	N3-C4-N4	5.97	122.18	118.00
26	BB	2559	C	O5'-P-OP2	5.97	117.86	110.70
26	BB	2727	A	N1-C2-N3	5.97	132.28	129.30
1	AA	438	U	N1-C2-O2	-5.97	118.62	122.80
1	AA	580	C	N1-C1'-C2'	-5.97	105.44	112.00
10	AJ	176	TYR	CZ-CE2-CD2	5.97	125.17	119.80
26	BB	1499	C	O5'-C5'-C4'	-5.97	100.36	111.70
26	BB	2477	U	N1-C1'-C2'	-5.97	105.44	112.00
1	AA	15	G	N1-C6-O6	5.97	123.48	119.90
1	AA	331	G	N1-C6-O6	-5.97	116.32	119.90
1	AA	441	A	C5'-C4'-O4'	5.97	116.26	109.10
1	AA	702	A	N1-C2-N3	-5.97	126.32	129.30
1	AA	832	G	C5'-C4'-C3'	-5.97	106.45	116.00
1	AA	1257	A	C5-C6-N1	5.97	120.68	117.70
1	AA	1354	U	C4'-C3'-C2'	-5.97	96.63	102.60
1	AA	1486	G	N3-C2-N2	5.97	124.08	119.90
25	BA	101	A	C6-N1-C2	-5.97	115.02	118.60
26	BB	115	C	C4'-C3'-C2'	-5.97	96.63	102.60
26	BB	485	C	O4'-C1'-N1	5.97	112.97	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	530	G	C4-C5-C6	5.97	122.38	118.80
26	BB	543	G	C8-N9-C1'	5.97	134.76	127.00
26	BB	892	A	N7-C8-N9	-5.97	110.82	113.80
26	BB	930	G	C5-C6-O6	-5.97	125.02	128.60
26	BB	1386	C	C5-C4-N4	-5.97	116.02	120.20
26	BB	1404	C	N3-C4-C5	-5.97	119.51	121.90
26	BB	1504	A	C5-C6-N6	-5.97	118.93	123.70
26	BB	1746	A	C2-N3-C4	-5.97	107.62	110.60
26	BB	2567	G	C4-C5-N7	-5.97	108.41	110.80
26	BB	2659	G	N7-C8-N9	-5.97	110.12	113.10
26	BB	2660	A	C6-C5-N7	5.97	136.48	132.30
44	BT	63	VAL	CA-CB-CG2	5.97	119.85	110.90
1	AA	123	U	N1-C1'-C2'	-5.96	105.44	112.00
1	AA	176	C	N3-C4-C5	-5.96	119.51	121.90
1	AA	381	C	N3-C2-O2	-5.96	117.72	121.90
1	AA	675	A	C4-C5-C6	5.96	119.98	117.00
1	AA	865	A	C4-C5-C6	-5.96	114.02	117.00
1	AA	898	G	N3-C2-N2	-5.96	115.72	119.90
1	AA	950	U	C2-N3-C4	-5.96	123.42	127.00
1	AA	1104	G	C5'-C4'-C3'	-5.96	106.46	116.00
1	AA	1110	A	C5'-C4'-O4'	5.96	116.26	109.10
1	AA	1145	A	N7-C8-N9	-5.96	110.82	113.80
1	AA	1251	A	N7-C8-N9	5.96	116.78	113.80
1	AA	1281	C	N3-C4-N4	5.96	122.17	118.00
25	BA	13	G	N1-C2-N2	5.96	121.57	116.20
26	BB	210	C	C4'-C3'-C2'	-5.96	96.64	102.60
26	BB	328	U	C3'-C2'-C1'	5.96	106.27	101.50
26	BB	1433	A	N3-C4-C5	-5.96	122.62	126.80
26	BB	1681	G	N3-C4-C5	-5.96	125.62	128.60
26	BB	1951	U	O4'-C1'-N1	5.96	112.97	108.20
26	BB	2028	U	C5'-C4'-O4'	5.96	116.26	109.10
26	BB	2348	U	C5-C6-N1	5.96	125.68	122.70
26	BB	2626	C	N1-C2-O2	5.96	122.48	118.90
1	AA	41	G	O4'-C1'-N9	5.96	112.97	108.20
26	BB	293	U	C6-N1-C2	-5.96	117.42	121.00
26	BB	507	A	C5-C6-N1	5.96	120.68	117.70
26	BB	1116	G	N3-C2-N2	-5.96	115.73	119.90
26	BB	1525	A	C6-C5-N7	5.96	136.47	132.30
26	BB	2352	A	O4'-C4'-C3'	5.96	110.87	106.10
1	AA	999	C	O4'-C1'-N1	5.96	112.97	108.20
1	AA	1217	C	N3-C2-O2	-5.96	117.73	121.90
26	BB	513	A	C2-N3-C4	5.96	113.58	110.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1002	G	O4'-C1'-N9	5.96	112.97	108.20
26	BB	1028	A	C2-N3-C4	5.96	113.58	110.60
26	BB	1545	A	C5-N7-C8	5.96	106.88	103.90
26	BB	1766	G	O4'-C1'-N9	5.96	112.97	108.20
26	BB	2003	A	C4'-C3'-C2'	-5.96	96.64	102.60
26	BB	2110	G	C5-C6-N1	-5.96	108.52	111.50
26	BB	2868	A	C5-C6-N1	5.96	120.68	117.70
26	BB	2903	U	O4'-C1'-C2'	-5.96	99.84	105.80
1	AA	610	U	C4'-C3'-C2'	-5.96	96.64	102.60
1	AA	1088	G	N1-C6-O6	5.96	123.48	119.90
4	AD	9	G	C6-C5-N7	-5.96	126.82	130.40
25	BA	98	G	N9-C4-C5	5.96	107.78	105.40
26	BB	430	A	C4-C5-N7	5.96	113.68	110.70
26	BB	1187	G	C4-C5-C6	5.96	122.38	118.80
26	BB	1781	U	C6-N1-C2	-5.96	117.42	121.00
26	BB	1852	U	C5-C4-O4	-5.96	122.32	125.90
26	BB	2673	G	C6-C5-N7	-5.96	126.82	130.40
1	AA	217	C	N3-C2-O2	-5.96	117.73	121.90
1	AA	485	U	C5-C6-N1	-5.96	119.72	122.70
1	AA	568	G	N9-C4-C5	5.96	107.78	105.40
1	AA	692	U	C5-C6-N1	5.96	125.68	122.70
1	AA	713	G	C4'-C3'-C2'	-5.96	96.64	102.60
1	AA	941	G	N9-C1'-C2'	-5.96	105.45	112.00
1	AA	1079	G	C4'-C3'-C2'	-5.96	96.64	102.60
25	BA	111	U	P-O3'-C3'	5.96	126.85	119.70
26	BB	149	A	C5-N7-C8	-5.96	100.92	103.90
26	BB	231	A	P-O5'-C5'	5.96	130.43	120.90
26	BB	708	G	P-O5'-C5'	5.96	130.43	120.90
26	BB	1350	C	O4'-C1'-N1	5.96	112.97	108.20
26	BB	1355	G	N7-C8-N9	5.96	116.08	113.10
26	BB	2076	U	C2-N1-C1'	5.96	124.85	117.70
26	BB	2240	U	N1-C2-O2	5.96	126.97	122.80
26	BB	2523	G	C8-N9-C4	-5.96	104.02	106.40
1	AA	718	A	C5'-C4'-C3'	-5.96	106.47	116.00
1	AA	1142	G	N9-C1'-C2'	-5.96	105.45	112.00
1	AA	1465	A	C4'-C3'-C2'	-5.96	96.64	102.60
4	AD	35	C	C3'-C2'-C1'	-5.96	96.74	101.50
26	BB	578	G	O4'-C1'-N9	5.96	112.96	108.20
26	BB	829	A	N7-C8-N9	5.96	116.78	113.80
26	BB	1038	G	C5-C6-O6	-5.96	125.03	128.60
26	BB	1056	G	C8-N9-C1'	5.96	134.74	127.00
26	BB	1244	A	C1'-O4'-C4'	5.96	114.67	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1380	G	N3-C4-C5	-5.96	125.62	128.60
26	BB	1564	C	N3-C4-C5	-5.96	119.52	121.90
26	BB	1781	U	P-O3'-C3'	5.96	126.85	119.70
26	BB	2350	C	C5-C4-N4	-5.96	116.03	120.20
26	BB	2762	C	C4-C5-C6	-5.96	114.42	117.40
1	AA	592	G	C5'-C4'-O4'	5.96	116.25	109.10
4	AD	13	C	O4'-C4'-C3'	5.96	110.86	106.10
26	BB	206	U	O4'-C1'-N1	5.96	112.96	108.20
26	BB	912	C	C5-C6-N1	5.96	123.98	121.00
26	BB	998	C	P-O5'-C5'	5.96	130.43	120.90
26	BB	1225	G	C5-C6-O6	-5.96	125.03	128.60
26	BB	1225	G	N3-C2-N2	5.96	124.07	119.90
26	BB	1893	C	C5-C6-N1	5.96	123.98	121.00
26	BB	1950	G	C1'-O4'-C4'	-5.96	105.14	109.90
26	BB	2285	C	O5'-P-OP1	5.96	117.85	110.70
26	BB	2394	C	C3'-C2'-C1'	5.96	106.26	101.50
33	BI	70	GLU	CB-CG-CD	-5.96	98.12	114.20
1	AA	419	C	C4'-C3'-C2'	-5.95	96.65	102.60
1	AA	753	A	N7-C8-N9	5.95	116.78	113.80
1	AA	994	A	C8-N9-C4	-5.95	103.42	105.80
1	AA	1107	C	C4-C5-C6	5.95	120.38	117.40
1	AA	1393	U	C5-C6-N1	-5.95	119.72	122.70
1	AA	1494	G	C5-C6-N1	5.95	114.48	111.50
4	AD	7	G	N1-C2-N2	-5.95	110.84	116.20
4	AD	61	U	C4'-C3'-C2'	5.95	108.55	102.60
5	AE	52	ALA	CB-CA-C	5.95	119.03	110.10
26	BB	29	U	C4-C5-C6	-5.95	116.13	119.70
26	BB	439	A	N1-C6-N6	5.95	122.17	118.60
26	BB	469	G	C4-C5-C6	5.95	122.37	118.80
26	BB	830	G	N7-C8-N9	5.95	116.08	113.10
26	BB	1173	U	P-O3'-C3'	5.95	126.84	119.70
26	BB	1495	A	C5-C6-N6	-5.95	118.94	123.70
26	BB	1504	A	C6-N1-C2	-5.95	115.03	118.60
26	BB	2086	U	C6-N1-C2	5.95	124.57	121.00
26	BB	2209	G	C4'-C3'-C2'	-5.95	96.65	102.60
26	BB	2249	U	N1-C2-N3	5.95	118.47	114.90
26	BB	2397	G	C8-N9-C4	-5.95	104.02	106.40
26	BB	2520	C	N3-C2-O2	-5.95	117.73	121.90
1	AA	705	G	N9-C1'-C2'	-5.95	105.45	112.00
1	AA	757	U	C5'-C4'-C3'	-5.95	106.48	116.00
26	BB	110	G	C4'-C3'-C2'	-5.95	96.65	102.60
1	AA	80	A	N9-C4-C5	-5.95	103.42	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	243	A	C5-N7-C8	-5.95	100.92	103.90
1	AA	540	G	C8-N9-C1'	5.95	134.74	127.00
1	AA	654	G	N7-C8-N9	5.95	116.08	113.10
1	AA	1329	A	N7-C8-N9	5.95	116.78	113.80
4	AD	46	G	C5'-C4'-C3'	5.95	125.52	116.00
26	BB	723	C	C6-N1-C2	-5.95	117.92	120.30
26	BB	773	U	N3-C2-O2	-5.95	118.03	122.20
26	BB	868	U	N3-C4-C5	5.95	118.17	114.60
26	BB	1086	A	C6-C5-N7	5.95	136.47	132.30
26	BB	1101	U	C4'-C3'-C2'	-5.95	96.65	102.60
26	BB	1786	A	OP1-P-O3'	5.95	118.29	105.20
26	BB	2284	A	C5'-C4'-O4'	5.95	116.24	109.10
26	BB	2360	G	C5'-C4'-O4'	-5.95	101.96	109.10
26	BB	2446	G	C4-C5-C6	5.95	122.37	118.80
1	AA	12	U	N1-C2-O2	5.95	126.96	122.80
1	AA	130	A	O4'-C4'-C3'	5.95	110.86	106.10
1	AA	157	U	C3'-C2'-C1'	-5.95	96.74	101.50
1	AA	495	A	C5-N7-C8	5.95	106.87	103.90
1	AA	1063	C	C3'-C2'-C1'	5.95	106.26	101.50
1	AA	1137	C	C4-C5-C6	5.95	120.37	117.40
1	AA	1330	U	N3-C4-C5	-5.95	111.03	114.60
25	BA	35	C	C5-C6-N1	-5.95	118.03	121.00
26	BB	86	G	C5-C6-N1	5.95	114.47	111.50
26	BB	260	G	C8-N9-C4	-5.95	104.02	106.40
26	BB	414	C	N3-C4-N4	5.95	122.16	118.00
26	BB	950	G	N3-C4-C5	-5.95	125.63	128.60
26	BB	1111	A	N7-C8-N9	5.95	116.78	113.80
26	BB	1165	A	O4'-C1'-N9	5.95	112.96	108.20
26	BB	1375	U	N3-C4-O4	5.95	123.56	119.40
26	BB	1829	A	C6-C5-N7	5.95	136.46	132.30
26	BB	2044	C	N3-C4-C5	5.95	124.28	121.90
26	BB	2107	G	C5'-C4'-O4'	5.95	116.24	109.10
26	BB	2148	G	O4'-C1'-N9	-5.95	103.44	108.20
26	BB	2156	G	N1-C2-N3	5.95	127.47	123.90
26	BB	2600	A	C4'-C3'-C2'	-5.95	96.65	102.60
26	BB	2710	C	C4'-C3'-C2'	-5.95	96.65	102.60
29	BE	138	LEU	CB-CG-CD1	-5.95	100.89	111.00
50	BZ	17	ARG	NE-CZ-NH2	5.95	123.28	120.30
1	AA	164	G	C3'-C2'-C1'	-5.95	96.74	101.50
1	AA	539	A	C1'-O4'-C4'	5.95	114.66	109.90
1	AA	1273	C	C6-N1-C2	-5.95	117.92	120.30
2	AB	11	U	N3-C4-C5	5.95	118.17	114.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	910	A	O4'-C1'-C2'	-5.95	99.85	105.80
26	BB	2608	G	N1-C2-N2	5.95	121.55	116.20
26	BB	2861	U	N3-C2-O2	-5.95	118.04	122.20
1	AA	330	C	C5-C6-N1	5.95	123.97	121.00
1	AA	743	A	N3-C4-C5	-5.95	122.64	126.80
1	AA	1364	U	O4'-C1'-C2'	-5.95	99.85	105.80
1	AA	1430	A	P-O3'-C3'	5.95	126.83	119.70
2	AB	38	A	P-O3'-C3'	5.95	126.83	119.70
7	AG	50	TYR	CD1-CG-CD2	5.95	124.44	117.90
25	BA	69	G	C1'-O4'-C4'	5.95	114.66	109.90
26	BB	91	A	C5-N7-C8	-5.95	100.93	103.90
26	BB	343	C	N1-C2-O2	5.95	122.47	118.90
26	BB	2800	A	N9-C1'-C2'	-5.95	105.46	112.00
26	BB	2849	U	N3-C2-O2	-5.95	118.04	122.20
49	BY	78	PHE	CB-CG-CD2	5.95	124.96	120.80
1	AA	69	G	O4'-C1'-N9	5.94	112.95	108.20
1	AA	361	G	N9-C1'-C2'	-5.94	105.46	112.00
1	AA	1037	C	C4-C5-C6	5.94	120.37	117.40
4	AD	47	A	C6-C5-N7	5.94	136.46	132.30
15	AO	84	GLY	N-CA-C	-5.94	98.24	113.10
25	BA	50	A	N1-C2-N3	-5.94	126.33	129.30
26	BB	932	U	C2-N1-C1'	5.94	124.83	117.70
26	BB	2415	G	P-O3'-C3'	5.94	126.83	119.70
26	BB	2834	G	C8-N9-C4	-5.94	104.02	106.40
1	AA	584	G	C2-N3-C4	-5.94	108.93	111.90
1	AA	634	C	N1-C1'-C2'	-5.94	105.46	112.00
1	AA	1021	A	P-O3'-C3'	5.94	126.83	119.70
1	AA	1154	G	C2-N3-C4	5.94	114.87	111.90
1	AA	1418	A	O4'-C1'-N9	5.94	112.95	108.20
26	BB	957	C	C4'-C3'-C2'	-5.94	96.66	102.60
26	BB	1696	G	C5'-C4'-O4'	5.94	116.23	109.10
26	BB	2115	G	N7-C8-N9	5.94	116.07	113.10
26	BB	2180	U	N3-C4-O4	5.94	123.56	119.40
26	BB	2336	A	N1-C2-N3	5.94	132.27	129.30
26	BB	2520	C	C2-N3-C4	5.94	122.87	119.90
26	BB	2641	G	C1'-O4'-C4'	5.94	114.65	109.90
26	BB	2735	G	C8-N9-C4	-5.94	104.02	106.40
26	BB	2886	A	C5-N7-C8	-5.94	100.93	103.90
28	BD	80	LEU	CB-CA-C	5.94	121.49	110.20
44	BT	90	ARG	CD-NE-CZ	5.94	131.92	123.60
1	AA	78	A	C4-C5-N7	-5.94	107.73	110.70
1	AA	493	A	O4'-C1'-N9	5.94	112.95	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	559	A	C6-N1-C2	5.94	122.17	118.60
1	AA	1031	C	C6-N1-C2	5.94	122.68	120.30
1	AA	1068	G	C4-C5-N7	5.94	113.18	110.80
1	AA	1135	U	N1-C2-N3	5.94	118.47	114.90
1	AA	1478	U	C3'-C2'-C1'	5.94	106.25	101.50
6	AF	104	GLU	OE1-CD-OE2	5.94	130.43	123.30
25	BA	2	G	C6-C5-N7	-5.94	126.84	130.40
25	BA	79	G	C4-C5-C6	5.94	122.36	118.80
26	BB	764	A	C5-C6-N1	-5.94	114.73	117.70
26	BB	942	G	C6-N1-C2	-5.94	121.54	125.10
26	BB	1454	C	P-O5'-C5'	5.94	130.40	120.90
26	BB	1466	U	C2'-C3'-O3'	5.94	123.21	113.70
26	BB	1472	C	C4'-C3'-C2'	-5.94	96.66	102.60
26	BB	1697	G	C4-C5-C6	5.94	122.36	118.80
26	BB	1811	G	C5-C6-O6	-5.94	125.04	128.60
26	BB	1876	A	C3'-C2'-C1'	5.94	106.25	101.50
26	BB	2192	U	N1-C2-O2	-5.94	118.64	122.80
26	BB	2405	G	C4-C5-N7	-5.94	108.42	110.80
26	BB	2616	C	C1'-O4'-C4'	5.94	114.65	109.90
1	AA	176	C	C2-N3-C4	5.94	122.87	119.90
1	AA	789	U	C5'-C4'-C3'	-5.94	106.50	116.00
1	AA	1110	A	C6-C5-N7	-5.94	128.14	132.30
1	AA	1197	A	O4'-C1'-N9	5.94	112.95	108.20
25	BA	18	G	C8-N9-C4	-5.94	104.02	106.40
1	AA	418	C	C2-N3-C4	5.94	122.87	119.90
1	AA	681	A	N9-C1'-C2'	-5.94	105.47	112.00
1	AA	1090	U	C3'-C2'-C1'	5.94	106.25	101.50
1	AA	1141	C	O4'-C4'-C3'	5.94	110.85	106.10
1	AA	1447	A	C4-C5-N7	-5.94	107.73	110.70
2	AB	76	A	C8-N9-C4	-5.94	103.42	105.80
10	AJ	25	PHE	CB-CG-CD2	5.94	124.96	120.80
26	BB	641	U	N1-C2-N3	5.94	118.46	114.90
26	BB	1232	G	C3'-C2'-C1'	-5.94	96.75	101.50
26	BB	1743	G	C4-C5-C6	5.94	122.36	118.80
26	BB	2722	G	N1-C2-N2	5.94	121.54	116.20
26	BB	2858	C	N1-C2-O2	5.94	122.46	118.90
1	AA	380	G	P-O3'-C3'	5.94	126.82	119.70
1	AA	1450	U	O4'-C1'-N1	5.94	112.95	108.20
26	BB	41	C	C2-N1-C1'	-5.94	112.27	118.80
26	BB	416	U	N1-C1'-C2'	-5.94	105.47	112.00
26	BB	546	U	C1'-O4'-C4'	5.94	114.65	109.90
26	BB	792	A	O4'-C1'-N9	-5.94	103.45	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1073	A	N3-C4-C5	-5.94	122.64	126.80
26	BB	2032	G	N1-C2-N3	-5.94	120.34	123.90
40	BP	4	ARG	NE-CZ-NH2	-5.94	117.33	120.30
1	AA	278	G	C5-C6-O6	5.93	132.16	128.60
1	AA	1061	G	C1'-O4'-C4'	5.93	114.65	109.90
1	AA	1384	C	C5-C4-N4	-5.93	116.05	120.20
26	BB	24	G	N7-C8-N9	-5.93	110.13	113.10
26	BB	1454	C	C3'-C2'-C1'	-5.93	96.75	101.50
26	BB	1767	G	C6-C5-N7	5.93	133.96	130.40
26	BB	2398	U	C5-C4-O4	5.93	129.46	125.90
26	BB	2656	U	C4-C5-C6	5.93	123.26	119.70
1	AA	741	G	N1-C6-O6	-5.93	116.34	119.90
1	AA	775	G	C5-N7-C8	-5.93	101.33	104.30
2	AB	73	G	N9-C4-C5	5.93	107.77	105.40
10	AJ	154	ARG	NE-CZ-NH1	5.93	123.27	120.30
25	BA	87	U	O4'-C1'-N1	5.93	112.95	108.20
25	BA	106	G	C1'-O4'-C4'	-5.93	105.15	109.90
26	BB	551	G	C5-C6-O6	-5.93	125.04	128.60
1	AA	99	C	C2'-C3'-O3'	5.93	123.19	113.70
1	AA	517	G	O4'-C1'-N9	5.93	112.94	108.20
26	BB	735	A	C6-C5-N7	5.93	136.45	132.30
26	BB	919	U	C2-N3-C4	-5.93	123.44	127.00
26	BB	1394	U	C5'-C4'-C3'	-5.93	106.51	116.00
26	BB	1858	A	C8-N9-C4	-5.93	103.43	105.80
26	BB	2529	G	C4'-C3'-C2'	5.93	108.53	102.60
1	AA	11	G	C4'-C3'-C2'	-5.93	96.67	102.60
1	AA	417	G	C6-C5-N7	-5.93	126.84	130.40
1	AA	546	A	N1-C6-N6	-5.93	115.04	118.60
1	AA	572	A	O4'-C1'-N9	-5.93	103.46	108.20
2	AB	70	C	C5'-C4'-O4'	5.93	116.22	109.10
25	BA	90	C	C1'-O4'-C4'	5.93	114.64	109.90
26	BB	390	U	N3-C2-O2	-5.93	118.05	122.20
26	BB	976	G	N1-C2-N2	-5.93	110.86	116.20
26	BB	1119	U	C6-N1-C2	5.93	124.56	121.00
26	BB	2194	U	N1-C2-N3	5.93	118.46	114.90
26	BB	2276	G	C5-N7-C8	-5.93	101.33	104.30
26	BB	2579	C	C5'-C4'-O4'	5.93	116.22	109.10
1	AA	288	A	C5-C6-N6	-5.93	118.96	123.70
1	AA	334	C	C5-C6-N1	-5.93	118.04	121.00
1	AA	1486	G	N3-C4-C5	-5.93	125.64	128.60
26	BB	423	A	N1-C2-N3	-5.93	126.34	129.30
26	BB	601	C	N3-C4-N4	5.93	122.15	118.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2550	G	C1'-O4'-C4'	-5.93	105.16	109.90
1	AA	42	G	C2-N3-C4	5.93	114.86	111.90
1	AA	442	G	C5'-C4'-C3'	-5.93	106.52	116.00
1	AA	523	A	C4-C5-C6	-5.93	114.04	117.00
1	AA	1034	G	N3-C2-N2	5.93	124.05	119.90
1	AA	1142	G	C6-N1-C2	-5.93	121.54	125.10
1	AA	1506	U	C3'-C2'-C1'	-5.93	96.76	101.50
4	AD	62	C	N3-C2-O2	-5.93	117.75	121.90
16	AP	108	ARG	NE-CZ-NH2	5.93	123.26	120.30
26	BB	334	C	N3-C4-C5	5.93	124.27	121.90
26	BB	839	U	C2-N3-C4	-5.93	123.44	127.00
26	BB	952	G	C4-C5-N7	-5.93	108.43	110.80
26	BB	1261	C	N3-C2-O2	-5.93	117.75	121.90
26	BB	1409	U	C2-N3-C4	-5.93	123.44	127.00
26	BB	1458	U	N3-C4-O4	5.93	123.55	119.40
26	BB	1669	A	C1'-O4'-C4'	5.93	114.64	109.90
26	BB	1871	A	C4-C5-N7	5.93	113.66	110.70
26	BB	2444	G	N3-C2-N2	-5.93	115.75	119.90
1	AA	297	G	O4'-C1'-N9	5.92	112.94	108.20
1	AA	765	G	C4-N9-C1'	5.92	134.20	126.50
1	AA	792	A	C5-N7-C8	-5.92	100.94	103.90
2	AB	58	A	C4-C5-N7	5.92	113.66	110.70
4	AD	10	G	C5'-C4'-O4'	5.92	116.21	109.10
26	BB	1990	C	C5'-C4'-C3'	-5.92	106.52	116.00
26	BB	2092	U	O4'-C1'-C2'	-5.92	99.88	105.80
26	BB	2471	A	C2-N3-C4	5.92	113.56	110.60
1	AA	62	U	O4'-C4'-C3'	-5.92	98.08	104.00
1	AA	800	G	P-O3'-C3'	5.92	126.81	119.70
2	AB	26	A	N3-C4-C5	-5.92	122.65	126.80
26	BB	506	G	C5'-C4'-O4'	-5.92	101.99	109.10
26	BB	556	A	C3'-C2'-C1'	-5.92	96.76	101.50
26	BB	619	G	N1-C2-N3	-5.92	120.35	123.90
26	BB	1847	A	C5-N7-C8	-5.92	100.94	103.90
26	BB	2322	A	N1-C2-N3	-5.92	126.34	129.30
26	BB	2624	G	O4'-C1'-N9	5.92	112.94	108.20
1	AA	131	A	P-O3'-C3'	5.92	126.81	119.70
1	AA	427	U	O4'-C1'-N1	5.92	112.94	108.20
1	AA	1268	G	C5-N7-C8	-5.92	101.34	104.30
1	AA	1318	A	P-O3'-C3'	5.92	126.81	119.70
5	AE	166	ASP	CB-CG-OD1	-5.92	112.97	118.30
26	BB	137	U	N3-C4-O4	5.92	123.55	119.40
26	BB	1002	G	C1'-O4'-C4'	-5.92	105.16	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1324	G	N7-C8-N9	5.92	116.06	113.10
26	BB	1367	A	C5'-C4'-O4'	5.92	116.21	109.10
26	BB	1952	A	C5-C6-N1	5.92	120.66	117.70
26	BB	2043	C	N3-C4-C5	-5.92	119.53	121.90
26	BB	2056	G	N3-C2-N2	5.92	124.05	119.90
26	BB	2425	A	N3-C4-C5	-5.92	122.66	126.80
26	BB	2621	G	O4'-C1'-C2'	5.92	112.93	107.60
26	BB	2815	C	N3-C4-C5	-5.92	119.53	121.90
44	BT	5	PHE	CB-CG-CD2	-5.92	116.66	120.80
1	AA	1033	G	N1-C2-N2	5.92	121.53	116.20
26	BB	1382	G	C2-N3-C4	5.92	114.86	111.90
26	BB	1804	C	C5-C6-N1	5.92	123.96	121.00
26	BB	2607	G	N7-C8-N9	5.92	116.06	113.10
1	AA	582	C	C5'-C4'-O4'	5.92	116.20	109.10
1	AA	698	G	C3'-C2'-C1'	-5.92	96.77	101.50
1	AA	866	C	C4'-C3'-C2'	-5.92	96.68	102.60
1	AA	899	C	P-O3'-C3'	5.92	126.80	119.70
1	AA	1126	U	O4'-C1'-N1	5.92	112.94	108.20
4	AD	19	G	P-O3'-C3'	5.92	126.80	119.70
26	BB	938	G	C2-N3-C4	5.92	114.86	111.90
26	BB	1200	C	C4-C5-C6	-5.92	114.44	117.40
26	BB	1684	G	C8-N9-C4	-5.92	104.03	106.40
26	BB	2078	C	N3-C4-N4	-5.92	113.86	118.00
26	BB	2700	A	C8-N9-C4	-5.92	103.43	105.80
26	BB	2777	G	C8-N9-C4	-5.92	104.03	106.40
1	AA	193	C	C5'-C4'-O4'	5.92	116.20	109.10
1	AA	1040	U	C5-C4-O4	5.92	129.45	125.90
2	AB	9	A	N7-C8-N9	5.92	116.76	113.80
26	BB	171	U	O4'-C1'-N1	5.92	112.93	108.20
26	BB	489	G	C6-N1-C2	-5.92	121.55	125.10
26	BB	706	A	N7-C8-N9	5.92	116.76	113.80
26	BB	855	G	C5-C6-O6	-5.92	125.05	128.60
26	BB	1387	A	C8-N9-C4	5.92	108.17	105.80
26	BB	1488	C	C5-C4-N4	-5.92	116.06	120.20
26	BB	1545	A	C6-C5-N7	5.92	136.44	132.30
26	BB	2008	C	O4'-C1'-C2'	-5.92	99.88	105.80
26	BB	2603	G	N3-C4-C5	-5.92	125.64	128.60
26	BB	2772	C	C5-C4-N4	-5.92	116.06	120.20
1	AA	363	A	C5-C6-N1	5.92	120.66	117.70
1	AA	903	G	C3'-C2'-C1'	-5.92	96.77	101.50
26	BB	213	A	C6-C5-N7	5.92	136.44	132.30
26	BB	729	G	O5'-C5'-C4'	-5.92	100.46	111.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	782	A	C5-C6-N6	5.92	128.43	123.70
26	BB	1138	G	N7-C8-N9	5.92	116.06	113.10
26	BB	1902	C	C1'-O4'-C4'	5.92	114.63	109.90
26	BB	2482	A	C2-N3-C4	5.92	113.56	110.60
1	AA	601	G	N1-C2-N2	5.91	121.52	116.20
1	AA	957	U	N3-C4-O4	5.91	123.54	119.40
1	AA	1062	U	P-O3'-C3'	5.91	126.80	119.70
2	AB	4	G	C8-N9-C4	-5.91	104.03	106.40
26	BB	1201	U	O5'-C5'-C4'	5.91	122.94	111.70
26	BB	1560	G	C5'-C4'-O4'	5.91	116.20	109.10
26	BB	1598	A	C5-C6-N6	-5.91	118.97	123.70
26	BB	1845	G	C5-C6-N1	5.91	114.46	111.50
26	BB	2162	G	C5-C6-N1	5.91	114.46	111.50
26	BB	2324	U	N1-C2-N3	5.91	118.45	114.90
26	BB	2493	U	C5-C4-O4	5.91	129.45	125.90
26	BB	2769	U	C2-N3-C4	5.91	130.55	127.00
1	AA	775	G	N9-C4-C5	5.91	107.77	105.40
1	AA	1225	A	C5-N7-C8	5.91	106.86	103.90
26	BB	660	C	N1-C2-O2	5.91	122.45	118.90
26	BB	2159	G	C4-C5-N7	-5.91	108.44	110.80
26	BB	2873	A	N9-C4-C5	5.91	108.17	105.80
1	AA	116	A	N9-C1'-C2'	-5.91	105.50	112.00
1	AA	639	G	O4'-C4'-C3'	5.91	110.83	106.10
1	AA	676	A	C4'-C3'-C2'	-5.91	96.69	102.60
1	AA	822	U	C2-N3-C4	-5.91	123.45	127.00
1	AA	1258	G	C4-C5-N7	-5.91	108.44	110.80
1	AA	1465	A	N9-C1'-C2'	-5.91	105.50	112.00
1	AA	1475	G	N3-C2-N2	5.91	124.04	119.90
25	BA	77	U	C5'-C4'-O4'	5.91	116.19	109.10
26	BB	605	G	C6-C5-N7	-5.91	126.85	130.40
26	BB	696	G	C4-C5-C6	5.91	122.35	118.80
26	BB	858	G	O4'-C1'-N9	-5.91	103.47	108.20
26	BB	884	U	N3-C2-O2	-5.91	118.06	122.20
26	BB	1569	A	C8-N9-C4	5.91	108.16	105.80
26	BB	1593	A	O4'-C1'-N9	5.91	112.93	108.20
26	BB	1677	A	C4-C5-N7	5.91	113.66	110.70
26	BB	1685	C	N3-C4-C5	5.91	124.26	121.90
26	BB	2090	A	N9-C4-C5	5.91	108.16	105.80
1	AA	193	C	C4'-C3'-C2'	-5.91	96.69	102.60
1	AA	404	G	O4'-C1'-N9	5.91	112.93	108.20
1	AA	497	G	P-O3'-C3'	5.91	126.79	119.70
1	AA	590	U	C5-C6-N1	-5.91	119.75	122.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	665	A	C5'-C4'-O4'	5.91	116.19	109.10
1	AA	1018	G	O4'-C1'-N9	5.91	112.93	108.20
1	AA	1053	G	N9-C1'-C2'	5.91	121.68	114.00
8	AH	131	ASN	N-CA-CB	-5.91	99.97	110.60
25	BA	25	U	C5-C6-N1	-5.91	119.75	122.70
26	BB	755	U	N3-C2-O2	-5.91	118.06	122.20
26	BB	758	C	C1'-O4'-C4'	-5.91	105.17	109.90
26	BB	986	C	P-O3'-C3'	5.91	126.79	119.70
26	BB	1221	C	C4'-C3'-C2'	-5.91	96.69	102.60
26	BB	1554	U	N3-C4-O4	5.91	123.54	119.40
26	BB	1653	G	C5-N7-C8	-5.91	101.34	104.30
1	AA	173	U	N1-C1'-C2'	5.91	121.68	114.00
1	AA	925	G	O4'-C1'-N9	-5.91	103.47	108.20
1	AA	1331	G	C5-N7-C8	5.91	107.25	104.30
26	BB	2361	G	N3-C2-N2	-5.91	115.77	119.90
1	AA	157	U	C5'-C4'-C3'	5.91	125.45	116.00
1	AA	439	U	C4'-C3'-C2'	-5.91	96.69	102.60
1	AA	634	C	N3-C4-N4	-5.91	113.87	118.00
1	AA	1038	C	C2-N1-C1'	-5.91	112.30	118.80
1	AA	1539	C	C6-N1-C2	5.91	122.66	120.30
4	AD	11	A	N1-C6-N6	-5.91	115.06	118.60
26	BB	65	U	C3'-C2'-C1'	-5.91	96.78	101.50
26	BB	258	G	C4-C5-N7	5.91	113.16	110.80
26	BB	507	A	N1-C2-N3	-5.91	126.35	129.30
26	BB	1417	C	C2-N3-C4	5.91	122.85	119.90
26	BB	2140	G	C4-C5-N7	-5.91	108.44	110.80
26	BB	2349	G	N1-C2-N2	-5.91	110.89	116.20
26	BB	2662	A	C5'-C4'-O4'	5.91	116.19	109.10
1	AA	287	U	C3'-C2'-C1'	5.90	106.22	101.50
1	AA	1009	U	O4'-C1'-N1	5.90	112.92	108.20
3	AC	33	A	O4'-C1'-N9	5.90	112.92	108.20
17	AQ	62	ARG	NE-CZ-NH2	-5.90	117.35	120.30
26	BB	800	A	N9-C4-C5	5.90	108.16	105.80
40	BP	118	ARG	NE-CZ-NH1	5.90	123.25	120.30
1	AA	157	U	C2-N3-C4	-5.90	123.46	127.00
1	AA	241	G	N1-C2-N3	-5.90	120.36	123.90
1	AA	317	U	C5-C4-O4	-5.90	122.36	125.90
1	AA	635	A	C4'-C3'-C2'	-5.90	96.70	102.60
1	AA	1093	A	N7-C8-N9	5.90	116.75	113.80
26	BB	169	G	C8-N9-C4	-5.90	104.04	106.40
26	BB	471	A	C2-N3-C4	-5.90	107.65	110.60
26	BB	697	G	N7-C8-N9	5.90	116.05	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	800	A	C5'-C4'-O4'	5.90	116.18	109.10
26	BB	1115	G	C4-C5-N7	5.90	113.16	110.80
26	BB	1286	A	C8-N9-C4	-5.90	103.44	105.80
26	BB	1681	G	N9-C4-C5	-5.90	103.04	105.40
26	BB	1686	C	N3-C4-C5	5.90	124.26	121.90
26	BB	1937	A	C5'-C4'-O4'	5.90	116.18	109.10
26	BB	1975	G	N9-C4-C5	5.90	107.76	105.40
26	BB	2146	C	C4-C5-C6	-5.90	114.45	117.40
26	BB	2238	G	C5-C6-O6	-5.90	125.06	128.60
26	BB	2520	C	O4'-C1'-N1	5.90	112.92	108.20
26	BB	2754	U	C2-N3-C4	-5.90	123.46	127.00
1	AA	840	C	C5-C4-N4	5.90	124.33	120.20
1	AA	869	G	N1-C6-O6	-5.90	116.36	119.90
1	AA	973	G	C5-C6-O6	-5.90	125.06	128.60
1	AA	1237	C	C3'-C2'-C1'	5.90	106.22	101.50
1	AA	1474	U	O4'-C1'-N1	5.90	112.92	108.20
25	BA	76	G	N1-C2-N2	-5.90	110.89	116.20
26	BB	831	G	C5-C6-N1	5.90	114.45	111.50
26	BB	1206	G	C6-C5-N7	5.90	133.94	130.40
26	BB	1270	C	C5-C4-N4	5.90	124.33	120.20
26	BB	1530	G	C5'-C4'-O4'	5.90	116.18	109.10
26	BB	1548	A	N1-C6-N6	5.90	122.14	118.60
26	BB	1857	G	N1-C6-O6	-5.90	116.36	119.90
26	BB	2542	A	C4'-C3'-C2'	-5.90	96.70	102.60
49	BY	78	PHE	CB-CG-CD1	-5.90	116.67	120.80
1	AA	514	C	N1-C2-O2	5.90	122.44	118.90
26	BB	374	A	C4-C5-C6	-5.90	114.05	117.00
26	BB	1070	A	C5'-C4'-O4'	5.90	116.18	109.10
26	BB	1514	G	C2-N3-C4	5.90	114.85	111.90
26	BB	1660	G	N9-C1'-C2'	-5.90	105.51	112.00
26	BB	1891	G	C6-N1-C2	-5.90	121.56	125.10
1	AA	1191	A	C4-C5-N7	-5.90	107.75	110.70
2	AB	6	C	C4-C5-C6	-5.90	114.45	117.40
26	BB	1	G	N1-C6-O6	5.90	123.44	119.90
26	BB	2	G	C5-N7-C8	5.90	107.25	104.30
26	BB	197	A	C2-N3-C4	-5.90	107.65	110.60
26	BB	413	C	N3-C4-C5	-5.90	119.54	121.90
26	BB	717	C	N1-C2-N3	5.90	123.33	119.20
26	BB	1429	G	C4'-C3'-C2'	-5.90	96.70	102.60
26	BB	1608	A	C5-C6-N1	5.90	120.65	117.70
26	BB	1942	C	N3-C4-C5	-5.90	119.54	121.90
26	BB	2224	G	O5'-P-OP1	5.90	117.78	110.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2297	A	C2-N3-C4	5.90	113.55	110.60
26	BB	2355	G	C6-N1-C2	-5.90	121.56	125.10
26	BB	2528	U	C6-N1-C2	-5.90	117.46	121.00
1	AA	424	G	N9-C4-C5	5.90	107.76	105.40
25	BA	102	G	N3-C4-C5	-5.90	125.65	128.60
26	BB	405	U	C2-N3-C4	-5.90	123.46	127.00
26	BB	417	C	C4'-C3'-C2'	-5.90	96.70	102.60
26	BB	1108	U	P-O3'-C3'	5.90	126.78	119.70
26	BB	2109	U	C5-C6-N1	5.90	125.65	122.70
26	BB	2622	U	N3-C4-O4	-5.90	115.27	119.40
26	BB	2631	G	C8-N9-C1'	5.90	134.66	127.00
1	AA	765	G	O4'-C1'-C2'	-5.89	99.91	105.80
1	AA	832	G	C5-C6-N1	5.89	114.45	111.50
2	AB	15	A	O4'-C1'-N9	5.89	112.92	108.20
26	BB	38	A	C5-N7-C8	5.89	106.85	103.90
26	BB	319	G	C4-C5-C6	5.89	122.34	118.80
26	BB	325	G	N3-C2-N2	-5.89	115.77	119.90
26	BB	531	C	C2-N3-C4	-5.89	116.95	119.90
26	BB	977	G	N3-C2-N2	-5.89	115.77	119.90
26	BB	1032	A	C4-C5-C6	-5.89	114.05	117.00
26	BB	1707	G	C4-C5-C6	5.89	122.34	118.80
26	BB	2490	G	N1-C6-O6	5.89	123.44	119.90
26	BB	2528	U	N1-C2-N3	5.89	118.44	114.90
1	AA	450	G	N1-C2-N3	-5.89	120.36	123.90
1	AA	614	C	C5-C6-N1	5.89	123.95	121.00
1	AA	865	A	C1'-O4'-C4'	5.89	114.61	109.90
1	AA	1370	G	C6-C5-N7	-5.89	126.86	130.40
2	AB	11	U	P-O3'-C3'	5.89	126.77	119.70
2	AB	42	G	C5-C6-O6	-5.89	125.06	128.60
26	BB	1273	U	C5-C4-O4	-5.89	122.36	125.90
26	BB	1342	A	C3'-C2'-C1'	-5.89	96.79	101.50
26	BB	1430	G	C6-N1-C2	-5.89	121.56	125.10
26	BB	1632	A	C1'-O4'-C4'	-5.89	105.19	109.90
26	BB	1654	A	C5-C6-N1	5.89	120.65	117.70
26	BB	2309	A	C5-N7-C8	-5.89	100.95	103.90
26	BB	2895	G	C8-N9-C4	-5.89	104.04	106.40
1	AA	125	U	N3-C4-O4	-5.89	115.28	119.40
1	AA	356	A	C5-C6-N1	5.89	120.65	117.70
1	AA	777	A	P-O3'-C3'	5.89	126.77	119.70
1	AA	1374	A	C5-C6-N1	-5.89	114.75	117.70
2	AB	59	G	N3-C4-N9	5.89	129.53	126.00
5	AE	15	PHE	CB-CG-CD2	5.89	124.92	120.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	61	C	C4'-C3'-C2'	-5.89	96.71	102.60
26	BB	2734	A	N1-C2-N3	5.89	132.25	129.30
26	BB	2758	A	C4-C5-C6	-5.89	114.06	117.00
1	AA	661	G	C4-N9-C1'	-5.89	118.84	126.50
1	AA	829	G	N7-C8-N9	5.89	116.05	113.10
24	AX	37	TYR	CA-CB-CG	5.89	124.59	113.40
26	BB	65	U	N3-C4-C5	-5.89	111.07	114.60
26	BB	158	U	C3'-C2'-C1'	5.89	106.21	101.50
26	BB	358	U	O4'-C1'-N1	5.89	112.91	108.20
26	BB	502	A	O4'-C1'-N9	5.89	112.91	108.20
26	BB	653	U	P-O3'-C3'	5.89	126.77	119.70
26	BB	1181	U	N1-C2-O2	-5.89	118.68	122.80
26	BB	1306	C	N1-C2-N3	-5.89	115.08	119.20
26	BB	1329	U	C5-C4-O4	5.89	129.43	125.90
26	BB	1387	A	N3-C4-N9	5.89	132.11	127.40
26	BB	1743	G	O3'-P-O5'	-5.89	92.81	104.00
26	BB	1768	C	N3-C4-N4	5.89	122.12	118.00
26	BB	2112	G	C5'-C4'-O4'	5.89	116.17	109.10
26	BB	2854	G	C5-C6-N1	5.89	114.44	111.50
35	BK	89	SER	N-CA-CB	-5.89	101.67	110.50
1	AA	191	G	N1-C6-O6	5.89	123.43	119.90
1	AA	1260	G	O4'-C1'-N9	5.89	112.91	108.20
4	AD	7	G	C6-N1-C2	-5.89	121.57	125.10
26	BB	1061	U	P-O3'-C3'	5.89	126.77	119.70
26	BB	1998	A	C5-C6-N6	-5.89	118.99	123.70
26	BB	2120	G	C2-N3-C4	5.89	114.84	111.90
26	BB	2375	G	C6-C5-N7	5.89	133.93	130.40
43	BS	3	VAL	CA-CB-CG2	5.89	119.73	110.90
1	AA	52	C	C5-C6-N1	-5.89	118.06	121.00
1	AA	541	G	C5-C6-N1	5.89	114.44	111.50
1	AA	739	C	C4'-C3'-C2'	-5.89	96.71	102.60
1	AA	958	A	N9-C4-C5	-5.89	103.45	105.80
1	AA	978	A	C4-C5-N7	5.89	113.64	110.70
1	AA	1360	A	C3'-C2'-C1'	-5.89	96.79	101.50
26	BB	659	G	C4-C5-N7	5.89	113.15	110.80
26	BB	664	G	N3-C4-C5	-5.89	125.66	128.60
26	BB	753	A	C5-N7-C8	-5.89	100.96	103.90
26	BB	930	G	C4-C5-C6	5.89	122.33	118.80
26	BB	1049	C	C4-C5-C6	5.89	120.34	117.40
26	BB	1197	G	C5-N7-C8	-5.89	101.36	104.30
26	BB	1219	U	C5'-C4'-O4'	5.89	116.17	109.10
26	BB	1533	C	O4'-C1'-N1	5.89	112.91	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1555	G	C5-C6-N1	-5.89	108.56	111.50
26	BB	2131	U	C1'-O4'-C4'	-5.89	105.19	109.90
26	BB	2133	G	C4-C5-C6	5.89	122.33	118.80
26	BB	2362	C	OP1-P-OP2	-5.89	110.77	119.60
26	BB	2390	U	O4'-C4'-C3'	-5.89	98.11	104.00
26	BB	2499	C	C5'-C4'-C3'	-5.89	106.58	116.00
26	BB	2808	G	P-O5'-C5'	5.89	130.32	120.90
40	BP	86	ARG	NE-CZ-NH1	5.89	123.24	120.30
1	AA	101	A	C4-C5-N7	-5.88	107.76	110.70
1	AA	406	G	C6-N1-C2	-5.88	121.57	125.10
1	AA	471	U	C6-N1-C2	-5.88	117.47	121.00
1	AA	980	C	C2-N3-C4	5.88	122.84	119.90
1	AA	1121	U	C5-C4-O4	5.88	129.43	125.90
1	AA	1415	G	C5-C6-O6	-5.88	125.07	128.60
7	AG	50	TYR	CG-CD1-CE1	-5.88	116.59	121.30
10	AJ	4	ARG	NE-CZ-NH2	-5.88	117.36	120.30
26	BB	262	A	C8-N9-C4	-5.88	103.45	105.80
26	BB	422	A	O4'-C1'-N9	5.88	112.91	108.20
26	BB	684	G	C8-N9-C4	-5.88	104.05	106.40
26	BB	856	G	C4'-C3'-C2'	-5.88	96.72	102.60
26	BB	954	G	N3-C2-N2	5.88	124.02	119.90
26	BB	1651	G	O4'-C1'-C2'	-5.88	99.92	105.80
26	BB	1908	C	C5-C4-N4	5.88	124.32	120.20
26	BB	1928	A	C2-N3-C4	5.88	113.54	110.60
26	BB	2050	C	N3-C4-N4	5.88	122.12	118.00
26	BB	2211	A	P-O3'-C3'	5.88	126.76	119.70
26	BB	2331	G	C8-N9-C4	5.88	108.75	106.40
26	BB	2564	A	N9-C1'-C2'	-5.88	105.53	112.00
26	BB	2628	C	C3'-C2'-C1'	5.88	106.21	101.50
26	BB	2744	G	C4'-C3'-C2'	-5.88	96.72	102.60
39	BO	130	PHE	CB-CG-CD1	-5.88	116.68	120.80
1	AA	547	A	N9-C4-C5	5.88	108.15	105.80
6	AF	202	PHE	CB-CG-CD2	5.88	124.92	120.80
25	BA	105	G	C1'-O4'-C4'	-5.88	105.19	109.90
26	BB	514	A	N7-C8-N9	5.88	116.74	113.80
26	BB	664	G	N7-C8-N9	5.88	116.04	113.10
26	BB	1084	A	N7-C8-N9	5.88	116.74	113.80
26	BB	1173	U	N3-C4-O4	5.88	123.52	119.40
26	BB	1751	U	C2-N3-C4	-5.88	123.47	127.00
26	BB	2314	A	O4'-C1'-N9	5.88	112.91	108.20
31	BG	96	TRP	CG-CD1-NE1	5.88	115.98	110.10
43	BS	69	ARG	NE-CZ-NH1	5.88	123.24	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	156	C	N3-C4-C5	5.88	124.25	121.90
1	AA	238	A	N9-C4-C5	5.88	108.15	105.80
1	AA	252	U	N1-C2-O2	5.88	126.92	122.80
1	AA	900	A	N7-C8-N9	-5.88	110.86	113.80
1	AA	973	G	P-O3'-C3'	5.88	126.76	119.70
1	AA	1061	G	C5-N7-C8	-5.88	101.36	104.30
1	AA	1341	U	C5-C6-N1	-5.88	119.76	122.70
26	BB	54	G	C5-C6-N1	5.88	114.44	111.50
26	BB	660	C	N3-C2-O2	-5.88	117.78	121.90
26	BB	1089	A	C6-C5-N7	5.88	136.42	132.30
26	BB	1373	A	N9-C1'-C2'	-5.88	105.53	112.00
26	BB	1378	A	C4'-C3'-C2'	-5.88	96.72	102.60
26	BB	1584	U	O4'-C1'-N1	5.88	112.91	108.20
26	BB	2149	U	O4'-C1'-N1	5.88	112.90	108.20
26	BB	2505	G	C6-N1-C2	-5.88	121.57	125.10
26	BB	2767	C	N3-C4-N4	5.88	122.12	118.00
1	AA	307	C	C5-C6-N1	-5.88	118.06	121.00
1	AA	656	G	O4'-C1'-N9	5.88	112.90	108.20
1	AA	820	U	N3-C4-O4	5.88	123.52	119.40
3	AC	46	C	C3'-C2'-C1'	-5.88	96.80	101.50
26	BB	252	G	C5-C6-N1	5.88	114.44	111.50
26	BB	515	A	C6-C5-N7	5.88	136.42	132.30
26	BB	978	G	C4-C5-N7	-5.88	108.45	110.80
26	BB	1528	A	C3'-C2'-C1'	5.88	106.20	101.50
26	BB	2189	U	N1-C2-O2	5.88	126.92	122.80
26	BB	2209	G	N3-C2-N2	-5.88	115.78	119.90
26	BB	2243	U	C1'-O4'-C4'	5.88	114.60	109.90
26	BB	2884	U	N1-C2-N3	5.88	118.43	114.90
1	AA	132	C	C3'-C2'-C1'	5.88	106.20	101.50
1	AA	164	G	P-O3'-C3'	5.88	126.75	119.70
1	AA	520	A	C5-C6-N1	-5.88	114.76	117.70
1	AA	1341	U	C5-C4-O4	-5.88	122.37	125.90
1	AA	1364	U	C5'-C4'-O4'	5.88	116.15	109.10
26	BB	620	G	C4-C5-N7	5.88	113.15	110.80
26	BB	808	G	N3-C4-C5	-5.88	125.66	128.60
26	BB	889	C	C1'-O4'-C4'	5.88	114.60	109.90
26	BB	1126	A	C1'-O4'-C4'	-5.88	105.20	109.90
26	BB	1147	A	C5-C6-N6	-5.88	119.00	123.70
26	BB	1218	G	C5-C6-O6	5.88	132.13	128.60
26	BB	1259	G	C6-N1-C2	-5.88	121.57	125.10
26	BB	1397	U	C6-N1-C2	-5.88	117.47	121.00
26	BB	1451	C	N3-C4-N4	5.88	122.11	118.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1473	G	N1-C6-O6	-5.88	116.37	119.90
26	BB	2366	A	C4'-C3'-C2'	5.88	108.48	102.60
26	BB	2724	U	P-O3'-C3'	5.88	126.75	119.70
1	AA	51	A	C8-N9-C4	-5.88	103.45	105.80
1	AA	478	A	C4-C5-C6	-5.88	114.06	117.00
1	AA	1406	U	N3-C4-O4	5.88	123.51	119.40
26	BB	383	C	C5-C6-N1	5.88	123.94	121.00
26	BB	559	G	N3-C4-N9	5.88	129.53	126.00
26	BB	1044	C	C5-C6-N1	5.88	123.94	121.00
26	BB	1110	G	C5-C6-O6	-5.88	125.07	128.60
26	BB	1251	C	O4'-C4'-C3'	5.88	110.80	106.10
26	BB	1737	G	N9-C4-C5	5.88	107.75	105.40
26	BB	1881	C	O4'-C4'-C3'	5.88	110.80	106.10
26	BB	2007	U	C6-N1-C2	5.88	124.53	121.00
26	BB	2226	C	C5'-C4'-O4'	5.88	116.15	109.10
1	AA	818	G	C3'-C2'-C1'	-5.88	96.80	101.50
1	AA	1296	C	P-O3'-C3'	5.88	126.75	119.70
1	AA	1362	A	C5-N7-C8	-5.88	100.96	103.90
12	AL	5	TYR	CB-CG-CD2	-5.88	117.47	121.00
26	BB	809	G	N1-C2-N3	5.88	127.42	123.90
26	BB	963	U	O4'-C1'-N1	5.88	112.90	108.20
26	BB	1685	C	N1-C2-O2	5.88	122.42	118.90
26	BB	1742	U	N3-C2-O2	-5.88	118.09	122.20
1	AA	161	A	C4-C5-N7	5.87	113.64	110.70
1	AA	533	A	C6-N1-C2	-5.87	115.08	118.60
1	AA	853	C	C5-C4-N4	-5.87	116.09	120.20
1	AA	1306	A	C5-N7-C8	-5.87	100.96	103.90
1	AA	1306	A	N9-C4-C5	5.87	108.15	105.80
26	BB	248	G	C4'-C3'-C2'	-5.87	96.73	102.60
26	BB	274	C	C2-N3-C4	-5.87	116.96	119.90
26	BB	736	C	C6-N1-C2	5.87	122.65	120.30
26	BB	1148	U	N1-C2-N3	5.87	118.42	114.90
26	BB	1497	U	N3-C4-O4	5.87	123.51	119.40
26	BB	1849	G	C5-N7-C8	5.87	107.24	104.30
26	BB	2721	A	C4-C5-N7	-5.87	107.76	110.70
1	AA	62	U	N1-C2-N3	5.87	118.42	114.90
1	AA	225	C	N3-C4-C5	5.87	124.25	121.90
1	AA	774	G	N9-C4-C5	5.87	107.75	105.40
1	AA	937	A	C4-C5-N7	-5.87	107.76	110.70
1	AA	1237	C	C5-C4-N4	-5.87	116.09	120.20
1	AA	1371	G	C4'-C3'-C2'	-5.87	96.73	102.60
2	AB	44	G	C6-N1-C2	-5.87	121.58	125.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	51	G	C5-C6-O6	-5.87	125.08	128.60
26	BB	203	A	P-O3'-C3'	5.87	126.75	119.70
26	BB	429	A	C8-N9-C4	-5.87	103.45	105.80
26	BB	1346	G	C8-N9-C4	-5.87	104.05	106.40
26	BB	1595	C	N1-C2-O2	5.87	122.42	118.90
26	BB	1867	G	P-O3'-C3'	5.87	126.75	119.70
26	BB	2252	G	C4'-C3'-C2'	-5.87	96.73	102.60
26	BB	2760	C	C1'-O4'-C4'	-5.87	105.20	109.90
1	AA	630	A	N1-C2-N3	-5.87	126.36	129.30
1	AA	1462	C	C4-C5-C6	-5.87	114.47	117.40
3	AC	19	A	O4'-C1'-N9	5.87	112.90	108.20
25	BA	57	A	C2'-C3'-O3'	5.87	123.09	113.70
26	BB	268	C	C5-C4-N4	5.87	124.31	120.20
26	BB	331	C	N1-C1'-C2'	5.87	121.63	114.00
26	BB	1559	U	N3-C4-O4	5.87	123.51	119.40
26	BB	2040	G	N3-C4-C5	-5.87	125.67	128.60
26	BB	2248	C	C6-N1-C1'	5.87	127.84	120.80
26	BB	2306	C	N3-C2-O2	-5.87	117.79	121.90
26	BB	2401	U	O4'-C1'-N1	5.87	112.90	108.20
1	AA	174	A	C5-C6-N6	-5.87	119.00	123.70
1	AA	522	C	C5-C6-N1	5.87	123.93	121.00
1	AA	880	C	C1'-O4'-C4'	5.87	114.59	109.90
26	BB	89	A	C5'-C4'-O4'	5.87	116.14	109.10
26	BB	707	G	C2-N3-C4	5.87	114.83	111.90
26	BB	941	A	C5-N7-C8	5.87	106.83	103.90
26	BB	988	A	C1'-O4'-C4'	-5.87	105.20	109.90
26	BB	1011	G	N1-C6-O6	-5.87	116.38	119.90
26	BB	1087	G	C8-N9-C1'	5.87	134.63	127.00
26	BB	1968	G	N1-C6-O6	5.87	123.42	119.90
26	BB	1995	U	N1-C2-N3	5.87	118.42	114.90
26	BB	2286	G	C8-N9-C4	-5.87	104.05	106.40
26	BB	2543	G	C5'-C4'-C3'	-5.87	106.61	116.00
26	BB	2639	A	N9-C4-C5	-5.87	103.45	105.80
26	BB	2900	A	C5-C6-N6	-5.87	119.01	123.70
25	BA	57	A	O5'-P-OP2	-5.87	100.42	105.70
26	BB	723	C	N1-C2-O2	-5.87	115.38	118.90
26	BB	761	A	C3'-C2'-C1'	5.87	106.19	101.50
26	BB	1172	C	C2'-C3'-O3'	5.87	123.09	113.70
26	BB	1232	G	C4-C5-N7	5.87	113.15	110.80
26	BB	1430	G	C8-N9-C4	-5.87	104.05	106.40
26	BB	2010	G	C8-N9-C4	-5.87	104.05	106.40
26	BB	2056	G	C4-C5-C6	5.87	122.32	118.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	253	A	N1-C6-N6	5.87	122.12	118.60
1	AA	388	G	O4'-C1'-N9	5.87	112.89	108.20
1	AA	606	G	C5'-C4'-C3'	-5.87	106.61	116.00
1	AA	677	U	C4-C5-C6	5.87	123.22	119.70
1	AA	822	U	C4-C5-C6	5.87	123.22	119.70
1	AA	1159	U	O4'-C4'-C3'	5.87	110.79	106.10
1	AA	1268	G	C4'-C3'-C2'	-5.87	96.73	102.60
7	AG	64	TYR	CG-CD2-CE2	5.87	125.99	121.30
25	BA	96	G	C5-N7-C8	-5.87	101.37	104.30
26	BB	14	A	C1'-O4'-C4'	-5.87	105.21	109.90
26	BB	380	G	N3-C2-N2	-5.87	115.79	119.90
26	BB	1696	G	N3-C2-N2	-5.87	115.79	119.90
26	BB	1863	G	C4-C5-C6	5.87	122.32	118.80
26	BB	1998	A	N7-C8-N9	-5.87	110.87	113.80
26	BB	2203	U	C5-C6-N1	-5.87	119.77	122.70
26	BB	2388	A	N1-C2-N3	-5.87	126.37	129.30
26	BB	2882	A	C5'-C4'-O4'	5.87	116.14	109.10
1	AA	179	A	C4-C5-N7	-5.86	107.77	110.70
1	AA	286	C	C5-C6-N1	-5.86	118.07	121.00
1	AA	344	A	C5-N7-C8	-5.86	100.97	103.90
1	AA	626	G	C5-N7-C8	-5.86	101.37	104.30
1	AA	762	U	C3'-C2'-C1'	5.86	106.19	101.50
1	AA	1099	G	C5'-C4'-O4'	-5.86	102.06	109.10
1	AA	1121	U	N1-C2-O2	-5.86	118.70	122.80
1	AA	1174	G	C4-C5-C6	-5.86	115.28	118.80
1	AA	1222	G	C5-N7-C8	-5.86	101.37	104.30
26	BB	1356	G	C4-N9-C1'	-5.86	118.88	126.50
26	BB	1666	G	C4-C5-N7	-5.86	108.45	110.80
26	BB	2317	A	N7-C8-N9	5.86	116.73	113.80
26	BB	2402	U	C4-C5-C6	5.86	123.22	119.70
26	BB	2579	C	N1-C2-O2	5.86	122.42	118.90
26	BB	2705	A	O4'-C1'-N9	5.86	112.89	108.20
26	BB	2859	G	O5'-P-OP1	-5.86	100.42	105.70
1	AA	1141	C	N1-C2-N3	-5.86	115.10	119.20
26	BB	2124	G	C5-C6-N1	5.86	114.43	111.50
1	AA	534	U	C6-N1-C2	-5.86	117.48	121.00
1	AA	651	C	C4-C5-C6	-5.86	114.47	117.40
1	AA	660	C	N3-C4-N4	5.86	122.10	118.00
1	AA	824	G	C4-C5-N7	-5.86	108.46	110.80
1	AA	1101	A	C5-N7-C8	-5.86	100.97	103.90
1	AA	1279	G	C5-N7-C8	-5.86	101.37	104.30
1	AA	1488	G	C4-C5-N7	-5.86	108.46	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	AK	116	ARG	NE-CZ-NH2	-5.86	117.37	120.30
12	AL	5	TYR	CB-CG-CD1	5.86	124.52	121.00
13	AM	97	ASP	CB-CG-OD2	-5.86	113.03	118.30
26	BB	831	G	N3-C2-N2	-5.86	115.80	119.90
26	BB	1474	U	N3-C4-C5	5.86	118.12	114.60
26	BB	1545	A	N1-C6-N6	-5.86	115.08	118.60
26	BB	1665	A	N1-C6-N6	5.86	122.12	118.60
26	BB	2148	G	C5-C6-O6	-5.86	125.08	128.60
26	BB	2282	G	C4'-C3'-C2'	-5.86	96.74	102.60
26	BB	2526	G	C4'-C3'-C2'	-5.86	96.74	102.60
38	BN	71	ALA	N-CA-CB	-5.86	101.89	110.10
1	AA	7	A	N9-C4-C5	5.86	108.14	105.80
1	AA	1167	A	N7-C8-N9	5.86	116.73	113.80
1	AA	1452	C	N3-C4-C5	5.86	124.24	121.90
1	AA	1539	C	N3-C2-O2	5.86	126.00	121.90
26	BB	973	A	P-O3'-C3'	5.86	126.73	119.70
1	AA	239	U	N3-C4-O4	-5.86	115.30	119.40
1	AA	481	G	C5-N7-C8	5.86	107.23	104.30
1	AA	498	A	C5-C6-N1	5.86	120.63	117.70
1	AA	912	C	O4'-C4'-C3'	-5.86	98.14	104.00
1	AA	1165	U	C6-N1-C2	-5.86	117.48	121.00
1	AA	1313	U	C5-C6-N1	-5.86	119.77	122.70
1	AA	1475	G	C2-N3-C4	5.86	114.83	111.90
24	AX	36	PHE	CB-CG-CD1	5.86	124.90	120.80
26	BB	535	G	O4'-C1'-N9	5.86	112.89	108.20
26	BB	585	G	N3-C4-C5	-5.86	125.67	128.60
26	BB	590	A	N9-C1'-C2'	-5.86	105.56	112.00
26	BB	823	C	C5'-C4'-C3'	-5.86	106.63	116.00
26	BB	840	C	C6-N1-C2	-5.86	117.96	120.30
26	BB	1450	G	C4-C5-N7	5.86	113.14	110.80
26	BB	2755	C	N3-C4-N4	-5.86	113.90	118.00
28	BD	212	TRP	NE1-CE2-CZ2	5.86	136.84	130.40
1	AA	55	A	C8-N9-C4	5.86	108.14	105.80
1	AA	258	G	N1-C2-N3	-5.86	120.39	123.90
1	AA	853	C	C2-N3-C4	-5.86	116.97	119.90
25	BA	6	G	C2-N3-C4	5.86	114.83	111.90
25	BA	44	G	O3'-P-O5'	-5.86	92.87	104.00
25	BA	45	A	C5-N7-C8	-5.86	100.97	103.90
26	BB	85	G	C5'-C4'-O4'	5.86	116.13	109.10
26	BB	657	U	O4'-C1'-N1	5.86	112.89	108.20
26	BB	664	G	N3-C4-N9	-5.86	122.49	126.00
26	BB	1067	A	C8-N9-C4	-5.86	103.46	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1131	G	C5-N7-C8	-5.86	101.37	104.30
26	BB	1160	G	C6-N1-C2	-5.86	121.59	125.10
26	BB	1515	A	N1-C6-N6	-5.86	115.09	118.60
26	BB	1768	C	C4'-C3'-C2'	-5.86	96.74	102.60
26	BB	1849	G	N9-C4-C5	5.86	107.74	105.40
26	BB	2137	U	C5'-C4'-C3'	-5.86	106.63	116.00
26	BB	2765	A	C5'-C4'-O4'	5.86	116.13	109.10
37	BM	76	VAL	CA-CB-CG1	5.86	119.68	110.90
1	AA	77	A	C5-C6-N6	-5.85	119.02	123.70
1	AA	353	A	C2'-C3'-O3'	5.85	123.07	113.70
25	BA	107	G	C8-N9-C4	-5.85	104.06	106.40
26	BB	130	C	C2-N3-C4	-5.85	116.97	119.90
26	BB	182	A	C6-N1-C2	-5.85	115.09	118.60
26	BB	362	A	C1'-O4'-C4'	5.85	114.58	109.90
26	BB	157	C	C5-C6-N1	5.85	123.93	121.00
26	BB	285	G	C6-N1-C2	-5.85	121.59	125.10
26	BB	307	G	N1-C2-N2	-5.85	110.93	116.20
26	BB	463	G	C3'-C2'-C1'	5.85	106.18	101.50
26	BB	825	A	C6-N1-C2	-5.85	115.09	118.60
26	BB	828	U	N3-C4-O4	-5.85	115.30	119.40
26	BB	1309	G	C3'-C2'-C1'	-5.85	96.82	101.50
26	BB	1508	A	C8-N9-C4	5.85	108.14	105.80
26	BB	1553	A	C4-C5-N7	5.85	113.63	110.70
26	BB	2012	G	C4-C5-N7	-5.85	108.46	110.80
1	AA	864	A	P-O3'-C3'	5.85	126.72	119.70
1	AA	1031	C	C5-C6-N1	5.85	123.93	121.00
26	BB	974	G	N3-C4-N9	5.85	129.51	126.00
26	BB	2644	G	C5'-C4'-O4'	-5.85	102.08	109.10
26	BB	2706	A	N9-C1'-C2'	-5.85	105.56	112.00
28	BD	65	ASP	CB-CG-OD2	-5.85	113.03	118.30
40	BP	36	THR	CA-CB-CG2	5.85	120.59	112.40
1	AA	135	C	C5-C4-N4	5.85	124.30	120.20
1	AA	533	A	O4'-C4'-C3'	5.85	110.78	106.10
1	AA	1204	A	C5-C6-N1	5.85	120.62	117.70
26	BB	484	C	C4-C5-C6	-5.85	114.48	117.40
26	BB	1264	A	N9-C4-C5	5.85	108.14	105.80
26	BB	1793	C	O4'-C4'-C3'	-5.85	98.15	104.00
26	BB	2070	A	C6-C5-N7	5.85	136.40	132.30
26	BB	2230	G	N3-C4-C5	-5.85	125.68	128.60
26	BB	2595	G	O4'-C4'-C3'	5.85	110.78	106.10
1	AA	926	G	N3-C4-C5	-5.85	125.68	128.60
1	AA	1162	C	C2-N3-C4	-5.85	116.98	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1217	C	C4'-C3'-C2'	-5.85	96.75	102.60
1	AA	1321	U	O4'-C1'-N1	5.85	112.88	108.20
26	BB	49	A	C8-N9-C4	-5.85	103.46	105.80
26	BB	84	A	O4'-C1'-N9	5.85	112.88	108.20
26	BB	890	C	O4'-C1'-C2'	-5.85	99.95	105.80
26	BB	1041	G	C4'-C3'-C2'	-5.85	96.75	102.60
26	BB	1072	C	C5-C4-N4	-5.85	116.11	120.20
26	BB	1729	U	C4-C5-C6	5.85	123.21	119.70
26	BB	2264	C	P-O3'-C3'	5.85	126.72	119.70
26	BB	2436	G	C8-N9-C1'	5.85	134.60	127.00
1	AA	1213	A	C2'-C3'-O3'	5.85	123.05	113.70
26	BB	177	G	N3-C4-C5	-5.85	125.68	128.60
26	BB	688	U	C2-N3-C4	-5.85	123.49	127.00
26	BB	713	G	C6-C5-N7	-5.85	126.89	130.40
26	BB	987	C	C5-C4-N4	-5.85	116.11	120.20
26	BB	1484	U	C5'-C4'-C3'	-5.85	106.65	116.00
26	BB	1735	A	C4-C5-C6	-5.85	114.08	117.00
1	AA	165	G	N3-C4-C5	-5.84	125.68	128.60
1	AA	229	U	N3-C4-O4	-5.84	115.31	119.40
1	AA	468	A	C6-N1-C2	5.84	122.11	118.60
4	AD	58	A	C4'-C3'-C2'	-5.84	96.76	102.60
26	BB	346	A	N9-C1'-C2'	-5.84	105.57	112.00
26	BB	399	U	N1-C1'-C2'	-5.84	105.57	112.00
26	BB	549	G	O4'-C1'-C2'	5.84	112.86	107.60
26	BB	1251	C	P-O3'-C3'	5.84	126.71	119.70
26	BB	1368	G	C2-N3-C4	-5.84	108.98	111.90
26	BB	1759	A	C5-C6-N1	-5.84	114.78	117.70
26	BB	1828	G	C5-N7-C8	-5.84	101.38	104.30
26	BB	2198	A	N9-C4-C5	5.84	108.14	105.80
26	BB	2621	G	C6-N1-C2	-5.84	121.59	125.10
1	AA	339	C	C6-N1-C2	-5.84	117.96	120.30
1	AA	627	G	C6-C5-N7	5.84	133.91	130.40
21	AU	62	ARG	CD-NE-CZ	5.84	131.78	123.60
26	BB	807	U	N3-C2-O2	-5.84	118.11	122.20
26	BB	1388	G	C5-C6-N1	5.84	114.42	111.50
26	BB	1594	U	C4-C5-C6	5.84	123.21	119.70
26	BB	2071	A	C4'-C3'-C2'	-5.84	96.76	102.60
1	AA	830	G	C8-N9-C4	-5.84	104.06	106.40
1	AA	1106	G	N1-C6-O6	-5.84	116.39	119.90
1	AA	1453	G	C5-N7-C8	-5.84	101.38	104.30
26	BB	137	U	C6-N1-C1'	5.84	129.38	121.20
26	BB	321	U	N3-C2-O2	-5.84	118.11	122.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1431	A	C3'-C2'-C1'	-5.84	96.83	101.50
26	BB	1434	A	C4-C5-N7	-5.84	107.78	110.70
26	BB	2469	A	N1-C6-N6	-5.84	115.09	118.60
34	BJ	17	VAL	CA-CB-CG1	-5.84	102.14	110.90
1	AA	487	A	C4-C5-N7	5.84	113.62	110.70
1	AA	820	U	C5-C4-O4	-5.84	122.40	125.90
1	AA	885	G	N1-C6-O6	5.84	123.40	119.90
1	AA	1027	C	C4'-C3'-C2'	-5.84	96.76	102.60
2	AB	74	C	O3'-P-O5'	5.84	115.10	104.00
6	AF	135	ARG	NE-CZ-NH1	-5.84	117.38	120.30
25	BA	81	G	C5-C6-N1	5.84	114.42	111.50
26	BB	164	C	C5-C4-N4	5.84	124.29	120.20
26	BB	301	G	C5-N7-C8	-5.84	101.38	104.30
26	BB	391	A	C1'-O4'-C4'	5.84	114.57	109.90
26	BB	507	A	C3'-C2'-C1'	5.84	106.17	101.50
26	BB	575	A	O4'-C1'-N9	5.84	112.87	108.20
26	BB	683	U	C6-N1-C2	-5.84	117.50	121.00
26	BB	1233	C	N3-C2-O2	-5.84	117.81	121.90
26	BB	1297	C	C4-C5-C6	-5.84	114.48	117.40
26	BB	1674	G	C5-C6-N1	-5.84	108.58	111.50
26	BB	1815	A	C4-C5-C6	5.84	119.92	117.00
26	BB	1951	U	P-O5'-C5'	5.84	130.24	120.90
26	BB	2424	C	OP1-P-O3'	5.84	118.05	105.20
26	BB	2486	C	N1-C1'-C2'	-5.84	105.58	112.00
38	BN	78	ARG	NE-CZ-NH1	5.84	123.22	120.30
1	AA	34	C	N3-C4-C5	-5.84	119.56	121.90
1	AA	748	G	C4'-C3'-C2'	-5.84	96.76	102.60
1	AA	974	A	C5-N7-C8	-5.84	100.98	103.90
1	AA	1166	G	N3-C4-N9	5.84	129.50	126.00
1	AA	1333	A	C5-N7-C8	5.84	106.82	103.90
19	AS	35	ARG	CD-NE-CZ	5.84	131.77	123.60
26	BB	809	G	C2'-C3'-O3'	5.84	123.04	113.70
26	BB	1105	U	O4'-C1'-N1	5.84	112.87	108.20
26	BB	1191	G	O4'-C4'-C3'	5.84	110.77	106.10
26	BB	1815	A	O4'-C1'-N9	5.84	112.87	108.20
26	BB	2052	A	C8-N9-C4	5.84	108.14	105.80
26	BB	2092	U	N1-C2-N3	-5.84	111.40	114.90
26	BB	2455	G	O4'-C1'-C2'	-5.84	99.96	105.80
26	BB	2695	U	O4'-C4'-C3'	5.84	110.77	106.10
1	AA	58	C	N1-C2-O2	5.84	122.40	118.90
1	AA	88	U	C4-C5-C6	5.84	123.20	119.70
1	AA	448	A	N9-C4-C5	5.84	108.14	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	563	A	N1-C2-N3	-5.84	126.38	129.30
1	AA	950	U	C5'-C4'-O4'	5.84	116.10	109.10
1	AA	1109	C	N1-C2-N3	-5.84	115.11	119.20
1	AA	1111	A	C5-N7-C8	-5.84	100.98	103.90
1	AA	1301	U	O4'-C1'-N1	5.84	112.87	108.20
26	BB	330	A	O4'-C4'-C3'	5.84	110.77	106.10
26	BB	761	A	C2-N3-C4	5.84	113.52	110.60
26	BB	1738	G	C5'-C4'-C3'	-5.84	106.66	116.00
26	BB	1872	A	N7-C8-N9	5.84	116.72	113.80
26	BB	1922	G	C6-N1-C2	-5.84	121.60	125.10
26	BB	2312	U	N3-C2-O2	-5.84	118.11	122.20
26	BB	2393	U	C4'-C3'-C2'	-5.84	96.76	102.60
26	BB	2539	C	N1-C2-O2	5.84	122.40	118.90
26	BB	2603	G	C5-C6-O6	5.84	132.10	128.60
34	BJ	124	ARG	NE-CZ-NH1	5.84	123.22	120.30
1	AA	24	U	N1-C2-O2	5.83	126.88	122.80
1	AA	105	G	C8-N9-C4	-5.83	104.07	106.40
1	AA	520	A	N1-C2-N3	-5.83	126.38	129.30
1	AA	1266	G	O4'-C1'-C2'	-5.83	99.97	105.80
26	BB	597	G	O4'-C1'-N9	5.83	112.87	108.20
26	BB	654	A	C4-C5-C6	5.83	119.92	117.00
26	BB	730	A	C4-C5-N7	-5.83	107.78	110.70
26	BB	1087	G	C5-C6-O6	-5.83	125.10	128.60
26	BB	1166	G	C8-N9-C4	-5.83	104.07	106.40
26	BB	1929	G	O5'-C5'-C4'	5.83	122.79	111.70
26	BB	2100	G	N9-C4-C5	5.83	107.73	105.40
26	BB	2158	A	C3'-C2'-C1'	5.83	106.17	101.50
26	BB	2286	G	C4-C5-N7	5.83	113.13	110.80
1	AA	90	C	C5-C4-N4	-5.83	116.12	120.20
1	AA	620	C	C1'-O4'-C4'	5.83	114.57	109.90
1	AA	945	G	C6-N1-C2	-5.83	121.60	125.10
1	AA	1347	G	C1'-O4'-C4'	-5.83	105.23	109.90
5	AE	138	ARG	NH1-CZ-NH2	-5.83	112.98	119.40
25	BA	94	A	O4'-C1'-N9	5.83	112.87	108.20
26	BB	52	A	N3-C4-C5	5.83	130.88	126.80
26	BB	249	C	C3'-C2'-C1'	-5.83	96.83	101.50
26	BB	411	G	N3-C4-N9	-5.83	122.50	126.00
26	BB	785	G	C4'-C3'-C2'	-5.83	96.77	102.60
26	BB	1682	G	C4-C5-C6	5.83	122.30	118.80
26	BB	2041	U	C5-C6-N1	5.83	125.62	122.70
26	BB	2152	G	N1-C2-N3	-5.83	120.40	123.90
26	BB	2203	U	N1-C2-O2	5.83	126.88	122.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2424	C	C5-C4-N4	-5.83	116.12	120.20
26	BB	2557	G	N9-C1'-C2'	-5.83	105.58	112.00
26	BB	2767	C	C3'-C2'-C1'	5.83	106.17	101.50
1	AA	37	U	C4-C5-C6	-5.83	116.20	119.70
1	AA	165	G	N1-C2-N2	5.83	121.45	116.20
1	AA	553	A	C4'-C3'-C2'	-5.83	96.77	102.60
1	AA	1194	U	O4'-C4'-C3'	5.83	110.77	106.10
1	AA	1418	A	N3-C4-N9	-5.83	122.73	127.40
1	AA	1433	A	C6-N1-C2	5.83	122.10	118.60
1	AA	1470	U	P-O3'-C3'	5.83	126.70	119.70
1	AA	1485	U	C5-C4-O4	5.83	129.40	125.90
2	AB	57	G	P-O3'-C3'	5.83	126.70	119.70
10	AJ	137	ARG	NE-CZ-NH1	5.83	123.22	120.30
26	BB	1	G	N3-C4-N9	5.83	129.50	126.00
26	BB	703	U	P-O3'-C3'	5.83	126.70	119.70
26	BB	761	A	C4'-C3'-C2'	-5.83	96.77	102.60
26	BB	831	G	C3'-C2'-C1'	-5.83	96.83	101.50
26	BB	842	U	C4-C5-C6	-5.83	116.20	119.70
26	BB	905	A	C5-N7-C8	-5.83	100.98	103.90
26	BB	907	G	O4'-C1'-N9	5.83	112.86	108.20
26	BB	1509	A	C4-C5-C6	-5.83	114.08	117.00
26	BB	2616	C	C6-N1-C2	-5.83	117.97	120.30
26	BB	2714	G	C2-N3-C4	-5.83	108.98	111.90
26	BB	2742	G	C4-C5-C6	5.83	122.30	118.80
1	AA	1447	A	N3-C4-N9	-5.83	122.74	127.40
26	BB	415	A	N3-C4-C5	-5.83	122.72	126.80
26	BB	774	G	C8-N9-C4	-5.83	104.07	106.40
26	BB	1081	U	C5-C6-N1	-5.83	119.78	122.70
26	BB	2410	G	C8-N9-C4	-5.83	104.07	106.40
38	BN	50	PHE	CB-CG-CD1	5.83	124.88	120.80
1	AA	42	G	N3-C4-C5	-5.83	125.69	128.60
1	AA	471	U	N3-C2-O2	-5.83	118.12	122.20
1	AA	940	C	C1'-O4'-C4'	-5.83	105.24	109.90
1	AA	1319	A	C5'-C4'-C3'	-5.83	106.67	116.00
1	AA	1527	U	P-O3'-C3'	5.83	126.69	119.70
4	AD	34	U	C6-N1-C2	-5.83	117.50	121.00
26	BB	83	A	C5-C6-N6	5.83	128.36	123.70
26	BB	457	A	N9-C4-C5	5.83	108.13	105.80
26	BB	488	G	O4'-C4'-C3'	-5.83	98.17	104.00
26	BB	649	G	C4'-C3'-C2'	-5.83	96.77	102.60
26	BB	744	U	C1'-O4'-C4'	5.83	114.56	109.90
26	BB	1217	U	N3-C2-O2	-5.83	118.12	122.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1262	A	C2-N3-C4	5.83	113.51	110.60
26	BB	1498	C	C2-N3-C4	-5.83	116.99	119.90
26	BB	1827	U	O4'-C1'-N1	5.83	112.86	108.20
26	BB	2028	U	C3'-C2'-C1'	-5.83	96.84	101.50
26	BB	2087	G	C8-N9-C1'	5.83	134.58	127.00
26	BB	2295	C	O4'-C4'-C3'	5.83	110.76	106.10
26	BB	2372	U	O5'-P-OP2	-5.83	100.45	105.70
26	BB	2378	A	C6-N1-C2	5.83	122.10	118.60
26	BB	2473	U	N3-C4-C5	5.83	118.10	114.60
26	BB	2533	U	C5'-C4'-C3'	-5.83	106.67	116.00
1	AA	611	C	N3-C4-N4	-5.83	113.92	118.00
1	AA	1016	A	C5-C6-N1	-5.83	114.79	117.70
1	AA	1099	G	N3-C4-N9	-5.83	122.50	126.00
1	AA	1396	A	N3-C4-C5	-5.83	122.72	126.80
25	BA	53	A	N1-C6-N6	-5.83	115.10	118.60
26	BB	1449	G	C5'-C4'-C3'	-5.83	106.68	116.00
26	BB	1759	A	C1'-O4'-C4'	5.83	114.56	109.90
26	BB	1828	G	C5-C6-N1	-5.83	108.59	111.50
1	AA	402	G	C5-N7-C8	5.83	107.21	104.30
1	AA	570	G	C1'-O4'-C4'	5.83	114.56	109.90
1	AA	734	G	N7-C8-N9	5.83	116.01	113.10
1	AA	1058	G	N1-C2-N2	-5.83	110.96	116.20
1	AA	1235	U	C4'-C3'-C2'	-5.83	96.78	102.60
1	AA	1271	A	P-O3'-C3'	5.83	126.69	119.70
1	AA	1313	U	N1-C2-O2	-5.83	118.72	122.80
1	AA	1401	G	C6-N1-C2	-5.83	121.61	125.10
6	AF	17	TRP	CD1-NE1-CE2	5.83	114.24	109.00
6	AF	96	VAL	CA-CB-CG2	5.83	119.64	110.90
26	BB	458	G	N1-C6-O6	-5.83	116.41	119.90
26	BB	537	G	C4-C5-C6	5.83	122.30	118.80
26	BB	784	G	C5-N7-C8	-5.83	101.39	104.30
26	BB	1130	U	C5-C4-O4	5.83	129.40	125.90
26	BB	1157	G	N1-C2-N2	5.83	121.44	116.20
26	BB	1228	G	C5'-C4'-O4'	5.83	116.09	109.10
26	BB	2315	G	C6-C5-N7	-5.83	126.91	130.40
26	BB	2695	U	C5-C4-O4	-5.83	122.41	125.90
1	AA	551	U	C5'-C4'-C3'	-5.82	106.68	116.00
1	AA	987	G	C5'-C4'-O4'	5.82	116.09	109.10
1	AA	1185	G	N1-C2-N3	-5.82	120.41	123.90
3	AC	16	A	C4-C5-C6	-5.82	114.09	117.00
4	AD	41	C	N3-C4-N4	5.82	122.08	118.00
4	AD	52	C	OP1-P-OP2	-5.82	110.86	119.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	AH	28	ARG	CA-CB-CG	5.82	126.21	113.40
26	BB	168	G	N3-C2-N2	-5.82	115.82	119.90
26	BB	190	A	C5'-C4'-O4'	5.82	116.09	109.10
26	BB	1166	G	C3'-C2'-C1'	5.82	106.16	101.50
26	BB	1423	G	C6-C5-N7	5.82	133.89	130.40
26	BB	1527	G	P-O3'-C3'	5.82	126.69	119.70
26	BB	1598	A	N3-C4-N9	5.82	132.06	127.40
26	BB	1930	G	C5'-C4'-C3'	5.82	125.32	116.00
26	BB	2088	A	N7-C8-N9	5.82	116.71	113.80
26	BB	2229	U	O4'-C1'-N1	5.82	112.86	108.20
26	BB	2300	C	C5'-C4'-O4'	5.82	116.09	109.10
26	BB	2325	G	C3'-C2'-C1'	-5.82	96.84	101.50
26	BB	2482	A	C5-C6-N6	-5.82	119.04	123.70
26	BB	2699	C	C5'-C4'-O4'	5.82	116.09	109.10
26	BB	2710	C	C4-C5-C6	-5.82	114.49	117.40
26	BB	2732	G	C5-N7-C8	5.82	107.21	104.30
57	B6	13	PHE	CZ-CE2-CD2	-5.82	113.11	120.10
1	AA	1054	C	N1-C2-N3	5.82	123.28	119.20
2	AB	8	4SU	P-O3'-C3'	5.82	126.69	119.70
26	BB	698	C	C2-N3-C4	-5.82	116.99	119.90
26	BB	2684	U	C3'-C2'-C1'	5.82	106.16	101.50
1	AA	758	C	N1-C2-N3	-5.82	115.12	119.20
1	AA	888	G	N9-C4-C5	5.82	107.73	105.40
1	AA	965	U	O4'-C1'-N1	5.82	112.86	108.20
1	AA	968	A	N7-C8-N9	-5.82	110.89	113.80
1	AA	1306	A	N7-C8-N9	5.82	116.71	113.80
1	AA	1346	A	N9-C1'-C2'	-5.82	105.60	112.00
26	BB	146	A	N3-C4-C5	-5.82	122.72	126.80
26	BB	249	C	P-O3'-C3'	5.82	126.69	119.70
26	BB	403	U	C4-C5-C6	5.82	123.19	119.70
26	BB	538	A	C2-N3-C4	-5.82	107.69	110.60
26	BB	1257	C	C5-C4-N4	-5.82	116.13	120.20
26	BB	1470	A	C5'-C4'-O4'	5.82	116.08	109.10
26	BB	2001	C	N3-C2-O2	-5.82	117.83	121.90
26	BB	2083	G	C5'-C4'-O4'	5.82	116.08	109.10
26	BB	2380	C	C4'-C3'-C2'	-5.82	96.78	102.60
26	BB	2416	C	C6-N1-C2	5.82	122.63	120.30
26	BB	2576	G	N3-C2-N2	-5.82	115.83	119.90
26	BB	2647	U	N3-C4-C5	5.82	118.09	114.60
26	BB	2670	A	O4'-C4'-C3'	-5.82	98.18	104.00
26	BB	2749	A	C6-C5-N7	5.82	136.37	132.30
1	AA	228	A	C5-C6-N1	-5.82	114.79	117.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1292	G	N3-C4-N9	5.82	129.49	126.00
26	BB	498	G	O4'-C1'-N9	5.82	112.86	108.20
26	BB	623	C	C4-C5-C6	5.82	120.31	117.40
26	BB	1092	C	C2-N3-C4	5.82	122.81	119.90
26	BB	1257	C	C5'-C4'-O4'	5.82	116.08	109.10
26	BB	1294	U	C2-N3-C4	-5.82	123.51	127.00
26	BB	2138	G	N1-C6-O6	-5.82	116.41	119.90
26	BB	2282	G	N3-C4-N9	5.82	129.49	126.00
1	AA	114	U	N1-C2-N3	5.82	118.39	114.90
1	AA	1038	C	C3'-C2'-C1'	5.82	106.15	101.50
25	BA	116	G	O4'-C1'-C2'	5.82	112.84	107.60
26	BB	92	U	N1-C2-N3	5.82	118.39	114.90
26	BB	106	C	C1'-O4'-C4'	-5.82	105.25	109.90
26	BB	113	U	N1-C2-N3	5.82	118.39	114.90
26	BB	134	G	C4'-C3'-C2'	-5.82	96.78	102.60
26	BB	494	G	C4'-C3'-C2'	-5.82	96.78	102.60
26	BB	529	A	N7-C8-N9	5.82	116.71	113.80
26	BB	540	C	N3-C2-O2	-5.82	117.83	121.90
26	BB	594	U	N3-C4-O4	5.82	123.47	119.40
26	BB	613	A	C8-N9-C4	-5.82	103.47	105.80
26	BB	2505	G	O4'-C1'-C2'	-5.82	99.98	105.80
26	BB	2755	C	C3'-C2'-C1'	5.82	106.15	101.50
1	AA	255	G	O4'-C1'-N9	5.82	112.85	108.20
1	AA	932	C	O4'-C1'-N1	5.82	112.85	108.20
1	AA	1022	A	O4'-C1'-N9	5.82	112.85	108.20
1	AA	1385	G	N9-C4-C5	5.82	107.73	105.40
2	AB	69	C	N3-C4-C5	-5.82	119.57	121.90
3	AC	17	U	N1-C1'-C2'	-5.82	105.60	112.00
4	AD	35	C	C5'-C4'-O4'	5.82	116.08	109.10
4	AD	64	G	C8-N9-C4	-5.82	104.07	106.40
15	AO	93	ARG	NE-CZ-NH2	-5.82	117.39	120.30
26	BB	250	G	P-O5'-C5'	5.82	130.21	120.90
26	BB	882	G	N1-C6-O6	-5.82	116.41	119.90
26	BB	1123	C	N1-C1'-C2'	-5.82	105.60	112.00
26	BB	1228	G	O4'-C1'-N9	5.82	112.85	108.20
26	BB	1878	G	C6-C5-N7	5.82	133.89	130.40
26	BB	2242	G	N3-C4-C5	-5.82	125.69	128.60
26	BB	2274	A	O4'-C1'-N9	5.82	112.85	108.20
31	BG	68	LYS	CA-CB-CG	5.82	126.19	113.40
1	AA	549	C	C4-C5-C6	-5.81	114.49	117.40
4	AD	38	A	C4-C5-N7	5.81	113.61	110.70
26	BB	34	U	C6-N1-C2	-5.81	117.51	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	161	A	N7-C8-N9	-5.81	110.89	113.80
26	BB	923	G	O4'-C4'-C3'	-5.81	98.19	104.00
26	BB	1005	C	P-O3'-C3'	5.81	126.68	119.70
26	BB	1104	C	C5-C4-N4	5.81	124.27	120.20
26	BB	1317	G	C8-N9-C4	-5.81	104.07	106.40
42	BR	50	ARG	NE-CZ-NH1	5.81	123.21	120.30
1	AA	78	A	P-O5'-C5'	5.81	130.20	120.90
1	AA	134	G	C3'-C2'-C1'	-5.81	96.85	101.50
1	AA	584	G	C8-N9-C4	-5.81	104.08	106.40
1	AA	952	U	N3-C4-C5	-5.81	111.11	114.60
1	AA	1119	C	N1-C1'-C2'	-5.81	105.61	112.00
1	AA	1301	U	C4-C5-C6	-5.81	116.21	119.70
1	AA	1397	C	N1-C2-N3	-5.81	115.13	119.20
1	AA	1507	A	C6-C5-N7	-5.81	128.23	132.30
25	BA	72	G	C8-N9-C4	-5.81	104.08	106.40
26	BB	877	A	O4'-C4'-C3'	-5.81	98.19	104.00
26	BB	905	A	N9-C1'-C2'	-5.81	105.61	112.00
26	BB	1333	G	C5-N7-C8	-5.81	101.39	104.30
26	BB	1440	U	N1-C2-N3	-5.81	111.41	114.90
26	BB	1619	G	C2-N3-C4	5.81	114.81	111.90
26	BB	1658	C	C3'-C2'-C1'	5.81	106.15	101.50
26	BB	1855	U	N3-C4-O4	5.81	123.47	119.40
26	BB	1987	A	C6-C5-N7	5.81	136.37	132.30
26	BB	2290	G	C5'-C4'-C3'	-5.81	106.70	116.00
26	BB	2655	G	N7-C8-N9	5.81	116.01	113.10
26	BB	2693	G	C5'-C4'-O4'	5.81	116.08	109.10
1	AA	1037	C	C2-N3-C4	-5.81	117.00	119.90
1	AA	1187	G	N9-C1'-C2'	-5.81	105.61	112.00
1	AA	1487	G	C5'-C4'-O4'	5.81	116.07	109.10
26	BB	346	A	C3'-C2'-C1'	-5.81	96.85	101.50
26	BB	752	A	N3-C4-C5	-5.81	122.73	126.80
26	BB	1017	G	C8-N9-C1'	5.81	134.55	127.00
26	BB	1617	C	O4'-C4'-C3'	5.81	110.75	106.10
1	AA	230	G	N9-C1'-C2'	-5.81	105.61	112.00
1	AA	545	C	N3-C4-C5	-5.81	119.58	121.90
1	AA	1167	A	P-O3'-C3'	5.81	126.67	119.70
1	AA	1215	G	C5-N7-C8	-5.81	101.39	104.30
4	AD	48	U	C5-C4-O4	5.81	129.39	125.90
26	BB	532	A	C4'-C3'-C2'	-5.81	96.79	102.60
26	BB	578	G	C4'-C3'-C2'	-5.81	96.79	102.60
26	BB	983	A	N7-C8-N9	5.81	116.70	113.80
26	BB	1339	G	N1-C2-N3	-5.81	120.41	123.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1418	G	N3-C4-C5	5.81	131.50	128.60
26	BB	1624	U	N3-C4-O4	5.81	123.47	119.40
26	BB	2049	G	N3-C2-N2	-5.81	115.83	119.90
26	BB	2141	G	C5-C6-O6	5.81	132.09	128.60
41	BQ	64	TYR	CG-CD2-CE2	-5.81	116.65	121.30
1	AA	226	G	N3-C4-N9	-5.81	122.52	126.00
1	AA	582	C	C1'-O4'-C4'	-5.81	105.25	109.90
1	AA	784	A	C5'-C4'-C3'	-5.81	106.71	116.00
1	AA	870	U	C5-C4-O4	5.81	129.38	125.90
1	AA	908	A	C5-C6-N6	-5.81	119.05	123.70
3	AC	24	A	N1-C6-N6	5.81	122.08	118.60
20	AT	47	ASP	CB-CG-OD1	-5.81	113.07	118.30
26	BB	236	C	N1-C1'-C2'	-5.81	105.61	112.00
26	BB	322	A	C5-C6-N1	5.81	120.60	117.70
26	BB	634	C	N3-C4-N4	5.81	122.06	118.00
26	BB	708	G	O4'-C1'-C2'	-5.81	99.99	105.80
26	BB	1540	G	O4'-C1'-N9	5.81	112.85	108.20
26	BB	2684	U	C5-C6-N1	-5.81	119.80	122.70
26	BB	2866	U	N1-C2-O2	5.81	126.87	122.80
1	AA	35	G	C5-N7-C8	5.81	107.20	104.30
1	AA	158	G	C4-C5-C6	-5.81	115.32	118.80
1	AA	365	U	C1'-O4'-C4'	-5.81	105.25	109.90
1	AA	394	G	C1'-O4'-C4'	-5.81	105.25	109.90
1	AA	399	G	C4'-C3'-C2'	-5.81	96.79	102.60
1	AA	460	A	C1'-O4'-C4'	5.81	114.55	109.90
26	BB	302	C	C5'-C4'-C3'	-5.81	106.71	116.00
26	BB	376	G	C6-N1-C2	-5.81	121.62	125.10
26	BB	880	G	O4'-C1'-N9	5.81	112.84	108.20
26	BB	2244	U	C5'-C4'-O4'	5.81	116.07	109.10
1	AA	1320	C	C4-C5-C6	-5.80	114.50	117.40
25	BA	3	C	C6-N1-C2	5.80	122.62	120.30
25	BA	85	G	C5-N7-C8	-5.80	101.40	104.30
26	BB	406	G	C5-C6-O6	-5.80	125.12	128.60
26	BB	561	G	P-O3'-C3'	5.80	126.67	119.70
26	BB	638	G	C1'-O4'-C4'	-5.80	105.26	109.90
26	BB	1445	G	N3-C4-N9	5.80	129.48	126.00
26	BB	1595	C	N1-C2-N3	-5.80	115.14	119.20
26	BB	1652	A	C2-N3-C4	-5.80	107.70	110.60
26	BB	2522	U	C6-N1-C2	5.80	124.48	121.00
1	AA	94	G	N1-C6-O6	5.80	123.38	119.90
1	AA	109	A	C5'-C4'-O4'	5.80	116.06	109.10
26	BB	221	A	O4'-C1'-C2'	-5.80	100.00	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	456	C	N3-C2-O2	-5.80	117.84	121.90
26	BB	1389	G	N3-C4-C5	-5.80	125.70	128.60
26	BB	1703	G	P-O3'-C3'	5.80	126.66	119.70
26	BB	1854	A	C5-C6-N6	-5.80	119.06	123.70
26	BB	2184	A	C4'-C3'-C2'	-5.80	96.80	102.60
26	BB	2822	G	C4'-C3'-C2'	-5.80	96.80	102.60
43	BS	47	ARG	NE-CZ-NH2	5.80	123.20	120.30
1	AA	243	A	C3'-C2'-C1'	5.80	106.14	101.50
1	AA	247	G	C5'-C4'-O4'	5.80	116.06	109.10
1	AA	1342	C	O4'-C1'-N1	5.80	112.84	108.20
4	AD	12	G	C6-C5-N7	5.80	133.88	130.40
19	AS	55	ASP	CB-CG-OD2	5.80	123.52	118.30
26	BB	225	C	P-O3'-C3'	5.80	126.66	119.70
26	BB	239	C	N3-C4-C5	-5.80	119.58	121.90
26	BB	829	A	N9-C1'-C2'	5.80	121.54	114.00
26	BB	1065	U	O4'-C1'-N1	5.80	112.84	108.20
26	BB	1268	A	O4'-C1'-N9	5.80	112.84	108.20
26	BB	1681	G	C6-N1-C2	-5.80	121.62	125.10
26	BB	1718	G	N9-C4-C5	5.80	107.72	105.40
26	BB	2031	A	O4'-C1'-N9	5.80	112.84	108.20
26	BB	2102	G	N3-C4-C5	-5.80	125.70	128.60
26	BB	2707	U	N3-C4-O4	5.80	123.46	119.40
1	AA	92	U	N1-C2-N3	5.80	118.38	114.90
1	AA	148	G	N1-C6-O6	5.80	123.38	119.90
1	AA	248	C	P-O3'-C3'	5.80	126.66	119.70
1	AA	510	A	C8-N9-C4	-5.80	103.48	105.80
1	AA	1334	G	N1-C6-O6	-5.80	116.42	119.90
4	AD	53	G	C5-N7-C8	-5.80	101.40	104.30
26	BB	24	G	C4-C5-N7	-5.80	108.48	110.80
26	BB	256	A	O4'-C1'-N9	5.80	112.84	108.20
26	BB	289	G	C8-N9-C4	-5.80	104.08	106.40
26	BB	308	G	C1'-O4'-C4'	5.80	114.54	109.90
26	BB	345	A	O4'-C1'-N9	5.80	112.84	108.20
26	BB	1011	G	O4'-C1'-N9	5.80	112.84	108.20
26	BB	1610	A	C4-C5-C6	5.80	119.90	117.00
26	BB	1616	A	C5'-C4'-O4'	5.80	116.06	109.10
26	BB	1756	G	C5-C6-N1	5.80	114.40	111.50
29	BE	11	MET	CA-CB-CG	5.80	123.16	113.30
1	AA	28	A	C2-N3-C4	5.80	113.50	110.60
1	AA	1319	A	N1-C2-N3	5.80	132.20	129.30
26	BB	1514	G	N3-C4-N9	5.80	129.48	126.00
26	BB	2075	U	C5-C4-O4	-5.80	122.42	125.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	152	A	C3'-C2'-C1'	5.80	106.14	101.50
1	AA	274	A	O4'-C1'-N9	5.80	112.84	108.20
2	AB	7	G	C3'-C2'-C1'	5.80	106.14	101.50
6	AF	25	THR	CA-CB-OG1	5.80	121.17	109.00
25	BA	50	A	C2-N3-C4	5.80	113.50	110.60
26	BB	163	C	C2-N3-C4	5.80	122.80	119.90
26	BB	924	G	N1-C2-N2	5.80	121.42	116.20
26	BB	1092	C	C4-C5-C6	-5.80	114.50	117.40
26	BB	1336	A	C5-C6-N1	5.80	120.60	117.70
26	BB	1435	G	C6-N1-C2	-5.80	121.62	125.10
26	BB	1478	G	N3-C4-N9	5.80	129.48	126.00
26	BB	1517	G	C8-N9-C4	-5.80	104.08	106.40
26	BB	1973	G	N3-C2-N2	5.80	123.96	119.90
26	BB	1995	U	C6-N1-C2	-5.80	117.52	121.00
26	BB	2117	A	N1-C6-N6	5.80	122.08	118.60
26	BB	2185	U	P-O3'-C3'	5.80	126.66	119.70
26	BB	2255	G	C6-N1-C2	-5.80	121.62	125.10
26	BB	2746	U	N1-C1'-C2'	-5.80	105.62	112.00
38	BN	50	PHE	CB-CG-CD2	-5.80	116.74	120.80
1	AA	768	A	N1-C2-N3	-5.79	126.40	129.30
1	AA	1289	A	O4'-C1'-C2'	-5.79	100.00	105.80
1	AA	1483	A	C5-C6-N1	5.79	120.60	117.70
3	AC	33	A	N9-C4-C5	-5.79	103.48	105.80
26	BB	50	U	N1-C2-N3	5.79	118.38	114.90
26	BB	1645	G	C6-C5-N7	5.79	133.88	130.40
26	BB	2743	U	C4'-C3'-O3'	5.79	124.59	113.00
1	AA	714	G	C5'-C4'-O4'	5.79	116.05	109.10
1	AA	742	G	C5'-C4'-O4'	5.79	116.05	109.10
1	AA	1047	G	C1'-O4'-C4'	-5.79	105.27	109.90
1	AA	1340	A	C4'-C3'-C2'	-5.79	96.81	102.60
4	AD	17	C	N3-C2-O2	-5.79	117.84	121.90
26	BB	27	G	O4'-C1'-N9	5.79	112.83	108.20
26	BB	177	G	C3'-C2'-C1'	5.79	106.14	101.50
26	BB	296	U	N3-C4-C5	-5.79	111.12	114.60
26	BB	622	G	C5-C6-O6	-5.79	125.12	128.60
26	BB	875	G	N9-C1'-C2'	-5.79	105.63	112.00
26	BB	1208	C	C4'-C3'-C2'	-5.79	96.81	102.60
26	BB	1482	G	C3'-C2'-C1'	5.79	106.14	101.50
26	BB	1562	U	C5-C6-N1	-5.79	119.80	122.70
26	BB	2760	C	N3-C4-C5	-5.79	119.58	121.90
1	AA	158	G	O4'-C1'-C2'	5.79	112.81	107.60
1	AA	708	C	O4'-C1'-C2'	5.79	112.81	107.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	887	G	C4'-C3'-C2'	5.79	108.39	102.60
1	AA	888	G	N7-C8-N9	5.79	116.00	113.10
1	AA	1525	G	O4'-C1'-N9	5.79	112.83	108.20
9	AI	113	ARG	NE-CZ-NH1	5.79	123.20	120.30
26	BB	567	U	N3-C4-C5	-5.79	111.12	114.60
26	BB	572	A	C5-N7-C8	-5.79	101.00	103.90
26	BB	953	G	N9-C1'-C2'	-5.79	105.63	112.00
26	BB	1245	G	C4-C5-N7	-5.79	108.48	110.80
26	BB	1449	G	N9-C1'-C2'	-5.79	105.63	112.00
26	BB	1875	G	N7-C8-N9	5.79	116.00	113.10
26	BB	1920	C	C3'-C2'-C1'	-5.79	96.87	101.50
26	BB	2149	U	C5'-C4'-O4'	5.79	116.05	109.10
26	BB	2211	A	C6-C5-N7	5.79	136.35	132.30
26	BB	2212	A	N1-C6-N6	5.79	122.08	118.60
26	BB	2275	C	C6-N1-C2	-5.79	117.98	120.30
26	BB	2589	A	C5-C6-N6	5.79	128.33	123.70
1	AA	355	C	C6-N1-C2	-5.79	117.98	120.30
1	AA	536	C	N1-C1'-C2'	-5.79	105.63	112.00
26	BB	1753	G	C5-C6-O6	-5.79	125.13	128.60
26	BB	2530	A	P-O5'-C5'	5.79	130.16	120.90
1	AA	17	U	N3-C4-C5	5.79	118.07	114.60
1	AA	236	A	N1-C2-N3	-5.79	126.41	129.30
1	AA	985	C	C3'-C2'-C1'	5.79	106.13	101.50
1	AA	1244	G	N3-C4-C5	-5.79	125.70	128.60
2	AB	12	U	C2-N3-C4	-5.79	123.53	127.00
26	BB	80	G	N7-C8-N9	5.79	115.99	113.10
26	BB	570	G	N9-C1'-C2'	5.79	121.53	114.00
26	BB	960	A	C3'-C2'-C1'	-5.79	96.87	101.50
26	BB	1203	U	N3-C4-C5	5.79	118.07	114.60
26	BB	1626	A	C6-N1-C2	-5.79	115.13	118.60
26	BB	2115	G	C1'-O4'-C4'	-5.79	105.27	109.90
1	AA	290	C	C5-C4-N4	-5.79	116.15	120.20
26	BB	467	G	C5-C6-N1	5.79	114.39	111.50
26	BB	2801	G	N1-C6-O6	5.79	123.37	119.90
1	AA	163	C	O4'-C1'-N1	5.79	112.83	108.20
1	AA	639	G	N7-C8-N9	5.79	115.99	113.10
1	AA	740	U	C4-C5-C6	5.79	123.17	119.70
1	AA	746	A	N9-C1'-C2'	-5.79	105.64	112.00
1	AA	945	G	O4'-C1'-N9	5.79	112.83	108.20
1	AA	1266	G	N1-C6-O6	-5.79	116.43	119.90
1	AA	1325	C	C6-N1-C1'	5.79	127.74	120.80
1	AA	1350	A	C6-C5-N7	5.79	136.35	132.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1396	A	O4'-C1'-C2'	5.79	112.81	107.60
2	AB	15	A	N1-C2-N3	-5.79	126.41	129.30
3	AC	47	C	C5'-C4'-O4'	5.79	116.04	109.10
5	AE	34	ARG	NE-CZ-NH2	-5.79	117.41	120.30
25	BA	84	G	C1'-O4'-C4'	-5.79	105.27	109.90
26	BB	25	U	N1-C1'-C2'	-5.79	105.64	112.00
26	BB	44	A	P-O3'-C3'	5.79	126.64	119.70
26	BB	1054	A	C5-C6-N1	5.79	120.59	117.70
26	BB	1275	A	N9-C4-C5	5.79	108.11	105.80
26	BB	1468	U	N1-C2-N3	-5.79	111.43	114.90
26	BB	1568	G	C2-N3-C4	5.79	114.79	111.90
26	BB	1829	A	C4'-C3'-C2'	-5.79	96.81	102.60
26	BB	2252	G	N3-C2-N2	5.79	123.95	119.90
26	BB	2651	C	C2-N3-C4	5.79	122.79	119.90
26	BB	2844	G	C4'-C3'-C2'	-5.79	96.81	102.60
28	BD	166	ARG	NE-CZ-NH2	-5.79	117.41	120.30
1	AA	337	G	C2-N3-C4	-5.78	109.01	111.90
1	AA	603	U	O4'-C1'-C2'	5.78	112.81	107.60
1	AA	1182	G	N9-C4-C5	-5.78	103.09	105.40
26	BB	756	A	C1'-O4'-C4'	-5.78	105.27	109.90
26	BB	910	A	C8-N9-C4	-5.78	103.49	105.80
26	BB	1089	A	C5-N7-C8	5.78	106.79	103.90
26	BB	1190	G	C3'-C2'-C1'	-5.78	96.87	101.50
26	BB	1590	A	C6-N1-C2	5.78	122.07	118.60
26	BB	1678	A	C4-C5-C6	5.78	119.89	117.00
26	BB	1763	G	N1-C2-N2	5.78	121.41	116.20
26	BB	2122	U	C2-N3-C4	-5.78	123.53	127.00
1	AA	875	U	C2-N3-C4	-5.78	123.53	127.00
1	AA	1386	G	C8-N9-C1'	5.78	134.52	127.00
26	BB	134	G	O4'-C1'-C2'	-5.78	100.02	105.80
26	BB	1005	C	N3-C4-N4	-5.78	113.95	118.00
26	BB	1435	G	N9-C4-C5	5.78	107.71	105.40
26	BB	1712	U	P-O3'-C3'	5.78	126.64	119.70
1	AA	212	G	C4-C5-N7	-5.78	108.49	110.80
1	AA	810	C	C3'-C2'-C1'	5.78	106.12	101.50
1	AA	857	C	C5-C6-N1	5.78	123.89	121.00
1	AA	1186	G	N3-C4-N9	-5.78	122.53	126.00
1	AA	1337	G	N7-C8-N9	5.78	115.99	113.10
26	BB	343	C	C5-C6-N1	-5.78	118.11	121.00
26	BB	518	G	P-O3'-C3'	5.78	126.64	119.70
26	BB	818	G	N3-C4-N9	5.78	129.47	126.00
26	BB	921	C	N3-C4-N4	5.78	122.05	118.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1079	C	C5'-C4'-O4'	5.78	116.04	109.10
26	BB	1272	A	C2-N3-C4	5.78	113.49	110.60
26	BB	1777	U	C3'-C2'-C1'	-5.78	96.88	101.50
26	BB	1852	U	C4'-C3'-C2'	-5.78	96.82	102.60
28	BD	18	VAL	CA-CB-CG1	5.78	119.57	110.90
36	BL	125	TYR	CB-CG-CD1	-5.78	117.53	121.00
9	AI	44	ARG	NE-CZ-NH2	-5.78	117.41	120.30
26	BB	464	U	O4'-C1'-N1	5.78	112.82	108.20
26	BB	1464	G	C5-C6-O6	-5.78	125.13	128.60
26	BB	2523	G	N3-C4-C5	-5.78	125.71	128.60
1	AA	49	U	C2-N3-C4	-5.78	123.53	127.00
1	AA	82	G	O4'-C1'-N9	5.78	112.82	108.20
1	AA	274	A	N3-C4-N9	5.78	132.02	127.40
1	AA	635	A	C4-C5-C6	5.78	119.89	117.00
1	AA	651	C	C5'-C4'-C3'	-5.78	106.76	116.00
1	AA	705	G	C4-C5-C6	5.78	122.27	118.80
1	AA	1041	G	C6-N1-C2	5.78	128.57	125.10
26	BB	193	U	N1-C2-O2	5.78	126.84	122.80
26	BB	233	A	C5-C6-N6	-5.78	119.08	123.70
26	BB	272	A	C5-C6-N1	5.78	120.59	117.70
26	BB	452	G	N7-C8-N9	5.78	115.99	113.10
26	BB	630	G	N9-C1'-C2'	-5.78	105.64	112.00
26	BB	645	C	O4'-C1'-N1	5.78	112.82	108.20
26	BB	936	A	C5'-C4'-C3'	-5.78	106.76	116.00
26	BB	1377	G	C4'-C3'-C2'	-5.78	96.82	102.60
26	BB	1659	G	N9-C1'-C2'	-5.78	105.64	112.00
26	BB	1817	G	C8-N9-C1'	5.78	134.51	127.00
26	BB	1954	G	C8-N9-C4	5.78	108.71	106.40
26	BB	2404	U	O4'-C1'-C2'	-5.78	100.02	105.80
26	BB	2576	G	N7-C8-N9	-5.78	110.21	113.10
26	BB	2588	G	C5'-C4'-O4'	5.78	116.03	109.10
26	BB	2887	A	C5-C6-N1	5.78	120.59	117.70
1	AA	557	G	C4-C5-N7	-5.78	108.49	110.80
1	AA	739	C	O4'-C1'-N1	5.78	112.82	108.20
1	AA	1192	C	C3'-C2'-C1'	-5.78	96.88	101.50
4	AD	42	C	C3'-C2'-C1'	5.78	106.12	101.50
6	AF	83	VAL	CA-CB-CG1	5.78	119.56	110.90
26	BB	102	U	N3-C4-O4	5.78	123.44	119.40
26	BB	292	U	N1-C2-O2	5.78	126.84	122.80
26	BB	775	G	C6-N1-C2	-5.78	121.63	125.10
26	BB	961	C	N1-C1'-C2'	5.78	121.51	114.00
26	BB	1038	G	C5-N7-C8	-5.78	101.41	104.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1393	A	C2-N3-C4	5.78	113.49	110.60
26	BB	1455	G	C6-N1-C2	-5.78	121.64	125.10
26	BB	1858	A	N3-C4-N9	5.78	132.02	127.40
26	BB	2526	G	C3'-C2'-C1'	5.78	106.12	101.50
26	BB	2665	A	O4'-C4'-C3'	5.78	110.72	106.10
1	AA	362	G	C4-C5-N7	5.77	113.11	110.80
1	AA	628	G	N1-C2-N3	-5.77	120.44	123.90
26	BB	301	G	C5-C6-N1	5.77	114.39	111.50
26	BB	1328	A	C4-C5-N7	-5.77	107.81	110.70
1	AA	149	A	C4-C5-N7	-5.77	107.81	110.70
4	AD	46	G	C4-C5-C6	5.77	122.26	118.80
19	AS	70	ARG	NH1-CZ-NH2	5.77	125.75	119.40
26	BB	15	G	C5'-C4'-C3'	5.77	125.24	116.00
26	BB	34	U	N1-C2-O2	5.77	126.84	122.80
26	BB	357	C	C2-N3-C4	5.77	122.79	119.90
26	BB	889	C	P-O3'-C3'	5.77	126.63	119.70
26	BB	1187	G	N7-C8-N9	5.77	115.99	113.10
26	BB	2027	G	C5-C6-N1	-5.77	108.61	111.50
26	BB	2744	G	N1-C6-O6	-5.77	116.44	119.90
31	BG	124	ARG	NE-CZ-NH2	-5.77	117.41	120.30
1	AA	809	G	N1-C2-N2	-5.77	111.01	116.20
26	BB	108	G	C4-C5-N7	-5.77	108.49	110.80
26	BB	2134	A	C6-N1-C2	-5.77	115.14	118.60
26	BB	2329	U	C5-C4-O4	5.77	129.36	125.90
26	BB	2441	U	C6-N1-C2	-5.77	117.54	121.00
1	AA	130	A	N3-C4-C5	-5.77	122.76	126.80
1	AA	260	G	C3'-C2'-C1'	-5.77	96.88	101.50
1	AA	460	A	N1-C6-N6	5.77	122.06	118.60
1	AA	1074	G	N7-C8-N9	5.77	115.98	113.10
26	BB	31	C	N1-C2-O2	5.77	122.36	118.90
26	BB	68	G	C6-C5-N7	5.77	133.86	130.40
26	BB	117	G	N3-C2-N2	-5.77	115.86	119.90
26	BB	489	G	OP1-P-OP2	5.77	128.25	119.60
26	BB	1352	U	O4'-C4'-C3'	-5.77	98.23	104.00
26	BB	1668	A	C4-C5-N7	-5.77	107.81	110.70
26	BB	1711	A	C4-C5-C6	-5.77	114.12	117.00
26	BB	1880	U	C5-C6-N1	5.77	125.58	122.70
29	BE	46	ARG	NE-CZ-NH1	5.77	123.19	120.30
1	AA	167	A	C3'-C2'-C1'	5.77	106.11	101.50
1	AA	291	U	C5-C4-O4	-5.77	122.44	125.90
1	AA	414	A	N9-C1'-C2'	-5.77	105.66	112.00
1	AA	786	G	C5-C6-O6	-5.77	125.14	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	835	U	C2-N3-C4	-5.77	123.54	127.00
1	AA	843	U	C5'-C4'-C3'	-5.77	106.77	116.00
1	AA	863	U	C3'-C2'-C1'	5.77	106.11	101.50
1	AA	1440	U	C5-C6-N1	-5.77	119.82	122.70
26	BB	534	U	C2-N3-C4	-5.77	123.54	127.00
26	BB	630	G	N1-C6-O6	-5.77	116.44	119.90
26	BB	725	G	C4-C5-N7	-5.77	108.49	110.80
26	BB	901	C	C4-C5-C6	5.77	120.28	117.40
26	BB	984	A	N9-C4-C5	-5.77	103.49	105.80
26	BB	1469	A	N7-C8-N9	-5.77	110.92	113.80
1	AA	288	A	C2-N3-C4	5.77	113.48	110.60
1	AA	497	G	C5-N7-C8	-5.77	101.42	104.30
1	AA	561	U	C2-N3-C4	-5.77	123.54	127.00
1	AA	739	C	C2-N1-C1'	5.77	125.14	118.80
1	AA	834	U	O4'-C1'-N1	5.77	112.81	108.20
26	BB	146	A	C4-C5-N7	-5.77	107.82	110.70
26	BB	838	C	C5-C4-N4	5.77	124.24	120.20
26	BB	2124	G	C6-N1-C2	-5.77	121.64	125.10
26	BB	2429	G	C4-C5-C6	5.77	122.26	118.80
1	AA	316	C	C5'-C4'-C3'	-5.76	106.78	116.00
1	AA	570	G	O4'-C1'-N9	5.76	112.81	108.20
1	AA	678	U	C4-C5-C6	5.76	123.16	119.70
1	AA	868	C	C5'-C4'-O4'	5.76	116.02	109.10
1	AA	1186	G	N1-C6-O6	5.76	123.36	119.90
1	AA	1284	C	C5-C4-N4	-5.76	116.16	120.20
2	AB	48	U	C3'-C2'-C1'	5.76	106.11	101.50
25	BA	95	U	N3-C2-O2	-5.76	118.17	122.20
26	BB	34	U	P-O3'-C3'	5.76	126.62	119.70
26	BB	1345	C	C2-N3-C4	5.76	122.78	119.90
26	BB	1361	G	C4-C5-C6	5.76	122.26	118.80
26	BB	1602	U	C3'-C2'-C1'	5.76	106.11	101.50
26	BB	1640	A	C5-N7-C8	5.76	106.78	103.90
26	BB	1988	G	C4-C5-C6	5.76	122.26	118.80
26	BB	2206	C	C1'-O4'-C4'	5.76	114.51	109.90
26	BB	2491	U	C3'-C2'-C1'	-5.76	96.89	101.50
26	BB	2813	A	C4'-C3'-C2'	-5.76	96.84	102.60
1	AA	903	G	N7-C8-N9	5.76	115.98	113.10
1	AA	1303	C	C2-N1-C1'	5.76	125.14	118.80
22	AV	40	PHE	CB-CG-CD2	5.76	124.83	120.80
26	BB	605	G	C5-C6-N1	-5.76	108.62	111.50
26	BB	1239	G	N3-C4-C5	-5.76	125.72	128.60
26	BB	1280	G	C5-N7-C8	5.76	107.18	104.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1998	A	N9-C1'-C2'	-5.76	105.66	112.00
26	BB	2335	A	C8-N9-C4	5.76	108.11	105.80
26	BB	2523	G	C5-C6-N1	5.76	114.38	111.50
1	AA	92	U	C5'-C4'-O4'	-5.76	102.19	109.10
1	AA	440	C	C3'-C2'-C1'	5.76	106.11	101.50
1	AA	579	A	N1-C6-N6	-5.76	115.14	118.60
1	AA	772	U	C6-N1-C2	-5.76	117.54	121.00
1	AA	1134	G	C5-C6-O6	5.76	132.06	128.60
1	AA	1247	U	O4'-C1'-N1	5.76	112.81	108.20
1	AA	1449	C	O5'-P-OP2	-5.76	100.52	105.70
1	AA	1528	U	C5-C4-O4	5.76	129.36	125.90
2	AB	68	C	C5'-C4'-O4'	5.76	116.02	109.10
25	BA	110	C	N3-C4-C5	-5.76	119.60	121.90
26	BB	625	G	C5-N7-C8	-5.76	101.42	104.30
26	BB	779	U	C2-N3-C4	-5.76	123.54	127.00
26	BB	1142	A	O4'-C1'-N9	5.76	112.81	108.20
26	BB	1230	A	O4'-C1'-N9	5.76	112.81	108.20
26	BB	1486	U	N1-C2-O2	5.76	126.83	122.80
26	BB	1603	A	N1-C6-N6	-5.76	115.14	118.60
26	BB	1832	C	C5'-C4'-O4'	5.76	116.02	109.10
26	BB	2148	G	C5'-C4'-O4'	5.76	116.01	109.10
26	BB	2283	C	O4'-C1'-N1	5.76	112.81	108.20
26	BB	2319	G	C4-C5-C6	-5.76	115.34	118.80
1	AA	260	G	O4'-C1'-N9	5.76	112.81	108.20
1	AA	424	G	N1-C2-N3	5.76	127.36	123.90
1	AA	591	U	N1-C2-O2	-5.76	118.77	122.80
1	AA	1006	G	C1'-O4'-C4'	-5.76	105.29	109.90
1	AA	1193	G	C5-C6-O6	-5.76	125.14	128.60
1	AA	1202	U	O4'-C1'-N1	5.76	112.81	108.20
5	AE	21	TYR	CB-CG-CD1	-5.76	117.54	121.00
6	AF	183	TYR	CD1-CE1-CZ	5.76	124.98	119.80
26	BB	1249	U	O4'-C1'-N1	5.76	112.81	108.20
26	BB	1435	G	C4'-C3'-C2'	-5.76	96.84	102.60
26	BB	1512	C	O4'-C1'-N1	5.76	112.81	108.20
26	BB	1784	A	C4-C5-N7	-5.76	107.82	110.70
26	BB	2238	G	O5'-P-OP1	-5.76	100.52	105.70
26	BB	2469	A	C8-N9-C4	-5.76	103.50	105.80
32	BH	144	ALA	CB-CA-C	5.76	118.74	110.10
36	BL	27	ARG	NH1-CZ-NH2	-5.76	113.06	119.40
56	B5	14	ARG	NH1-CZ-NH2	5.76	125.74	119.40
1	AA	385	C	O4'-C1'-N1	5.76	112.81	108.20
1	AA	411	A	N7-C8-N9	5.76	116.68	113.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1468	A	N1-C6-N6	5.76	122.06	118.60
26	BB	1285	A	N3-C4-N9	5.76	132.01	127.40
26	BB	1659	G	C5-C6-N1	5.76	114.38	111.50
26	BB	2320	U	O4'-C1'-N1	5.76	112.81	108.20
1	AA	71	A	N1-C6-N6	-5.76	115.15	118.60
1	AA	451	A	C5-C6-N6	5.76	128.31	123.70
1	AA	522	C	N1-C2-N3	-5.76	115.17	119.20
1	AA	1194	U	N3-C4-C5	-5.76	111.15	114.60
1	AA	1360	A	N1-C2-N3	-5.76	126.42	129.30
2	AB	44	G	N3-C2-N2	5.76	123.93	119.90
4	AD	64	G	C2'-C3'-O3'	5.76	122.91	113.70
26	BB	402	A	C6-N1-C2	-5.76	115.15	118.60
26	BB	1279	G	C5-N7-C8	-5.76	101.42	104.30
26	BB	2745	C	C5'-C4'-C3'	-5.76	106.79	116.00
26	BB	2745	C	C5-C4-N4	-5.76	116.17	120.20
37	BM	18	ARG	NE-CZ-NH1	5.76	123.18	120.30
1	AA	1493	A	C5'-C4'-C3'	-5.75	106.79	116.00
1	AA	1496	C	N3-C2-O2	-5.75	117.87	121.90
2	AB	9	A	C4'-C3'-O3'	5.75	124.51	113.00
26	BB	453	A	N1-C2-N3	-5.75	126.42	129.30
26	BB	2811	G	N9-C4-C5	5.75	107.70	105.40
1	AA	189	A	C3'-C2'-C1'	5.75	106.10	101.50
1	AA	345	C	N3-C2-O2	-5.75	117.87	121.90
1	AA	862	C	C5-C6-N1	5.75	123.88	121.00
1	AA	1201	A	C1'-O4'-C4'	-5.75	105.30	109.90
1	AA	1278	G	N1-C6-O6	5.75	123.35	119.90
26	BB	56	A	C8-N9-C4	5.75	108.10	105.80
26	BB	200	U	N3-C2-O2	5.75	126.23	122.20
26	BB	202	U	C6-N1-C2	-5.75	117.55	121.00
26	BB	211	C	C2-N3-C4	5.75	122.78	119.90
26	BB	377	G	C8-N9-C4	-5.75	104.10	106.40
26	BB	419	U	N1-C2-O2	-5.75	118.77	122.80
26	BB	683	U	N1-C2-N3	5.75	118.35	114.90
26	BB	1216	G	C5-C6-N1	5.75	114.38	111.50
26	BB	1943	U	C5'-C4'-C3'	5.75	125.20	116.00
26	BB	2147	A	N1-C2-N3	5.75	132.18	129.30
26	BB	2149	U	N1-C2-N3	5.75	118.35	114.90
26	BB	2232	C	O4'-C1'-C2'	5.75	112.78	107.60
26	BB	2393	U	C6-N1-C2	-5.75	117.55	121.00
26	BB	2894	G	C2-N3-C4	5.75	114.78	111.90
30	BF	78	TRP	CH2-CZ2-CE2	5.75	123.15	117.40
40	BP	90	ARG	NE-CZ-NH1	5.75	123.18	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	324	G	C5-C6-O6	-5.75	125.15	128.60
1	AA	1133	G	N3-C4-N9	5.75	129.45	126.00
1	AA	1141	C	N3-C4-N4	-5.75	113.97	118.00
1	AA	1409	C	C5-C4-N4	-5.75	116.17	120.20
2	AB	5	G	C5-C6-O6	-5.75	125.15	128.60
26	BB	130	C	C1'-O4'-C4'	-5.75	105.30	109.90
26	BB	1278	C	C3'-C2'-C1'	5.75	106.10	101.50
26	BB	1289	C	C4'-C3'-C2'	-5.75	96.85	102.60
26	BB	1377	G	C6-C5-N7	-5.75	126.95	130.40
26	BB	2518	A	N1-C6-N6	-5.75	115.15	118.60
26	BB	2611	C	P-O3'-C3'	5.75	126.60	119.70
1	AA	272	C	O4'-C1'-N1	5.75	112.80	108.20
1	AA	376	G	C3'-C2'-C1'	5.75	106.10	101.50
26	BB	646	U	C4'-C3'-C2'	-5.75	96.85	102.60
26	BB	989	G	N3-C4-C5	-5.75	125.72	128.60
1	AA	113	G	N1-C6-O6	5.75	123.35	119.90
1	AA	223	A	N7-C8-N9	5.75	116.67	113.80
1	AA	478	A	C6-N1-C2	-5.75	115.15	118.60
1	AA	674	G	N9-C4-C5	5.75	107.70	105.40
1	AA	792	A	N1-C6-N6	-5.75	115.15	118.60
1	AA	808	C	C6-N1-C2	5.75	122.60	120.30
26	BB	210	C	N3-C4-N4	5.75	122.02	118.00
26	BB	267	C	N3-C4-C5	5.75	124.20	121.90
26	BB	637	A	P-O3'-C3'	5.75	126.60	119.70
26	BB	960	A	C1'-O4'-C4'	-5.75	105.30	109.90
26	BB	1622	G	N1-C6-O6	5.75	123.35	119.90
26	BB	1793	C	C5-C4-N4	5.75	124.22	120.20
26	BB	1886	U	C4-C5-C6	5.75	123.15	119.70
26	BB	2061	G	C2-N3-C4	5.75	114.77	111.90
26	BB	2224	G	O3'-P-O5'	5.75	114.92	104.00
26	BB	2247	A	O4'-C1'-N9	5.75	112.80	108.20
26	BB	2821	A	N1-C2-N3	-5.75	126.43	129.30
1	AA	58	C	N3-C4-N4	5.75	122.02	118.00
1	AA	101	A	C3'-C2'-C1'	-5.75	96.90	101.50
1	AA	308	C	N3-C4-C5	-5.75	119.60	121.90
1	AA	334	C	C4'-C3'-C2'	-5.75	96.85	102.60
1	AA	453	G	C4-C5-N7	-5.75	108.50	110.80
1	AA	1006	G	N1-C2-N2	-5.75	111.03	116.20
3	AC	53	G	C6-N1-C2	-5.75	121.65	125.10
26	BB	81	G	C4'-C3'-C2'	-5.75	96.85	102.60
26	BB	410	G	C5-N7-C8	-5.75	101.43	104.30
26	BB	583	G	C6-C5-N7	-5.75	126.95	130.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1299	G	C2-N3-C4	5.75	114.77	111.90
26	BB	1637	A	C6-N1-C2	-5.75	115.15	118.60
26	BB	1988	G	C5-N7-C8	-5.75	101.43	104.30
26	BB	2309	A	O4'-C1'-C2'	5.75	112.77	107.60
26	BB	2435	A	N3-C4-N9	-5.75	122.80	127.40
43	BS	50	ARG	CD-NE-CZ	5.75	131.64	123.60
44	BT	72	VAL	CA-CB-CG2	5.75	119.52	110.90
1	AA	57	G	C4-C5-N7	-5.75	108.50	110.80
1	AA	90	C	N1-C2-O2	5.75	122.35	118.90
1	AA	144	G	C6-N1-C2	-5.75	121.65	125.10
1	AA	416	G	N9-C1'-C2'	-5.75	105.68	112.00
26	BB	547	A	P-O3'-C3'	5.75	126.59	119.70
26	BB	882	G	O4'-C1'-N9	5.75	112.80	108.20
26	BB	1168	G	C8-N9-C4	-5.75	104.10	106.40
26	BB	1867	G	C5-C6-O6	-5.75	125.15	128.60
26	BB	1912	A	C5-N7-C8	5.75	106.77	103.90
26	BB	2095	A	C6-N1-C2	-5.75	115.15	118.60
26	BB	2681	C	N3-C2-O2	-5.75	117.88	121.90
26	BB	2752	C	N3-C4-C5	5.75	124.20	121.90
1	AA	240	G	N1-C6-O6	-5.74	116.45	119.90
1	AA	381	C	N1-C1'-C2'	-5.74	105.68	112.00
1	AA	399	G	N1-C6-O6	5.74	123.35	119.90
1	AA	525	C	N3-C2-O2	-5.74	117.88	121.90
1	AA	572	A	N9-C1'-C2'	5.74	121.47	114.00
1	AA	579	A	O4'-C1'-N9	5.74	112.80	108.20
1	AA	580	C	N1-C2-N3	-5.74	115.18	119.20
1	AA	977	A	O4'-C1'-C2'	5.74	112.77	107.60
2	AB	15	A	C4-C5-C6	-5.74	114.13	117.00
26	BB	401	A	N7-C8-N9	-5.74	110.93	113.80
26	BB	572	A	C5-C6-N1	5.74	120.57	117.70
26	BB	734	A	N7-C8-N9	5.74	116.67	113.80
26	BB	1073	A	C1'-O4'-C4'	-5.74	105.31	109.90
26	BB	1193	G	C6-N1-C2	-5.74	121.65	125.10
26	BB	1285	A	N3-C4-C5	-5.74	122.78	126.80
26	BB	1377	G	N3-C4-N9	5.74	129.45	126.00
26	BB	1587	G	C8-N9-C4	-5.74	104.10	106.40
26	BB	1670	C	O5'-P-OP2	-5.74	100.53	105.70
26	BB	2625	G	N1-C2-N3	5.74	127.35	123.90
1	AA	867	G	C4'-C3'-C2'	-5.74	96.86	102.60
1	AA	1511	G	C4-C5-N7	5.74	113.10	110.80
26	BB	31	C	O4'-C1'-N1	5.74	112.79	108.20
26	BB	2197	U	P-O3'-C3'	5.74	126.59	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2667	C	C5'-C4'-O4'	5.74	115.99	109.10
28	BD	29	PHE	CB-CG-CD1	-5.74	116.78	120.80
1	AA	1113	C	C1'-O4'-C4'	-5.74	105.31	109.90
1	AA	1487	G	C6-C5-N7	-5.74	126.96	130.40
1	AA	1488	G	N1-C2-N2	5.74	121.37	116.20
2	AB	4	G	C6-N1-C2	-5.74	121.66	125.10
25	BA	76	G	C2-N3-C4	-5.74	109.03	111.90
25	BA	94	A	C8-N9-C4	5.74	108.10	105.80
26	BB	1268	A	C2-N3-C4	5.74	113.47	110.60
26	BB	1535	A	N7-C8-N9	5.74	116.67	113.80
26	BB	2657	A	C5'-C4'-C3'	-5.74	106.81	116.00
26	BB	2676	C	C4'-C3'-C2'	-5.74	96.86	102.60
50	BZ	27	ARG	NH1-CZ-NH2	-5.74	113.09	119.40
51	B0	48	ARG	CD-NE-CZ	5.74	131.63	123.60
1	AA	776	G	N9-C1'-C2'	-5.74	105.69	112.00
1	AA	1183	U	C2'-C3'-O3'	5.74	122.88	113.70
1	AA	1434	A	C5'-C4'-O4'	5.74	115.98	109.10
2	AB	19	G	C5-C6-N1	5.74	114.37	111.50
18	AR	42	PHE	CZ-CE2-CD2	-5.74	113.21	120.10
19	AS	5	ARG	NE-CZ-NH2	-5.74	117.43	120.30
26	BB	54	G	C5-C6-O6	-5.74	125.16	128.60
26	BB	303	G	C2-N3-C4	-5.74	109.03	111.90
26	BB	731	C	C2-N3-C4	-5.74	117.03	119.90
26	BB	769	U	C5-C4-O4	-5.74	122.46	125.90
26	BB	793	A	N1-C6-N6	-5.74	115.16	118.60
26	BB	987	C	N1-C2-O2	5.74	122.34	118.90
26	BB	989	G	N1-C2-N3	-5.74	120.46	123.90
26	BB	1460	U	C1'-O4'-C4'	5.74	114.49	109.90
26	BB	2125	G	C5'-C4'-O4'	5.74	115.98	109.10
26	BB	2391	G	C5-N7-C8	-5.74	101.43	104.30
26	BB	2872	A	C1'-O4'-C4'	-5.74	105.31	109.90
1	AA	48	C	O4'-C4'-C3'	5.74	110.69	106.10
1	AA	318	G	C5-C6-O6	-5.74	125.16	128.60
1	AA	481	G	C6-C5-N7	-5.74	126.96	130.40
1	AA	548	G	C2-N3-C4	5.74	114.77	111.90
1	AA	768	A	C3'-C2'-C1'	-5.74	96.91	101.50
1	AA	1530	G	C4-C5-N7	-5.74	108.50	110.80
4	AD	52	C	O5'-C5'-C4'	5.74	122.60	111.70
26	BB	1566	A	C1'-O4'-C4'	5.74	114.49	109.90
26	BB	1889	A	N1-C2-N3	-5.74	126.43	129.30
32	BH	164	ALA	CB-CA-C	5.74	118.70	110.10
1	AA	308	C	O4'-C1'-C2'	-5.74	100.06	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	426	U	C1'-O4'-C4'	5.74	114.49	109.90
1	AA	453	G	N1-C6-O6	5.74	123.34	119.90
1	AA	563	A	C4-C5-C6	-5.74	114.13	117.00
1	AA	685	G	C4-C5-C6	-5.74	115.36	118.80
1	AA	723	U	N1-C2-N3	5.74	118.34	114.90
1	AA	750	C	O4'-C1'-C2'	5.74	112.76	107.60
1	AA	863	U	N1-C2-N3	5.74	118.34	114.90
25	BA	96	G	O4'-C4'-C3'	5.74	110.69	106.10
26	BB	390	U	P-O3'-C3'	5.74	126.58	119.70
26	BB	408	G	C3'-C2'-C1'	5.74	106.09	101.50
26	BB	741	U	N1-C2-O2	-5.74	118.78	122.80
26	BB	1183	U	C1'-O4'-C4'	-5.74	105.31	109.90
26	BB	1237	A	O4'-C1'-N9	5.74	112.79	108.20
26	BB	1621	U	P-O3'-C3'	5.74	126.58	119.70
26	BB	1732	C	N3-C4-C5	5.74	124.19	121.90
26	BB	2169	A	C8-N9-C4	5.74	108.09	105.80
26	BB	2352	A	O5'-P-OP2	-5.74	100.54	105.70
26	BB	2441	U	N3-C2-O2	-5.74	118.19	122.20
26	BB	2549	G	C5'-C4'-O4'	5.74	115.98	109.10
1	AA	29	U	C5'-C4'-C3'	-5.73	106.83	116.00
1	AA	148	G	C2-N3-C4	5.73	114.77	111.90
1	AA	1150	A	N1-C6-N6	-5.73	115.16	118.60
2	AB	41	C	O4'-C1'-C2'	-5.73	100.07	105.80
26	BB	668	A	O4'-C1'-N9	5.73	112.79	108.20
26	BB	1189	A	C8-N9-C4	-5.73	103.51	105.80
26	BB	2394	C	C5-C4-N4	5.73	124.21	120.20
1	AA	362	G	P-O5'-C5'	5.73	130.07	120.90
1	AA	1150	A	C6-N1-C2	5.73	122.04	118.60
1	AA	1206	G	C4'-C3'-C2'	-5.73	96.87	102.60
6	AF	14	VAL	CA-CB-CG2	5.73	119.50	110.90
26	BB	568	U	C5'-C4'-O4'	5.73	115.98	109.10
26	BB	2016	U	C5-C4-O4	5.73	129.34	125.90
26	BB	2047	C	C5-C4-N4	-5.73	116.19	120.20
26	BB	2326	C	C5-C4-N4	-5.73	116.19	120.20
26	BB	2872	A	C5-C6-N1	5.73	120.57	117.70
29	BE	43	ASP	CB-CG-OD1	-5.73	113.14	118.30
1	AA	26	A	C5-N7-C8	-5.73	101.03	103.90
1	AA	250	A	C4-C5-C6	5.73	119.86	117.00
1	AA	359	G	C3'-C2'-C1'	5.73	106.08	101.50
1	AA	549	C	C6-N1-C2	5.73	122.59	120.30
1	AA	714	G	C6-N1-C2	-5.73	121.66	125.10
1	AA	1210	C	N3-C2-O2	-5.73	117.89	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	32	U	C5-C4-O4	-5.73	122.46	125.90
26	BB	228	C	N3-C2-O2	-5.73	117.89	121.90
26	BB	384	A	N9-C4-C5	5.73	108.09	105.80
26	BB	500	G	C5-N7-C8	-5.73	101.44	104.30
26	BB	933	A	C1'-O4'-C4'	5.73	114.48	109.90
26	BB	951	C	C5-C4-N4	-5.73	116.19	120.20
26	BB	1003	G	O4'-C1'-N9	5.73	112.78	108.20
26	BB	1020	A	N1-C6-N6	-5.73	115.16	118.60
26	BB	1173	U	O4'-C1'-C2'	5.73	112.76	107.60
26	BB	1512	C	N3-C4-N4	-5.73	113.99	118.00
26	BB	1779	U	C5'-C4'-O4'	5.73	115.98	109.10
26	BB	2103	C	C5-C6-N1	-5.73	118.13	121.00
26	BB	2233	U	N1-C2-O2	-5.73	118.79	122.80
26	BB	2520	C	N1-C2-O2	5.73	122.34	118.90
26	BB	2760	C	C4'-C3'-C2'	-5.73	96.87	102.60
26	BB	2894	G	N9-C4-C5	5.73	107.69	105.40
1	AA	617	G	C5-C6-N1	5.73	114.36	111.50
1	AA	693	G	C5-N7-C8	-5.73	101.44	104.30
1	AA	1085	U	P-O3'-C3'	5.73	126.58	119.70
1	AA	1474	U	C1'-O4'-C4'	5.73	114.48	109.90
25	BA	12	C	N3-C4-C5	-5.73	119.61	121.90
26	BB	1126	A	C2-N3-C4	5.73	113.47	110.60
1	AA	383	A	O4'-C1'-N9	5.73	112.78	108.20
1	AA	1426	G	C3'-C2'-C1'	5.73	106.08	101.50
4	AD	37	U	C2-N1-C1'	-5.73	110.83	117.70
4	AD	54	G	C3'-C2'-C1'	-5.73	96.92	101.50
10	AJ	34	LYS	O-C-N	-5.73	113.53	122.70
21	AU	56	ARG	NE-CZ-NH1	-5.73	117.44	120.30
26	BB	808	G	C4-C5-N7	-5.73	108.51	110.80
26	BB	1394	U	N1-C2-N3	5.73	118.34	114.90
26	BB	1659	G	C8-N9-C1'	5.73	134.45	127.00
26	BB	2026	U	C6-N1-C1'	5.73	129.22	121.20
26	BB	2164	C	C4-C5-C6	-5.73	114.54	117.40
1	AA	1461	G	N1-C2-N2	-5.73	111.05	116.20
25	BA	117	G	C6-N1-C2	-5.73	121.66	125.10
26	BB	1311	G	N3-C4-N9	-5.73	122.56	126.00
26	BB	1355	G	N3-C4-N9	-5.73	122.56	126.00
26	BB	1660	G	C5-C6-N1	5.73	114.36	111.50
26	BB	1995	U	C4-C5-C6	5.73	123.14	119.70
1	AA	39	G	C2-N3-C4	5.72	114.76	111.90
1	AA	423	G	N9-C4-C5	5.72	107.69	105.40
1	AA	1083	U	N1-C1'-C2'	-5.72	105.70	112.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	AE	31	PHE	CB-CG-CD2	-5.72	116.79	120.80
26	BB	472	A	N7-C8-N9	-5.72	110.94	113.80
26	BB	484	C	P-O5'-C5'	5.72	130.06	120.90
26	BB	606	U	O4'-C1'-N1	5.72	112.78	108.20
26	BB	1162	G	C4'-C3'-C2'	-5.72	96.88	102.60
26	BB	1567	G	N3-C4-C5	-5.72	125.74	128.60
26	BB	2880	C	C6-N1-C2	-5.72	118.01	120.30
43	BS	113	LYS	CB-CA-C	5.72	121.85	110.40
1	AA	437	U	C5'-C4'-O4'	-5.72	102.23	109.10
1	AA	986	U	C4-C5-C6	5.72	123.13	119.70
1	AA	1385	G	N7-C8-N9	5.72	115.96	113.10
7	AG	162	GLU	OE1-CD-OE2	5.72	130.17	123.30
25	BA	83	G	N1-C2-N3	-5.72	120.47	123.90
26	BB	94	A	P-O3'-C3'	5.72	126.57	119.70
26	BB	1546	G	N7-C8-N9	5.72	115.96	113.10
26	BB	1787	A	C2-N3-C4	5.72	113.46	110.60
26	BB	2277	G	C1'-O4'-C4'	5.72	114.48	109.90
26	BB	2320	U	N3-C2-O2	-5.72	118.19	122.20
26	BB	2436	G	N7-C8-N9	5.72	115.96	113.10
39	BO	123	LYS	O-C-N	5.72	131.85	122.70
1	AA	191	G	C6-C5-N7	-5.72	126.97	130.40
26	BB	425	G	N7-C8-N9	5.72	115.96	113.10
26	BB	1497	U	N1-C2-N3	5.72	118.33	114.90
26	BB	1511	G	C3'-C2'-C1'	-5.72	96.92	101.50
26	BB	2667	C	N3-C2-O2	-5.72	117.89	121.90
26	BB	2872	A	N3-C4-N9	-5.72	122.82	127.40
1	AA	20	U	N1-C2-O2	5.72	126.80	122.80
1	AA	95	C	C4-C5-C6	5.72	120.26	117.40
1	AA	196	A	C4'-C3'-C2'	-5.72	96.88	102.60
1	AA	324	G	C5'-C4'-O4'	5.72	115.96	109.10
1	AA	437	U	N3-C2-O2	-5.72	118.20	122.20
1	AA	1033	G	N3-C4-N9	5.72	129.43	126.00
26	BB	84	A	C2-N3-C4	-5.72	107.74	110.60
26	BB	776	G	N1-C2-N3	5.72	127.33	123.90
26	BB	1052	C	N3-C4-C5	5.72	124.19	121.90
26	BB	1099	G	C4-C5-C6	5.72	122.23	118.80
26	BB	1362	C	C5-C4-N4	5.72	124.20	120.20
26	BB	1492	G	C4-C5-C6	5.72	122.23	118.80
26	BB	1849	G	N7-C8-N9	-5.72	110.24	113.10
26	BB	2076	U	C2-N3-C4	-5.72	123.57	127.00
26	BB	2228	G	N3-C4-C5	5.72	131.46	128.60
26	BB	2357	G	N3-C4-N9	5.72	129.43	126.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	633	G	C6-N1-C2	-5.72	121.67	125.10
1	AA	932	C	N3-C2-O2	-5.72	117.90	121.90
26	BB	1301	A	N9-C4-C5	5.72	108.09	105.80
26	BB	1403	A	C6-N1-C2	-5.72	115.17	118.60
26	BB	1761	C	N3-C4-C5	5.72	124.19	121.90
26	BB	2042	A	C5-C6-N6	5.72	128.28	123.70
1	AA	160	A	C4'-C3'-C2'	-5.72	96.88	102.60
1	AA	859	G	C5'-C4'-C3'	-5.72	106.85	116.00
1	AA	1056	U	N3-C2-O2	-5.72	118.20	122.20
1	AA	1194	U	C1'-O4'-C4'	-5.72	105.33	109.90
1	AA	1239	A	N1-C2-N3	-5.72	126.44	129.30
1	AA	1481	U	N1-C2-N3	5.72	118.33	114.90
4	AD	30	G	N3-C4-N9	5.72	129.43	126.00
26	BB	492	A	N1-C2-N3	5.72	132.16	129.30
26	BB	556	A	P-O3'-C3'	5.72	126.56	119.70
26	BB	956	G	N9-C4-C5	5.72	107.69	105.40
26	BB	1538	G	N1-C2-N2	5.72	121.34	116.20
26	BB	1762	A	P-O3'-C3'	5.72	126.56	119.70
26	BB	1909	C	C5'-C4'-O4'	5.72	115.96	109.10
26	BB	2010	G	N7-C8-N9	5.72	115.96	113.10
26	BB	2168	G	P-O3'-C3'	5.72	126.56	119.70
26	BB	2267	A	O4'-C1'-C2'	5.72	112.74	107.60
26	BB	2539	C	C5-C4-N4	5.72	124.20	120.20
26	BB	2583	G	N7-C8-N9	5.72	115.96	113.10
1	AA	33	A	C8-N9-C4	-5.71	103.51	105.80
1	AA	223	A	C1'-O4'-C4'	-5.71	105.33	109.90
1	AA	729	A	C8-N9-C4	-5.71	103.51	105.80
1	AA	828	U	N1-C2-N3	5.71	118.33	114.90
1	AA	1156	G	C5'-C4'-C3'	-5.71	106.86	116.00
26	BB	19	A	C4-C5-C6	-5.71	114.14	117.00
26	BB	549	G	N9-C4-C5	5.71	107.69	105.40
26	BB	729	G	C6-N1-C2	-5.71	121.67	125.10
26	BB	995	C	C3'-C2'-C1'	5.71	106.07	101.50
26	BB	1644	C	C6-N1-C2	5.71	122.59	120.30
26	BB	1709	U	N1-C2-N3	5.71	118.33	114.90
26	BB	2474	U	C3'-C2'-C1'	-5.71	96.93	101.50
26	BB	2557	G	C4'-C3'-C2'	5.71	108.31	102.60
26	BB	2571	U	N3-C4-C5	-5.71	111.17	114.60
45	BU	37	THR	CA-CB-CG2	5.71	120.40	112.40
1	AA	275	G	P-O3'-C3'	-5.71	112.84	119.70
1	AA	670	G	N7-C8-N9	5.71	115.96	113.10
1	AA	821	G	N3-C4-C5	-5.71	125.74	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1021	A	C5'-C4'-O4'	5.71	115.95	109.10
1	AA	1144	G	N1-C2-N3	5.71	127.33	123.90
26	BB	500	G	C4-C5-C6	5.71	122.23	118.80
26	BB	1876	A	C4'-C3'-C2'	-5.71	96.89	102.60
43	BS	11	ALA	N-CA-CB	-5.71	102.10	110.10
47	BW	43	LYS	CB-CA-C	5.71	121.83	110.40
1	AA	489	C	C2-N3-C4	5.71	122.75	119.90
1	AA	1148	U	N3-C4-C5	-5.71	111.17	114.60
1	AA	1188	A	C6-C5-N7	5.71	136.30	132.30
1	AA	1233	G	C5'-C4'-C3'	-5.71	106.86	116.00
1	AA	1431	A	O4'-C1'-N9	5.71	112.77	108.20
1	AA	1452	C	C5-C4-N4	-5.71	116.20	120.20
26	BB	33	C	C5'-C4'-C3'	-5.71	106.86	116.00
26	BB	876	C	C5-C6-N1	5.71	123.86	121.00
26	BB	1274	A	C1'-O4'-C4'	-5.71	105.33	109.90
26	BB	1545	A	N7-C8-N9	-5.71	110.94	113.80
26	BB	1777	U	N1-C1'-C2'	-5.71	105.72	112.00
26	BB	2126	A	N9-C4-C5	5.71	108.08	105.80
26	BB	2248	C	C5-C4-N4	-5.71	116.20	120.20
26	BB	2636	C	C2-N3-C4	-5.71	117.04	119.90
26	BB	2641	G	C4-C5-N7	-5.71	108.52	110.80
28	BD	186	ASP	CB-CG-OD1	-5.71	113.16	118.30
1	AA	1329	A	O4'-C4'-C3'	-5.71	98.29	104.00
12	AL	122	ARG	NE-CZ-NH2	-5.71	117.44	120.30
26	BB	682	G	N9-C1'-C2'	-5.71	105.72	112.00
26	BB	1681	G	C4-N9-C1'	-5.71	119.08	126.50
26	BB	1957	C	N1-C2-O2	-5.71	115.47	118.90
26	BB	2000	C	N1-C1'-C2'	-5.71	105.72	112.00
26	BB	2063	C	N1-C2-O2	5.71	122.33	118.90
1	AA	27	G	C5-C6-N1	-5.71	108.65	111.50
1	AA	63	C	C4-C5-C6	5.71	120.25	117.40
1	AA	430	A	C5-C6-N1	-5.71	114.84	117.70
1	AA	1389	C	O4'-C1'-N1	-5.71	103.63	108.20
2	AB	48	U	O4'-C1'-N1	5.71	112.77	108.20
5	AE	183	PHE	CB-CG-CD1	5.71	124.80	120.80
25	BA	84	G	C2'-C3'-O3'	5.71	122.83	113.70
26	BB	218	A	N7-C8-N9	5.71	116.66	113.80
26	BB	913	U	C3'-C2'-C1'	5.71	106.07	101.50
26	BB	1790	C	P-O5'-C5'	5.71	130.03	120.90
26	BB	1944	U	N1-C1'-C2'	-5.71	105.72	112.00
26	BB	2213	U	N3-C2-O2	-5.71	118.20	122.20
26	BB	2443	C	C2-N3-C4	5.71	122.75	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2602	A	C4-C5-N7	-5.71	107.85	110.70
26	BB	2659	G	N1-C2-N3	-5.71	120.47	123.90
26	BB	2902	C	N3-C2-O2	-5.71	117.90	121.90
1	AA	270	A	N1-C2-N3	-5.71	126.45	129.30
1	AA	1396	A	N9-C4-C5	5.71	108.08	105.80
25	BA	14	U	N3-C2-O2	-5.71	118.21	122.20
25	BA	51	G	N7-C8-N9	5.71	115.95	113.10
26	BB	805	G	C6-C5-N7	5.71	133.82	130.40
26	BB	877	A	C4-C5-C6	-5.71	114.15	117.00
26	BB	900	A	C3'-C2'-C1'	-5.71	96.94	101.50
26	BB	1122	G	C5'-C4'-O4'	5.71	115.95	109.10
26	BB	1159	U	N3-C4-O4	5.71	123.39	119.40
26	BB	1202	G	C5-C6-N1	5.71	114.35	111.50
26	BB	1375	U	C3'-C2'-C1'	5.71	106.06	101.50
26	BB	1397	U	N3-C4-O4	5.71	123.39	119.40
26	BB	1493	C	C3'-C2'-C1'	-5.71	96.94	101.50
26	BB	2007	U	C5'-C4'-O4'	5.71	115.95	109.10
26	BB	2058	A	C4-C5-N7	-5.71	107.85	110.70
1	AA	4	U	N1-C1'-C2'	5.71	121.42	114.00
1	AA	239	U	C4'-C3'-C2'	-5.71	96.89	102.60
1	AA	288	A	N7-C8-N9	5.71	116.65	113.80
1	AA	633	G	C4-C5-N7	-5.71	108.52	110.80
1	AA	985	C	C5-C4-N4	5.71	124.19	120.20
26	BB	393	C	C4'-C3'-C2'	-5.71	96.89	102.60
26	BB	940	G	C6-N1-C2	-5.71	121.68	125.10
26	BB	1611	C	C5'-C4'-C3'	-5.71	106.87	116.00
26	BB	1959	G	N1-C2-N2	5.71	121.33	116.20
1	AA	581	G	C4-C5-N7	5.70	113.08	110.80
1	AA	710	G	C6-C5-N7	-5.70	126.98	130.40
1	AA	798	U	C5'-C4'-O4'	5.70	115.94	109.10
1	AA	1254	A	C6-C5-N7	-5.70	128.31	132.30
17	AQ	60	ARG	NH1-CZ-NH2	-5.70	113.13	119.40
26	BB	136	G	C5-C6-N1	5.70	114.35	111.50
26	BB	1278	C	N1-C1'-C2'	-5.70	105.73	112.00
26	BB	1330	C	C4'-C3'-C2'	5.70	108.30	102.60
26	BB	1519	G	O3'-P-O5'	5.70	114.84	104.00
26	BB	1867	G	N3-C2-N2	-5.70	115.91	119.90
26	BB	2494	G	N7-C8-N9	5.70	115.95	113.10
26	BB	2508	G	N3-C2-N2	-5.70	115.91	119.90
1	AA	82	G	N9-C1'-C2'	-5.70	105.73	112.00
1	AA	179	A	N1-C6-N6	-5.70	115.18	118.60
1	AA	533	A	N9-C4-C5	-5.70	103.52	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	633	G	C5'-C4'-C3'	5.70	125.12	116.00
23	AW	35	TYR	CG-CD1-CE1	-5.70	116.74	121.30
26	BB	109	C	O4'-C1'-C2'	5.70	112.73	107.60
1	AA	269	C	N3-C4-N4	5.70	121.99	118.00
1	AA	304	U	C2-N3-C4	-5.70	123.58	127.00
1	AA	639	G	C5'-C4'-O4'	5.70	115.94	109.10
1	AA	831	A	C4-C5-C6	-5.70	114.15	117.00
1	AA	929	G	C1'-O4'-C4'	-5.70	105.34	109.90
1	AA	1072	G	N3-C2-N2	-5.70	115.91	119.90
1	AA	1172	C	O4'-C1'-N1	-5.70	103.64	108.20
1	AA	1355	G	C4-C5-C6	5.70	122.22	118.80
1	AA	1401	G	C5-C6-N1	5.70	114.35	111.50
4	AD	20	G	C8-N9-C4	-5.70	104.12	106.40
10	AJ	176	TYR	CB-CG-CD1	5.70	124.42	121.00
25	BA	2	G	N7-C8-N9	5.70	115.95	113.10
25	BA	113	C	N3-C2-O2	-5.70	117.91	121.90
26	BB	418	C	C4'-C3'-C2'	-5.70	96.90	102.60
26	BB	984	A	P-O3'-C3'	5.70	126.54	119.70
26	BB	1295	C	O4'-C1'-N1	5.70	112.76	108.20
26	BB	1698	A	C5-C6-N1	5.70	120.55	117.70
26	BB	1768	C	C5-C4-N4	-5.70	116.21	120.20
26	BB	2035	G	C6-N1-C2	-5.70	121.68	125.10
26	BB	2166	U	N1-C2-N3	5.70	118.32	114.90
26	BB	2718	G	C4-C5-C6	5.70	122.22	118.80
1	AA	581	G	C4'-C3'-C2'	-5.70	96.90	102.60
1	AA	1395	C	N3-C4-N4	5.70	121.99	118.00
1	AA	1475	G	N9-C4-C5	5.70	107.68	105.40
2	AB	58	A	C5-C6-N6	-5.70	119.14	123.70
5	AE	47	PRO	N-CA-CB	5.70	110.14	103.30
8	AH	47	PHE	CB-CG-CD1	-5.70	116.81	120.80
26	BB	459	U	C6-N1-C2	-5.70	117.58	121.00
26	BB	937	C	N3-C4-N4	-5.70	114.01	118.00
26	BB	1530	G	N3-C4-C5	-5.70	125.75	128.60
26	BB	1699	G	C5-N7-C8	5.70	107.15	104.30
26	BB	1734	G	C5-C6-O6	-5.70	125.18	128.60
26	BB	2747	G	N3-C2-N2	-5.70	115.91	119.90
41	BQ	65	THR	O-C-N	5.70	132.89	123.20
26	BB	192	C	O4'-C1'-N1	5.70	112.76	108.20
26	BB	593	U	C2-N3-C4	-5.70	123.58	127.00
26	BB	649	G	O4'-C1'-N9	5.70	112.76	108.20
26	BB	1560	G	C1'-O4'-C4'	5.70	114.46	109.90
26	BB	1866	A	C8-N9-C4	-5.70	103.52	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1990	C	C1'-O4'-C4'	5.70	114.46	109.90
26	BB	2105	U	C2-N3-C4	-5.70	123.58	127.00
26	BB	2253	G	N9-C4-C5	-5.70	103.12	105.40
26	BB	2589	A	N9-C1'-C2'	5.70	121.41	114.00
1	AA	318	G	O4'-C1'-N9	5.70	112.76	108.20
1	AA	583	A	C4-C5-C6	-5.70	114.15	117.00
1	AA	781	A	C5-C6-N1	5.70	120.55	117.70
1	AA	788	U	C5'-C4'-O4'	5.70	115.93	109.10
1	AA	983	A	C4'-C3'-C2'	-5.70	96.91	102.60
1	AA	1292	G	C4-C5-C6	5.70	122.22	118.80
26	BB	78	U	C2-N3-C4	-5.70	123.58	127.00
26	BB	276	U	C6-N1-C2	5.70	124.42	121.00
26	BB	366	C	N1-C2-O2	-5.70	115.48	118.90
26	BB	724	U	N3-C4-C5	-5.70	111.18	114.60
26	BB	791	C	C4'-C3'-C2'	-5.70	96.90	102.60
26	BB	1175	A	C2-N3-C4	5.70	113.45	110.60
26	BB	1265	A	C5-C6-N1	5.70	120.55	117.70
26	BB	1290	C	C3'-C2'-C1'	-5.70	96.94	101.50
26	BB	1594	U	C6-N1-C2	-5.70	117.58	121.00
26	BB	1674	G	C4-C5-C6	5.70	122.22	118.80
26	BB	1680	U	C2-N1-C1'	-5.70	110.86	117.70
26	BB	1682	G	O4'-C4'-C3'	5.70	110.66	106.10
26	BB	2713	U	C5-C6-N1	-5.70	119.85	122.70
1	AA	1019	A	N1-C6-N6	-5.69	115.18	118.60
1	AA	1039	G	C5-C6-O6	-5.69	125.18	128.60
1	AA	1370	G	C5-N7-C8	-5.69	101.45	104.30
26	BB	510	C	O4'-C1'-N1	5.69	112.75	108.20
26	BB	1246	A	C5-C6-N6	-5.69	119.14	123.70
26	BB	1539	U	C3'-C2'-C1'	-5.69	96.94	101.50
26	BB	2571	U	P-O3'-C3'	5.69	126.53	119.70
26	BB	2711	A	N3-C4-C5	5.69	130.79	126.80
1	AA	667	G	N3-C2-N2	-5.69	115.92	119.90
1	AA	999	C	C2-N3-C4	5.69	122.75	119.90
1	AA	1202	U	C3'-C2'-C1'	5.69	106.06	101.50
25	BA	25	U	O4'-C1'-N1	5.69	112.75	108.20
26	BB	247	G	C4-C5-C6	-5.69	115.39	118.80
26	BB	250	G	N1-C6-O6	-5.69	116.48	119.90
26	BB	899	A	C3'-C2'-C1'	5.69	106.05	101.50
26	BB	1890	A	N7-C8-N9	5.69	116.65	113.80
26	BB	1946	U	N3-C4-C5	-5.69	111.19	114.60
26	BB	2406	A	N7-C8-N9	-5.69	110.95	113.80
1	AA	281	G	C5-N7-C8	5.69	107.14	104.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	443	C	N3-C2-O2	-5.69	117.92	121.90
1	AA	1065	U	C5-C4-O4	5.69	129.31	125.90
1	AA	1119	C	C2-N3-C4	5.69	122.75	119.90
1	AA	1181	G	O4'-C1'-N9	5.69	112.75	108.20
2	AB	12	U	C5-C4-O4	-5.69	122.48	125.90
26	BB	57	C	N3-C4-C5	-5.69	119.62	121.90
26	BB	265	A	N1-C2-N3	-5.69	126.45	129.30
26	BB	453	A	C4-C5-N7	-5.69	107.86	110.70
26	BB	771	G	N3-C4-N9	5.69	129.41	126.00
26	BB	992	C	N3-C4-N4	5.69	121.98	118.00
26	BB	1361	G	N9-C4-C5	5.69	107.68	105.40
26	BB	1844	C	C4'-C3'-C2'	-5.69	96.91	102.60
26	BB	2046	G	N3-C2-N2	5.69	123.88	119.90
26	BB	2519	U	O4'-C1'-N1	5.69	112.75	108.20
30	BF	128	ALA	N-CA-CB	-5.69	102.13	110.10
1	AA	1278	G	O4'-C1'-C2'	-5.69	100.11	105.80
23	AW	28	ARG	NE-CZ-NH2	-5.69	117.45	120.30
26	BB	203	A	C5'-C4'-O4'	5.69	115.93	109.10
26	BB	1289	C	C5-C6-N1	5.69	123.84	121.00
26	BB	2121	G	C4-C5-C6	5.69	122.21	118.80
26	BB	2183	A	C6-C5-N7	-5.69	128.32	132.30
43	BS	69	ARG	NH1-CZ-NH2	-5.69	113.14	119.40
1	AA	607	A	O5'-P-OP2	5.69	117.53	110.70
1	AA	800	G	C5-N7-C8	-5.69	101.46	104.30
1	AA	915	A	N1-C6-N6	5.69	122.01	118.60
1	AA	1102	A	C4'-C3'-C2'	-5.69	96.91	102.60
1	AA	1246	A	C5-C6-N1	-5.69	114.86	117.70
6	AF	200	TRP	CD1-NE1-CE2	5.69	114.12	109.00
26	BB	9	G	C5-C6-N1	5.69	114.34	111.50
26	BB	56	A	C5'-C4'-O4'	5.69	115.92	109.10
26	BB	71	A	C6-C5-N7	-5.69	128.32	132.30
26	BB	75	G	C6-C5-N7	-5.69	126.99	130.40
26	BB	274	C	N3-C4-N4	-5.69	114.02	118.00
26	BB	392	U	N3-C4-O4	5.69	123.38	119.40
26	BB	397	U	OP1-P-OP2	-5.69	111.07	119.60
26	BB	895	U	C5'-C4'-O4'	5.69	115.92	109.10
26	BB	1385	A	C6-N1-C2	5.69	122.01	118.60
26	BB	1553	A	N3-C4-C5	5.69	130.78	126.80
26	BB	1860	G	N1-C6-O6	-5.69	116.49	119.90
26	BB	2599	G	C5-N7-C8	5.69	107.14	104.30
26	BB	2625	G	C2-N3-C4	-5.69	109.06	111.90
26	BB	2773	C	C4'-C3'-C2'	-5.69	96.91	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	642	A	C4'-C3'-C2'	-5.69	96.91	102.60
1	AA	869	G	N3-C4-N9	5.69	129.41	126.00
1	AA	1511	G	O4'-C1'-N9	5.69	112.75	108.20
3	AC	19	A	C3'-C2'-C1'	5.69	106.05	101.50
25	BA	58	A	C5-C6-N6	5.69	128.25	123.70
26	BB	735	A	C4-C5-C6	-5.69	114.16	117.00
26	BB	858	G	N3-C2-N2	-5.69	115.92	119.90
26	BB	1084	A	C5'-C4'-C3'	-5.69	106.90	116.00
26	BB	1880	U	C4-C5-C6	-5.69	116.29	119.70
26	BB	2469	A	C4-C5-C6	-5.69	114.16	117.00
26	BB	2710	C	C2-N3-C4	5.69	122.74	119.90
1	AA	26	A	C5-C6-N1	5.68	120.54	117.70
1	AA	1032	G	N1-C2-N2	5.68	121.32	116.20
1	AA	1033	G	N9-C1'-C2'	-5.68	105.75	112.00
1	AA	1163	A	C8-N9-C4	-5.68	103.53	105.80
1	AA	1300	G	C3'-C2'-C1'	5.68	106.05	101.50
1	AA	1353	G	N3-C4-N9	-5.68	122.59	126.00
1	AA	1481	U	O4'-C1'-N1	5.68	112.75	108.20
1	AA	1507	A	C4-C5-C6	5.68	119.84	117.00
1	AA	1523	G	N1-C6-O6	-5.68	116.49	119.90
1	AA	1530	G	N9-C4-C5	5.68	107.67	105.40
3	AC	14	G	C6-N1-C2	-5.68	121.69	125.10
26	BB	53	A	C3'-C2'-C1'	-5.68	96.95	101.50
26	BB	571	U	N1-C2-O2	5.68	126.78	122.80
26	BB	579	G	N1-C2-N3	-5.68	120.49	123.90
26	BB	918	A	N7-C8-N9	5.68	116.64	113.80
26	BB	1460	U	C4-C5-C6	5.68	123.11	119.70
26	BB	1792	G	C6-C5-N7	-5.68	126.99	130.40
26	BB	2043	C	N1-C2-O2	5.68	122.31	118.90
26	BB	2343	U	C5-C6-N1	5.68	125.54	122.70
26	BB	2385	C	C5-C6-N1	5.68	123.84	121.00
29	BE	184	ARG	CD-NE-CZ	5.68	131.56	123.60
36	BL	69	ARG	NE-CZ-NH1	5.68	123.14	120.30
1	AA	388	G	P-O3'-C3'	5.68	126.52	119.70
1	AA	1058	G	C4'-C3'-C2'	-5.68	96.92	102.60
1	AA	1072	G	C4-C5-C6	5.68	122.21	118.80
22	AV	38	THR	CA-CB-CG2	5.68	120.36	112.40
26	BB	323	C	C2-N1-C1'	5.68	125.05	118.80
26	BB	624	C	O4'-C1'-N1	5.68	112.75	108.20
26	BB	630	G	O4'-C1'-N9	5.68	112.75	108.20
26	BB	1095	A	C5-C6-N1	5.68	120.54	117.70
26	BB	1661	G	C5'-C4'-C3'	-5.68	106.91	116.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1738	G	C8-N9-C4	-5.68	104.13	106.40
26	BB	2249	U	N3-C4-C5	-5.68	111.19	114.60
26	BB	2637	U	N3-C4-O4	5.68	123.38	119.40
31	BG	121	PHE	CB-CG-CD1	-5.68	116.82	120.80
39	BO	108	VAL	CA-CB-CG2	5.68	119.42	110.90
1	AA	1474	U	C2-N3-C4	-5.68	123.59	127.00
26	BB	857	G	O4'-C1'-N9	5.68	112.75	108.20
26	BB	1087	G	C6-N1-C2	-5.68	121.69	125.10
26	BB	1137	G	C5-C6-O6	-5.68	125.19	128.60
26	BB	1334	G	C5-N7-C8	-5.68	101.46	104.30
26	BB	1921	G	C4-C5-N7	5.68	113.07	110.80
1	AA	5	U	C4'-C3'-C2'	5.68	108.28	102.60
1	AA	408	A	O5'-C5'-C4'	5.68	122.49	111.70
1	AA	427	U	N3-C2-O2	-5.68	118.22	122.20
1	AA	602	A	C8-N9-C4	5.68	108.07	105.80
1	AA	1127	G	N1-C2-N2	-5.68	111.09	116.20
24	AX	70	TYR	CB-CG-CD1	5.68	124.41	121.00
26	BB	119	A	N7-C8-N9	5.68	116.64	113.80
26	BB	161	A	N1-C6-N6	5.68	122.01	118.60
26	BB	447	A	C6-N1-C2	-5.68	115.19	118.60
26	BB	541	A	O4'-C1'-C2'	5.68	112.71	107.60
26	BB	795	C	C1'-O4'-C4'	-5.68	105.36	109.90
26	BB	979	A	N7-C8-N9	5.68	116.64	113.80
26	BB	1610	A	C4-C5-N7	-5.68	107.86	110.70
26	BB	2364	C	C1'-O4'-C4'	5.68	114.44	109.90
1	AA	639	G	N3-C4-N9	-5.68	122.59	126.00
26	BB	389	G	N3-C2-N2	5.68	123.88	119.90
1	AA	322	C	C2'-C3'-O3'	5.68	122.78	113.70
1	AA	801	U	C4-C5-C6	5.68	123.11	119.70
1	AA	862	C	O4'-C4'-C3'	5.68	110.64	106.10
1	AA	941	G	N3-C4-N9	-5.68	122.59	126.00
1	AA	986	U	C1'-O4'-C4'	-5.68	105.36	109.90
1	AA	1061	G	C4-C5-N7	-5.68	108.53	110.80
1	AA	1231	G	C6-C5-N7	-5.68	126.99	130.40
1	AA	1324	A	C4-C5-C6	-5.68	114.16	117.00
1	AA	1435	G	C1'-O4'-C4'	5.68	114.44	109.90
1	AA	1524	C	C2-N3-C4	5.68	122.74	119.90
25	BA	59	A	C3'-C2'-C1'	-5.68	96.96	101.50
26	BB	200	U	N3-C4-O4	-5.68	115.43	119.40
26	BB	265	A	C6-C5-N7	5.68	136.27	132.30
26	BB	319	G	O4'-C1'-N9	5.68	112.74	108.20
26	BB	443	A	N9-C1'-C2'	-5.68	105.75	112.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	645	C	N3-C4-C5	5.68	124.17	121.90
26	BB	732	C	C2-N1-C1'	5.68	125.05	118.80
26	BB	785	G	O4'-C1'-C2'	-5.68	100.12	105.80
26	BB	789	A	N1-C2-N3	-5.68	126.46	129.30
26	BB	1302	A	C6-N1-C2	5.68	122.01	118.60
26	BB	1569	A	O4'-C4'-C3'	-5.68	98.32	104.00
26	BB	1699	G	C5-C6-N1	-5.68	108.66	111.50
26	BB	1818	U	O4'-C4'-C3'	5.68	110.64	106.10
26	BB	2598	A	C5'-C4'-C3'	-5.68	106.92	116.00
1	AA	142	G	N3-C4-C5	-5.67	125.76	128.60
1	AA	300	A	C5-C6-N1	5.67	120.54	117.70
1	AA	377	G	N3-C2-N2	-5.67	115.93	119.90
1	AA	522	C	C4'-C3'-C2'	-5.67	96.93	102.60
1	AA	703	G	C8-N9-C4	-5.67	104.13	106.40
1	AA	813	U	P-O3'-C3'	5.67	126.51	119.70
12	AL	119	LYS	C-N-CA	5.67	135.88	121.70
26	BB	57	C	O4'-C1'-N1	5.67	112.74	108.20
26	BB	195	A	C5-C6-N1	-5.67	114.86	117.70
26	BB	571	U	N3-C4-C5	5.67	118.00	114.60
26	BB	643	A	N1-C2-N3	5.67	132.14	129.30
26	BB	673	C	C5'-C4'-C3'	-5.67	106.92	116.00
26	BB	1054	A	C1'-O4'-C4'	-5.67	105.36	109.90
26	BB	1055	G	N3-C4-N9	5.67	129.41	126.00
26	BB	1082	U	P-O3'-C3'	5.67	126.51	119.70
26	BB	1612	C	O4'-C1'-N1	5.67	112.74	108.20
26	BB	1668	A	C6-C5-N7	5.67	136.27	132.30
26	BB	1908	C	N3-C2-O2	-5.67	117.93	121.90
26	BB	2191	A	P-O3'-C3'	5.67	126.51	119.70
26	BB	2250	G	O4'-C1'-N9	5.67	112.74	108.20
26	BB	2272	U	N1-C2-N3	-5.67	111.50	114.90
26	BB	2413	G	C4-C5-N7	-5.67	108.53	110.80
1	AA	60	A	C2-N3-C4	-5.67	107.76	110.60
1	AA	267	C	C5-C4-N4	-5.67	116.23	120.20
1	AA	580	C	P-O3'-C3'	5.67	126.51	119.70
26	BB	572	A	C6-N1-C2	-5.67	115.20	118.60
26	BB	602	A	O4'-C1'-N9	-5.67	103.66	108.20
26	BB	1103	A	P-O3'-C3'	5.67	126.51	119.70
33	BI	47	PHE	CG-CD2-CE2	-5.67	114.56	120.80
1	AA	1082	A	C2-N3-C4	-5.67	107.76	110.60
1	AA	1200	C	C3'-C2'-C1'	-5.67	96.96	101.50
2	AB	15	A	C2-N3-C4	5.67	113.44	110.60
26	BB	313	G	C2-N3-C4	5.67	114.74	111.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	423	A	O4'-C1'-N9	5.67	112.74	108.20
26	BB	506	G	P-O3'-C3'	5.67	126.50	119.70
26	BB	993	G	C6-C5-N7	-5.67	127.00	130.40
26	BB	1968	G	C4'-C3'-C2'	-5.67	96.93	102.60
26	BB	1978	A	N9-C4-C5	5.67	108.07	105.80
26	BB	2139	U	N1-C2-N3	5.67	118.30	114.90
26	BB	2247	A	O4'-C4'-C3'	5.67	110.64	106.10
26	BB	2601	C	N1-C2-N3	5.67	123.17	119.20
26	BB	2604	U	C5-C6-N1	-5.67	119.86	122.70
54	B3	49	ARG	NE-CZ-NH2	-5.67	117.47	120.30
1	AA	177	G	O4'-C4'-C3'	-5.67	98.33	104.00
1	AA	410	G	C5-N7-C8	-5.67	101.47	104.30
3	AC	36	U	C5'-C4'-O4'	5.67	115.90	109.10
26	BB	347	A	C5-C6-N6	-5.67	119.16	123.70
26	BB	496	G	N9-C1'-C2'	-5.67	105.76	112.00
26	BB	640	C	N3-C2-O2	-5.67	117.93	121.90
26	BB	2486	C	N1-C2-O2	5.67	122.30	118.90
1	AA	144	G	C5-C6-O6	-5.67	125.20	128.60
1	AA	254	G	C5-C6-N1	5.67	114.33	111.50
1	AA	445	G	C1'-O4'-C4'	5.67	114.44	109.90
1	AA	939	G	N1-C6-O6	-5.67	116.50	119.90
22	AV	50	VAL	CG1-CB-CG2	-5.67	101.83	110.90
26	BB	765	C	C4'-C3'-C2'	-5.67	96.93	102.60
26	BB	1031	G	C1'-O4'-C4'	-5.67	105.36	109.90
26	BB	1435	G	N7-C8-N9	5.67	115.94	113.10
26	BB	1462	C	C6-N1-C2	-5.67	118.03	120.30
26	BB	1800	C	C1'-O4'-C4'	-5.67	105.36	109.90
26	BB	2732	G	O3'-P-O5'	-5.67	93.23	104.00
26	BB	2756	U	C5'-C4'-O4'	5.67	115.90	109.10
1	AA	264	C	C1'-O4'-C4'	-5.67	105.37	109.90
1	AA	286	C	O4'-C4'-C3'	5.67	110.63	106.10
1	AA	430	A	P-O3'-C3'	5.67	126.50	119.70
1	AA	934	C	C3'-C2'-C1'	5.67	106.03	101.50
1	AA	1032	G	C4-C5-N7	5.67	113.07	110.80
4	AD	9	G	N1-C2-N2	5.67	121.30	116.20
4	AD	53	G	C4'-C3'-C2'	-5.67	96.93	102.60
26	BB	474	G	N3-C4-C5	-5.67	125.77	128.60
26	BB	515	A	C6-N1-C2	5.67	122.00	118.60
26	BB	556	A	N1-C2-N3	5.67	132.13	129.30
26	BB	678	C	C5'-C4'-O4'	5.67	115.90	109.10
26	BB	696	G	C4-C5-N7	5.67	113.07	110.80
26	BB	830	G	N1-C6-O6	-5.67	116.50	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1048	A	N7-C8-N9	5.67	116.63	113.80
26	BB	1113	U	C5'-C4'-O4'	5.67	115.90	109.10
26	BB	1127	A	C5-N7-C8	-5.67	101.07	103.90
26	BB	1307	A	N3-C4-C5	-5.67	122.83	126.80
26	BB	1895	C	C4-C5-C6	5.67	120.23	117.40
26	BB	2094	A	N3-C4-C5	-5.67	122.83	126.80
26	BB	2446	G	N1-C2-N2	-5.67	111.10	116.20
25	BA	92	C	N1-C2-N3	-5.67	115.23	119.20
26	BB	2559	C	C5'-C4'-C3'	-5.67	106.94	116.00
26	BB	2591	C	P-O3'-C3'	5.67	126.50	119.70
1	AA	115	G	C5-C6-N1	5.66	114.33	111.50
1	AA	407	U	N3-C4-O4	5.66	123.36	119.40
1	AA	944	G	N7-C8-N9	5.66	115.93	113.10
1	AA	1323	G	C8-N9-C1'	5.66	134.36	127.00
3	AC	20	G	O4'-C1'-C2'	-5.66	100.14	105.80
3	AC	23	C	C5-C4-N4	-5.66	116.23	120.20
26	BB	530	G	C8-N9-C1'	5.66	134.36	127.00
26	BB	715	A	N9-C4-C5	-5.66	103.53	105.80
26	BB	896	A	N1-C2-N3	-5.66	126.47	129.30
26	BB	1054	A	N1-C6-N6	-5.66	115.20	118.60
26	BB	1102	C	O4'-C1'-N1	5.66	112.73	108.20
26	BB	1197	G	C6-N1-C2	-5.66	121.70	125.10
26	BB	1311	G	P-O3'-C3'	5.66	126.50	119.70
26	BB	1614	A	C5-C6-N1	5.66	120.53	117.70
26	BB	2377	A	C5-C6-N6	-5.66	119.17	123.70
26	BB	2567	G	C5'-C4'-C3'	-5.66	106.94	116.00
26	BB	2785	C	O4'-C1'-N1	5.66	112.73	108.20
41	BQ	78	VAL	CA-CB-CG2	5.66	119.39	110.90
1	AA	434	U	N3-C2-O2	-5.66	118.24	122.20
1	AA	1195	C	C4-C5-C6	5.66	120.23	117.40
18	AR	19	ASN	CB-CA-C	5.66	121.72	110.40
26	BB	1173	U	N3-C2-O2	-5.66	118.24	122.20
26	BB	2037	A	N7-C8-N9	-5.66	110.97	113.80
26	BB	2826	A	C5'-C4'-O4'	5.66	115.89	109.10
43	BS	28	SER	N-CA-CB	-5.66	102.01	110.50
1	AA	167	A	N7-C8-N9	5.66	116.63	113.80
1	AA	383	A	O4'-C1'-C2'	5.66	112.69	107.60
1	AA	1426	G	C5'-C4'-O4'	5.66	115.89	109.10
26	BB	604	G	C4-C5-N7	5.66	113.06	110.80
26	BB	673	C	C5'-C4'-O4'	5.66	115.89	109.10
26	BB	752	A	C4-C5-N7	-5.66	107.87	110.70
26	BB	992	C	O5'-C5'-C4'	-5.66	100.94	111.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1107	G	O4'-C1'-N9	5.66	112.73	108.20
26	BB	1110	G	C3'-C2'-C1'	-5.66	96.97	101.50
26	BB	1331	G	C6-N1-C2	-5.66	121.70	125.10
26	BB	1946	U	C5-C4-O4	5.66	129.30	125.90
26	BB	2085	U	O4'-C1'-N1	5.66	112.73	108.20
26	BB	2222	C	C5-C6-N1	5.66	123.83	121.00
26	BB	2886	A	C6-N1-C2	-5.66	115.20	118.60
29	BE	181	ASP	CA-CB-CG	5.66	125.85	113.40
1	AA	229	U	C5'-C4'-C3'	-5.66	106.94	116.00
1	AA	286	C	P-O3'-C3'	5.66	126.49	119.70
1	AA	674	G	N3-C4-N9	-5.66	122.61	126.00
1	AA	759	A	C5-N7-C8	5.66	106.73	103.90
1	AA	1069	C	N1-C2-O2	5.66	122.30	118.90
26	BB	101	A	N7-C8-N9	-5.66	110.97	113.80
26	BB	294	A	O4'-C1'-N9	5.66	112.73	108.20
26	BB	524	G	C4-C5-C6	5.66	122.20	118.80
26	BB	765	C	C4-C5-C6	-5.66	114.57	117.40
26	BB	1095	A	N9-C1'-C2'	5.66	121.36	114.00
26	BB	1326	U	N3-C2-O2	-5.66	118.24	122.20
26	BB	1336	A	C3'-C2'-C1'	-5.66	96.97	101.50
26	BB	1687	G	N1-C6-O6	-5.66	116.50	119.90
26	BB	1838	C	C5-C4-N4	5.66	124.16	120.20
26	BB	2077	A	C8-N9-C4	-5.66	103.54	105.80
26	BB	2313	C	N1-C2-N3	-5.66	115.24	119.20
26	BB	2429	G	C5'-C4'-O4'	5.66	115.89	109.10
26	BB	2757	A	N9-C1'-C2'	-5.66	105.78	112.00
33	BI	114	GLU	OE1-CD-OE2	5.66	130.09	123.30
1	AA	317	U	C2-N3-C4	-5.66	123.61	127.00
25	BA	2	G	C1'-O4'-C4'	-5.66	105.38	109.90
25	BA	99	A	C5'-C4'-O4'	5.66	115.89	109.10
26	BB	60	G	C6-N1-C2	-5.66	121.71	125.10
26	BB	297	G	C4'-C3'-C2'	-5.66	96.94	102.60
26	BB	336	C	C3'-C2'-C1'	-5.66	96.97	101.50
26	BB	467	G	N3-C4-C5	-5.66	125.77	128.60
26	BB	549	G	N7-C8-N9	5.66	115.93	113.10
26	BB	648	G	O4'-C1'-N9	5.66	112.73	108.20
26	BB	661	A	C1'-O4'-C4'	5.66	114.43	109.90
26	BB	1132	U	C6-N1-C2	-5.66	117.61	121.00
26	BB	2191	A	N7-C8-N9	-5.66	110.97	113.80
1	AA	98	A	C8-N9-C4	5.66	108.06	105.80
1	AA	204	G	O3'-P-O5'	-5.66	93.25	104.00
1	AA	361	G	C4'-C3'-C2'	-5.66	96.94	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	425	G	C6-C5-N7	-5.66	127.01	130.40
1	AA	494	G	N9-C1'-C2'	5.66	121.35	114.00
1	AA	553	A	C2-N3-C4	5.66	113.43	110.60
1	AA	865	A	N9-C4-C5	-5.66	103.54	105.80
1	AA	1002	G	N3-C4-N9	5.66	129.39	126.00
1	AA	1097	C	N1-C2-O2	5.66	122.29	118.90
4	AD	69	C	O4'-C1'-N1	5.66	112.72	108.20
6	AF	106	ARG	NE-CZ-NH2	-5.66	117.47	120.30
16	AP	26	LYS	N-CA-CB	-5.66	100.42	110.60
25	BA	74	U	C4-C5-C6	5.66	123.09	119.70
26	BB	662	G	C3'-C2'-C1'	-5.66	96.97	101.50
26	BB	1553	A	C5-C6-N1	5.66	120.53	117.70
26	BB	1627	G	C6-C5-N7	-5.66	127.01	130.40
26	BB	2104	C	O4'-C1'-N1	5.66	112.72	108.20
26	BB	2142	A	C5-N7-C8	5.66	106.73	103.90
26	BB	2317	A	C4-C5-C6	5.66	119.83	117.00
26	BB	2483	C	N1-C2-O2	5.66	122.29	118.90
26	BB	2594	C	C4-C5-C6	5.66	120.23	117.40
1	AA	39	G	N3-C4-C5	-5.65	125.77	128.60
1	AA	942	G	N3-C2-N2	-5.65	115.94	119.90
1	AA	1425	U	C1'-O4'-C4'	5.65	114.42	109.90
2	AB	12	U	C3'-C2'-C1'	-5.65	96.98	101.50
2	AB	44	G	N9-C1'-C2'	-5.65	105.78	112.00
26	BB	1245	G	C4-C5-C6	5.65	122.19	118.80
26	BB	2048	G	N9-C1'-C2'	-5.65	105.78	112.00
26	BB	2179	C	O4'-C1'-N1	5.65	112.72	108.20
26	BB	2497	A	N1-C2-N3	5.65	132.13	129.30
26	BB	2835	A	N1-C6-N6	-5.65	115.21	118.60
1	AA	47	C	O4'-C4'-C3'	5.65	110.62	106.10
1	AA	191	G	O4'-C1'-N9	5.65	112.72	108.20
1	AA	1143	G	C2-N3-C4	5.65	114.73	111.90
1	AA	1146	A	C3'-C2'-C1'	-5.65	96.98	101.50
1	AA	1377	A	O3'-P-O5'	-5.65	93.26	104.00
12	AL	84	ARG	NE-CZ-NH1	5.65	123.13	120.30
26	BB	221	A	N9-C4-C5	-5.65	103.54	105.80
26	BB	1363	C	N3-C4-C5	-5.65	119.64	121.90
26	BB	1684	G	O4'-C1'-N9	5.65	112.72	108.20
26	BB	1692	U	N3-C2-O2	5.65	126.16	122.20
26	BB	1730	C	N3-C4-N4	-5.65	114.04	118.00
26	BB	2159	G	C4-C5-C6	5.65	122.19	118.80
26	BB	2660	A	N9-C4-C5	5.65	108.06	105.80
36	BL	15	TRP	CD1-NE1-CE2	5.65	114.09	109.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
44	BT	91	GLN	CB-CA-C	5.65	121.70	110.40
1	AA	297	G	C1'-O4'-C4'	5.65	114.42	109.90
1	AA	1032	G	N7-C8-N9	5.65	115.93	113.10
1	AA	1152	A	N9-C1'-C2'	-5.65	105.78	112.00
1	AA	1258	G	C2-N3-C4	5.65	114.72	111.90
1	AA	1448	C	C5'-C4'-O4'	5.65	115.88	109.10
26	BB	128	C	C4-C5-C6	5.65	120.22	117.40
26	BB	322	A	C6-N1-C2	-5.65	115.21	118.60
26	BB	348	A	C5-C6-N6	-5.65	119.18	123.70
26	BB	1199	U	O4'-C4'-C3'	5.65	110.62	106.10
26	BB	1307	A	C4-C5-C6	5.65	119.83	117.00
26	BB	1487	U	C5-C6-N1	-5.65	119.88	122.70
26	BB	2058	A	O4'-C4'-C3'	5.65	110.62	106.10
26	BB	2511	U	O3'-P-O5'	-5.65	93.27	104.00
26	BB	2743	U	N1-C1'-C2'	5.65	121.34	114.00
1	AA	20	U	P-O5'-C5'	5.65	129.94	120.90
1	AA	354	G	C4'-C3'-C2'	5.65	108.25	102.60
1	AA	1388	C	C4-C5-C6	-5.65	114.58	117.40
26	BB	326	G	C6-C5-N7	-5.65	127.01	130.40
26	BB	2037	A	C2-N3-C4	5.65	113.42	110.60
26	BB	2604	U	C5-C4-O4	-5.65	122.51	125.90
1	AA	78	A	N3-C4-C5	-5.65	122.85	126.80
1	AA	750	C	O4'-C1'-N1	5.65	112.72	108.20
1	AA	774	G	O4'-C1'-C2'	-5.65	100.15	105.80
1	AA	954	G	N3-C2-N2	-5.65	115.95	119.90
1	AA	1133	G	N9-C1'-C2'	-5.65	105.79	112.00
1	AA	1146	A	C5-C6-N1	5.65	120.52	117.70
26	BB	300	A	C5'-C4'-O4'	-5.65	102.32	109.10
26	BB	485	C	N1-C1'-C2'	-5.65	105.79	112.00
26	BB	622	G	N7-C8-N9	-5.65	110.28	113.10
26	BB	715	A	C5-C6-N1	-5.65	114.88	117.70
26	BB	740	C	N3-C2-O2	-5.65	117.95	121.90
26	BB	1151	A	N7-C8-N9	5.65	116.62	113.80
26	BB	1418	G	N3-C2-N2	5.65	123.85	119.90
26	BB	2260	C	N3-C2-O2	-5.65	117.95	121.90
26	BB	2386	A	C5-C6-N1	-5.65	114.88	117.70
26	BB	2523	G	N7-C8-N9	5.65	115.92	113.10
26	BB	2814	A	C5-C6-N6	5.65	128.22	123.70
26	BB	2846	G	C5'-C4'-C3'	-5.65	106.97	116.00
1	AA	368	U	O4'-C1'-N1	5.65	112.72	108.20
1	AA	430	A	O4'-C1'-N9	5.65	112.72	108.20
26	BB	90	U	P-O3'-C3'	5.65	126.47	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1046	A	N1-C2-N3	-5.65	126.48	129.30
26	BB	1429	G	C3'-C2'-C1'	5.65	106.02	101.50
26	BB	2161	C	C2-N3-C4	-5.65	117.08	119.90
26	BB	2380	C	C5'-C4'-O4'	5.65	115.88	109.10
26	BB	2675	A	C8-N9-C4	5.65	108.06	105.80
26	BB	2901	C	C5-C6-N1	-5.65	118.18	121.00
1	AA	56	U	C5-C4-O4	5.64	129.29	125.90
1	AA	286	C	C5-C4-N4	-5.64	116.25	120.20
1	AA	503	C	N3-C4-C5	-5.64	119.64	121.90
1	AA	523	A	C6-N1-C2	-5.64	115.21	118.60
1	AA	649	A	N9-C1'-C2'	-5.64	105.79	112.00
1	AA	1047	G	N1-C6-O6	5.64	123.29	119.90
1	AA	1117	A	N9-C4-C5	-5.64	103.54	105.80
1	AA	1254	A	C4-C5-C6	5.64	119.82	117.00
1	AA	1504	G	N1-C6-O6	-5.64	116.51	119.90
7	AG	77	GLU	OE1-CD-OE2	5.64	130.07	123.30
26	BB	269	C	P-O5'-C5'	5.64	129.93	120.90
26	BB	592	A	N9-C1'-C2'	-5.64	105.79	112.00
26	BB	1113	U	N1-C2-O2	5.64	126.75	122.80
1	AA	230	G	C4-C5-C6	5.64	122.19	118.80
1	AA	318	G	N3-C4-N9	5.64	129.38	126.00
1	AA	1298	U	O4'-C1'-C2'	-5.64	100.16	105.80
1	AA	1531	A	N1-C6-N6	5.64	121.98	118.60
25	BA	96	G	C1'-O4'-C4'	-5.64	105.39	109.90
26	BB	306	U	C4-C5-C6	5.64	123.09	119.70
26	BB	356	G	C1'-O4'-C4'	5.64	114.41	109.90
26	BB	765	C	N1-C2-O2	5.64	122.29	118.90
26	BB	870	U	C5-C4-O4	-5.64	122.51	125.90
26	BB	1728	C	C3'-C2'-C1'	-5.64	96.98	101.50
26	BB	1806	C	C1'-O4'-C4'	-5.64	105.39	109.90
26	BB	2295	C	O5'-P-OP2	-5.64	100.62	105.70
26	BB	2451	A	C6-N1-C2	5.64	121.99	118.60
30	BF	17	THR	CA-CB-CG2	5.64	120.30	112.40
1	AA	26	A	C2-N3-C4	5.64	113.42	110.60
1	AA	498	A	C8-N9-C4	-5.64	103.54	105.80
25	BA	24	G	N3-C4-C5	-5.64	125.78	128.60
26	BB	822	G	C4-C5-C6	5.64	122.19	118.80
26	BB	1483	G	O4'-C1'-N9	5.64	112.71	108.20
26	BB	1787	A	P-O3'-C3'	5.64	126.47	119.70
26	BB	2470	G	N1-C2-N3	5.64	127.28	123.90
26	BB	2777	G	P-O3'-C3'	5.64	126.47	119.70
1	AA	41	G	N3-C4-C5	-5.64	125.78	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	62	U	C2-N3-C4	-5.64	123.62	127.00
1	AA	118	U	P-O3'-C3'	5.64	126.47	119.70
1	AA	121	U	O5'-C5'-C4'	-5.64	100.99	111.70
1	AA	420	U	C6-N1-C1'	5.64	129.09	121.20
1	AA	769	G	C4-N9-C1'	-5.64	119.17	126.50
1	AA	803	G	N9-C1'-C2'	-5.64	105.80	112.00
1	AA	1036	A	N1-C6-N6	5.64	121.98	118.60
1	AA	1294	G	N3-C4-N9	5.64	129.38	126.00
1	AA	1312	G	N3-C4-C5	-5.64	125.78	128.60
25	BA	10	G	C5-N7-C8	5.64	107.12	104.30
26	BB	47	C	N1-C2-N3	-5.64	115.25	119.20
26	BB	325	G	N3-C4-C5	-5.64	125.78	128.60
26	BB	469	G	O4'-C4'-C3'	5.64	110.61	106.10
26	BB	625	G	N9-C4-C5	5.64	107.66	105.40
26	BB	1080	A	C8-N9-C4	-5.64	103.55	105.80
26	BB	1139	G	C6-N1-C2	-5.64	121.72	125.10
26	BB	1204	A	N9-C1'-C2'	-5.64	105.80	112.00
26	BB	1274	A	N3-C4-N9	5.64	131.91	127.40
26	BB	1910	G	C3'-C2'-C1'	-5.64	96.99	101.50
26	BB	2716	C	O4'-C1'-N1	5.64	112.71	108.20
26	BB	2843	G	N1-C2-N3	-5.64	120.52	123.90
28	BD	181	ARG	NE-CZ-NH2	-5.64	117.48	120.30
1	AA	656	G	C4'-C3'-C2'	-5.64	96.96	102.60
25	BA	81	G	C5'-C4'-O4'	5.64	115.87	109.10
26	BB	302	C	N1-C2-N3	-5.64	115.25	119.20
26	BB	706	A	C4-C5-C6	-5.64	114.18	117.00
1	AA	197	A	C3'-C2'-C1'	-5.64	96.99	101.50
1	AA	300	A	C2-N3-C4	5.64	113.42	110.60
1	AA	486	U	C4-C5-C6	5.64	123.08	119.70
2	AB	75	C	C6-N1-C1'	-5.64	114.04	120.80
26	BB	947	A	C8-N9-C4	-5.64	103.55	105.80
26	BB	1524	G	O4'-C1'-N9	-5.64	103.69	108.20
26	BB	1639	C	C5-C6-N1	-5.64	118.18	121.00
26	BB	1966	A	N7-C8-N9	-5.64	110.98	113.80
26	BB	2489	U	C4'-C3'-C2'	-5.64	96.96	102.60
26	BB	2650	U	N1-C1'-C2'	-5.64	105.80	112.00
26	BB	2826	A	C5-C6-N1	5.64	120.52	117.70
32	BH	163	TYR	CG-CD1-CE1	-5.64	116.79	121.30
1	AA	128	G	C2-N3-C4	5.63	114.72	111.90
1	AA	169	C	P-O5'-C5'	5.63	129.92	120.90
1	AA	278	G	C6-C5-N7	-5.63	127.02	130.40
1	AA	314	C	O4'-C1'-N1	5.63	112.71	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	466	A	C3'-C2'-C1'	5.63	106.01	101.50
1	AA	681	A	N7-C8-N9	5.63	116.62	113.80
1	AA	804	U	C5-C6-N1	-5.63	119.88	122.70
1	AA	1053	G	N3-C4-C5	-5.63	125.78	128.60
1	AA	1192	C	N3-C4-N4	5.63	121.94	118.00
4	AD	32	G	C5-C6-O6	-5.63	125.22	128.60
26	BB	378	C	N1-C2-O2	5.63	122.28	118.90
26	BB	685	A	N1-C6-N6	-5.63	115.22	118.60
26	BB	862	G	C6-N1-C2	-5.63	121.72	125.10
26	BB	1188	U	C2-N3-C4	-5.63	123.62	127.00
26	BB	1571	A	C4-C5-N7	-5.63	107.88	110.70
26	BB	1617	C	C6-N1-C2	5.63	122.55	120.30
26	BB	1791	A	N7-C8-N9	-5.63	110.98	113.80
26	BB	2577	A	C1'-O4'-C4'	-5.63	105.39	109.90
26	BB	2633	G	O4'-C1'-N9	5.63	112.71	108.20
26	BB	2665	A	C3'-C2'-C1'	5.63	106.01	101.50
26	BB	2822	G	N7-C8-N9	5.63	115.92	113.10
27	BC	48	LEU	C-N-CA	5.63	134.13	122.30
1	AA	262	A	C2-N3-C4	-5.63	107.78	110.60
1	AA	636	U	C6-N1-C2	-5.63	117.62	121.00
1	AA	814	A	N7-C8-N9	5.63	116.62	113.80
26	BB	118	A	C5'-C4'-O4'	5.63	115.86	109.10
26	BB	290	U	C5-C6-N1	-5.63	119.88	122.70
26	BB	1402	U	C5-C6-N1	-5.63	119.88	122.70
26	BB	2407	A	C5-C6-N1	5.63	120.52	117.70
42	BR	25	VAL	CA-CB-CG2	5.63	119.35	110.90
1	AA	968	A	C8-N9-C4	5.63	108.05	105.80
1	AA	1104	G	C8-N9-C4	-5.63	104.15	106.40
1	AA	1411	C	N1-C2-O2	5.63	122.28	118.90
3	AC	56	G	C5'-C4'-C3'	5.63	125.01	116.00
25	BA	107	G	C5'-C4'-O4'	5.63	115.86	109.10
25	BA	108	A	C4'-C3'-C2'	-5.63	96.97	102.60
26	BB	172	A	N9-C1'-C2'	-5.63	105.81	112.00
26	BB	435	C	C1'-O4'-C4'	5.63	114.41	109.90
26	BB	642	U	N1-C2-N3	5.63	118.28	114.90
26	BB	798	G	C4-N9-C1'	-5.63	119.18	126.50
26	BB	834	G	N9-C4-C5	5.63	107.65	105.40
26	BB	1061	U	C3'-C2'-C1'	5.63	106.00	101.50
26	BB	1101	U	N3-C2-O2	-5.63	118.26	122.20
26	BB	1132	U	C4'-C3'-C2'	-5.63	96.97	102.60
26	BB	1671	U	O3'-P-O5'	5.63	114.70	104.00
26	BB	1774	C	C5-C4-N4	5.63	124.14	120.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1993	U	N1-C2-N3	5.63	118.28	114.90
26	BB	2003	A	N9-C4-C5	5.63	108.05	105.80
26	BB	2686	G	C6-C5-N7	-5.63	127.02	130.40
1	AA	141	G	N9-C1'-C2'	-5.63	105.81	112.00
1	AA	201	G	N1-C6-O6	-5.63	116.52	119.90
1	AA	1044	A	C4'-C3'-C2'	-5.63	96.97	102.60
1	AA	1294	G	N1-C2-N3	-5.63	120.52	123.90
1	AA	1362	A	C5-C6-N6	-5.63	119.20	123.70
17	AQ	14	ALA	N-CA-CB	-5.63	102.22	110.10
26	BB	1366	A	C3'-C2'-C1'	5.63	106.00	101.50
26	BB	1479	G	C5-C6-N1	5.63	114.31	111.50
26	BB	1654	A	N1-C6-N6	-5.63	115.22	118.60
26	BB	2316	G	N3-C4-C5	-5.63	125.78	128.60
26	BB	2589	A	O4'-C1'-N9	5.63	112.70	108.20
26	BB	2796	U	C3'-C2'-C1'	5.63	106.00	101.50
43	BS	91	ARG	NE-CZ-NH1	5.63	123.11	120.30
1	AA	475	C	C3'-C2'-C1'	5.63	106.00	101.50
1	AA	795	C	O3'-P-O5'	-5.63	93.31	104.00
1	AA	991	U	C5-C4-O4	5.63	129.28	125.90
1	AA	1026	G	O4'-C4'-C3'	5.63	110.60	106.10
1	AA	1054	C	C2-N3-C4	-5.63	117.09	119.90
1	AA	1212	U	N1-C2-N3	5.63	118.28	114.90
1	AA	1469	C	C6-N1-C2	5.63	122.55	120.30
26	BB	310	A	N1-C2-N3	-5.63	126.49	129.30
26	BB	1009	A	N1-C6-N6	-5.63	115.22	118.60
26	BB	1083	U	C3'-C2'-C1'	5.63	106.00	101.50
26	BB	2136	G	P-O5'-C5'	5.63	129.91	120.90
26	BB	2234	G	C5-C6-O6	5.63	131.98	128.60
26	BB	2444	G	C4'-C3'-C2'	-5.63	96.97	102.60
26	BB	2594	C	C5'-C4'-O4'	5.63	115.85	109.10
26	BB	2704	C	N3-C2-O2	-5.63	117.96	121.90
26	BB	2715	C	C1'-O4'-C4'	5.63	114.40	109.90
26	BB	2734	A	N3-C4-C5	-5.63	122.86	126.80
26	BB	2900	A	N3-C4-N9	-5.63	122.90	127.40
1	AA	7	A	C5-N7-C8	5.63	106.71	103.90
1	AA	148	G	O4'-C1'-N9	5.63	112.70	108.20
1	AA	196	A	N1-C2-N3	-5.63	126.49	129.30
1	AA	359	G	C4'-C3'-C2'	-5.63	96.97	102.60
1	AA	473	U	C6-N1-C2	-5.63	117.62	121.00
1	AA	1098	C	C4'-C3'-C2'	-5.63	96.97	102.60
1	AA	1140	C	O4'-C1'-C2'	-5.63	100.17	105.80
1	AA	1211	U	C3'-C2'-C1'	5.63	106.00	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1403	C	O4'-C1'-N1	5.63	112.70	108.20
1	AA	1473	G	N3-C4-N9	5.63	129.38	126.00
25	BA	19	C	N3-C4-N4	5.63	121.94	118.00
25	BA	46	A	O4'-C1'-N9	5.63	112.70	108.20
26	BB	145	C	N1-C1'-C2'	-5.63	105.81	112.00
26	BB	300	A	C5-N7-C8	-5.63	101.09	103.90
26	BB	761	A	N1-C6-N6	-5.63	115.22	118.60
26	BB	793	A	C5'-C4'-O4'	5.63	115.85	109.10
26	BB	1738	G	N3-C2-N2	5.63	123.84	119.90
26	BB	1819	A	N9-C1'-C2'	-5.63	105.81	112.00
26	BB	1824	G	C2'-C3'-O3'	5.63	122.70	113.70
26	BB	1874	C	C5-C4-N4	-5.63	116.26	120.20
42	BR	71	ARG	CD-NE-CZ	5.63	131.48	123.60
1	AA	381	C	P-O3'-C3'	5.62	126.45	119.70
25	BA	83	G	C8-N9-C4	-5.62	104.15	106.40
26	BB	338	G	N9-C1'-C2'	-5.62	105.81	112.00
26	BB	612	G	C4-C5-C6	5.62	122.17	118.80
26	BB	979	A	N9-C1'-C2'	-5.62	105.81	112.00
26	BB	1532	A	N9-C1'-C2'	-5.62	105.81	112.00
26	BB	1655	A	C4-C5-C6	5.62	119.81	117.00
26	BB	1952	A	P-O3'-C3'	5.62	126.45	119.70
26	BB	2116	G	C8-N9-C4	-5.62	104.15	106.40
26	BB	2532	G	P-O3'-C3'	5.62	126.45	119.70
26	BB	2681	C	C6-N1-C2	-5.62	118.05	120.30
1	AA	398	U	N1-C1'-C2'	-5.62	105.81	112.00
1	AA	870	U	O4'-C1'-C2'	-5.62	100.18	105.80
1	AA	1241	G	C6-C5-N7	-5.62	127.03	130.40
1	AA	1330	U	P-O3'-C3'	5.62	126.45	119.70
1	AA	1393	U	N3-C4-O4	5.62	123.34	119.40
1	AA	1414	U	P-O3'-C3'	5.62	126.45	119.70
5	AE	126	ASP	CB-CG-OD2	-5.62	113.24	118.30
11	AK	18	ALA	N-CA-CB	-5.62	102.23	110.10
26	BB	33	C	O4'-C1'-N1	5.62	112.70	108.20
26	BB	105	C	C4-C5-C6	5.62	120.21	117.40
26	BB	358	U	C3'-C2'-C1'	5.62	106.00	101.50
26	BB	1182	G	C1'-O4'-C4'	-5.62	105.40	109.90
26	BB	1243	C	C5-C4-N4	-5.62	116.26	120.20
26	BB	1686	C	N3-C4-N4	-5.62	114.06	118.00
26	BB	2138	G	N3-C4-N9	5.62	129.38	126.00
26	BB	2149	U	C4'-C3'-C2'	5.62	108.22	102.60
26	BB	2596	U	C4'-C3'-C2'	5.62	108.22	102.60
1	AA	215	C	C5-C6-N1	-5.62	118.19	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	305	G	C3'-C2'-C1'	5.62	106.00	101.50
1	AA	654	G	C5-C6-N1	5.62	114.31	111.50
1	AA	1293	C	C4'-C3'-C2'	-5.62	96.98	102.60
25	BA	10	G	N3-C2-N2	-5.62	115.97	119.90
25	BA	95	U	C4'-C3'-C2'	-5.62	96.98	102.60
26	BB	123	G	C5-C6-N1	5.62	114.31	111.50
26	BB	674	G	C4-C5-N7	-5.62	108.55	110.80
26	BB	811	U	N3-C2-O2	-5.62	118.27	122.20
26	BB	1143	A	C5-N7-C8	-5.62	101.09	103.90
26	BB	1659	G	C8-N9-C4	-5.62	104.15	106.40
26	BB	1721	G	O5'-P-OP2	-5.62	100.64	105.70
26	BB	1983	G	C5-N7-C8	5.62	107.11	104.30
26	BB	2262	U	C2-N3-C4	-5.62	123.63	127.00
26	BB	2425	A	N1-C2-N3	5.62	132.11	129.30
26	BB	2596	U	P-O3'-C3'	5.62	126.44	119.70
26	BB	2768	U	C5-C6-N1	5.62	125.51	122.70
26	BB	2797	U	N3-C4-O4	5.62	123.33	119.40
1	AA	1389	C	P-O3'-C3'	5.62	126.44	119.70
3	AC	47	C	C2-N3-C4	-5.62	117.09	119.90
26	BB	401	A	C5-N7-C8	5.62	106.71	103.90
26	BB	500	G	C6-C5-N7	-5.62	127.03	130.40
26	BB	991	C	C5-C6-N1	5.62	123.81	121.00
26	BB	2775	G	C2-N3-C4	5.62	114.71	111.90
48	BX	55	GLU	OE1-CD-OE2	-5.62	116.56	123.30
58	B7	2	LYS	CB-CA-C	5.62	121.64	110.40
1	AA	796	C	C5'-C4'-O4'	5.62	115.84	109.10
1	AA	992	U	N3-C4-O4	5.62	123.33	119.40
8	AH	45	VAL	CG1-CB-CG2	-5.62	101.91	110.90
26	BB	628	G	C5-C6-N1	-5.62	108.69	111.50
26	BB	748	G	C1'-O4'-C4'	-5.62	105.41	109.90
26	BB	845	A	N1-C2-N3	5.62	132.11	129.30
26	BB	995	C	P-O3'-C3'	5.62	126.44	119.70
26	BB	1064	C	O4'-C1'-N1	5.62	112.69	108.20
26	BB	2060	A	C6-C5-N7	5.62	136.23	132.30
26	BB	2611	C	C4'-C3'-C2'	5.62	108.22	102.60
26	BB	2617	U	C4'-C3'-C2'	-5.62	96.98	102.60
26	BB	2715	C	C5'-C4'-O4'	5.62	115.84	109.10
25	BA	11	C	N3-C4-C5	-5.62	119.65	121.90
26	BB	1210	G	N3-C4-C5	5.62	131.41	128.60
26	BB	1619	G	C4-C5-N7	-5.62	108.55	110.80
26	BB	2062	A	N1-C2-N3	-5.62	126.49	129.30
56	B5	26	ASN	N-CA-CB	-5.62	100.49	110.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	95	C	C2-N3-C4	5.62	122.71	119.90
1	AA	425	G	C4-C5-C6	5.62	122.17	118.80
1	AA	492	C	C3'-C2'-C1'	5.62	105.99	101.50
1	AA	775	G	C8-N9-C4	-5.62	104.15	106.40
1	AA	1378	C	C2-N3-C4	5.62	122.71	119.90
26	BB	327	G	C5-N7-C8	-5.62	101.49	104.30
26	BB	372	G	C5-N7-C8	5.62	107.11	104.30
26	BB	804	A	O4'-C4'-C3'	5.62	110.59	106.10
26	BB	886	A	C4-C5-N7	-5.62	107.89	110.70
26	BB	1250	G	C6-N1-C2	-5.62	121.73	125.10
26	BB	1862	G	N3-C2-N2	-5.62	115.97	119.90
26	BB	1899	A	O4'-C1'-N9	5.62	112.69	108.20
26	BB	2201	G	C5'-C4'-C3'	5.62	124.98	116.00
26	BB	2340	A	O4'-C4'-C3'	5.62	110.59	106.10
26	BB	2364	C	C2-N1-C1'	-5.62	112.62	118.80
26	BB	2513	A	C5-C6-N6	-5.62	119.21	123.70
26	BB	2597	G	N3-C4-N9	5.62	129.37	126.00
26	BB	2721	A	N1-C6-N6	5.62	121.97	118.60
1	AA	715	A	O4'-C1'-N9	-5.61	103.71	108.20
1	AA	1002	G	C6-C5-N7	-5.61	127.03	130.40
1	AA	1411	C	C4'-C3'-C2'	-5.61	96.99	102.60
26	BB	366	C	C6-N1-C2	-5.61	118.06	120.30
26	BB	368	A	C4'-C3'-C2'	-5.61	96.99	102.60
26	BB	1792	G	N7-C8-N9	5.61	115.91	113.10
26	BB	2375	G	N1-C2-N3	-5.61	120.53	123.90
46	BV	3	ARG	NE-CZ-NH2	-5.61	117.49	120.30
1	AA	370	C	C6-N1-C2	-5.61	118.06	120.30
1	AA	875	U	O4'-C1'-N1	5.61	112.69	108.20
1	AA	1273	C	C4-C5-C6	-5.61	114.59	117.40
4	AD	38	A	C2-N3-C4	5.61	113.41	110.60
25	BA	92	C	C2-N3-C4	5.61	122.71	119.90
26	BB	249	C	O4'-C1'-C2'	5.61	112.65	107.60
26	BB	1158	C	C5-C6-N1	5.61	123.81	121.00
26	BB	1444	G	C3'-C2'-C1'	5.61	105.99	101.50
26	BB	1650	A	P-O3'-C3'	-5.61	112.97	119.70
26	BB	2786	U	C5-C6-N1	-5.61	119.89	122.70
1	AA	296	U	C5'-C4'-O4'	-5.61	102.37	109.10
1	AA	445	G	O4'-C1'-N9	5.61	112.69	108.20
1	AA	518	C	N3-C4-N4	5.61	121.93	118.00
1	AA	1225	A	N7-C8-N9	5.61	116.61	113.80
1	AA	1419	G	C8-N9-C1'	-5.61	119.71	127.00
1	AA	1437	A	O5'-P-OP1	5.61	117.43	110.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	AC	53	G	N3-C4-C5	-5.61	125.80	128.60
11	AK	85	TYR	CD1-CE1-CZ	5.61	124.85	119.80
26	BB	428	A	C5-C6-N1	-5.61	114.89	117.70
26	BB	486	C	C4-C5-C6	-5.61	114.59	117.40
26	BB	552	U	N1-C2-N3	5.61	118.27	114.90
26	BB	1443	U	C3'-C2'-C1'	-5.61	97.01	101.50
26	BB	2142	A	N3-C4-C5	-5.61	122.87	126.80
26	BB	2716	C	C4'-C3'-C2'	5.61	108.21	102.60
49	BY	59	PHE	CB-CG-CD1	-5.61	116.87	120.80
1	AA	690	G	O4'-C4'-C3'	5.61	110.59	106.10
3	AC	40	G	C5-C6-O6	5.61	131.97	128.60
3	AC	43	U	C5'-C4'-O4'	-5.61	102.37	109.10
26	BB	907	G	N1-C2-N3	-5.61	120.53	123.90
26	BB	911	A	N1-C2-N3	-5.61	126.50	129.30
26	BB	1368	G	C4-C5-N7	-5.61	108.56	110.80
26	BB	1717	A	C2-N3-C4	-5.61	107.80	110.60
26	BB	2345	G	N3-C4-C5	-5.61	125.80	128.60
26	BB	2864	G	C5'-C4'-O4'	5.61	115.83	109.10
1	AA	226	G	N7-C8-N9	-5.61	110.30	113.10
1	AA	264	C	C5'-C4'-O4'	-5.61	102.37	109.10
1	AA	487	A	C8-N9-C4	-5.61	103.56	105.80
1	AA	965	U	N3-C4-O4	5.61	123.33	119.40
25	BA	71	C	N3-C4-C5	5.61	124.14	121.90
26	BB	71	A	C5-N7-C8	-5.61	101.10	103.90
26	BB	216	A	C3'-C2'-C1'	-5.61	97.02	101.50
26	BB	303	G	N7-C8-N9	-5.61	110.30	113.10
26	BB	365	U	C4'-C3'-C2'	-5.61	96.99	102.60
26	BB	986	C	C6-N1-C2	-5.61	118.06	120.30
26	BB	1103	A	C5-C6-N1	5.61	120.50	117.70
26	BB	1358	G	C4-C5-N7	-5.61	108.56	110.80
26	BB	1786	A	O4'-C1'-N9	5.61	112.69	108.20
26	BB	1926	U	C1'-O4'-C4'	-5.61	105.41	109.90
26	BB	1948	G	C5'-C4'-O4'	5.61	115.83	109.10
26	BB	2125	G	P-O5'-C5'	5.61	129.87	120.90
26	BB	2373	G	C4'-C3'-C2'	-5.61	96.99	102.60
26	BB	2510	C	O4'-C1'-N1	5.61	112.69	108.20
26	BB	2534	A	N3-C4-C5	-5.61	122.87	126.80
26	BB	2659	G	N3-C4-N9	5.61	129.37	126.00
39	BO	104	GLU	OE1-CD-OE2	5.61	130.03	123.30
1	AA	65	A	N1-C6-N6	-5.61	115.24	118.60
1	AA	133	U	C2-N3-C4	-5.61	123.64	127.00
1	AA	184	G	N1-C2-N3	5.61	127.26	123.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	274	A	C2-N3-C4	5.61	113.40	110.60
1	AA	337	G	C6-N1-C2	-5.61	121.74	125.10
1	AA	418	C	O4'-C1'-N1	5.61	112.69	108.20
1	AA	859	G	C2-N3-C4	5.61	114.70	111.90
1	AA	1366	C	N1-C2-O2	5.61	122.26	118.90
26	BB	581	C	C4-C5-C6	-5.61	114.60	117.40
26	BB	789	A	O4'-C1'-N9	5.61	112.68	108.20
26	BB	969	G	O4'-C4'-C3'	-5.61	98.39	104.00
26	BB	1021	A	O4'-C1'-N9	5.61	112.69	108.20
26	BB	1736	U	N1-C2-N3	5.61	118.26	114.90
26	BB	2213	U	O4'-C4'-C3'	5.61	110.58	106.10
26	BB	2539	C	C4'-C3'-C2'	-5.61	96.99	102.60
26	BB	2703	C	C5-C6-N1	5.61	123.80	121.00
29	BE	125	TRP	NE1-CE2-CD2	-5.61	101.69	107.30
1	AA	660	C	C2-N3-C4	5.60	122.70	119.90
26	BB	1537	G	C5-N7-C8	5.60	107.10	104.30
32	BH	163	TYR	CD1-CE1-CZ	5.60	124.84	119.80
1	AA	858	G	N9-C4-C5	5.60	107.64	105.40
1	AA	928	G	C4'-C3'-C2'	-5.60	97.00	102.60
1	AA	1018	G	N9-C4-C5	-5.60	103.16	105.40
1	AA	1040	U	N1-C2-N3	5.60	118.26	114.90
1	AA	1339	A	C6-C5-N7	-5.60	128.38	132.30
1	AA	1394	A	C8-N9-C4	-5.60	103.56	105.80
7	AG	103	ARG	NH1-CZ-NH2	-5.60	113.24	119.40
25	BA	107	G	N1-C2-N3	-5.60	120.54	123.90
26	BB	176	A	P-O3'-C3'	5.60	126.42	119.70
26	BB	209	C	C5'-C4'-O4'	5.60	115.82	109.10
26	BB	534	U	O4'-C4'-C3'	-5.60	98.40	104.00
26	BB	750	A	P-O5'-C5'	5.60	129.87	120.90
26	BB	865	C	N3-C4-C5	5.60	124.14	121.90
26	BB	939	G	C4-C5-C6	-5.60	115.44	118.80
26	BB	1067	A	C5-N7-C8	-5.60	101.10	103.90
26	BB	1127	A	C6-N1-C2	5.60	121.96	118.60
26	BB	1389	G	C5'-C4'-O4'	5.60	115.82	109.10
26	BB	1604	C	N3-C4-C5	5.60	124.14	121.90
26	BB	2067	G	C1'-O4'-C4'	-5.60	105.42	109.90
26	BB	2375	G	O4'-C1'-N9	5.60	112.68	108.20
1	AA	688	G	N9-C1'-C2'	-5.60	105.84	112.00
4	AD	10	G	N1-C6-O6	-5.60	116.54	119.90
4	AD	77	A	N1-C6-N6	-5.60	115.24	118.60
26	BB	45	G	N9-C4-C5	5.60	107.64	105.40
26	BB	842	U	P-O3'-C3'	5.60	126.42	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	899	A	N7-C8-N9	5.60	116.60	113.80
26	BB	1240	U	O4'-C1'-N1	5.60	112.68	108.20
26	BB	2002	G	C4-N9-C1'	-5.60	119.22	126.50
26	BB	2161	C	N3-C4-N4	-5.60	114.08	118.00
26	BB	2602	A	N1-C6-N6	5.60	121.96	118.60
1	AA	485	U	N1-C1'-C2'	5.60	121.28	114.00
1	AA	521	G	C5-C6-N1	-5.60	108.70	111.50
1	AA	1038	C	N3-C4-C5	5.60	124.14	121.90
26	BB	50	U	C2-N3-C4	-5.60	123.64	127.00
26	BB	350	G	N1-C2-N2	5.60	121.24	116.20
26	BB	829	A	N1-C2-N3	-5.60	126.50	129.30
26	BB	1234	U	N3-C4-O4	-5.60	115.48	119.40
26	BB	1935	G	C5'-C4'-C3'	-5.60	107.04	116.00
26	BB	2736	A	C5'-C4'-O4'	5.60	115.82	109.10
26	BB	2748	A	N1-C2-N3	-5.60	126.50	129.30
1	AA	11	G	C5-C6-N1	-5.60	108.70	111.50
1	AA	134	G	N3-C4-N9	-5.60	122.64	126.00
1	AA	152	A	C1'-O4'-C4'	5.60	114.38	109.90
1	AA	311	C	C1'-O4'-C4'	-5.60	105.42	109.90
1	AA	1210	C	N3-C4-N4	-5.60	114.08	118.00
1	AA	1452	C	N1-C2-N3	-5.60	115.28	119.20
1	AA	1475	G	C6-C5-N7	-5.60	127.04	130.40
4	AD	36	A	C4-C5-C6	-5.60	114.20	117.00
26	BB	321	U	C4-C5-C6	5.60	123.06	119.70
26	BB	1206	G	C4-C5-C6	-5.60	115.44	118.80
26	BB	1651	G	N3-C4-N9	5.60	129.36	126.00
26	BB	1714	U	C4'-C3'-C2'	-5.60	97.00	102.60
26	BB	1844	C	N3-C4-C5	-5.60	119.66	121.90
26	BB	2889	C	C4-C5-C6	-5.60	114.60	117.40
39	BO	108	VAL	CA-CB-CG1	5.60	119.30	110.90
1	AA	697	U	C5'-C4'-C3'	-5.60	107.05	116.00
1	AA	897	C	C5'-C4'-O4'	5.60	115.81	109.10
26	BB	894	U	C2-N3-C4	-5.60	123.64	127.00
26	BB	1427	A	O4'-C1'-N9	5.60	112.68	108.20
26	BB	2308	G	N1-C2-N3	-5.60	120.54	123.90
1	AA	432	A	N3-C4-C5	5.59	130.72	126.80
1	AA	568	G	C5-C6-N1	5.59	114.30	111.50
1	AA	873	A	O4'-C4'-C3'	5.59	110.58	106.10
1	AA	1132	C	C5'-C4'-C3'	-5.59	107.05	116.00
1	AA	1147	C	C4-C5-C6	-5.59	114.60	117.40
1	AA	1155	A	C5'-C4'-O4'	5.59	115.81	109.10
7	AG	153	ARG	CD-NE-CZ	5.59	131.43	123.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	151	C	O4'-C4'-C3'	5.59	110.58	106.10
26	BB	158	U	O4'-C1'-C2'	-5.59	100.20	105.80
26	BB	212	G	C2-N3-C4	5.59	114.70	111.90
26	BB	661	A	C2-N3-C4	5.59	113.40	110.60
26	BB	802	A	C4-C5-N7	-5.59	107.90	110.70
26	BB	962	G	O4'-C4'-C3'	-5.59	98.41	104.00
26	BB	1167	C	N1-C2-O2	5.59	122.26	118.90
26	BB	1865	U	C4-C5-C6	5.59	123.06	119.70
26	BB	2135	A	C4-C5-N7	-5.59	107.90	110.70
26	BB	2646	C	C4-C5-C6	-5.59	114.60	117.40
26	BB	2746	U	C1'-O4'-C4'	-5.59	105.42	109.90
26	BB	2898	U	C4-C5-C6	5.59	123.06	119.70
41	BQ	10	ARG	NE-CZ-NH2	-5.59	117.50	120.30
54	B3	16	ARG	NE-CZ-NH2	5.59	123.10	120.30
1	AA	405	U	C6-N1-C2	5.59	124.36	121.00
1	AA	420	U	C4-C5-C6	5.59	123.06	119.70
1	AA	499	A	O5'-P-OP2	-5.59	100.67	105.70
1	AA	1194	U	C4'-C3'-C2'	-5.59	97.01	102.60
1	AA	1332	A	P-O3'-C3'	5.59	126.41	119.70
26	BB	670	A	O4'-C4'-C3'	5.59	110.57	106.10
26	BB	721	A	C5'-C4'-O4'	5.59	115.81	109.10
26	BB	776	G	N3-C4-C5	-5.59	125.80	128.60
26	BB	1317	G	C8-N9-C1'	5.59	134.27	127.00
26	BB	1628	G	C6-N1-C2	-5.59	121.74	125.10
26	BB	2720	U	C5-C6-N1	5.59	125.50	122.70
26	BB	2902	C	N1-C2-O2	5.59	122.26	118.90
1	AA	119	A	C5-C6-N1	-5.59	114.91	117.70
1	AA	206	C	C5-C4-N4	5.59	124.11	120.20
1	AA	691	G	C5-N7-C8	-5.59	101.50	104.30
1	AA	889	A	N1-C6-N6	-5.59	115.25	118.60
1	AA	1127	G	C3'-C2'-C1'	-5.59	97.03	101.50
1	AA	1361	G	C2-N3-C4	5.59	114.70	111.90
4	AD	32	G	C5'-C4'-C3'	5.59	124.95	116.00
4	AD	67	C	C5'-C4'-C3'	5.59	124.95	116.00
26	BB	287	G	C2-N3-C4	5.59	114.70	111.90
26	BB	1010	A	P-O3'-C3'	5.59	126.41	119.70
26	BB	1565	C	N3-C4-C5	-5.59	119.66	121.90
26	BB	1748	C	O4'-C1'-N1	5.59	112.67	108.20
26	BB	2116	G	C6-N1-C2	-5.59	121.75	125.10
26	BB	2581	G	C6-C5-N7	-5.59	127.05	130.40
26	BB	2703	C	C5-C4-N4	-5.59	116.29	120.20
26	BB	2812	G	C2-N3-C4	-5.59	109.10	111.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
37	BM	4	GLU	CB-CA-C	5.59	121.58	110.40
1	AA	101	A	C5'-C4'-O4'	5.59	115.81	109.10
1	AA	388	G	N9-C4-C5	5.59	107.64	105.40
1	AA	454	G	N3-C2-N2	-5.59	115.99	119.90
1	AA	558	G	O4'-C1'-N9	-5.59	103.73	108.20
1	AA	1148	U	N3-C4-O4	5.59	123.31	119.40
1	AA	1218	C	N3-C4-C5	-5.59	119.66	121.90
1	AA	1440	U	C1'-O4'-C4'	5.59	114.37	109.90
1	AA	1455	G	C4-N9-C1'	-5.59	119.23	126.50
2	AB	60	U	O4'-C4'-C3'	5.59	110.57	106.10
2	AB	67	G	C4'-C3'-C2'	-5.59	97.01	102.60
26	BB	139	U	C5'-C4'-O4'	-5.59	102.39	109.10
26	BB	141	G	C5'-C4'-C3'	-5.59	107.06	116.00
26	BB	497	A	N7-C8-N9	-5.59	111.00	113.80
26	BB	1766	G	P-O3'-C3'	5.59	126.41	119.70
26	BB	2412	A	C6-C5-N7	5.59	136.21	132.30
26	BB	2484	G	N1-C6-O6	-5.59	116.55	119.90
26	BB	2597	G	C4-C5-C6	5.59	122.15	118.80
29	BE	141	ARG	NE-CZ-NH2	-5.59	117.50	120.30
1	AA	300	A	C8-N9-C4	-5.59	103.56	105.80
1	AA	1149	C	C3'-C2'-C1'	5.59	105.97	101.50
3	AC	55	A	C5-C6-N6	-5.59	119.23	123.70
26	BB	1171	G	C8-N9-C4	5.59	108.64	106.40
26	BB	2490	G	C5-C6-O6	-5.59	125.25	128.60
26	BB	2808	G	C4-C5-C6	5.59	122.15	118.80
1	AA	228	A	C4'-C3'-C2'	-5.59	97.01	102.60
1	AA	270	A	P-O3'-C3'	5.59	126.40	119.70
1	AA	778	G	C5-C6-O6	-5.59	125.25	128.60
1	AA	787	A	C4-C5-C6	-5.59	114.21	117.00
1	AA	823	C	C5-C6-N1	-5.59	118.21	121.00
1	AA	906	A	C5'-C4'-C3'	-5.59	107.06	116.00
26	BB	307	G	C6-C5-N7	-5.59	127.05	130.40
26	BB	453	A	P-O3'-C3'	5.59	126.40	119.70
26	BB	495	G	O4'-C1'-C2'	-5.59	100.21	105.80
26	BB	666	A	C2-N3-C4	5.59	113.39	110.60
26	BB	752	A	C8-N9-C4	-5.59	103.56	105.80
26	BB	1144	A	P-O3'-C3'	5.59	126.40	119.70
26	BB	1314	C	C2-N3-C4	5.59	122.69	119.90
26	BB	1578	U	N3-C4-O4	5.59	123.31	119.40
26	BB	1636	U	C5'-C4'-O4'	5.59	115.80	109.10
26	BB	2424	C	C5'-C4'-C3'	-5.59	107.06	116.00
26	BB	2613	U	C6-N1-C2	-5.59	117.65	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2783	U	O4'-C1'-N1	5.59	112.67	108.20
26	BB	1297	C	O5'-P-OP1	-5.58	100.67	105.70
26	BB	1733	G	O4'-C1'-N9	5.58	112.67	108.20
26	BB	2488	G	C5-C6-N1	5.58	114.29	111.50
28	BD	206	LYS	CA-CB-CG	5.58	125.69	113.40
40	BP	108	ALA	N-CA-CB	-5.58	102.28	110.10
1	AA	281	G	C4'-C3'-C2'	5.58	108.18	102.60
1	AA	814	A	P-O3'-C3'	5.58	126.40	119.70
1	AA	1271	A	N9-C4-C5	5.58	108.03	105.80
2	AB	62	U	C5'-C4'-O4'	5.58	115.80	109.10
25	BA	22	U	C2-N3-C4	-5.58	123.65	127.00
25	BA	90	C	N1-C2-O2	5.58	122.25	118.90
26	BB	67	U	C5-C6-N1	5.58	125.49	122.70
26	BB	321	U	N3-C4-O4	5.58	123.31	119.40
26	BB	684	G	N1-C6-O6	-5.58	116.55	119.90
26	BB	885	C	C3'-C2'-C1'	5.58	105.97	101.50
26	BB	971	G	O4'-C1'-N9	5.58	112.67	108.20
26	BB	1068	G	C4-C5-C6	5.58	122.15	118.80
26	BB	1552	A	C2-N3-C4	-5.58	107.81	110.60
26	BB	1597	A	N3-C4-C5	-5.58	122.89	126.80
26	BB	1785	A	C4'-C3'-C2'	-5.58	97.02	102.60
26	BB	1887	C	C3'-C2'-C1'	-5.58	97.03	101.50
26	BB	2735	G	C5-C6-N1	5.58	114.29	111.50
26	BB	2832	U	C2-N3-C4	-5.58	123.65	127.00
28	BD	95	TYR	CZ-CE2-CD2	5.58	124.82	119.80
44	BT	89	HIS	CA-CB-CG	5.58	123.09	113.60
1	AA	182	A	C4-C5-C6	-5.58	114.21	117.00
1	AA	316	C	C4-C5-C6	-5.58	114.61	117.40
1	AA	341	C	C5-C4-N4	5.58	124.11	120.20
1	AA	1327	C	C5-C4-N4	-5.58	116.29	120.20
1	AA	1386	G	O4'-C4'-C3'	5.58	110.56	106.10
26	BB	124	G	C5-N7-C8	5.58	107.09	104.30
26	BB	369	U	N3-C4-O4	5.58	123.31	119.40
26	BB	372	G	C5'-C4'-O4'	5.58	115.80	109.10
26	BB	777	G	C8-N9-C4	-5.58	104.17	106.40
26	BB	792	A	N3-C4-C5	-5.58	122.89	126.80
26	BB	1227	G	N3-C2-N2	5.58	123.81	119.90
26	BB	1317	G	C5-C6-O6	5.58	131.95	128.60
26	BB	1474	U	C4'-C3'-C2'	-5.58	97.02	102.60
26	BB	1503	A	C5-N7-C8	-5.58	101.11	103.90
26	BB	1861	G	C2-N3-C4	5.58	114.69	111.90
26	BB	1933	G	C5-N7-C8	5.58	107.09	104.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1981	A	P-O3'-C3'	5.58	126.40	119.70
26	BB	2146	C	P-O5'-C5'	5.58	129.83	120.90
26	BB	2202	U	C4-C5-C6	5.58	123.05	119.70
31	BG	82	TYR	CB-CG-CD2	5.58	124.35	121.00
1	AA	1340	A	N1-C2-N3	-5.58	126.51	129.30
1	AA	1365	G	C6-N1-C2	-5.58	121.75	125.10
26	BB	422	A	C4-C5-C6	5.58	119.79	117.00
26	BB	841	G	C5-N7-C8	-5.58	101.51	104.30
26	BB	885	C	O4'-C1'-N1	-5.58	103.74	108.20
26	BB	1646	C	N1-C2-O2	5.58	122.25	118.90
26	BB	1817	G	C5-C6-N1	5.58	114.29	111.50
26	BB	2092	U	C4'-C3'-C2'	-5.58	97.02	102.60
26	BB	2500	U	C1'-O4'-C4'	-5.58	105.44	109.90
1	AA	14	U	O4'-C1'-N1	5.58	112.66	108.20
1	AA	190	A	O4'-C1'-C2'	-5.58	100.22	105.80
1	AA	363	A	O4'-C4'-C3'	5.58	110.56	106.10
1	AA	484	G	C6-C5-N7	-5.58	127.05	130.40
1	AA	730	G	C8-N9-C4	-5.58	104.17	106.40
1	AA	1424	U	C5-C6-N1	5.58	125.49	122.70
26	BB	49	A	N1-C6-N6	-5.58	115.25	118.60
26	BB	1147	A	C8-N9-C4	-5.58	103.57	105.80
26	BB	1199	U	N3-C4-C5	-5.58	111.25	114.60
26	BB	1973	G	O3'-P-O5'	-5.58	93.40	104.00
26	BB	2159	G	N9-C4-C5	5.58	107.63	105.40
26	BB	2554	U	C5'-C4'-C3'	-5.58	107.07	116.00
26	BB	2737	G	O4'-C1'-N9	5.58	112.66	108.20
26	BB	2852	G	C4'-C3'-C2'	-5.58	97.02	102.60
48	BX	40	ILE	CA-CB-CG1	5.58	121.60	111.00
1	AA	394	G	C4'-C3'-C2'	-5.58	97.02	102.60
1	AA	519	C	C4-C5-C6	5.58	120.19	117.40
1	AA	1187	G	C6-C5-N7	-5.58	127.05	130.40
26	BB	82	U	C4'-C3'-C2'	-5.58	97.02	102.60
26	BB	2162	G	C6-N1-C2	-5.58	121.75	125.10
26	BB	2689	U	O4'-C4'-C3'	5.58	110.56	106.10
1	AA	170	U	C5-C4-O4	5.58	129.25	125.90
1	AA	292	G	O4'-C1'-N9	5.58	112.66	108.20
1	AA	385	C	C2-N3-C4	5.58	122.69	119.90
1	AA	405	U	C2-N3-C4	-5.58	123.65	127.00
1	AA	997	U	C5-C6-N1	5.58	125.49	122.70
1	AA	1341	U	C5'-C4'-C3'	-5.58	107.08	116.00
1	AA	1428	A	C1'-O4'-C4'	-5.58	105.44	109.90
1	AA	1451	U	N1-C2-O2	-5.58	118.90	122.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1526	G	C5-C6-O6	-5.58	125.25	128.60
4	AD	39	A	O4'-C1'-N9	5.58	112.66	108.20
25	BA	76	G	C6-N1-C2	-5.58	121.75	125.10
26	BB	238	C	C2-N3-C4	-5.58	117.11	119.90
26	BB	253	C	O4'-C1'-N1	5.58	112.66	108.20
26	BB	702	U	C5-C6-N1	5.58	125.49	122.70
26	BB	984	A	O4'-C1'-N9	5.58	112.66	108.20
26	BB	1136	G	N1-C2-N3	5.58	127.25	123.90
26	BB	1304	A	C5-C6-N1	-5.58	114.91	117.70
26	BB	1555	G	C5-N7-C8	5.58	107.09	104.30
26	BB	2083	G	N3-C4-N9	5.58	129.35	126.00
26	BB	2293	G	C5'-C4'-C3'	-5.58	107.08	116.00
26	BB	2397	G	N1-C2-N3	-5.58	120.56	123.90
26	BB	2500	U	C5'-C4'-O4'	5.58	115.79	109.10
26	BB	2626	C	C5-C4-N4	-5.58	116.30	120.20
26	BB	2678	C	N3-C4-C5	-5.58	119.67	121.90
28	BD	224	MET	CG-SD-CE	5.58	109.12	100.20
4	AD	7	G	N3-C2-N2	5.57	123.80	119.90
25	BA	108	A	C5-C6-N1	5.57	120.49	117.70
26	BB	209	C	C5-C4-N4	-5.57	116.30	120.20
26	BB	1330	C	C3'-C2'-C1'	-5.57	97.04	101.50
26	BB	1553	A	C4'-C3'-C2'	-5.57	97.03	102.60
26	BB	1604	C	C6-N1-C2	-5.57	118.07	120.30
26	BB	1653	G	N3-C4-N9	-5.57	122.66	126.00
26	BB	1785	A	C6-N1-C2	-5.57	115.25	118.60
26	BB	1998	A	O4'-C4'-C3'	-5.57	98.43	104.00
26	BB	2119	A	C5'-C4'-O4'	-5.57	102.41	109.10
26	BB	2414	G	C5'-C4'-O4'	5.57	115.79	109.10
26	BB	2600	A	P-O3'-C3'	5.57	126.39	119.70
26	BB	2629	U	C5'-C4'-O4'	-5.57	102.41	109.10
26	BB	2707	U	O4'-C1'-N1	5.57	112.66	108.20
26	BB	2802	G	N9-C4-C5	5.57	107.63	105.40
1	AA	897	C	C5-C6-N1	5.57	123.79	121.00
1	AA	1343	G	C5-C6-N1	-5.57	108.71	111.50
1	AA	1381	U	N3-C4-C5	-5.57	111.26	114.60
1	AA	1463	U	N1-C2-O2	-5.57	118.90	122.80
4	AD	37	U	C2-N3-C4	-5.57	123.66	127.00
12	AL	20	ILE	CA-CB-CG1	5.57	121.59	111.00
26	BB	228	C	C4-C5-C6	5.57	120.19	117.40
26	BB	1108	U	N1-C2-O2	-5.57	118.90	122.80
26	BB	1630	A	C5-C6-N1	5.57	120.49	117.70
26	BB	2776	A	O4'-C4'-C3'	5.57	110.56	106.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	160	A	C4-C5-N7	5.57	113.48	110.70
1	AA	282	A	C5-C6-N1	5.57	120.48	117.70
1	AA	602	A	C5-N7-C8	5.57	106.69	103.90
1	AA	978	A	C6-N1-C2	-5.57	115.26	118.60
1	AA	1031	C	C1'-O4'-C4'	5.57	114.36	109.90
1	AA	1507	A	C5-N7-C8	-5.57	101.11	103.90
2	AB	50	G	N7-C8-N9	5.57	115.89	113.10
3	AC	31	U	N3-C4-C5	-5.57	111.26	114.60
26	BB	641	U	C2-N1-C1'	5.57	124.39	117.70
26	BB	909	A	C2-N3-C4	5.57	113.39	110.60
26	BB	1288	G	N7-C8-N9	5.57	115.89	113.10
26	BB	2237	G	N7-C8-N9	5.57	115.89	113.10
26	BB	2336	A	OP1-P-O3'	5.57	117.46	105.20
26	BB	2688	G	N3-C4-C5	-5.57	125.81	128.60
26	BB	2729	G	N1-C2-N2	5.57	121.21	116.20
26	BB	2821	A	O4'-C1'-N9	5.57	112.66	108.20
53	B2	44	PHE	CB-CG-CD2	5.57	124.70	120.80
1	AA	747	A	C6-C5-N7	-5.57	128.40	132.30
1	AA	1182	G	C4-C5-N7	5.57	113.03	110.80
1	AA	1454	G	C5'-C4'-O4'	5.57	115.78	109.10
26	BB	503	A	C3'-C2'-C1'	5.57	105.95	101.50
26	BB	749	A	C8-N9-C4	5.57	108.03	105.80
26	BB	921	C	C5-C6-N1	5.57	123.78	121.00
26	BB	1900	A	C4-C5-C6	-5.57	114.22	117.00
26	BB	2563	U	C5'-C4'-O4'	5.57	115.78	109.10
1	AA	201	G	C5'-C4'-C3'	-5.57	107.09	116.00
1	AA	1078	U	C5-C6-N1	-5.57	119.92	122.70
1	AA	1183	U	C4'-C3'-C2'	-5.57	97.03	102.60
1	AA	1212	U	O4'-C4'-C3'	5.57	110.55	106.10
1	AA	1226	C	C2'-C3'-O3'	5.57	122.61	113.70
1	AA	1508	A	N1-C6-N6	5.57	121.94	118.60
26	BB	163	C	N3-C2-O2	-5.57	118.00	121.90
26	BB	1117	C	N1-C2-O2	5.57	122.24	118.90
26	BB	1328	A	N1-C6-N6	-5.57	115.26	118.60
26	BB	1599	U	P-O3'-C3'	5.57	126.38	119.70
26	BB	1976	U	P-O3'-C3'	5.57	126.38	119.70
26	BB	2055	C	C1'-O4'-C4'	-5.57	105.45	109.90
26	BB	2603	G	C5-C6-N1	-5.57	108.72	111.50
26	BB	2741	A	N7-C8-N9	-5.57	111.02	113.80
26	BB	2756	U	N3-C4-C5	5.57	117.94	114.60
1	AA	74	A	C4-C5-N7	-5.57	107.92	110.70
1	AA	496	A	C5'-C4'-O4'	5.57	115.78	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	677	U	C3'-C2'-C1'	5.57	105.95	101.50
1	AA	862	C	N3-C4-N4	5.57	121.90	118.00
1	AA	1217	C	C6-N1-C1'	5.57	127.48	120.80
1	AA	1225	A	C6-C5-N7	5.57	136.20	132.30
1	AA	1231	G	N1-C6-O6	5.57	123.24	119.90
25	BA	34	A	C8-N9-C4	-5.57	103.57	105.80
26	BB	1028	A	C5-C6-N6	-5.57	119.25	123.70
26	BB	1325	U	N3-C2-O2	-5.57	118.30	122.20
26	BB	1456	G	N1-C2-N3	5.57	127.24	123.90
26	BB	1670	C	C5-C6-N1	-5.57	118.22	121.00
26	BB	1901	A	N1-C6-N6	5.57	121.94	118.60
26	BB	1970	A	N9-C4-C5	5.57	108.03	105.80
26	BB	2256	G	N9-C4-C5	5.57	107.63	105.40
26	BB	2361	G	C5-C6-N1	-5.57	108.72	111.50
26	BB	2797	U	N3-C4-C5	-5.57	111.26	114.60
26	BB	2813	A	O4'-C1'-N9	5.57	112.65	108.20
1	AA	389	A	C3'-C2'-C1'	-5.56	97.05	101.50
1	AA	821	G	C1'-O4'-C4'	-5.56	105.45	109.90
1	AA	1180	A	C4-C5-N7	-5.56	107.92	110.70
1	AA	1437	A	C1'-O4'-C4'	-5.56	105.45	109.90
3	AC	15	G	C2-N3-C4	5.56	114.68	111.90
26	BB	176	A	C2-N3-C4	5.56	113.38	110.60
26	BB	1601	G	N3-C4-N9	5.56	129.34	126.00
26	BB	2833	U	N3-C2-O2	-5.56	118.31	122.20
26	BB	2839	G	C4-C5-N7	5.56	113.03	110.80
1	AA	122	G	N1-C2-N2	-5.56	111.19	116.20
1	AA	294	U	N1-C2-N3	5.56	118.24	114.90
1	AA	359	G	C6-C5-N7	-5.56	127.06	130.40
1	AA	648	A	C1'-O4'-C4'	5.56	114.35	109.90
1	AA	939	G	C4-C5-C6	5.56	122.14	118.80
1	AA	1260	G	N3-C2-N2	5.56	123.79	119.90
1	AA	1388	C	C2-N3-C4	5.56	122.68	119.90
25	BA	99	A	C4-C5-C6	-5.56	114.22	117.00
26	BB	107	G	C5-C6-O6	-5.56	125.26	128.60
26	BB	352	A	C2-N3-C4	-5.56	107.82	110.60
26	BB	632	A	C3'-C2'-C1'	5.56	105.95	101.50
26	BB	1201	U	C4-C5-C6	5.56	123.04	119.70
46	BV	86	THR	CA-CB-CG2	5.56	120.19	112.40
1	AA	26	A	C8-N9-C4	-5.56	103.58	105.80
1	AA	38	G	N1-C6-O6	-5.56	116.56	119.90
1	AA	138	G	C5-C6-O6	-5.56	125.26	128.60
26	BB	1406	U	N3-C4-O4	-5.56	115.51	119.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1511	G	O4'-C1'-N9	5.56	112.65	108.20
26	BB	1684	G	N9-C4-C5	5.56	107.62	105.40
26	BB	2001	C	C4'-C3'-C2'	-5.56	97.04	102.60
1	AA	1079	G	C8-N9-C4	-5.56	104.18	106.40
1	AA	1081	A	N1-C6-N6	5.56	121.94	118.60
1	AA	1469	C	N3-C4-C5	-5.56	119.68	121.90
2	AB	9	A	C5-C6-N6	-5.56	119.25	123.70
25	BA	74	U	N3-C2-O2	-5.56	118.31	122.20
26	BB	245	G	C6-N1-C2	-5.56	121.76	125.10
26	BB	286	U	N1-C2-N3	5.56	118.24	114.90
26	BB	508	A	C8-N9-C4	5.56	108.02	105.80
26	BB	622	G	N1-C6-O6	5.56	123.24	119.90
26	BB	976	G	C2-N3-C4	-5.56	109.12	111.90
26	BB	1139	G	C1'-O4'-C4'	5.56	114.35	109.90
26	BB	1893	C	C5-C4-N4	5.56	124.09	120.20
26	BB	1899	A	N3-C4-C5	-5.56	122.91	126.80
26	BB	2404	U	C1'-O4'-C4'	5.56	114.35	109.90
26	BB	2466	C	C2-N3-C4	-5.56	117.12	119.90
26	BB	2895	G	C3'-C2'-C1'	5.56	105.95	101.50
26	BB	2895	G	N1-C2-N3	-5.56	120.56	123.90
36	BL	18	VAL	CA-CB-CG2	-5.56	102.56	110.90
37	BM	100	PHE	CB-CG-CD2	-5.56	116.91	120.80
56	B5	33	ARG	NH1-CZ-NH2	-5.56	113.28	119.40
1	AA	78	A	C2-N3-C4	5.56	113.38	110.60
1	AA	203	G	C3'-C2'-C1'	-5.56	97.05	101.50
1	AA	819	A	C1'-O4'-C4'	-5.56	105.45	109.90
1	AA	942	G	C4-C5-N7	-5.56	108.58	110.80
1	AA	1439	G	C1'-O4'-C4'	5.56	114.35	109.90
2	AB	24	G	N1-C2-N3	-5.56	120.57	123.90
2	AB	53	G	C5'-C4'-C3'	-5.56	107.11	116.00
26	BB	94	A	C4-C5-N7	5.56	113.48	110.70
26	BB	114	U	C5-C6-N1	-5.56	119.92	122.70
26	BB	381	G	C5-C6-N1	5.56	114.28	111.50
26	BB	453	A	C4-C5-C6	5.56	119.78	117.00
26	BB	682	G	C5-N7-C8	5.56	107.08	104.30
26	BB	810	U	O4'-C4'-C3'	5.56	110.55	106.10
26	BB	892	A	C5-C6-N1	-5.56	114.92	117.70
26	BB	1472	C	C5-C4-N4	-5.56	116.31	120.20
26	BB	1495	A	C4-C5-N7	5.56	113.48	110.70
26	BB	1548	A	C5-N7-C8	-5.56	101.12	103.90
26	BB	2143	C	C4-C5-C6	-5.56	114.62	117.40
26	BB	2410	G	N7-C8-N9	5.56	115.88	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2842	G	C4-C5-C6	5.56	122.13	118.80
26	BB	2862	G	C5-N7-C8	-5.56	101.52	104.30
26	BB	2868	A	P-O3'-C3'	5.56	126.37	119.70
1	AA	142	G	N1-C6-O6	5.56	123.23	119.90
1	AA	262	A	N7-C8-N9	-5.56	111.02	113.80
1	AA	929	G	C6-N1-C2	-5.56	121.77	125.10
26	BB	1043	C	O4'-C1'-N1	5.56	112.64	108.20
26	BB	1332	G	C5-C6-O6	5.56	131.93	128.60
26	BB	1439	A	C4-C5-C6	5.56	119.78	117.00
26	BB	1823	G	C4-C5-C6	5.56	122.13	118.80
1	AA	202	G	N9-C1'-C2'	-5.55	105.89	112.00
1	AA	317	U	O4'-C1'-N1	5.55	112.64	108.20
1	AA	1050	G	C3'-C2'-C1'	-5.55	97.06	101.50
1	AA	1232	U	O5'-C5'-C4'	5.55	122.25	111.70
1	AA	1250	A	N9-C1'-C2'	-5.55	105.89	112.00
1	AA	1444	U	C2-N3-C4	-5.55	123.67	127.00
1	AA	1477	U	C4'-C3'-C2'	-5.55	97.05	102.60
2	AB	44	G	C3'-C2'-C1'	-5.55	97.06	101.50
26	BB	175	G	C8-N9-C1'	5.55	134.22	127.00
26	BB	229	C	C5'-C4'-O4'	5.55	115.77	109.10
26	BB	266	G	C5-N7-C8	-5.55	101.52	104.30
26	BB	810	U	C5-C6-N1	5.55	125.48	122.70
26	BB	880	G	C5-C6-N1	5.55	114.28	111.50
26	BB	897	C	C5-C4-N4	-5.55	116.31	120.20
26	BB	1023	U	C1'-O4'-C4'	-5.55	105.46	109.90
26	BB	1206	G	C2-N3-C4	5.55	114.68	111.90
26	BB	1508	A	P-O3'-C3'	5.55	126.37	119.70
26	BB	1598	A	C5'-C4'-C3'	-5.55	107.11	116.00
26	BB	2065	C	N1-C2-N3	5.55	123.09	119.20
26	BB	2409	G	C5-C6-O6	-5.55	125.27	128.60
26	BB	2536	G	C4-C5-C6	5.55	122.13	118.80
26	BB	2613	U	P-O3'-C3'	5.55	126.36	119.70
26	BB	2664	G	P-O5'-C5'	5.55	129.79	120.90
26	BB	2814	A	C5'-C4'-O4'	5.55	115.77	109.10
1	AA	434	U	O5'-P-OP2	-5.55	100.70	105.70
1	AA	619	U	N3-C4-O4	5.55	123.29	119.40
1	AA	1236	A	N1-C6-N6	-5.55	115.27	118.60
25	BA	89	U	C3'-C2'-C1'	5.55	105.94	101.50
26	BB	1706	C	C6-N1-C2	-5.55	118.08	120.30
26	BB	1928	A	C1'-O4'-C4'	-5.55	105.46	109.90
26	BB	2092	U	O4'-C4'-C3'	5.55	110.54	106.10
26	BB	2263	C	C2-N3-C4	5.55	122.68	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	160	A	C3'-C2'-C1'	5.55	105.94	101.50
1	AA	628	G	C8-N9-C1'	5.55	134.22	127.00
1	AA	707	U	O3'-P-O5'	-5.55	93.45	104.00
1	AA	904	U	C2-N3-C4	-5.55	123.67	127.00
1	AA	1046	A	C8-N9-C4	5.55	108.02	105.80
2	AB	34	C	N3-C4-N4	5.55	121.89	118.00
8	AH	20	VAL	CA-CB-CG2	5.55	119.23	110.90
26	BB	286	U	C5'-C4'-O4'	5.55	115.76	109.10
26	BB	378	C	N3-C2-O2	-5.55	118.01	121.90
26	BB	862	G	N3-C2-N2	5.55	123.79	119.90
26	BB	1082	U	N3-C4-C5	-5.55	111.27	114.60
26	BB	1191	G	N1-C6-O6	5.55	123.23	119.90
26	BB	1276	A	C2-N3-C4	-5.55	107.83	110.60
26	BB	1291	C	C5-C6-N1	5.55	123.78	121.00
26	BB	1656	C	C5'-C4'-C3'	-5.55	107.12	116.00
26	BB	1853	A	N3-C4-C5	-5.55	122.91	126.80
34	BJ	28	ASP	N-CA-CB	-5.55	100.61	110.60
39	BO	44	ARG	NE-CZ-NH2	-5.55	117.52	120.30
42	BR	107	ALA	CB-CA-C	5.55	118.43	110.10
1	AA	35	G	C8-N9-C1'	5.55	134.21	127.00
1	AA	102	G	C5-C6-N1	5.55	114.27	111.50
1	AA	138	G	N9-C4-C5	5.55	107.62	105.40
1	AA	191	G	N3-C4-C5	-5.55	125.83	128.60
1	AA	244	U	O4'-C1'-N1	5.55	112.64	108.20
1	AA	291	U	C5'-C4'-O4'	5.55	115.76	109.10
1	AA	646	G	C5-C6-N1	5.55	114.28	111.50
1	AA	795	C	N1-C2-N3	5.55	123.08	119.20
1	AA	1039	G	C2-N3-C4	5.55	114.67	111.90
1	AA	1283	U	O4'-C1'-N1	5.55	112.64	108.20
1	AA	1367	C	N1-C1'-C2'	-5.55	105.90	112.00
1	AA	1478	U	C4-C5-C6	5.55	123.03	119.70
1	AA	1482	G	N1-C2-N3	5.55	127.23	123.90
16	AP	106	ARG	NE-CZ-NH1	5.55	123.07	120.30
26	BB	200	U	C3'-C2'-C1'	5.55	105.94	101.50
26	BB	386	G	C5-C6-N1	5.55	114.28	111.50
26	BB	634	C	N1-C2-N3	-5.55	115.31	119.20
26	BB	636	G	N3-C4-N9	5.55	129.33	126.00
26	BB	1130	U	C3'-C2'-C1'	5.55	105.94	101.50
26	BB	1809	A	P-O3'-C3'	5.55	126.36	119.70
26	BB	2337	G	C2-N3-C4	5.55	114.67	111.90
26	BB	2337	G	N3-C4-N9	5.55	129.33	126.00
26	BB	2706	A	C2-N3-C4	5.55	113.37	110.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
34	BJ	115	GLU	OE1-CD-OE2	5.55	129.96	123.30
36	BL	120	ARG	CD-NE-CZ	5.55	131.37	123.60
1	AA	190	A	C1'-O4'-C4'	5.55	114.34	109.90
1	AA	1269	A	N1-C2-N3	-5.55	126.53	129.30
26	BB	2015	A	C5-C6-N1	5.55	120.47	117.70
26	BB	2067	G	N3-C4-C5	-5.55	125.83	128.60
26	BB	2430	A	C4-C5-C6	5.55	119.77	117.00
26	BB	2817	U	O4'-C1'-N1	5.55	112.64	108.20
28	BD	87	SER	O-C-N	-5.55	113.82	122.70
1	AA	128	G	P-O3'-C3'	5.55	126.36	119.70
1	AA	335	C	C5-C6-N1	-5.55	118.23	121.00
1	AA	856	C	C2-N3-C4	5.55	122.67	119.90
1	AA	951	G	N1-C2-N3	-5.55	120.57	123.90
1	AA	1210	C	C4-C5-C6	-5.55	114.63	117.40
1	AA	1270	G	C2-N3-C4	5.55	114.67	111.90
1	AA	1281	C	C6-N1-C2	-5.55	118.08	120.30
1	AA	1357	A	C8-N9-C4	-5.55	103.58	105.80
1	AA	1366	C	C6-N1-C2	-5.55	118.08	120.30
1	AA	1384	C	N3-C4-C5	5.55	124.12	121.90
25	BA	20	G	O4'-C4'-C3'	5.55	110.54	106.10
25	BA	67	G	C6-C5-N7	-5.55	127.07	130.40
25	BA	120	U	C4-C5-C6	5.55	123.03	119.70
26	BB	99	U	C6-N1-C2	-5.55	117.67	121.00
26	BB	274	C	C6-N1-C2	5.55	122.52	120.30
26	BB	376	G	C6-C5-N7	5.55	133.73	130.40
26	BB	404	A	O4'-C4'-C3'	-5.55	98.45	104.00
26	BB	886	A	C6-N1-C2	-5.55	115.27	118.60
26	BB	929	U	N1-C2-N3	5.55	118.23	114.90
26	BB	1565	C	N3-C4-N4	5.55	121.88	118.00
26	BB	1622	G	N9-C1'-C2'	-5.55	105.90	112.00
26	BB	1695	G	N3-C4-C5	-5.55	125.83	128.60
26	BB	1800	C	N3-C2-O2	-5.55	118.02	121.90
26	BB	2034	U	P-O3'-C3'	5.55	126.36	119.70
26	BB	2523	G	N1-C2-N3	-5.55	120.57	123.90
45	BU	34	ASP	CB-CG-OD1	-5.55	113.31	118.30
1	AA	611	C	C4-C5-C6	5.54	120.17	117.40
1	AA	1343	G	C6-N1-C2	5.54	128.43	125.10
1	AA	1406	U	N1-C2-N3	5.54	118.23	114.90
1	AA	1425	U	N1-C2-O2	-5.54	118.92	122.80
25	BA	33	G	N1-C6-O6	-5.54	116.57	119.90
26	BB	675	A	N9-C4-C5	5.54	108.02	105.80
26	BB	1192	G	N1-C6-O6	5.54	123.23	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1628	G	C6-C5-N7	5.54	133.73	130.40
26	BB	1933	G	N3-C4-C5	-5.54	125.83	128.60
26	BB	2429	G	P-O3'-C3'	5.54	126.35	119.70
1	AA	53	A	N7-C8-N9	5.54	116.57	113.80
1	AA	450	G	C6-C5-N7	-5.54	127.07	130.40
1	AA	919	A	P-O3'-C3'	5.54	126.35	119.70
1	AA	1197	A	C5-C6-N6	5.54	128.13	123.70
1	AA	1222	G	C5'-C4'-O4'	-5.54	102.45	109.10
1	AA	1304	G	N9-C4-C5	5.54	107.62	105.40
1	AA	1367	C	C4-C5-C6	5.54	120.17	117.40
4	AD	26	C	C5'-C4'-O4'	5.54	115.75	109.10
26	BB	167	A	C4'-C3'-C2'	-5.54	97.06	102.60
26	BB	636	G	O3'-P-O5'	5.54	114.53	104.00
26	BB	1110	G	C6-N1-C2	-5.54	121.77	125.10
26	BB	1213	A	C1'-O4'-C4'	5.54	114.33	109.90
26	BB	1792	G	C3'-C2'-C1'	5.54	105.93	101.50
26	BB	2053	G	C6-C5-N7	-5.54	127.07	130.40
26	BB	2099	U	O4'-C1'-N1	5.54	112.64	108.20
26	BB	2549	G	C4-C5-N7	5.54	113.02	110.80
26	BB	2573	C	N3-C2-O2	-5.54	118.02	121.90
26	BB	2811	G	C1'-O4'-C4'	5.54	114.34	109.90
26	BB	2897	U	C5'-C4'-C3'	-5.54	107.13	116.00
18	AR	16	ARG	NE-CZ-NH1	-5.54	117.53	120.30
26	BB	182	A	N1-C6-N6	5.54	121.92	118.60
26	BB	184	C	N3-C4-N4	5.54	121.88	118.00
26	BB	370	G	N1-C2-N3	5.54	127.22	123.90
26	BB	991	C	C1'-O4'-C4'	5.54	114.33	109.90
26	BB	1163	G	C3'-C2'-C1'	-5.54	97.07	101.50
26	BB	1359	A	C6-C5-N7	5.54	136.18	132.30
26	BB	1421	G	N1-C6-O6	-5.54	116.58	119.90
26	BB	2019	A	C5-C6-N6	-5.54	119.27	123.70
26	BB	2150	C	N3-C4-N4	5.54	121.88	118.00
26	BB	2416	C	N1-C2-O2	5.54	122.22	118.90
26	BB	2742	G	C5-N7-C8	-5.54	101.53	104.30
1	AA	41	G	N9-C1'-C2'	-5.54	105.91	112.00
1	AA	692	U	C6-N1-C2	-5.54	117.68	121.00
1	AA	1233	G	C5-C6-N1	5.54	114.27	111.50
25	BA	120	U	C2-N1-C1'	5.54	124.35	117.70
26	BB	224	U	P-O3'-C3'	5.54	126.35	119.70
26	BB	785	G	C5'-C4'-O4'	5.54	115.75	109.10
26	BB	1162	G	C1'-O4'-C4'	-5.54	105.47	109.90
26	BB	1628	G	C5'-C4'-O4'	5.54	115.75	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1767	G	N1-C2-N3	-5.54	120.58	123.90
26	BB	1894	C	C3'-C2'-C1'	5.54	105.93	101.50
26	BB	1901	A	C8-N9-C4	5.54	108.02	105.80
26	BB	2180	U	N1-C2-O2	5.54	126.68	122.80
26	BB	2648	G	C5-C6-N1	5.54	114.27	111.50
26	BB	2863	C	O4'-C4'-C3'	-5.54	98.46	104.00
1	AA	2	A	N9-C4-C5	-5.54	103.58	105.80
1	AA	59	A	C4-C5-C6	-5.54	114.23	117.00
1	AA	298	A	C5-C6-N6	-5.54	119.27	123.70
1	AA	380	G	N3-C2-N2	-5.54	116.02	119.90
1	AA	546	A	C3'-C2'-C1'	5.54	105.93	101.50
1	AA	767	A	C5-C6-N6	-5.54	119.27	123.70
1	AA	1215	G	C5-C6-O6	-5.54	125.28	128.60
2	AB	2	G	C2-N3-C4	5.54	114.67	111.90
6	AF	28	PHE	CB-CG-CD2	5.54	124.68	120.80
14	AN	122	PRO	CA-N-CD	-5.54	103.75	111.50
26	BB	67	U	C3'-C2'-C1'	-5.54	97.07	101.50
26	BB	147	C	C2-N3-C4	5.54	122.67	119.90
26	BB	311	A	O4'-C4'-C3'	-5.54	98.46	104.00
26	BB	505	A	N9-C1'-C2'	-5.54	105.91	112.00
26	BB	540	C	N1-C2-O2	5.54	122.22	118.90
26	BB	1235	G	N9-C1'-C2'	-5.54	105.91	112.00
26	BB	1794	A	C6-C5-N7	-5.54	128.42	132.30
26	BB	1963	U	C4'-C3'-C2'	-5.54	97.06	102.60
26	BB	2726	A	N1-C6-N6	5.54	121.92	118.60
38	BN	18	ARG	NE-CZ-NH1	5.54	123.07	120.30
1	AA	397	A	N7-C8-N9	-5.54	111.03	113.80
1	AA	617	G	C2-N3-C4	5.54	114.67	111.90
1	AA	953	G	C1'-O4'-C4'	5.54	114.33	109.90
1	AA	1505	G	C8-N9-C4	-5.54	104.19	106.40
26	BB	395	U	C4'-C3'-C2'	-5.54	97.06	102.60
26	BB	972	A	C3'-C2'-C1'	-5.54	97.07	101.50
26	BB	1162	G	N1-C2-N2	-5.54	111.22	116.20
1	AA	132	C	C1'-O4'-C4'	5.54	114.33	109.90
1	AA	420	U	C5'-C4'-O4'	5.54	115.74	109.10
1	AA	445	G	O4'-C4'-C3'	-5.54	98.47	104.00
1	AA	535	A	P-O3'-C3'	5.54	126.34	119.70
1	AA	897	C	C6-N1-C2	-5.54	118.09	120.30
1	AA	1226	C	C4-C5-C6	-5.54	114.63	117.40
3	AC	15	G	N3-C4-C5	-5.54	125.83	128.60
4	AD	47	A	C4-C5-C6	-5.54	114.23	117.00
8	AH	160	VAL	CG1-CB-CG2	-5.54	102.04	110.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	AQ	20	PHE	CB-CG-CD1	-5.54	116.92	120.80
26	BB	675	A	C5-N7-C8	5.54	106.67	103.90
26	BB	696	G	C3'-C2'-C1'	-5.54	97.07	101.50
26	BB	858	G	N3-C4-C5	-5.54	125.83	128.60
26	BB	1201	U	N3-C4-O4	5.54	123.28	119.40
26	BB	1414	C	C4-C5-C6	-5.54	114.63	117.40
26	BB	2330	G	C8-N9-C1'	5.54	134.20	127.00
26	BB	2479	U	O3'-P-O5'	-5.54	93.48	104.00
40	BP	118	ARG	NH1-CZ-NH2	-5.54	113.31	119.40
1	AA	219	U	N3-C2-O2	-5.53	118.33	122.20
1	AA	237	G	C2-N3-C4	5.53	114.67	111.90
1	AA	377	G	N3-C4-C5	-5.53	125.83	128.60
1	AA	530	G	C3'-C2'-C1'	5.53	105.93	101.50
1	AA	606	G	C8-N9-C4	-5.53	104.19	106.40
1	AA	780	A	C2-N3-C4	-5.53	107.83	110.60
1	AA	783	C	N1-C2-N3	-5.53	115.33	119.20
1	AA	809	G	C1'-O4'-C4'	-5.53	105.47	109.90
1	AA	879	C	P-O3'-C3'	5.53	126.34	119.70
1	AA	993	G	C4-N9-C1'	5.53	133.69	126.50
1	AA	1444	U	C5'-C4'-C3'	-5.53	107.15	116.00
25	BA	77	U	C5-C6-N1	5.53	125.47	122.70
26	BB	38	A	C3'-C2'-C1'	-5.53	97.07	101.50
26	BB	202	U	C3'-C2'-C1'	-5.53	97.07	101.50
26	BB	362	A	N1-C2-N3	-5.53	126.53	129.30
26	BB	693	A	N3-C4-N9	-5.53	122.97	127.40
26	BB	771	G	O3'-P-O5'	-5.53	93.49	104.00
26	BB	1644	C	N1-C1'-C2'	-5.53	105.91	112.00
26	BB	1731	G	P-O3'-C3'	5.53	126.34	119.70
26	BB	1737	G	P-O3'-C3'	5.53	126.34	119.70
26	BB	1933	G	C5-C6-O6	5.53	131.92	128.60
26	BB	2043	C	C5-C6-N1	5.53	123.77	121.00
26	BB	2461	A	C5-C6-N1	5.53	120.47	117.70
26	BB	2479	U	C5'-C4'-O4'	5.53	115.74	109.10
1	AA	213	G	C4'-C3'-C2'	-5.53	97.07	102.60
1	AA	1239	A	C6-N1-C2	5.53	121.92	118.60
1	AA	1506	U	P-O3'-C3'	5.53	126.34	119.70
26	BB	1515	A	C5-C6-N6	5.53	128.13	123.70
1	AA	617	G	C8-N9-C4	-5.53	104.19	106.40
1	AA	1066	C	N1-C2-O2	5.53	122.22	118.90
1	AA	1263	C	N1-C2-O2	5.53	122.22	118.90
1	AA	1426	G	C8-N9-C4	-5.53	104.19	106.40
1	AA	1453	G	C3'-C2'-C1'	5.53	105.92	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	AH	112	ALA	CB-CA-C	5.53	118.40	110.10
26	BB	224	U	C5'-C4'-O4'	5.53	115.74	109.10
26	BB	624	C	C2-N3-C4	-5.53	117.14	119.90
26	BB	867	C	C4'-C3'-C2'	-5.53	97.07	102.60
26	BB	1297	C	C5'-C4'-O4'	5.53	115.74	109.10
26	BB	2082	A	C8-N9-C4	5.53	108.01	105.80
26	BB	2260	C	N3-C4-C5	5.53	124.11	121.90
26	BB	2682	A	C3'-C2'-C1'	-5.53	97.08	101.50
28	BD	244	VAL	CG1-CB-CG2	-5.53	102.05	110.90
29	BE	180	VAL	CA-CB-CG1	5.53	119.20	110.90
1	AA	332	G	C5-N7-C8	-5.53	101.53	104.30
1	AA	886	G	C3'-C2'-C1'	5.53	105.92	101.50
25	BA	44	G	O4'-C1'-C2'	-5.53	100.27	105.80
26	BB	81	G	N1-C2-N3	5.53	127.22	123.90
26	BB	880	G	C8-N9-C4	-5.53	104.19	106.40
26	BB	1107	G	N1-C6-O6	5.53	123.22	119.90
26	BB	2013	A	C5-C6-N1	5.53	120.46	117.70
1	AA	35	G	N3-C2-N2	5.53	123.77	119.90
1	AA	254	G	C4-C5-N7	-5.53	108.59	110.80
1	AA	529	G	N1-C2-N3	5.53	127.22	123.90
1	AA	657	U	C5-C6-N1	-5.53	119.94	122.70
1	AA	1177	G	C8-N9-C4	-5.53	104.19	106.40
1	AA	1268	G	C6-C5-N7	-5.53	127.08	130.40
2	AB	58	A	O4'-C4'-C3'	5.53	110.52	106.10
2	AB	69	C	P-O3'-C3'	5.53	126.33	119.70
8	AH	94	PHE	CB-CG-CD2	-5.53	116.93	120.80
25	BA	41	G	N7-C8-N9	-5.53	110.34	113.10
26	BB	335	C	O4'-C1'-N1	5.53	112.62	108.20
26	BB	432	A	C8-N9-C4	5.53	108.01	105.80
26	BB	1356	G	C8-N9-C1'	5.53	134.19	127.00
26	BB	2294	G	O5'-P-OP2	-5.53	100.72	105.70
26	BB	2671	G	N3-C4-C5	-5.53	125.84	128.60
26	BB	2696	U	O5'-C5'-C4'	-5.53	101.20	111.70
32	BH	45	ALA	CB-CA-C	5.53	118.39	110.10
34	BJ	61	ARG	CD-NE-CZ	5.53	131.34	123.60
1	AA	240	G	C1'-O4'-C4'	-5.53	105.48	109.90
1	AA	378	G	C5'-C4'-C3'	-5.53	107.16	116.00
1	AA	568	G	N1-C2-N3	5.53	127.22	123.90
1	AA	1054	C	C5'-C4'-C3'	-5.53	107.16	116.00
1	AA	1417	G	N3-C4-N9	5.53	129.31	126.00
26	BB	93	G	C5-N7-C8	-5.53	101.54	104.30
26	BB	485	C	C5-C4-N4	-5.53	116.33	120.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1070	A	C8-N9-C4	-5.53	103.59	105.80
26	BB	1223	G	C1'-O4'-C4'	5.53	114.32	109.90
26	BB	1709	U	O4'-C4'-C3'	-5.53	98.47	104.00
26	BB	1889	A	C6-C5-N7	5.53	136.17	132.30
26	BB	1975	G	N9-C1'-C2'	-5.53	105.92	112.00
26	BB	2063	C	O4'-C1'-N1	5.53	112.62	108.20
36	BL	89	PHE	CB-CG-CD1	-5.53	116.93	120.80
39	BO	15	GLY	CA-C-N	-5.53	105.04	117.20
1	AA	834	U	O4'-C4'-C3'	-5.52	98.48	104.00
26	BB	571	U	C5'-C4'-C3'	-5.52	107.16	116.00
26	BB	2133	G	N3-C4-N9	5.52	129.31	126.00
26	BB	2214	C	O3'-P-O5'	5.52	114.50	104.00
26	BB	2757	A	C4-C5-C6	-5.52	114.24	117.00
26	BB	2899	A	N1-C6-N6	5.52	121.91	118.60
29	BE	15	PHE	CB-CG-CD2	-5.52	116.93	120.80
1	AA	883	C	C5-C6-N1	-5.52	118.24	121.00
1	AA	992	U	C5'-C4'-C3'	-5.52	107.16	116.00
1	AA	1187	G	C4-C5-N7	5.52	113.01	110.80
4	AD	17	C	O4'-C4'-C3'	5.52	110.52	106.10
5	AE	188	THR	CA-CB-CG2	5.52	120.13	112.40
26	BB	418	C	N3-C4-N4	5.52	121.86	118.00
26	BB	659	G	C3'-C2'-C1'	5.52	105.92	101.50
26	BB	662	G	C8-N9-C4	-5.52	104.19	106.40
26	BB	1458	U	N3-C2-O2	-5.52	118.33	122.20
26	BB	2324	U	N3-C2-O2	-5.52	118.33	122.20
26	BB	2553	G	C5-C6-O6	5.52	131.91	128.60
26	BB	2635	A	N9-C1'-C2'	-5.52	105.92	112.00
1	AA	431	A	C3'-C2'-C1'	5.52	105.92	101.50
1	AA	585	G	C2-N3-C4	5.52	114.66	111.90
25	BA	20	G	C4'-C3'-C2'	-5.52	97.08	102.60
26	BB	383	C	C3'-C2'-C1'	5.52	105.92	101.50
26	BB	590	A	O5'-P-OP2	5.52	117.33	110.70
26	BB	640	C	O4'-C1'-N1	5.52	112.62	108.20
26	BB	856	G	C6-C5-N7	-5.52	127.09	130.40
26	BB	1227	G	C5-N7-C8	-5.52	101.54	104.30
26	BB	1569	A	N9-C4-C5	-5.52	103.59	105.80
26	BB	1804	C	C6-N1-C2	-5.52	118.09	120.30
26	BB	2578	G	C8-N9-C4	-5.52	104.19	106.40
26	BB	2596	U	C1'-O4'-C4'	5.52	114.32	109.90
42	BR	98	TYR	CG-CD2-CE2	-5.52	116.88	121.30
1	AA	19	A	C6-N1-C2	-5.52	115.29	118.60
1	AA	53	A	C4'-C3'-C2'	-5.52	97.08	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	413	G	C4-C5-N7	-5.52	108.59	110.80
1	AA	802	A	C4'-C3'-C2'	-5.52	97.08	102.60
1	AA	995	C	C5-C4-N4	5.52	124.06	120.20
1	AA	1217	C	N1-C1'-C2'	-5.52	105.93	112.00
1	AA	1354	U	N3-C2-O2	-5.52	118.34	122.20
1	AA	1450	U	C5'-C4'-C3'	-5.52	107.17	116.00
7	AG	108	ALA	N-CA-CB	-5.52	102.37	110.10
25	BA	40	U	C4-C5-C6	5.52	123.01	119.70
25	BA	55	U	C1'-O4'-C4'	-5.52	105.48	109.90
26	BB	251	A	O4'-C4'-C3'	5.52	110.52	106.10
26	BB	393	C	N3-C4-N4	5.52	121.86	118.00
26	BB	707	G	C4-C5-N7	-5.52	108.59	110.80
26	BB	784	G	C2-N3-C4	5.52	114.66	111.90
26	BB	977	G	C4-C5-C6	5.52	122.11	118.80
26	BB	1025	G	O4'-C1'-N9	5.52	112.62	108.20
26	BB	1231	U	O4'-C4'-C3'	5.52	110.52	106.10
26	BB	1366	A	C4-C5-C6	-5.52	114.24	117.00
26	BB	1652	A	C5'-C4'-O4'	5.52	115.72	109.10
26	BB	1676	A	N9-C4-C5	-5.52	103.59	105.80
26	BB	1704	C	O4'-C4'-C3'	5.52	110.52	106.10
26	BB	1713	A	C2-N3-C4	-5.52	107.84	110.60
26	BB	2116	G	O4'-C4'-C3'	5.52	110.52	106.10
1	AA	203	G	C5-C6-O6	-5.52	125.29	128.60
1	AA	203	G	O4'-C1'-N9	5.52	112.61	108.20
1	AA	298	A	N7-C8-N9	5.52	116.56	113.80
1	AA	626	G	N1-C6-O6	5.52	123.21	119.90
1	AA	670	G	C5'-C4'-O4'	5.52	115.72	109.10
1	AA	851	G	N1-C6-O6	5.52	123.21	119.90
1	AA	1019	A	C4-C5-C6	-5.52	114.24	117.00
1	AA	1357	A	C5'-C4'-C3'	-5.52	107.17	116.00
2	AB	2	G	C3'-C2'-C1'	-5.52	97.09	101.50
26	BB	36	G	O4'-C1'-N9	5.52	112.61	108.20
26	BB	512	G	C6-C5-N7	5.52	133.71	130.40
26	BB	1258	U	C5-C6-N1	-5.52	119.94	122.70
26	BB	1261	C	C4'-C3'-C2'	-5.52	97.08	102.60
26	BB	1822	C	C4'-C3'-C2'	-5.52	97.08	102.60
26	BB	1880	U	C2-N3-C4	-5.52	123.69	127.00
26	BB	2193	G	C5-C6-O6	-5.52	125.29	128.60
26	BB	2238	G	C5-C6-N1	-5.52	108.74	111.50
26	BB	2330	G	O4'-C1'-N9	-5.52	103.79	108.20
26	BB	2472	G	N1-C2-N2	-5.52	111.23	116.20
26	BB	2553	G	C4-C5-N7	-5.52	108.59	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
29	BE	169	ARG	CD-NE-CZ	5.52	131.32	123.60
38	BN	50	PHE	CZ-CE2-CD2	5.52	126.72	120.10
51	B0	47	ARG	NH1-CZ-NH2	-5.52	113.33	119.40
26	BB	60	G	C5'-C4'-O4'	5.52	115.72	109.10
26	BB	1419	A	C5-C6-N6	-5.52	119.29	123.70
26	BB	2573	C	C6-N1-C2	5.52	122.51	120.30
1	AA	810	C	C5-C6-N1	5.51	123.76	121.00
1	AA	938	A	C5-C6-N6	-5.51	119.29	123.70
1	AA	1010	U	C4-C5-C6	5.51	123.01	119.70
1	AA	1021	A	C6-N1-C2	-5.51	115.29	118.60
1	AA	1274	A	N9-C1'-C2'	-5.51	105.94	112.00
1	AA	1496	C	N1-C2-N3	5.51	123.06	119.20
4	AD	45	A	C4'-C3'-C2'	-5.51	97.08	102.60
26	BB	91	A	N1-C6-N6	-5.51	115.29	118.60
26	BB	423	A	N9-C4-C5	5.51	108.01	105.80
26	BB	463	G	C5'-C4'-O4'	5.51	115.72	109.10
26	BB	575	A	C8-N9-C4	5.51	108.00	105.80
26	BB	688	U	C5-C6-N1	-5.51	119.94	122.70
26	BB	751	A	N7-C8-N9	5.51	116.56	113.80
26	BB	866	A	C3'-C2'-C1'	5.51	105.91	101.50
26	BB	957	C	C2-N3-C4	5.51	122.66	119.90
26	BB	1060	U	N3-C4-O4	5.51	123.26	119.40
26	BB	1220	G	C2-N3-C4	5.51	114.66	111.90
26	BB	1280	G	N1-C2-N3	-5.51	120.59	123.90
26	BB	1330	C	C1'-O4'-C4'	5.51	114.31	109.90
26	BB	1829	A	N1-C2-N3	-5.51	126.54	129.30
26	BB	2724	U	O4'-C4'-C3'	5.51	110.51	106.10
1	AA	25	C	C5-C4-N4	-5.51	116.34	120.20
1	AA	293	G	C5-C6-N1	5.51	114.26	111.50
1	AA	1152	A	N1-C6-N6	5.51	121.91	118.60
26	BB	275	C	N1-C1'-C2'	-5.51	105.94	112.00
26	BB	425	G	C5'-C4'-O4'	-5.51	102.48	109.10
26	BB	1248	G	C6-C5-N7	-5.51	127.09	130.40
26	BB	1781	U	N1-C2-O2	5.51	126.66	122.80
26	BB	2133	G	C4'-C3'-C2'	-5.51	97.09	102.60
26	BB	2770	G	N1-C2-N2	-5.51	111.24	116.20
26	BB	2817	U	N1-C1'-C2'	-5.51	105.94	112.00
1	AA	212	G	C5-C6-O6	-5.51	125.29	128.60
1	AA	550	G	P-O3'-C3'	5.51	126.31	119.70
1	AA	588	G	P-O3'-C3'	5.51	126.31	119.70
1	AA	717	U	N3-C2-O2	-5.51	118.34	122.20
1	AA	993	G	C5-C6-O6	-5.51	125.29	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	60	C	N1-C2-O2	5.51	122.21	118.90
26	BB	272	A	C2-N3-C4	5.51	113.36	110.60
26	BB	313	G	N9-C4-C5	5.51	107.60	105.40
26	BB	373	U	C5'-C4'-O4'	5.51	115.71	109.10
26	BB	485	C	C5'-C4'-O4'	5.51	115.71	109.10
26	BB	1339	G	O4'-C1'-N9	5.51	112.61	108.20
26	BB	1359	A	C4'-C3'-C2'	-5.51	97.09	102.60
26	BB	1962	5MC	P-O3'-C3'	5.51	126.31	119.70
26	BB	2100	G	N7-C8-N9	5.51	115.86	113.10
26	BB	2150	C	O4'-C1'-N1	5.51	112.61	108.20
26	BB	2261	C	C2-N3-C4	5.51	122.66	119.90
26	BB	2315	G	N7-C8-N9	5.51	115.86	113.10
26	BB	2700	A	O4'-C1'-C2'	5.51	112.56	107.60
26	BB	2773	C	C6-N1-C2	5.51	122.50	120.30
29	BE	185	ASN	CB-CA-C	5.51	121.42	110.40
1	AA	477	C	O3'-P-O5'	5.51	114.47	104.00
1	AA	711	G	C6-N1-C2	-5.51	121.80	125.10
1	AA	967	5MC	P-O3'-C3'	5.51	126.31	119.70
1	AA	1152	A	N9-C4-C5	5.51	108.00	105.80
1	AA	1422	G	N9-C4-C5	5.51	107.60	105.40
1	AA	1493	A	N9-C4-C5	-5.51	103.60	105.80
26	BB	279	A	C4'-C3'-C2'	-5.51	97.09	102.60
26	BB	666	A	C3'-C2'-C1'	-5.51	97.09	101.50
26	BB	1503	A	C1'-O4'-C4'	-5.51	105.49	109.90
26	BB	1521	G	N1-C2-N3	-5.51	120.59	123.90
26	BB	1688	U	C3'-C2'-C1'	5.51	105.91	101.50
26	BB	1861	G	C6-N1-C2	-5.51	121.79	125.10
26	BB	2293	G	O3'-P-O5'	5.51	114.47	104.00
26	BB	2627	G	O3'-P-O5'	-5.51	93.53	104.00
26	BB	2874	C	N3-C4-C5	-5.51	119.70	121.90
1	AA	60	A	C3'-C2'-C1'	-5.51	97.09	101.50
1	AA	128	G	C5-C6-N1	5.51	114.25	111.50
1	AA	705	G	C6-C5-N7	-5.51	127.09	130.40
1	AA	1269	A	O4'-C4'-C3'	5.51	110.51	106.10
3	AC	56	G	N3-C4-C5	-5.51	125.85	128.60
26	BB	424	G	C4-C5-N7	-5.51	108.60	110.80
26	BB	492	A	N9-C4-C5	-5.51	103.60	105.80
26	BB	1307	A	C2-N3-C4	5.51	113.35	110.60
26	BB	1346	G	C5-C6-O6	5.51	131.91	128.60
26	BB	1623	G	N7-C8-N9	5.51	115.85	113.10
26	BB	1671	U	O4'-C1'-N1	5.51	112.61	108.20
26	BB	1872	A	O4'-C4'-C3'	5.51	110.51	106.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2103	C	N1-C1'-C2'	-5.51	105.94	112.00
26	BB	2150	C	OP1-P-OP2	-5.51	111.34	119.60
26	BB	2162	G	N3-C4-C5	-5.51	125.85	128.60
29	BE	203	VAL	CA-CB-CG1	5.51	119.16	110.90
53	B2	36	VAL	CA-CB-CG2	5.51	119.16	110.90
1	AA	60	A	N3-C4-C5	5.51	130.66	126.80
1	AA	827	U	N1-C2-N3	5.51	118.20	114.90
1	AA	1246	A	N9-C1'-C2'	-5.51	105.94	112.00
1	AA	1473	G	O5'-P-OP2	-5.51	100.75	105.70
2	AB	49	G	O5'-C5'-C4'	5.51	122.16	111.70
25	BA	43	C	N1-C2-N3	-5.51	115.35	119.20
26	BB	138	U	N3-C4-C5	5.51	117.90	114.60
26	BB	896	A	C6-C5-N7	-5.51	128.44	132.30
26	BB	1212	G	C6-N1-C2	-5.51	121.80	125.10
26	BB	1496	A	P-O3'-C3'	5.51	126.31	119.70
26	BB	2269	G	N7-C8-N9	5.51	115.85	113.10
26	BB	2884	U	C2-N3-C4	-5.51	123.70	127.00
1	AA	472	U	N3-C4-O4	5.50	123.25	119.40
26	BB	455	C	C5-C6-N1	-5.50	118.25	121.00
26	BB	2668	G	N1-C2-N3	5.50	127.20	123.90
28	BD	99	GLU	OE1-CD-OE2	5.50	129.91	123.30
30	BF	29	HIS	CG-ND1-CE1	-5.50	98.54	105.70
1	AA	81	A	C4-C5-N7	-5.50	107.95	110.70
1	AA	653	U	P-O3'-C3'	5.50	126.30	119.70
1	AA	1015	G	N1-C6-O6	-5.50	116.60	119.90
1	AA	1468	A	C5-N7-C8	5.50	106.65	103.90
2	AB	63	C	C3'-C2'-C1'	5.50	105.90	101.50
4	AD	52	C	C4-C5-C6	-5.50	114.65	117.40
25	BA	97	C	N3-C4-N4	5.50	121.85	118.00
26	BB	102	U	O4'-C1'-N1	5.50	112.60	108.20
26	BB	506	G	N7-C8-N9	5.50	115.85	113.10
26	BB	1246	A	C8-N9-C4	-5.50	103.60	105.80
26	BB	1272	A	N3-C4-N9	5.50	131.80	127.40
26	BB	2092	U	C4-C5-C6	5.50	123.00	119.70
26	BB	2627	G	C1'-O4'-C4'	-5.50	105.50	109.90
1	AA	53	A	C5-C6-N6	5.50	128.10	123.70
1	AA	616	G	C3'-C2'-C1'	5.50	105.90	101.50
1	AA	784	A	C6-C5-N7	5.50	136.15	132.30
1	AA	861	G	C5-C6-N1	5.50	114.25	111.50
1	AA	978	A	N9-C4-C5	-5.50	103.60	105.80
5	AE	178	LEU	CB-CG-CD1	-5.50	101.65	111.00
26	BB	230	G	C5-C6-O6	-5.50	125.30	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1003	G	C5-C6-N1	-5.50	108.75	111.50
26	BB	1038	G	N1-C6-O6	5.50	123.20	119.90
26	BB	1340	U	C5-C4-O4	-5.50	122.60	125.90
26	BB	1694	C	N1-C2-N3	-5.50	115.35	119.20
26	BB	1894	C	N3-C4-N4	5.50	121.85	118.00
26	BB	2436	G	N9-C4-C5	5.50	107.60	105.40
26	BB	2450	A	N9-C4-C5	-5.50	103.60	105.80
26	BB	2538	C	N3-C2-O2	-5.50	118.05	121.90
26	BB	2544	G	C1'-O4'-C4'	5.50	114.30	109.90
26	BB	2864	G	C4-C5-N7	-5.50	108.60	110.80
37	BM	3	GLN	N-CA-CB	-5.50	100.70	110.60
1	AA	230	G	C5-N7-C8	-5.50	101.55	104.30
1	AA	274	A	N9-C4-C5	-5.50	103.60	105.80
1	AA	952	U	C5'-C4'-O4'	5.50	115.70	109.10
26	BB	15	G	C5-N7-C8	-5.50	101.55	104.30
26	BB	1025	G	C5-C6-O6	5.50	131.90	128.60
26	BB	1185	G	C4'-C3'-C2'	-5.50	97.10	102.60
26	BB	1930	G	N3-C4-C5	-5.50	125.85	128.60
26	BB	2007	U	C5-C6-N1	-5.50	119.95	122.70
26	BB	2234	G	C5'-C4'-O4'	5.50	115.70	109.10
1	AA	624	C	C3'-C2'-C1'	-5.50	97.10	101.50
1	AA	672	U	C5-C4-O4	-5.50	122.60	125.90
1	AA	761	G	N9-C4-C5	5.50	107.60	105.40
1	AA	982	U	C6-N1-C2	-5.50	117.70	121.00
1	AA	1013	G	C6-C5-N7	-5.50	127.10	130.40
1	AA	1292	G	C4-C5-N7	-5.50	108.60	110.80
1	AA	1320	C	N3-C4-N4	5.50	121.85	118.00
1	AA	1504	G	N1-C2-N3	-5.50	120.60	123.90
1	AA	1531	A	N7-C8-N9	-5.50	111.05	113.80
2	AB	57	G	O4'-C4'-C3'	-5.50	98.50	104.00
4	AD	7	G	N7-C8-N9	5.50	115.85	113.10
9	AI	75	GLU	CG-CD-OE2	-5.50	107.30	118.30
26	BB	1	G	N9-C4-C5	5.50	107.60	105.40
26	BB	425	G	O4'-C1'-N9	5.50	112.60	108.20
26	BB	782	A	C2-N3-C4	5.50	113.35	110.60
26	BB	868	U	N3-C4-O4	-5.50	115.55	119.40
26	BB	1037	G	C4'-C3'-C2'	5.50	108.10	102.60
26	BB	1275	A	O4'-C4'-C3'	-5.50	98.50	104.00
26	BB	1405	U	O4'-C1'-N1	5.50	112.60	108.20
26	BB	1448	G	C3'-C2'-C1'	-5.50	97.10	101.50
26	BB	1887	C	C5-C6-N1	-5.50	118.25	121.00
26	BB	2000	C	N3-C4-C5	-5.50	119.70	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2097	A	C6-C5-N7	5.50	136.15	132.30
26	BB	2260	C	O4'-C1'-N1	5.50	112.60	108.20
26	BB	2788	C	C3'-C2'-C1'	5.50	105.90	101.50
26	BB	2838	G	C2-N3-C4	5.50	114.65	111.90
38	BN	101	ILE	CA-C-N	5.50	127.20	116.20
1	AA	59	A	O4'-C1'-C2'	5.50	112.55	107.60
1	AA	195	A	N1-C6-N6	-5.50	115.30	118.60
1	AA	246	A	N1-C6-N6	-5.50	115.30	118.60
1	AA	405	U	C5'-C4'-O4'	5.50	115.69	109.10
1	AA	455	G	C6-N1-C2	-5.50	121.80	125.10
1	AA	511	C	C5'-C4'-O4'	-5.50	102.50	109.10
1	AA	694	A	N9-C4-C5	5.50	108.00	105.80
1	AA	702	A	C4'-C3'-C2'	-5.50	97.10	102.60
1	AA	729	A	P-O3'-C3'	5.50	126.30	119.70
4	AD	17	C	N3-C4-N4	5.50	121.85	118.00
25	BA	30	C	C5'-C4'-O4'	5.50	115.69	109.10
26	BB	584	C	N3-C2-O2	-5.50	118.05	121.90
26	BB	1491	G	N7-C8-N9	5.50	115.85	113.10
26	BB	2106	U	C4-C5-C6	-5.50	116.40	119.70
26	BB	2351	G	C5-C6-N1	-5.50	108.75	111.50
26	BB	2419	U	C2-N3-C4	-5.50	123.70	127.00
26	BB	2440	C	C4'-C3'-C2'	-5.50	97.10	102.60
26	BB	2803	G	C5-C6-N1	5.50	114.25	111.50
1	AA	45	G	C1'-O4'-C4'	5.50	114.30	109.90
1	AA	247	G	O4'-C4'-C3'	-5.50	98.50	104.00
1	AA	682	G	C4-C5-N7	-5.50	108.60	110.80
26	BB	7	G	C6-N1-C2	-5.50	121.80	125.10
26	BB	718	A	N3-C4-C5	-5.50	122.95	126.80
26	BB	1039	A	C2-N3-C4	5.50	113.35	110.60
26	BB	1573	G	C5'-C4'-O4'	5.50	115.69	109.10
26	BB	1781	U	OP2-P-O3'	5.50	117.29	105.20
26	BB	1801	A	C6-N1-C2	5.50	121.90	118.60
26	BB	2205	A	O4'-C1'-N9	5.50	112.60	108.20
26	BB	2555	U	C1'-O4'-C4'	5.50	114.30	109.90
1	AA	283	U	O4'-C1'-N1	5.49	112.59	108.20
1	AA	537	G	C6-N1-C2	-5.49	121.80	125.10
1	AA	544	G	O4'-C1'-N9	5.49	112.59	108.20
1	AA	575	G	C2-N3-C4	5.49	114.65	111.90
1	AA	712	A	N7-C8-N9	5.49	116.55	113.80
1	AA	1174	G	C5-C6-N1	5.49	114.25	111.50
1	AA	1397	C	C5-C6-N1	5.49	123.75	121.00
1	AA	1496	C	C5-C6-N1	-5.49	118.25	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	326	G	C4-C5-N7	-5.49	108.60	110.80
26	BB	598	U	N3-C4-O4	5.49	123.25	119.40
26	BB	777	G	C2-N3-C4	5.49	114.65	111.90
26	BB	1021	A	C6-C5-N7	5.49	136.15	132.30
26	BB	1272	A	O4'-C4'-C3'	5.49	110.50	106.10
26	BB	1297	C	O4'-C1'-C2'	-5.49	100.31	105.80
26	BB	1697	G	C2'-C3'-O3'	5.49	122.49	113.70
26	BB	1813	G	C4-N9-C1'	5.49	133.64	126.50
26	BB	2088	A	N3-C4-N9	5.49	131.79	127.40
26	BB	2107	G	N3-C4-N9	5.49	129.30	126.00
26	BB	2845	U	O5'-C5'-C4'	5.49	122.14	111.70
26	BB	2863	C	N3-C2-O2	-5.49	118.06	121.90
26	BB	2866	U	N3-C2-O2	-5.49	118.35	122.20
51	B0	24	GLU	N-CA-CB	-5.49	100.71	110.60
1	AA	230	G	C5'-C4'-O4'	-5.49	102.51	109.10
1	AA	1395	C	C1'-O4'-C4'	-5.49	105.51	109.90
26	BB	4	U	N1-C2-N3	-5.49	111.61	114.90
26	BB	1263	U	O4'-C1'-C2'	5.49	112.54	107.60
26	BB	1899	A	N9-C4-C5	5.49	108.00	105.80
1	AA	550	G	N3-C4-N9	5.49	129.29	126.00
1	AA	856	C	C6-N1-C2	-5.49	118.10	120.30
1	AA	1164	G	N1-C6-O6	5.49	123.19	119.90
1	AA	1184	G	C2-N3-C4	5.49	114.64	111.90
1	AA	1400	C	N1-C2-O2	5.49	122.19	118.90
1	AA	1400	C	O4'-C4'-C3'	5.49	110.49	106.10
1	AA	1521	C	C2'-C3'-O3'	5.49	122.49	113.70
2	AB	40	C	P-O3'-C3'	5.49	126.29	119.70
2	AB	73	G	C8-N9-C1'	5.49	134.14	127.00
14	AN	26	PHE	CB-CG-CD1	5.49	124.64	120.80
25	BA	6	G	C5-N7-C8	5.49	107.05	104.30
25	BA	52	A	N9-C4-C5	5.49	108.00	105.80
26	BB	655	A	C4-C5-N7	-5.49	107.95	110.70
26	BB	1489	C	C5-C4-N4	-5.49	116.36	120.20
26	BB	1729	U	C2-N3-C4	-5.49	123.70	127.00
26	BB	1840	G	O4'-C1'-N9	5.49	112.59	108.20
26	BB	1865	U	C3'-C2'-C1'	-5.49	97.11	101.50
26	BB	2347	C	N3-C4-C5	5.49	124.10	121.90
26	BB	2865	U	C3'-C2'-C1'	-5.49	97.11	101.50
30	BF	117	ARG	NE-CZ-NH2	-5.49	117.56	120.30
46	BV	16	VAL	CG1-CB-CG2	-5.49	102.11	110.90
47	BW	85	ARG	NH1-CZ-NH2	-5.49	113.36	119.40
1	AA	340	U	N1-C2-O2	-5.49	118.96	122.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	637	C	N3-C4-N4	5.49	121.84	118.00
1	AA	639	G	C6-N1-C2	-5.49	121.81	125.10
1	AA	672	U	N3-C2-O2	-5.49	118.36	122.20
1	AA	963	G	N3-C4-C5	-5.49	125.86	128.60
1	AA	1102	A	P-O3'-C3'	5.49	126.29	119.70
1	AA	1131	G	N3-C4-N9	5.49	129.29	126.00
1	AA	1177	G	C5-C6-N1	5.49	114.24	111.50
1	AA	1231	G	C3'-C2'-C1'	5.49	105.89	101.50
4	AD	70	C	C2-N3-C4	5.49	122.64	119.90
9	AI	23	GLU	OE1-CD-OE2	5.49	129.88	123.30
17	AQ	43	ALA	N-CA-CB	-5.49	102.42	110.10
26	BB	106	C	C5'-C4'-O4'	5.49	115.69	109.10
26	BB	629	G	N9-C4-C5	5.49	107.60	105.40
26	BB	657	U	C2-N3-C4	-5.49	123.71	127.00
26	BB	1019	U	N3-C4-C5	-5.49	111.31	114.60
26	BB	1048	A	C8-N9-C4	-5.49	103.61	105.80
26	BB	1051	G	C6-C5-N7	5.49	133.69	130.40
26	BB	1146	C	O4'-C1'-C2'	5.49	112.54	107.60
26	BB	1228	G	N1-C2-N2	5.49	121.14	116.20
26	BB	1438	U	OP1-P-OP2	-5.49	111.37	119.60
26	BB	1700	A	C5-C6-N6	-5.49	119.31	123.70
26	BB	1875	G	N3-C4-C5	-5.49	125.86	128.60
26	BB	2024	G	N1-C2-N3	-5.49	120.61	123.90
26	BB	2038	G	N9-C4-C5	5.49	107.60	105.40
26	BB	2199	A	C4-C5-C6	-5.49	114.26	117.00
26	BB	2227	A	C6-N1-C2	-5.49	115.31	118.60
26	BB	2321	U	C4-C5-C6	-5.49	116.41	119.70
37	BM	1	MET	O-C-N	5.49	131.48	122.70
11	AK	64	TYR	CB-CG-CD1	-5.49	117.71	121.00
26	BB	1362	C	C5-C6-N1	5.49	123.74	121.00
26	BB	1478	G	O4'-C1'-N9	5.49	112.59	108.20
1	AA	235	C	N3-C2-O2	-5.49	118.06	121.90
1	AA	912	C	C4'-C3'-C2'	5.49	108.08	102.60
1	AA	1394	A	N9-C1'-C2'	-5.49	105.97	112.00
1	AA	1538	C	O4'-C1'-C2'	-5.49	100.31	105.80
4	AD	40	C	C1'-O4'-C4'	5.49	114.29	109.90
25	BA	19	C	C5-C6-N1	-5.49	118.26	121.00
26	BB	110	G	C6-N1-C2	-5.49	121.81	125.10
26	BB	114	U	C4'-C3'-C2'	-5.49	97.11	102.60
26	BB	851	C	C1'-O4'-C4'	5.49	114.29	109.90
26	BB	1280	G	C6-C5-N7	5.49	133.69	130.40
26	BB	1358	G	C5'-C4'-O4'	5.49	115.68	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1435	G	C4-C5-N7	-5.49	108.61	110.80
26	BB	1569	A	C2-N3-C4	-5.49	107.86	110.60
26	BB	1831	G	C3'-C2'-C1'	-5.49	97.11	101.50
26	BB	2237	G	C5-C6-O6	5.49	131.89	128.60
26	BB	2467	C	N1-C1'-C2'	-5.49	105.97	112.00
26	BB	2565	A	N9-C4-C5	5.49	107.99	105.80
26	BB	2662	A	C5-C6-N1	-5.49	114.96	117.70
26	BB	2872	A	O4'-C1'-N9	5.49	112.59	108.20
1	AA	574	A	C5'-C4'-O4'	5.48	115.68	109.10
1	AA	802	A	N1-C2-N3	5.48	132.04	129.30
1	AA	1022	A	C4-C5-N7	-5.48	107.96	110.70
26	BB	18	U	N3-C4-C5	-5.48	111.31	114.60
26	BB	669	G	N3-C4-C5	-5.48	125.86	128.60
26	BB	1488	C	O4'-C4'-C3'	5.48	110.49	106.10
26	BB	2798	U	C2-N3-C4	-5.48	123.71	127.00
1	AA	1061	G	N3-C4-C5	-5.48	125.86	128.60
1	AA	1166	G	N1-C6-O6	5.48	123.19	119.90
1	AA	1265	C	N3-C4-N4	5.48	121.84	118.00
15	AO	111	GLN	CB-CA-C	5.48	121.37	110.40
25	BA	77	U	N1-C2-N3	5.48	118.19	114.90
26	BB	550	C	O4'-C1'-N1	5.48	112.58	108.20
26	BB	684	G	C3'-C2'-C1'	5.48	105.89	101.50
26	BB	794	A	C4'-C3'-C2'	-5.48	97.12	102.60
26	BB	918	A	C5-C6-N1	5.48	120.44	117.70
26	BB	1286	A	C6-N1-C2	-5.48	115.31	118.60
26	BB	1749	A	C5-C6-N1	-5.48	114.96	117.70
26	BB	2060	A	C8-N9-C4	-5.48	103.61	105.80
26	BB	2315	G	C1'-O4'-C4'	5.48	114.29	109.90
26	BB	2809	A	C4-C5-C6	-5.48	114.26	117.00
26	BB	2880	C	C5'-C4'-O4'	5.48	115.68	109.10
45	BU	37	THR	CA-CB-OG1	5.48	120.51	109.00
1	AA	76	G	C8-N9-C1'	5.48	134.12	127.00
1	AA	174	A	C5'-C4'-O4'	5.48	115.68	109.10
1	AA	426	U	N1-C2-O2	5.48	126.64	122.80
1	AA	623	C	O4'-C1'-N1	5.48	112.58	108.20
1	AA	1497	G	N1-C6-O6	5.48	123.19	119.90
2	AB	30	G	N3-C2-N2	-5.48	116.06	119.90
26	BB	220	G	C5-C6-N1	5.48	114.24	111.50
26	BB	245	G	N3-C4-N9	5.48	129.29	126.00
26	BB	246	C	N3-C4-C5	5.48	124.09	121.90
26	BB	251	A	C5'-C4'-C3'	-5.48	107.23	116.00
26	BB	578	G	P-O3'-C3'	5.48	126.28	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	913	U	N1-C2-N3	-5.48	111.61	114.90
26	BB	1100	C	C5-C6-N1	5.48	123.74	121.00
26	BB	1220	G	C5-N7-C8	-5.48	101.56	104.30
26	BB	1418	G	C5'-C4'-O4'	5.48	115.68	109.10
26	BB	1683	U	C2-N3-C4	-5.48	123.71	127.00
26	BB	1752	C	N1-C2-O2	5.48	122.19	118.90
26	BB	1809	A	C4'-C3'-C2'	-5.48	97.12	102.60
26	BB	2006	C	OP2-P-O3'	5.48	117.26	105.20
26	BB	2653	U	C5-C6-N1	-5.48	119.96	122.70
58	B7	12	ARG	NE-CZ-NH1	5.48	123.04	120.30
1	AA	44	A	C5'-C4'-O4'	5.48	115.67	109.10
1	AA	795	C	N3-C4-C5	5.48	124.09	121.90
1	AA	852	G	N9-C4-C5	5.48	107.59	105.40
1	AA	1152	A	C5'-C4'-O4'	5.48	115.67	109.10
1	AA	1160	G	C4'-C3'-C2'	-5.48	97.12	102.60
1	AA	1426	G	C4'-C3'-C2'	-5.48	97.12	102.60
1	AA	1451	U	C4-C5-C6	5.48	122.99	119.70
1	AA	1502	A	C8-N9-C4	-5.48	103.61	105.80
3	AC	54	U	C5'-C4'-O4'	5.48	115.67	109.10
26	BB	282	A	C6-C5-N7	-5.48	128.47	132.30
26	BB	478	A	N9-C4-C5	-5.48	103.61	105.80
26	BB	521	U	N1-C2-O2	5.48	126.64	122.80
26	BB	1040	A	C1'-O4'-C4'	-5.48	105.52	109.90
26	BB	1124	G	N9-C1'-C2'	-5.48	105.97	112.00
26	BB	2221	G	C4-C5-N7	5.48	112.99	110.80
26	BB	2294	G	N3-C4-C5	-5.48	125.86	128.60
26	BB	2585	U	C5-C6-N1	-5.48	119.96	122.70
26	BB	2600	A	C6-N1-C2	5.48	121.89	118.60
26	BB	2880	C	C2-N3-C4	5.48	122.64	119.90
1	AA	93	U	N3-C2-O2	-5.48	118.37	122.20
1	AA	491	G	C1'-O4'-C4'	-5.48	105.52	109.90
1	AA	512	U	C6-N1-C2	-5.48	117.71	121.00
1	AA	767	A	N9-C4-C5	5.48	107.99	105.80
1	AA	827	U	C5-C4-O4	-5.48	122.61	125.90
1	AA	898	G	C5-C6-O6	5.48	131.89	128.60
1	AA	1453	G	C5-C6-O6	5.48	131.89	128.60
4	AD	13	C	O4'-C1'-N1	5.48	112.58	108.20
26	BB	17	G	O4'-C1'-N9	5.48	112.58	108.20
26	BB	330	A	C5'-C4'-C3'	-5.48	107.23	116.00
26	BB	472	A	C6-N1-C2	-5.48	115.31	118.60
26	BB	580	U	C6-N1-C2	-5.48	117.71	121.00
26	BB	698	C	P-O3'-C3'	5.48	126.27	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	875	G	C5-C6-N1	5.48	114.24	111.50
26	BB	1222	U	N1-C1'-C2'	-5.48	105.97	112.00
26	BB	1607	C	C5'-C4'-O4'	5.48	115.67	109.10
26	BB	1658	C	C6-N1-C2	5.48	122.49	120.30
26	BB	1701	A	C5-C6-N1	-5.48	114.96	117.70
26	BB	2518	A	C5-C6-N1	-5.48	114.96	117.70
26	BB	2617	U	P-O3'-C3'	5.48	126.27	119.70
36	BL	13	ARG	N-CA-CB	5.48	120.46	110.60
1	AA	133	U	C5'-C4'-O4'	5.48	115.67	109.10
1	AA	923	A	C2-N3-C4	5.48	113.34	110.60
1	AA	1051	C	C3'-C2'-C1'	5.48	105.88	101.50
1	AA	1204	A	C4-C5-C6	-5.48	114.26	117.00
1	AA	1540	U	O5'-P-OP1	-5.48	100.77	105.70
25	BA	109	A	C4-C5-N7	5.48	113.44	110.70
26	BB	260	G	C5'-C4'-O4'	5.48	115.67	109.10
26	BB	1189	A	C2-N3-C4	-5.48	107.86	110.60
26	BB	1349	C	N3-C2-O2	-5.48	118.07	121.90
26	BB	1875	G	C6-N1-C2	-5.48	121.81	125.10
26	BB	2340	A	C5'-C4'-C3'	-5.48	107.24	116.00
1	AA	184	G	C5-N7-C8	5.47	107.04	104.30
1	AA	728	A	N7-C8-N9	5.47	116.54	113.80
1	AA	1002	G	N9-C4-C5	5.47	107.59	105.40
1	AA	1118	U	N1-C2-O2	5.47	126.63	122.80
1	AA	1387	G	O4'-C1'-N9	5.47	112.58	108.20
10	AJ	74	VAL	CB-CA-C	5.47	121.80	111.40
25	BA	64	G	C4-C5-N7	5.47	112.99	110.80
26	BB	6	A	C2-N3-C4	5.47	113.34	110.60
26	BB	117	G	C6-C5-N7	-5.47	127.11	130.40
26	BB	251	A	C5-N7-C8	-5.47	101.16	103.90
26	BB	947	A	N9-C1'-C2'	-5.47	105.98	112.00
26	BB	1084	A	N9-C4-C5	5.47	107.99	105.80
26	BB	1355	G	C5-N7-C8	-5.47	101.56	104.30
26	BB	1368	G	N9-C4-C5	5.47	107.59	105.40
26	BB	1512	C	C5-C6-N1	5.47	123.74	121.00
26	BB	1935	G	C8-N9-C1'	5.47	134.12	127.00
26	BB	2408	U	O4'-C4'-C3'	-5.47	98.53	104.00
28	BD	104	LEU	CB-CG-CD1	5.47	120.31	111.00
1	AA	81	A	C4-C5-C6	-5.47	114.26	117.00
1	AA	130	A	N9-C4-C5	5.47	107.99	105.80
1	AA	220	G	C6-C5-N7	5.47	133.68	130.40
1	AA	504	C	C4-C5-C6	5.47	120.14	117.40
1	AA	693	G	C5'-C4'-O4'	5.47	115.67	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	968	A	C1'-O4'-C4'	-5.47	105.52	109.90
1	AA	977	A	C5'-C4'-O4'	-5.47	102.53	109.10
1	AA	1164	G	C5'-C4'-C3'	-5.47	107.24	116.00
1	AA	1180	A	C8-N9-C4	-5.47	103.61	105.80
1	AA	1181	G	C6-N1-C2	-5.47	121.82	125.10
1	AA	1507	A	N7-C8-N9	5.47	116.54	113.80
4	AD	72	C	C4'-C3'-C2'	-5.47	97.13	102.60
25	BA	68	C	C5'-C4'-O4'	5.47	115.67	109.10
25	BA	116	G	N9-C4-C5	-5.47	103.21	105.40
26	BB	5	A	C4-C5-C6	-5.47	114.26	117.00
26	BB	712	G	C6-C5-N7	-5.47	127.12	130.40
26	BB	787	C	OP1-P-O3'	5.47	117.24	105.20
26	BB	794	A	N1-C6-N6	5.47	121.88	118.60
26	BB	832	U	C6-N1-C2	5.47	124.28	121.00
26	BB	1341	G	C2-N3-C4	5.47	114.64	111.90
26	BB	1658	C	N1-C2-N3	-5.47	115.37	119.20
26	BB	1912	A	C1'-O4'-C4'	-5.47	105.52	109.90
26	BB	2057	G	C2-N3-C4	-5.47	109.16	111.90
26	BB	2154	A	O4'-C1'-N9	5.47	112.58	108.20
26	BB	2173	A	N1-C2-N3	5.47	132.04	129.30
26	BB	2182	U	C1'-O4'-C4'	-5.47	105.52	109.90
26	BB	2381	A	C2-N3-C4	-5.47	107.86	110.60
26	BB	2692	G	N3-C4-C5	5.47	131.34	128.60
1	AA	1316	G	N3-C2-N2	-5.47	116.07	119.90
3	AC	59	A	C5'-C4'-C3'	-5.47	107.25	116.00
26	BB	567	U	C5-C6-N1	-5.47	119.97	122.70
26	BB	1232	G	P-O5'-C5'	5.47	129.65	120.90
26	BB	1415	U	N1-C1'-C2'	-5.47	105.98	112.00
26	BB	1752	C	C2-N3-C4	5.47	122.64	119.90
26	BB	1969	A	N7-C8-N9	-5.47	111.06	113.80
26	BB	2677	G	C5-C6-N1	5.47	114.23	111.50
28	BD	153	LEU	CB-CG-CD1	5.47	120.30	111.00
1	AA	268	U	N3-C4-O4	5.47	123.23	119.40
1	AA	376	G	N9-C4-C5	-5.47	103.21	105.40
1	AA	464	U	O4'-C1'-N1	5.47	112.58	108.20
1	AA	917	G	N7-C8-N9	5.47	115.83	113.10
3	AC	29	G	C2-N3-C4	5.47	114.63	111.90
3	AC	47	C	O4'-C1'-N1	5.47	112.58	108.20
26	BB	191	A	C2-N3-C4	5.47	113.33	110.60
26	BB	409	G	C4-C5-N7	-5.47	108.61	110.80
26	BB	1055	G	C5'-C4'-C3'	-5.47	107.25	116.00
26	BB	1435	G	C5-C6-N1	5.47	114.23	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1507	C	C5-C4-N4	-5.47	116.37	120.20
26	BB	1744	A	C5-C6-N6	5.47	128.08	123.70
26	BB	1776	G	N3-C4-N9	5.47	129.28	126.00
26	BB	1879	C	N3-C4-C5	-5.47	119.71	121.90
26	BB	2528	U	N3-C2-O2	-5.47	118.37	122.20
36	BL	52	ASP	CB-CG-OD1	-5.47	113.38	118.30
45	BU	8	ARG	CD-NE-CZ	5.47	131.26	123.60
1	AA	664	G	N3-C4-C5	5.47	131.33	128.60
1	AA	725	G	C1'-O4'-C4'	-5.47	105.53	109.90
1	AA	1007	U	O4'-C1'-C2'	5.47	112.52	107.60
1	AA	1234	C	C4'-C3'-C2'	-5.47	97.13	102.60
26	BB	388	G	N3-C4-N9	-5.47	122.72	126.00
26	BB	634	C	P-O3'-C3'	5.47	126.26	119.70
26	BB	1022	G	N1-C2-N2	5.47	121.12	116.20
1	AA	160	A	N7-C8-N9	-5.47	111.07	113.80
1	AA	307	C	P-O3'-C3'	5.47	126.26	119.70
1	AA	528	C	C2-N3-C4	-5.47	117.17	119.90
1	AA	977	A	C5-N7-C8	5.47	106.63	103.90
1	AA	1076	U	N1-C2-N3	5.47	118.18	114.90
1	AA	1189	U	C2-N3-C4	-5.47	123.72	127.00
1	AA	1416	G	P-O3'-C3'	5.47	126.26	119.70
17	AQ	100	TRP	CE2-CD2-CG	5.47	111.67	107.30
26	BB	452	G	C8-N9-C4	-5.47	104.21	106.40
26	BB	452	G	N9-C4-C5	5.47	107.59	105.40
26	BB	559	G	N3-C4-C5	-5.47	125.87	128.60
26	BB	874	G	C5-C6-N1	5.47	114.23	111.50
26	BB	1337	G	C4-C5-N7	-5.47	108.61	110.80
26	BB	1757	A	C5-N7-C8	5.47	106.63	103.90
26	BB	1992	G	C6-N1-C2	-5.47	121.82	125.10
26	BB	2535	G	N7-C8-N9	-5.47	110.37	113.10
34	BJ	131	TYR	CG-CD2-CE2	5.47	125.67	121.30
1	AA	163	C	P-O3'-C3'	5.46	126.26	119.70
1	AA	330	C	O4'-C1'-C2'	-5.46	100.33	105.80
1	AA	828	U	C5-C6-N1	-5.46	119.97	122.70
1	AA	1212	U	C6-N1-C2	-5.46	117.72	121.00
4	AD	5	G	N1-C6-O6	-5.46	116.62	119.90
25	BA	111	U	N3-C2-O2	-5.46	118.38	122.20
25	BA	114	C	N3-C4-N4	5.46	121.83	118.00
26	BB	15	G	N9-C1'-C2'	-5.46	105.99	112.00
26	BB	230	G	N3-C4-N9	-5.46	122.72	126.00
26	BB	606	U	C5-C4-O4	5.46	129.18	125.90
26	BB	670	A	O3'-P-O5'	-5.46	93.62	104.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1028	A	C3'-C2'-C1'	-5.46	97.13	101.50
26	BB	1173	U	C1'-O4'-C4'	-5.46	105.53	109.90
26	BB	1473	G	N1-C2-N2	-5.46	111.28	116.20
26	BB	1954	G	N3-C2-N2	-5.46	116.08	119.90
26	BB	2002	G	N1-C6-O6	-5.46	116.62	119.90
26	BB	2062	A	O5'-C5'-C4'	5.46	122.08	111.70
26	BB	2066	C	C2-N3-C4	5.46	122.63	119.90
26	BB	2407	A	P-O3'-C3'	5.46	126.26	119.70
26	BB	2415	G	C5-C6-O6	-5.46	125.32	128.60
26	BB	2695	U	C1'-O4'-C4'	-5.46	105.53	109.90
26	BB	2871	U	N1-C2-N3	5.46	118.18	114.90
1	AA	64	G	C4-C5-C6	5.46	122.08	118.80
1	AA	646	G	N3-C4-C5	-5.46	125.87	128.60
1	AA	1279	G	N1-C2-N2	5.46	121.12	116.20
5	AE	87	ASP	CB-CG-OD1	5.46	123.22	118.30
25	BA	120	U	N3-C4-O4	-5.46	115.58	119.40
26	BB	64	A	C5-C6-N1	5.46	120.43	117.70
26	BB	254	G	C3'-C2'-C1'	5.46	105.87	101.50
26	BB	585	G	O4'-C1'-C2'	-5.46	100.34	105.80
26	BB	632	A	O4'-C4'-C3'	5.46	110.47	106.10
26	BB	1512	C	C2-N3-C4	-5.46	117.17	119.90
26	BB	1819	A	C3'-C2'-C1'	-5.46	97.13	101.50
1	AA	89	U	N3-C4-O4	-5.46	115.58	119.40
1	AA	434	U	N3-C4-C5	-5.46	111.32	114.60
1	AA	660	C	N3-C2-O2	-5.46	118.08	121.90
1	AA	784	A	C8-N9-C4	-5.46	103.61	105.80
1	AA	900	A	C4'-C3'-C2'	-5.46	97.14	102.60
1	AA	957	U	C4-C5-C6	5.46	122.98	119.70
1	AA	1284	C	O4'-C4'-C3'	-5.46	98.54	104.00
1	AA	1292	G	C8-N9-C4	-5.46	104.22	106.40
1	AA	1512	U	C2-N3-C4	-5.46	123.72	127.00
2	AB	50	G	N9-C1'-C2'	-5.46	105.99	112.00
26	BB	249	C	C4-C5-C6	-5.46	114.67	117.40
26	BB	363	G	C6-N1-C2	-5.46	121.82	125.10
26	BB	453	A	C5-C6-N6	-5.46	119.33	123.70
26	BB	591	U	C3'-C2'-C1'	-5.46	97.13	101.50
26	BB	988	A	C4-C5-N7	5.46	113.43	110.70
26	BB	1024	G	O4'-C1'-N9	5.46	112.57	108.20
26	BB	1296	G	C6-C5-N7	-5.46	127.12	130.40
26	BB	2053	G	C4'-C3'-C2'	-5.46	97.14	102.60
26	BB	2301	C	C2-N3-C4	5.46	122.63	119.90
26	BB	2767	C	C2-N3-C4	5.46	122.63	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	37	U	C5-C4-O4	5.46	129.18	125.90
1	AA	183	C	C5-C4-N4	5.46	124.02	120.20
1	AA	731	G	C6-C5-N7	-5.46	127.12	130.40
1	AA	1253	G	N1-C2-N2	-5.46	111.29	116.20
1	AA	1313	U	N1-C2-N3	5.46	118.18	114.90
26	BB	102	U	O4'-C1'-C2'	-5.46	100.34	105.80
26	BB	1071	G	C6-N1-C2	-5.46	121.82	125.10
26	BB	1407	G	C6-C5-N7	-5.46	127.12	130.40
26	BB	1530	G	N1-C6-O6	5.46	123.18	119.90
26	BB	1775	U	C3'-C2'-C1'	-5.46	97.13	101.50
1	AA	743	A	N9-C4-C5	5.46	107.98	105.80
1	AA	785	G	N9-C4-C5	5.46	107.58	105.40
1	AA	997	U	N3-C4-O4	-5.46	115.58	119.40
1	AA	1385	G	C8-N9-C4	-5.46	104.22	106.40
26	BB	682	G	C1'-O4'-C4'	-5.46	105.53	109.90
26	BB	800	A	N1-C2-N3	-5.46	126.57	129.30
26	BB	1776	G	C6-C5-N7	-5.46	127.12	130.40
26	BB	1780	A	N1-C2-N3	-5.46	126.57	129.30
26	BB	2550	G	C5-C6-N1	5.46	114.23	111.50
26	BB	2664	G	P-O3'-C3'	5.46	126.25	119.70
26	BB	2676	C	C5'-C4'-O4'	5.46	115.65	109.10
26	BB	2805	C	N1-C2-O2	5.46	122.17	118.90
1	AA	126	G	O4'-C1'-N9	5.46	112.56	108.20
1	AA	204	G	C2-N3-C4	5.46	114.63	111.90
1	AA	505	G	O4'-C4'-C3'	5.46	110.47	106.10
1	AA	517	G	N1-C2-N2	5.46	121.11	116.20
1	AA	556	C	C6-N1-C1'	-5.46	114.25	120.80
1	AA	838	G	C4-C5-C6	-5.46	115.53	118.80
1	AA	891	U	N1-C2-O2	5.46	126.62	122.80
1	AA	962	C	C1'-O4'-C4'	-5.46	105.53	109.90
1	AA	1132	C	C4'-C3'-C2'	-5.46	97.14	102.60
1	AA	1240	U	C4'-C3'-C2'	-5.46	97.14	102.60
7	AG	191	SER	N-CA-CB	5.46	118.69	110.50
26	BB	443	A	N3-C4-C5	-5.46	122.98	126.80
26	BB	500	G	N3-C4-N9	5.46	129.27	126.00
26	BB	980	A	O4'-C1'-N9	5.46	112.56	108.20
26	BB	1003	G	N1-C2-N3	5.46	127.17	123.90
26	BB	1784	A	N9-C4-C5	5.46	107.98	105.80
26	BB	1938	A	O4'-C1'-C2'	-5.46	100.34	105.80
26	BB	2105	U	C4-C5-C6	5.46	122.97	119.70
26	BB	2365	G	N1-C6-O6	5.46	123.17	119.90
26	BB	2759	G	N3-C4-C5	-5.46	125.87	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2867	G	N3-C4-C5	-5.46	125.87	128.60
1	AA	423	G	N1-C2-N3	-5.46	120.63	123.90
1	AA	441	A	C4-C5-N7	-5.46	107.97	110.70
1	AA	592	G	N3-C4-N9	-5.46	122.73	126.00
1	AA	1517	G	C5-N7-C8	-5.46	101.57	104.30
12	AL	103	VAL	CA-CB-CG1	5.46	119.08	110.90
25	BA	106	G	N7-C8-N9	-5.46	110.37	113.10
26	BB	358	U	N1-C2-O2	5.46	126.62	122.80
26	BB	1358	G	C2-N3-C4	5.46	114.63	111.90
26	BB	2253	G	C5-C6-N1	5.46	114.23	111.50
26	BB	2505	G	O4'-C1'-N9	5.46	112.56	108.20
1	AA	493	A	C4-C5-N7	5.45	113.43	110.70
1	AA	544	G	C4'-C3'-C2'	-5.45	97.15	102.60
1	AA	774	G	C5-C6-O6	5.45	131.87	128.60
1	AA	785	G	C4'-C3'-C2'	-5.45	97.15	102.60
1	AA	1000	A	C4-C5-C6	-5.45	114.27	117.00
1	AA	1099	G	C5-C6-O6	5.45	131.87	128.60
1	AA	1156	G	N9-C4-C5	-5.45	103.22	105.40
1	AA	1226	C	N1-C2-O2	5.45	122.17	118.90
26	BB	106	C	C4'-C3'-C2'	-5.45	97.15	102.60
26	BB	874	G	C5-N7-C8	-5.45	101.57	104.30
26	BB	879	G	N3-C4-C5	-5.45	125.87	128.60
26	BB	1083	U	N3-C2-O2	-5.45	118.38	122.20
26	BB	1499	C	C6-N1-C2	5.45	122.48	120.30
26	BB	1645	G	N1-C2-N3	-5.45	120.63	123.90
26	BB	2127	G	N1-C2-N3	-5.45	120.63	123.90
26	BB	2474	U	N1-C1'-C2'	-5.45	106.00	112.00
26	BB	2589	A	C6-N1-C2	5.45	121.87	118.60
1	AA	246	A	C5-C6-N6	5.45	128.06	123.70
1	AA	407	U	N3-C4-C5	-5.45	111.33	114.60
1	AA	653	U	O4'-C1'-N1	-5.45	103.84	108.20
2	AB	64	U	C3'-C2'-C1'	-5.45	97.14	101.50
26	BB	525	U	C2-N3-C4	-5.45	123.73	127.00
26	BB	1397	U	C5-C6-N1	-5.45	119.97	122.70
28	BD	12	ARG	CD-NE-CZ	5.45	131.23	123.60
1	AA	398	U	N1-C2-N3	5.45	118.17	114.90
1	AA	622	A	N1-C2-N3	-5.45	126.57	129.30
1	AA	905	U	C5-C6-N1	-5.45	119.97	122.70
1	AA	970	C	N3-C4-N4	5.45	121.81	118.00
1	AA	1134	G	C4-N9-C1'	-5.45	119.41	126.50
1	AA	1470	U	C2-N3-C4	-5.45	123.73	127.00
1	AA	1536	C	N3-C4-N4	5.45	121.81	118.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	AF	21	TRP	CB-CG-CD2	5.45	133.69	126.60
25	BA	100	G	N9-C4-C5	-5.45	103.22	105.40
25	BA	114	C	C5-C6-N1	5.45	123.72	121.00
26	BB	495	G	P-O3'-C3'	5.45	126.24	119.70
26	BB	1702	G	C8-N9-C4	-5.45	104.22	106.40
26	BB	1713	A	O4'-C1'-N9	5.45	112.56	108.20
26	BB	1754	A	N9-C4-C5	5.45	107.98	105.80
26	BB	2058	A	C8-N9-C4	-5.45	103.62	105.80
26	BB	2061	G	N1-C6-O6	5.45	123.17	119.90
26	BB	2268	A	C5'-C4'-C3'	-5.45	107.28	116.00
26	BB	2468	A	C6-N1-C2	5.45	121.87	118.60
26	BB	2645	G	C4-C5-N7	-5.45	108.62	110.80
1	AA	5	U	C1'-O4'-C4'	-5.45	105.54	109.90
1	AA	279	A	N1-C6-N6	-5.45	115.33	118.60
1	AA	521	G	C8-N9-C4	5.45	108.58	106.40
1	AA	1515	G	C5-C6-O6	-5.45	125.33	128.60
15	AO	37	TYR	CB-CG-CD2	-5.45	117.73	121.00
25	BA	85	G	N9-C1'-C2'	-5.45	106.01	112.00
26	BB	160	A	N1-C6-N6	-5.45	115.33	118.60
26	BB	444	C	O5'-C5'-C4'	-5.45	101.35	111.70
26	BB	506	G	N3-C2-N2	5.45	123.72	119.90
26	BB	821	A	C5'-C4'-C3'	-5.45	107.28	116.00
26	BB	1106	G	N9-C1'-C2'	-5.45	106.01	112.00
26	BB	1305	C	C1'-O4'-C4'	-5.45	105.54	109.90
26	BB	1974	C	N3-C2-O2	-5.45	118.09	121.90
26	BB	2190	G	C5-C6-O6	-5.45	125.33	128.60
26	BB	2342	C	O3'-P-O5'	5.45	114.35	104.00
26	BB	2898	U	C6-N1-C2	-5.45	117.73	121.00
35	BK	7	TYR	CB-CG-CD1	5.45	124.27	121.00
1	AA	274	A	C4-C5-N7	5.45	113.42	110.70
1	AA	1065	U	N1-C2-N3	5.45	118.17	114.90
26	BB	528	A	C4-C5-N7	5.45	113.42	110.70
26	BB	812	C	C1'-O4'-C4'	-5.45	105.54	109.90
26	BB	920	A	C6-N1-C2	-5.45	115.33	118.60
26	BB	1383	A	N3-C4-N9	-5.45	123.04	127.40
26	BB	2389	G	C5-C6-N1	5.45	114.22	111.50
26	BB	2750	A	C5-C6-N1	-5.45	114.98	117.70
1	AA	190	A	C4-C5-C6	-5.45	114.28	117.00
26	BB	2072	C	N3-C4-N4	-5.45	114.19	118.00
26	BB	2161	C	N1-C2-O2	5.45	122.17	118.90
39	BO	66	ARG	CD-NE-CZ	5.45	131.22	123.60
1	AA	954	G	N1-C2-N2	5.44	121.10	116.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1417	G	N9-C4-C5	-5.44	103.22	105.40
25	BA	13	G	C5-N7-C8	-5.44	101.58	104.30
26	BB	1702	G	C4-C5-N7	-5.44	108.62	110.80
26	BB	2070	A	C8-N9-C4	5.44	107.98	105.80
26	BB	2827	C	N3-C4-C5	-5.44	119.72	121.90
1	AA	26	A	C4'-C3'-C2'	-5.44	97.16	102.60
1	AA	291	U	N1-C2-O2	-5.44	118.99	122.80
26	BB	45	G	N1-C6-O6	-5.44	116.64	119.90
26	BB	215	G	N7-C8-N9	5.44	115.82	113.10
26	BB	619	G	N3-C4-N9	5.44	129.26	126.00
26	BB	810	U	N1-C1'-C2'	-5.44	106.01	112.00
26	BB	971	G	C4-C5-N7	-5.44	108.62	110.80
26	BB	1129	A	P-O3'-C3'	5.44	126.23	119.70
26	BB	1371	G	C5'-C4'-O4'	5.44	115.63	109.10
26	BB	1398	C	N3-C4-C5	-5.44	119.72	121.90
26	BB	1505	A	C4-C5-C6	-5.44	114.28	117.00
26	BB	1884	G	N3-C4-N9	-5.44	122.73	126.00
26	BB	2000	C	C1'-O4'-C4'	5.44	114.25	109.90
26	BB	2131	U	P-O3'-C3'	5.44	126.23	119.70
26	BB	2352	A	N7-C8-N9	5.44	116.52	113.80
26	BB	2479	U	C5-C4-O4	5.44	129.17	125.90
26	BB	2609	U	C6-N1-C2	5.44	124.27	121.00
26	BB	2868	A	C5-C6-N6	-5.44	119.34	123.70
26	BB	2885	G	C1'-O4'-C4'	-5.44	105.55	109.90
57	B6	44	ARG	CD-NE-CZ	5.44	131.22	123.60
1	AA	321	A	N9-C4-C5	5.44	107.98	105.80
1	AA	584	G	N9-C4-C5	5.44	107.58	105.40
1	AA	590	U	N3-C4-O4	5.44	123.21	119.40
1	AA	1155	A	N1-C2-N3	5.44	132.02	129.30
1	AA	1510	C	C5'-C4'-O4'	5.44	115.63	109.10
9	AI	79	ARG	NE-CZ-NH1	5.44	123.02	120.30
26	BB	374	A	C6-C5-N7	5.44	136.11	132.30
26	BB	894	U	N1-C1'-C2'	-5.44	106.02	112.00
26	BB	1262	A	N3-C4-N9	5.44	131.75	127.40
26	BB	2317	A	N1-C2-N3	-5.44	126.58	129.30
26	BB	2538	C	C5-C6-N1	-5.44	118.28	121.00
26	BB	2608	G	C8-N9-C1'	5.44	134.07	127.00
33	BI	86	ASP	CB-CG-OD2	5.44	123.20	118.30
1	AA	111	G	C6-N1-C2	-5.44	121.84	125.10
1	AA	1033	G	N7-C8-N9	5.44	115.82	113.10
4	AD	36	A	N7-C8-N9	-5.44	111.08	113.80
5	AE	101	THR	O-C-N	5.44	131.40	122.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1755	A	C5-N7-C8	-5.44	101.18	103.90
26	BB	2740	A	N1-C6-N6	-5.44	115.34	118.60
1	AA	336	A	C1'-O4'-C4'	-5.44	105.55	109.90
1	AA	450	G	N3-C4-N9	5.44	129.26	126.00
1	AA	744	C	C6-N1-C2	5.44	122.47	120.30
1	AA	750	C	N3-C4-C5	-5.44	119.72	121.90
25	BA	108	A	C5-N7-C8	-5.44	101.18	103.90
26	BB	275	C	C5'-C4'-O4'	5.44	115.62	109.10
26	BB	352	A	C3'-C2'-C1'	5.44	105.85	101.50
26	BB	850	U	N1-C2-O2	-5.44	118.99	122.80
26	BB	1519	G	O4'-C1'-N9	5.44	112.55	108.20
26	BB	1843	C	C3'-C2'-C1'	-5.44	97.15	101.50
26	BB	1859	U	N3-C4-O4	5.44	123.21	119.40
26	BB	2215	C	C2-N3-C4	-5.44	117.18	119.90
26	BB	2222	C	C1'-O4'-C4'	5.44	114.25	109.90
26	BB	2416	C	C5-C4-N4	-5.44	116.39	120.20
30	BF	145	ASP	CB-CG-OD1	5.44	123.19	118.30
34	BJ	137	ARG	NE-CZ-NH2	5.44	123.02	120.30
1	AA	539	A	N9-C1'-C2'	-5.44	106.02	112.00
1	AA	1019	A	N9-C1'-C2'	-5.44	106.02	112.00
1	AA	1263	C	O4'-C1'-N1	5.44	112.55	108.20
26	BB	829	A	C5'-C4'-C3'	-5.44	107.30	116.00
26	BB	985	C	N1-C2-N3	5.44	123.00	119.20
26	BB	1043	C	C5-C4-N4	-5.44	116.39	120.20
26	BB	1102	C	C5-C6-N1	5.44	123.72	121.00
1	AA	184	G	C2-N3-C4	-5.43	109.18	111.90
1	AA	469	C	C4-C5-C6	5.43	120.12	117.40
1	AA	601	G	N1-C2-N3	-5.43	120.64	123.90
1	AA	661	G	N1-C2-N2	5.43	121.09	116.20
1	AA	732	C	C4-C5-C6	-5.43	114.68	117.40
1	AA	909	A	C2-N3-C4	-5.43	107.88	110.60
1	AA	977	A	P-O3'-C3'	5.43	126.22	119.70
14	AN	110	THR	CA-CB-CG2	5.43	120.01	112.40
26	BB	422	A	O4'-C4'-C3'	5.43	110.45	106.10
26	BB	669	G	C3'-C2'-C1'	5.43	105.85	101.50
26	BB	1736	U	C5-C4-O4	5.43	129.16	125.90
26	BB	1789	A	C3'-C2'-C1'	-5.43	97.15	101.50
26	BB	1839	G	C5-C6-O6	5.43	131.86	128.60
26	BB	1858	A	C5'-C4'-C3'	-5.43	107.31	116.00
26	BB	2473	U	C2-N1-C1'	5.43	124.22	117.70
26	BB	2629	U	C4-C5-C6	5.43	122.96	119.70
26	BB	2643	G	P-O3'-C3'	5.43	126.22	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2660	A	C3'-C2'-C1'	5.43	105.85	101.50
51	B0	52	ARG	CA-CB-CG	5.43	125.36	113.40
1	AA	67	C	C5'-C4'-C3'	-5.43	107.31	116.00
1	AA	378	G	P-O3'-C3'	5.43	126.22	119.70
1	AA	545	C	N1-C1'-C2'	-5.43	106.02	112.00
1	AA	1242	G	N9-C1'-C2'	-5.43	106.02	112.00
25	BA	37	C	C5'-C4'-C3'	5.43	124.69	116.00
26	BB	266	G	C4'-C3'-C2'	-5.43	97.17	102.60
26	BB	399	U	N3-C4-C5	-5.43	111.34	114.60
26	BB	468	G	C5-N7-C8	-5.43	101.58	104.30
26	BB	694	U	O4'-C1'-N1	5.43	112.55	108.20
26	BB	1086	A	C4-C5-C6	-5.43	114.28	117.00
26	BB	1214	A	N3-C4-C5	-5.43	123.00	126.80
26	BB	2465	C	O4'-C1'-N1	5.43	112.55	108.20
26	BB	2900	A	N1-C2-N3	-5.43	126.58	129.30
1	AA	346	G	C5'-C4'-C3'	-5.43	107.31	116.00
1	AA	931	C	C5'-C4'-C3'	-5.43	107.31	116.00
1	AA	1482	G	N1-C6-O6	-5.43	116.64	119.90
3	AC	33	A	N1-C6-N6	5.43	121.86	118.60
4	AD	73	A	C8-N9-C4	-5.43	103.63	105.80
26	BB	7	G	C5-C6-O6	-5.43	125.34	128.60
26	BB	318	C	C1'-O4'-C4'	-5.43	105.56	109.90
26	BB	1053	C	C5'-C4'-O4'	5.43	115.62	109.10
26	BB	1313	U	N1-C2-O2	5.43	126.60	122.80
26	BB	2235	G	C6-C5-N7	5.43	133.66	130.40
26	BB	2432	A	P-O3'-C3'	5.43	126.22	119.70
31	BG	96	TRP	CE3-CZ3-CH2	5.43	127.17	121.20
51	B0	29	ARG	NE-CZ-NH1	-5.43	117.58	120.30
1	AA	33	A	C5-C6-N6	-5.43	119.36	123.70
1	AA	70	U	N3-C4-O4	-5.43	115.60	119.40
1	AA	304	U	C5'-C4'-O4'	5.43	115.62	109.10
1	AA	411	A	C5'-C4'-C3'	-5.43	107.31	116.00
1	AA	550	G	N7-C8-N9	5.43	115.81	113.10
1	AA	678	U	N3-C4-O4	5.43	123.20	119.40
1	AA	990	C	O4'-C1'-N1	5.43	112.54	108.20
1	AA	1211	U	O4'-C1'-N1	5.43	112.54	108.20
2	AB	35	C	O4'-C1'-C2'	-5.43	100.37	105.80
16	AP	9	PRO	N-CD-CG	5.43	111.34	103.20
26	BB	267	C	C3'-C2'-C1'	5.43	105.84	101.50
26	BB	317	G	C5'-C4'-O4'	5.43	115.62	109.10
26	BB	378	C	N3-C4-C5	-5.43	119.73	121.90
26	BB	604	G	C2'-C3'-O3'	5.43	122.39	113.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1457	U	C2-N3-C4	-5.43	123.74	127.00
26	BB	1565	C	N3-C2-O2	-5.43	118.10	121.90
26	BB	1792	G	N3-C2-N2	5.43	123.70	119.90
26	BB	1863	G	C5-C6-O6	-5.43	125.34	128.60
26	BB	1927	A	N7-C8-N9	5.43	116.52	113.80
26	BB	2311	A	C1'-O4'-C4'	-5.43	105.56	109.90
26	BB	2369	A	C2-N3-C4	5.43	113.31	110.60
26	BB	2418	A	N1-C6-N6	-5.43	115.34	118.60
26	BB	2535	G	N3-C4-N9	5.43	129.26	126.00
26	BB	2595	G	C4-C5-N7	-5.43	108.63	110.80
26	BB	2758	A	O4'-C1'-N9	5.43	112.54	108.20
26	BB	2761	A	N3-C4-N9	-5.43	123.06	127.40
26	BB	2834	G	C3'-C2'-C1'	5.43	105.84	101.50
26	BB	2894	G	C6-N1-C2	-5.43	121.84	125.10
38	BN	123	ARG	NE-CZ-NH1	5.43	123.02	120.30
39	BO	92	TRP	NE1-CE2-CD2	-5.43	101.87	107.30
42	BR	112	ARG	NE-CZ-NH2	5.43	123.02	120.30
1	AA	183	C	C3'-C2'-C1'	5.43	105.84	101.50
1	AA	1173	U	C5-C4-O4	5.43	129.16	125.90
5	AE	29	PHE	CB-CG-CD2	-5.43	117.00	120.80
26	BB	648	G	C5-C6-O6	-5.43	125.34	128.60
26	BB	761	A	C5'-C4'-O4'	5.43	115.61	109.10
26	BB	1005	C	C5'-C4'-C3'	-5.43	107.31	116.00
26	BB	1563	U	C5-C4-O4	-5.43	122.64	125.90
26	BB	1705	A	C8-N9-C4	-5.43	103.63	105.80
1	AA	28	A	C8-N9-C4	-5.43	103.63	105.80
1	AA	35	G	C4-N9-C1'	-5.43	119.44	126.50
1	AA	113	G	C5'-C4'-C3'	-5.43	107.32	116.00
1	AA	252	U	O4'-C1'-N1	5.43	112.54	108.20
1	AA	395	C	O4'-C4'-C3'	-5.43	98.57	104.00
1	AA	455	G	C5-C6-N1	5.43	114.21	111.50
1	AA	611	C	C5'-C4'-O4'	5.43	115.61	109.10
1	AA	621	A	C6-C5-N7	5.43	136.10	132.30
1	AA	1164	G	C6-C5-N7	-5.43	127.14	130.40
1	AA	1416	G	N7-C8-N9	5.43	115.81	113.10
14	AN	26	PHE	CB-CG-CD2	-5.43	117.00	120.80
15	AO	65	TYR	CG-CD1-CE1	-5.43	116.96	121.30
26	BB	344	A	N1-C6-N6	5.43	121.86	118.60
26	BB	396	G	C6-N1-C2	-5.43	121.84	125.10
26	BB	402	A	O4'-C1'-N9	5.43	112.54	108.20
26	BB	877	A	C4'-C3'-C2'	-5.43	97.17	102.60
26	BB	1202	G	C5-N7-C8	5.43	107.01	104.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1286	A	O5'-P-OP2	-5.43	100.82	105.70
26	BB	1339	G	N7-C8-N9	5.43	115.81	113.10
26	BB	1560	G	C2-N3-C4	5.43	114.61	111.90
26	BB	2078	C	C5-C4-N4	5.43	124.00	120.20
26	BB	2607	G	C1'-O4'-C4'	5.43	114.24	109.90
26	BB	2829	A	C6-N1-C2	-5.43	115.34	118.60
26	BB	2863	C	C3'-C2'-C1'	5.43	105.84	101.50
1	AA	315	A	O4'-C4'-C3'	5.42	110.44	106.10
1	AA	919	A	O4'-C1'-N9	5.42	112.54	108.20
1	AA	1136	C	C4-C5-C6	-5.42	114.69	117.40
1	AA	1306	A	C5'-C4'-O4'	5.42	115.61	109.10
1	AA	1431	A	O5'-P-OP2	-5.42	100.82	105.70
26	BB	89	A	C8-N9-C4	-5.42	103.63	105.80
26	BB	254	G	O4'-C1'-N9	5.42	112.54	108.20
26	BB	284	U	C1'-O4'-C4'	-5.42	105.56	109.90
26	BB	706	A	N9-C4-C5	-5.42	103.63	105.80
26	BB	946	C	C5-C4-N4	-5.42	116.40	120.20
26	BB	1173	U	N3-C4-C5	-5.42	111.34	114.60
26	BB	1519	G	C1'-O4'-C4'	-5.42	105.56	109.90
26	BB	1883	U	O4'-C1'-N1	5.42	112.54	108.20
26	BB	2158	A	P-O3'-C3'	5.42	126.21	119.70
26	BB	2225	A	N3-C4-C5	-5.42	123.00	126.80
26	BB	2243	U	C5-C6-N1	-5.42	119.99	122.70
26	BB	2316	G	O4'-C1'-N9	5.42	112.54	108.20
33	BI	135	HIS	CA-CB-CG	-5.42	104.38	113.60
1	AA	138	G	N7-C8-N9	5.42	115.81	113.10
1	AA	265	G	C4'-C3'-C2'	-5.42	97.18	102.60
1	AA	471	U	C4-C5-C6	5.42	122.95	119.70
1	AA	557	G	N9-C4-C5	5.42	107.57	105.40
1	AA	702	A	N3-C4-N9	-5.42	123.06	127.40
1	AA	852	G	P-O3'-C3'	5.42	126.21	119.70
1	AA	1041	G	N1-C2-N2	5.42	121.08	116.20
1	AA	1443	C	C4'-C3'-C2'	-5.42	97.18	102.60
26	BB	388	G	C5-C6-N1	5.42	114.21	111.50
26	BB	1322	A	C4-C5-C6	-5.42	114.29	117.00
26	BB	1786	A	C4-C5-C6	5.42	119.71	117.00
26	BB	2249	U	C4'-C3'-C2'	5.42	108.02	102.60
26	BB	2424	C	P-O5'-C5'	5.42	129.58	120.90
41	BQ	64	TYR	CB-CG-CD1	-5.42	117.75	121.00
1	AA	406	G	C4-C5-N7	-5.42	108.63	110.80
1	AA	575	G	N3-C4-N9	5.42	129.25	126.00
1	AA	639	G	C4-N9-C1'	5.42	133.55	126.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	792	A	N7-C8-N9	5.42	116.51	113.80
1	AA	1460	C	N1-C2-O2	5.42	122.15	118.90
2	AB	10	G	C5-C6-O6	-5.42	125.35	128.60
2	AB	64	U	O4'-C1'-N1	5.42	112.54	108.20
13	AM	92	LEU	CB-CG-CD2	-5.42	101.78	111.00
23	AW	60	GLN	CA-CB-CG	5.42	125.33	113.40
26	BB	27	G	N1-C6-O6	5.42	123.15	119.90
26	BB	245	G	N1-C2-N3	-5.42	120.65	123.90
26	BB	703	U	O4'-C1'-C2'	5.42	112.48	107.60
26	BB	735	A	C4-C5-N7	-5.42	107.99	110.70
26	BB	930	G	N1-C6-O6	5.42	123.15	119.90
26	BB	1020	A	C8-N9-C4	-5.42	103.63	105.80
26	BB	1254	A	N1-C6-N6	-5.42	115.35	118.60
26	BB	1360	G	C4-C5-C6	-5.42	115.55	118.80
26	BB	1523	U	N3-C4-C5	-5.42	111.35	114.60
26	BB	1586	A	P-O5'-C5'	5.42	129.57	120.90
26	BB	1613	G	C3'-C2'-C1'	-5.42	97.16	101.50
26	BB	1635	A	C4'-C3'-C2'	-5.42	97.18	102.60
26	BB	1749	A	C3'-C2'-C1'	5.42	105.84	101.50
26	BB	1800	C	N1-C2-O2	5.42	122.15	118.90
26	BB	1804	C	O4'-C1'-N1	5.42	112.54	108.20
26	BB	2087	G	N9-C4-C5	5.42	107.57	105.40
26	BB	2820	A	N9-C1'-C2'	5.42	121.05	114.00
1	AA	682	G	C3'-C2'-C1'	-5.42	97.16	101.50
1	AA	1032	G	C4-C5-C6	5.42	122.05	118.80
1	AA	1336	C	C2-N3-C4	-5.42	117.19	119.90
4	AD	65	G	C4'-C3'-C2'	-5.42	97.18	102.60
25	BA	88	C	C1'-O4'-C4'	-5.42	105.56	109.90
26	BB	531	C	O4'-C1'-N1	5.42	112.54	108.20
26	BB	1560	G	C4-C5-C6	5.42	122.05	118.80
26	BB	2027	G	C3'-C2'-C1'	5.42	105.84	101.50
46	BV	37	ASP	CB-CG-OD1	-5.42	113.42	118.30
1	AA	158	G	C3'-C2'-C1'	-5.42	97.17	101.50
1	AA	304	U	C3'-C2'-C1'	5.42	105.83	101.50
1	AA	839	C	C6-N1-C2	-5.42	118.13	120.30
1	AA	897	C	N3-C4-N4	5.42	121.79	118.00
1	AA	1409	C	N3-C4-N4	5.42	121.79	118.00
4	AD	35	C	N3-C4-N4	-5.42	114.21	118.00
7	AG	80	ARG	NE-CZ-NH1	-5.42	117.59	120.30
25	BA	53	A	C5-C6-N1	5.42	120.41	117.70
26	BB	225	C	C5-C4-N4	-5.42	116.41	120.20
26	BB	1206	G	C1'-O4'-C4'	-5.42	105.56	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1960	A	C2-N3-C4	-5.42	107.89	110.60
26	BB	2343	U	N3-C4-O4	-5.42	115.61	119.40
26	BB	2589	A	C3'-C2'-C1'	5.42	105.83	101.50
26	BB	2589	A	N1-C6-N6	-5.42	115.35	118.60
26	BB	2675	A	C5-C6-N1	-5.42	114.99	117.70
26	BB	2802	G	C8-N9-C4	-5.42	104.23	106.40
26	BB	2865	U	O4'-C1'-C2'	5.42	112.48	107.60
29	BE	138	LEU	CB-CA-C	5.42	120.50	110.20
46	BV	51	PHE	CB-CG-CD1	-5.42	117.01	120.80
1	AA	277	C	C6-N1-C2	-5.42	118.13	120.30
1	AA	381	C	N3-C4-N4	5.42	121.79	118.00
1	AA	403	C	N3-C4-C5	5.42	124.07	121.90
1	AA	721	G	C5-C6-O6	-5.42	125.35	128.60
1	AA	788	U	C1'-O4'-C4'	-5.42	105.57	109.90
1	AA	1165	U	N1-C2-O2	-5.42	119.01	122.80
1	AA	1440	U	N1-C2-O2	-5.42	119.01	122.80
2	AB	72	U	N1-C2-N3	5.42	118.15	114.90
4	AD	64	G	P-O5'-C5'	5.42	129.57	120.90
26	BB	887	U	C5-C6-N1	-5.42	119.99	122.70
26	BB	1350	C	N3-C4-C5	-5.42	119.73	121.90
26	BB	1401	G	N3-C2-N2	-5.42	116.11	119.90
26	BB	2390	U	C5'-C4'-O4'	5.42	115.60	109.10
26	BB	2868	A	O4'-C1'-N9	-5.42	103.87	108.20
34	BJ	30	ARG	NE-CZ-NH2	-5.42	117.59	120.30
1	AA	148	G	N3-C4-C5	-5.42	125.89	128.60
1	AA	278	G	C6-N1-C2	-5.42	121.85	125.10
1	AA	756	C	N3-C4-C5	5.42	124.07	121.90
1	AA	959	A	N1-C6-N6	-5.42	115.35	118.60
4	AD	22	A	O4'-C1'-N9	5.42	112.53	108.20
4	AD	40	C	C6-N1-C1'	5.42	127.30	120.80
19	AS	44	SER	CB-CA-C	5.42	120.39	110.10
26	BB	40	U	P-O3'-C3'	5.42	126.20	119.70
26	BB	260	G	N3-C4-C5	-5.42	125.89	128.60
26	BB	762	U	C1'-O4'-C4'	5.42	114.23	109.90
27	BC	78	PHE	CB-CG-CD2	5.42	124.59	120.80
1	AA	344	A	O4'-C1'-N9	5.41	112.53	108.20
1	AA	392	C	O4'-C1'-N1	5.41	112.53	108.20
1	AA	829	G	N1-C6-O6	-5.41	116.65	119.90
2	AB	27	C	C5-C4-N4	-5.41	116.41	120.20
3	AC	40	G	C8-N9-C4	-5.41	104.23	106.40
4	AD	6	G	N9-C1'-C2'	-5.41	106.05	112.00
6	AF	45	GLU	OE1-CD-OE2	5.41	129.80	123.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	81	G	C2'-C3'-O3'	-5.41	97.59	109.50
26	BB	162	U	O4'-C1'-N1	5.41	112.53	108.20
26	BB	514	A	C5-N7-C8	-5.41	101.19	103.90
26	BB	776	G	N3-C4-N9	5.41	129.25	126.00
26	BB	995	C	O4'-C1'-N1	5.41	112.53	108.20
26	BB	1007	C	C2-N1-C1'	-5.41	112.84	118.80
26	BB	1050	A	C4'-C3'-C2'	-5.41	97.19	102.60
26	BB	1205	A	C5'-C4'-C3'	-5.41	107.34	116.00
26	BB	1262	A	C3'-C2'-C1'	-5.41	97.17	101.50
26	BB	1443	U	C5-C4-O4	5.41	129.15	125.90
26	BB	1827	U	N1-C2-O2	-5.41	119.01	122.80
26	BB	1922	G	O4'-C4'-C3'	-5.41	98.59	104.00
26	BB	2145	C	C6-N1-C2	-5.41	118.13	120.30
26	BB	2584	U	C1'-O4'-C4'	5.41	114.23	109.90
26	BB	2681	C	C4-C5-C6	-5.41	114.69	117.40
50	BZ	45	PHE	CB-CG-CD1	5.41	124.59	120.80
1	AA	594	U	N1-C2-O2	5.41	126.59	122.80
1	AA	1471	U	O4'-C1'-N1	5.41	112.53	108.20
9	AI	4	TYR	CB-CG-CD2	-5.41	117.75	121.00
26	BB	1559	U	C3'-C2'-C1'	-5.41	97.17	101.50
26	BB	2246	G	C5-C6-O6	-5.41	125.35	128.60
1	AA	391	G	O4'-C4'-C3'	5.41	110.43	106.10
1	AA	986	U	C2-N1-C1'	-5.41	111.21	117.70
9	AI	95	ALA	CB-CA-C	5.41	118.22	110.10
10	AJ	13	PRO	CA-N-CD	-5.41	103.92	111.50
25	BA	42	C	N3-C4-N4	5.41	121.79	118.00
26	BB	341	C	C5-C6-N1	-5.41	118.29	121.00
26	BB	433	C	O4'-C1'-N1	5.41	112.53	108.20
26	BB	770	G	N1-C2-N3	-5.41	120.65	123.90
26	BB	1530	G	C5-C6-O6	-5.41	125.35	128.60
26	BB	1887	C	O4'-C1'-N1	5.41	112.53	108.20
26	BB	2096	C	C5-C4-N4	-5.41	116.41	120.20
26	BB	2468	A	C8-N9-C4	5.41	107.96	105.80
26	BB	2549	G	C5-N7-C8	-5.41	101.59	104.30
26	BB	2709	G	N9-C4-C5	5.41	107.56	105.40
1	AA	103	U	O4'-C1'-N1	-5.41	103.87	108.20
1	AA	558	G	C5-C6-N1	-5.41	108.80	111.50
1	AA	682	G	C4'-C3'-C2'	-5.41	97.19	102.60
1	AA	768	A	C4'-C3'-C2'	5.41	108.01	102.60
1	AA	1202	U	C5'-C4'-C3'	-5.41	107.35	116.00
1	AA	1254	A	N9-C4-C5	5.41	107.96	105.80
1	AA	1354	U	C1'-O4'-C4'	-5.41	105.57	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1405	G	O4'-C1'-N9	5.41	112.53	108.20
2	AB	64	U	N1-C2-N3	5.41	118.14	114.90
25	BA	71	C	N3-C2-O2	-5.41	118.11	121.90
26	BB	366	C	N3-C4-C5	-5.41	119.74	121.90
26	BB	418	C	C3'-C2'-C1'	5.41	105.83	101.50
26	BB	715	A	N1-C2-N3	-5.41	126.59	129.30
26	BB	1059	G	N3-C4-C5	-5.41	125.90	128.60
26	BB	1281	G	C5-N7-C8	-5.41	101.60	104.30
26	BB	1971	U	C5-C4-O4	5.41	129.15	125.90
26	BB	2125	G	C4'-C3'-C2'	5.41	108.01	102.60
26	BB	2316	G	P-O5'-C5'	5.41	129.56	120.90
26	BB	2385	C	P-O5'-C5'	5.41	129.55	120.90
26	BB	2541	A	C4-C5-N7	-5.41	108.00	110.70
26	BB	2672	U	N1-C1'-C2'	-5.41	106.05	112.00
26	BB	2858	C	N3-C4-C5	-5.41	119.74	121.90
33	BI	78	VAL	CG1-CB-CG2	-5.41	102.25	110.90
1	AA	360	G	N9-C4-C5	5.41	107.56	105.40
1	AA	460	A	O4'-C1'-N9	5.41	112.53	108.20
1	AA	480	U	C5-C6-N1	5.41	125.40	122.70
1	AA	533	A	O4'-C1'-N9	-5.41	103.87	108.20
1	AA	1463	U	N1-C1'-C2'	-5.41	106.05	112.00
1	AA	1505	G	O4'-C1'-N9	5.41	112.53	108.20
4	AD	12	G	N3-C4-C5	5.41	131.30	128.60
26	BB	639	U	C3'-C2'-C1'	5.41	105.83	101.50
26	BB	932	U	N1-C1'-C2'	5.41	121.03	114.00
26	BB	1981	A	N7-C8-N9	-5.41	111.10	113.80
26	BB	2054	A	C4-C5-C6	-5.41	114.30	117.00
1	AA	465	A	O5'-P-OP1	-5.41	100.84	105.70
1	AA	634	C	N1-C2-O2	5.41	122.14	118.90
1	AA	1541	U	C2-N3-C4	-5.41	123.76	127.00
7	AG	12	ARG	O-C-N	-5.41	114.05	122.70
13	AM	7	ARG	NE-CZ-NH2	-5.41	117.60	120.30
26	BB	341	C	C4'-C3'-C2'	-5.41	97.19	102.60
26	BB	424	G	O4'-C1'-N9	5.41	112.53	108.20
26	BB	656	G	C6-N1-C2	-5.41	121.86	125.10
26	BB	1998	A	P-O3'-C3'	5.41	126.19	119.70
26	BB	2771	C	N3-C2-O2	-5.41	118.11	121.90
1	AA	311	C	P-O5'-C5'	5.40	129.55	120.90
1	AA	455	G	N1-C6-O6	5.40	123.14	119.90
1	AA	852	G	C5-C6-N1	-5.40	108.80	111.50
1	AA	897	C	C2-N3-C4	5.40	122.60	119.90
1	AA	1053	G	C4-C5-N7	-5.40	108.64	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	AQ	23	ARG	NE-CZ-NH2	5.40	123.00	120.30
26	BB	2038	G	N1-C6-O6	-5.40	116.66	119.90
1	AA	155	A	C6-C5-N7	5.40	136.08	132.30
1	AA	342	C	C4'-C3'-C2'	-5.40	97.20	102.60
1	AA	382	A	C5-C6-N1	-5.40	115.00	117.70
1	AA	499	A	C6-N1-C2	5.40	121.84	118.60
1	AA	1107	C	N1-C1'-C2'	-5.40	106.06	112.00
1	AA	1369	C	C6-N1-C2	-5.40	118.14	120.30
1	AA	1523	G	C5-N7-C8	-5.40	101.60	104.30
5	AE	198	VAL	CA-CB-CG2	5.40	119.00	110.90
6	AF	17	TRP	NE1-CE2-CD2	-5.40	101.90	107.30
10	AJ	84	TYR	CG-CD1-CE1	-5.40	116.98	121.30
17	AQ	37	ASP	OD1-CG-OD2	5.40	133.56	123.30
21	AU	69	TYR	CB-CG-CD2	-5.40	117.76	121.00
25	BA	30	C	C2-N3-C4	5.40	122.60	119.90
26	BB	155	A	C8-N9-C4	-5.40	103.64	105.80
26	BB	245	G	C8-N9-C1'	5.40	134.02	127.00
26	BB	846	U	C5-C6-N1	5.40	125.40	122.70
26	BB	1116	G	C4'-C3'-O3'	5.40	123.81	113.00
26	BB	1168	G	C6-N1-C2	-5.40	121.86	125.10
26	BB	1639	C	N3-C4-C5	-5.40	119.74	121.90
26	BB	1989	G	C4-C5-N7	-5.40	108.64	110.80
26	BB	2016	U	C1'-O4'-C4'	5.40	114.22	109.90
26	BB	2152	G	N7-C8-N9	5.40	115.80	113.10
26	BB	2268	A	N1-C2-N3	-5.40	126.60	129.30
26	BB	2850	A	P-O5'-C5'	5.40	129.54	120.90
38	BN	142	ILE	CA-CB-CG1	5.40	121.27	111.00
1	AA	157	U	P-O3'-C3'	5.40	126.18	119.70
1	AA	841	C	N1-C2-O2	5.40	122.14	118.90
25	BA	108	A	C8-N9-C4	-5.40	103.64	105.80
26	BB	225	C	N3-C4-C5	5.40	124.06	121.90
26	BB	987	C	C5'-C4'-O4'	5.40	115.58	109.10
26	BB	1166	G	C5'-C4'-C3'	-5.40	107.36	116.00
26	BB	1763	G	N7-C8-N9	-5.40	110.40	113.10
26	BB	1842	G	C6-C5-N7	-5.40	127.16	130.40
1	AA	12	U	P-O3'-C3'	5.40	126.18	119.70
1	AA	428	G	N1-C2-N3	-5.40	120.66	123.90
1	AA	1293	C	O5'-C5'-C4'	-5.40	101.44	111.70
25	BA	100	G	N1-C2-N2	5.40	121.06	116.20
26	BB	1218	G	N3-C4-N9	5.40	129.24	126.00
26	BB	1425	G	N1-C2-N2	5.40	121.06	116.20
26	BB	2495	G	C5-C6-O6	5.40	131.84	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2833	U	C1'-O4'-C4'	5.40	114.22	109.90
1	AA	45	G	C8-N9-C4	-5.40	104.24	106.40
1	AA	356	A	N9-C4-C5	5.40	107.96	105.80
1	AA	638	U	C4-C5-C6	5.40	122.94	119.70
1	AA	797	C	C4'-C3'-C2'	-5.40	97.20	102.60
1	AA	1386	G	C4'-C3'-O3'	5.40	123.79	113.00
1	AA	1488	G	N1-C6-O6	5.40	123.14	119.90
2	AB	60	U	C5-C6-N1	5.40	125.40	122.70
17	AQ	56	PRO	CA-N-CD	-5.40	103.94	111.50
26	BB	45	G	N3-C2-N2	-5.40	116.12	119.90
26	BB	691	C	C4'-C3'-C2'	-5.40	97.20	102.60
26	BB	737	C	C1'-O4'-C4'	-5.40	105.58	109.90
26	BB	1064	C	C5-C6-N1	5.40	123.70	121.00
26	BB	2224	G	N3-C4-C5	-5.40	125.90	128.60
26	BB	2690	U	N1-C1'-C2'	-5.40	106.06	112.00
26	BB	2857	G	C5-C6-O6	-5.40	125.36	128.60
26	BB	2890	G	P-O5'-C5'	5.40	129.54	120.90
26	BB	2892	G	N3-C4-C5	5.40	131.30	128.60
26	BB	2904	U	C4'-C3'-C2'	-5.40	97.20	102.60
39	BO	28	PHE	CB-CG-CD1	5.40	124.58	120.80
45	BU	84	ARG	CG-CD-NE	5.40	123.14	111.80
1	AA	107	G	N7-C8-N9	5.40	115.80	113.10
1	AA	343	U	C4'-C3'-C2'	-5.40	97.20	102.60
1	AA	1080	A	N3-C4-N9	5.40	131.72	127.40
1	AA	1267	C	N1-C2-O2	5.40	122.14	118.90
1	AA	1467	C	N1-C2-N3	5.40	122.98	119.20
26	BB	269	C	N1-C2-O2	5.40	122.14	118.90
26	BB	765	C	C5-C4-N4	-5.40	116.42	120.20
26	BB	1067	A	C6-N1-C2	5.40	121.84	118.60
26	BB	1712	U	C4-C5-C6	5.40	122.94	119.70
26	BB	2196	C	O4'-C1'-N1	5.40	112.52	108.20
26	BB	2530	A	C5'-C4'-O4'	5.40	115.58	109.10
26	BB	2830	C	O4'-C1'-C2'	-5.40	100.40	105.80
1	AA	141	G	O4'-C1'-C2'	-5.39	100.41	105.80
1	AA	278	G	C5'-C4'-O4'	5.39	115.57	109.10
1	AA	573	A	C5-C6-N6	-5.39	119.39	123.70
1	AA	634	C	N3-C4-C5	5.39	124.06	121.90
1	AA	654	G	C6-N1-C2	-5.39	121.86	125.10
1	AA	809	G	C4'-C3'-C2'	-5.39	97.20	102.60
1	AA	1006	G	C5-N7-C8	-5.39	101.60	104.30
1	AA	1187	G	N3-C4-C5	-5.39	125.90	128.60
1	AA	1292	G	C6-N1-C2	-5.39	121.86	125.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1363	A	O4'-C1'-C2'	-5.39	100.41	105.80
1	AA	1468	A	C3'-C2'-C1'	-5.39	97.19	101.50
26	BB	185	G	C5'-C4'-C3'	-5.39	107.37	116.00
26	BB	305	C	C2-N3-C4	5.39	122.60	119.90
26	BB	720	U	C5-C4-O4	-5.39	122.66	125.90
26	BB	1050	A	C5'-C4'-C3'	-5.39	107.37	116.00
26	BB	1166	G	C5-N7-C8	-5.39	101.60	104.30
26	BB	1591	A	C5-N7-C8	-5.39	101.20	103.90
26	BB	1844	C	C2-N3-C4	5.39	122.60	119.90
26	BB	2117	A	O4'-C4'-C3'	5.39	110.42	106.10
26	BB	2353	G	N3-C2-N2	-5.39	116.12	119.90
31	BG	177	ARG	CD-NE-CZ	5.39	131.15	123.60
1	AA	526	C	C6-N1-C2	5.39	122.46	120.30
1	AA	571	U	C5'-C4'-O4'	5.39	115.57	109.10
1	AA	1526	G	N3-C4-C5	-5.39	125.90	128.60
2	AB	21	A	C8-N9-C4	5.39	107.96	105.80
26	BB	42	A	C4'-C3'-C2'	-5.39	97.21	102.60
26	BB	273	G	N1-C6-O6	5.39	123.14	119.90
26	BB	375	G	C2-N3-C4	5.39	114.60	111.90
26	BB	404	A	C5-C6-N6	-5.39	119.39	123.70
26	BB	1168	G	N1-C6-O6	-5.39	116.67	119.90
26	BB	1250	G	C4'-C3'-C2'	5.39	107.99	102.60
26	BB	1294	U	O4'-C4'-C3'	-5.39	98.61	104.00
26	BB	1622	G	C6-N1-C2	-5.39	121.86	125.10
26	BB	1762	A	C6-N1-C2	5.39	121.84	118.60
26	BB	2082	A	C5-C6-N1	5.39	120.40	117.70
26	BB	2389	G	O4'-C1'-N9	5.39	112.51	108.20
26	BB	2579	C	N3-C4-N4	-5.39	114.22	118.00
26	BB	2716	C	N3-C4-C5	5.39	124.06	121.90
26	BB	2742	G	N7-C8-N9	5.39	115.80	113.10
26	BB	2853	C	O4'-C1'-N1	5.39	112.51	108.20
1	AA	402	G	N3-C2-N2	-5.39	116.13	119.90
1	AA	1185	G	C6-C5-N7	-5.39	127.17	130.40
1	AA	1355	G	C6-N1-C2	-5.39	121.87	125.10
26	BB	964	C	O4'-C1'-N1	5.39	112.51	108.20
26	BB	1396	U	C5'-C4'-O4'	-5.39	102.63	109.10
26	BB	1828	G	P-O3'-C3'	5.39	126.17	119.70
26	BB	2454	G	N3-C4-N9	-5.39	122.77	126.00
26	BB	2714	G	N9-C4-C5	5.39	107.56	105.40
1	AA	469	C	N3-C2-O2	-5.39	118.13	121.90
1	AA	512	U	C3'-C2'-C1'	-5.39	97.19	101.50
1	AA	688	G	N7-C8-N9	5.39	115.80	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	902	G	O4'-C4'-C3'	-5.39	98.61	104.00
1	AA	1079	G	O5'-P-OP2	5.39	117.17	110.70
1	AA	1266	G	C6-N1-C2	-5.39	121.87	125.10
3	AC	40	G	C4'-C3'-C2'	-5.39	97.21	102.60
3	AC	44	U	N3-C2-O2	-5.39	118.43	122.20
26	BB	37	C	C5'-C4'-C3'	-5.39	107.38	116.00
26	BB	50	U	C5'-C4'-C3'	-5.39	107.38	116.00
26	BB	81	G	P-O3'-C3'	5.39	126.17	119.70
26	BB	480	A	C5-N7-C8	5.39	106.59	103.90
26	BB	504	A	N1-C2-N3	5.39	132.00	129.30
26	BB	1070	A	C4-C5-N7	5.39	113.39	110.70
26	BB	2901	C	O4'-C1'-N1	5.39	112.51	108.20
27	BC	78	PHE	CZ-CE2-CD2	-5.39	113.63	120.10
28	BD	17	LYS	CB-CA-C	5.39	121.18	110.40
1	AA	657	U	N3-C4-C5	-5.39	111.37	114.60
1	AA	766	A	C6-C5-N7	5.39	136.07	132.30
1	AA	854	U	C4-C5-C6	5.39	122.93	119.70
4	AD	77	A	C6-C5-N7	5.39	136.07	132.30
6	AF	167	TYR	CG-CD1-CE1	-5.39	116.99	121.30
26	BB	1031	G	C6-C5-N7	5.39	133.63	130.40
26	BB	1175	A	N1-C6-N6	-5.39	115.37	118.60
26	BB	2290	G	C5'-C4'-O4'	5.39	115.57	109.10
26	BB	2856	A	C6-C5-N7	5.39	136.07	132.30
1	AA	388	G	C2-N3-C4	5.39	114.59	111.90
1	AA	590	U	N3-C4-C5	-5.39	111.37	114.60
1	AA	688	G	N1-C2-N3	-5.39	120.67	123.90
1	AA	974	A	C5'-C4'-C3'	-5.39	107.38	116.00
1	AA	1017	U	N3-C4-C5	5.39	117.83	114.60
1	AA	1047	G	C5'-C4'-O4'	5.39	115.56	109.10
1	AA	1470	U	C4'-C3'-C2'	5.39	107.99	102.60
1	AA	1536	C	N1-C2-O2	5.39	122.13	118.90
26	BB	180	G	C2-N3-C4	5.39	114.59	111.90
26	BB	451	U	C5'-C4'-O4'	5.39	115.56	109.10
26	BB	814	C	N1-C2-O2	5.39	122.13	118.90
26	BB	864	G	O5'-C5'-C4'	-5.39	101.47	111.70
26	BB	1495	A	O4'-C1'-N9	5.39	112.51	108.20
26	BB	1722	A	C6-C5-N7	5.39	136.07	132.30
26	BB	2384	U	N1-C2-N3	5.39	118.13	114.90
26	BB	2385	C	C1'-O4'-C4'	-5.39	105.59	109.90
26	BB	2815	C	C4'-C3'-C2'	-5.39	97.21	102.60
26	BB	2844	G	C4-N9-C1'	-5.39	119.50	126.50
1	AA	229	U	C4-C5-C6	-5.38	116.47	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	681	A	C4-C5-C6	-5.38	114.31	117.00
1	AA	1313	U	N3-C4-C5	5.38	117.83	114.60
1	AA	1454	G	C6-N1-C2	-5.38	121.87	125.10
1	AA	1511	G	C2-N3-C4	5.38	114.59	111.90
14	AN	52	ARG	NH1-CZ-NH2	-5.38	113.48	119.40
25	BA	102	G	C1'-O4'-C4'	5.38	114.21	109.90
26	BB	185	G	O4'-C1'-N9	5.38	112.51	108.20
26	BB	202	U	C1'-O4'-C4'	-5.38	105.59	109.90
26	BB	930	G	N3-C4-N9	5.38	129.23	126.00
26	BB	1207	C	N1-C1'-C2'	-5.38	106.08	112.00
26	BB	1687	G	N1-C2-N3	-5.38	120.67	123.90
26	BB	1902	C	C5-C6-N1	5.38	123.69	121.00
26	BB	2053	G	N3-C4-N9	5.38	129.23	126.00
26	BB	2094	A	C1'-O4'-C4'	-5.38	105.59	109.90
26	BB	2113	U	N1-C2-O2	5.38	126.57	122.80
26	BB	2160	C	C4'-C3'-O3'	5.38	123.77	113.00
26	BB	2286	G	C5-C6-N1	5.38	114.19	111.50
26	BB	2459	A	P-O3'-C3'	5.38	126.16	119.70
26	BB	2733	A	N3-C4-N9	5.38	131.71	127.40
26	BB	2810	A	N1-C2-N3	5.38	131.99	129.30
41	BQ	106	LEU	N-CA-CB	-5.38	99.63	110.40
1	AA	32	A	C5-C6-N1	5.38	120.39	117.70
1	AA	607	A	N9-C1'-C2'	5.38	121.00	114.00
1	AA	780	A	N1-C2-N3	5.38	131.99	129.30
1	AA	853	C	C6-N1-C1'	-5.38	114.34	120.80
1	AA	1201	A	C6-N1-C2	-5.38	115.37	118.60
1	AA	1236	A	C8-N9-C4	5.38	107.95	105.80
25	BA	61	G	C4-C5-N7	-5.38	108.65	110.80
26	BB	177	G	O3'-P-O5'	-5.38	93.77	104.00
26	BB	342	A	C4-C5-N7	-5.38	108.01	110.70
26	BB	570	G	C6-C5-N7	5.38	133.63	130.40
26	BB	1069	A	N7-C8-N9	5.38	116.49	113.80
26	BB	1077	A	C5-C6-N1	-5.38	115.01	117.70
26	BB	1558	C	O4'-C4'-C3'	5.38	110.41	106.10
26	BB	1937	A	N3-C4-N9	5.38	131.71	127.40
49	BY	25	PHE	CB-CG-CD1	5.38	124.57	120.80
1	AA	195	A	N9-C4-C5	-5.38	103.65	105.80
1	AA	1169	A	C5'-C4'-C3'	-5.38	107.39	116.00
1	AA	1538	C	C5-C4-N4	-5.38	116.43	120.20
4	AD	66	C	O4'-C4'-C3'	-5.38	98.62	104.00
10	AJ	1	PRO	CA-N-CD	-5.38	103.97	111.50
26	BB	165	A	N3-C4-C5	-5.38	123.03	126.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	491	G	C5'-C4'-C3'	-5.38	107.39	116.00
26	BB	585	G	C8-N9-C4	-5.38	104.25	106.40
26	BB	590	A	C5-C6-N1	5.38	120.39	117.70
26	BB	1262	A	C4-C5-N7	5.38	113.39	110.70
26	BB	2804	U	C4-C5-C6	-5.38	116.47	119.70
1	AA	821	G	C5-N7-C8	-5.38	101.61	104.30
1	AA	1513	A	N3-C4-N9	-5.38	123.10	127.40
26	BB	426	C	C5-C6-N1	-5.38	118.31	121.00
26	BB	1187	G	N3-C4-C5	-5.38	125.91	128.60
26	BB	1506	U	O4'-C1'-N1	5.38	112.50	108.20
26	BB	1528	A	O4'-C1'-N9	5.38	112.50	108.20
26	BB	2643	G	C5-N7-C8	-5.38	101.61	104.30
33	BI	31	VAL	CA-C-O	-5.38	108.80	120.10
34	BJ	112	PHE	CB-CG-CD1	-5.38	117.03	120.80
1	AA	267	C	N3-C4-C5	5.38	124.05	121.90
1	AA	394	G	C2'-C3'-O3'	5.38	122.31	113.70
1	AA	498	A	N9-C4-C5	5.38	107.95	105.80
1	AA	581	G	C3'-C2'-C1'	5.38	105.80	101.50
1	AA	1259	C	C5-C4-N4	5.38	123.97	120.20
4	AD	40	C	C5-C4-N4	-5.38	116.44	120.20
25	BA	20	G	C6-N1-C2	-5.38	121.87	125.10
25	BA	21	G	N9-C1'-C2'	-5.38	106.08	112.00
25	BA	49	C	C6-N1-C1'	5.38	127.25	120.80
26	BB	82	U	C3'-C2'-C1'	5.38	105.80	101.50
26	BB	405	U	C5-C4-O4	5.38	129.13	125.90
26	BB	835	C	N3-C4-C5	5.38	124.05	121.90
26	BB	1099	G	C5'-C4'-O4'	5.38	115.55	109.10
26	BB	1705	A	C4-C5-C6	-5.38	114.31	117.00
26	BB	2032	G	C5'-C4'-C3'	-5.38	107.39	116.00
26	BB	2563	U	C4'-C3'-C2'	-5.38	97.22	102.60
26	BB	2576	G	N1-C6-O6	-5.38	116.67	119.90
26	BB	2657	A	O4'-C1'-C2'	5.38	112.44	107.60
31	BG	113	PHE	CB-CG-CD2	-5.38	117.03	120.80
33	BI	18	GLN	O-C-N	5.38	131.31	122.70
1	AA	172	A	C5-C6-N6	-5.38	119.40	123.70
1	AA	216	U	O4'-C1'-N1	5.38	112.50	108.20
1	AA	255	G	C4-C5-N7	5.38	112.95	110.80
1	AA	820	U	N1-C2-O2	5.38	126.56	122.80
1	AA	849	G	O4'-C1'-N9	5.38	112.50	108.20
1	AA	1335	U	O4'-C1'-N1	5.38	112.50	108.20
1	AA	1350	A	C3'-C2'-C1'	-5.38	97.20	101.50
1	AA	1352	C	C5'-C4'-C3'	-5.38	107.40	116.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	AD	71	G	N1-C2-N2	5.38	121.04	116.20
5	AE	36	LYS	CB-CA-C	5.38	121.15	110.40
25	BA	21	G	N7-C8-N9	5.38	115.79	113.10
26	BB	132	G	O4'-C1'-N9	5.38	112.50	108.20
26	BB	291	G	P-O3'-C3'	-5.38	113.25	119.70
26	BB	655	A	C5-C6-N1	-5.38	115.01	117.70
26	BB	737	C	C2-N3-C4	5.38	122.59	119.90
26	BB	909	A	C5-C6-N6	5.38	128.00	123.70
26	BB	1215	G	C6-N1-C2	-5.38	121.87	125.10
26	BB	1339	G	N9-C1'-C2'	-5.38	106.09	112.00
26	BB	1660	G	N3-C4-C5	-5.38	125.91	128.60
26	BB	1702	G	C4'-C3'-C2'	-5.38	97.22	102.60
26	BB	1798	U	N3-C2-O2	5.38	125.96	122.20
26	BB	2012	G	N1-C6-O6	-5.38	116.67	119.90
26	BB	2352	A	C4'-C3'-C2'	-5.38	97.22	102.60
26	BB	2386	A	N9-C4-C5	5.38	107.95	105.80
26	BB	2416	C	C2-N3-C4	-5.38	117.21	119.90
35	BK	66	PHE	CG-CD1-CE1	-5.38	114.89	120.80
1	AA	743	A	C5-N7-C8	-5.38	101.21	103.90
1	AA	1054	C	C6-N1-C2	-5.38	118.15	120.30
1	AA	1384	C	C5'-C4'-O4'	5.38	115.55	109.10
4	AD	39	A	C5-C6-N1	5.38	120.39	117.70
25	BA	115	A	N1-C6-N6	5.38	121.83	118.60
26	BB	464	U	C3'-C2'-C1'	5.38	105.80	101.50
26	BB	1068	G	N7-C8-N9	5.38	115.79	113.10
26	BB	1166	G	P-O3'-C3'	5.38	126.15	119.70
26	BB	1605	C	N1-C2-O2	5.38	122.12	118.90
26	BB	2166	U	O4'-C1'-C2'	5.38	112.44	107.60
26	BB	2493	U	N1-C2-O2	5.38	126.56	122.80
26	BB	2517	C	O4'-C4'-C3'	5.38	110.40	106.10
1	AA	879	C	N1-C1'-C2'	-5.37	106.09	112.00
1	AA	1073	U	O4'-C1'-N1	5.37	112.50	108.20
1	AA	1154	G	N7-C8-N9	5.37	115.79	113.10
6	AF	106	ARG	NE-CZ-NH1	5.37	122.99	120.30
26	BB	120	U	O4'-C1'-N1	5.37	112.50	108.20
26	BB	152	A	P-O3'-C3'	5.37	126.15	119.70
26	BB	814	C	N3-C4-N4	-5.37	114.24	118.00
26	BB	1137	G	C1'-O4'-C4'	5.37	114.20	109.90
26	BB	1339	G	C4-C5-C6	5.37	122.03	118.80
26	BB	1505	A	C2-N3-C4	5.37	113.29	110.60
26	BB	1843	C	P-O3'-C3'	5.37	126.15	119.70
26	BB	2001	C	C5-C4-N4	5.37	123.96	120.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2174	C	C4'-C3'-C2'	-5.37	97.23	102.60
26	BB	2553	G	N1-C6-O6	-5.37	116.68	119.90
26	BB	2738	A	N7-C8-N9	5.37	116.49	113.80
1	AA	246	A	O4'-C1'-N9	5.37	112.50	108.20
1	AA	541	G	N1-C2-N3	5.37	127.12	123.90
1	AA	684	U	N3-C4-O4	5.37	123.16	119.40
25	BA	6	G	C5-C6-N1	5.37	114.19	111.50
26	BB	526	A	C4-C5-C6	-5.37	114.31	117.00
26	BB	618	G	C5'-C4'-C3'	-5.37	107.40	116.00
26	BB	725	G	C6-N1-C2	-5.37	121.88	125.10
26	BB	776	G	N1-C2-N2	-5.37	111.37	116.20
26	BB	954	G	C4-C5-N7	5.37	112.95	110.80
26	BB	960	A	P-O3'-C3'	5.37	126.14	119.70
26	BB	1174	U	C4'-C3'-C2'	-5.37	97.23	102.60
26	BB	1283	G	C5-C6-N1	5.37	114.19	111.50
26	BB	1431	A	N9-C4-C5	5.37	107.95	105.80
26	BB	2898	U	N3-C4-C5	-5.37	111.38	114.60
1	AA	1214	C	O4'-C1'-C2'	5.37	112.43	107.60
1	AA	1311	A	N3-C4-C5	-5.37	123.04	126.80
1	AA	1432	G	O4'-C1'-N9	5.37	112.50	108.20
26	BB	1184	U	N3-C4-C5	-5.37	111.38	114.60
26	BB	1791	A	C8-N9-C4	5.37	107.95	105.80
26	BB	2102	G	C8-N9-C4	-5.37	104.25	106.40
26	BB	2671	G	C8-N9-C1'	5.37	133.98	127.00
26	BB	2672	U	N3-C4-C5	5.37	117.82	114.60
1	AA	38	G	N1-C2-N3	-5.37	120.68	123.90
1	AA	664	G	C5-C6-O6	5.37	131.82	128.60
1	AA	1077	G	N9-C4-C5	-5.37	103.25	105.40
1	AA	1079	G	C3'-C2'-C1'	5.37	105.80	101.50
1	AA	1110	A	C1'-O4'-C4'	5.37	114.20	109.90
1	AA	1289	A	O4'-C4'-C3'	-5.37	98.63	104.00
1	AA	1527	U	C5-C4-O4	-5.37	122.68	125.90
26	BB	674	G	N9-C4-C5	5.37	107.55	105.40
26	BB	823	C	C1'-O4'-C4'	-5.37	105.60	109.90
26	BB	896	A	C5-C6-N6	-5.37	119.41	123.70
26	BB	1255	U	C2-N3-C4	-5.37	123.78	127.00
26	BB	1561	C	O4'-C4'-C3'	5.37	110.39	106.10
26	BB	1800	C	C5'-C4'-C3'	-5.37	107.41	116.00
26	BB	2168	G	N3-C2-N2	5.37	123.66	119.90
26	BB	2236	U	O5'-P-OP2	-5.37	100.87	105.70
26	BB	2282	G	C3'-C2'-C1'	5.37	105.80	101.50
26	BB	2800	A	N3-C4-C5	-5.37	123.04	126.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2856	A	C5-C6-N1	5.37	120.38	117.70
28	BD	220	ARG	CD-NE-CZ	5.37	131.12	123.60
42	BR	67	GLU	OE1-CD-OE2	5.37	129.74	123.30
1	AA	526	C	O4'-C4'-C3'	5.37	110.39	106.10
1	AA	1454	G	O4'-C4'-C3'	-5.37	98.63	104.00
26	BB	137	U	C5-C6-N1	-5.37	120.02	122.70
26	BB	438	G	N7-C8-N9	5.37	115.78	113.10
26	BB	1135	C	O4'-C1'-C2'	5.37	112.43	107.60
26	BB	1409	U	C1'-O4'-C4'	-5.37	105.61	109.90
26	BB	1877	A	C4-C5-N7	5.37	113.38	110.70
26	BB	1904	G	N3-C4-C5	-5.37	125.92	128.60
26	BB	1972	G	N3-C4-C5	5.37	131.28	128.60
26	BB	2337	G	P-O3'-C3'	5.37	126.14	119.70
26	BB	2436	G	C3'-C2'-C1'	-5.37	97.21	101.50
1	AA	339	C	C5-C6-N1	5.37	123.68	121.00
1	AA	692	U	C5'-C4'-C3'	-5.37	107.42	116.00
1	AA	1012	A	C8-N9-C4	-5.37	103.65	105.80
1	AA	1186	G	C5-C6-N1	-5.37	108.82	111.50
10	AJ	83	THR	CA-CB-CG2	5.37	119.91	112.40
25	BA	1	U	C4-C5-C6	5.37	122.92	119.70
25	BA	62	C	C3'-C2'-C1'	-5.37	97.21	101.50
25	BA	84	G	C4-C5-C6	-5.37	115.58	118.80
26	BB	283	G	C4-C5-N7	-5.37	108.65	110.80
26	BB	464	U	P-O3'-C3'	5.37	126.14	119.70
26	BB	621	A	N7-C8-N9	-5.37	111.12	113.80
26	BB	640	C	C5-C4-N4	-5.37	116.44	120.20
26	BB	653	U	C6-N1-C2	5.37	124.22	121.00
26	BB	1495	A	N1-C6-N6	5.37	121.82	118.60
26	BB	1523	U	O4'-C1'-N1	5.37	112.49	108.20
26	BB	2192	U	N3-C2-O2	-5.37	118.44	122.20
26	BB	2537	U	C1'-O4'-C4'	-5.37	105.61	109.90
26	BB	2607	G	C3'-C2'-C1'	5.37	105.79	101.50
1	AA	394	G	N3-C4-C5	5.36	131.28	128.60
1	AA	565	U	N1-C1'-C2'	-5.36	106.10	112.00
1	AA	684	U	C3'-C2'-C1'	5.36	105.79	101.50
1	AA	1529	G	C5'-C4'-O4'	5.36	115.54	109.10
26	BB	161	A	O4'-C1'-N9	5.36	112.49	108.20
26	BB	252	G	N3-C4-C5	-5.36	125.92	128.60
26	BB	483	A	C8-N9-C4	5.36	107.95	105.80
26	BB	500	G	C8-N9-C4	-5.36	104.25	106.40
26	BB	649	G	C5-C6-N1	5.36	114.18	111.50
26	BB	1419	A	C8-N9-C4	5.36	107.95	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1861	G	C8-N9-C4	-5.36	104.25	106.40
26	BB	1894	C	C6-N1-C2	-5.36	118.16	120.30
26	BB	2587	A	C4'-C3'-C2'	-5.36	97.24	102.60
26	BB	2595	G	C6-N1-C2	-5.36	121.88	125.10
26	BB	2675	A	N3-C4-N9	5.36	131.69	127.40
38	BN	29	LYS	C-N-CA	5.36	135.11	121.70
1	AA	991	U	C4-C5-C6	5.36	122.92	119.70
1	AA	1036	A	C5'-C4'-O4'	5.36	115.53	109.10
26	BB	466	A	C5-N7-C8	5.36	106.58	103.90
26	BB	1007	C	C6-N1-C2	-5.36	118.16	120.30
26	BB	1210	G	N9-C4-C5	-5.36	103.25	105.40
26	BB	1677	A	C6-N1-C2	5.36	121.82	118.60
1	AA	73	C	O4'-C4'-C3'	-5.36	98.64	104.00
1	AA	130	A	C4-C5-C6	5.36	119.68	117.00
1	AA	131	A	C4-C5-N7	-5.36	108.02	110.70
1	AA	347	G	N9-C4-C5	-5.36	103.26	105.40
1	AA	1224	U	N3-C4-C5	-5.36	111.38	114.60
1	AA	1234	C	P-O3'-C3'	5.36	126.13	119.70
3	AC	44	U	O4'-C1'-N1	5.36	112.49	108.20
26	BB	457	A	N1-C6-N6	-5.36	115.38	118.60
26	BB	508	A	C1'-O4'-C4'	-5.36	105.61	109.90
26	BB	527	C	C3'-C2'-C1'	-5.36	97.21	101.50
26	BB	553	G	O4'-C1'-N9	5.36	112.49	108.20
26	BB	789	A	O4'-C1'-C2'	-5.36	100.44	105.80
26	BB	879	G	N1-C2-N2	5.36	121.02	116.20
26	BB	1115	G	N7-C8-N9	5.36	115.78	113.10
26	BB	1270	C	N3-C4-N4	-5.36	114.25	118.00
26	BB	1291	C	O4'-C1'-N1	5.36	112.49	108.20
26	BB	1453	A	C2-N3-C4	5.36	113.28	110.60
26	BB	1510	G	C4-C5-N7	-5.36	108.66	110.80
26	BB	1571	A	O4'-C1'-N9	5.36	112.49	108.20
26	BB	1667	G	O3'-P-O5'	-5.36	93.81	104.00
26	BB	2081	U	C5-C4-O4	-5.36	122.68	125.90
26	BB	2112	G	P-O3'-C3'	5.36	126.13	119.70
26	BB	2427	C	C6-N1-C1'	-5.36	114.37	120.80
45	BU	94	ASP	CB-CG-OD2	-5.36	113.47	118.30
1	AA	229	U	N3-C4-C5	5.36	117.81	114.60
1	AA	353	A	N7-C8-N9	-5.36	111.12	113.80
1	AA	532	A	C4'-C3'-C2'	-5.36	97.24	102.60
1	AA	615	G	O4'-C1'-N9	5.36	112.49	108.20
1	AA	720	C	C3'-C2'-C1'	5.36	105.79	101.50
1	AA	1267	C	N3-C2-O2	-5.36	118.15	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1434	A	C5-C6-N6	5.36	127.99	123.70
26	BB	1482	G	N9-C4-C5	-5.36	103.26	105.40
26	BB	1705	A	N1-C6-N6	5.36	121.81	118.60
26	BB	2038	G	N3-C2-N2	-5.36	116.15	119.90
26	BB	2471	A	C4-C5-C6	-5.36	114.32	117.00
1	AA	31	G	N9-C4-C5	5.36	107.54	105.40
1	AA	84	U	N1-C2-O2	5.36	126.55	122.80
1	AA	581	G	N1-C6-O6	5.36	123.11	119.90
1	AA	597	G	C3'-C2'-C1'	5.36	105.78	101.50
1	AA	671	G	N3-C2-N2	-5.36	116.15	119.90
1	AA	806	C	O4'-C4'-C3'	-5.36	98.64	104.00
1	AA	865	A	C2-N3-C4	-5.36	107.92	110.60
1	AA	866	C	C3'-C2'-C1'	5.36	105.79	101.50
1	AA	1038	C	N3-C4-N4	-5.36	114.25	118.00
1	AA	1521	C	C2-N3-C4	5.36	122.58	119.90
4	AD	27	G	P-O3'-C3'	-5.36	113.27	119.70
26	BB	140	C	C4-C5-C6	-5.36	114.72	117.40
26	BB	288	U	N3-C4-O4	5.36	123.15	119.40
26	BB	780	G	N9-C4-C5	5.36	107.54	105.40
26	BB	935	C	C5-C4-N4	5.36	123.95	120.20
26	BB	936	A	C4-C5-N7	-5.36	108.02	110.70
26	BB	1140	C	N1-C2-N3	-5.36	115.45	119.20
26	BB	1518	C	N3-C2-O2	-5.36	118.15	121.90
26	BB	1577	C	O4'-C1'-N1	5.36	112.49	108.20
26	BB	1944	U	N1-C2-O2	5.36	126.55	122.80
26	BB	2072	C	C4-C5-C6	-5.36	114.72	117.40
26	BB	2113	U	C4'-C3'-C2'	-5.36	97.24	102.60
26	BB	2162	G	C8-N9-C1'	5.36	133.96	127.00
26	BB	2824	C	N3-C4-C5	5.36	124.04	121.90
26	BB	2887	A	N3-C4-N9	-5.36	123.11	127.40
29	BE	134	HIS	CB-CA-C	5.36	121.11	110.40
1	AA	56	U	C5'-C4'-O4'	5.36	115.53	109.10
1	AA	120	A	O5'-C5'-C4'	-5.36	101.52	111.70
1	AA	126	G	C5'-C4'-O4'	5.36	115.53	109.10
1	AA	332	G	C6-C5-N7	-5.36	127.19	130.40
1	AA	368	U	C2'-C3'-O3'	5.36	122.27	113.70
1	AA	420	U	C5-C4-O4	-5.36	122.69	125.90
1	AA	459	A	N9-C4-C5	-5.36	103.66	105.80
1	AA	1020	G	N3-C2-N2	-5.36	116.15	119.90
1	AA	1030	U	C5'-C4'-O4'	5.36	115.53	109.10
1	AA	1165	U	C5'-C4'-C3'	-5.36	107.43	116.00
1	AA	1282	C	N3-C2-O2	-5.36	118.15	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1423	G	C4-C5-N7	5.36	112.94	110.80
1	AA	1456	A	C6-N1-C2	-5.36	115.39	118.60
3	AC	33	A	N3-C4-N9	5.36	131.68	127.40
26	BB	69	C	N3-C2-O2	-5.36	118.15	121.90
26	BB	537	G	P-O5'-C5'	5.36	129.47	120.90
26	BB	603	A	C5-C6-N6	5.36	127.98	123.70
26	BB	749	A	C1'-O4'-C4'	5.36	114.18	109.90
26	BB	995	C	N1-C2-N3	5.36	122.95	119.20
26	BB	1026	G	P-O3'-C3'	5.36	126.13	119.70
26	BB	1739	A	C5-C6-N6	5.36	127.98	123.70
26	BB	1851	U	C6-N1-C2	-5.36	117.79	121.00
26	BB	1858	A	P-O3'-C3'	5.36	126.13	119.70
26	BB	2066	C	C4-C5-C6	5.36	120.08	117.40
26	BB	2600	A	O4'-C1'-N9	5.36	112.48	108.20
1	AA	25	C	C4-C5-C6	5.35	120.08	117.40
1	AA	103	U	N3-C2-O2	-5.35	118.45	122.20
1	AA	752	G	N3-C2-N2	5.35	123.65	119.90
1	AA	1087	G	C2-N3-C4	5.35	114.58	111.90
26	BB	180	G	N3-C4-C5	-5.35	125.92	128.60
26	BB	774	G	C5-C6-N1	5.35	114.18	111.50
40	BP	67	PHE	CB-CG-CD2	-5.35	117.05	120.80
1	AA	220	G	C8-N9-C4	-5.35	104.26	106.40
1	AA	1056	U	N3-C4-O4	-5.35	115.65	119.40
1	AA	1468	A	C5-C6-N6	-5.35	119.42	123.70
12	AL	122	ARG	NE-CZ-NH1	5.35	122.98	120.30
26	BB	296	U	C6-N1-C2	-5.35	117.79	121.00
26	BB	361	G	C6-C5-N7	-5.35	127.19	130.40
26	BB	843	G	N1-C2-N2	5.35	121.02	116.20
26	BB	1036	G	N3-C4-C5	-5.35	125.92	128.60
26	BB	1252	G	N9-C4-C5	5.35	107.54	105.40
26	BB	1418	G	C2-N3-C4	-5.35	109.22	111.90
26	BB	1420	A	C4-C5-N7	-5.35	108.02	110.70
26	BB	1740	G	C2-N3-C4	5.35	114.58	111.90
26	BB	1863	G	C5-C6-N1	5.35	114.18	111.50
46	BV	89	GLU	OE1-CD-OE2	5.35	129.72	123.30
1	AA	449	G	N1-C6-O6	-5.35	116.69	119.90
1	AA	1156	G	N3-C4-N9	5.35	129.21	126.00
26	BB	16	C	N1-C2-O2	5.35	122.11	118.90
26	BB	301	G	P-O3'-C3'	5.35	126.12	119.70
26	BB	619	G	N9-C1'-C2'	-5.35	106.11	112.00
26	BB	871	U	N3-C2-O2	-5.35	118.45	122.20
26	BB	1154	G	N1-C2-N2	-5.35	111.38	116.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1982	U	O4'-C4'-C3'	-5.35	98.65	104.00
26	BB	2421	G	C4-C5-N7	5.35	112.94	110.80
1	AA	87	C	C5-C4-N4	5.35	123.94	120.20
1	AA	442	G	C4'-C3'-C2'	-5.35	97.25	102.60
1	AA	529	G	C1'-O4'-C4'	-5.35	105.62	109.90
1	AA	847	G	N3-C2-N2	-5.35	116.16	119.90
1	AA	1467	C	C6-N1-C1'	5.35	127.22	120.80
1	AA	1520	C	C5-C4-N4	-5.35	116.45	120.20
1	AA	1530	G	C5'-C4'-C3'	-5.35	107.44	116.00
6	AF	129	PHE	CB-CA-C	5.35	121.10	110.40
10	AJ	84	TYR	CB-CG-CD1	5.35	124.21	121.00
26	BB	203	A	C5-N7-C8	-5.35	101.22	103.90
26	BB	316	C	O4'-C1'-N1	5.35	112.48	108.20
26	BB	411	G	C5-C6-N1	5.35	114.17	111.50
26	BB	628	G	N9-C1'-C2'	-5.35	106.12	112.00
26	BB	629	G	C6-C5-N7	-5.35	127.19	130.40
26	BB	958	U	N1-C2-N3	5.35	118.11	114.90
26	BB	1016	G	C5-C6-N1	5.35	114.17	111.50
26	BB	1103	A	O4'-C1'-N9	5.35	112.48	108.20
26	BB	1239	G	C1'-O4'-C4'	-5.35	105.62	109.90
26	BB	1809	A	N7-C8-N9	-5.35	111.12	113.80
26	BB	2092	U	C5-C6-N1	-5.35	120.03	122.70
26	BB	2508	G	C4-C5-C6	5.35	122.01	118.80
26	BB	2562	U	N3-C4-O4	-5.35	115.66	119.40
26	BB	2592	G	C6-C5-N7	-5.35	127.19	130.40
26	BB	2594	C	C5'-C4'-C3'	-5.35	107.44	116.00
1	AA	108	G	C1'-O4'-C4'	-5.35	105.62	109.90
1	AA	136	C	P-O3'-C3'	5.35	126.12	119.70
1	AA	204	G	C6-C5-N7	-5.35	127.19	130.40
1	AA	803	G	P-O3'-C3'	5.35	126.12	119.70
1	AA	1289	A	C2-N3-C4	5.35	113.27	110.60
1	AA	1436	U	C4-C5-C6	5.35	122.91	119.70
4	AD	58	A	O4'-C1'-C2'	-5.35	100.45	105.80
26	BB	166	U	C3'-C2'-C1'	5.35	105.78	101.50
26	BB	597	G	N7-C8-N9	5.35	115.77	113.10
26	BB	717	C	C5-C4-N4	5.35	123.94	120.20
26	BB	823	C	C5'-C4'-O4'	5.35	115.52	109.10
26	BB	918	A	O4'-C1'-N9	5.35	112.48	108.20
26	BB	1219	U	C3'-C2'-C1'	5.35	105.78	101.50
26	BB	2049	G	C1'-O4'-C4'	5.35	114.18	109.90
26	BB	2195	U	C5-C4-O4	-5.35	122.69	125.90
26	BB	2438	U	C2-N1-C1'	-5.35	111.28	117.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2690	U	N1-C2-O2	-5.35	119.06	122.80
26	BB	2872	A	N9-C4-C5	5.35	107.94	105.80
26	BB	2877	G	C5-C6-N1	5.35	114.17	111.50
30	BF	79	ARG	CD-NE-CZ	5.35	131.09	123.60
34	BJ	75	PHE	CB-CG-CD2	-5.35	117.06	120.80
1	AA	517	G	P-O3'-C3'	5.35	126.12	119.70
1	AA	599	C	C3'-C2'-C1'	-5.35	97.22	101.50
1	AA	658	C	C1'-O4'-C4'	-5.35	105.62	109.90
1	AA	1342	C	C1'-O4'-C4'	5.35	114.18	109.90
1	AA	1398	A	N1-C6-N6	5.35	121.81	118.60
14	AN	97	ARG	NE-CZ-NH1	-5.35	117.63	120.30
26	BB	350	G	P-O5'-C5'	5.35	129.45	120.90
26	BB	1171	G	N9-C4-C5	-5.35	103.26	105.40
26	BB	1412	U	C5-C4-O4	-5.35	122.69	125.90
26	BB	1549	A	N3-C4-N9	-5.35	123.12	127.40
26	BB	1779	U	N3-C4-C5	-5.35	111.39	114.60
26	BB	2017	U	C3'-C2'-C1'	5.35	105.78	101.50
26	BB	2160	C	O4'-C4'-C3'	5.35	110.38	106.10
34	BJ	61	ARG	NE-CZ-NH1	5.35	122.97	120.30
1	AA	331	G	C4-C5-N7	-5.34	108.66	110.80
1	AA	429	U	N1-C2-N3	5.34	118.11	114.90
1	AA	633	G	N9-C1'-C2'	-5.34	106.12	112.00
1	AA	742	G	N9-C1'-C2'	-5.34	106.12	112.00
1	AA	926	G	N3-C2-N2	-5.34	116.16	119.90
25	BA	116	G	N3-C2-N2	5.34	123.64	119.90
26	BB	283	G	C5-C6-N1	5.34	114.17	111.50
26	BB	611	C	C4-C5-C6	-5.34	114.73	117.40
26	BB	1025	G	C4-C5-N7	-5.34	108.66	110.80
26	BB	1040	A	P-O5'-C5'	5.34	129.45	120.90
26	BB	1349	C	C4-C5-C6	-5.34	114.73	117.40
26	BB	1582	C	O4'-C1'-N1	5.34	112.48	108.20
26	BB	1789	A	C4-C5-C6	5.34	119.67	117.00
26	BB	2538	C	N1-C2-N3	5.34	122.94	119.20
26	BB	2790	U	N3-C4-O4	5.34	123.14	119.40
26	BB	2855	C	C2-N3-C4	-5.34	117.23	119.90
1	AA	975	A	C6-C5-N7	5.34	136.04	132.30
2	AB	1	A	N1-C6-N6	-5.34	115.39	118.60
25	BA	47	C	C5'-C4'-C3'	-5.34	107.45	116.00
26	BB	419	U	C4-C5-C6	-5.34	116.49	119.70
26	BB	1041	G	C2-N3-C4	5.34	114.57	111.90
26	BB	2719	G	C6-C5-N7	-5.34	127.19	130.40
26	BB	2898	U	P-O5'-C5'	5.34	129.45	120.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1	A	C1'-O4'-C4'	5.34	114.17	109.90
1	AA	76	G	C4-N9-C1'	-5.34	119.56	126.50
1	AA	79	G	N9-C4-C5	5.34	107.54	105.40
1	AA	313	A	C6-N1-C2	5.34	121.81	118.60
1	AA	359	G	N1-C2-N2	5.34	121.01	116.20
1	AA	668	G	N7-C8-N9	5.34	115.77	113.10
1	AA	671	G	O4'-C1'-N9	5.34	112.47	108.20
1	AA	1482	G	N3-C4-C5	-5.34	125.93	128.60
3	AC	32	U	C5-C4-O4	-5.34	122.69	125.90
4	AD	62	C	N1-C2-O2	5.34	122.11	118.90
26	BB	30	G	C1'-O4'-C4'	-5.34	105.63	109.90
26	BB	176	A	P-O5'-C5'	5.34	129.45	120.90
26	BB	2268	A	N9-C4-C5	-5.34	103.66	105.80
26	BB	2492	U	C5-C4-O4	-5.34	122.69	125.90
26	BB	2680	U	C4-C5-C6	5.34	122.91	119.70
26	BB	2800	A	N1-C2-N3	-5.34	126.63	129.30
30	BF	102	ARG	NE-CZ-NH1	-5.34	117.63	120.30
1	AA	73	C	C5-C6-N1	5.34	123.67	121.00
1	AA	162	A	N7-C8-N9	5.34	116.47	113.80
1	AA	1023	U	C5'-C4'-C3'	-5.34	107.46	116.00
1	AA	1377	A	C5-C6-N1	5.34	120.37	117.70
1	AA	1393	U	C2'-C3'-O3'	5.34	122.24	113.70
17	AQ	100	TRP	NE1-CE2-CD2	-5.34	101.96	107.30
25	BA	27	C	N3-C4-N4	-5.34	114.26	118.00
26	BB	201	C	C5-C6-N1	5.34	123.67	121.00
26	BB	353	C	C3'-C2'-C1'	5.34	105.77	101.50
26	BB	462	C	C6-N1-C1'	5.34	127.21	120.80
26	BB	620	G	C6-C5-N7	-5.34	127.20	130.40
26	BB	629	G	N9-C1'-C2'	-5.34	106.13	112.00
26	BB	769	U	C5'-C4'-O4'	5.34	115.51	109.10
26	BB	881	G	O4'-C4'-C3'	5.34	110.37	106.10
26	BB	1064	C	P-O3'-C3'	5.34	126.11	119.70
26	BB	1093	G	C5-C6-O6	5.34	131.80	128.60
26	BB	1320	C	C2-N3-C4	5.34	122.57	119.90
26	BB	1600	C	N3-C2-O2	-5.34	118.16	121.90
26	BB	1622	G	C6-C5-N7	5.34	133.60	130.40
26	BB	2336	A	C2-N3-C4	-5.34	107.93	110.60
26	BB	2340	A	C5-C6-N1	5.34	120.37	117.70
26	BB	2597	G	C6-C5-N7	-5.34	127.20	130.40
26	BB	2655	G	C4-C5-N7	-5.34	108.66	110.80
26	BB	2745	C	C2-N3-C4	5.34	122.57	119.90
1	AA	461	A	C3'-C2'-C1'	5.34	105.77	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	928	G	C5-C6-O6	-5.34	125.40	128.60
1	AA	932	C	N3-C4-C5	-5.34	119.77	121.90
26	BB	1000	A	N1-C6-N6	-5.34	115.40	118.60
26	BB	1151	A	C6-N1-C2	5.34	121.80	118.60
26	BB	1623	G	C8-N9-C4	-5.34	104.27	106.40
26	BB	1699	G	C5'-C4'-O4'	-5.34	102.69	109.10
26	BB	2310	C	C6-N1-C2	-5.34	118.17	120.30
26	BB	2437	G	C5-C6-N1	5.34	114.17	111.50
46	BV	3	ARG	CD-NE-CZ	5.34	131.07	123.60
1	AA	91	U	C4'-C3'-C2'	-5.34	97.26	102.60
1	AA	109	A	N9-C1'-C2'	-5.34	106.13	112.00
1	AA	124	C	N1-C1'-C2'	-5.34	106.13	112.00
1	AA	584	G	C3'-C2'-C1'	5.34	105.77	101.50
1	AA	936	C	C4-C5-C6	-5.34	114.73	117.40
1	AA	1025	U	C4-C5-C6	5.34	122.90	119.70
4	AD	10	G	N1-C2-N2	5.34	121.00	116.20
26	BB	181	A	C1'-O4'-C4'	-5.34	105.63	109.90
26	BB	282	A	O4'-C1'-N9	5.34	112.47	108.20
26	BB	603	A	C8-N9-C4	-5.34	103.67	105.80
26	BB	1524	G	N1-C6-O6	-5.34	116.70	119.90
26	BB	1603	A	C6-C5-N7	5.34	136.04	132.30
29	BE	89	GLU	OE1-CD-OE2	5.34	129.70	123.30
1	AA	69	G	N3-C2-N2	5.33	123.63	119.90
1	AA	1361	G	N1-C2-N3	-5.33	120.70	123.90
1	AA	1439	G	N3-C2-N2	-5.33	116.17	119.90
1	AA	1539	C	C5-C4-N4	-5.33	116.47	120.20
2	AB	33	U	C4-C5-C6	5.33	122.90	119.70
13	AM	16	ARG	NE-CZ-NH2	-5.33	117.63	120.30
26	BB	421	C	OP1-P-O3'	5.33	116.94	105.20
26	BB	658	U	N3-C4-C5	-5.33	111.40	114.60
26	BB	708	G	O5'-P-OP2	-5.33	100.90	105.70
26	BB	835	C	P-O5'-C5'	-5.33	112.36	120.90
26	BB	1005	C	C5'-C4'-O4'	5.33	115.50	109.10
26	BB	1081	U	C6-N1-C2	5.33	124.20	121.00
26	BB	1402	U	C5-C4-O4	-5.33	122.70	125.90
26	BB	1539	U	N1-C1'-C2'	-5.33	106.13	112.00
26	BB	2347	C	C3'-C2'-C1'	-5.33	97.23	101.50
26	BB	2732	G	C8-N9-C4	-5.33	104.27	106.40
1	AA	68	G	N3-C4-C5	-5.33	125.93	128.60
1	AA	77	A	C6-N1-C2	5.33	121.80	118.60
1	AA	326	G	N3-C4-C5	-5.33	125.93	128.60
1	AA	776	G	C4-N9-C1'	-5.33	119.57	126.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	850	U	P-O5'-C5'	5.33	129.44	120.90
1	AA	1032	G	C1'-O4'-C4'	5.33	114.17	109.90
3	AC	16	A	N1-C6-N6	-5.33	115.40	118.60
21	AU	47	ARG	NE-CZ-NH1	-5.33	117.63	120.30
25	BA	92	C	N3-C4-C5	-5.33	119.77	121.90
25	BA	107	G	C6-C5-N7	-5.33	127.20	130.40
26	BB	287	G	C8-N9-C4	-5.33	104.27	106.40
26	BB	705	A	O4'-C1'-N9	5.33	112.47	108.20
26	BB	1312	U	P-O5'-C5'	5.33	129.43	120.90
26	BB	1400	U	C5-C6-N1	5.33	125.37	122.70
26	BB	1597	A	O4'-C1'-N9	5.33	112.47	108.20
26	BB	1611	C	N1-C2-N3	5.33	122.93	119.20
26	BB	2110	G	N3-C4-C5	-5.33	125.93	128.60
26	BB	2666	C	C6-N1-C2	-5.33	118.17	120.30
26	BB	2833	U	O4'-C1'-C2'	-5.33	100.47	105.80
1	AA	432	A	N3-C4-N9	-5.33	123.13	127.40
1	AA	519	C	C5'-C4'-O4'	5.33	115.50	109.10
1	AA	949	A	C3'-C2'-C1'	5.33	105.77	101.50
1	AA	1058	G	N3-C2-N2	5.33	123.63	119.90
1	AA	1071	C	C5-C6-N1	5.33	123.67	121.00
1	AA	1486	G	O4'-C4'-C3'	5.33	110.36	106.10
26	BB	134	G	C6-C5-N7	-5.33	127.20	130.40
26	BB	376	G	C4-C5-N7	-5.33	108.67	110.80
26	BB	411	G	O4'-C1'-N9	5.33	112.47	108.20
26	BB	1175	A	N1-C2-N3	-5.33	126.63	129.30
26	BB	1295	C	P-O3'-C3'	5.33	126.10	119.70
26	BB	1616	A	C3'-C2'-C1'	5.33	105.77	101.50
26	BB	1738	G	N1-C2-N2	-5.33	111.40	116.20
1	AA	1077	G	O3'-P-O5'	-5.33	93.87	104.00
25	BA	27	C	C1'-O4'-C4'	-5.33	105.64	109.90
25	BA	119	A	C8-N9-C4	5.33	107.93	105.80
26	BB	492	A	C4-C5-C6	-5.33	114.33	117.00
26	BB	1263	U	C5'-C4'-O4'	5.33	115.50	109.10
26	BB	2191	A	N1-C6-N6	-5.33	115.40	118.60
1	AA	192	A	N1-C6-N6	-5.33	115.40	118.60
1	AA	479	U	C6-N1-C2	-5.33	117.80	121.00
1	AA	1102	A	N3-C4-C5	-5.33	123.07	126.80
2	AB	52	A	C4-C5-N7	5.33	113.36	110.70
6	AF	208	GLY	CA-C-O	-5.33	111.01	120.60
26	BB	259	G	C6-C5-N7	-5.33	127.20	130.40
26	BB	467	G	C6-N1-C2	-5.33	121.90	125.10
26	BB	638	G	N9-C4-C5	5.33	107.53	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	663	G	N1-C6-O6	5.33	123.10	119.90
26	BB	704	G	C5-C6-N1	5.33	114.16	111.50
26	BB	826	U	C1'-O4'-C4'	-5.33	105.64	109.90
26	BB	950	G	C5'-C4'-C3'	-5.33	107.47	116.00
26	BB	1168	G	C5-C6-N1	5.33	114.16	111.50
26	BB	1572	A	N9-C4-C5	-5.33	103.67	105.80
26	BB	2276	G	C5'-C4'-C3'	-5.33	107.47	116.00
26	BB	2396	G	C6-N1-C2	-5.33	121.90	125.10
26	BB	2494	G	N3-C2-N2	-5.33	116.17	119.90
26	BB	2523	G	P-O5'-C5'	5.33	129.43	120.90
26	BB	2598	A	O4'-C4'-C3'	5.33	110.36	106.10
44	BT	64	VAL	CG1-CB-CG2	-5.33	102.37	110.90
1	AA	457	G	N3-C4-C5	5.33	131.26	128.60
1	AA	503	C	C5'-C4'-C3'	-5.33	107.48	116.00
1	AA	518	C	P-O5'-C5'	5.33	129.42	120.90
1	AA	801	U	C5-C4-O4	5.33	129.10	125.90
1	AA	1396	A	C5-N7-C8	5.33	106.56	103.90
2	AB	49	G	C3'-C2'-C1'	-5.33	97.24	101.50
26	BB	1263	U	O5'-C5'-C4'	-5.33	101.58	111.70
26	BB	1298	C	N3-C4-N4	5.33	121.73	118.00
26	BB	1733	G	N3-C4-N9	5.33	129.20	126.00
26	BB	2164	C	C5-C4-N4	-5.33	116.47	120.20
1	AA	105	G	N1-C6-O6	-5.33	116.70	119.90
1	AA	357	G	O4'-C1'-N9	5.33	112.46	108.20
1	AA	521	G	C5-C6-O6	5.33	131.79	128.60
1	AA	674	G	N3-C2-N2	-5.33	116.17	119.90
1	AA	847	G	C6-C5-N7	5.33	133.60	130.40
1	AA	1461	G	C2-N3-C4	5.33	114.56	111.90
22	AV	79	TYR	CB-CG-CD2	-5.33	117.81	121.00
26	BB	27	G	C4'-C3'-C2'	-5.33	97.28	102.60
26	BB	241	A	C6-N1-C2	5.33	121.80	118.60
26	BB	536	G	N3-C4-N9	5.33	129.19	126.00
26	BB	756	A	N3-C4-C5	-5.33	123.07	126.80
26	BB	874	G	C3'-C2'-C1'	-5.33	97.24	101.50
26	BB	1138	G	N3-C2-N2	-5.33	116.17	119.90
26	BB	1177	G	C5-C6-O6	-5.33	125.40	128.60
26	BB	1532	A	C6-N1-C2	-5.33	115.41	118.60
26	BB	1535	A	N9-C4-C5	5.33	107.93	105.80
26	BB	1640	A	C4-C5-C6	5.33	119.66	117.00
26	BB	1756	G	C5'-C4'-O4'	5.33	115.49	109.10
26	BB	1823	G	N9-C1'-C2'	-5.33	106.14	112.00
26	BB	1864	U	O4'-C4'-C3'	5.33	110.36	106.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2124	G	C5-N7-C8	5.33	106.96	104.30
26	BB	2398	U	C2-N3-C4	-5.33	123.81	127.00
26	BB	2626	C	O5'-P-OP1	-5.33	100.91	105.70
26	BB	2664	G	N3-C4-C5	-5.33	125.94	128.60
26	BB	2709	G	C4-C5-N7	-5.33	108.67	110.80
1	AA	116	A	C4'-C3'-C2'	-5.32	97.28	102.60
1	AA	276	G	O4'-C1'-N9	5.32	112.46	108.20
1	AA	662	U	C5-C4-O4	-5.32	122.70	125.90
1	AA	662	U	C6-N1-C2	5.32	124.19	121.00
1	AA	1012	A	N3-C4-C5	-5.32	123.07	126.80
1	AA	1155	A	N3-C4-N9	-5.32	123.14	127.40
1	AA	1318	A	C5-C6-N1	-5.32	115.04	117.70
1	AA	1527	U	O4'-C4'-C3'	-5.32	98.68	104.00
4	AD	68	C	C5-C6-N1	-5.32	118.34	121.00
15	AO	89	LEU	CB-CG-CD1	-5.32	101.95	111.00
25	BA	27	C	C5'-C4'-O4'	5.32	115.49	109.10
25	BA	76	G	C5-C6-O6	-5.32	125.41	128.60
25	BA	118	C	N1-C2-O2	5.32	122.09	118.90
26	BB	3	U	C6-N1-C2	-5.32	117.81	121.00
26	BB	217	A	N1-C6-N6	-5.32	115.41	118.60
26	BB	259	G	N9-C1'-C2'	-5.32	106.14	112.00
26	BB	472	A	C5'-C4'-C3'	-5.32	107.48	116.00
26	BB	720	U	N3-C4-O4	5.32	123.13	119.40
26	BB	1021	A	N1-C2-N3	-5.32	126.64	129.30
26	BB	1869	G	N1-C2-N3	-5.32	120.71	123.90
26	BB	2573	C	P-O3'-C3'	5.32	126.09	119.70
26	BB	2830	C	O4'-C1'-N1	5.32	112.46	108.20
1	AA	1479	C	P-O5'-C5'	5.32	129.41	120.90
6	AF	19	SER	N-CA-CB	-5.32	102.52	110.50
26	BB	26	G	C5'-C4'-O4'	5.32	115.49	109.10
26	BB	43	G	N3-C4-N9	5.32	129.19	126.00
26	BB	312	G	N1-C6-O6	-5.32	116.71	119.90
26	BB	588	U	O4'-C1'-C2'	5.32	112.39	107.60
26	BB	1448	G	C4'-C3'-C2'	5.32	107.92	102.60
26	BB	1987	A	P-O5'-C5'	5.32	129.42	120.90
26	BB	2145	C	C5-C6-N1	5.32	123.66	121.00
26	BB	2295	C	O5'-C5'-C4'	5.32	121.81	111.70
26	BB	2653	U	C5-C4-O4	-5.32	122.71	125.90
26	BB	2668	G	C1'-O4'-C4'	5.32	114.16	109.90
1	AA	110	C	N1-C2-O2	5.32	122.09	118.90
1	AA	359	G	N3-C4-N9	5.32	129.19	126.00
1	AA	474	G	C5-C6-N1	5.32	114.16	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	712	A	C5'-C4'-O4'	5.32	115.48	109.10
1	AA	803	G	C6-N1-C2	-5.32	121.91	125.10
1	AA	1097	C	N3-C2-O2	-5.32	118.18	121.90
1	AA	1368	A	C5-N7-C8	-5.32	101.24	103.90
1	AA	1397	C	N1-C1'-C2'	5.32	120.92	114.00
1	AA	1403	C	C5-C4-N4	-5.32	116.47	120.20
6	AF	111	ASP	CB-CG-OD2	-5.32	113.51	118.30
13	AM	55	PRO	N-CD-CG	5.32	111.18	103.20
26	BB	21	A	C1'-O4'-C4'	-5.32	105.64	109.90
26	BB	116	C	C6-N1-C2	-5.32	118.17	120.30
26	BB	341	C	N3-C2-O2	-5.32	118.18	121.90
26	BB	533	G	N3-C2-N2	5.32	123.62	119.90
26	BB	632	A	C8-N9-C4	-5.32	103.67	105.80
26	BB	805	G	P-O3'-C3'	5.32	126.08	119.70
26	BB	962	G	C4-N9-C1'	-5.32	119.58	126.50
26	BB	1019	U	O5'-P-OP2	-5.32	100.91	105.70
26	BB	1298	C	P-O3'-C3'	5.32	126.08	119.70
26	BB	1669	A	O5'-C5'-C4'	5.32	121.81	111.70
26	BB	1826	G	C5'-C4'-C3'	-5.32	107.49	116.00
26	BB	1893	C	N3-C4-C5	-5.32	119.77	121.90
26	BB	1922	G	P-O3'-C3'	5.32	126.08	119.70
26	BB	2763	G	C5-N7-C8	-5.32	101.64	104.30
1	AA	159	G	N1-C6-O6	-5.32	116.71	119.90
1	AA	606	G	C4-C5-N7	-5.32	108.67	110.80
1	AA	745	G	N7-C8-N9	5.32	115.76	113.10
1	AA	1253	G	P-O3'-C3'	5.32	126.08	119.70
1	AA	1510	C	N1-C2-O2	-5.32	115.71	118.90
17	AQ	78	LEU	CB-CG-CD1	-5.32	101.96	111.00
25	BA	63	C	O4'-C1'-N1	5.32	112.45	108.20
26	BB	15	G	C4-C5-N7	5.32	112.93	110.80
26	BB	536	G	P-O3'-C3'	5.32	126.08	119.70
26	BB	658	U	C5-C6-N1	5.32	125.36	122.70
26	BB	1023	U	C6-N1-C2	5.32	124.19	121.00
26	BB	1416	G	C2-N3-C4	5.32	114.56	111.90
26	BB	1973	G	O4'-C4'-C3'	-5.32	98.68	104.00
26	BB	2568	U	N1-C2-O2	5.32	126.52	122.80
1	AA	19	A	C3'-C2'-C1'	-5.32	97.25	101.50
1	AA	288	A	N1-C2-N3	-5.32	126.64	129.30
1	AA	488	C	N1-C2-N3	-5.32	115.48	119.20
1	AA	788	U	C4'-C3'-C2'	-5.32	97.28	102.60
1	AA	825	A	O4'-C1'-C2'	-5.32	100.48	105.80
1	AA	891	U	N3-C2-O2	-5.32	118.48	122.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1157	A	N7-C8-N9	5.32	116.46	113.80
1	AA	1160	G	C8-N9-C4	-5.32	104.27	106.40
25	BA	69	G	O4'-C1'-C2'	-5.32	100.48	105.80
25	BA	94	A	O4'-C4'-C3'	5.32	110.35	106.10
26	BB	134	G	C5'-C4'-O4'	5.32	115.48	109.10
26	BB	159	G	N7-C8-N9	5.32	115.76	113.10
26	BB	450	G	C4'-C3'-C2'	-5.32	97.28	102.60
26	BB	700	G	C6-N1-C2	-5.32	121.91	125.10
26	BB	767	U	C6-N1-C2	-5.32	117.81	121.00
26	BB	1236	G	C6-C5-N7	-5.32	127.21	130.40
26	BB	1649	G	N9-C4-C5	5.32	107.53	105.40
26	BB	1727	C	C5'-C4'-O4'	5.32	115.48	109.10
26	BB	2048	G	C4-C5-C6	5.32	121.99	118.80
26	BB	2056	G	O4'-C1'-N9	5.32	112.45	108.20
26	BB	2590	A	N9-C1'-C2'	-5.32	106.15	112.00
1	AA	36	C	N3-C4-C5	-5.32	119.77	121.90
1	AA	262	A	C6-C5-N7	5.32	136.02	132.30
1	AA	868	C	C5-C4-N4	5.32	123.92	120.20
1	AA	951	G	C8-N9-C4	-5.32	104.27	106.40
1	AA	1372	U	N1-C2-O2	5.32	126.52	122.80
1	AA	1437	A	N1-C2-N3	-5.32	126.64	129.30
3	AC	29	G	C5'-C4'-C3'	5.32	124.50	116.00
21	AU	38	ILE	CA-CB-CG1	5.32	121.10	111.00
26	BB	1066	U	C3'-C2'-C1'	5.32	105.75	101.50
26	BB	1083	U	C2-N1-C1'	5.32	124.08	117.70
26	BB	1112	G	C5-C6-N1	-5.32	108.84	111.50
26	BB	2428	G	P-O3'-C3'	5.32	126.08	119.70
26	BB	2784	U	N3-C2-O2	-5.32	118.48	122.20
1	AA	915	A	C8-N9-C4	-5.31	103.67	105.80
4	AD	20	G	C5-N7-C8	-5.31	101.64	104.30
25	BA	7	G	O4'-C1'-C2'	-5.31	100.49	105.80
25	BA	11	C	O4'-C4'-C3'	-5.31	98.69	104.00
26	BB	356	G	C4'-C3'-O3'	5.31	123.63	113.00
26	BB	555	G	N9-C4-C5	5.31	107.53	105.40
26	BB	1060	U	C3'-C2'-C1'	-5.31	97.25	101.50
26	BB	2120	G	P-O3'-C3'	5.31	126.08	119.70
26	BB	2817	U	O4'-C1'-C2'	5.31	112.38	107.60
1	AA	51	A	C5-C6-N1	5.31	120.36	117.70
1	AA	343	U	N3-C2-O2	-5.31	118.48	122.20
1	AA	473	U	C4-C5-C6	-5.31	116.51	119.70
1	AA	565	U	N3-C4-O4	5.31	123.12	119.40
1	AA	661	G	C5'-C4'-O4'	5.31	115.47	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1261	A	C3'-C2'-C1'	5.31	105.75	101.50
1	AA	1438	G	N3-C4-C5	5.31	131.26	128.60
4	AD	29	C	C6-N1-C2	5.31	122.42	120.30
25	BA	91	C	N1-C2-N3	-5.31	115.48	119.20
26	BB	69	C	C3'-C2'-C1'	-5.31	97.25	101.50
26	BB	260	G	C5-C6-O6	5.31	131.79	128.60
26	BB	389	G	C1'-O4'-C4'	-5.31	105.65	109.90
26	BB	654	A	C5-N7-C8	5.31	106.56	103.90
26	BB	869	G	N9-C4-C5	-5.31	103.28	105.40
26	BB	1236	G	C6-N1-C2	5.31	128.29	125.10
26	BB	1266	G	C5'-C4'-C3'	-5.31	107.50	116.00
26	BB	1284	A	C5-N7-C8	5.31	106.56	103.90
26	BB	1300	G	N3-C4-N9	-5.31	122.81	126.00
26	BB	1905	C	N3-C2-O2	-5.31	118.18	121.90
26	BB	2372	U	N1-C1'-C2'	-5.31	106.16	112.00
26	BB	2519	U	C4-C5-C6	5.31	122.89	119.70
26	BB	2768	U	O4'-C1'-N1	5.31	112.45	108.20
1	AA	688	G	C5'-C4'-O4'	5.31	115.47	109.10
19	AS	14	ARG	NH1-CZ-NH2	-5.31	113.56	119.40
26	BB	23	G	N7-C8-N9	5.31	115.76	113.10
26	BB	1031	G	N9-C4-C5	5.31	107.52	105.40
26	BB	1790	C	C5'-C4'-O4'	5.31	115.47	109.10
26	BB	2044	C	O3'-P-O5'	-5.31	93.91	104.00
26	BB	2404	U	C3'-C2'-C1'	5.31	105.75	101.50
26	BB	2408	U	C5-C4-O4	-5.31	122.71	125.90
26	BB	2613	U	N3-C4-C5	-5.31	111.41	114.60
1	AA	140	U	C5-C6-N1	5.31	125.36	122.70
1	AA	203	G	N7-C8-N9	5.31	115.75	113.10
1	AA	210	C	N3-C4-N4	-5.31	114.28	118.00
1	AA	308	C	C3'-C2'-C1'	5.31	105.75	101.50
1	AA	1101	A	N9-C4-C5	5.31	107.92	105.80
1	AA	1270	G	C8-N9-C1'	5.31	133.90	127.00
1	AA	1389	C	C5-C6-N1	-5.31	118.34	121.00
25	BA	41	G	N3-C4-N9	5.31	129.19	126.00
26	BB	112	U	N3-C2-O2	5.31	125.92	122.20
26	BB	233	A	C4'-C3'-C2'	-5.31	97.29	102.60
26	BB	480	A	N9-C4-C5	-5.31	103.68	105.80
26	BB	786	C	N1-C2-N3	-5.31	115.48	119.20
26	BB	1525	A	N3-C4-C5	5.31	130.52	126.80
26	BB	1580	A	C5-C6-N6	5.31	127.95	123.70
26	BB	2601	C	C1'-O4'-C4'	-5.31	105.65	109.90
26	BB	2633	G	C8-N9-C4	5.31	108.52	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2638	G	N3-C4-N9	-5.31	122.81	126.00
26	BB	2842	G	C5-C6-O6	5.31	131.78	128.60
1	AA	53	A	C6-C5-N7	5.31	136.01	132.30
1	AA	423	G	C4-C5-N7	-5.31	108.68	110.80
1	AA	1089	G	C1'-O4'-C4'	5.31	114.15	109.90
1	AA	1138	G	C2-N3-C4	5.31	114.55	111.90
1	AA	1145	A	C4'-C3'-C2'	-5.31	97.29	102.60
25	BA	40	U	N1-C2-O2	5.31	126.52	122.80
26	BB	77	G	C3'-C2'-C1'	-5.31	97.25	101.50
26	BB	359	G	N3-C4-N9	5.31	129.18	126.00
26	BB	629	G	N1-C2-N2	-5.31	111.42	116.20
26	BB	1138	G	C6-N1-C2	-5.31	121.92	125.10
26	BB	1416	G	C8-N9-C1'	5.31	133.90	127.00
26	BB	1695	G	O4'-C1'-N9	5.31	112.45	108.20
26	BB	1741	C	C2-N3-C4	-5.31	117.25	119.90
26	BB	1792	G	N1-C2-N2	-5.31	111.42	116.20
26	BB	2187	U	N1-C1'-C2'	-5.31	106.16	112.00
26	BB	2280	G	N3-C2-N2	-5.31	116.19	119.90
26	BB	2766	A	C5'-C4'-O4'	5.31	115.47	109.10
39	BO	103	TYR	CB-CG-CD2	-5.31	117.82	121.00
1	AA	22	G	C5-N7-C8	-5.31	101.65	104.30
1	AA	663	A	O4'-C1'-N9	5.31	112.44	108.20
2	AB	41	C	P-O3'-C3'	5.31	126.07	119.70
4	AD	29	C	N1-C2-N3	-5.31	115.49	119.20
6	AF	167	TYR	CD1-CG-CD2	5.31	123.74	117.90
14	AN	10	ARG	NE-CZ-NH2	-5.31	117.65	120.30
14	AN	38	GLY	O-C-N	5.31	131.19	122.70
26	BB	149	A	N3-C4-N9	5.31	131.65	127.40
26	BB	551	G	N1-C6-O6	5.31	123.08	119.90
26	BB	770	G	N7-C8-N9	-5.31	110.45	113.10
26	BB	1434	A	N1-C6-N6	-5.31	115.42	118.60
26	BB	1599	U	N1-C2-N3	5.31	118.08	114.90
26	BB	1842	G	C8-N9-C4	-5.31	104.28	106.40
26	BB	2441	U	N1-C2-O2	5.31	126.51	122.80
1	AA	304	U	O4'-C1'-N1	5.30	112.44	108.20
1	AA	457	G	C5-C6-O6	-5.30	125.42	128.60
1	AA	501	C	C1'-O4'-C4'	-5.30	105.66	109.90
1	AA	503	C	N1-C2-N3	-5.30	115.49	119.20
1	AA	503	C	N3-C4-N4	5.30	121.71	118.00
1	AA	1043	G	C5'-C4'-C3'	-5.30	107.51	116.00
1	AA	1261	A	N9-C4-C5	5.30	107.92	105.80
10	AJ	31	VAL	CA-CB-CG2	5.30	118.86	110.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	98	G	P-O3'-C3'	5.30	126.06	119.70
26	BB	247	G	C4-C5-N7	-5.30	108.68	110.80
26	BB	304	U	N3-C4-O4	5.30	123.11	119.40
26	BB	389	G	O5'-P-OP1	5.30	117.06	110.70
26	BB	662	G	C5-C6-O6	-5.30	125.42	128.60
26	BB	845	A	C5-C6-N1	-5.30	115.05	117.70
26	BB	874	G	C6-N1-C2	-5.30	121.92	125.10
26	BB	1107	G	C4'-C3'-C2'	-5.30	97.30	102.60
26	BB	1113	U	C1'-O4'-C4'	5.30	114.14	109.90
26	BB	1517	G	P-O3'-C3'	5.30	126.07	119.70
26	BB	1555	G	O5'-P-OP2	-5.30	100.93	105.70
26	BB	2013	A	C3'-C2'-C1'	-5.30	97.26	101.50
26	BB	2098	U	C4'-C3'-C2'	-5.30	97.30	102.60
26	BB	2136	G	C4-C5-C6	5.30	121.98	118.80
26	BB	2867	G	C5'-C4'-C3'	-5.30	107.51	116.00
1	AA	1362	A	P-O3'-C3'	5.30	126.06	119.70
2	AB	49	G	N3-C4-N9	5.30	129.18	126.00
26	BB	58	G	C5-C6-O6	-5.30	125.42	128.60
1	AA	764	C	C2-N1-C1'	-5.30	112.97	118.80
1	AA	884	U	C5'-C4'-O4'	5.30	115.46	109.10
1	AA	914	A	O4'-C1'-N9	5.30	112.44	108.20
16	AP	92	ARG	NH1-CZ-NH2	-5.30	113.57	119.40
25	BA	62	C	C5-C4-N4	-5.30	116.49	120.20
26	BB	77	G	N3-C2-N2	-5.30	116.19	119.90
26	BB	630	G	C6-N1-C2	-5.30	121.92	125.10
26	BB	846	U	C2-N1-C1'	5.30	124.06	117.70
26	BB	885	C	C6-N1-C2	5.30	122.42	120.30
26	BB	1018	U	N1-C2-O2	-5.30	119.09	122.80
26	BB	1020	A	C2-N3-C4	5.30	113.25	110.60
26	BB	1619	G	O4'-C1'-N9	5.30	112.44	108.20
26	BB	1775	U	C2-N3-C4	-5.30	123.82	127.00
26	BB	2082	A	C6-N1-C2	-5.30	115.42	118.60
26	BB	2291	U	C3'-C2'-C1'	5.30	105.74	101.50
26	BB	2536	G	N1-C2-N3	-5.30	120.72	123.90
26	BB	2644	G	C5-C6-N1	5.30	114.15	111.50
1	AA	346	G	O3'-P-O5'	5.30	114.07	104.00
1	AA	686	U	C3'-C2'-C1'	-5.30	97.26	101.50
1	AA	1513	A	C5-C6-N1	5.30	120.35	117.70
26	BB	223	A	N1-C2-N3	-5.30	126.65	129.30
26	BB	320	A	C4-C5-N7	5.30	113.35	110.70
26	BB	977	G	C4-C5-N7	5.30	112.92	110.80
26	BB	1024	G	P-O3'-C3'	5.30	126.06	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1377	G	N9-C4-C5	5.30	107.52	105.40
26	BB	1552	A	O4'-C4'-C3'	-5.30	98.70	104.00
26	BB	1608	A	N3-C4-C5	5.30	130.51	126.80
26	BB	1679	A	N3-C4-N9	5.30	131.64	127.40
26	BB	1696	G	C4-C5-C6	5.30	121.98	118.80
26	BB	1852	U	C3'-C2'-C1'	5.30	105.74	101.50
26	BB	2064	C	C5-C4-N4	-5.30	116.49	120.20
26	BB	2242	G	C6-N1-C2	-5.30	121.92	125.10
26	BB	2375	G	C5-C6-N1	5.30	114.15	111.50
26	BB	2409	G	O4'-C1'-N9	5.30	112.44	108.20
26	BB	2664	G	C4-C5-C6	5.30	121.98	118.80
26	BB	2708	G	N9-C1'-C2'	-5.30	106.17	112.00
38	BN	86	GLU	C-N-CA	5.30	133.43	122.30
45	BU	37	THR	OG1-CB-CG2	-5.30	97.81	110.00
49	BY	76	ARG	NE-CZ-NH2	-5.30	117.65	120.30
1	AA	1094	G	P-O3'-C3'	5.30	126.06	119.70
1	AA	1171	A	N3-C4-C5	-5.30	123.09	126.80
25	BA	29	A	C3'-C2'-C1'	-5.30	97.26	101.50
26	BB	1502	A	C4'-C3'-C2'	-5.30	97.30	102.60
26	BB	1807	G	N1-C2-N3	5.30	127.08	123.90
26	BB	1972	G	N9-C1'-C2'	-5.30	106.17	112.00
26	BB	2091	C	N1-C1'-C2'	-5.30	106.17	112.00
26	BB	2156	G	N7-C8-N9	5.30	115.75	113.10
26	BB	2520	C	C4'-C3'-C2'	-5.30	97.30	102.60
1	AA	103	U	C4'-C3'-C2'	-5.30	97.30	102.60
1	AA	174	A	C5-C6-N1	5.30	120.35	117.70
1	AA	197	A	C5-N7-C8	-5.30	101.25	103.90
1	AA	744	C	N3-C4-N4	5.30	121.71	118.00
1	AA	800	G	C8-N9-C4	-5.30	104.28	106.40
1	AA	1153	G	C1'-O4'-C4'	-5.30	105.66	109.90
1	AA	1212	U	C1'-O4'-C4'	-5.30	105.66	109.90
1	AA	1400	C	C4'-C3'-C2'	-5.30	97.30	102.60
26	BB	107	G	N9-C1'-C2'	-5.30	106.17	112.00
26	BB	389	G	O4'-C4'-C3'	5.30	110.34	106.10
26	BB	544	C	C3'-C2'-C1'	5.30	105.74	101.50
26	BB	1123	C	N3-C4-C5	-5.30	119.78	121.90
26	BB	2123	G	C4-C5-N7	-5.30	108.68	110.80
26	BB	2470	G	C6-N1-C2	-5.30	121.92	125.10
26	BB	2740	A	C5-N7-C8	5.30	106.55	103.90
1	AA	1345	U	O4'-C1'-N1	5.29	112.44	108.20
18	AR	82	GLU	OE1-CD-OE2	5.29	129.65	123.30
26	BB	903	C	C5'-C4'-O4'	5.29	115.45	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1228	G	N9-C4-C5	-5.29	103.28	105.40
26	BB	1244	A	C5-C6-N1	-5.29	115.05	117.70
26	BB	1245	G	C5-C6-N1	-5.29	108.85	111.50
26	BB	1594	U	C2-N3-C4	5.29	130.18	127.00
26	BB	2011	U	C2-N3-C4	-5.29	123.82	127.00
30	BF	111	GLU	N-CA-CB	-5.29	101.07	110.60
1	AA	267	C	C5-C6-N1	-5.29	118.35	121.00
1	AA	283	U	C3'-C2'-C1'	5.29	105.73	101.50
1	AA	515	G	C6-C5-N7	-5.29	127.22	130.40
1	AA	548	G	C8-N9-C4	-5.29	104.28	106.40
1	AA	840	C	O5'-C5'-C4'	-5.29	101.64	111.70
1	AA	949	A	OP1-P-O3'	5.29	116.85	105.20
1	AA	1257	A	O4'-C1'-N9	5.29	112.44	108.20
8	AH	45	VAL	O-C-N	-5.29	114.20	123.20
10	AJ	11	ILE	CB-CA-C	5.29	122.19	111.60
26	BB	100	U	N1-C2-O2	5.29	126.50	122.80
26	BB	821	A	C2-N3-C4	-5.29	107.95	110.60
26	BB	892	A	O3'-P-O5'	-5.29	93.94	104.00
26	BB	919	U	N1-C2-O2	5.29	126.50	122.80
26	BB	976	G	C8-N9-C4	-5.29	104.28	106.40
26	BB	981	A	C1'-O4'-C4'	-5.29	105.67	109.90
26	BB	999	U	C4'-C3'-C2'	-5.29	97.31	102.60
26	BB	1008	A	C4-C5-N7	-5.29	108.05	110.70
26	BB	1459	G	O3'-P-O5'	5.29	114.06	104.00
26	BB	1511	G	N9-C4-C5	5.29	107.52	105.40
26	BB	2439	A	C4'-C3'-O3'	5.29	123.59	113.00
26	BB	2505	G	N1-C2-N3	5.29	127.08	123.90
26	BB	2602	A	C5-C6-N1	-5.29	115.05	117.70
38	BN	110	VAL	CA-CB-CG1	-5.29	102.96	110.90
1	AA	101	A	N3-C4-N9	-5.29	123.17	127.40
1	AA	249	U	C3'-C2'-C1'	-5.29	97.27	101.50
1	AA	455	G	N7-C8-N9	-5.29	110.45	113.10
1	AA	618	C	C1'-O4'-C4'	-5.29	105.67	109.90
1	AA	686	U	N1-C2-N3	5.29	118.08	114.90
1	AA	690	G	N7-C8-N9	5.29	115.75	113.10
1	AA	809	G	C5-N7-C8	-5.29	101.66	104.30
1	AA	1341	U	C4-C5-C6	5.29	122.88	119.70
3	AC	27	A	N9-C4-C5	5.29	107.92	105.80
6	AF	89	VAL	CG1-CB-CG2	-5.29	102.43	110.90
25	BA	9	G	N3-C4-N9	5.29	129.18	126.00
26	BB	35	G	C5'-C4'-O4'	5.29	115.45	109.10
26	BB	46	G	C6-N1-C2	-5.29	121.92	125.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	451	U	C1'-O4'-C4'	-5.29	105.67	109.90
26	BB	451	U	N1-C2-O2	5.29	126.50	122.80
26	BB	695	G	C5-C6-N1	5.29	114.14	111.50
26	BB	757	G	C3'-C2'-C1'	-5.29	97.27	101.50
26	BB	1056	G	C8-N9-C4	-5.29	104.28	106.40
26	BB	1459	G	C5-N7-C8	5.29	106.94	104.30
26	BB	1733	G	C5-N7-C8	5.29	106.94	104.30
26	BB	1900	A	C1'-O4'-C4'	-5.29	105.67	109.90
26	BB	2822	G	N1-C2-N3	5.29	127.07	123.90
26	BB	2874	C	C4-C5-C6	5.29	120.05	117.40
26	BB	2888	C	C3'-C2'-C1'	5.29	105.73	101.50
26	BB	2895	G	C2'-C3'-O3'	5.29	122.17	113.70
33	BI	123	ARG	NH1-CZ-NH2	-5.29	113.58	119.40
37	BM	80	ASP	CB-CG-OD2	5.29	123.06	118.30
1	AA	39	G	O4'-C4'-C3'	-5.29	98.71	104.00
1	AA	449	G	C6-N1-C2	-5.29	121.93	125.10
1	AA	819	A	N1-C6-N6	-5.29	115.43	118.60
1	AA	992	U	C5-C4-O4	-5.29	122.73	125.90
1	AA	1035	A	C5-C6-N1	5.29	120.34	117.70
1	AA	1327	C	C4'-C3'-C2'	-5.29	97.31	102.60
1	AA	1444	U	C5-C6-N1	5.29	125.34	122.70
2	AB	25	C	C6-N1-C2	-5.29	118.18	120.30
4	AD	74	A	C5-N7-C8	-5.29	101.25	103.90
25	BA	14	U	N1-C2-N3	5.29	118.07	114.90
26	BB	2548	U	C5-C6-N1	5.29	125.34	122.70
26	BB	2752	C	O5'-C5'-C4'	-5.29	101.65	111.70
34	BJ	50	TYR	CB-CA-C	5.29	120.98	110.40
1	AA	606	G	C2-N3-C4	5.29	114.54	111.90
1	AA	1294	G	N3-C4-C5	-5.29	125.96	128.60
1	AA	1481	U	P-O3'-C3'	5.29	126.05	119.70
3	AC	48	C	C4'-C3'-O3'	-5.29	98.29	109.40
8	AH	156	ARG	NE-CZ-NH2	-5.29	117.66	120.30
26	BB	104	A	C5'-C4'-O4'	5.29	115.45	109.10
26	BB	225	C	C1'-O4'-C4'	5.29	114.13	109.90
26	BB	267	C	O4'-C1'-N1	5.29	112.43	108.20
26	BB	306	U	C3'-C2'-C1'	5.29	105.73	101.50
26	BB	363	G	C5-C6-O6	-5.29	125.43	128.60
26	BB	414	C	C2-N3-C4	5.29	122.54	119.90
26	BB	417	C	C1'-O4'-C4'	-5.29	105.67	109.90
26	BB	682	G	C6-N1-C2	-5.29	121.93	125.10
26	BB	689	A	O4'-C1'-C2'	5.29	112.36	107.60
26	BB	817	C	N1-C2-N3	-5.29	115.50	119.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1303	G	P-O3'-C3'	5.29	126.05	119.70
26	BB	1516	G	N3-C2-N2	5.29	123.60	119.90
26	BB	1644	C	C5-C6-N1	-5.29	118.36	121.00
26	BB	2678	C	N3-C2-O2	-5.29	118.20	121.90
26	BB	2733	A	C5-C6-N1	-5.29	115.06	117.70
29	BE	168	GLU	OE1-CD-OE2	5.29	129.65	123.30
33	BI	54	LEU	CB-CG-CD1	5.29	119.99	111.00
1	AA	127	G	N1-C2-N3	5.29	127.07	123.90
1	AA	346	G	C4'-C3'-C2'	-5.29	97.31	102.60
1	AA	869	G	C4-C5-N7	-5.29	108.69	110.80
1	AA	1251	A	N3-C4-C5	-5.29	123.10	126.80
26	BB	375	G	N3-C4-C5	-5.29	125.96	128.60
26	BB	387	U	C2-N1-C1'	5.29	124.05	117.70
26	BB	594	U	C5-C6-N1	-5.29	120.06	122.70
26	BB	1028	A	C5-C6-N1	5.29	120.34	117.70
26	BB	1379	U	C3'-C2'-C1'	5.29	105.73	101.50
26	BB	1440	U	C5-C6-N1	-5.29	120.06	122.70
26	BB	1519	G	N1-C6-O6	-5.29	116.73	119.90
26	BB	1845	G	N7-C8-N9	-5.29	110.46	113.10
26	BB	2436	G	C6-C5-N7	-5.29	127.23	130.40
26	BB	2538	C	N3-C4-C5	5.29	124.02	121.90
26	BB	2888	C	P-O3'-C3'	5.29	126.05	119.70
1	AA	274	A	C4-C5-C6	-5.29	114.36	117.00
1	AA	505	G	C3'-C2'-C1'	5.29	105.73	101.50
1	AA	887	G	C2-N3-C4	5.29	114.54	111.90
1	AA	1323	G	N3-C2-N2	-5.29	116.20	119.90
1	AA	1355	G	N7-C8-N9	5.29	115.74	113.10
2	AB	73	G	N1-C2-N3	5.29	127.07	123.90
4	AD	30	G	N3-C2-N2	-5.29	116.20	119.90
4	AD	46	G	N3-C4-C5	-5.29	125.96	128.60
26	BB	68	G	N1-C6-O6	5.29	123.07	119.90
26	BB	631	A	N9-C4-C5	5.29	107.91	105.80
26	BB	717	C	C4'-C3'-C2'	-5.29	97.31	102.60
26	BB	1014	A	O4'-C1'-N9	5.29	112.43	108.20
26	BB	1039	A	C5'-C4'-O4'	5.29	115.44	109.10
26	BB	1141	U	N3-C4-O4	-5.29	115.70	119.40
26	BB	1149	G	C4'-C3'-C2'	-5.29	97.31	102.60
26	BB	1347	A	P-O3'-C3'	5.29	126.04	119.70
26	BB	1839	G	N7-C8-N9	5.29	115.74	113.10
26	BB	1930	G	C5-C6-O6	-5.29	125.43	128.60
26	BB	2208	C	N3-C4-C5	-5.29	119.79	121.90
26	BB	2819	G	C5'-C4'-C3'	-5.29	107.54	116.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
46	BV	14	PRO	N-CA-CB	5.29	109.64	103.30
1	AA	144	G	O4'-C4'-C3'	5.28	110.33	106.10
1	AA	344	A	N9-C4-C5	-5.28	103.69	105.80
1	AA	379	C	N3-C4-C5	-5.28	119.79	121.90
1	AA	558	G	N9-C4-C5	5.28	107.51	105.40
1	AA	569	C	C5-C4-N4	5.28	123.90	120.20
1	AA	683	G	C6-C5-N7	-5.28	127.23	130.40
1	AA	848	C	C1'-O4'-C4'	5.28	114.13	109.90
1	AA	862	C	N1-C2-N3	5.28	122.90	119.20
1	AA	985	C	N3-C4-C5	-5.28	119.79	121.90
12	AL	6	TYR	CZ-CE2-CD2	-5.28	115.05	119.80
24	AX	1	PRO	N-CD-CG	5.28	111.13	103.20
25	BA	46	A	C6-C5-N7	5.28	136.00	132.30
26	BB	582	A	N1-C6-N6	-5.28	115.43	118.60
26	BB	827	U	C5-C6-N1	-5.28	120.06	122.70
26	BB	1565	C	C4'-C3'-C2'	-5.28	97.32	102.60
26	BB	1583	A	C4-C5-N7	5.28	113.34	110.70
26	BB	2682	A	N9-C4-C5	-5.28	103.69	105.80
26	BB	2711	A	N1-C2-N3	-5.28	126.66	129.30
26	BB	2881	U	C5'-C4'-C3'	-5.28	107.55	116.00
35	BK	10	LEU	CB-CG-CD2	-5.28	102.02	111.00
1	AA	309	A	N3-C4-N9	-5.28	123.17	127.40
4	AD	20	G	C5-C6-O6	5.28	131.77	128.60
11	AK	65	PHE	CB-CG-CD2	5.28	124.50	120.80
25	BA	95	U	P-O3'-C3'	5.28	126.04	119.70
26	BB	282	A	N1-C6-N6	5.28	121.77	118.60
26	BB	1002	G	C5'-C4'-O4'	5.28	115.44	109.10
26	BB	1324	G	C4'-C3'-C2'	-5.28	97.32	102.60
26	BB	1609	A	N9-C1'-C2'	5.28	120.87	114.00
26	BB	1695	G	N9-C4-C5	5.28	107.51	105.40
26	BB	2335	A	C5'-C4'-O4'	5.28	115.44	109.10
26	BB	2902	C	C4'-C3'-C2'	-5.28	97.32	102.60
1	AA	74	A	C1'-O4'-C4'	-5.28	105.67	109.90
1	AA	276	G	P-O3'-C3'	5.28	126.03	119.70
1	AA	745	G	N1-C2-N2	5.28	120.95	116.20
1	AA	841	C	C4-C5-C6	-5.28	114.76	117.40
25	BA	16	G	C6-C5-N7	-5.28	127.23	130.40
26	BB	489	G	C4'-C3'-O3'	5.28	123.56	113.00
26	BB	917	A	C3'-C2'-C1'	-5.28	97.28	101.50
26	BB	969	G	C8-N9-C4	-5.28	104.29	106.40
26	BB	1002	G	C4-N9-C1'	-5.28	119.64	126.50
26	BB	1485	U	O4'-C1'-N1	5.28	112.42	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1932	A	O4'-C4'-C3'	-5.28	98.72	104.00
26	BB	1953	A	C5-N7-C8	-5.28	101.26	103.90
26	BB	2042	A	C5'-C4'-C3'	-5.28	107.55	116.00
26	BB	2146	C	O4'-C4'-C3'	5.28	110.33	106.10
26	BB	2431	U	C4'-C3'-C2'	-5.28	97.32	102.60
26	BB	2842	G	N7-C8-N9	5.28	115.74	113.10
1	AA	429	U	N1-C1'-C2'	5.28	120.86	114.00
26	BB	45	G	C5-C6-N1	5.28	114.14	111.50
26	BB	987	C	O3'-P-O5'	5.28	114.03	104.00
26	BB	1043	C	P-O3'-C3'	5.28	126.03	119.70
26	BB	1056	G	C4'-C3'-O3'	5.28	123.56	113.00
26	BB	1421	G	N3-C4-N9	5.28	129.17	126.00
26	BB	1567	G	N1-C6-O6	5.28	123.07	119.90
26	BB	1576	U	C5-C4-O4	5.28	129.07	125.90
26	BB	2205	A	C5-C6-N1	-5.28	115.06	117.70
26	BB	2319	G	C3'-C2'-C1'	-5.28	97.28	101.50
26	BB	2773	C	C5-C4-N4	-5.28	116.50	120.20
1	AA	32	A	C3'-C2'-C1'	5.28	105.72	101.50
1	AA	136	C	C5-C4-N4	-5.28	116.51	120.20
1	AA	266	G	N7-C8-N9	5.28	115.74	113.10
1	AA	491	G	C6-N1-C2	-5.28	121.93	125.10
1	AA	786	G	N1-C6-O6	5.28	123.07	119.90
1	AA	1114	C	C6-N1-C2	5.28	122.41	120.30
1	AA	1450	U	N3-C4-O4	5.28	123.09	119.40
4	AD	29	C	P-O3'-C3'	5.28	126.03	119.70
25	BA	27	C	N1-C2-O2	-5.28	115.73	118.90
26	BB	24	G	C5-N7-C8	5.28	106.94	104.30
26	BB	247	G	N3-C2-N2	5.28	123.59	119.90
26	BB	492	A	C5-C6-N1	-5.28	115.06	117.70
26	BB	1768	C	C6-N1-C2	5.28	122.41	120.30
26	BB	1883	U	N3-C2-O2	-5.28	118.51	122.20
26	BB	2102	G	C1'-O4'-C4'	-5.28	105.68	109.90
26	BB	2162	G	C5-C6-O6	-5.28	125.43	128.60
26	BB	2186	G	C5'-C4'-C3'	-5.28	107.55	116.00
26	BB	2268	A	N3-C4-C5	-5.28	123.11	126.80
26	BB	2703	C	N1-C2-O2	5.28	122.07	118.90
26	BB	2727	A	N7-C8-N9	5.28	116.44	113.80
26	BB	2838	G	C4-C5-N7	5.28	112.91	110.80
26	BB	2892	G	C6-N1-C2	-5.28	121.93	125.10
37	BM	73	ASP	CB-CG-OD1	-5.28	113.55	118.30
1	AA	54	C	C4'-C3'-C2'	-5.28	97.32	102.60
1	AA	122	G	N7-C8-N9	5.28	115.74	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	148	G	C8-N9-C4	-5.28	104.29	106.40
1	AA	524	G	O4'-C4'-C3'	5.28	110.32	106.10
1	AA	556	C	C5-C4-N4	-5.28	116.51	120.20
1	AA	591	U	C2-N3-C4	-5.28	123.83	127.00
1	AA	1347	G	C8-N9-C4	-5.28	104.29	106.40
1	AA	1432	G	C2-N3-C4	5.28	114.54	111.90
6	AF	166	TRP	CH2-CZ2-CE2	5.28	122.68	117.40
25	BA	42	C	N1-C2-O2	5.28	122.06	118.90
26	BB	122	G	O4'-C1'-N9	5.28	112.42	108.20
26	BB	317	G	C3'-C2'-C1'	5.28	105.72	101.50
26	BB	327	G	N1-C2-N3	-5.28	120.73	123.90
26	BB	922	C	C4-C5-C6	5.28	120.04	117.40
26	BB	952	G	C2-N3-C4	5.28	114.54	111.90
26	BB	1319	C	N3-C4-C5	-5.28	119.79	121.90
26	BB	1664	A	C4-C5-C6	-5.28	114.36	117.00
26	BB	1874	C	C4'-C3'-C2'	-5.28	97.32	102.60
26	BB	1956	U	C6-N1-C2	-5.28	117.83	121.00
26	BB	2077	A	C3'-C2'-C1'	-5.28	97.28	101.50
26	BB	2843	G	C4'-C3'-O3'	5.28	123.55	113.00
26	BB	2895	G	N3-C4-C5	-5.28	125.96	128.60
1	AA	265	G	C3'-C2'-C1'	5.27	105.72	101.50
1	AA	535	A	C6-C5-N7	-5.27	128.61	132.30
1	AA	537	G	O4'-C1'-C2'	5.27	112.35	107.60
1	AA	745	G	O4'-C1'-C2'	5.27	112.35	107.60
1	AA	1072	G	C6-C5-N7	-5.27	127.24	130.40
1	AA	1351	U	O4'-C1'-N1	5.27	112.42	108.20
25	BA	19	C	N1-C1'-C2'	-5.27	106.20	112.00
26	BB	366	C	O4'-C1'-N1	5.27	112.42	108.20
26	BB	722	A	C8-N9-C4	-5.27	103.69	105.80
26	BB	2020	A	O4'-C1'-C2'	5.27	112.35	107.60
1	AA	558	G	N7-C8-N9	5.27	115.74	113.10
1	AA	727	G	C5-N7-C8	-5.27	101.66	104.30
1	AA	851	G	O4'-C4'-C3'	5.27	110.32	106.10
1	AA	878	A	O3'-P-O5'	-5.27	93.98	104.00
1	AA	1441	A	N9-C4-C5	5.27	107.91	105.80
25	BA	50	A	C8-N9-C4	5.27	107.91	105.80
26	BB	55	G	C3'-C2'-C1'	5.27	105.72	101.50
26	BB	380	G	N1-C2-N2	5.27	120.95	116.20
26	BB	1061	U	N3-C2-O2	-5.27	118.51	122.20
26	BB	1381	G	N3-C4-N9	5.27	129.16	126.00
26	BB	1666	G	N3-C2-N2	-5.27	116.21	119.90
26	BB	2060	A	N3-C4-C5	-5.27	123.11	126.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2769	U	C5-C6-N1	-5.27	120.06	122.70
26	BB	2787	C	N1-C1'-C2'	-5.27	106.20	112.00
26	BB	2889	C	C2-N1-C1'	-5.27	113.00	118.80
1	AA	847	G	C4'-C3'-C2'	-5.27	97.33	102.60
1	AA	1448	C	O5'-C5'-C4'	-5.27	101.69	111.70
2	AB	7	G	O4'-C1'-N9	5.27	112.42	108.20
13	AM	2	GLN	N-CA-CB	-5.27	101.11	110.60
26	BB	379	G	N9-C4-C5	5.27	107.51	105.40
26	BB	386	G	C5-C6-O6	-5.27	125.44	128.60
26	BB	1355	G	N1-C2-N3	-5.27	120.74	123.90
26	BB	1361	G	C6-N1-C2	-5.27	121.94	125.10
26	BB	2326	C	C1'-O4'-C4'	5.27	114.12	109.90
52	B1	43	ILE	CA-CB-CG1	5.27	121.01	111.00
1	AA	31	G	C4'-C3'-C2'	-5.27	97.33	102.60
1	AA	85	U	N1-C2-O2	5.27	126.49	122.80
1	AA	354	G	N9-C4-C5	-5.27	103.29	105.40
1	AA	360	G	N3-C2-N2	5.27	123.59	119.90
1	AA	576	C	C6-N1-C2	-5.27	118.19	120.30
1	AA	861	G	C5-C6-O6	-5.27	125.44	128.60
1	AA	1106	G	C5-C6-N1	5.27	114.14	111.50
1	AA	1289	A	C2'-C3'-O3'	5.27	122.13	113.70
1	AA	1413	A	N3-C4-C5	-5.27	123.11	126.80
4	AD	6	G	N3-C2-N2	5.27	123.59	119.90
25	BA	24	G	C5'-C4'-O4'	5.27	115.42	109.10
25	BA	79	G	C4'-C3'-C2'	-5.27	97.33	102.60
26	BB	453	A	N1-C6-N6	5.27	121.76	118.60
26	BB	543	G	C8-N9-C4	-5.27	104.29	106.40
26	BB	583	G	C5-N7-C8	-5.27	101.67	104.30
26	BB	851	C	N3-C4-N4	5.27	121.69	118.00
26	BB	1773	A	C5'-C4'-O4'	5.27	115.42	109.10
26	BB	1898	U	C5'-C4'-C3'	-5.27	107.57	116.00
26	BB	2025	C	C4-C5-C6	-5.27	114.77	117.40
26	BB	2176	A	C3'-C2'-C1'	-5.27	97.28	101.50
26	BB	2243	U	C5'-C4'-O4'	5.27	115.42	109.10
26	BB	2557	G	C6-C5-N7	-5.27	127.24	130.40
26	BB	2810	A	C6-N1-C2	-5.27	115.44	118.60
1	AA	327	A	C1'-O4'-C4'	-5.27	105.69	109.90
1	AA	356	A	C3'-C2'-C1'	-5.27	97.29	101.50
1	AA	403	C	N3-C2-O2	-5.27	118.21	121.90
1	AA	559	A	OP1-P-O3'	5.27	116.79	105.20
1	AA	608	A	O3'-P-O5'	-5.27	93.99	104.00
1	AA	742	G	N9-C4-C5	5.27	107.51	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1024	G	N9-C1'-C2'	-5.27	106.21	112.00
6	AF	66	THR	CA-CB-CG2	5.27	119.77	112.40
24	AX	59	LEU	CB-CA-C	5.27	120.21	110.20
25	BA	21	G	C6-N1-C2	5.27	128.26	125.10
25	BA	111	U	O4'-C1'-N1	5.27	112.42	108.20
26	BB	476	G	N3-C4-N9	5.27	129.16	126.00
26	BB	1931	U	C3'-C2'-C1'	5.27	105.71	101.50
26	BB	2229	U	C4-C5-C6	5.27	122.86	119.70
26	BB	2236	U	N3-C4-C5	5.27	117.76	114.60
26	BB	2615	U	C4-C5-C6	-5.27	116.54	119.70
26	BB	2818	U	C4'-C3'-C2'	-5.27	97.33	102.60
31	BG	110	ILE	CG1-CB-CG2	-5.27	99.81	111.40
40	BP	40	LYS	CB-CA-C	5.27	120.94	110.40
48	BX	49	ASN	N-CA-CB	-5.27	101.12	110.60
26	BB	1209	U	N1-C2-N3	5.27	118.06	114.90
26	BB	1568	G	C8-N9-C4	-5.27	104.29	106.40
26	BB	1799	G	C1'-O4'-C4'	-5.27	105.69	109.90
26	BB	2285	C	C5-C6-N1	5.27	123.63	121.00
1	AA	202	G	C4-N9-C1'	-5.26	119.66	126.50
1	AA	293	G	C3'-C2'-C1'	5.26	105.71	101.50
1	AA	836	G	N3-C4-N9	5.26	129.16	126.00
1	AA	872	A	C4'-C3'-C2'	-5.26	97.34	102.60
1	AA	1079	G	C4-C5-N7	-5.26	108.69	110.80
1	AA	1426	G	O4'-C4'-C3'	5.26	110.31	106.10
1	AA	1446	A	C5-C6-N1	-5.26	115.07	117.70
25	BA	33	G	O4'-C1'-N9	5.26	112.41	108.20
25	BA	105	G	P-O3'-C3'	5.26	126.02	119.70
26	BB	62	U	C5'-C4'-C3'	-5.26	107.58	116.00
26	BB	99	U	P-O3'-C3'	5.26	126.02	119.70
26	BB	291	G	O4'-C4'-C3'	-5.26	98.74	104.00
26	BB	1103	A	C1'-O4'-C4'	-5.26	105.69	109.90
26	BB	1487	U	C1'-O4'-C4'	-5.26	105.69	109.90
26	BB	1675	C	C1'-C2'-O2'	5.26	126.40	110.60
26	BB	2107	G	C5-C6-N1	5.26	114.13	111.50
26	BB	2405	G	C5-N7-C8	5.26	106.93	104.30
26	BB	2778	A	N1-C2-N3	-5.26	126.67	129.30
30	BF	60	TRP	NE1-CE2-CZ2	5.26	136.19	130.40
1	AA	33	A	C1'-O4'-C4'	5.26	114.11	109.90
1	AA	555	U	C5-C4-O4	5.26	129.06	125.90
1	AA	968	A	O4'-C4'-C3'	5.26	110.31	106.10
1	AA	974	A	O4'-C1'-C2'	5.26	112.34	107.60
1	AA	1080	A	P-O3'-C3'	5.26	126.02	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1528	U	C2-N3-C4	-5.26	123.84	127.00
25	BA	120	U	C5-C4-O4	5.26	129.06	125.90
26	BB	109	C	N3-C2-O2	-5.26	118.22	121.90
26	BB	1622	G	C8-N9-C4	-5.26	104.30	106.40
26	BB	1743	G	C8-N9-C4	-5.26	104.30	106.40
26	BB	2095	A	C4-C5-N7	5.26	113.33	110.70
26	BB	2173	A	C3'-C2'-C1'	5.26	105.71	101.50
26	BB	2391	G	P-O3'-C3'	5.26	126.02	119.70
53	B2	5	ILE	CA-CB-CG1	5.26	121.00	111.00
1	AA	338	A	O4'-C1'-N9	5.26	112.41	108.20
1	AA	499	A	C5'-C4'-O4'	5.26	115.41	109.10
1	AA	702	A	O4'-C1'-C2'	-5.26	100.54	105.80
1	AA	733	G	N3-C2-N2	-5.26	116.22	119.90
1	AA	1234	C	N1-C2-O2	5.26	122.06	118.90
1	AA	1317	C	N3-C4-C5	-5.26	119.80	121.90
1	AA	1333	A	C4-C5-C6	-5.26	114.37	117.00
26	BB	429	A	C5-C6-N6	-5.26	119.49	123.70
26	BB	512	G	C6-N1-C2	-5.26	121.94	125.10
26	BB	536	G	C6-C5-N7	-5.26	127.24	130.40
26	BB	579	G	O4'-C1'-N9	5.26	112.41	108.20
26	BB	778	G	C5-C6-O6	-5.26	125.44	128.60
26	BB	875	G	N1-C2-N2	5.26	120.94	116.20
26	BB	1131	G	C2-N3-C4	5.26	114.53	111.90
26	BB	1590	A	C5'-C4'-C3'	-5.26	107.58	116.00
26	BB	2059	A	C4-C5-C6	5.26	119.63	117.00
26	BB	2543	G	N1-C2-N2	-5.26	111.47	116.20
26	BB	2618	G	O3'-P-O5'	-5.26	94.00	104.00
26	BB	2811	G	O4'-C1'-N9	5.26	112.41	108.20
28	BD	79	ARG	NE-CZ-NH2	5.26	122.93	120.30
1	AA	216	U	C3'-C2'-C1'	-5.26	97.29	101.50
1	AA	218	U	C2-N3-C4	-5.26	123.84	127.00
1	AA	360	G	C2-N3-C4	5.26	114.53	111.90
1	AA	507	C	N1-C2-O2	5.26	122.06	118.90
1	AA	616	G	N7-C8-N9	-5.26	110.47	113.10
1	AA	971	G	C4-C5-C6	-5.26	115.64	118.80
1	AA	1016	A	C6-N1-C2	5.26	121.75	118.60
1	AA	1193	G	C2-N3-C4	5.26	114.53	111.90
1	AA	1216	A	C2-N3-C4	-5.26	107.97	110.60
1	AA	1496	C	C4-C5-C6	5.26	120.03	117.40
4	AD	72	C	C5-C4-N4	-5.26	116.52	120.20
26	BB	102	U	N3-C4-C5	-5.26	111.44	114.60
26	BB	129	C	C5'-C4'-O4'	5.26	115.41	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	990	A	O4'-C1'-N9	5.26	112.41	108.20
26	BB	1310	G	C4-C5-C6	5.26	121.96	118.80
26	BB	1820	U	N3-C2-O2	-5.26	118.52	122.20
26	BB	2306	C	O5'-C5'-C4'	-5.26	101.71	111.70
28	BD	209	ALA	CB-CA-C	5.26	117.99	110.10
35	BK	64	ARG	NE-CZ-NH1	-5.26	117.67	120.30
1	AA	257	G	C3'-C2'-C1'	5.26	105.71	101.50
1	AA	776	G	C8-N9-C1'	5.26	133.84	127.00
1	AA	921	U	C3'-C2'-C1'	5.26	105.71	101.50
1	AA	1394	A	C4-C5-N7	-5.26	108.07	110.70
14	AN	51	PHE	CD1-CE1-CZ	5.26	126.41	120.10
26	BB	818	G	C4'-C3'-C2'	-5.26	97.34	102.60
26	BB	1313	U	C6-N1-C1'	-5.26	113.84	121.20
26	BB	2112	G	C6-C5-N7	5.26	133.56	130.40
31	BG	94	ARG	NE-CZ-NH2	-5.26	117.67	120.30
1	AA	50	A	N1-C6-N6	-5.26	115.45	118.60
1	AA	626	G	C2-N3-C4	5.26	114.53	111.90
1	AA	1476	A	N3-C4-C5	-5.26	123.12	126.80
25	BA	50	A	C4'-C3'-C2'	-5.26	97.34	102.60
25	BA	112	G	N1-C6-O6	-5.26	116.75	119.90
26	BB	55	G	C5'-C4'-O4'	5.26	115.41	109.10
26	BB	138	U	C5-C6-N1	-5.26	120.07	122.70
26	BB	407	G	C4'-C3'-C2'	-5.26	97.34	102.60
26	BB	686	U	C6-N1-C1'	-5.26	113.84	121.20
26	BB	852	U	N1-C2-N3	5.26	118.05	114.90
26	BB	953	G	C4-C5-C6	5.26	121.95	118.80
26	BB	1084	A	C6-N1-C2	-5.26	115.45	118.60
26	BB	1309	G	P-O3'-C3'	5.26	126.01	119.70
26	BB	1966	A	O4'-C4'-C3'	5.26	110.31	106.10
26	BB	2003	A	C5-C6-N6	-5.26	119.50	123.70
26	BB	2298	A	C8-N9-C4	-5.26	103.70	105.80
26	BB	2325	G	C2-N3-C4	-5.26	109.27	111.90
26	BB	2425	A	P-O3'-C3'	5.26	126.01	119.70
1	AA	1154	G	P-O3'-C3'	5.25	126.01	119.70
8	AH	47	PHE	CG-CD1-CE1	-5.25	115.02	120.80
26	BB	145	C	C6-N1-C2	5.25	122.40	120.30
26	BB	218	A	P-O3'-C3'	5.25	126.01	119.70
26	BB	666	A	C5-C6-N1	5.25	120.33	117.70
26	BB	1031	G	C6-N1-C2	-5.25	121.95	125.10
26	BB	1038	G	C5'-C4'-O4'	5.25	115.41	109.10
26	BB	1703	G	C8-N9-C1'	5.25	133.83	127.00
26	BB	2520	C	N1-C1'-C2'	-5.25	106.22	112.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2622	U	C5-C4-O4	5.25	129.05	125.90
39	BO	92	TRP	NE1-CE2-CZ2	5.25	136.18	130.40
1	AA	316	C	N1-C2-O2	5.25	122.05	118.90
1	AA	426	U	C5-C6-N1	5.25	125.33	122.70
1	AA	443	C	C5'-C4'-O4'	5.25	115.40	109.10
1	AA	697	U	C5-C6-N1	-5.25	120.07	122.70
1	AA	705	G	N3-C4-C5	-5.25	125.97	128.60
1	AA	851	G	N7-C8-N9	-5.25	110.47	113.10
1	AA	951	G	C3'-C2'-C1'	-5.25	97.30	101.50
2	AB	5	G	C5-N7-C8	-5.25	101.67	104.30
2	AB	65	C	C5-C6-N1	5.25	123.63	121.00
3	AC	42	U	O3'-P-O5'	-5.25	94.02	104.00
26	BB	584	C	C5-C4-N4	-5.25	116.52	120.20
26	BB	1045	C	C5-C6-N1	5.25	123.63	121.00
26	BB	1195	G	N3-C4-N9	-5.25	122.85	126.00
26	BB	1406	U	N3-C2-O2	-5.25	118.52	122.20
26	BB	1607	C	C2-N3-C4	5.25	122.53	119.90
26	BB	1665	A	O4'-C1'-N9	-5.25	104.00	108.20
26	BB	1679	A	C4-C5-C6	5.25	119.63	117.00
26	BB	1701	A	O4'-C1'-C2'	-5.25	100.55	105.80
26	BB	2269	G	C1'-O4'-C4'	-5.25	105.70	109.90
26	BB	2318	G	C5-C6-O6	-5.25	125.45	128.60
26	BB	2545	G	C6-N1-C2	5.25	128.25	125.10
26	BB	2553	G	C4'-C3'-C2'	-5.25	97.35	102.60
26	BB	2674	G	C5'-C4'-O4'	5.25	115.40	109.10
26	BB	2756	U	N3-C2-O2	-5.25	118.52	122.20
30	BF	116	ASP	CB-CG-OD1	-5.25	113.57	118.30
1	AA	43	C	P-O3'-C3'	5.25	126.00	119.70
1	AA	242	G	N1-C2-N3	-5.25	120.75	123.90
1	AA	515	G	C8-N9-C4	-5.25	104.30	106.40
1	AA	850	U	C5'-C4'-O4'	5.25	115.40	109.10
1	AA	1354	U	C6-N1-C2	5.25	124.15	121.00
25	BA	69	G	C6-N1-C2	-5.25	121.95	125.10
26	BB	271	G	N3-C4-C5	-5.25	125.97	128.60
26	BB	357	C	C4'-C3'-C2'	-5.25	97.35	102.60
26	BB	701	G	N9-C4-C5	5.25	107.50	105.40
26	BB	1671	U	C5-C6-N1	-5.25	120.07	122.70
26	BB	2070	A	C6-N1-C2	5.25	121.75	118.60
26	BB	2117	A	C6-N1-C2	5.25	121.75	118.60
26	BB	2211	A	C5'-C4'-C3'	-5.25	107.60	116.00
26	BB	2432	A	N3-C4-C5	5.25	130.48	126.80
43	BS	52	ARG	NE-CZ-NH1	5.25	122.93	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1127	G	C4-C5-N7	-5.25	108.70	110.80
26	BB	1073	A	C2'-C3'-O3'	5.25	122.10	113.70
26	BB	1373	A	C1'-O4'-C4'	-5.25	105.70	109.90
26	BB	2267	A	C1'-O4'-C4'	-5.25	105.70	109.90
26	BB	2749	A	O3'-P-O5'	-5.25	94.03	104.00
1	AA	44	A	C6-N1-C2	5.25	121.75	118.60
1	AA	316	C	C5-C4-N4	5.25	123.88	120.20
1	AA	1349	A	C2'-C3'-O3'	5.25	122.10	113.70
1	AA	1356	G	C6-C5-N7	-5.25	127.25	130.40
2	AB	3	G	C8-N9-C1'	5.25	133.82	127.00
19	AS	53	ASP	CB-CG-OD1	-5.25	113.58	118.30
26	BB	338	G	C5'-C4'-O4'	5.25	115.40	109.10
26	BB	658	U	N1-C2-N3	5.25	118.05	114.90
26	BB	1274	A	C3'-C2'-C1'	5.25	105.70	101.50
26	BB	1275	A	N3-C4-N9	5.25	131.60	127.40
26	BB	1360	G	N9-C4-C5	5.25	107.50	105.40
26	BB	2258	C	C4-C5-C6	-5.25	114.78	117.40
26	BB	2272	U	C6-N1-C1'	5.25	128.55	121.20
26	BB	2464	G	C5-C6-N1	5.25	114.12	111.50
26	BB	2530	A	O4'-C1'-N9	5.25	112.40	108.20
28	BD	79	ARG	CA-CB-CG	5.25	124.95	113.40
1	AA	192	A	C8-N9-C4	5.25	107.90	105.80
1	AA	448	A	C5-N7-C8	-5.25	101.28	103.90
1	AA	608	A	N9-C1'-C2'	-5.25	106.23	112.00
1	AA	753	A	N3-C4-N9	5.25	131.60	127.40
1	AA	858	G	N7-C8-N9	5.25	115.72	113.10
1	AA	1344	C	C2-N3-C4	5.25	122.52	119.90
1	AA	1463	U	C2-N3-C4	-5.25	123.85	127.00
14	AN	6	ARG	N-CA-CB	-5.25	101.16	110.60
25	BA	6	G	C5'-C4'-C3'	-5.25	107.60	116.00
25	BA	113	C	O4'-C1'-N1	5.25	112.40	108.20
26	BB	508	A	C4-C5-C6	-5.25	114.38	117.00
26	BB	846	U	C5-C4-O4	-5.25	122.75	125.90
26	BB	973	A	N9-C1'-C2'	5.25	120.82	114.00
26	BB	1648	U	C3'-C2'-C1'	5.25	105.70	101.50
26	BB	1669	A	O4'-C1'-N9	-5.25	104.00	108.20
26	BB	1747	U	C2-N3-C4	-5.25	123.85	127.00
26	BB	1766	G	N7-C8-N9	5.25	115.72	113.10
26	BB	2033	A	C8-N9-C4	-5.25	103.70	105.80
26	BB	2315	G	C6-N1-C2	-5.25	121.95	125.10
26	BB	2712	C	C6-N1-C2	-5.25	118.20	120.30
1	AA	18	C	C5'-C4'-C3'	5.25	124.39	116.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	459	A	C6-N1-C2	5.25	121.75	118.60
1	AA	1050	G	N9-C4-C5	5.25	107.50	105.40
1	AA	1132	C	N3-C2-O2	-5.25	118.23	121.90
1	AA	1157	A	C5-C6-N6	5.25	127.90	123.70
1	AA	1239	A	N9-C4-C5	5.25	107.90	105.80
1	AA	1453	G	N3-C4-N9	5.25	129.15	126.00
1	AA	1504	G	C4-C5-N7	5.25	112.90	110.80
2	AB	57	G	N1-C6-O6	5.25	123.05	119.90
26	BB	792	A	C8-N9-C4	-5.25	103.70	105.80
26	BB	1730	C	N1-C1'-C2'	5.25	120.82	114.00
26	BB	1932	A	C5-C6-N1	5.25	120.32	117.70
1	AA	494	G	C4-C5-N7	5.24	112.90	110.80
1	AA	574	A	C3'-C2'-C1'	-5.24	97.31	101.50
1	AA	865	A	C5'-C4'-O4'	5.24	115.39	109.10
1	AA	936	C	C1'-O4'-C4'	-5.24	105.71	109.90
1	AA	965	U	C6-N1-C2	5.24	124.15	121.00
1	AA	1208	C	P-O3'-C3'	5.24	125.99	119.70
1	AA	1219	A	C5-C6-N1	5.24	120.32	117.70
25	BA	40	U	C5'-C4'-O4'	5.24	115.39	109.10
25	BA	82	U	C4-C5-C6	-5.24	116.55	119.70
26	BB	241	A	N1-C6-N6	-5.24	115.45	118.60
26	BB	548	G	C5-C6-O6	-5.24	125.45	128.60
26	BB	583	G	C1'-O4'-C4'	-5.24	105.70	109.90
26	BB	672	C	C5'-C4'-C3'	-5.24	107.61	116.00
26	BB	852	U	N1-C1'-C2'	-5.24	106.23	112.00
26	BB	866	A	O4'-C4'-C3'	5.24	110.30	106.10
26	BB	984	A	N1-C6-N6	5.24	121.75	118.60
26	BB	1146	C	C3'-C2'-C1'	-5.24	97.31	101.50
26	BB	1325	U	C2-N3-C4	-5.24	123.85	127.00
26	BB	1517	G	C8-N9-C1'	5.24	133.82	127.00
26	BB	2157	G	N7-C8-N9	5.24	115.72	113.10
26	BB	2239	G	C6-N1-C2	5.24	128.25	125.10
26	BB	2396	G	N1-C6-O6	5.24	123.05	119.90
26	BB	2470	G	N9-C4-C5	5.24	107.50	105.40
26	BB	2758	A	C4-C5-N7	-5.24	108.08	110.70
28	BD	237	ARG	NE-CZ-NH1	-5.24	117.68	120.30
1	AA	1188	A	N3-C4-N9	-5.24	123.21	127.40
26	BB	563	A	C3'-C2'-C1'	-5.24	97.31	101.50
26	BB	649	G	O4'-C1'-C2'	5.24	112.32	107.60
26	BB	1373	A	N9-C4-C5	5.24	107.90	105.80
26	BB	1596	A	N9-C4-C5	5.24	107.90	105.80
26	BB	1664	A	C5-C6-N1	5.24	120.32	117.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2038	G	O4'-C1'-N9	5.24	112.39	108.20
26	BB	2350	C	C4-C5-C6	5.24	120.02	117.40
26	BB	2426	A	C8-N9-C4	-5.24	103.70	105.80
26	BB	2772	C	N1-C2-O2	5.24	122.05	118.90
26	BB	2813	A	N3-C4-N9	-5.24	123.21	127.40
26	BB	2820	A	C5'-C4'-O4'	5.24	115.39	109.10
42	BR	46	VAL	CA-CB-CG2	-5.24	103.04	110.90
1	AA	25	C	N1-C2-O2	-5.24	115.75	118.90
1	AA	375	U	C4-C5-C6	5.24	122.84	119.70
1	AA	705	G	C3'-C2'-C1'	5.24	105.69	101.50
1	AA	1064	G	C5-N7-C8	-5.24	101.68	104.30
1	AA	1208	C	N1-C1'-C2'	-5.24	106.24	112.00
1	AA	1355	G	C2-N3-C4	5.24	114.52	111.90
4	AD	1	C	N1-C2-O2	5.24	122.05	118.90
25	BA	106	G	N9-C4-C5	5.24	107.50	105.40
26	BB	665	U	N3-C2-O2	-5.24	118.53	122.20
26	BB	701	G	C6-N1-C2	-5.24	121.95	125.10
26	BB	726	G	N7-C8-N9	-5.24	110.48	113.10
26	BB	736	C	C5-C4-N4	5.24	123.87	120.20
26	BB	1165	A	C4-C5-N7	-5.24	108.08	110.70
26	BB	1571	A	C2-N3-C4	5.24	113.22	110.60
26	BB	1607	C	O4'-C1'-N1	5.24	112.39	108.20
26	BB	2181	U	C1'-O4'-C4'	5.24	114.09	109.90
26	BB	2615	U	C5'-C4'-C3'	-5.24	107.61	116.00
50	BZ	44	ARG	NH1-CZ-NH2	-5.24	113.64	119.40
57	B6	13	PHE	CG-CD2-CE2	5.24	126.56	120.80
1	AA	177	G	C5-C6-O6	5.24	131.74	128.60
1	AA	600	A	C8-N9-C4	-5.24	103.70	105.80
1	AA	1013	G	C2-N3-C4	5.24	114.52	111.90
1	AA	1143	G	C5-C6-N1	5.24	114.12	111.50
1	AA	1318	A	C5'-C4'-C3'	-5.24	107.62	116.00
1	AA	1354	U	C5-C6-N1	-5.24	120.08	122.70
4	AD	19	G	N7-C8-N9	5.24	115.72	113.10
26	BB	289	G	N1-C2-N3	-5.24	120.76	123.90
26	BB	498	G	N3-C4-N9	5.24	129.14	126.00
26	BB	560	C	N3-C4-C5	-5.24	119.81	121.90
26	BB	672	C	O4'-C1'-N1	5.24	112.39	108.20
26	BB	962	G	C4'-C3'-C2'	5.24	107.84	102.60
26	BB	1346	G	O4'-C1'-N9	5.24	112.39	108.20
26	BB	1361	G	C5-C6-O6	-5.24	125.46	128.60
26	BB	1631	G	C4-C5-C6	5.24	121.94	118.80
26	BB	1655	A	C1'-O4'-C4'	5.24	114.09	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1953	A	C4'-C3'-C2'	5.24	107.84	102.60
26	BB	1955	U	C3'-C2'-C1'	-5.24	97.31	101.50
26	BB	2280	G	N9-C4-C5	5.24	107.50	105.40
26	BB	2482	A	C4-C5-N7	-5.24	108.08	110.70
26	BB	2558	C	N1-C1'-C2'	-5.24	106.24	112.00
26	BB	2632	A	C4-C5-C6	5.24	119.62	117.00
26	BB	2775	G	C5-C6-O6	-5.24	125.46	128.60
1	AA	541	G	C4'-C3'-C2'	-5.24	97.36	102.60
1	AA	759	A	N3-C4-N9	5.24	131.59	127.40
25	BA	68	C	C3'-C2'-C1'	-5.24	97.31	101.50
26	BB	700	G	C8-N9-C1'	5.24	133.81	127.00
26	BB	1186	G	O4'-C1'-N9	5.24	112.39	108.20
26	BB	1227	G	N7-C8-N9	5.24	115.72	113.10
26	BB	1318	U	N1-C1'-C2'	-5.24	106.24	112.00
26	BB	2496	C	C4'-C3'-C2'	-5.24	97.36	102.60
38	BN	8	PRO	N-CA-CB	5.24	109.58	103.30
1	AA	27	G	N3-C2-N2	-5.24	116.23	119.90
1	AA	164	G	C8-N9-C4	-5.24	104.31	106.40
1	AA	374	A	C6-C5-N7	5.24	135.97	132.30
1	AA	390	U	C1'-O4'-C4'	5.24	114.09	109.90
1	AA	463	U	C4-C5-C6	5.24	122.84	119.70
1	AA	1472	U	N3-C4-C5	5.24	117.74	114.60
25	BA	2	G	C5'-C4'-O4'	5.24	115.38	109.10
26	BB	35	G	C2-N3-C4	5.24	114.52	111.90
26	BB	81	G	O4'-C1'-C2'	-5.24	100.56	105.80
26	BB	84	A	C6-C5-N7	5.24	135.96	132.30
26	BB	219	A	C8-N9-C4	-5.24	103.71	105.80
26	BB	882	G	N9-C1'-C2'	-5.24	106.24	112.00
26	BB	998	C	C4-C5-C6	5.24	120.02	117.40
26	BB	1346	G	C4-C5-C6	5.24	121.94	118.80
26	BB	1394	U	C2-N1-C1'	5.24	123.98	117.70
26	BB	1813	G	N1-C2-N2	5.24	120.91	116.20
26	BB	1885	A	N9-C4-C5	5.24	107.89	105.80
26	BB	2022	U	N3-C2-O2	5.24	125.86	122.20
26	BB	2373	G	C6-N1-C2	-5.24	121.96	125.10
26	BB	2511	U	C4-C5-C6	-5.24	116.56	119.70
30	BF	101	TYR	CG-CD2-CE2	-5.24	117.11	121.30
53	B2	51	VAL	CA-CB-CG2	5.24	118.75	110.90
1	AA	248	C	N1-C2-N3	-5.23	115.54	119.20
1	AA	274	A	O4'-C4'-C3'	5.23	110.29	106.10
1	AA	437	U	C5'-C4'-C3'	5.23	124.38	116.00
1	AA	499	A	C4-C5-C6	-5.23	114.38	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	682	G	C2-N3-C4	5.23	114.52	111.90
1	AA	724	G	C5-C6-N1	5.23	114.12	111.50
1	AA	1311	A	C6-N1-C2	5.23	121.74	118.60
1	AA	1413	A	C2-N3-C4	5.23	113.22	110.60
5	AE	34	ARG	CB-CG-CD	5.23	125.21	111.60
26	BB	209	C	N3-C4-N4	5.23	121.66	118.00
26	BB	481	G	N3-C4-C5	-5.23	125.98	128.60
26	BB	874	G	C4-C5-N7	5.23	112.89	110.80
26	BB	1659	G	C5-C6-O6	-5.23	125.46	128.60
26	BB	1766	G	N1-C6-O6	-5.23	116.76	119.90
26	BB	2667	C	N1-C2-N3	-5.23	115.54	119.20
26	BB	2842	G	C5'-C4'-O4'	5.23	115.38	109.10
1	AA	657	U	C1'-O4'-C4'	-5.23	105.72	109.90
1	AA	1164	G	C4-C5-C6	5.23	121.94	118.80
3	AC	21	U	C2-N1-C1'	5.23	123.98	117.70
26	BB	40	U	O4'-C1'-N1	5.23	112.39	108.20
26	BB	197	A	C1'-O4'-C4'	5.23	114.09	109.90
26	BB	439	A	C4-C5-C6	-5.23	114.38	117.00
26	BB	1320	C	C5-C6-N1	5.23	123.62	121.00
26	BB	1571	A	C5-C6-N1	5.23	120.32	117.70
26	BB	2126	A	N1-C6-N6	5.23	121.74	118.60
26	BB	2255	G	C2-N3-C4	5.23	114.52	111.90
26	BB	2389	G	C5-C6-O6	5.23	131.74	128.60
26	BB	2687	U	N1-C1'-C2'	-5.23	106.24	112.00
1	AA	510	A	C5-N7-C8	5.23	106.52	103.90
1	AA	518	C	N3-C2-O2	-5.23	118.24	121.90
1	AA	577	G	C5'-C4'-O4'	5.23	115.38	109.10
1	AA	753	A	C3'-C2'-C1'	-5.23	97.31	101.50
1	AA	1024	G	N9-C4-C5	5.23	107.49	105.40
1	AA	1246	A	C6-N1-C2	5.23	121.74	118.60
1	AA	1403	C	C3'-C2'-C1'	5.23	105.68	101.50
1	AA	1528	U	N3-C2-O2	-5.23	118.54	122.20
1	AA	1535	C	C6-N1-C1'	5.23	127.08	120.80
6	AF	129	PHE	CB-CG-CD1	-5.23	117.14	120.80
26	BB	339	U	N1-C1'-C2'	-5.23	106.25	112.00
26	BB	787	C	C6-N1-C2	-5.23	118.21	120.30
26	BB	996	A	P-O3'-C3'	5.23	125.98	119.70
26	BB	1887	C	C5'-C4'-O4'	5.23	115.38	109.10
26	BB	2038	G	N3-C4-N9	-5.23	122.86	126.00
26	BB	2207	C	C6-N1-C2	5.23	122.39	120.30
26	BB	2364	C	OP1-P-OP2	-5.23	111.75	119.60
50	BZ	30	PRO	N-CA-CB	5.23	109.58	103.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	47	C	C4'-C3'-C2'	-5.23	97.37	102.60
1	AA	151	A	N3-C4-N9	-5.23	123.22	127.40
1	AA	384	G	C5'-C4'-C3'	5.23	124.37	116.00
1	AA	1226	C	C6-N1-C2	-5.23	118.21	120.30
26	BB	273	G	C8-N9-C1'	5.23	133.80	127.00
26	BB	1070	A	N1-C2-N3	5.23	131.91	129.30
26	BB	1324	G	C1'-O4'-C4'	-5.23	105.72	109.90
26	BB	1592	C	C2-N3-C4	-5.23	117.29	119.90
26	BB	2844	G	C8-N9-C4	-5.23	104.31	106.40
36	BL	40	HIS	CG-ND1-CE1	-5.23	98.90	105.70
1	AA	88	U	N3-C4-O4	5.23	123.06	119.40
1	AA	110	C	C2'-C3'-O3'	5.23	122.06	113.70
1	AA	187	G	O5'-C5'-C4'	-5.23	101.77	111.70
1	AA	384	G	N9-C1'-C2'	-5.23	106.25	112.00
1	AA	385	C	C3'-C2'-C1'	5.23	105.68	101.50
1	AA	833	G	C8-N9-C1'	5.23	133.80	127.00
1	AA	853	C	C4'-C3'-C2'	5.23	107.83	102.60
4	AD	66	C	N3-C2-O2	-5.23	118.24	121.90
26	BB	55	G	C4-C5-N7	5.23	112.89	110.80
26	BB	122	G	C5-N7-C8	-5.23	101.69	104.30
26	BB	205	G	C6-C5-N7	-5.23	127.26	130.40
26	BB	1140	C	N1-C2-O2	5.23	122.04	118.90
26	BB	1360	G	C6-N1-C2	-5.23	121.96	125.10
26	BB	1641	A	N7-C8-N9	5.23	116.41	113.80
26	BB	1812	U	N3-C2-O2	-5.23	118.54	122.20
26	BB	1991	U	C2-N3-C4	-5.23	123.86	127.00
26	BB	2255	G	C8-N9-C4	-5.23	104.31	106.40
26	BB	2497	A	C1'-O4'-C4'	-5.23	105.72	109.90
26	BB	2599	G	C6-N1-C2	-5.23	121.96	125.10
1	AA	112	G	C1'-O4'-C4'	5.23	114.08	109.90
1	AA	336	A	P-O3'-C3'	5.23	125.97	119.70
1	AA	550	G	C6-N1-C2	-5.23	121.96	125.10
1	AA	742	G	C5'-C4'-C3'	-5.23	107.64	116.00
2	AB	50	G	C2-N3-C4	5.23	114.51	111.90
4	AD	10	G	N7-C8-N9	5.23	115.71	113.10
7	AG	2	ARG	NE-CZ-NH1	5.23	122.91	120.30
26	BB	171	U	C2'-C3'-O3'	5.23	122.06	113.70
26	BB	357	C	C5-C4-N4	-5.23	116.54	120.20
26	BB	572	A	N3-C4-C5	-5.23	123.14	126.80
26	BB	951	C	C3'-C2'-C1'	5.23	105.68	101.50
26	BB	1034	G	C1'-O4'-C4'	5.23	114.08	109.90
26	BB	1530	G	C3'-C2'-C1'	5.23	105.68	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1693	U	C3'-C2'-C1'	5.23	105.68	101.50
26	BB	1821	A	C4-C5-N7	-5.23	108.09	110.70
1	AA	6	G	N7-C8-N9	5.22	115.71	113.10
1	AA	73	C	C5'-C4'-C3'	-5.22	107.64	116.00
1	AA	768	A	C1'-O4'-C4'	5.22	114.08	109.90
1	AA	805	C	C4-C5-C6	5.22	120.01	117.40
1	AA	895	G	C4'-C3'-C2'	-5.22	97.38	102.60
1	AA	1350	A	C4-C5-N7	-5.22	108.09	110.70
1	AA	1503	A	O4'-C1'-N9	5.22	112.38	108.20
14	AN	6	ARG	CB-CA-C	5.22	120.85	110.40
26	BB	26	G	C5-N7-C8	5.22	106.91	104.30
26	BB	48	G	C4-C5-C6	5.22	121.93	118.80
26	BB	290	U	N1-C1'-C2'	-5.22	106.25	112.00
26	BB	531	C	C4-C5-C6	-5.22	114.79	117.40
26	BB	695	G	C5-N7-C8	-5.22	101.69	104.30
26	BB	706	A	C1'-O4'-C4'	5.22	114.08	109.90
26	BB	756	A	C4'-C3'-C2'	-5.22	97.38	102.60
26	BB	885	C	P-O5'-C5'	5.22	129.26	120.90
26	BB	1231	U	N3-C4-O4	5.22	123.06	119.40
26	BB	1357	C	N1-C2-N3	5.22	122.86	119.20
26	BB	1411	U	N3-C4-O4	5.22	123.06	119.40
26	BB	1742	U	C5-C4-O4	-5.22	122.77	125.90
30	BF	101	TYR	CB-CG-CD1	-5.22	117.86	121.00
31	BG	110	ILE	CA-CB-CG1	5.22	120.93	111.00
31	BG	153	ILE	CB-CA-C	5.22	122.05	111.60
1	AA	111	G	N1-C6-O6	5.22	123.03	119.90
1	AA	160	A	N9-C4-C5	-5.22	103.71	105.80
1	AA	337	G	N1-C2-N3	5.22	127.03	123.90
1	AA	706	A	C5-C6-N6	-5.22	119.52	123.70
1	AA	757	U	O4'-C1'-N1	5.22	112.38	108.20
1	AA	1092	A	C6-N1-C2	5.22	121.73	118.60
1	AA	1181	G	C2-N3-C4	-5.22	109.29	111.90
1	AA	1468	A	C6-C5-N7	5.22	135.96	132.30
5	AE	24	PRO	CA-N-CD	-5.22	104.19	111.50
26	BB	130	C	C4'-C3'-C2'	-5.22	97.38	102.60
26	BB	639	U	C5-C4-O4	5.22	129.03	125.90
26	BB	1054	A	C3'-C2'-C1'	5.22	105.68	101.50
26	BB	1129	A	N1-C6-N6	-5.22	115.47	118.60
26	BB	1500	G	C5'-C4'-O4'	5.22	115.37	109.10
26	BB	1589	U	C2-N3-C4	-5.22	123.87	127.00
26	BB	1732	C	O4'-C4'-C3'	5.22	110.28	106.10
26	BB	1775	U	C4-C5-C6	5.22	122.83	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2623	G	N3-C2-N2	5.22	123.56	119.90
26	BB	2777	G	N3-C4-C5	-5.22	125.99	128.60
29	BE	90	PHE	CB-CG-CD1	5.22	124.45	120.80
1	AA	54	C	C3'-C2'-C1'	5.22	105.68	101.50
1	AA	148	G	C5-N7-C8	-5.22	101.69	104.30
1	AA	514	C	N3-C4-N4	5.22	121.65	118.00
1	AA	624	C	N3-C2-O2	-5.22	118.25	121.90
1	AA	1069	C	C5-C4-N4	-5.22	116.55	120.20
25	BA	16	G	C5-C6-N1	-5.22	108.89	111.50
26	BB	944	C	N1-C2-O2	5.22	122.03	118.90
26	BB	1864	U	C5'-C4'-O4'	5.22	115.36	109.10
26	BB	2122	U	P-O3'-C3'	5.22	125.97	119.70
26	BB	2782	G	P-O3'-C3'	5.22	125.97	119.70
1	AA	424	G	N9-C1'-C2'	-5.22	106.26	112.00
1	AA	851	G	N3-C4-C5	-5.22	125.99	128.60
1	AA	882	C	C6-N1-C1'	5.22	127.06	120.80
1	AA	969	A	C6-N1-C2	5.22	121.73	118.60
1	AA	1415	G	C4'-C3'-C2'	-5.22	97.38	102.60
1	AA	1487	G	N7-C8-N9	5.22	115.71	113.10
25	BA	120	U	C2-N3-C4	-5.22	123.87	127.00
26	BB	203	A	C6-N1-C2	-5.22	115.47	118.60
26	BB	246	C	N1-C2-O2	5.22	122.03	118.90
26	BB	396	G	C5'-C4'-O4'	5.22	115.36	109.10
26	BB	624	C	N1-C1'-C2'	-5.22	106.26	112.00
26	BB	627	A	C8-N9-C4	-5.22	103.71	105.80
26	BB	1079	C	C1'-O4'-C4'	-5.22	105.72	109.90
26	BB	1104	C	C5'-C4'-C3'	-5.22	107.65	116.00
26	BB	1479	G	O4'-C4'-C3'	-5.22	98.78	104.00
26	BB	1573	G	C4-C5-N7	-5.22	108.71	110.80
26	BB	1584	U	C5-C4-O4	-5.22	122.77	125.90
26	BB	1714	U	C1'-O4'-C4'	-5.22	105.72	109.90
26	BB	1789	A	O4'-C1'-C2'	5.22	112.30	107.60
26	BB	2459	A	C3'-C2'-C1'	5.22	105.68	101.50
26	BB	2621	G	N1-C6-O6	-5.22	116.77	119.90
26	BB	2806	C	C5-C4-N4	5.22	123.85	120.20
26	BB	2897	U	N3-C4-O4	5.22	123.05	119.40
1	AA	171	A	N7-C8-N9	-5.22	111.19	113.80
26	BB	794	A	C8-N9-C4	5.22	107.89	105.80
26	BB	1270	C	C1'-O4'-C4'	-5.22	105.72	109.90
26	BB	1326	U	C1'-O4'-C4'	-5.22	105.73	109.90
26	BB	2630	G	N9-C1'-C2'	-5.22	106.26	112.00
43	BS	30	VAL	CA-CB-CG2	5.22	118.73	110.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	26	A	C4-C5-C6	-5.22	114.39	117.00
1	AA	74	A	N1-C6-N6	-5.22	115.47	118.60
1	AA	710	G	C4-C5-N7	5.22	112.89	110.80
1	AA	946	A	P-O5'-C5'	5.22	129.25	120.90
1	AA	1101	A	C6-N1-C2	-5.22	115.47	118.60
1	AA	1474	U	C6-N1-C2	-5.22	117.87	121.00
4	AD	31	G	N9-C4-C5	-5.22	103.31	105.40
4	AD	49	C	C6-N1-C2	-5.22	118.21	120.30
26	BB	55	G	C5-N7-C8	-5.22	101.69	104.30
26	BB	140	C	N1-C2-O2	5.22	122.03	118.90
26	BB	692	C	C6-N1-C1'	-5.22	114.54	120.80
26	BB	913	U	O4'-C1'-C2'	-5.22	100.58	105.80
26	BB	978	G	C2-N3-C4	5.22	114.51	111.90
26	BB	1651	G	N1-C2-N3	-5.22	120.77	123.90
26	BB	2268	A	C4-C5-C6	5.22	119.61	117.00
26	BB	2725	A	C8-N9-C4	-5.22	103.71	105.80
26	BB	2886	A	C2-N3-C4	-5.22	107.99	110.60
1	AA	16	A	C5-C6-N1	5.21	120.31	117.70
1	AA	361	G	C8-N9-C1'	5.21	133.78	127.00
1	AA	429	U	N3-C2-O2	-5.21	118.55	122.20
1	AA	453	G	N9-C4-C5	5.21	107.49	105.40
1	AA	551	U	C4'-C3'-C2'	-5.21	97.39	102.60
1	AA	580	C	C6-N1-C2	5.21	122.39	120.30
1	AA	692	U	O4'-C1'-N1	5.21	112.37	108.20
1	AA	892	A	N1-C2-N3	5.21	131.91	129.30
1	AA	1034	G	N1-C2-N2	-5.21	111.51	116.20
1	AA	1311	A	C5-C6-N6	-5.21	119.53	123.70
1	AA	1370	G	C8-N9-C1'	5.21	133.78	127.00
1	AA	1426	G	N9-C4-C5	5.21	107.49	105.40
26	BB	66	C	P-O5'-C5'	5.21	129.25	120.90
26	BB	389	G	C8-N9-C4	-5.21	104.31	106.40
26	BB	587	C	N3-C4-C5	-5.21	119.81	121.90
26	BB	742	A	C8-N9-C4	-5.21	103.71	105.80
26	BB	910	A	C4'-C3'-C2'	-5.21	97.39	102.60
26	BB	1028	A	N9-C1'-C2'	-5.21	106.26	112.00
26	BB	1186	G	C1'-O4'-C4'	-5.21	105.73	109.90
26	BB	1364	G	N7-C8-N9	-5.21	110.49	113.10
26	BB	1590	A	C4'-C3'-C2'	-5.21	97.39	102.60
26	BB	1922	G	C6-C5-N7	-5.21	127.27	130.40
26	BB	1931	U	C4'-C3'-C2'	-5.21	97.39	102.60
26	BB	2056	G	N1-C2-N2	-5.21	111.51	116.20
26	BB	2495	G	N7-C8-N9	-5.21	110.49	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2902	C	C3'-C2'-C1'	5.21	105.67	101.50
1	AA	191	G	C3'-C2'-C1'	-5.21	97.33	101.50
1	AA	1138	G	C8-N9-C4	5.21	108.48	106.40
3	AC	23	C	C6-N1-C1'	5.21	127.06	120.80
26	BB	442	G	C5-N7-C8	-5.21	101.69	104.30
26	BB	464	U	C2-N1-C1'	5.21	123.96	117.70
26	BB	474	G	C5-C6-N1	5.21	114.11	111.50
26	BB	548	G	C4-C5-N7	5.21	112.89	110.80
26	BB	1041	G	P-O5'-C5'	5.21	129.24	120.90
26	BB	1184	U	C5'-C4'-O4'	5.21	115.36	109.10
26	BB	1641	A	C5'-C4'-O4'	5.21	115.36	109.10
26	BB	2352	A	C5'-C4'-O4'	5.21	115.36	109.10
26	BB	2436	G	O5'-P-OP2	-5.21	101.01	105.70
32	BH	61	TRP	NE1-CE2-CD2	-5.21	102.09	107.30
1	AA	17	U	C4-C5-C6	-5.21	116.57	119.70
1	AA	35	G	O4'-C1'-N9	5.21	112.37	108.20
1	AA	288	A	C5-C6-N1	5.21	120.31	117.70
1	AA	989	U	N1-C1'-C2'	-5.21	106.27	112.00
1	AA	1331	G	O4'-C1'-N9	5.21	112.37	108.20
1	AA	1464	U	O4'-C1'-N1	5.21	112.37	108.20
26	BB	2	G	C4-C5-C6	5.21	121.93	118.80
26	BB	309	A	C4-C5-C6	-5.21	114.39	117.00
26	BB	1128	G	C2-N3-C4	5.21	114.51	111.90
26	BB	1190	G	C5-C6-N1	5.21	114.11	111.50
26	BB	1511	G	C6-N1-C2	-5.21	121.97	125.10
26	BB	1664	A	N9-C4-C5	5.21	107.89	105.80
26	BB	1868	C	O4'-C1'-C2'	-5.21	100.59	105.80
26	BB	1981	A	C2-N3-C4	5.21	113.21	110.60
26	BB	2118	U	C6-N1-C2	-5.21	117.87	121.00
26	BB	2543	G	C6-C5-N7	-5.21	127.27	130.40
26	BB	2573	C	N3-C4-N4	-5.21	114.35	118.00
26	BB	2689	U	O4'-C1'-N1	5.21	112.37	108.20
1	AA	147	G	C3'-C2'-C1'	-5.21	97.33	101.50
1	AA	1071	C	N3-C2-O2	-5.21	118.25	121.90
26	BB	141	G	N1-C6-O6	5.21	123.03	119.90
26	BB	582	A	C5-C6-N1	5.21	120.31	117.70
26	BB	732	C	C3'-C2'-C1'	5.21	105.67	101.50
26	BB	952	G	C5-C6-N1	5.21	114.11	111.50
26	BB	1155	A	N9-C4-C5	-5.21	103.72	105.80
26	BB	1814	G	C3'-C2'-C1'	5.21	105.67	101.50
26	BB	2226	C	C5'-C4'-C3'	-5.21	107.66	116.00
26	BB	2820	A	C5-C6-N6	-5.21	119.53	123.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	236	A	C4-C5-C6	-5.21	114.40	117.00
1	AA	253	A	C5-C6-N6	-5.21	119.53	123.70
1	AA	361	G	N3-C4-N9	-5.21	122.88	126.00
1	AA	390	U	C6-N1-C2	-5.21	117.88	121.00
1	AA	488	C	N1-C1'-C2'	-5.21	106.27	112.00
1	AA	873	A	N9-C4-C5	5.21	107.88	105.80
1	AA	1054	C	C5'-C4'-O4'	5.21	115.35	109.10
1	AA	1459	G	C5-N7-C8	5.21	106.90	104.30
26	BB	205	G	N3-C4-N9	5.21	129.12	126.00
26	BB	226	A	C5-C6-N6	5.21	127.87	123.70
26	BB	422	A	C4-C5-N7	5.21	113.30	110.70
26	BB	576	U	C1'-O4'-C4'	5.21	114.07	109.90
26	BB	669	G	N1-C2-N3	-5.21	120.78	123.90
26	BB	843	G	C5-C6-O6	-5.21	125.47	128.60
26	BB	890	C	C3'-C2'-C1'	5.21	105.67	101.50
26	BB	1526	C	N3-C2-O2	5.21	125.55	121.90
26	BB	1688	U	C5'-C4'-C3'	-5.21	107.67	116.00
26	BB	1826	G	C4-C5-N7	5.21	112.88	110.80
26	BB	1858	A	C4-C5-C6	5.21	119.61	117.00
26	BB	1866	A	C4-C5-N7	-5.21	108.10	110.70
26	BB	1930	G	N3-C4-N9	-5.21	122.87	126.00
26	BB	2154	A	C5'-C4'-C3'	-5.21	107.67	116.00
26	BB	2525	G	P-O3'-C3'	5.21	125.95	119.70
26	BB	2767	C	C6-N1-C2	-5.21	118.22	120.30
1	AA	187	G	C1'-O4'-C4'	-5.21	105.73	109.90
1	AA	191	G	C4'-C3'-C2'	-5.21	97.39	102.60
1	AA	290	C	C6-N1-C2	-5.21	118.22	120.30
1	AA	832	G	C6-N1-C2	-5.21	121.98	125.10
1	AA	942	G	C5'-C4'-C3'	-5.21	107.67	116.00
1	AA	1311	A	N7-C8-N9	5.21	116.40	113.80
23	AW	9	ARG	NH1-CZ-NH2	-5.21	113.67	119.40
26	BB	67	U	C2-N3-C4	-5.21	123.88	127.00
26	BB	114	U	N1-C2-O2	5.21	126.44	122.80
26	BB	531	C	O4'-C1'-C2'	5.21	112.29	107.60
26	BB	577	G	N1-C2-N2	-5.21	111.51	116.20
26	BB	695	G	N1-C6-O6	-5.21	116.78	119.90
26	BB	1250	G	C2-N3-C4	5.21	114.50	111.90
26	BB	1338	G	O4'-C1'-C2'	5.21	112.29	107.60
26	BB	1361	G	C4'-C3'-C2'	-5.21	97.39	102.60
26	BB	1387	A	C5-N7-C8	-5.21	101.30	103.90
26	BB	1895	C	N1-C2-N3	5.21	122.84	119.20
26	BB	1968	G	C5'-C4'-C3'	-5.21	107.67	116.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2079	U	C4'-C3'-C2'	-5.21	97.39	102.60
26	BB	2148	G	P-O5'-C5'	5.21	129.23	120.90
26	BB	2430	A	C4-C5-N7	-5.21	108.10	110.70
26	BB	2725	A	C5'-C4'-C3'	-5.21	107.67	116.00
34	BJ	4	LEU	CB-CG-CD2	5.21	119.85	111.00
46	BV	65	GLY	C-N-CA	5.21	134.72	121.70
1	AA	519	C	C3'-C2'-C1'	-5.21	97.34	101.50
1	AA	572	A	C4-C5-N7	-5.21	108.10	110.70
1	AA	679	C	O4'-C4'-C3'	5.21	110.26	106.10
1	AA	801	U	OP1-P-O3'	5.21	116.65	105.20
1	AA	853	C	O5'-C5'-C4'	-5.21	101.81	111.70
1	AA	986	U	N3-C4-O4	5.21	123.04	119.40
1	AA	1289	A	C5-N7-C8	-5.21	101.30	103.90
1	AA	1293	C	N3-C4-C5	-5.21	119.82	121.90
26	BB	409	G	N3-C2-N2	-5.21	116.26	119.90
26	BB	439	A	C2'-C3'-O3'	5.21	122.03	113.70
26	BB	581	C	O4'-C1'-N1	5.21	112.36	108.20
26	BB	815	C	C2-N3-C4	5.21	122.50	119.90
26	BB	817	C	OP1-P-O3'	5.21	116.65	105.20
26	BB	1449	G	N9-C4-C5	5.21	107.48	105.40
26	BB	1554	U	N1-C2-O2	-5.21	119.16	122.80
26	BB	1673	G	N1-C6-O6	5.21	123.02	119.90
26	BB	2062	A	C5-C6-N1	-5.21	115.10	117.70
26	BB	2263	C	C6-N1-C1'	-5.21	114.55	120.80
1	AA	152	A	C4-C5-C6	-5.20	114.40	117.00
1	AA	246	A	C4-N9-C1'	-5.20	116.93	126.30
1	AA	428	G	C6-C5-N7	-5.20	127.28	130.40
1	AA	585	G	C6-C5-N7	-5.20	127.28	130.40
1	AA	751	U	N1-C1'-C2'	-5.20	106.28	112.00
1	AA	873	A	C4-C5-C6	5.20	119.60	117.00
1	AA	948	C	C5-C6-N1	-5.20	118.40	121.00
1	AA	958	A	C4-C5-C6	-5.20	114.40	117.00
1	AA	960	U	C1'-O4'-C4'	5.20	114.06	109.90
1	AA	1096	C	C4'-C3'-C2'	-5.20	97.40	102.60
1	AA	1164	G	C3'-C2'-C1'	-5.20	97.34	101.50
1	AA	1394	A	C3'-C2'-C1'	-5.20	97.34	101.50
16	AP	101	THR	CA-CB-CG2	5.20	119.68	112.40
26	BB	282	A	N3-C4-C5	-5.20	123.16	126.80
26	BB	804	A	N7-C8-N9	-5.20	111.20	113.80
26	BB	1381	G	C4-C5-N7	-5.20	108.72	110.80
26	BB	1479	G	C3'-C2'-C1'	-5.20	97.34	101.50
26	BB	1747	U	P-O3'-C3'	5.20	125.94	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1790	C	C5'-C4'-C3'	-5.20	107.67	116.00
26	BB	2160	C	C2-N3-C4	5.20	122.50	119.90
26	BB	2610	C	C6-N1-C2	-5.20	118.22	120.30
26	BB	2691	C	N3-C2-O2	-5.20	118.26	121.90
1	AA	46	G	P-O3'-C3'	5.20	125.94	119.70
1	AA	113	G	N7-C8-N9	5.20	115.70	113.10
1	AA	122	G	O4'-C1'-C2'	-5.20	100.60	105.80
1	AA	289	G	C5-C6-O6	-5.20	125.48	128.60
1	AA	426	U	C2-N3-C4	-5.20	123.88	127.00
1	AA	933	G	C4-C5-N7	5.20	112.88	110.80
1	AA	1017	U	C5'-C4'-O4'	5.20	115.34	109.10
26	BB	570	G	C4-C5-N7	-5.20	108.72	110.80
26	BB	1585	C	N3-C4-C5	5.20	123.98	121.90
26	BB	2382	G	N3-C4-C5	-5.20	126.00	128.60
1	AA	575	G	C5-N7-C8	-5.20	101.70	104.30
1	AA	1082	A	N1-C6-N6	5.20	121.72	118.60
1	AA	1408	A	N3-C4-C5	-5.20	123.16	126.80
3	AC	20	G	N3-C4-N9	5.20	129.12	126.00
26	BB	828	U	C5-C6-N1	5.20	125.30	122.70
26	BB	1250	G	N3-C4-N9	5.20	129.12	126.00
26	BB	1380	G	O4'-C1'-N9	5.20	112.36	108.20
26	BB	1410	G	N1-C6-O6	-5.20	116.78	119.90
26	BB	1652	A	N1-C2-N3	5.20	131.90	129.30
26	BB	2292	U	C2-N3-C4	-5.20	123.88	127.00
26	BB	2360	G	C4-C5-N7	-5.20	108.72	110.80
26	BB	2545	G	O5'-P-OP2	-5.20	101.02	105.70
1	AA	11	G	C4-C5-C6	5.20	121.92	118.80
1	AA	208	U	C6-N1-C2	-5.20	117.88	121.00
1	AA	307	C	C5-C4-N4	5.20	123.84	120.20
1	AA	669	G	N1-C2-N3	-5.20	120.78	123.90
1	AA	738	C	C5'-C4'-O4'	5.20	115.34	109.10
1	AA	1086	U	N1-C2-N3	5.20	118.02	114.90
4	AD	15	G	N1-C6-O6	-5.20	116.78	119.90
26	BB	88	G	C6-N1-C2	5.20	128.22	125.10
26	BB	1004	U	C5'-C4'-C3'	-5.20	107.68	116.00
26	BB	1249	U	C3'-C2'-C1'	5.20	105.66	101.50
26	BB	1328	A	C1'-O4'-C4'	5.20	114.06	109.90
26	BB	1483	G	N7-C8-N9	5.20	115.70	113.10
26	BB	1854	A	C5'-C4'-O4'	5.20	115.34	109.10
26	BB	1935	G	C2-N3-C4	5.20	114.50	111.90
26	BB	2092	U	P-O3'-C3'	5.20	125.94	119.70
35	BK	136	GLY	C-N-CA	5.20	134.69	121.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
45	BU	42	LYS	CB-CG-CD	5.20	125.12	111.60
1	AA	207	C	C5'-C4'-O4'	5.20	115.34	109.10
1	AA	973	G	C5-N7-C8	-5.20	101.70	104.30
2	AB	27	C	C5'-C4'-O4'	5.20	115.34	109.10
26	BB	489	G	N1-C2-N3	5.20	127.02	123.90
26	BB	548	G	C8-N9-C4	-5.20	104.32	106.40
26	BB	619	G	C5'-C4'-O4'	5.20	115.34	109.10
26	BB	1034	G	C5'-C4'-O4'	5.20	115.34	109.10
26	BB	1108	U	C5'-C4'-O4'	5.20	115.34	109.10
26	BB	1550	C	C4'-C3'-C2'	-5.20	97.40	102.60
26	BB	1785	A	C1'-O4'-C4'	-5.20	105.74	109.90
26	BB	1810	A	C5'-C4'-C3'	5.20	124.32	116.00
26	BB	1997	C	C5-C4-N4	-5.20	116.56	120.20
26	BB	2539	C	C1'-O4'-C4'	-5.20	105.74	109.90
26	BB	2807	U	C6-N1-C2	-5.20	117.88	121.00
38	BN	59	ARG	CD-NE-CZ	5.20	130.88	123.60
1	AA	885	G	C5-N7-C8	-5.20	101.70	104.30
1	AA	1191	A	C8-N9-C4	-5.20	103.72	105.80
3	AC	18	A	N1-C6-N6	5.20	121.72	118.60
6	AF	150	VAL	CG1-CB-CG2	-5.20	102.59	110.90
26	BB	30	G	C6-N1-C2	-5.20	121.98	125.10
26	BB	105	C	C3'-C2'-C1'	5.20	105.66	101.50
26	BB	829	A	C4-C5-N7	5.20	113.30	110.70
26	BB	1579	A	O4'-C1'-N9	5.20	112.36	108.20
26	BB	1600	C	O4'-C1'-N1	5.20	112.36	108.20
26	BB	1952	A	C4-C5-N7	5.20	113.30	110.70
26	BB	1968	G	N3-C4-N9	5.20	129.12	126.00
26	BB	1992	G	C8-N9-C4	-5.20	104.32	106.40
26	BB	2072	C	N3-C2-O2	-5.20	118.26	121.90
1	AA	485	U	O3'-P-O5'	-5.19	94.13	104.00
1	AA	547	A	C4'-C3'-C2'	-5.19	97.41	102.60
1	AA	735	C	C5'-C4'-O4'	5.19	115.33	109.10
26	BB	436	C	C5'-C4'-O4'	5.19	115.33	109.10
26	BB	1792	G	C5-N7-C8	-5.19	101.70	104.30
42	BR	80	VAL	CA-CB-CG2	-5.19	103.11	110.90
57	B6	38	LYS	N-CA-CB	-5.19	101.25	110.60
1	AA	130	A	C2-N3-C4	5.19	113.20	110.60
1	AA	287	U	C4'-C3'-C2'	-5.19	97.41	102.60
1	AA	310	G	C4'-C3'-C2'	-5.19	97.41	102.60
1	AA	442	G	C1'-O4'-C4'	-5.19	105.75	109.90
1	AA	497	G	C8-N9-C1'	5.19	133.75	127.00
1	AA	987	G	N9-C1'-C2'	-5.19	106.29	112.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1070	U	O4'-C1'-N1	5.19	112.35	108.20
18	AR	88	ARG	CD-NE-CZ	5.19	130.87	123.60
21	AU	46	THR	OG1-CB-CG2	-5.19	98.06	110.00
26	BB	289	G	O4'-C1'-C2'	5.19	112.27	107.60
26	BB	463	G	N3-C4-C5	-5.19	126.00	128.60
26	BB	659	G	N9-C1'-C2'	-5.19	106.29	112.00
26	BB	934	U	N3-C4-C5	-5.19	111.48	114.60
26	BB	1065	U	C1'-O4'-C4'	5.19	114.05	109.90
26	BB	1698	A	N3-C4-C5	-5.19	123.17	126.80
26	BB	1841	U	O4'-C1'-N1	5.19	112.35	108.20
26	BB	1868	C	C2-N3-C4	-5.19	117.30	119.90
26	BB	1873	G	N3-C4-C5	-5.19	126.00	128.60
26	BB	2349	G	O4'-C1'-N9	5.19	112.35	108.20
1	AA	32	A	C5-N7-C8	-5.19	101.30	103.90
1	AA	702	A	P-O5'-C5'	5.19	129.20	120.90
1	AA	1326	U	OP1-P-O3'	5.19	116.62	105.20
1	AA	1421	G	P-O5'-C5'	5.19	129.21	120.90
1	AA	1530	G	N3-C4-N9	5.19	129.11	126.00
25	BA	41	G	N3-C2-N2	5.19	123.53	119.90
26	BB	859	G	C8-N9-C4	-5.19	104.32	106.40
26	BB	977	G	C2-N3-C4	-5.19	109.31	111.90
26	BB	1032	A	N1-C2-N3	-5.19	126.70	129.30
26	BB	1814	G	N1-C6-O6	-5.19	116.79	119.90
26	BB	1825	U	O4'-C1'-N1	5.19	112.35	108.20
26	BB	2488	G	C3'-C2'-C1'	-5.19	97.35	101.50
26	BB	2521	C	N3-C2-O2	5.19	125.53	121.90
1	AA	870	U	C5-C6-N1	-5.19	120.11	122.70
1	AA	1387	G	C2-N3-C4	5.19	114.50	111.90
4	AD	24	C	C2-N3-C4	5.19	122.50	119.90
26	BB	31	C	O4'-C1'-C2'	5.19	112.27	107.60
26	BB	489	G	P-O3'-C3'	5.19	125.93	119.70
26	BB	914	G	O4'-C4'-C3'	5.19	110.25	106.10
26	BB	975	A	C4'-C3'-C2'	-5.19	97.41	102.60
26	BB	1137	G	C4'-C3'-C2'	-5.19	97.41	102.60
26	BB	1420	A	N9-C1'-C2'	-5.19	106.29	112.00
26	BB	1467	U	C6-N1-C2	-5.19	117.89	121.00
26	BB	1639	C	N3-C4-N4	5.19	121.63	118.00
31	BG	121	PHE	CB-CG-CD2	5.19	124.43	120.80
57	B6	53	ASP	O-C-N	5.19	131.00	122.70
1	AA	304	U	N1-C1'-C2'	-5.19	106.29	112.00
1	AA	1026	G	C3'-C2'-C1'	5.19	105.65	101.50
1	AA	1065	U	N1-C1'-C2'	5.19	120.74	114.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1101	A	C5'-C4'-O4'	5.19	115.33	109.10
1	AA	1493	A	C4-C5-N7	5.19	113.29	110.70
4	AD	9	G	C3'-C2'-C1'	5.19	105.65	101.50
25	BA	42	C	C4'-C3'-C2'	-5.19	97.41	102.60
26	BB	390	U	C5-C6-N1	-5.19	120.11	122.70
26	BB	485	C	N1-C2-O2	5.19	122.01	118.90
26	BB	1104	C	C3'-C2'-C1'	5.19	105.65	101.50
26	BB	1660	G	C8-N9-C4	-5.19	104.33	106.40
26	BB	1828	G	C5-C6-O6	5.19	131.71	128.60
26	BB	2036	C	C5-C4-N4	5.19	123.83	120.20
26	BB	2686	G	N3-C4-N9	5.19	129.11	126.00
1	AA	144	G	N3-C2-N2	-5.19	116.27	119.90
1	AA	266	G	C5-C6-O6	-5.19	125.49	128.60
1	AA	928	G	N3-C2-N2	5.19	123.53	119.90
1	AA	1139	G	C4-C5-C6	-5.19	115.69	118.80
26	BB	324	A	C5-N7-C8	-5.19	101.31	103.90
26	BB	408	G	C5-N7-C8	-5.19	101.71	104.30
26	BB	516	C	N1-C2-O2	5.19	122.01	118.90
26	BB	1448	G	N1-C6-O6	-5.19	116.79	119.90
26	BB	1693	U	O3'-P-O5'	5.19	113.85	104.00
26	BB	1920	C	N3-C4-C5	-5.19	119.83	121.90
26	BB	2040	G	O4'-C1'-N9	5.19	112.35	108.20
26	BB	2702	G	N3-C4-C5	-5.19	126.01	128.60
1	AA	287	U	C5-C4-O4	5.18	129.01	125.90
1	AA	1130	A	C6-N1-C2	5.18	121.71	118.60
1	AA	1233	G	C1'-O4'-C4'	-5.18	105.75	109.90
1	AA	1535	C	C4-C5-C6	5.18	119.99	117.40
26	BB	170	U	N1-C2-N3	5.18	118.01	114.90
26	BB	529	A	C6-C5-N7	5.18	135.93	132.30
26	BB	945	A	N9-C1'-C2'	5.18	120.74	114.00
26	BB	1204	A	C5'-C4'-O4'	-5.18	102.88	109.10
26	BB	1318	U	N3-C4-O4	5.18	123.03	119.40
26	BB	1612	C	N1-C1'-C2'	-5.18	106.30	112.00
26	BB	1631	G	C5-C6-N1	-5.18	108.91	111.50
26	BB	2100	G	C4-C5-C6	5.18	121.91	118.80
26	BB	2143	C	C5'-C4'-O4'	5.18	115.32	109.10
26	BB	2175	C	O3'-P-O5'	-5.18	94.15	104.00
26	BB	2832	U	C2-N1-C1'	5.18	123.92	117.70
1	AA	1009	U	N3-C2-O2	5.18	125.83	122.20
1	AA	1313	U	N1-C1'-C2'	-5.18	106.30	112.00
13	AM	5	ARG	CD-NE-CZ	5.18	130.85	123.60
26	BB	62	U	N3-C4-O4	5.18	123.03	119.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	620	G	C8-N9-C4	-5.18	104.33	106.40
26	BB	1008	A	N1-C6-N6	-5.18	115.49	118.60
26	BB	1244	A	C6-C5-N7	-5.18	128.67	132.30
26	BB	1285	A	C5'-C4'-C3'	-5.18	107.71	116.00
26	BB	1586	A	C4'-C3'-C2'	-5.18	97.42	102.60
26	BB	1747	U	C5-C4-O4	5.18	129.01	125.90
26	BB	2744	G	C2-N3-C4	5.18	114.49	111.90
53	B2	47	LYS	C-N-CA	5.18	134.66	121.70
1	AA	584	G	C5'-C4'-C3'	-5.18	107.71	116.00
1	AA	1506	U	C4-C5-C6	5.18	122.81	119.70
26	BB	430	A	N3-C4-N9	5.18	131.54	127.40
26	BB	1017	G	C2-N3-C4	5.18	114.49	111.90
26	BB	1174	U	N3-C4-C5	-5.18	111.49	114.60
26	BB	1259	G	C3'-C2'-C1'	5.18	105.64	101.50
26	BB	1636	U	O4'-C4'-C3'	-5.18	98.82	104.00
26	BB	2640	G	C4-C5-N7	-5.18	108.73	110.80
1	AA	149	A	C6-C5-N7	5.18	135.93	132.30
1	AA	291	U	N1-C2-N3	5.18	118.01	114.90
1	AA	642	A	C1'-O4'-C4'	-5.18	105.76	109.90
1	AA	651	C	C6-N1-C2	5.18	122.37	120.30
1	AA	850	U	O4'-C1'-N1	5.18	112.34	108.20
1	AA	1047	G	N9-C1'-C2'	-5.18	106.30	112.00
1	AA	1482	G	C5-C6-O6	5.18	131.71	128.60
11	AK	12	ARG	CD-NE-CZ	5.18	130.85	123.60
25	BA	100	G	C5'-C4'-O4'	5.18	115.32	109.10
26	BB	85	G	C5'-C4'-C3'	-5.18	107.71	116.00
26	BB	870	U	C4-C5-C6	-5.18	116.59	119.70
26	BB	938	G	N7-C8-N9	5.18	115.69	113.10
26	BB	972	A	C6-N1-C2	-5.18	115.49	118.60
26	BB	1328	A	P-O3'-C3'	5.18	125.92	119.70
26	BB	1368	G	C6-C5-N7	5.18	133.51	130.40
26	BB	1706	C	O4'-C4'-C3'	5.18	110.24	106.10
26	BB	1825	U	N3-C2-O2	-5.18	118.57	122.20
28	BD	268	ARG	NH1-CZ-NH2	5.18	125.10	119.40
26	BB	1297	C	N3-C4-N4	5.18	121.62	118.00
26	BB	1814	G	N1-C2-N3	-5.18	120.79	123.90
26	BB	2243	U	C5-C4-O4	-5.18	122.79	125.90
28	BD	13	ARG	NH1-CZ-NH2	-5.18	113.70	119.40
1	AA	429	U	C5-C4-O4	5.18	129.01	125.90
1	AA	587	G	C5-N7-C8	5.18	106.89	104.30
1	AA	710	G	N9-C4-C5	-5.18	103.33	105.40
1	AA	1056	U	C6-N1-C2	-5.18	117.89	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	38	C	C6-N1-C2	5.18	122.37	120.30
26	BB	26	G	C2-N3-C4	5.18	114.49	111.90
26	BB	52	A	C6-N1-C2	5.18	121.71	118.60
26	BB	126	A	C6-N1-C2	5.18	121.70	118.60
26	BB	313	G	C6-C5-N7	5.18	133.51	130.40
26	BB	527	C	C4-C5-C6	-5.18	114.81	117.40
26	BB	661	A	N1-C6-N6	-5.18	115.49	118.60
26	BB	843	G	C1'-O4'-C4'	-5.18	105.76	109.90
26	BB	928	A	C2-N3-C4	5.18	113.19	110.60
26	BB	1094	U	N3-C2-O2	-5.18	118.58	122.20
26	BB	1845	G	C4'-C3'-C2'	-5.18	97.42	102.60
26	BB	2072	C	C6-N1-C1'	-5.18	114.59	120.80
26	BB	2272	U	N1-C1'-C2'	5.18	120.73	114.00
26	BB	2458	G	C1'-O4'-C4'	-5.18	105.76	109.90
26	BB	2522	U	P-O3'-C3'	5.18	125.91	119.70
26	BB	2557	G	C5-C6-N1	5.18	114.09	111.50
26	BB	2732	G	C1'-O4'-C4'	-5.18	105.76	109.90
1	AA	7	A	O4'-C1'-N9	5.17	112.34	108.20
1	AA	42	G	C8-N9-C4	-5.17	104.33	106.40
1	AA	57	G	C4-C5-C6	5.17	121.91	118.80
1	AA	329	A	C8-N9-C4	5.17	107.87	105.80
1	AA	404	G	C2-N3-C4	5.17	114.49	111.90
1	AA	566	G	N1-C2-N3	-5.17	120.80	123.90
1	AA	593	U	C4-C5-C6	-5.17	116.60	119.70
1	AA	641	U	C3'-C2'-C1'	-5.17	97.36	101.50
1	AA	717	U	P-O3'-C3'	5.17	125.91	119.70
1	AA	907	A	P-O3'-C3'	5.17	125.91	119.70
1	AA	1260	G	C5-C6-N1	5.17	114.09	111.50
9	AI	99	ALA	CB-CA-C	5.17	117.86	110.10
15	AO	44	PRO	N-CA-CB	5.17	109.51	103.30
26	BB	412	A	N1-C2-N3	-5.17	126.71	129.30
26	BB	573	U	C1'-O4'-C4'	5.17	114.04	109.90
26	BB	717	C	C6-N1-C2	-5.17	118.23	120.30
26	BB	763	G	C4-N9-C1'	-5.17	119.77	126.50
26	BB	1139	G	N3-C2-N2	-5.17	116.28	119.90
26	BB	1464	G	N7-C8-N9	5.17	115.69	113.10
26	BB	1516	G	C5-C6-O6	-5.17	125.50	128.60
26	BB	1858	A	C5-N7-C8	-5.17	101.31	103.90
26	BB	1929	G	C2-N3-C4	5.17	114.49	111.90
26	BB	2061	G	O4'-C1'-N9	5.17	112.34	108.20
26	BB	2183	A	C5-C6-N1	5.17	120.29	117.70
26	BB	2341	G	C5-C6-O6	-5.17	125.50	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2371	G	C4-C5-N7	5.17	112.87	110.80
26	BB	2376	A	N9-C1'-C2'	5.17	120.73	114.00
26	BB	2826	A	C4-C5-C6	-5.17	114.41	117.00
47	BW	85	ARG	NE-CZ-NH2	5.17	122.89	120.30
47	BW	102	ILE	CA-CB-CG2	5.17	121.25	110.90
1	AA	304	U	C4-C5-C6	5.17	122.80	119.70
1	AA	756	C	C4'-C3'-C2'	-5.17	97.43	102.60
1	AA	829	G	C2'-C3'-O3'	5.17	121.98	113.70
1	AA	838	G	N1-C6-O6	-5.17	116.80	119.90
1	AA	1221	G	C5'-C4'-C3'	-5.17	107.72	116.00
1	AA	1529	G	C4'-C3'-C2'	-5.17	97.43	102.60
3	AC	37	G	O4'-C1'-N9	5.17	112.34	108.20
26	BB	785	G	C4-C5-N7	5.17	112.87	110.80
26	BB	1416	G	N3-C4-C5	-5.17	126.01	128.60
26	BB	2062	A	P-O3'-C3'	5.17	125.91	119.70
26	BB	2593	U	C4-C5-C6	5.17	122.80	119.70
1	AA	83	C	C5'-C4'-O4'	5.17	115.31	109.10
1	AA	597	G	N3-C2-N2	5.17	123.52	119.90
1	AA	1207	2MG	P-O3'-C3'	5.17	125.91	119.70
1	AA	1241	G	N3-C2-N2	-5.17	116.28	119.90
1	AA	1250	A	P-O5'-C5'	5.17	129.17	120.90
1	AA	1423	G	N3-C4-N9	5.17	129.10	126.00
2	AB	72	U	O4'-C1'-N1	5.17	112.34	108.20
14	AN	81	LEU	CB-CG-CD2	5.17	119.79	111.00
22	AV	60	PHE	CB-CA-C	5.17	120.74	110.40
25	BA	99	A	C6-C5-N7	5.17	135.92	132.30
26	BB	331	C	C2-N3-C4	5.17	122.48	119.90
26	BB	593	U	C1'-O4'-C4'	-5.17	105.76	109.90
26	BB	1044	C	O4'-C1'-N1	5.17	112.34	108.20
26	BB	1579	A	C8-N9-C4	-5.17	103.73	105.80
26	BB	1629	U	N1-C2-N3	5.17	118.00	114.90
26	BB	1635	A	C5'-C4'-C3'	-5.17	107.73	116.00
26	BB	1831	G	C5'-C4'-C3'	-5.17	107.73	116.00
26	BB	2009	A	C2-N3-C4	5.17	113.19	110.60
26	BB	2348	U	P-O5'-C5'	5.17	129.18	120.90
26	BB	2474	U	N3-C2-O2	5.17	125.82	122.20
43	BS	90	ASP	CB-CG-OD2	-5.17	113.65	118.30
1	AA	231	U	C4'-C3'-C2'	-5.17	97.43	102.60
1	AA	742	G	N7-C8-N9	5.17	115.69	113.10
1	AA	1155	A	C4-C5-C6	-5.17	114.42	117.00
22	AV	63	ASP	N-CA-CB	-5.17	101.29	110.60
26	BB	1026	G	N1-C2-N3	-5.17	120.80	123.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1642	G	C5-C6-O6	-5.17	125.50	128.60
26	BB	1997	C	C5'-C4'-O4'	5.17	115.30	109.10
26	BB	2886	A	O5'-C5'-C4'	-5.17	101.88	111.70
1	AA	554	A	P-O3'-C3'	5.17	125.90	119.70
1	AA	642	A	C6-N1-C2	5.17	121.70	118.60
1	AA	774	G	O5'-P-OP1	-5.17	101.05	105.70
1	AA	1381	U	C5-C6-N1	-5.17	120.12	122.70
1	AA	1448	C	C4'-C3'-C2'	-5.17	97.43	102.60
3	AC	38	G	C5-C6-O6	-5.17	125.50	128.60
4	AD	16	C	N1-C2-N3	-5.17	115.58	119.20
6	AF	164	THR	C-N-CA	5.17	134.62	121.70
26	BB	431	U	C3'-C2'-C1'	5.17	105.64	101.50
26	BB	470	A	C4-C5-N7	-5.17	108.12	110.70
26	BB	629	G	N1-C2-N3	5.17	127.00	123.90
26	BB	1176	U	C1'-O4'-C4'	-5.17	105.77	109.90
26	BB	1542	U	C5'-C4'-C3'	-5.17	107.73	116.00
26	BB	1652	A	C4-C5-N7	-5.17	108.12	110.70
26	BB	1683	U	C5-C6-N1	-5.17	120.12	122.70
26	BB	2024	G	N3-C4-N9	5.17	129.10	126.00
26	BB	2051	A	O4'-C1'-N9	5.17	112.33	108.20
26	BB	2802	G	N3-C4-N9	5.17	129.10	126.00
1	AA	22	G	N3-C2-N2	5.17	123.52	119.90
1	AA	215	C	C2-N3-C4	5.17	122.48	119.90
1	AA	924	C	O4'-C1'-C2'	5.17	112.25	107.60
25	BA	21	G	C8-N9-C1'	5.17	133.72	127.00
26	BB	521	U	C4-C5-C6	5.17	122.80	119.70
26	BB	621	A	C5'-C4'-O4'	5.17	115.30	109.10
26	BB	941	A	N1-C6-N6	-5.17	115.50	118.60
26	BB	1211	C	C4-C5-C6	5.17	119.98	117.40
26	BB	1470	A	N1-C6-N6	5.17	121.70	118.60
26	BB	1475	G	N3-C4-C5	-5.17	126.02	128.60
26	BB	1760	C	C4-C5-C6	5.17	119.98	117.40
26	BB	1829	A	O4'-C4'-C3'	5.17	110.23	106.10
26	BB	1896	G	C6-N1-C2	-5.17	122.00	125.10
26	BB	2323	G	O5'-C5'-C4'	-5.17	101.89	111.70
37	BM	72	PRO	CA-N-CD	-5.17	104.27	111.50
39	BO	40	ARG	NE-CZ-NH1	5.17	122.88	120.30
1	AA	538	G	N3-C2-N2	5.17	123.52	119.90
26	BB	555	G	N9-C1'-C2'	-5.17	106.32	112.00
26	BB	628	G	N3-C2-N2	5.17	123.52	119.90
26	BB	1136	G	N3-C4-C5	-5.17	126.02	128.60
26	BB	1763	G	O4'-C4'-C3'	-5.17	98.83	104.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1935	G	C4-C5-C6	5.17	121.90	118.80
1	AA	65	A	C6-C5-N7	5.16	135.91	132.30
1	AA	76	G	N9-C1'-C2'	-5.16	106.32	112.00
1	AA	171	A	P-O5'-C5'	-5.16	112.64	120.90
1	AA	830	G	P-O3'-C3'	5.16	125.90	119.70
1	AA	1085	U	C1'-O4'-C4'	-5.16	105.77	109.90
1	AA	1102	A	C6-N1-C2	5.16	121.70	118.60
1	AA	1234	C	O4'-C4'-C3'	5.16	110.23	106.10
1	AA	1351	U	C5-C6-N1	5.16	125.28	122.70
3	AC	30	U	O5'-P-OP1	-5.16	101.05	105.70
13	AM	49	PHE	CB-CG-CD2	5.16	124.41	120.80
26	BB	905	A	N1-C2-N3	5.16	131.88	129.30
26	BB	934	U	C4'-C3'-C2'	5.16	107.76	102.60
26	BB	1105	U	N3-C4-O4	5.16	123.01	119.40
26	BB	1110	G	N3-C4-N9	-5.16	122.90	126.00
26	BB	1439	A	N3-C4-C5	-5.16	123.19	126.80
26	BB	1561	C	N3-C2-O2	-5.16	118.29	121.90
1	AA	699	C	C3'-C2'-C1'	5.16	105.63	101.50
1	AA	729	A	N3-C4-N9	-5.16	123.27	127.40
25	BA	79	G	C5'-C4'-C3'	-5.16	107.74	116.00
26	BB	370	G	C6-N1-C2	-5.16	122.00	125.10
26	BB	726	G	O3'-P-O5'	-5.16	94.19	104.00
26	BB	1029	A	N9-C4-C5	5.16	107.86	105.80
26	BB	1101	U	P-O3'-C3'	5.16	125.89	119.70
26	BB	1142	A	C5-C6-N6	-5.16	119.57	123.70
26	BB	1187	G	C8-N9-C1'	5.16	133.71	127.00
26	BB	1209	U	N1-C2-O2	5.16	126.41	122.80
26	BB	1499	C	C3'-C2'-C1'	5.16	105.63	101.50
26	BB	1884	G	C5-C6-N1	5.16	114.08	111.50
26	BB	1972	G	O4'-C1'-N9	5.16	112.33	108.20
26	BB	2224	G	O4'-C1'-N9	-5.16	104.07	108.20
1	AA	9	G	C4-C5-N7	-5.16	108.74	110.80
1	AA	109	A	N9-C4-C5	-5.16	103.74	105.80
1	AA	158	G	C8-N9-C4	-5.16	104.33	106.40
1	AA	512	U	O4'-C1'-C2'	5.16	112.24	107.60
1	AA	799	G	C5'-C4'-C3'	-5.16	107.74	116.00
1	AA	863	U	C6-N1-C2	-5.16	117.90	121.00
1	AA	943	U	C5-C4-O4	-5.16	122.80	125.90
1	AA	1367	C	N3-C2-O2	-5.16	118.29	121.90
2	AB	42	G	C5-N7-C8	-5.16	101.72	104.30
25	BA	62	C	P-O3'-C3'	5.16	125.89	119.70
26	BB	397	U	O3'-P-O5'	5.16	113.81	104.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1091	G	N3-C4-C5	-5.16	126.02	128.60
26	BB	1150	C	O5'-C5'-C4'	-5.16	101.90	111.70
26	BB	1226	A	N1-C6-N6	5.16	121.70	118.60
26	BB	1241	A	N1-C6-N6	5.16	121.70	118.60
26	BB	1364	G	O4'-C4'-C3'	5.16	110.23	106.10
26	BB	1432	G	N3-C4-N9	5.16	129.10	126.00
26	BB	1641	A	P-O5'-C5'	5.16	129.16	120.90
26	BB	2107	G	C4'-C3'-C2'	-5.16	97.44	102.60
26	BB	2299	U	N1-C1'-C2'	-5.16	106.32	112.00
26	BB	2307	G	C5-C6-N1	5.16	114.08	111.50
26	BB	2312	U	C5'-C4'-O4'	5.16	115.29	109.10
26	BB	2399	G	C5'-C4'-C3'	-5.16	107.74	116.00
26	BB	2670	A	C3'-C2'-C1'	-5.16	97.37	101.50
1	AA	734	G	N3-C4-C5	-5.16	126.02	128.60
1	AA	1254	A	N3-C4-C5	-5.16	123.19	126.80
2	AB	68	C	C5-C4-N4	-5.16	116.59	120.20
26	BB	72	U	C5'-C4'-C3'	-5.16	107.75	116.00
26	BB	82	U	O4'-C1'-C2'	-5.16	100.64	105.80
26	BB	294	A	C4-C5-C6	5.16	119.58	117.00
26	BB	680	C	O5'-P-OP2	-5.16	101.06	105.70
26	BB	709	U	N3-C2-O2	-5.16	118.59	122.20
26	BB	812	C	N3-C4-C5	-5.16	119.84	121.90
26	BB	924	G	N3-C4-N9	5.16	129.09	126.00
26	BB	1486	U	N3-C4-C5	5.16	117.69	114.60
26	BB	1490	A	C1'-O4'-C4'	-5.16	105.77	109.90
26	BB	1517	G	C3'-C2'-C1'	5.16	105.63	101.50
26	BB	1594	U	C2-N1-C1'	5.16	123.89	117.70
26	BB	1690	A	C4-C5-N7	-5.16	108.12	110.70
26	BB	1694	C	C5-C6-N1	5.16	123.58	121.00
26	BB	2444	G	N7-C8-N9	5.16	115.68	113.10
26	BB	2446	G	C2-N3-C4	5.16	114.48	111.90
26	BB	2585	U	N1-C2-O2	5.16	126.41	122.80
26	BB	2633	G	N1-C2-N2	5.16	120.84	116.20
26	BB	2717	C	C5-C6-N1	5.16	123.58	121.00
26	BB	2837	A	C3'-C2'-C1'	5.16	105.63	101.50
1	AA	89	U	C5'-C4'-O4'	-5.16	102.91	109.10
1	AA	213	G	C5'-C4'-C3'	-5.16	107.75	116.00
1	AA	289	G	C8-N9-C4	-5.16	104.34	106.40
1	AA	1409	C	C5'-C4'-O4'	5.16	115.29	109.10
4	AD	50	G	N3-C2-N2	5.16	123.51	119.90
26	BB	774	G	N1-C2-N3	-5.16	120.81	123.90
26	BB	914	G	N1-C2-N2	-5.16	111.56	116.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1005	C	O3'-P-O5'	-5.16	94.20	104.00
26	BB	1390	U	C4-C5-C6	-5.16	116.61	119.70
26	BB	1546	G	C8-N9-C4	-5.16	104.34	106.40
26	BB	2105	U	O5'-P-OP2	-5.16	101.06	105.70
26	BB	2119	A	N1-C2-N3	-5.16	126.72	129.30
26	BB	2128	G	O4'-C4'-C3'	5.16	110.23	106.10
26	BB	2825	G	C5-C6-N1	5.16	114.08	111.50
1	AA	32	A	O3'-P-O5'	5.16	113.80	104.00
1	AA	838	G	C4'-C3'-C2'	-5.16	97.44	102.60
1	AA	975	A	N7-C8-N9	-5.16	111.22	113.80
1	AA	1073	U	N3-C2-O2	-5.16	118.59	122.20
1	AA	1091	U	C5'-C4'-C3'	5.16	124.25	116.00
1	AA	1301	U	C4'-C3'-C2'	5.16	107.76	102.60
1	AA	1415	G	O4'-C1'-C2'	-5.16	100.64	105.80
1	AA	1433	A	C5-C6-N1	-5.16	115.12	117.70
3	AC	41	A	N3-C4-N9	5.16	131.52	127.40
23	AW	17	ARG	NE-CZ-NH2	5.16	122.88	120.30
25	BA	105	G	N3-C2-N2	5.16	123.51	119.90
26	BB	370	G	N7-C8-N9	5.16	115.68	113.10
26	BB	530	G	C6-N1-C2	-5.16	122.01	125.10
26	BB	561	G	N3-C4-C5	-5.16	126.02	128.60
26	BB	624	C	O4'-C1'-C2'	-5.16	100.64	105.80
26	BB	692	C	C3'-C2'-C1'	-5.16	97.38	101.50
26	BB	876	C	C4-C5-C6	-5.16	114.82	117.40
26	BB	1041	G	C4-C5-C6	5.16	121.89	118.80
26	BB	1068	G	C4-C5-N7	5.16	112.86	110.80
26	BB	1378	A	C1'-O4'-C4'	-5.16	105.78	109.90
26	BB	1492	G	C4'-C3'-C2'	-5.16	97.44	102.60
26	BB	1716	U	C2-N3-C4	5.16	130.09	127.00
26	BB	1987	A	C3'-C2'-C1'	5.16	105.62	101.50
26	BB	2011	U	N1-C1'-C2'	-5.16	106.33	112.00
26	BB	2018	G	N1-C2-N2	5.16	120.84	116.20
26	BB	2084	C	N3-C4-N4	5.16	121.61	118.00
26	BB	2566	A	C5'-C4'-O4'	5.16	115.29	109.10
1	AA	704	A	C4-C5-N7	-5.15	108.12	110.70
1	AA	734	G	N1-C2-N2	5.15	120.84	116.20
1	AA	809	G	O4'-C1'-N9	5.15	112.32	108.20
7	AG	167	PRO	N-CA-CB	5.15	109.48	103.30
26	BB	132	G	C5-C6-O6	-5.15	125.51	128.60
26	BB	991	C	C5'-C4'-O4'	5.15	115.28	109.10
26	BB	1555	G	OP1-P-O3'	5.15	116.54	105.20
26	BB	1565	C	C1'-O4'-C4'	5.15	114.02	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1711	A	C6-N1-C2	-5.15	115.51	118.60
26	BB	2283	C	N1-C1'-C2'	-5.15	106.33	112.00
26	BB	2657	A	N9-C4-C5	5.15	107.86	105.80
1	AA	135	C	O4'-C1'-N1	5.15	112.32	108.20
1	AA	410	G	C6-N1-C2	-5.15	122.01	125.10
1	AA	492	C	C1'-O4'-C4'	5.15	114.02	109.90
1	AA	1285	A	C5'-C4'-C3'	-5.15	107.75	116.00
1	AA	1440	U	N3-C4-C5	-5.15	111.51	114.60
1	AA	1466	C	C5'-C4'-O4'	5.15	115.28	109.10
1	AA	1515	G	C4'-C3'-C2'	-5.15	97.45	102.60
2	AB	42	G	N9-C4-C5	5.15	107.46	105.40
2	AB	67	G	C4-C5-N7	5.15	112.86	110.80
26	BB	48	G	C5-N7-C8	5.15	106.88	104.30
26	BB	623	C	N3-C4-N4	5.15	121.61	118.00
26	BB	871	U	C5'-C4'-O4'	5.15	115.28	109.10
26	BB	908	C	N1-C2-O2	5.15	121.99	118.90
26	BB	1230	A	C5'-C4'-C3'	-5.15	107.76	116.00
26	BB	1632	A	C4-C5-N7	5.15	113.28	110.70
26	BB	1697	G	O4'-C1'-N9	5.15	112.32	108.20
26	BB	1771	C	C5'-C4'-O4'	5.15	115.28	109.10
26	BB	2372	U	C3'-C2'-C1'	-5.15	97.38	101.50
26	BB	2717	C	N3-C4-C5	5.15	123.96	121.90
26	BB	2846	G	O3'-P-O5'	5.15	113.79	104.00
32	BH	19	ASN	C-N-CA	5.15	133.12	122.30
38	BN	91	ASP	CB-CG-OD1	-5.15	113.66	118.30
1	AA	407	U	C5'-C4'-O4'	5.15	115.28	109.10
1	AA	693	G	C8-N9-C1'	5.15	133.70	127.00
7	AG	91	ALA	CB-CA-C	5.15	117.83	110.10
25	BA	33	G	N3-C4-N9	-5.15	122.91	126.00
26	BB	86	G	C6-N1-C2	-5.15	122.01	125.10
26	BB	119	A	C5'-C4'-C3'	-5.15	107.76	116.00
26	BB	192	C	C1'-O4'-C4'	-5.15	105.78	109.90
26	BB	246	C	C4-C5-C6	-5.15	114.83	117.40
26	BB	447	A	C3'-C2'-C1'	5.15	105.62	101.50
26	BB	653	U	C5-C6-N1	-5.15	120.12	122.70
26	BB	723	C	N1-C2-N3	5.15	122.81	119.20
26	BB	922	C	C3'-C2'-C1'	5.15	105.62	101.50
26	BB	1012	U	P-O3'-C3'	5.15	125.88	119.70
26	BB	1452	G	C4-C5-N7	5.15	112.86	110.80
26	BB	1552	A	C5'-C4'-C3'	-5.15	107.76	116.00
26	BB	1985	C	P-O3'-C3'	5.15	125.88	119.70
26	BB	2116	G	N1-C2-N2	5.15	120.84	116.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2536	G	N3-C4-N9	5.15	129.09	126.00
1	AA	1143	G	N3-C4-N9	-5.15	122.91	126.00
1	AA	1143	G	N9-C4-C5	5.15	107.46	105.40
1	AA	1157	A	P-O5'-C5'	5.15	129.14	120.90
8	AH	45	VAL	CA-C-N	5.15	126.50	116.20
26	BB	1629	U	P-O3'-C3'	5.15	125.88	119.70
26	BB	1983	G	N9-C4-C5	5.15	107.46	105.40
26	BB	2190	G	N3-C2-N2	5.15	123.50	119.90
26	BB	2383	G	C2-N3-C4	5.15	114.47	111.90
26	BB	2893	A	C6-C5-N7	5.15	135.90	132.30
1	AA	5	U	C4-C5-C6	5.15	122.79	119.70
1	AA	275	G	C2-N3-C4	5.15	114.47	111.90
1	AA	305	G	N3-C4-C5	-5.15	126.03	128.60
1	AA	497	G	C6-C5-N7	-5.15	127.31	130.40
1	AA	668	G	N9-C4-C5	5.15	107.46	105.40
1	AA	694	A	O4'-C1'-C2'	-5.15	100.65	105.80
1	AA	1004	A	N1-C6-N6	5.15	121.69	118.60
1	AA	1234	C	OP1-P-O3'	5.15	116.53	105.20
1	AA	1492	A	C3'-C2'-C1'	5.15	105.62	101.50
1	AA	1517	G	C2-N3-C4	-5.15	109.33	111.90
25	BA	23	G	O4'-C1'-N9	-5.15	104.08	108.20
26	BB	499	U	C5-C6-N1	-5.15	120.13	122.70
26	BB	751	A	C4-C5-C6	-5.15	114.43	117.00
26	BB	876	C	N1-C2-N3	-5.15	115.60	119.20
26	BB	1098	A	C1'-O4'-C4'	-5.15	105.78	109.90
26	BB	1633	G	N3-C4-C5	-5.15	126.03	128.60
26	BB	1728	C	C4-C5-C6	5.15	119.97	117.40
26	BB	1780	A	N1-C6-N6	5.15	121.69	118.60
26	BB	2120	G	C5-N7-C8	-5.15	101.73	104.30
26	BB	2160	C	N1-C2-N3	-5.15	115.60	119.20
26	BB	2524	G	C6-N1-C2	-5.15	122.01	125.10
26	BB	2594	C	N1-C2-N3	-5.15	115.60	119.20
26	BB	2642	G	C5-C6-N1	5.15	114.07	111.50
26	BB	2642	G	N3-C4-N9	-5.15	122.91	126.00
27	BC	12	ARG	NE-CZ-NH1	-5.15	117.73	120.30
28	BD	261	ARG	NH1-CZ-NH2	5.15	125.06	119.40
1	AA	154	U	N1-C1'-C2'	-5.15	106.34	112.00
1	AA	598	U	O4'-C1'-N1	5.15	112.32	108.20
26	BB	31	C	O4'-C4'-C3'	5.15	110.22	106.10
26	BB	202	U	O4'-C1'-C2'	5.15	112.23	107.60
26	BB	298	G	P-O3'-C3'	-5.15	113.53	119.70
26	BB	541	A	N9-C1'-C2'	-5.15	106.34	112.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	663	G	N9-C1'-C2'	-5.15	106.34	112.00
26	BB	827	U	C4'-C3'-C2'	5.15	107.75	102.60
26	BB	1250	G	N9-C4-C5	5.15	107.46	105.40
26	BB	2367	G	C4'-C3'-C2'	-5.15	97.45	102.60
26	BB	2719	G	C4'-C3'-C2'	-5.15	97.45	102.60
31	BG	124	ARG	N-CA-CB	-5.15	101.34	110.60
1	AA	21	G	C4-C5-C6	5.14	121.89	118.80
1	AA	98	A	C5-C6-N1	-5.14	115.13	117.70
1	AA	380	G	C2-N3-C4	5.14	114.47	111.90
1	AA	643	C	N1-C1'-C2'	-5.14	106.34	112.00
1	AA	709	U	C6-N1-C2	-5.14	117.91	121.00
1	AA	895	G	N1-C6-O6	5.14	122.99	119.90
1	AA	925	G	OP1-P-OP2	-5.14	111.88	119.60
1	AA	947	G	N3-C4-C5	5.14	131.17	128.60
1	AA	1171	A	C5-C6-N6	5.14	127.81	123.70
4	AD	66	C	C1'-O4'-C4'	5.14	114.02	109.90
12	AL	17	ARG	N-CA-CB	5.14	119.86	110.60
25	BA	44	G	C4'-C3'-O3'	-5.14	98.59	109.40
26	BB	535	G	N9-C1'-C2'	-5.14	106.34	112.00
26	BB	1543	G	C1'-O4'-C4'	-5.14	105.78	109.90
26	BB	1554	U	C5-C6-N1	5.14	125.27	122.70
26	BB	1731	G	O3'-P-O5'	-5.14	94.23	104.00
26	BB	1743	G	N1-C2-N2	-5.14	111.57	116.20
26	BB	2193	G	C4-C5-C6	5.14	121.89	118.80
26	BB	2456	C	O4'-C1'-C2'	-5.14	100.66	105.80
26	BB	2463	C	C1'-O4'-C4'	5.14	114.02	109.90
26	BB	2616	C	C5'-C4'-C3'	5.14	124.23	116.00
26	BB	2797	U	N1-C2-N3	5.14	117.99	114.90
26	BB	2853	C	C5-C6-N1	5.14	123.57	121.00
29	BE	108	ASP	CB-CG-OD2	5.14	122.93	118.30
53	B2	63	ARG	NE-CZ-NH2	-5.14	117.73	120.30
1	AA	14	U	N1-C2-O2	5.14	126.40	122.80
1	AA	32	A	N7-C8-N9	5.14	116.37	113.80
1	AA	91	U	N1-C1'-C2'	-5.14	106.34	112.00
1	AA	247	G	P-O3'-C3'	5.14	125.87	119.70
1	AA	523	A	C6-C5-N7	5.14	135.90	132.30
1	AA	742	G	N1-C2-N2	5.14	120.83	116.20
1	AA	869	G	C8-N9-C1'	5.14	133.69	127.00
1	AA	945	G	N9-C4-C5	5.14	107.46	105.40
1	AA	1280	A	C5-C6-N1	-5.14	115.13	117.70
4	AD	34	U	O3'-P-O5'	-5.14	94.23	104.00
4	AD	69	C	C4'-C3'-O3'	5.14	123.29	113.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	237	C	N1-C2-N3	-5.14	115.60	119.20
26	BB	376	G	C5-N7-C8	5.14	106.87	104.30
26	BB	453	A	C3'-C2'-C1'	-5.14	97.39	101.50
26	BB	656	G	N1-C2-N2	5.14	120.83	116.20
26	BB	783	A	C8-N9-C4	-5.14	103.74	105.80
26	BB	843	G	O4'-C4'-C3'	5.14	110.22	106.10
26	BB	1086	A	N7-C8-N9	5.14	116.37	113.80
26	BB	1397	U	O4'-C1'-C2'	5.14	112.23	107.60
26	BB	1622	G	C5-N7-C8	5.14	106.87	104.30
26	BB	1759	A	O4'-C1'-C2'	-5.14	100.66	105.80
26	BB	1949	G	N3-C2-N2	-5.14	116.30	119.90
26	BB	2389	G	C4'-C3'-C2'	-5.14	97.46	102.60
1	AA	28	A	C4-C5-C6	5.14	119.57	117.00
1	AA	255	G	O4'-C4'-C3'	5.14	110.21	106.10
1	AA	525	C	C5'-C4'-O4'	5.14	115.27	109.10
1	AA	1006	G	C5-C6-O6	5.14	131.69	128.60
1	AA	1117	A	C4-C5-N7	5.14	113.27	110.70
1	AA	1260	G	N3-C4-C5	-5.14	126.03	128.60
1	AA	1437	A	C2-N3-C4	5.14	113.17	110.60
26	BB	491	G	C1'-O4'-C4'	5.14	114.01	109.90
26	BB	1139	G	C3'-C2'-C1'	-5.14	97.39	101.50
26	BB	1448	G	C6-C5-N7	-5.14	127.31	130.40
26	BB	1682	G	C5-N7-C8	-5.14	101.73	104.30
26	BB	2521	C	P-O3'-C3'	5.14	125.87	119.70
26	BB	2638	G	N9-C4-C5	5.14	107.46	105.40
26	BB	2699	C	C4'-C3'-C2'	-5.14	97.46	102.60
1	AA	127	G	C4-C5-N7	5.14	112.86	110.80
1	AA	258	G	C8-N9-C1'	5.14	133.68	127.00
1	AA	344	A	C8-N9-C4	-5.14	103.74	105.80
1	AA	371	A	C6-N1-C2	5.14	121.68	118.60
1	AA	865	A	C6-N1-C2	5.14	121.68	118.60
1	AA	929	G	C4-C5-N7	-5.14	108.75	110.80
1	AA	955	U	C2-N3-C4	-5.14	123.92	127.00
1	AA	1395	C	N1-C2-O2	5.14	121.98	118.90
26	BB	279	A	C5-C6-N6	-5.14	119.59	123.70
26	BB	434	U	C3'-C2'-C1'	-5.14	97.39	101.50
26	BB	473	G	C5'-C4'-O4'	5.14	115.27	109.10
26	BB	486	C	C5-C4-N4	-5.14	116.60	120.20
26	BB	636	G	N3-C4-C5	-5.14	126.03	128.60
26	BB	711	G	P-O3'-C3'	5.14	125.87	119.70
26	BB	1013	C	C4'-C3'-C2'	-5.14	97.46	102.60
26	BB	1569	A	N9-C1'-C2'	-5.14	106.35	112.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1762	A	N1-C6-N6	5.14	121.68	118.60
26	BB	1984	G	N3-C4-C5	-5.14	126.03	128.60
26	BB	2024	G	C5'-C4'-O4'	5.14	115.27	109.10
26	BB	2035	G	C6-C5-N7	5.14	133.48	130.40
26	BB	2276	G	C5-C6-O6	5.14	131.68	128.60
26	BB	2448	A	N7-C8-N9	5.14	116.37	113.80
26	BB	2690	U	C6-N1-C1'	5.14	128.40	121.20
26	BB	2777	G	P-O5'-C5'	5.14	129.12	120.90
26	BB	2882	A	N1-C6-N6	-5.14	115.52	118.60
27	BC	6	LYS	CB-CG-CD	5.14	124.96	111.60
1	AA	241	G	C4'-C3'-C2'	-5.14	97.46	102.60
1	AA	1079	G	N9-C1'-C2'	-5.14	106.35	112.00
1	AA	1240	U	N1-C2-N3	5.14	117.98	114.90
1	AA	1279	G	N1-C6-O6	-5.14	116.82	119.90
2	AB	61	C	N1-C2-N3	-5.14	115.60	119.20
26	BB	5	A	N7-C8-N9	5.14	116.37	113.80
26	BB	2372	U	C2-N3-C4	-5.14	123.92	127.00
26	BB	2602	A	P-O3'-C3'	5.14	125.87	119.70
26	BB	2644	G	N1-C2-N2	5.14	120.83	116.20
1	AA	492	C	N3-C4-C5	5.14	123.95	121.90
1	AA	588	G	C4-C5-C6	5.14	121.88	118.80
1	AA	1441	A	C1'-O4'-C4'	-5.14	105.79	109.90
3	AC	17	U	C1'-O4'-C4'	5.14	114.01	109.90
4	AD	2	G	N7-C8-N9	5.14	115.67	113.10
26	BB	252	G	C6-C5-N7	-5.14	127.32	130.40
26	BB	480	A	N7-C8-N9	-5.14	111.23	113.80
26	BB	607	U	N3-C2-O2	-5.14	118.60	122.20
26	BB	675	A	N1-C2-N3	-5.14	126.73	129.30
26	BB	871	U	N1-C2-N3	5.14	117.98	114.90
26	BB	1238	G	C8-N9-C4	-5.14	104.34	106.40
26	BB	1283	G	C5'-C4'-C3'	-5.14	107.78	116.00
26	BB	1335	C	O4'-C1'-N1	5.14	112.31	108.20
26	BB	1358	G	N3-C4-N9	5.14	129.08	126.00
26	BB	1437	C	C3'-C2'-C1'	5.14	105.61	101.50
26	BB	1633	G	N1-C6-O6	-5.14	116.82	119.90
26	BB	1919	A	C5'-C4'-O4'	5.14	115.26	109.10
26	BB	2252	G	C3'-C2'-C1'	5.14	105.61	101.50
26	BB	2759	G	N1-C2-N3	-5.14	120.82	123.90
26	BB	2828	G	C8-N9-C4	-5.14	104.34	106.40
26	BB	2877	G	N1-C2-N2	5.14	120.82	116.20
1	AA	302	G	C5-C6-N1	-5.13	108.93	111.50
1	AA	342	C	C4-C5-C6	-5.13	114.83	117.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	436	C	C5-C6-N1	5.13	123.57	121.00
1	AA	592	G	N1-C2-N2	5.13	120.82	116.20
1	AA	660	C	O4'-C1'-N1	5.13	112.31	108.20
1	AA	694	A	C3'-C2'-C1'	5.13	105.61	101.50
1	AA	1184	G	O5'-P-OP1	-5.13	101.08	105.70
1	AA	1186	G	C4'-C3'-C2'	-5.13	97.47	102.60
1	AA	1302	C	C5-C6-N1	-5.13	118.43	121.00
1	AA	1347	G	C4-C5-N7	-5.13	108.75	110.80
1	AA	1448	C	C1'-O4'-C4'	-5.13	105.79	109.90
1	AA	1537	U	C2-N3-C4	-5.13	123.92	127.00
3	AC	36	U	C2-N3-C4	-5.13	123.92	127.00
25	BA	20	G	C4-C5-C6	5.13	121.88	118.80
25	BA	39	A	N9-C4-C5	5.13	107.85	105.80
26	BB	308	G	O4'-C1'-C2'	-5.13	100.67	105.80
26	BB	551	G	N7-C8-N9	5.13	115.67	113.10
26	BB	625	G	C5-C6-O6	-5.13	125.52	128.60
26	BB	1396	U	C5-C4-O4	-5.13	122.82	125.90
26	BB	1509	A	C3'-C2'-C1'	-5.13	97.39	101.50
26	BB	1811	G	C4'-C3'-C2'	-5.13	97.47	102.60
26	BB	2127	G	C5'-C4'-O4'	5.13	115.26	109.10
26	BB	2237	G	O4'-C4'-C3'	5.13	110.21	106.10
27	BC	78	PHE	C-N-CA	5.13	134.53	121.70
34	BJ	52	ARG	NE-CZ-NH1	5.13	122.87	120.30
40	BP	84	GLY	CA-C-O	-5.13	111.36	120.60
1	AA	56	U	N1-C1'-C2'	-5.13	106.35	112.00
1	AA	410	G	N3-C4-N9	-5.13	122.92	126.00
1	AA	658	C	C6-N1-C2	-5.13	118.25	120.30
1	AA	1082	A	N9-C1'-C2'	-5.13	106.35	112.00
1	AA	1524	C	N1-C2-N3	-5.13	115.61	119.20
4	AD	38	A	N1-C2-N3	-5.13	126.73	129.30
26	BB	237	C	C5'-C4'-O4'	5.13	115.26	109.10
26	BB	632	A	O4'-C1'-N9	5.13	112.31	108.20
26	BB	662	G	N3-C4-C5	-5.13	126.03	128.60
26	BB	727	A	C3'-C2'-C1'	5.13	105.61	101.50
26	BB	804	A	N3-C4-N9	-5.13	123.29	127.40
26	BB	1200	C	C5-C4-N4	-5.13	116.61	120.20
26	BB	1800	C	C5-C6-N1	-5.13	118.43	121.00
26	BB	2699	C	O4'-C4'-C3'	5.13	110.21	106.10
26	BB	2880	C	N3-C4-N4	5.13	121.59	118.00
1	AA	97	G	C2-N3-C4	5.13	114.47	111.90
1	AA	906	A	N1-C2-N3	5.13	131.87	129.30
1	AA	1127	G	C5-N7-C8	5.13	106.86	104.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1188	A	N7-C8-N9	5.13	116.37	113.80
4	AD	24	C	N1-C2-O2	-5.13	115.82	118.90
25	BA	100	G	P-O3'-C3'	5.13	125.86	119.70
26	BB	19	A	C8-N9-C4	-5.13	103.75	105.80
26	BB	438	G	C5-C6-N1	-5.13	108.93	111.50
26	BB	629	G	C2-N3-C4	-5.13	109.33	111.90
26	BB	913	U	O3'-P-O5'	-5.13	94.25	104.00
26	BB	930	G	N7-C8-N9	5.13	115.67	113.10
26	BB	1226	A	C2-N3-C4	5.13	113.17	110.60
26	BB	1497	U	N3-C4-C5	-5.13	111.52	114.60
26	BB	1503	A	N1-C6-N6	5.13	121.68	118.60
26	BB	1625	C	N1-C2-N3	-5.13	115.61	119.20
26	BB	1628	G	C5'-C4'-C3'	-5.13	107.79	116.00
26	BB	1654	A	C6-C5-N7	5.13	135.89	132.30
26	BB	1757	A	P-O3'-C3'	5.13	125.86	119.70
26	BB	1771	C	N1-C2-N3	-5.13	115.61	119.20
26	BB	1818	U	C3'-C2'-C1'	5.13	105.61	101.50
26	BB	2300	C	C5-C6-N1	5.13	123.57	121.00
26	BB	2454	G	C4'-C3'-C2'	-5.13	97.47	102.60
31	BG	141	ASP	CB-CA-C	5.13	120.66	110.40
1	AA	133	U	N3-C4-C5	5.13	117.68	114.60
1	AA	812	G	C4'-C3'-C2'	-5.13	97.47	102.60
1	AA	876	C	C5-C6-N1	5.13	123.56	121.00
1	AA	1159	U	C3'-C2'-C1'	5.13	105.60	101.50
2	AB	59	G	C2-N3-C4	5.13	114.47	111.90
25	BA	105	G	O4'-C4'-C3'	5.13	110.20	106.10
26	BB	118	A	O4'-C1'-N9	5.13	112.30	108.20
26	BB	155	A	C3'-C2'-C1'	-5.13	97.40	101.50
26	BB	230	G	P-O3'-C3'	5.13	125.86	119.70
26	BB	760	G	C5-C6-O6	-5.13	125.52	128.60
26	BB	1019	U	P-O3'-C3'	5.13	125.86	119.70
26	BB	1571	A	C5'-C4'-O4'	5.13	115.26	109.10
26	BB	1800	C	O4'-C4'-C3'	5.13	110.20	106.10
26	BB	2419	U	N3-C4-C5	-5.13	111.52	114.60
1	AA	69	G	P-O3'-C3'	5.13	125.85	119.70
1	AA	386	C	C5-C4-N4	-5.13	116.61	120.20
1	AA	809	G	C4-N9-C1'	-5.13	119.83	126.50
1	AA	959	A	N7-C8-N9	-5.13	111.24	113.80
1	AA	960	U	N3-C2-O2	-5.13	118.61	122.20
1	AA	982	U	C5-C4-O4	5.13	128.98	125.90
1	AA	991	U	P-O3'-C3'	5.13	125.85	119.70
1	AA	1315	U	C6-N1-C2	-5.13	117.92	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	AC	54	U	C5-C6-N1	-5.13	120.14	122.70
8	AH	141	ASP	CB-CG-OD2	-5.13	113.68	118.30
25	BA	53	A	C4'-C3'-C2'	-5.13	97.47	102.60
26	BB	178	G	P-O3'-C3'	5.13	125.86	119.70
26	BB	396	G	C1'-O4'-C4'	-5.13	105.80	109.90
26	BB	603	A	N9-C4-C5	5.13	107.85	105.80
26	BB	910	A	N9-C4-C5	5.13	107.85	105.80
26	BB	1222	U	C1'-O4'-C4'	5.13	114.00	109.90
26	BB	1408	G	C6-C5-N7	5.13	133.48	130.40
26	BB	1824	G	N1-C2-N3	-5.13	120.82	123.90
26	BB	2401	U	C2-N1-C1'	-5.13	111.55	117.70
26	BB	2671	G	N9-C4-C5	5.13	107.45	105.40
44	BT	53	PHE	CB-CG-CD2	-5.13	117.21	120.80
1	AA	284	C	C2-N1-C1'	-5.13	113.16	118.80
1	AA	593	U	C5'-C4'-C3'	-5.13	107.80	116.00
1	AA	854	U	O4'-C1'-N1	5.13	112.30	108.20
1	AA	955	U	C5-C6-N1	-5.13	120.14	122.70
1	AA	1176	A	P-O5'-C5'	5.13	129.10	120.90
1	AA	1260	G	C3'-C2'-C1'	5.13	105.60	101.50
4	AD	14	A	N9-C1'-C2'	-5.13	106.36	112.00
11	AK	113	ARG	NH1-CZ-NH2	-5.13	113.76	119.40
15	AO	106	VAL	CA-CB-CG1	5.13	118.59	110.90
26	BB	1242	U	P-O3'-C3'	5.13	125.85	119.70
26	BB	1585	C	N1-C1'-C2'	-5.13	106.36	112.00
26	BB	1724	G	C5'-C4'-O4'	5.13	115.25	109.10
26	BB	1868	C	O5'-C5'-C4'	-5.13	101.96	111.70
26	BB	2305	U	C3'-C2'-C1'	5.13	105.60	101.50
26	BB	2430	A	P-O3'-C3'	5.13	125.85	119.70
28	BD	212	TRP	NE1-CE2-CD2	-5.13	102.17	107.30
46	BV	37	ASP	CB-CG-OD2	5.13	122.92	118.30
1	AA	55	A	N1-C2-N3	-5.12	126.74	129.30
1	AA	474	G	C6-C5-N7	-5.12	127.33	130.40
1	AA	540	G	N9-C4-C5	5.12	107.45	105.40
1	AA	547	A	C5-C6-N1	5.12	120.26	117.70
1	AA	1181	G	C5-N7-C8	-5.12	101.74	104.30
9	AI	37	HIS	CG-ND1-CE1	-5.12	99.04	105.70
25	BA	78	A	C6-C5-N7	5.12	135.89	132.30
26	BB	485	C	C6-N1-C1'	5.12	126.95	120.80
26	BB	512	G	C8-N9-C4	-5.12	104.35	106.40
26	BB	811	U	P-O3'-C3'	5.12	125.85	119.70
26	BB	1271	G	O3'-P-O5'	-5.12	94.26	104.00
26	BB	1774	C	N1-C2-N3	-5.12	115.61	119.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2760	C	C5'-C4'-O4'	-5.12	102.95	109.10
27	BC	56	ASP	C-N-CA	5.12	134.51	121.70
42	BR	108	ARG	NE-CZ-NH1	-5.12	117.74	120.30
43	BS	7	VAL	CA-CB-CG2	5.12	118.59	110.90
1	AA	778	G	C6-C5-N7	-5.12	127.33	130.40
1	AA	808	C	C3'-C2'-C1'	-5.12	97.40	101.50
1	AA	877	G	N3-C4-C5	-5.12	126.04	128.60
1	AA	975	A	C5'-C4'-C3'	-5.12	107.80	116.00
1	AA	1053	G	C5-C6-O6	5.12	131.68	128.60
1	AA	1122	U	C1'-O4'-C4'	-5.12	105.80	109.90
4	AD	11	A	N9-C1'-C2'	-5.12	106.36	112.00
26	BB	254	G	N3-C4-N9	5.12	129.07	126.00
26	BB	328	U	C5-C4-O4	5.12	128.97	125.90
26	BB	512	G	C4-C5-C6	-5.12	115.73	118.80
26	BB	762	U	N3-C2-O2	-5.12	118.61	122.20
26	BB	1077	A	C6-N1-C2	5.12	121.67	118.60
26	BB	1318	U	OP1-P-OP2	-5.12	111.91	119.60
26	BB	1454	C	C5-C6-N1	-5.12	118.44	121.00
26	BB	1991	U	O4'-C4'-C3'	-5.12	98.88	104.00
26	BB	2408	U	N1-C2-O2	5.12	126.39	122.80
26	BB	2532	G	C5'-C4'-O4'	5.12	115.25	109.10
26	BB	2639	A	C4'-C3'-C2'	-5.12	97.48	102.60
26	BB	2644	G	C5-N7-C8	-5.12	101.74	104.30
1	AA	439	U	O4'-C1'-N1	5.12	112.30	108.20
1	AA	500	G	O4'-C1'-N9	5.12	112.30	108.20
1	AA	705	G	N7-C8-N9	5.12	115.66	113.10
1	AA	1305	G	C1'-O4'-C4'	-5.12	105.80	109.90
1	AA	1384	C	C4'-C3'-C2'	-5.12	97.48	102.60
26	BB	306	U	N1-C2-N3	5.12	117.97	114.90
26	BB	461	C	C5'-C4'-O4'	5.12	115.25	109.10
26	BB	980	A	N9-C4-C5	5.12	107.85	105.80
26	BB	1036	G	C6-C5-N7	-5.12	127.33	130.40
26	BB	1122	G	N1-C6-O6	-5.12	116.83	119.90
26	BB	1195	G	C5-C6-O6	-5.12	125.53	128.60
26	BB	1407	G	N7-C8-N9	5.12	115.66	113.10
26	BB	1459	G	C2-N3-C4	5.12	114.46	111.90
26	BB	1776	G	C4-C5-N7	5.12	112.85	110.80
26	BB	1857	G	C5'-C4'-O4'	5.12	115.25	109.10
26	BB	2029	G	N9-C4-C5	5.12	107.45	105.40
26	BB	2128	G	C5'-C4'-C3'	-5.12	107.81	116.00
26	BB	2714	G	C6-N1-C2	-5.12	122.03	125.10
26	BB	2728	U	N3-C4-O4	-5.12	115.81	119.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2794	C	C5'-C4'-O4'	5.12	115.25	109.10
26	BB	2861	U	C5'-C4'-O4'	5.12	115.25	109.10
53	B2	6	HIS	CA-CB-CG	5.12	122.31	113.60
56	B5	21	ARG	NE-CZ-NH1	-5.12	117.74	120.30
1	AA	84	U	N3-C4-C5	5.12	117.67	114.60
1	AA	332	G	P-O3'-C3'	5.12	125.84	119.70
1	AA	432	A	C5-C6-N6	-5.12	119.60	123.70
1	AA	878	A	C3'-C2'-C1'	5.12	105.60	101.50
26	BB	1286	A	C5-C6-N1	5.12	120.26	117.70
26	BB	1290	C	N3-C2-O2	-5.12	118.32	121.90
26	BB	2094	A	C4-C5-N7	5.12	113.26	110.70
26	BB	2095	A	P-O3'-C3'	5.12	125.84	119.70
51	B0	46	VAL	CB-CA-C	5.12	121.13	111.40
1	AA	127	G	N7-C8-N9	5.12	115.66	113.10
1	AA	1080	A	O4'-C1'-C2'	5.12	112.21	107.60
1	AA	1458	G	C5-C6-N1	-5.12	108.94	111.50
3	AC	33	A	C3'-C2'-C1'	5.12	105.59	101.50
26	BB	678	C	O4'-C1'-N1	5.12	112.29	108.20
26	BB	793	A	C6-C5-N7	5.12	135.88	132.30
26	BB	1142	A	C5'-C4'-O4'	5.12	115.24	109.10
26	BB	1279	G	N3-C2-N2	-5.12	116.32	119.90
26	BB	1372	U	C5-C4-O4	-5.12	122.83	125.90
26	BB	1449	G	C6-N1-C2	5.12	128.17	125.10
26	BB	1745	A	N9-C4-C5	-5.12	103.75	105.80
26	BB	2198	A	N1-C2-N3	-5.12	126.74	129.30
26	BB	2214	C	C5-C6-N1	5.12	123.56	121.00
26	BB	2557	G	O4'-C1'-C2'	5.12	112.21	107.60
26	BB	2642	G	C2-N3-C4	5.12	114.46	111.90
35	BK	141	ASP	CB-CG-OD1	5.12	122.91	118.30
1	AA	738	C	N3-C4-C5	-5.12	119.85	121.90
1	AA	786	G	C4-C5-C6	5.12	121.87	118.80
1	AA	1364	U	OP1-P-O3'	5.12	116.46	105.20
1	AA	1421	G	N1-C2-N2	-5.12	111.59	116.20
2	AB	21	A	OP2-P-O3'	5.12	116.46	105.20
26	BB	30	G	N7-C8-N9	5.12	115.66	113.10
26	BB	172	A	C5-N7-C8	5.12	106.46	103.90
26	BB	906	U	N3-C4-C5	-5.12	111.53	114.60
26	BB	1102	C	N3-C2-O2	-5.12	118.32	121.90
26	BB	1317	G	N1-C2-N2	5.12	120.81	116.20
26	BB	1701	A	C5'-C4'-O4'	5.12	115.24	109.10
26	BB	1870	C	C5'-C4'-O4'	5.12	115.24	109.10
26	BB	1945	G	C8-N9-C4	-5.12	104.35	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2663	G	C5-C6-N1	5.12	114.06	111.50
26	BB	2773	C	C5-C6-N1	-5.12	118.44	121.00
1	AA	106	C	N3-C2-O2	-5.12	118.32	121.90
1	AA	168	G	C2'-C3'-O3'	5.12	121.88	113.70
1	AA	283	U	C5-C6-N1	-5.12	120.14	122.70
1	AA	616	G	O4'-C1'-N9	5.12	112.29	108.20
1	AA	848	C	C5-C4-N4	-5.12	116.62	120.20
1	AA	929	G	C8-N9-C1'	5.12	133.65	127.00
1	AA	1025	U	P-O5'-C5'	5.12	129.08	120.90
1	AA	1196	A	C5'-C4'-O4'	5.12	115.24	109.10
1	AA	1482	G	C4'-C3'-C2'	-5.12	97.48	102.60
1	AA	1541	U	N3-C4-O4	-5.12	115.82	119.40
2	AB	50	G	N3-C4-C5	-5.12	126.04	128.60
17	AQ	33	VAL	CA-CB-CG1	5.12	118.57	110.90
25	BA	78	A	C4-C5-C6	-5.12	114.44	117.00
26	BB	60	G	C1'-O4'-C4'	-5.12	105.81	109.90
26	BB	169	G	O4'-C4'-C3'	-5.12	98.89	104.00
26	BB	535	G	N3-C2-N2	5.12	123.48	119.90
26	BB	1032	A	P-O3'-C3'	5.12	125.84	119.70
26	BB	1196	C	O4'-C4'-C3'	-5.12	98.89	104.00
26	BB	1735	A	C5-N7-C8	-5.12	101.34	103.90
26	BB	2223	G	C5-C6-N1	5.12	114.06	111.50
26	BB	2271	G	N3-C4-C5	-5.12	126.04	128.60
26	BB	2286	G	N7-C8-N9	5.12	115.66	113.10
26	BB	2501	C	C1'-O4'-C4'	5.12	113.99	109.90
26	BB	2578	G	C5'-C4'-O4'	5.12	115.24	109.10
26	BB	2781	A	C8-N9-C4	-5.12	103.75	105.80
41	BQ	9	ARG	NE-CZ-NH2	5.12	122.86	120.30
41	BQ	117	PHE	CG-CD1-CE1	-5.12	115.17	120.80
1	AA	12	U	C2-N3-C4	-5.11	123.93	127.00
1	AA	293	G	C6-N1-C2	-5.11	122.03	125.10
1	AA	634	C	O4'-C1'-C2'	-5.11	100.69	105.80
1	AA	799	G	C5-N7-C8	5.11	106.86	104.30
1	AA	1441	A	C5-N7-C8	-5.11	101.34	103.90
20	AT	6	THR	N-CA-C	-5.11	97.19	111.00
25	BA	105	G	O4'-C1'-N9	5.11	112.29	108.20
26	BB	120	U	C1'-O4'-C4'	5.11	113.99	109.90
26	BB	227	A	C5-C6-N1	5.11	120.26	117.70
26	BB	570	G	N7-C8-N9	-5.11	110.54	113.10
26	BB	878	A	N1-C6-N6	5.11	121.67	118.60
26	BB	913	U	C4-C5-C6	5.11	122.77	119.70
26	BB	1195	G	C6-C5-N7	5.11	133.47	130.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1216	G	N3-C4-C5	-5.11	126.04	128.60
26	BB	2313	C	C2-N3-C4	5.11	122.46	119.90
26	BB	2404	U	N1-C2-N3	5.11	117.97	114.90
26	BB	2468	A	OP2-P-O3'	5.11	116.45	105.20
26	BB	2495	G	C4-C5-N7	-5.11	108.75	110.80
26	BB	2564	A	C3'-C2'-C1'	5.11	105.59	101.50
26	BB	2599	G	N1-C6-O6	-5.11	116.83	119.90
26	BB	2868	A	C4-C5-C6	-5.11	114.44	117.00
44	BT	2	TYR	CG-CD1-CE1	-5.11	117.21	121.30
48	BX	48	MET	O-C-N	5.11	130.88	122.70
1	AA	205	A	N1-C6-N6	5.11	121.67	118.60
1	AA	304	U	O4'-C4'-C3'	5.11	110.19	106.10
26	BB	1052	C	N1-C1'-C2'	-5.11	106.38	112.00
26	BB	1534	U	O4'-C1'-N1	-5.11	104.11	108.20
26	BB	2628	C	C4-C5-C6	5.11	119.96	117.40
1	AA	423	G	N1-C2-N2	5.11	120.80	116.20
1	AA	467	U	N1-C2-N3	5.11	117.97	114.90
1	AA	1221	G	C5'-C4'-O4'	5.11	115.23	109.10
1	AA	1462	C	N1-C2-N3	-5.11	115.62	119.20
26	BB	188	G	C4-C5-N7	-5.11	108.76	110.80
26	BB	493	G	C8-N9-C4	-5.11	104.36	106.40
26	BB	505	A	N7-C8-N9	-5.11	111.24	113.80
26	BB	690	G	N1-C6-O6	-5.11	116.83	119.90
26	BB	702	U	C5'-C4'-O4'	5.11	115.23	109.10
26	BB	716	A	C5-C6-N1	5.11	120.25	117.70
26	BB	1248	G	P-O3'-C3'	5.11	125.83	119.70
26	BB	1666	G	N7-C8-N9	-5.11	110.55	113.10
26	BB	1690	A	N3-C4-N9	-5.11	123.31	127.40
26	BB	2548	U	N1-C2-N3	5.11	117.97	114.90
44	BT	4	VAL	CA-CB-CG2	5.11	118.56	110.90
1	AA	472	U	C2-N3-C4	-5.11	123.94	127.00
1	AA	507	C	OP2-P-O3'	5.11	116.44	105.20
1	AA	1322	C	C4-C5-C6	5.11	119.95	117.40
3	AC	22	G	N3-C4-C5	-5.11	126.05	128.60
26	BB	476	G	N9-C1'-C2'	-5.11	106.38	112.00
26	BB	1000	A	C5-C6-N6	5.11	127.79	123.70
1	AA	181	A	C6-C5-N7	5.11	135.88	132.30
1	AA	185	U	O4'-C1'-N1	5.11	112.29	108.20
1	AA	680	C	C6-N1-C2	-5.11	118.26	120.30
1	AA	1141	C	C2-N1-C1'	-5.11	113.18	118.80
1	AA	1434	A	N3-C4-N9	-5.11	123.31	127.40
3	AC	28	U	C4-C5-C6	5.11	122.76	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	371	A	O4'-C1'-N9	5.11	112.28	108.20
26	BB	844	A	N3-C4-C5	-5.11	123.22	126.80
26	BB	902	C	C6-N1-C1'	5.11	126.93	120.80
26	BB	1288	G	N9-C4-C5	5.11	107.44	105.40
26	BB	1393	A	C3'-C2'-C1'	-5.11	97.41	101.50
26	BB	1753	G	O4'-C1'-N9	-5.11	104.11	108.20
26	BB	2079	U	C6-N1-C1'	-5.11	114.05	121.20
26	BB	2404	U	C4'-C3'-C2'	-5.11	97.49	102.60
26	BB	2497	A	C5-N7-C8	-5.11	101.35	103.90
1	AA	165	G	O4'-C1'-N9	5.11	112.28	108.20
1	AA	637	C	C5'-C4'-O4'	5.11	115.23	109.10
1	AA	1048	G	N7-C8-N9	5.11	115.65	113.10
1	AA	1373	G	C4-C5-C6	5.11	121.86	118.80
1	AA	1438	G	C2-N3-C4	-5.11	109.35	111.90
1	AA	1539	C	N1-C2-N3	-5.11	115.63	119.20
26	BB	410	G	N1-C2-N3	-5.11	120.84	123.90
26	BB	584	C	N1-C1'-C2'	-5.11	106.39	112.00
26	BB	588	U	C4-C5-C6	5.11	122.76	119.70
26	BB	692	C	C2-N3-C4	5.11	122.45	119.90
26	BB	930	G	C6-N1-C2	-5.11	122.04	125.10
26	BB	1544	A	O5'-P-OP1	-5.11	101.11	105.70
26	BB	1743	G	C5-C6-O6	-5.11	125.54	128.60
26	BB	1903	G	C5-C6-N1	5.11	114.05	111.50
26	BB	2080	A	N1-C2-N3	5.11	131.85	129.30
26	BB	2500	U	C2-N3-C4	-5.11	123.94	127.00
26	BB	2528	U	C2-N3-C4	-5.11	123.94	127.00
26	BB	2535	G	C2-N3-C4	5.11	114.45	111.90
26	BB	2853	C	C2-N1-C1'	-5.11	113.18	118.80
1	AA	696	A	O5'-C5'-C4'	5.10	121.40	111.70
1	AA	1010	U	N1-C2-N3	5.10	117.96	114.90
1	AA	1365	G	O4'-C1'-N9	5.10	112.28	108.20
3	AC	41	A	C6-C5-N7	-5.10	128.73	132.30
3	AC	53	G	C4-C5-N7	-5.10	108.76	110.80
26	BB	629	G	C6-N1-C2	-5.10	122.04	125.10
26	BB	1076	C	C6-N1-C2	5.10	122.34	120.30
26	BB	1991	U	N1-C2-O2	-5.10	119.23	122.80
26	BB	2870	C	N1-C2-N3	5.10	122.77	119.20
28	BD	212	TRP	CD1-NE1-CE2	5.10	113.59	109.00
43	BS	101	ASP	CB-CG-OD1	-5.10	113.71	118.30
1	AA	141	G	C6-C5-N7	5.10	133.46	130.40
1	AA	218	U	N1-C2-N3	5.10	117.96	114.90
1	AA	292	G	C4'-C3'-C2'	-5.10	97.50	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	437	U	P-O3'-C3'	5.10	125.82	119.70
1	AA	504	C	C4'-C3'-C2'	-5.10	97.50	102.60
1	AA	1353	G	N1-C2-N3	-5.10	120.84	123.90
1	AA	1453	G	C4-C5-N7	5.10	112.84	110.80
26	BB	167	A	N1-C6-N6	-5.10	115.54	118.60
26	BB	611	C	N3-C4-N4	-5.10	114.43	118.00
26	BB	936	A	N9-C4-C5	5.10	107.84	105.80
26	BB	963	U	C1'-O4'-C4'	-5.10	105.82	109.90
26	BB	1110	G	N7-C8-N9	5.10	115.65	113.10
26	BB	1211	C	N1-C2-N3	-5.10	115.63	119.20
26	BB	1221	C	O4'-C1'-N1	5.10	112.28	108.20
26	BB	1508	A	C5'-C4'-C3'	-5.10	107.84	116.00
26	BB	1623	G	C5'-C4'-O4'	5.10	115.22	109.10
26	BB	1809	A	O5'-P-OP1	5.10	116.82	110.70
26	BB	2221	G	C5'-C4'-O4'	5.10	115.22	109.10
1	AA	584	G	N7-C8-N9	5.10	115.65	113.10
1	AA	881	G	O4'-C1'-N9	5.10	112.28	108.20
1	AA	1011	C	C1'-O4'-C4'	-5.10	105.82	109.90
26	BB	110	G	O4'-C1'-N9	5.10	112.28	108.20
26	BB	153	U	O4'-C1'-N1	5.10	112.28	108.20
26	BB	325	G	N1-C2-N2	5.10	120.79	116.20
26	BB	1022	G	C5-N7-C8	5.10	106.85	104.30
26	BB	1118	C	C1'-O4'-C4'	-5.10	105.82	109.90
26	BB	2085	U	C4'-C3'-C2'	-5.10	97.50	102.60
26	BB	2111	U	O4'-C1'-N1	5.10	112.28	108.20
26	BB	2404	U	C2-N3-C4	-5.10	123.94	127.00
33	BI	38	PRO	CA-N-CD	-5.10	104.36	111.50
33	BI	142	VAL	CG1-CB-CG2	-5.10	102.74	110.90
1	AA	52	C	C4-C5-C6	5.10	119.95	117.40
1	AA	438	U	C4-C5-C6	5.10	122.76	119.70
1	AA	466	A	C8-N9-C4	-5.10	103.76	105.80
1	AA	743	A	N1-C2-N3	-5.10	126.75	129.30
2	AB	34	C	C5-C6-N1	-5.10	118.45	121.00
3	AC	34	U	C5'-C4'-C3'	-5.10	107.84	116.00
3	AC	43	U	C3'-C2'-C1'	5.10	105.58	101.50
4	AD	30	G	C6-C5-N7	-5.10	127.34	130.40
10	AJ	92	PRO	N-CA-CB	5.10	109.42	103.30
25	BA	29	A	N7-C8-N9	5.10	116.35	113.80
26	BB	586	A	C5'-C4'-O4'	5.10	115.22	109.10
26	BB	674	G	C4'-C3'-C2'	-5.10	97.50	102.60
26	BB	738	G	N3-C2-N2	-5.10	116.33	119.90
26	BB	970	U	C5-C4-O4	-5.10	122.84	125.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	981	A	O4'-C4'-C3'	5.10	110.18	106.10
26	BB	1257	C	N1-C2-O2	5.10	121.96	118.90
26	BB	1682	G	O4'-C1'-N9	5.10	112.28	108.20
26	BB	1950	G	P-O5'-C5'	5.10	129.06	120.90
26	BB	2253	G	C4'-C3'-O3'	5.10	123.20	113.00
26	BB	2352	A	C1'-O4'-C4'	-5.10	105.82	109.90
26	BB	2446	G	C1'-O4'-C4'	-5.10	105.82	109.90
26	BB	2747	G	C3'-C2'-C1'	5.10	105.58	101.50
26	BB	2779	U	N3-C4-O4	5.10	122.97	119.40
1	AA	16	A	C5-C6-N6	-5.10	119.62	123.70
1	AA	18	C	N3-C4-N4	5.10	121.57	118.00
1	AA	119	A	N1-C2-N3	-5.10	126.75	129.30
1	AA	206	C	N3-C2-O2	-5.10	118.33	121.90
1	AA	406	G	N9-C4-C5	5.10	107.44	105.40
1	AA	679	C	C5'-C4'-O4'	5.10	115.22	109.10
1	AA	920	U	N1-C2-N3	5.10	117.96	114.90
1	AA	1057	G	N7-C8-N9	5.10	115.65	113.10
1	AA	1133	G	N1-C6-O6	-5.10	116.84	119.90
1	AA	1246	A	C5'-C4'-C3'	-5.10	107.84	116.00
1	AA	1278	G	C5-N7-C8	-5.10	101.75	104.30
2	AB	23	A	C4-C5-C6	5.10	119.55	117.00
3	AC	27	A	O4'-C1'-C2'	-5.10	100.70	105.80
5	AE	86	CYS	CA-CB-SG	-5.10	104.82	114.00
14	AN	69	CYS	N-CA-CB	-5.10	101.42	110.60
25	BA	33	G	N1-C2-N2	-5.10	111.61	116.20
26	BB	49	A	N3-C4-C5	-5.10	123.23	126.80
26	BB	540	C	C5'-C4'-O4'	-5.10	102.98	109.10
26	BB	581	C	C4'-C3'-C2'	-5.10	97.50	102.60
26	BB	1731	G	OP2-P-O3'	5.10	116.41	105.20
26	BB	1743	G	C6-C5-N7	-5.10	127.34	130.40
26	BB	2124	G	C2-N3-C4	5.10	114.45	111.90
26	BB	2332	C	N3-C4-N4	5.10	121.57	118.00
26	BB	2654	A	N1-C2-N3	-5.10	126.75	129.30
26	BB	2702	G	C5-N7-C8	-5.10	101.75	104.30
26	BB	2713	U	N1-C2-N3	5.10	117.96	114.90
26	BB	2771	C	C2'-C3'-O3'	5.10	121.86	113.70
26	BB	2844	G	C5'-C4'-C3'	-5.10	107.84	116.00
47	BW	8	ASP	CB-CG-OD1	-5.10	113.71	118.30
1	AA	275	G	C5-C6-N1	5.10	114.05	111.50
1	AA	744	C	N1-C1'-C2'	-5.10	106.39	112.00
1	AA	1317	C	C4'-C3'-C2'	-5.10	97.50	102.60
1	AA	1333	A	C2-N3-C4	5.10	113.15	110.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	123	G	N3-C2-N2	-5.10	116.33	119.90
26	BB	284	U	C4'-C3'-C2'	-5.10	97.50	102.60
26	BB	1022	G	N3-C2-N2	-5.10	116.33	119.90
26	BB	1338	G	N9-C4-C5	-5.10	103.36	105.40
26	BB	1937	A	P-O3'-C3'	5.10	125.81	119.70
26	BB	2165	C	C2-N1-C1'	5.10	124.41	118.80
26	BB	2696	U	C2-N1-C1'	5.10	123.81	117.70
1	AA	211	G	N3-C4-C5	-5.09	126.05	128.60
1	AA	461	A	N3-C4-N9	-5.09	123.32	127.40
1	AA	1159	U	N3-C4-O4	5.09	122.97	119.40
1	AA	1161	C	N3-C4-N4	-5.09	114.43	118.00
1	AA	1383	C	N1-C2-O2	5.09	121.96	118.90
3	AC	24	A	C4'-C3'-C2'	-5.09	97.50	102.60
26	BB	515	A	N1-C6-N6	-5.09	115.54	118.60
26	BB	575	A	O5'-P-OP2	-5.09	101.11	105.70
26	BB	846	U	N1-C1'-C2'	5.09	120.62	114.00
26	BB	884	U	C5'-C4'-O4'	5.09	115.21	109.10
26	BB	1083	U	C4-C5-C6	5.09	122.76	119.70
26	BB	1152	C	C1'-O4'-C4'	5.09	113.98	109.90
26	BB	1216	G	C6-N1-C2	-5.09	122.04	125.10
26	BB	1434	A	C2-N3-C4	-5.09	108.05	110.60
26	BB	1965	C	N3-C4-C5	-5.09	119.86	121.90
26	BB	2033	A	C1'-O4'-C4'	-5.09	105.82	109.90
26	BB	2137	U	N3-C2-O2	-5.09	118.64	122.20
26	BB	2240	U	C5-C6-N1	-5.09	120.15	122.70
26	BB	2263	C	C5-C4-N4	5.09	123.77	120.20
26	BB	2409	G	N7-C8-N9	5.09	115.65	113.10
26	BB	2430	A	N1-C2-N3	-5.09	126.75	129.30
1	AA	550	G	C8-N9-C4	-5.09	104.36	106.40
1	AA	794	A	N9-C4-C5	5.09	107.84	105.80
1	AA	939	G	C5'-C4'-O4'	5.09	115.21	109.10
1	AA	1398	A	O4'-C1'-N9	5.09	112.27	108.20
26	BB	99	U	C2-N3-C4	-5.09	123.94	127.00
26	BB	205	G	C6-N1-C2	-5.09	122.04	125.10
26	BB	1599	U	C5-C4-O4	-5.09	122.84	125.90
26	BB	1697	G	C1'-O4'-C4'	5.09	113.97	109.90
26	BB	1899	A	C4-C5-N7	-5.09	108.15	110.70
1	AA	323	U	N3-C4-O4	-5.09	115.84	119.40
1	AA	660	C	C6-N1-C2	-5.09	118.26	120.30
1	AA	1157	A	C2-N3-C4	-5.09	108.06	110.60
1	AA	1221	G	C4'-C3'-C2'	-5.09	97.51	102.60
1	AA	1368	A	N9-C4-C5	-5.09	103.76	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1406	U	C5'-C4'-O4'	5.09	115.21	109.10
1	AA	1470	U	C5-C4-O4	5.09	128.96	125.90
2	AB	1	A	C3'-C2'-C1'	5.09	105.57	101.50
13	AM	56	HIS	CA-CB-CG	5.09	122.26	113.60
25	BA	109	A	C6-C5-N7	-5.09	128.74	132.30
26	BB	29	U	C5-C6-N1	5.09	125.25	122.70
26	BB	120	U	N1-C2-N3	5.09	117.95	114.90
26	BB	319	G	N9-C4-C5	5.09	107.44	105.40
26	BB	497	A	O4'-C4'-C3'	-5.09	98.91	104.00
26	BB	924	G	C5'-C4'-C3'	-5.09	107.85	116.00
26	BB	970	U	O4'-C1'-N1	5.09	112.27	108.20
26	BB	1102	C	N1-C2-O2	5.09	121.95	118.90
26	BB	1256	G	C5-C6-O6	-5.09	125.55	128.60
26	BB	1532	A	C5-C6-N6	-5.09	119.63	123.70
26	BB	1765	U	C5'-C4'-O4'	5.09	115.21	109.10
26	BB	2193	G	O4'-C4'-C3'	5.09	110.17	106.10
26	BB	2262	U	O5'-C5'-C4'	5.09	121.37	111.70
26	BB	2543	G	C8-N9-C4	-5.09	104.36	106.40
26	BB	2675	A	C4-C5-N7	5.09	113.25	110.70
26	BB	2734	A	C8-N9-C4	-5.09	103.76	105.80
58	B7	31	PRO	N-CA-CB	5.09	109.41	103.30
1	AA	25	C	N1-C2-N3	-5.09	115.64	119.20
1	AA	126	G	N1-C6-O6	5.09	122.95	119.90
1	AA	526	C	C3'-C2'-C1'	5.09	105.57	101.50
1	AA	1062	U	C4'-C3'-C2'	-5.09	97.51	102.60
1	AA	1139	G	C4'-C3'-C2'	-5.09	97.51	102.60
1	AA	1165	U	C2-N3-C4	-5.09	123.95	127.00
1	AA	1184	G	N9-C4-C5	5.09	107.44	105.40
1	AA	1271	A	C4'-C3'-C2'	-5.09	97.51	102.60
25	BA	18	G	C5-C6-N1	5.09	114.05	111.50
26	BB	529	A	C4-C5-N7	-5.09	108.16	110.70
26	BB	739	A	C1'-O4'-C4'	-5.09	105.83	109.90
26	BB	1042	G	N7-C8-N9	5.09	115.64	113.10
26	BB	1366	A	C2-N3-C4	5.09	113.14	110.60
26	BB	1392	A	N3-C4-N9	-5.09	123.33	127.40
26	BB	1459	G	N3-C2-N2	-5.09	116.34	119.90
26	BB	2116	G	C4-C5-N7	-5.09	108.76	110.80
26	BB	2123	G	N9-C1'-C2'	-5.09	106.40	112.00
26	BB	2185	U	C5'-C4'-O4'	5.09	115.21	109.10
26	BB	2193	G	C2-N3-C4	5.09	114.44	111.90
26	BB	2683	C	O4'-C1'-N1	5.09	112.27	108.20
31	BG	7	TYR	CA-CB-CG	5.09	123.07	113.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	BN	2	ARG	NE-CZ-NH1	5.09	122.84	120.30
1	AA	101	A	N7-C8-N9	5.09	116.34	113.80
1	AA	972	C	N3-C4-C5	5.09	123.94	121.90
1	AA	975	A	N9-C4-C5	5.09	107.83	105.80
2	AB	56	C	C5'-C4'-O4'	5.09	115.20	109.10
3	AC	28	U	N1-C1'-C2'	-5.09	106.40	112.00
26	BB	107	G	N3-C4-N9	5.09	129.05	126.00
26	BB	491	G	C4'-C3'-C2'	-5.09	97.51	102.60
26	BB	874	G	N7-C8-N9	5.09	115.64	113.10
26	BB	1521	G	N3-C4-N9	5.09	129.05	126.00
1	AA	4	U	N3-C4-O4	-5.09	115.84	119.40
1	AA	80	A	C4-C5-N7	5.09	113.24	110.70
1	AA	310	G	C6-N1-C2	-5.09	122.05	125.10
1	AA	643	C	C4-C5-C6	-5.09	114.86	117.40
1	AA	823	C	C6-N1-C2	5.09	122.33	120.30
1	AA	854	U	N3-C4-C5	-5.09	111.55	114.60
1	AA	892	A	C1'-O4'-C4'	-5.09	105.83	109.90
1	AA	1353	G	P-O3'-C3'	5.09	125.81	119.70
1	AA	1540	U	C3'-C2'-C1'	5.09	105.57	101.50
3	AC	40	G	C5-C6-N1	-5.09	108.96	111.50
6	AF	36	PHE	CG-CD2-CE2	5.09	126.39	120.80
19	AS	78	VAL	CA-CB-CG2	5.09	118.53	110.90
26	BB	285	G	C5-N7-C8	-5.09	101.76	104.30
26	BB	368	A	N9-C4-C5	-5.09	103.77	105.80
26	BB	1055	G	C5-C6-N1	5.09	114.04	111.50
26	BB	1494	A	C5-C6-N1	5.09	120.24	117.70
26	BB	1497	U	O4'-C1'-C2'	-5.09	100.71	105.80
26	BB	1541	C	C4-C5-C6	5.09	119.94	117.40
26	BB	1638	C	C1'-O4'-C4'	5.09	113.97	109.90
26	BB	1715	G	C4'-C3'-C2'	-5.09	97.51	102.60
26	BB	2106	U	O4'-C1'-N1	5.09	112.27	108.20
28	BD	62	ARG	NE-CZ-NH2	-5.09	117.76	120.30
1	AA	65	A	C8-N9-C4	5.08	107.83	105.80
1	AA	200	G	C5-N7-C8	-5.08	101.76	104.30
1	AA	355	C	N3-C4-C5	5.08	123.93	121.90
2	AB	2	G	C4-C5-C6	5.08	121.85	118.80
4	AD	61	U	O4'-C1'-N1	5.08	112.27	108.20
25	BA	17	C	C2-N3-C4	-5.08	117.36	119.90
26	BB	1332	G	O4'-C1'-C2'	-5.08	100.72	105.80
26	BB	2401	U	C4'-C3'-C2'	-5.08	97.52	102.60
1	AA	41	G	C5'-C4'-O4'	5.08	115.20	109.10
1	AA	165	G	C5'-C4'-O4'	5.08	115.20	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	708	C	C5-C6-N1	5.08	123.54	121.00
1	AA	819	A	O4'-C4'-C3'	5.08	110.17	106.10
1	AA	898	G	C8-N9-C1'	5.08	133.61	127.00
1	AA	993	G	N3-C2-N2	5.08	123.46	119.90
1	AA	1436	U	C5-C4-O4	5.08	128.95	125.90
7	AG	98	ASP	CB-CG-OD2	5.08	122.87	118.30
25	BA	63	C	N1-C2-O2	-5.08	115.85	118.90
26	BB	298	G	O4'-C1'-N9	5.08	112.27	108.20
26	BB	850	U	N1-C2-N3	5.08	117.95	114.90
26	BB	882	G	C5-N7-C8	-5.08	101.76	104.30
26	BB	1055	G	C4-C5-C6	5.08	121.85	118.80
26	BB	1373	A	C8-N9-C4	-5.08	103.77	105.80
26	BB	1379	U	N1-C2-O2	5.08	126.36	122.80
26	BB	1714	U	C6-N1-C2	-5.08	117.95	121.00
26	BB	1767	G	O5'-P-OP2	-5.08	101.13	105.70
26	BB	1813	G	N3-C4-N9	5.08	129.05	126.00
26	BB	2059	A	C4-C5-N7	-5.08	108.16	110.70
26	BB	2139	U	C2-N3-C4	-5.08	123.95	127.00
26	BB	2378	A	C4-C5-C6	-5.08	114.46	117.00
26	BB	2455	G	C5-N7-C8	-5.08	101.76	104.30
26	BB	2518	A	C5'-C4'-O4'	-5.08	103.00	109.10
26	BB	2615	U	O4'-C1'-N1	5.08	112.27	108.20
26	BB	2888	C	N3-C4-N4	5.08	121.56	118.00
1	AA	236	A	P-O3'-C3'	5.08	125.80	119.70
1	AA	1041	G	C8-N9-C4	-5.08	104.37	106.40
1	AA	1426	G	C5'-C4'-C3'	-5.08	107.87	116.00
20	AT	36	PHE	CG-CD2-CE2	-5.08	115.21	120.80
26	BB	227	A	C5'-C4'-O4'	5.08	115.20	109.10
26	BB	234	U	N1-C1'-C2'	-5.08	106.41	112.00
26	BB	472	A	C5-C6-N1	5.08	120.24	117.70
26	BB	544	C	C4'-C3'-C2'	-5.08	97.52	102.60
26	BB	757	G	P-O5'-C5'	5.08	129.03	120.90
26	BB	1387	A	C3'-C2'-C1'	-5.08	97.44	101.50
26	BB	1615	C	C2-N3-C4	5.08	122.44	119.90
26	BB	1742	U	C5'-C4'-C3'	-5.08	107.87	116.00
26	BB	2439	A	C6-N1-C2	5.08	121.65	118.60
26	BB	2604	U	N3-C2-O2	-5.08	118.64	122.20
1	AA	352	C	C5'-C4'-O4'	5.08	115.20	109.10
1	AA	719	C	C4'-C3'-C2'	-5.08	97.52	102.60
1	AA	1223	C	C6-N1-C2	-5.08	118.27	120.30
1	AA	1343	G	C4-N9-C1'	5.08	133.10	126.50
8	AH	122	VAL	CA-CB-CG2	5.08	118.52	110.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	19	A	N1-C6-N6	-5.08	115.55	118.60
26	BB	461	C	C6-N1-C2	-5.08	118.27	120.30
26	BB	1347	A	N1-C6-N6	5.08	121.65	118.60
26	BB	1461	C	C3'-C2'-C1'	5.08	105.56	101.50
26	BB	1859	U	C5-C6-N1	-5.08	120.16	122.70
26	BB	2620	C	O4'-C1'-N1	5.08	112.26	108.20
33	BI	131	SER	CB-CA-C	5.08	119.75	110.10
1	AA	83	C	O4'-C1'-N1	5.08	112.26	108.20
1	AA	938	A	N3-C4-C5	5.08	130.35	126.80
1	AA	968	A	C2-N3-C4	-5.08	108.06	110.60
1	AA	984	C	C5'-C4'-O4'	5.08	115.19	109.10
1	AA	1235	U	N3-C4-C5	5.08	117.65	114.60
1	AA	1472	U	C4-C5-C6	-5.08	116.65	119.70
3	AC	28	U	C2-N1-C1'	5.08	123.79	117.70
4	AD	13	C	C5-C6-N1	-5.08	118.46	121.00
25	BA	88	C	C5'-C4'-O4'	-5.08	103.01	109.10
26	BB	244	A	C2-N3-C4	-5.08	108.06	110.60
26	BB	349	U	C6-N1-C2	-5.08	117.95	121.00
26	BB	455	C	C2'-C3'-O3'	5.08	121.83	113.70
26	BB	659	G	C8-N9-C4	-5.08	104.37	106.40
26	BB	682	G	O4'-C1'-N9	5.08	112.26	108.20
26	BB	1266	G	N1-C6-O6	-5.08	116.85	119.90
26	BB	1287	A	N1-C2-N3	5.08	131.84	129.30
26	BB	1330	C	N3-C4-N4	-5.08	114.44	118.00
26	BB	1498	C	N1-C2-N3	5.08	122.75	119.20
26	BB	2713	U	C2-N3-C4	-5.08	123.95	127.00
26	BB	2770	G	O3'-P-O5'	5.08	113.65	104.00
58	B7	32	LYS	N-CA-CB	-5.08	101.46	110.60
1	AA	664	G	N1-C6-O6	-5.08	116.85	119.90
1	AA	1044	A	C5'-C4'-C3'	-5.08	107.88	116.00
1	AA	1459	G	N1-C2-N3	-5.08	120.85	123.90
7	AG	8	LEU	CB-CG-CD2	5.08	119.63	111.00
26	BB	427	U	C2'-C3'-O3'	5.08	121.82	113.70
26	BB	565	C	O5'-P-OP1	-5.08	101.13	105.70
26	BB	771	G	C1'-O4'-C4'	-5.08	105.84	109.90
26	BB	846	U	N1-C2-O2	5.08	126.35	122.80
26	BB	1181	U	O4'-C1'-N1	5.08	112.26	108.20
26	BB	1755	A	C6-N1-C2	5.08	121.65	118.60
26	BB	2199	A	C6-C5-N7	5.08	135.85	132.30
26	BB	2201	G	N7-C8-N9	5.08	115.64	113.10
26	BB	2683	C	C5'-C4'-O4'	5.08	115.19	109.10
1	AA	231	U	C2-N3-C4	-5.08	123.95	127.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	243	A	C2'-C3'-O3'	5.08	121.82	113.70
1	AA	313	A	C5-C6-N1	-5.08	115.16	117.70
1	AA	436	C	P-O3'-C3'	5.08	125.79	119.70
1	AA	569	C	N1-C1'-C2'	-5.08	106.42	112.00
1	AA	595	A	C1'-O4'-C4'	5.08	113.96	109.90
1	AA	767	A	C5-C6-N1	-5.08	115.16	117.70
1	AA	1019	A	C6-N1-C2	-5.08	115.55	118.60
1	AA	1169	A	C5'-C4'-O4'	5.08	115.19	109.10
1	AA	1197	A	N9-C4-C5	-5.08	103.77	105.80
1	AA	1300	G	N7-C8-N9	5.08	115.64	113.10
1	AA	1488	G	O4'-C4'-C3'	-5.08	98.92	104.00
25	BA	34	A	C6-N1-C2	-5.08	115.55	118.60
26	BB	299	A	C8-N9-C4	-5.08	103.77	105.80
26	BB	404	A	C5'-C4'-O4'	5.08	115.19	109.10
26	BB	995	C	N3-C4-C5	5.08	123.93	121.90
26	BB	1024	G	C6-C5-N7	-5.08	127.35	130.40
26	BB	1080	A	N9-C1'-C2'	-5.08	106.42	112.00
26	BB	1391	U	C4'-C3'-C2'	5.08	107.67	102.60
26	BB	1405	U	N3-C2-O2	-5.08	118.65	122.20
26	BB	1497	U	C2-N3-C4	-5.08	123.95	127.00
26	BB	1627	G	C3'-C2'-C1'	-5.08	97.44	101.50
26	BB	1638	C	C6-N1-C2	-5.08	118.27	120.30
26	BB	1811	G	O4'-C4'-C3'	5.08	110.16	106.10
26	BB	2035	G	N9-C4-C5	5.08	107.43	105.40
26	BB	2705	A	C5-N7-C8	5.08	106.44	103.90
33	BI	50	ARG	NE-CZ-NH2	-5.08	117.76	120.30
1	AA	146	G	C4'-C3'-C2'	-5.07	97.53	102.60
1	AA	266	G	N3-C4-N9	-5.07	122.96	126.00
1	AA	303	A	C5-C6-N1	-5.07	115.16	117.70
1	AA	351	G	C5-C6-O6	5.07	131.64	128.60
1	AA	356	A	C4-C5-N7	-5.07	108.16	110.70
1	AA	521	G	C4-C5-N7	-5.07	108.77	110.80
1	AA	530	G	C4'-C3'-C2'	-5.07	97.53	102.60
1	AA	832	G	C5'-C4'-O4'	5.07	115.19	109.10
1	AA	997	U	C5-C4-O4	-5.07	122.86	125.90
1	AA	1055	A	O4'-C1'-C2'	5.07	112.17	107.60
21	AU	62	ARG	CB-CA-C	5.07	120.55	110.40
26	BB	79	C	N3-C4-N4	5.07	121.55	118.00
26	BB	261	G	C5-N7-C8	5.07	106.84	104.30
26	BB	268	C	N3-C4-N4	-5.07	114.45	118.00
26	BB	313	G	N3-C4-N9	-5.07	122.96	126.00
26	BB	432	A	N3-C4-C5	5.07	130.35	126.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	526	A	N1-C6-N6	-5.07	115.56	118.60
26	BB	563	A	C2-N3-C4	-5.07	108.06	110.60
26	BB	1112	G	O4'-C1'-N9	-5.07	104.14	108.20
26	BB	1341	G	N1-C2-N3	-5.07	120.86	123.90
26	BB	2273	A	N7-C8-N9	5.07	116.34	113.80
26	BB	2477	U	C6-N1-C2	5.07	124.04	121.00
26	BB	2761	A	N9-C1'-C2'	-5.07	106.42	112.00
26	BB	2859	G	N9-C4-C5	5.07	107.43	105.40
31	BG	98	PHE	CG-CD1-CE1	-5.07	115.22	120.80
31	BG	174	PHE	CZ-CE2-CD2	5.07	126.19	120.10
1	AA	731	G	C5-N7-C8	-5.07	101.76	104.30
1	AA	1475	G	C5-N7-C8	5.07	106.84	104.30
26	BB	245	G	N9-C4-C5	-5.07	103.37	105.40
26	BB	1191	G	C2-N3-C4	5.07	114.44	111.90
26	BB	1223	G	O4'-C4'-C3'	-5.07	98.93	104.00
1	AA	123	U	C3'-C2'-C1'	-5.07	97.44	101.50
1	AA	395	C	C5'-C4'-O4'	5.07	115.19	109.10
1	AA	568	G	C8-N9-C1'	5.07	133.59	127.00
1	AA	1057	G	N1-C6-O6	5.07	122.94	119.90
25	BA	114	C	C5-C4-N4	-5.07	116.65	120.20
26	BB	312	G	C5'-C4'-C3'	5.07	124.11	116.00
26	BB	1013	C	C4-C5-C6	-5.07	114.86	117.40
26	BB	1144	A	C4-C5-N7	5.07	113.24	110.70
26	BB	1191	G	C1'-O4'-C4'	-5.07	105.84	109.90
26	BB	1631	G	C5'-C4'-O4'	5.07	115.19	109.10
26	BB	1718	G	C8-N9-C4	-5.07	104.37	106.40
26	BB	1985	C	C2-N3-C4	5.07	122.44	119.90
26	BB	2424	C	C4'-C3'-C2'	-5.07	97.53	102.60
26	BB	2870	C	C4-C5-C6	5.07	119.94	117.40
1	AA	1	A	C5-C6-N6	5.07	127.75	123.70
1	AA	47	C	N1-C2-O2	5.07	121.94	118.90
1	AA	128	G	N1-C2-N3	-5.07	120.86	123.90
1	AA	335	C	C5-C4-N4	-5.07	116.65	120.20
1	AA	564	C	N1-C2-N3	5.07	122.75	119.20
1	AA	872	A	P-O3'-C3'	5.07	125.78	119.70
26	BB	41	C	N3-C2-O2	-5.07	118.35	121.90
26	BB	1499	C	C4'-C3'-C2'	-5.07	97.53	102.60
26	BB	2053	G	C5-N7-C8	-5.07	101.77	104.30
26	BB	2116	G	C5-C6-O6	-5.07	125.56	128.60
26	BB	2121	G	N1-C2-N3	-5.07	120.86	123.90
26	BB	2329	U	N1-C1'-C2'	-5.07	106.42	112.00
26	BB	2634	A	C4-C5-N7	5.07	113.23	110.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	129	A	C5-N7-C8	5.07	106.43	103.90
1	AA	140	U	C6-N1-C2	-5.07	117.96	121.00
1	AA	337	G	C4-C5-N7	-5.07	108.77	110.80
1	AA	475	C	C5'-C4'-C3'	-5.07	107.89	116.00
1	AA	485	U	O4'-C1'-C2'	-5.07	100.73	105.80
1	AA	572	A	C4-C5-C6	5.07	119.53	117.00
1	AA	907	A	N7-C8-N9	5.07	116.33	113.80
1	AA	1058	G	C6-N1-C2	-5.07	122.06	125.10
26	BB	9	G	C5'-C4'-O4'	5.07	115.18	109.10
26	BB	80	G	C8-N9-C1'	5.07	133.59	127.00
26	BB	217	A	C5-N7-C8	-5.07	101.37	103.90
26	BB	314	C	O3'-P-O5'	-5.07	94.37	104.00
26	BB	477	A	C4-C5-C6	-5.07	114.47	117.00
26	BB	802	A	C2-N3-C4	5.07	113.13	110.60
26	BB	1143	A	P-O3'-C3'	5.07	125.78	119.70
26	BB	1299	G	N1-C2-N3	-5.07	120.86	123.90
26	BB	2196	C	N1-C1'-C2'	5.07	120.59	114.00
26	BB	2597	G	C1'-O4'-C4'	5.07	113.95	109.90
26	BB	2709	G	C5-C6-N1	5.07	114.03	111.50
26	BB	2763	G	N3-C2-N2	-5.07	116.35	119.90
26	BB	2809	A	C6-N1-C2	-5.07	115.56	118.60
56	B5	41	ARG	CA-CB-CG	5.07	124.55	113.40
1	AA	394	G	C5-C6-O6	-5.07	125.56	128.60
1	AA	561	U	C1'-O4'-C4'	-5.07	105.85	109.90
1	AA	629	A	N1-C2-N3	-5.07	126.77	129.30
1	AA	1196	A	N9-C4-C5	-5.07	103.77	105.80
1	AA	1375	A	N7-C8-N9	5.07	116.33	113.80
1	AA	1513	A	C5-N7-C8	5.07	106.43	103.90
1	AA	1521	C	C1'-O4'-C4'	5.07	113.95	109.90
3	AC	15	G	C3'-C2'-C1'	5.07	105.55	101.50
26	BB	248	G	C6-C5-N7	-5.07	127.36	130.40
26	BB	405	U	N1-C2-N3	5.07	117.94	114.90
26	BB	527	C	C5-C6-N1	5.07	123.53	121.00
26	BB	644	A	C6-N1-C2	5.07	121.64	118.60
26	BB	914	G	N9-C4-C5	5.07	107.43	105.40
26	BB	938	G	C5'-C4'-C3'	-5.07	107.89	116.00
26	BB	1048	A	C5'-C4'-O4'	5.07	115.18	109.10
26	BB	1494	A	C5'-C4'-C3'	-5.07	107.90	116.00
26	BB	1546	G	C5-C6-O6	-5.07	125.56	128.60
26	BB	1864	U	N3-C2-O2	-5.07	118.65	122.20
26	BB	2101	A	C4-C5-C6	-5.07	114.47	117.00
1	AA	445	G	N9-C1'-C2'	-5.06	106.43	112.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	497	G	C4-N9-C1'	-5.06	119.92	126.50
1	AA	1186	G	C1'-O4'-C4'	-5.06	105.85	109.90
26	BB	334	C	C5-C4-N4	-5.06	116.66	120.20
26	BB	465	G	C5'-C4'-O4'	5.06	115.18	109.10
26	BB	534	U	C5'-C4'-C3'	-5.06	107.90	116.00
26	BB	1745	A	C3'-C2'-C1'	-5.06	97.45	101.50
26	BB	2135	A	C2-N3-C4	5.06	113.13	110.60
1	AA	60	A	C6-N1-C2	5.06	121.64	118.60
1	AA	295	C	C5'-C4'-O4'	5.06	115.17	109.10
1	AA	1128	C	C5-C6-N1	5.06	123.53	121.00
3	AC	29	G	O4'-C1'-N9	5.06	112.25	108.20
26	BB	112	U	N3-C4-C5	-5.06	111.56	114.60
26	BB	779	U	N3-C4-C5	-5.06	111.56	114.60
26	BB	982	C	C5-C4-N4	-5.06	116.66	120.20
26	BB	1026	G	O4'-C4'-C3'	-5.06	98.94	104.00
26	BB	1197	G	C1'-O4'-C4'	-5.06	105.85	109.90
26	BB	1346	G	C2-N3-C4	5.06	114.43	111.90
26	BB	1583	A	P-O5'-C5'	-5.06	112.80	120.90
26	BB	1833	C	N3-C4-N4	5.06	121.54	118.00
26	BB	2109	U	C5'-C4'-C3'	-5.06	107.90	116.00
26	BB	2268	A	C6-N1-C2	5.06	121.64	118.60
26	BB	2562	U	C5'-C4'-O4'	5.06	115.18	109.10
1	AA	975	A	C4-C5-N7	-5.06	108.17	110.70
1	AA	1025	U	N1-C2-N3	5.06	117.94	114.90
1	AA	1439	G	N1-C6-O6	-5.06	116.86	119.90
2	AB	41	C	C2-N3-C4	5.06	122.43	119.90
15	AO	48	LEU	CB-CG-CD1	5.06	119.60	111.00
26	BB	268	C	C5'-C4'-O4'	-5.06	103.03	109.10
26	BB	679	C	C2-N3-C4	-5.06	117.37	119.90
26	BB	681	G	N7-C8-N9	5.06	115.63	113.10
26	BB	2066	C	C5'-C4'-C3'	-5.06	107.90	116.00
26	BB	2540	C	C5-C4-N4	-5.06	116.66	120.20
26	BB	2699	C	C1'-O4'-C4'	-5.06	105.85	109.90
1	AA	81	A	N9-C4-C5	5.06	107.82	105.80
1	AA	685	G	P-O3'-C3'	5.06	125.77	119.70
1	AA	964	A	C5-C6-N6	5.06	127.75	123.70
1	AA	1188	A	C4-C5-N7	-5.06	108.17	110.70
26	BB	121	G	O5'-P-OP1	-5.06	101.15	105.70
26	BB	264	C	N1-C2-N3	-5.06	115.66	119.20
26	BB	597	G	C2-N3-C4	5.06	114.43	111.90
26	BB	798	G	C4-C5-N7	5.06	112.82	110.80
26	BB	973	A	C5-C6-N1	-5.06	115.17	117.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1219	U	O4'-C1'-N1	5.06	112.25	108.20
26	BB	1634	A	C5-C6-N1	5.06	120.23	117.70
26	BB	1725	U	OP1-P-O3'	5.06	116.33	105.20
26	BB	1829	A	C5-C6-N1	5.06	120.23	117.70
26	BB	1841	U	C4'-C3'-O3'	5.06	123.12	113.00
26	BB	1945	G	P-O3'-C3'	5.06	125.77	119.70
1	AA	28	A	N3-C4-C5	-5.06	123.26	126.80
1	AA	789	U	O4'-C1'-N1	5.06	112.25	108.20
1	AA	1396	A	C5-C6-N6	5.06	127.75	123.70
1	AA	1446	A	C2-N3-C4	-5.06	108.07	110.60
1	AA	1525	G	O5'-C5'-C4'	-5.06	102.09	111.70
1	AA	1529	G	C4-C5-N7	-5.06	108.78	110.80
24	AX	70	TYR	CA-CB-CG	5.06	123.01	113.40
26	BB	514	A	P-O3'-C3'	5.06	125.77	119.70
26	BB	583	G	N9-C4-C5	-5.06	103.38	105.40
26	BB	1002	G	C3'-C2'-C1'	-5.06	97.45	101.50
26	BB	1130	U	C4'-C3'-C2'	-5.06	97.54	102.60
26	BB	1194	A	C2-N3-C4	5.06	113.13	110.60
26	BB	1304	A	N9-C1'-C2'	-5.06	106.44	112.00
26	BB	1499	C	N3-C4-C5	-5.06	119.88	121.90
26	BB	1505	A	C6-C5-N7	5.06	135.84	132.30
26	BB	1515	A	C4-C5-N7	-5.06	108.17	110.70
26	BB	2011	U	O4'-C4'-C3'	5.06	110.15	106.10
26	BB	2014	A	N9-C1'-C2'	-5.06	106.44	112.00
26	BB	2020	A	N7-C8-N9	5.06	116.33	113.80
26	BB	2348	U	N1-C2-N3	5.06	117.93	114.90
26	BB	2756	U	C2'-C3'-O3'	5.06	121.79	113.70
26	BB	2765	A	O4'-C1'-N9	5.06	112.25	108.20
29	BE	180	VAL	CG1-CB-CG2	-5.06	102.81	110.90
46	BV	4	GLU	OE1-CD-OE2	5.06	129.37	123.30
1	AA	454	G	C5-C6-O6	-5.06	125.57	128.60
26	BB	1597	A	C5'-C4'-C3'	-5.06	107.91	116.00
26	BB	2200	C	C5-C4-N4	-5.06	116.66	120.20
26	BB	2371	G	C1'-O4'-C4'	5.06	113.94	109.90
39	BO	80	VAL	CG1-CB-CG2	-5.06	102.81	110.90
1	AA	1	A	C5'-C4'-O4'	5.05	115.17	109.10
1	AA	1023	U	P-O5'-C5'	5.05	128.99	120.90
1	AA	1163	A	C3'-C2'-C1'	5.05	105.54	101.50
1	AA	1214	C	C4'-C3'-O3'	5.05	123.11	113.00
1	AA	1225	A	C5-C6-N1	5.05	120.23	117.70
4	AD	26	C	N3-C2-O2	-5.05	118.36	121.90
4	AD	70	C	N3-C4-C5	-5.05	119.88	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	703	U	C1'-O4'-C4'	5.05	113.94	109.90
26	BB	874	G	N1-C2-N2	5.05	120.75	116.20
26	BB	1314	C	C5-C4-N4	5.05	123.74	120.20
26	BB	1970	A	N1-C2-N3	-5.05	126.77	129.30
26	BB	2018	G	C4'-C3'-C2'	5.05	107.66	102.60
26	BB	2038	G	O4'-C4'-C3'	5.05	110.14	106.10
26	BB	2662	A	N9-C1'-C2'	-5.05	106.44	112.00
1	AA	314	C	C4-C5-C6	5.05	119.93	117.40
1	AA	386	C	C4-C5-C6	-5.05	114.87	117.40
1	AA	922	G	C4-C5-C6	5.05	121.83	118.80
1	AA	1091	U	N3-C2-O2	-5.05	118.66	122.20
1	AA	1431	A	C6-N1-C2	-5.05	115.57	118.60
26	BB	1364	G	C8-N9-C4	5.05	108.42	106.40
26	BB	1490	A	C8-N9-C4	5.05	107.82	105.80
26	BB	1589	U	O4'-C1'-N1	5.05	112.24	108.20
26	BB	1604	C	C4-C5-C6	-5.05	114.87	117.40
26	BB	2554	U	P-O3'-C3'	5.05	125.76	119.70
26	BB	2839	G	N9-C4-C5	-5.05	103.38	105.40
39	BO	64	TRP	CE2-CD2-CE3	-5.05	112.64	118.70
1	AA	237	G	N7-C8-N9	5.05	115.63	113.10
1	AA	276	G	N9-C1'-C2'	-5.05	106.44	112.00
1	AA	587	G	O5'-C5'-C4'	-5.05	102.10	111.70
1	AA	694	A	N9-C1'-C2'	-5.05	106.44	112.00
1	AA	730	G	C1'-O4'-C4'	5.05	113.94	109.90
1	AA	783	C	N3-C2-O2	-5.05	118.36	121.90
1	AA	892	A	C8-N9-C4	-5.05	103.78	105.80
1	AA	1340	A	C8-N9-C4	5.05	107.82	105.80
9	AI	28	ALA	O-C-N	5.05	130.78	122.70
17	AQ	74	ARG	NE-CZ-NH2	-5.05	117.77	120.30
26	BB	250	G	C2-N3-C4	-5.05	109.37	111.90
26	BB	395	U	N3-C2-O2	5.05	125.74	122.20
26	BB	496	G	C6-C5-N7	-5.05	127.37	130.40
26	BB	777	G	N1-C6-O6	-5.05	116.87	119.90
26	BB	1422	G	C6-N1-C2	-5.05	122.07	125.10
26	BB	1636	U	C5-C6-N1	-5.05	120.17	122.70
26	BB	1976	U	C5-C4-O4	-5.05	122.87	125.90
26	BB	2094	A	O4'-C4'-C3'	5.05	110.14	106.10
26	BB	2319	G	C8-N9-C4	-5.05	104.38	106.40
26	BB	2462	C	O4'-C1'-C2'	5.05	112.15	107.60
26	BB	2574	G	C6-N1-C2	-5.05	122.07	125.10
26	BB	2676	C	N3-C4-N4	5.05	121.54	118.00
28	BD	226	PRO	CA-N-CD	-5.05	104.43	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
34	BJ	78	PRO	N-CD-CG	5.05	110.78	103.20
49	BY	10	ARG	NH1-CZ-NH2	-5.05	113.84	119.40
1	AA	503	C	P-O5'-C5'	5.05	128.98	120.90
1	AA	597	G	N1-C2-N3	-5.05	120.87	123.90
1	AA	804	U	N1-C2-N3	-5.05	111.87	114.90
1	AA	862	C	C5'-C4'-C3'	-5.05	107.92	116.00
1	AA	1087	G	N9-C4-C5	5.05	107.42	105.40
1	AA	1383	C	O4'-C1'-N1	5.05	112.24	108.20
26	BB	273	G	C4-C5-N7	-5.05	108.78	110.80
26	BB	451	U	C4'-C3'-O3'	5.05	123.10	113.00
26	BB	530	G	C5-N7-C8	-5.05	101.78	104.30
26	BB	724	U	C4-C5-C6	5.05	122.73	119.70
26	BB	940	G	N3-C4-C5	-5.05	126.08	128.60
26	BB	1105	U	N1-C1'-C2'	-5.05	106.45	112.00
26	BB	1821	A	N9-C4-C5	5.05	107.82	105.80
26	BB	1916	A	O5'-P-OP1	-5.05	101.16	105.70
26	BB	1928	A	P-O3'-C3'	5.05	125.76	119.70
26	BB	1934	C	P-O3'-C3'	5.05	125.76	119.70
26	BB	2145	C	C1'-O4'-C4'	-5.05	105.86	109.90
26	BB	2295	C	N1-C2-O2	5.05	121.93	118.90
26	BB	2515	C	N3-C2-O2	-5.05	118.36	121.90
26	BB	2633	G	C4-C5-N7	5.05	112.82	110.80
50	BZ	27	ARG	NE-CZ-NH1	5.05	122.83	120.30
1	AA	716	A	N1-C6-N6	-5.05	115.57	118.60
1	AA	762	U	N1-C2-O2	5.05	126.33	122.80
26	BB	403	U	C6-N1-C2	-5.05	117.97	121.00
26	BB	944	C	C3'-C2'-C1'	5.05	105.54	101.50
26	BB	1182	G	C4'-C3'-C2'	-5.05	97.55	102.60
26	BB	1301	A	C5'-C4'-O4'	-5.05	103.04	109.10
26	BB	1401	G	N1-C6-O6	5.05	122.93	119.90
26	BB	1578	U	N3-C2-O2	-5.05	118.67	122.20
26	BB	1631	G	C4'-C3'-C2'	-5.05	97.55	102.60
26	BB	1877	A	C6-C5-N7	-5.05	128.77	132.30
26	BB	2014	A	N7-C8-N9	-5.05	111.28	113.80
26	BB	2026	U	C2-N1-C1'	-5.05	111.64	117.70
26	BB	2615	U	C5-C6-N1	5.05	125.22	122.70
26	BB	2713	U	O4'-C1'-N1	5.05	112.24	108.20
1	AA	104	G	C1'-O4'-C4'	-5.05	105.86	109.90
1	AA	148	G	C5-C6-N1	5.05	114.02	111.50
1	AA	459	A	C4-C5-N7	5.05	113.22	110.70
1	AA	707	U	C4-C5-C6	5.05	122.73	119.70
1	AA	716	A	N9-C1'-C2'	-5.05	106.45	112.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	732	C	C6-N1-C2	-5.05	118.28	120.30
1	AA	964	A	C6-N1-C2	-5.05	115.57	118.60
1	AA	1029	U	C6-N1-C2	-5.05	117.97	121.00
1	AA	1238	A	C4-C5-C6	-5.05	114.48	117.00
2	AB	13	C	O4'-C4'-C3'	5.05	110.14	106.10
2	AB	64	U	O4'-C1'-C2'	-5.05	100.75	105.80
4	AD	1	C	C4-C5-C6	-5.05	114.88	117.40
12	AL	75	ALA	CB-CA-C	5.05	117.67	110.10
26	BB	8	C	C3'-C2'-C1'	-5.05	97.46	101.50
26	BB	376	G	N1-C6-O6	-5.05	116.87	119.90
26	BB	797	G	C3'-C2'-C1'	5.05	105.54	101.50
26	BB	1352	U	P-O3'-C3'	5.05	125.76	119.70
26	BB	1435	G	N3-C4-N9	-5.05	122.97	126.00
26	BB	1598	A	C5'-C4'-O4'	5.05	115.16	109.10
26	BB	1896	G	C5'-C4'-C3'	5.05	124.08	116.00
26	BB	2057	G	C4'-C3'-C2'	-5.05	97.55	102.60
26	BB	2255	G	C4-C5-C6	5.05	121.83	118.80
26	BB	2331	G	C5-C6-O6	-5.05	125.57	128.60
26	BB	2701	U	N1-C2-O2	-5.05	119.27	122.80
39	BO	18	ARG	NE-CZ-NH2	5.05	122.82	120.30
1	AA	669	G	N9-C1'-C2'	-5.04	106.45	112.00
2	AB	14	A	C2-N3-C4	5.04	113.12	110.60
5	AE	227	ASP	CB-CG-OD1	-5.04	113.76	118.30
26	BB	96	C	C5-C6-N1	5.04	123.52	121.00
26	BB	489	G	O4'-C4'-C3'	5.04	110.14	106.10
26	BB	924	G	C5'-C4'-O4'	5.04	115.15	109.10
26	BB	1070	A	O4'-C4'-C3'	-5.04	98.95	104.00
26	BB	1305	C	N3-C4-C5	-5.04	119.88	121.90
26	BB	1461	C	N3-C2-O2	-5.04	118.37	121.90
26	BB	2018	G	N1-C2-N3	-5.04	120.87	123.90
26	BB	2134	A	C5-C6-N1	5.04	120.22	117.70
26	BB	2371	G	N9-C4-C5	-5.04	103.38	105.40
1	AA	82	G	C4-C5-C6	5.04	121.83	118.80
1	AA	116	A	N1-C6-N6	5.04	121.63	118.60
1	AA	197	A	C6-C5-N7	5.04	135.83	132.30
1	AA	357	G	N3-C2-N2	-5.04	116.37	119.90
1	AA	582	C	N3-C4-N4	-5.04	114.47	118.00
1	AA	850	U	N3-C2-O2	-5.04	118.67	122.20
1	AA	1332	A	C8-N9-C4	5.04	107.82	105.80
1	AA	1538	C	O4'-C4'-C3'	5.04	110.14	106.10
4	AD	70	C	O4'-C1'-N1	5.04	112.23	108.20
12	AL	108	ARG	NE-CZ-NH1	5.04	122.82	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	AO	23	LEU	CB-CG-CD2	5.04	119.57	111.00
17	AQ	56	PRO	N-CA-CB	5.04	109.35	103.30
22	AV	29	PRO	N-CA-CB	5.04	109.35	103.30
26	BB	70	G	N9-C1'-C2'	-5.04	106.45	112.00
26	BB	93	G	C8-N9-C1'	5.04	133.56	127.00
26	BB	169	G	C5'-C4'-O4'	5.04	115.15	109.10
26	BB	230	G	C2-N3-C4	-5.04	109.38	111.90
26	BB	474	G	N1-C2-N2	5.04	120.74	116.20
26	BB	668	A	N3-C4-N9	5.04	131.44	127.40
26	BB	905	A	N7-C8-N9	5.04	116.32	113.80
26	BB	1452	G	C2-N3-C4	5.04	114.42	111.90
26	BB	2054	A	N9-C4-C5	-5.04	103.78	105.80
26	BB	2103	C	N3-C2-O2	-5.04	118.37	121.90
26	BB	2144	G	C8-N9-C4	-5.04	104.38	106.40
26	BB	2177	C	O5'-C5'-C4'	-5.04	102.12	111.70
26	BB	2321	U	O5'-C5'-C4'	-5.04	102.12	111.70
26	BB	2411	A	N9-C4-C5	5.04	107.82	105.80
26	BB	2433	A	C1'-O4'-C4'	-5.04	105.86	109.90
26	BB	2604	U	N3-C4-C5	-5.04	111.57	114.60
26	BB	2696	U	C5'-C4'-O4'	5.04	115.15	109.10
31	BG	175	PRO	N-CA-CB	5.04	109.35	103.30
36	BL	57	LEU	CB-CG-CD2	-5.04	102.43	111.00
1	AA	431	A	C8-N9-C4	-5.04	103.78	105.80
1	AA	467	U	OP1-P-O3'	5.04	116.29	105.20
1	AA	987	G	C5-C6-O6	-5.04	125.58	128.60
1	AA	1175	G	C8-N9-C4	-5.04	104.38	106.40
1	AA	1493	A	N3-C4-C5	5.04	130.33	126.80
2	AB	25	C	N3-C2-O2	-5.04	118.37	121.90
2	AB	44	G	C5-C6-N1	5.04	114.02	111.50
26	BB	235	U	P-O5'-C5'	5.04	128.97	120.90
26	BB	426	C	O4'-C1'-N1	5.04	112.23	108.20
26	BB	475	C	C5-C6-N1	5.04	123.52	121.00
26	BB	1144	A	C6-C5-N7	-5.04	128.77	132.30
26	BB	1288	G	N1-C2-N2	5.04	120.74	116.20
26	BB	1377	G	C8-N9-C4	-5.04	104.38	106.40
26	BB	1735	A	C6-C5-N7	5.04	135.83	132.30
26	BB	1922	G	C5-C6-N1	5.04	114.02	111.50
26	BB	2093	G	C5-N7-C8	-5.04	101.78	104.30
26	BB	2320	U	O5'-P-OP2	-5.04	101.16	105.70
26	BB	2465	C	N1-C2-O2	5.04	121.92	118.90
26	BB	2583	G	C2-N3-C4	5.04	114.42	111.90
26	BB	2897	U	N1-C2-O2	-5.04	119.27	122.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
37	BM	29	HIS	CA-CB-CG	5.04	122.17	113.60
1	AA	213	G	N3-C4-N9	5.04	129.02	126.00
1	AA	809	G	N3-C4-N9	5.04	129.02	126.00
1	AA	873	A	O4'-C1'-C2'	5.04	112.14	107.60
1	AA	1088	G	C5'-C4'-O4'	5.04	115.15	109.10
1	AA	1157	A	O4'-C1'-C2'	-5.04	100.76	105.80
1	AA	1159	U	C5-C4-O4	-5.04	122.88	125.90
1	AA	1167	A	C8-N9-C4	-5.04	103.78	105.80
1	AA	1412	C	N3-C4-C5	5.04	123.92	121.90
25	BA	5	U	C1'-O4'-C4'	-5.04	105.87	109.90
26	BB	235	U	C1'-O4'-C4'	-5.04	105.87	109.90
26	BB	439	A	C5-C6-N6	-5.04	119.67	123.70
26	BB	797	G	C5-C6-O6	-5.04	125.58	128.60
26	BB	1191	G	C5'-C4'-O4'	5.04	115.15	109.10
26	BB	1682	G	C8-N9-C4	-5.04	104.38	106.40
26	BB	1888	G	N3-C2-N2	-5.04	116.37	119.90
26	BB	2175	C	C4'-C3'-C2'	5.04	107.64	102.60
26	BB	2676	C	N1-C2-O2	5.04	121.92	118.90
26	BB	2736	A	N1-C2-N3	-5.04	126.78	129.30
1	AA	242	G	N3-C4-N9	-5.04	122.98	126.00
1	AA	351	G	C5-N7-C8	5.04	106.82	104.30
1	AA	988	G	C6-N1-C2	-5.04	122.08	125.10
3	AC	14	G	N3-C2-N2	-5.04	116.37	119.90
3	AC	15	G	C1'-O4'-C4'	-5.04	105.87	109.90
26	BB	121	G	C6-N1-C2	-5.04	122.08	125.10
26	BB	204	A	N3-C4-N9	-5.04	123.37	127.40
26	BB	229	C	N3-C4-N4	-5.04	114.47	118.00
26	BB	751	A	C5-C6-N1	5.04	120.22	117.70
26	BB	813	U	N1-C2-O2	-5.04	119.27	122.80
26	BB	899	A	C5-C6-N6	-5.04	119.67	123.70
26	BB	1323	C	C5-C4-N4	5.04	123.73	120.20
26	BB	1563	U	C3'-C2'-C1'	5.04	105.53	101.50
26	BB	1752	C	C4-C5-C6	-5.04	114.88	117.40
26	BB	1781	U	N1-C2-N3	5.04	117.92	114.90
26	BB	2018	G	C5'-C4'-O4'	-5.04	103.06	109.10
26	BB	2540	C	O4'-C1'-N1	5.04	112.23	108.20
9	AI	19	PRO	N-CA-CB	5.04	109.34	103.30
26	BB	557	C	C2-N3-C4	5.04	122.42	119.90
26	BB	1645	G	C5'-C4'-C3'	-5.04	107.94	116.00
26	BB	2065	C	C2-N3-C4	-5.04	117.38	119.90
26	BB	2620	C	P-O3'-C3'	5.04	125.74	119.70
1	AA	80	A	C4-C5-C6	-5.04	114.48	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	129	A	C4-C5-N7	-5.04	108.18	110.70
1	AA	235	C	N1-C2-O2	5.04	121.92	118.90
1	AA	513	C	C3'-C2'-C1'	5.04	105.53	101.50
1	AA	867	G	C4-C5-C6	5.04	121.82	118.80
2	AB	10	G	C4-C5-C6	5.04	121.82	118.80
2	AB	27	C	N3-C4-N4	5.04	121.53	118.00
3	AC	36	U	C5-C6-N1	-5.04	120.18	122.70
26	BB	13	A	C4-C5-N7	5.04	113.22	110.70
26	BB	317	G	C4-C5-C6	5.04	121.82	118.80
26	BB	590	A	C5'-C4'-O4'	5.04	115.14	109.10
26	BB	737	C	P-O3'-C3'	5.04	125.74	119.70
26	BB	967	U	N3-C2-O2	-5.04	118.67	122.20
26	BB	1292	G	C4-C5-N7	-5.04	108.79	110.80
26	BB	1337	G	C4-C5-C6	5.04	121.82	118.80
26	BB	1479	G	C6-C5-N7	5.04	133.42	130.40
26	BB	1507	C	C6-N1-C2	5.04	122.31	120.30
26	BB	1674	G	O5'-C5'-C4'	5.04	121.27	111.70
26	BB	1991	U	C5'-C4'-C3'	-5.04	107.94	116.00
26	BB	2420	C	N1-C1'-C2'	5.04	120.55	114.00
29	BE	113	SER	N-CA-CB	-5.04	102.95	110.50
1	AA	259	G	C4-C5-N7	5.03	112.81	110.80
1	AA	939	G	C5-N7-C8	-5.03	101.78	104.30
1	AA	975	A	O4'-C4'-C3'	-5.03	98.97	104.00
1	AA	987	G	C2-N3-C4	-5.03	109.38	111.90
1	AA	994	A	C2'-C3'-O3'	5.03	121.75	113.70
1	AA	1447	A	C4-C5-C6	-5.03	114.48	117.00
2	AB	36	A	C4'-C3'-C2'	-5.03	97.57	102.60
8	AH	68	ARG	CA-CB-CG	5.03	124.48	113.40
25	BA	54	G	C4-C5-C6	5.03	121.82	118.80
25	BA	77	U	O4'-C1'-N1	5.03	112.23	108.20
26	BB	409	G	C6-C5-N7	-5.03	127.38	130.40
26	BB	851	C	P-O3'-C3'	5.03	125.74	119.70
26	BB	1136	G	C4-N9-C1'	-5.03	119.96	126.50
26	BB	1228	G	C5'-C4'-C3'	-5.03	107.95	116.00
26	BB	1328	A	O4'-C1'-N9	5.03	112.23	108.20
26	BB	2360	G	N3-C2-N2	-5.03	116.38	119.90
26	BB	2426	A	N1-C6-N6	5.03	121.62	118.60
26	BB	2524	G	C8-N9-C4	-5.03	104.39	106.40
26	BB	2631	G	C2-N3-C4	5.03	114.42	111.90
33	BI	118	PRO	C-N-CA	5.03	134.28	121.70
1	AA	1082	A	O4'-C4'-C3'	5.03	110.13	106.10
1	AA	1184	G	N7-C8-N9	5.03	115.62	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	61	C	C2-N1-C1'	-5.03	113.27	118.80
26	BB	308	G	N1-C6-O6	5.03	122.92	119.90
26	BB	457	A	N3-C4-C5	-5.03	123.28	126.80
26	BB	1137	G	N7-C8-N9	5.03	115.62	113.10
26	BB	1351	C	C4-C5-C6	-5.03	114.88	117.40
26	BB	1862	G	N3-C4-C5	-5.03	126.08	128.60
26	BB	2469	A	C5'-C4'-C3'	-5.03	107.95	116.00
26	BB	2474	U	C4-C5-C6	5.03	122.72	119.70
1	AA	416	G	C8-N9-C1'	5.03	133.54	127.00
1	AA	422	C	C5-C6-N1	5.03	123.52	121.00
1	AA	451	A	C6-N1-C2	5.03	121.62	118.60
1	AA	461	A	C5-C6-N1	-5.03	115.19	117.70
1	AA	538	G	N1-C2-N2	-5.03	111.67	116.20
1	AA	609	A	N9-C4-C5	5.03	107.81	105.80
1	AA	1099	G	C5-N7-C8	-5.03	101.78	104.30
1	AA	1232	U	C5-C4-O4	-5.03	122.88	125.90
1	AA	1340	A	C4-C5-N7	5.03	113.22	110.70
1	AA	1371	G	O3'-P-O5'	-5.03	94.44	104.00
25	BA	110	C	C3'-C2'-C1'	-5.03	97.48	101.50
26	BB	123	G	C5-N7-C8	5.03	106.81	104.30
26	BB	297	G	N7-C8-N9	5.03	115.61	113.10
26	BB	575	A	C2'-C3'-O3'	5.03	121.75	113.70
26	BB	790	U	N1-C2-O2	5.03	126.32	122.80
26	BB	1175	A	C5-C6-N1	5.03	120.22	117.70
26	BB	1262	A	O4'-C1'-N9	5.03	112.22	108.20
26	BB	1489	C	O3'-P-O5'	-5.03	94.44	104.00
26	BB	1606	C	C2-N3-C4	5.03	122.42	119.90
26	BB	2620	C	C4-C5-C6	-5.03	114.89	117.40
26	BB	2806	C	C6-N1-C2	-5.03	118.29	120.30
33	BI	121	VAL	CA-CB-CG2	5.03	118.45	110.90
41	BQ	105	ALA	CB-CA-C	5.03	117.64	110.10
1	AA	92	U	N3-C4-C5	-5.03	111.58	114.60
1	AA	418	C	N1-C1'-C2'	-5.03	106.47	112.00
1	AA	552	U	N3-C4-C5	5.03	117.62	114.60
1	AA	1363	A	N7-C8-N9	5.03	116.31	113.80
1	AA	1473	G	C4-C5-N7	5.03	112.81	110.80
4	AD	4	G	C6-C5-N7	5.03	133.42	130.40
26	BB	1201	U	N1-C2-N3	5.03	117.92	114.90
26	BB	1376	C	C5-C6-N1	-5.03	118.49	121.00
26	BB	1503	A	C2-N3-C4	-5.03	108.09	110.60
26	BB	2350	C	C6-N1-C2	5.03	122.31	120.30
26	BB	2550	G	N9-C4-C5	5.03	107.41	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2614	A	N3-C4-C5	-5.03	123.28	126.80
26	BB	2706	A	P-O3'-C3'	5.03	125.73	119.70
26	BB	2766	A	C4'-C3'-C2'	5.03	107.63	102.60
1	AA	10	A	C2-N3-C4	-5.03	108.09	110.60
1	AA	290	C	O4'-C1'-N1	5.03	112.22	108.20
1	AA	321	A	C3'-C2'-C1'	5.03	105.52	101.50
1	AA	446	G	O4'-C1'-N9	5.03	112.22	108.20
1	AA	463	U	N1-C2-N3	5.03	117.92	114.90
1	AA	934	C	N1-C1'-C2'	5.03	120.54	114.00
1	AA	1508	A	P-O3'-C3'	5.03	125.73	119.70
3	AC	50	U	N1-C2-O2	-5.03	119.28	122.80
4	AD	36	A	C3'-C2'-C1'	-5.03	97.48	101.50
26	BB	41	C	C5-C6-N1	-5.03	118.49	121.00
26	BB	129	C	C1'-O4'-C4'	5.03	113.92	109.90
26	BB	536	G	N1-C6-O6	-5.03	116.88	119.90
26	BB	575	A	C5-N7-C8	5.03	106.41	103.90
26	BB	846	U	P-O3'-C3'	5.03	125.73	119.70
26	BB	1234	U	C5-C6-N1	-5.03	120.19	122.70
26	BB	1468	U	N1-C2-O2	5.03	126.32	122.80
26	BB	1780	A	C1'-O4'-C4'	-5.03	105.88	109.90
26	BB	2436	G	C1'-O4'-C4'	-5.03	105.88	109.90
26	BB	2466	C	N1-C2-N3	5.03	122.72	119.20
26	BB	2514	U	C5-C4-O4	5.03	128.92	125.90
26	BB	2571	U	O4'-C1'-N1	5.03	112.22	108.20
26	BB	2634	A	N9-C4-C5	-5.03	103.79	105.80
45	BU	95	ARG	CB-CA-C	5.03	120.46	110.40
48	BX	26	PHE	CB-CG-CD1	-5.03	117.28	120.80
1	AA	246	A	C1'-O4'-C4'	-5.03	105.88	109.90
1	AA	445	G	C8-N9-C4	-5.03	104.39	106.40
1	AA	574	A	C6-N1-C2	-5.03	115.58	118.60
1	AA	660	C	C5'-C4'-O4'	5.03	115.13	109.10
1	AA	979	C	C6-N1-C2	5.03	122.31	120.30
1	AA	988	G	N3-C4-N9	5.03	129.01	126.00
1	AA	1225	A	N3-C4-C5	-5.03	123.28	126.80
1	AA	1253	G	O4'-C1'-N9	5.03	112.22	108.20
1	AA	1416	G	C5-N7-C8	-5.03	101.79	104.30
1	AA	1490	U	O5'-P-OP1	-5.03	101.18	105.70
4	AD	54	G	C5-C6-N1	5.03	114.01	111.50
15	AO	113	ARG	NE-CZ-NH2	-5.03	117.79	120.30
17	AQ	8	ARG	NE-CZ-NH2	5.03	122.81	120.30
26	BB	156	A	C4'-C3'-C2'	-5.03	97.57	102.60
26	BB	168	G	C5'-C4'-O4'	5.03	115.13	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	175	G	C4-N9-C1'	-5.03	119.97	126.50
26	BB	425	G	N9-C1'-C2'	-5.03	106.47	112.00
26	BB	437	U	O5'-C5'-C4'	-5.03	102.15	111.70
26	BB	608	A	C5-C6-N1	5.03	120.21	117.70
26	BB	684	G	C5-C6-N1	5.03	114.01	111.50
26	BB	756	A	C8-N9-C4	5.03	107.81	105.80
26	BB	1114	C	N3-C2-O2	-5.03	118.38	121.90
26	BB	1126	A	N9-C4-C5	5.03	107.81	105.80
26	BB	1613	G	C4'-C3'-C2'	-5.03	97.58	102.60
26	BB	1623	G	N1-C2-N2	5.03	120.72	116.20
26	BB	1872	A	C5-N7-C8	-5.03	101.39	103.90
26	BB	2699	C	N3-C4-N4	5.03	121.52	118.00
26	BB	2709	G	N1-C2-N3	5.03	126.92	123.90
26	BB	2823	A	C6-N1-C2	-5.03	115.58	118.60
26	BB	2835	A	N3-C4-C5	-5.03	123.28	126.80
30	BF	132	LYS	N-CA-CB	-5.03	101.55	110.60
31	BG	166	ARG	NE-CZ-NH1	5.03	122.81	120.30
1	AA	963	G	N3-C2-N2	-5.02	116.38	119.90
1	AA	1387	G	C4-C5-C6	5.02	121.81	118.80
1	AA	1391	U	O5'-C5'-C4'	-5.02	102.15	111.70
2	AB	2	G	C5'-C4'-O4'	5.02	115.13	109.10
26	BB	112	U	N3-C4-O4	5.02	122.92	119.40
26	BB	786	C	O3'-P-O5'	-5.02	94.45	104.00
26	BB	1174	U	N1-C2-N3	5.02	117.91	114.90
26	BB	1378	A	O4'-C1'-N9	5.02	112.22	108.20
26	BB	1697	G	C2-N3-C4	-5.02	109.39	111.90
26	BB	1927	A	C3'-C2'-C1'	-5.02	97.48	101.50
26	BB	2885	G	N9-C4-C5	5.02	107.41	105.40
1	AA	150	U	P-O5'-C5'	5.02	128.94	120.90
1	AA	250	A	N9-C4-C5	5.02	107.81	105.80
1	AA	501	C	O4'-C1'-N1	5.02	112.22	108.20
1	AA	583	A	C5-C6-N6	-5.02	119.68	123.70
1	AA	1179	A	C5-N7-C8	-5.02	101.39	103.90
1	AA	1242	G	N1-C2-N2	5.02	120.72	116.20
1	AA	1336	C	P-O3'-C3'	5.02	125.73	119.70
1	AA	1388	C	O4'-C1'-C2'	-5.02	100.78	105.80
13	AM	89	ARG	NE-CZ-NH2	-5.02	117.79	120.30
26	BB	184	C	C5-C4-N4	-5.02	116.68	120.20
26	BB	525	U	N3-C2-O2	5.02	125.72	122.20
26	BB	776	G	O4'-C1'-N9	5.02	112.22	108.20
26	BB	889	C	N1-C2-O2	5.02	121.91	118.90
26	BB	1106	G	C4-C5-C6	5.02	121.81	118.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1211	C	O4'-C1'-N1	5.02	112.22	108.20
26	BB	1349	C	C5'-C4'-C3'	-5.02	107.96	116.00
26	BB	1448	G	C5-C6-O6	5.02	131.61	128.60
26	BB	1509	A	C6-N1-C2	-5.02	115.59	118.60
26	BB	1570	A	C4'-C3'-C2'	-5.02	97.58	102.60
26	BB	1690	A	C6-C5-N7	5.02	135.82	132.30
26	BB	1757	A	C6-N1-C2	-5.02	115.59	118.60
26	BB	1776	G	N1-C6-O6	-5.02	116.89	119.90
26	BB	1833	C	N1-C2-O2	5.02	121.91	118.90
26	BB	2002	G	C4'-C3'-C2'	-5.02	97.58	102.60
26	BB	2449	H2U	P-O3'-C3'	5.02	125.73	119.70
26	BB	2537	U	N1-C2-N3	5.02	117.91	114.90
26	BB	2588	G	C4-C5-N7	-5.02	108.79	110.80
26	BB	2748	A	C2-N3-C4	5.02	113.11	110.60
1	AA	270	A	C6-C5-N7	5.02	135.81	132.30
1	AA	704	A	C5'-C4'-O4'	5.02	115.12	109.10
1	AA	1254	A	O4'-C1'-N9	-5.02	104.18	108.20
4	AD	57	C	N1-C2-N3	-5.02	115.69	119.20
26	BB	763	G	C8-N9-C1'	5.02	133.53	127.00
26	BB	1317	G	C3'-C2'-C1'	-5.02	97.48	101.50
26	BB	1750	G	C5-C6-O6	-5.02	125.59	128.60
1	AA	350	G	N1-C2-N3	5.02	126.91	123.90
1	AA	526	C	N1-C2-O2	5.02	121.91	118.90
1	AA	632	U	N3-C2-O2	5.02	125.71	122.20
1	AA	655	A	C3'-C2'-C1'	5.02	105.52	101.50
1	AA	925	G	N3-C4-N9	5.02	129.01	126.00
5	AE	135	MET	CA-CB-CG	-5.02	104.77	113.30
25	BA	65	U	O5'-P-OP2	-5.02	101.18	105.70
26	BB	111	A	C3'-C2'-C1'	-5.02	97.48	101.50
26	BB	647	G	C5'-C4'-O4'	5.02	115.12	109.10
26	BB	1103	A	C6-C5-N7	5.02	135.81	132.30
26	BB	1369	G	N7-C8-N9	5.02	115.61	113.10
26	BB	1454	C	C6-N1-C1'	-5.02	114.78	120.80
26	BB	1586	A	C6-C5-N7	-5.02	128.79	132.30
26	BB	1629	U	C2-N3-C4	-5.02	123.99	127.00
26	BB	1990	C	N3-C4-C5	-5.02	119.89	121.90
26	BB	2107	G	O4'-C1'-C2'	-5.02	100.78	105.80
26	BB	2274	A	P-O3'-C3'	5.02	125.72	119.70
29	BE	14	ILE	C-N-CA	5.02	134.25	121.70
33	BI	58	LEU	CB-CG-CD2	5.02	119.53	111.00
1	AA	209	U	C2-N3-C4	-5.02	123.99	127.00
1	AA	648	A	C4-C5-C6	-5.02	114.49	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	710	G	N9-C1'-C2'	-5.02	106.48	112.00
1	AA	748	G	C5-C6-O6	-5.02	125.59	128.60
1	AA	826	C	N3-C2-O2	-5.02	118.39	121.90
1	AA	899	C	C6-N1-C1'	-5.02	114.78	120.80
1	AA	971	G	N3-C4-N9	-5.02	122.99	126.00
1	AA	982	U	N1-C2-O2	-5.02	119.29	122.80
1	AA	1216	A	P-O3'-C3'	5.02	125.72	119.70
1	AA	1294	G	C4-N9-C1'	-5.02	119.98	126.50
1	AA	1485	U	C3'-C2'-C1'	5.02	105.51	101.50
26	BB	13	A	O5'-P-OP1	-5.02	101.18	105.70
26	BB	349	U	N3-C4-C5	-5.02	111.59	114.60
26	BB	604	G	O4'-C1'-N9	5.02	112.21	108.20
26	BB	1141	U	P-O3'-C3'	5.02	125.72	119.70
26	BB	1216	G	C4'-C3'-C2'	-5.02	97.58	102.60
26	BB	1243	C	N3-C2-O2	-5.02	118.39	121.90
26	BB	1594	U	O5'-P-OP2	-5.02	101.19	105.70
26	BB	1986	C	C4-C5-C6	-5.02	114.89	117.40
26	BB	2152	G	N3-C4-C5	-5.02	126.09	128.60
26	BB	2160	C	C4'-C3'-C2'	-5.02	97.58	102.60
26	BB	2354	C	C4-C5-C6	5.02	119.91	117.40
26	BB	2418	A	N9-C4-C5	5.02	107.81	105.80
26	BB	2731	G	N9-C4-C5	5.02	107.41	105.40
26	BB	2847	U	C5'-C4'-C3'	-5.02	107.97	116.00
26	BB	2865	U	C2-N1-C1'	5.02	123.72	117.70
42	BR	23	ASP	CB-CG-OD1	5.02	122.82	118.30
1	AA	297	G	O5'-C5'-C4'	5.02	121.23	111.70
1	AA	1221	G	O3'-P-O5'	-5.02	94.47	104.00
1	AA	1275	A	N3-C4-N9	5.02	131.41	127.40
1	AA	1356	G	N3-C4-N9	5.02	129.01	126.00
15	AO	94	TYR	CG-CD1-CE1	5.02	125.31	121.30
26	BB	1072	C	N3-C4-N4	5.02	121.51	118.00
26	BB	1225	G	C2'-C3'-O3'	5.02	121.72	113.70
26	BB	1626	A	N7-C8-N9	-5.02	111.29	113.80
26	BB	1784	A	N3-C4-N9	-5.02	123.39	127.40
26	BB	2044	C	C4-C5-C6	-5.02	114.89	117.40
26	BB	2712	C	P-O3'-C3'	5.02	125.72	119.70
1	AA	27	G	C5-N7-C8	-5.01	101.79	104.30
1	AA	239	U	C2'-C3'-O3'	5.01	121.72	113.70
1	AA	365	U	C5-C4-O4	-5.01	122.89	125.90
1	AA	685	G	C3'-C2'-C1'	-5.01	97.49	101.50
1	AA	700	G	C5-C6-O6	5.01	131.61	128.60
1	AA	791	G	C5'-C4'-O4'	5.01	115.12	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1017	U	C1'-O4'-C4'	-5.01	105.89	109.90
1	AA	1068	G	C1'-O4'-C4'	-5.01	105.89	109.90
1	AA	1156	G	P-O5'-C5'	5.01	128.92	120.90
1	AA	1369	C	C4'-C3'-C2'	-5.01	97.59	102.60
1	AA	1437	A	C3'-C2'-C1'	-5.01	97.49	101.50
1	AA	1517	G	C1'-O4'-C4'	5.01	113.91	109.90
2	AB	57	G	C8-N9-C4	-5.01	104.39	106.40
26	BB	177	G	N1-C2-N2	-5.01	111.69	116.20
26	BB	328	U	O3'-P-O5'	-5.01	94.47	104.00
26	BB	438	G	N1-C2-N3	-5.01	120.89	123.90
26	BB	612	G	O3'-P-O5'	-5.01	94.47	104.00
26	BB	672	C	N3-C4-N4	5.01	121.51	118.00
26	BB	751	A	C4-C5-N7	-5.01	108.19	110.70
26	BB	805	G	C8-N9-C4	-5.01	104.39	106.40
26	BB	1382	G	P-O3'-C3'	5.01	125.72	119.70
26	BB	1966	A	C3'-C2'-C1'	5.01	105.51	101.50
26	BB	2163	A	C3'-C2'-C1'	5.01	105.51	101.50
26	BB	2257	U	N1-C2-O2	-5.01	119.29	122.80
26	BB	2583	G	C5-C6-N1	5.01	114.01	111.50
29	BE	118	PHE	CB-CG-CD2	5.01	124.31	120.80
37	BM	105	ARG	NE-CZ-NH1	5.01	122.81	120.30
1	AA	112	G	C4'-C3'-C2'	-5.01	97.59	102.60
1	AA	812	G	C5-C6-N1	5.01	114.01	111.50
1	AA	1038	C	C5'-C4'-O4'	5.01	115.11	109.10
1	AA	1266	G	C4-C5-C6	-5.01	115.79	118.80
26	BB	23	G	C6-N1-C2	-5.01	122.09	125.10
26	BB	198	C	N3-C4-C5	-5.01	119.89	121.90
26	BB	261	G	O4'-C1'-N9	5.01	112.21	108.20
26	BB	493	G	C5-C6-O6	5.01	131.61	128.60
26	BB	1014	A	C8-N9-C4	-5.01	103.80	105.80
26	BB	1202	G	C3'-C2'-C1'	5.01	105.51	101.50
26	BB	1642	G	N7-C8-N9	-5.01	110.59	113.10
26	BB	2025	C	C5'-C4'-C3'	-5.01	107.98	116.00
26	BB	2710	C	C3'-C2'-C1'	5.01	105.51	101.50
45	BU	110	ARG	NE-CZ-NH1	-5.01	117.79	120.30
1	AA	122	G	C5-C6-O6	5.01	131.61	128.60
1	AA	188	C	O5'-C5'-C4'	5.01	121.22	111.70
1	AA	396	C	C2-N3-C4	5.01	122.41	119.90
1	AA	474	G	C5-C6-O6	-5.01	125.59	128.60
26	BB	166	U	O4'-C1'-N1	-5.01	104.19	108.20
26	BB	583	G	C4'-C3'-C2'	-5.01	97.59	102.60
26	BB	856	G	C8-N9-C4	-5.01	104.40	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1159	U	N3-C4-C5	5.01	117.61	114.60
26	BB	1775	U	N3-C2-O2	-5.01	118.69	122.20
26	BB	2151	U	N1-C2-N3	5.01	117.91	114.90
26	BB	2158	A	N3-C4-C5	5.01	130.31	126.80
26	BB	2411	A	C4-C5-N7	-5.01	108.19	110.70
26	BB	2455	G	O5'-C5'-C4'	5.01	121.22	111.70
26	BB	2483	C	C5-C6-N1	5.01	123.51	121.00
31	BG	98	PHE	CB-CG-CD2	-5.01	117.29	120.80
38	BN	66	PHE	CB-CG-CD2	5.01	124.31	120.80
1	AA	4	U	N3-C4-C5	5.01	117.61	114.60
1	AA	184	G	C1'-O4'-C4'	5.01	113.91	109.90
1	AA	422	C	O4'-C1'-C2'	-5.01	100.79	105.80
1	AA	488	C	C2-N3-C4	5.01	122.41	119.90
1	AA	766	A	O5'-P-OP1	-5.01	101.19	105.70
1	AA	1105	A	C5'-C4'-O4'	5.01	115.11	109.10
1	AA	1446	A	C4'-C3'-C2'	-5.01	97.59	102.60
1	AA	1468	A	C2-N3-C4	-5.01	108.09	110.60
2	AB	26	A	O4'-C1'-N9	-5.01	104.19	108.20
25	BA	91	C	O5'-P-OP2	-5.01	101.19	105.70
26	BB	181	A	C3'-C2'-C1'	5.01	105.51	101.50
26	BB	333	G	N1-C2-N3	-5.01	120.89	123.90
26	BB	820	A	O3'-P-O5'	-5.01	94.48	104.00
26	BB	1125	G	N7-C8-N9	-5.01	110.59	113.10
26	BB	1154	G	C6-N1-C2	-5.01	122.09	125.10
26	BB	1275	A	P-O3'-C3'	5.01	125.71	119.70
26	BB	1353	A	C5'-C4'-C3'	-5.01	107.98	116.00
26	BB	1371	G	N3-C4-N9	5.01	129.00	126.00
26	BB	1560	G	C5'-C4'-C3'	-5.01	107.99	116.00
26	BB	2027	G	N3-C4-N9	-5.01	122.99	126.00
26	BB	2162	G	N9-C1'-C2'	-5.01	106.49	112.00
26	BB	2497	A	O4'-C4'-C3'	5.01	110.11	106.10
1	AA	34	C	N1-C2-O2	5.01	121.91	118.90
1	AA	232	G	C8-N9-C4	-5.01	104.40	106.40
1	AA	1204	A	C2-N3-C4	5.01	113.10	110.60
1	AA	1389	C	N3-C4-C5	-5.01	119.90	121.90
26	BB	714	U	N3-C4-C5	-5.01	111.59	114.60
26	BB	763	G	N3-C4-C5	5.01	131.10	128.60
26	BB	843	G	O4'-C1'-N9	5.01	112.21	108.20
26	BB	890	C	C4-C5-C6	-5.01	114.90	117.40
26	BB	1072	C	N1-C2-N3	-5.01	115.69	119.20
26	BB	1219	U	C2-N3-C4	-5.01	124.00	127.00
26	BB	2776	A	C3'-C2'-C1'	-5.01	97.49	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2881	U	C5-C6-N1	-5.01	120.20	122.70
1	AA	868	C	C2-N3-C4	5.01	122.40	119.90
1	AA	888	G	P-O3'-C3'	5.01	125.71	119.70
1	AA	1171	A	C5-C6-N1	-5.01	115.20	117.70
3	AC	20	G	N9-C4-C5	-5.01	103.40	105.40
4	AD	57	C	C1'-O4'-C4'	-5.01	105.89	109.90
10	AJ	69	ARG	CD-NE-CZ	5.01	130.61	123.60
25	BA	84	G	C6-N1-C2	-5.01	122.10	125.10
26	BB	211	C	C4'-C3'-C2'	-5.01	97.59	102.60
26	BB	315	G	C5-C6-O6	-5.01	125.60	128.60
26	BB	330	A	C4-C5-N7	-5.01	108.20	110.70
26	BB	884	U	N3-C4-O4	5.01	122.91	119.40
26	BB	1153	C	N3-C4-C5	-5.01	119.90	121.90
26	BB	1542	U	C6-N1-C2	5.01	124.00	121.00
26	BB	1557	C	C4'-C3'-C2'	-5.01	97.59	102.60
26	BB	1919	A	O4'-C4'-C3'	5.01	110.11	106.10
26	BB	2266	A	C8-N9-C4	-5.01	103.80	105.80
26	BB	2286	G	C6-C5-N7	-5.01	127.40	130.40
1	AA	622	A	C2'-C3'-O3'	5.00	121.71	113.70
1	AA	811	C	N3-C4-N4	5.00	121.50	118.00
1	AA	1319	A	C4-C5-C6	-5.00	114.50	117.00
1	AA	1337	G	C5'-C4'-C3'	-5.00	107.99	116.00
4	AD	54	G	N3-C2-N2	-5.00	116.40	119.90
26	BB	1248	G	N1-C2-N2	5.00	120.70	116.20
26	BB	1965	C	C1'-O4'-C4'	-5.00	105.90	109.90
26	BB	2245	U	N3-C2-O2	-5.00	118.70	122.20
26	BB	2265	U	C1'-O4'-C4'	-5.00	105.90	109.90
26	BB	2327	A	C1'-O4'-C4'	-5.00	105.90	109.90
26	BB	2407	A	C4'-C3'-C2'	5.00	107.61	102.60
26	BB	2582	G	C3'-C2'-C1'	-5.00	97.50	101.50
26	BB	2734	A	C5-C6-N1	5.00	120.20	117.70
1	AA	44	A	N9-C1'-C2'	-5.00	106.50	112.00
5	AE	87	ASP	CB-CG-OD2	-5.00	113.80	118.30
25	BA	51	G	O5'-C5'-C4'	5.00	121.21	111.70
26	BB	73	A	C6-N1-C2	-5.00	115.60	118.60
26	BB	212	G	C5-C6-N1	-5.00	109.00	111.50
26	BB	298	G	N1-C2-N3	-5.00	120.90	123.90
26	BB	415	A	C1'-O4'-C4'	5.00	113.90	109.90
26	BB	415	A	C5'-C4'-O4'	5.00	115.10	109.10
26	BB	761	A	C4-C5-C6	5.00	119.50	117.00
26	BB	990	A	N1-C2-N3	-5.00	126.80	129.30
26	BB	1147	A	C5-N7-C8	-5.00	101.40	103.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1276	A	N7-C8-N9	-5.00	111.30	113.80
26	BB	1498	C	C5'-C4'-O4'	5.00	115.10	109.10
26	BB	1803	A	C5-N7-C8	5.00	106.40	103.90
26	BB	2329	U	N3-C4-C5	5.00	117.60	114.60
26	BB	2587	A	C4-C5-C6	5.00	119.50	117.00
26	BB	2776	A	N1-C2-N3	-5.00	126.80	129.30
26	BB	2805	C	C5'-C4'-O4'	5.00	115.11	109.10
27	BC	75	VAL	O-C-N	5.00	130.71	122.70
1	AA	2	A	N1-C2-N3	-5.00	126.80	129.30
1	AA	1440	U	N3-C2-O2	5.00	125.70	122.20
1	AA	1455	G	C5-C6-N1	5.00	114.00	111.50
1	AA	1534	A	O3'-P-O5'	5.00	113.50	104.00
26	BB	90	U	C5-C4-O4	-5.00	122.90	125.90
26	BB	259	G	C4-C5-C6	5.00	121.80	118.80
26	BB	1032	A	C2-N3-C4	5.00	113.10	110.60
26	BB	1185	G	C6-N1-C2	-5.00	122.10	125.10
26	BB	1526	C	C4'-C3'-C2'	-5.00	97.60	102.60
26	BB	2252	G	O3'-P-O5'	-5.00	94.50	104.00
26	BB	2566	A	C8-N9-C4	-5.00	103.80	105.80
26	BB	2623	G	N3-C4-C5	-5.00	126.10	128.60
26	BB	2706	A	C5'-C4'-C3'	5.00	124.00	116.00
50	BZ	21	LEU	CB-CG-CD2	5.00	119.50	111.00

There are no chirality outliers.

All (2945) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	AA	100	G	Sidechain
1	AA	1000	A	Sidechain
1	AA	1001	C	Sidechain
1	AA	1003	G	Sidechain
1	AA	1005	A	Sidechain
1	AA	1007	U	Sidechain
1	AA	1008	U	Sidechain
1	AA	101	A	Sidechain
1	AA	1010	U	Sidechain
1	AA	1012	A	Sidechain
1	AA	1014	A	Sidechain
1	AA	1016	A	Sidechain
1	AA	1017	U	Sidechain
1	AA	102	G	Sidechain
1	AA	1022	A	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	1023	U	Sidechain
1	AA	1024	G	Sidechain
1	AA	1026	G	Sidechain
1	AA	1031	C	Sidechain
1	AA	1033	G	Sidechain
1	AA	1034	G	Sidechain
1	AA	1035	A	Sidechain
1	AA	1036	A	Sidechain
1	AA	1038	C	Sidechain
1	AA	1039	G	Sidechain
1	AA	1040	U	Sidechain
1	AA	1042	A	Sidechain
1	AA	1043	G	Sidechain
1	AA	1044	A	Sidechain
1	AA	1045	C	Sidechain
1	AA	1046	A	Sidechain
1	AA	1047	G	Sidechain
1	AA	1048	G	Sidechain
1	AA	1049	U	Sidechain
1	AA	105	G	Sidechain
1	AA	1050	G	Sidechain
1	AA	1052	U	Sidechain
1	AA	1056	U	Sidechain
1	AA	1058	G	Sidechain
1	AA	1059	C	Sidechain
1	AA	106	C	Sidechain
1	AA	1060	U	Sidechain
1	AA	1065	U	Sidechain
1	AA	1067	A	Sidechain
1	AA	107	G	Sidechain
1	AA	1070	U	Sidechain
1	AA	1072	G	Sidechain
1	AA	1073	U	Sidechain
1	AA	1074	G	Sidechain
1	AA	1075	U	Sidechain
1	AA	1076	U	Sidechain
1	AA	1077	G	Sidechain
1	AA	108	G	Sidechain
1	AA	1082	A	Sidechain
1	AA	1085	U	Sidechain
1	AA	1087	G	Sidechain
1	AA	1088	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	1089	G	Sidechain
1	AA	1090	U	Sidechain
1	AA	1091	U	Sidechain
1	AA	1093	A	Sidechain
1	AA	1094	G	Sidechain
1	AA	1095	U	Sidechain
1	AA	1096	C	Sidechain
1	AA	1098	C	Sidechain
1	AA	1099	G	Sidechain
1	AA	11	G	Sidechain
1	AA	110	C	Sidechain
1	AA	1101	A	Sidechain
1	AA	1102	A	Sidechain
1	AA	1103	C	Sidechain
1	AA	1104	G	Sidechain
1	AA	1105	A	Sidechain
1	AA	1106	G	Sidechain
1	AA	1110	A	Sidechain
1	AA	1113	C	Sidechain
1	AA	1115	U	Sidechain
1	AA	1116	U	Sidechain
1	AA	1118	U	Sidechain
1	AA	112	G	Sidechain
1	AA	1121	U	Sidechain
1	AA	1122	U	Sidechain
1	AA	1124	G	Sidechain
1	AA	1126	U	Sidechain
1	AA	1127	G	Sidechain
1	AA	1128	C	Sidechain
1	AA	1129	C	Sidechain
1	AA	1132	C	Sidechain
1	AA	1136	C	Sidechain
1	AA	1139	G	Sidechain
1	AA	1141	C	Sidechain
1	AA	1142	G	Sidechain
1	AA	1145	A	Sidechain
1	AA	1146	A	Sidechain
1	AA	1148	U	Sidechain
1	AA	1150	A	Sidechain
1	AA	1151	A	Sidechain
1	AA	1153	G	Sidechain
1	AA	1154	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	1155	A	Sidechain
1	AA	1156	G	Sidechain
1	AA	116	A	Sidechain
1	AA	1160	G	Sidechain
1	AA	1161	C	Sidechain
1	AA	1163	A	Sidechain
1	AA	1166	G	Sidechain
1	AA	1167	A	Sidechain
1	AA	117	G	Sidechain
1	AA	1170	A	Sidechain
1	AA	1171	A	Sidechain
1	AA	1174	G	Sidechain
1	AA	1175	G	Sidechain
1	AA	1177	G	Sidechain
1	AA	1178	G	Sidechain
1	AA	1180	A	Sidechain
1	AA	1181	G	Sidechain
1	AA	1182	G	Sidechain
1	AA	1184	G	Sidechain
1	AA	1185	G	Sidechain
1	AA	1190	G	Sidechain
1	AA	1191	A	Sidechain
1	AA	1193	G	Sidechain
1	AA	1194	U	Sidechain
1	AA	1196	A	Sidechain
1	AA	1198	G	Sidechain
1	AA	12	U	Sidechain
1	AA	1200	C	Sidechain
1	AA	1201	A	Sidechain
1	AA	1203	C	Sidechain
1	AA	1204	A	Sidechain
1	AA	1205	U	Sidechain
1	AA	1206	G	Sidechain
1	AA	1208	C	Sidechain
1	AA	121	U	Sidechain
1	AA	1211	U	Sidechain
1	AA	1214	C	Sidechain
1	AA	1215	G	Sidechain
1	AA	1216	A	Sidechain
1	AA	1217	C	Sidechain
1	AA	1218	C	Sidechain
1	AA	1219	A	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	122	G	Sidechain
1	AA	1220	G	Sidechain
1	AA	1222	G	Sidechain
1	AA	1224	U	Sidechain
1	AA	1226	C	Sidechain
1	AA	1229	A	Sidechain
1	AA	1230	C	Sidechain
1	AA	1233	G	Sidechain
1	AA	1234	C	Sidechain
1	AA	1235	U	Sidechain
1	AA	1236	A	Sidechain
1	AA	1239	A	Sidechain
1	AA	1240	U	Sidechain
1	AA	1241	G	Sidechain
1	AA	1242	G	Sidechain
1	AA	1243	C	Sidechain
1	AA	1244	G	Sidechain
1	AA	1245	C	Sidechain
1	AA	1247	U	Sidechain
1	AA	1249	C	Sidechain
1	AA	125	U	Sidechain
1	AA	1250	A	Sidechain
1	AA	1253	G	Sidechain
1	AA	1254	A	Sidechain
1	AA	1256	A	Sidechain
1	AA	1258	G	Sidechain
1	AA	1259	C	Sidechain
1	AA	126	G	Sidechain
1	AA	1260	G	Sidechain
1	AA	1262	C	Sidechain
1	AA	1263	C	Sidechain
1	AA	1264	U	Sidechain
1	AA	1265	C	Sidechain
1	AA	1266	G	Sidechain
1	AA	1268	G	Sidechain
1	AA	127	G	Sidechain
1	AA	1272	G	Sidechain
1	AA	1274	A	Sidechain
1	AA	1278	G	Sidechain
1	AA	1279	G	Sidechain
1	AA	128	G	Sidechain
1	AA	1280	A	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	1282	C	Sidechain
1	AA	1283	U	Sidechain
1	AA	1284	C	Sidechain
1	AA	1285	A	Sidechain
1	AA	1289	A	Sidechain
1	AA	129	A	Sidechain
1	AA	1290	G	Sidechain
1	AA	1291	U	Sidechain
1	AA	1292	G	Sidechain
1	AA	1294	G	Sidechain
1	AA	1295	U	Sidechain
1	AA	1298	U	Sidechain
1	AA	130	A	Sidechain
1	AA	1300	G	Sidechain
1	AA	1303	C	Sidechain
1	AA	1304	G	Sidechain
1	AA	1305	G	Sidechain
1	AA	1309	G	Sidechain
1	AA	131	A	Sidechain
1	AA	1310	G	Sidechain
1	AA	1312	G	Sidechain
1	AA	1313	U	Sidechain
1	AA	1315	U	Sidechain
1	AA	1316	G	Sidechain
1	AA	1317	C	Sidechain
1	AA	1318	A	Sidechain
1	AA	132	C	Sidechain
1	AA	1320	C	Sidechain
1	AA	1321	U	Sidechain
1	AA	1322	C	Sidechain
1	AA	1326	U	Sidechain
1	AA	1327	C	Sidechain
1	AA	1329	A	Sidechain
1	AA	133	U	Sidechain
1	AA	1331	G	Sidechain
1	AA	1332	A	Sidechain
1	AA	1333	A	Sidechain
1	AA	1336	C	Sidechain
1	AA	1337	G	Sidechain
1	AA	1338	G	Sidechain
1	AA	1339	A	Sidechain
1	AA	1341	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	1342	C	Sidechain
1	AA	1343	G	Sidechain
1	AA	1345	U	Sidechain
1	AA	1346	A	Sidechain
1	AA	1347	G	Sidechain
1	AA	1348	U	Sidechain
1	AA	135	C	Sidechain
1	AA	1352	C	Sidechain
1	AA	1355	G	Sidechain
1	AA	1356	G	Sidechain
1	AA	1357	A	Sidechain
1	AA	1358	U	Sidechain
1	AA	1359	C	Sidechain
1	AA	1360	A	Sidechain
1	AA	1361	G	Sidechain
1	AA	1362	A	Sidechain
1	AA	1363	A	Sidechain
1	AA	1364	U	Sidechain
1	AA	1370	G	Sidechain
1	AA	1371	G	Sidechain
1	AA	1373	G	Sidechain
1	AA	1375	A	Sidechain
1	AA	1378	C	Sidechain
1	AA	1379	G	Sidechain
1	AA	138	G	Sidechain
1	AA	1380	U	Sidechain
1	AA	1382	C	Sidechain
1	AA	1383	C	Sidechain
1	AA	1388	C	Sidechain
1	AA	1392	G	Sidechain
1	AA	1393	U	Sidechain
1	AA	1396	A	Sidechain
1	AA	1397	C	Sidechain
1	AA	140	U	Sidechain
1	AA	1400	C	Sidechain
1	AA	1403	C	Sidechain
1	AA	1404	C	Sidechain
1	AA	1405	G	Sidechain
1	AA	141	G	Sidechain
1	AA	1411	C	Sidechain
1	AA	1415	G	Sidechain
1	AA	1416	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	1417	G	Sidechain
1	AA	1418	A	Sidechain
1	AA	1419	G	Sidechain
1	AA	142	G	Sidechain
1	AA	1420	U	Sidechain
1	AA	1421	G	Sidechain
1	AA	1422	G	Sidechain
1	AA	1423	G	Sidechain
1	AA	1425	U	Sidechain
1	AA	1426	G	Sidechain
1	AA	1427	C	Sidechain
1	AA	1428	A	Sidechain
1	AA	143	A	Sidechain
1	AA	1431	A	Sidechain
1	AA	1432	G	Sidechain
1	AA	1435	G	Sidechain
1	AA	1436	U	Sidechain
1	AA	1438	G	Sidechain
1	AA	144	G	Sidechain
1	AA	1440	U	Sidechain
1	AA	1441	A	Sidechain
1	AA	1445	U	Sidechain
1	AA	1446	A	Sidechain
1	AA	1447	A	Sidechain
1	AA	1450	U	Sidechain
1	AA	1453	G	Sidechain
1	AA	1456	A	Sidechain
1	AA	1457	G	Sidechain
1	AA	1458	G	Sidechain
1	AA	1459	G	Sidechain
1	AA	146	G	Sidechain
1	AA	1461	G	Sidechain
1	AA	1463	U	Sidechain
1	AA	1464	U	Sidechain
1	AA	1465	A	Sidechain
1	AA	1467	C	Sidechain
1	AA	1469	C	Sidechain
1	AA	147	G	Sidechain
1	AA	1470	U	Sidechain
1	AA	1471	U	Sidechain
1	AA	1473	G	Sidechain
1	AA	1474	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	1475	G	Sidechain
1	AA	1479	C	Sidechain
1	AA	148	G	Sidechain
1	AA	1480	A	Sidechain
1	AA	1481	U	Sidechain
1	AA	1482	G	Sidechain
1	AA	1484	C	Sidechain
1	AA	1486	G	Sidechain
1	AA	1487	G	Sidechain
1	AA	1489	G	Sidechain
1	AA	149	A	Sidechain
1	AA	1491	G	Sidechain
1	AA	1497	G	Sidechain
1	AA	15	G	Sidechain
1	AA	150	U	Sidechain
1	AA	1502	A	Sidechain
1	AA	1503	A	Sidechain
1	AA	1504	G	Sidechain
1	AA	1505	G	Sidechain
1	AA	1508	A	Sidechain
1	AA	1509	C	Sidechain
1	AA	1511	G	Sidechain
1	AA	1512	U	Sidechain
1	AA	1513	A	Sidechain
1	AA	1514	G	Sidechain
1	AA	1515	G	Sidechain
1	AA	1517	G	Sidechain
1	AA	152	A	Sidechain
1	AA	1521	C	Sidechain
1	AA	1524	C	Sidechain
1	AA	1525	G	Sidechain
1	AA	1526	G	Sidechain
1	AA	1528	U	Sidechain
1	AA	153	C	Sidechain
1	AA	1530	G	Sidechain
1	AA	1531	A	Sidechain
1	AA	1532	U	Sidechain
1	AA	1533	C	Sidechain
1	AA	1534	A	Sidechain
1	AA	1535	C	Sidechain
1	AA	1537	U	Sidechain
1	AA	1538	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	1539	C	Sidechain
1	AA	154	U	Sidechain
1	AA	1541	U	Sidechain
1	AA	1542	A	Sidechain
1	AA	157	U	Sidechain
1	AA	161	A	Sidechain
1	AA	162	A	Sidechain
1	AA	164	G	Sidechain
1	AA	165	G	Sidechain
1	AA	167	A	Sidechain
1	AA	168	G	Sidechain
1	AA	169	C	Sidechain
1	AA	17	U	Sidechain
1	AA	170	U	Sidechain
1	AA	174	A	Sidechain
1	AA	176	C	Sidechain
1	AA	177	G	Sidechain
1	AA	179	A	Sidechain
1	AA	180	U	Sidechain
1	AA	183	C	Sidechain
1	AA	184	G	Sidechain
1	AA	185	U	Sidechain
1	AA	187	G	Sidechain
1	AA	190	A	Sidechain
1	AA	196	A	Sidechain
1	AA	197	A	Sidechain
1	AA	199	A	Sidechain
1	AA	2	A	Sidechain
1	AA	203	G	Sidechain
1	AA	204	G	Sidechain
1	AA	205	A	Sidechain
1	AA	206	C	Sidechain
1	AA	207	C	Sidechain
1	AA	208	U	Sidechain
1	AA	209	U	Sidechain
1	AA	21	G	Sidechain
1	AA	210	C	Sidechain
1	AA	211	G	Sidechain
1	AA	212	G	Sidechain
1	AA	213	G	Sidechain
1	AA	214	C	Sidechain
1	AA	217	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	218	U	Sidechain
1	AA	219	U	Sidechain
1	AA	220	G	Sidechain
1	AA	223	A	Sidechain
1	AA	224	U	Sidechain
1	AA	225	C	Sidechain
1	AA	227	G	Sidechain
1	AA	23	C	Sidechain
1	AA	230	G	Sidechain
1	AA	232	G	Sidechain
1	AA	233	C	Sidechain
1	AA	235	C	Sidechain
1	AA	237	G	Sidechain
1	AA	238	A	Sidechain
1	AA	240	G	Sidechain
1	AA	246	A	Sidechain
1	AA	248	C	Sidechain
1	AA	249	U	Sidechain
1	AA	250	A	Sidechain
1	AA	252	U	Sidechain
1	AA	253	A	Sidechain
1	AA	254	G	Sidechain
1	AA	255	G	Sidechain
1	AA	256	U	Sidechain
1	AA	257	G	Sidechain
1	AA	258	G	Sidechain
1	AA	259	G	Sidechain
1	AA	26	A	Sidechain
1	AA	260	G	Sidechain
1	AA	261	U	Sidechain
1	AA	262	A	Sidechain
1	AA	263	A	Sidechain
1	AA	264	C	Sidechain
1	AA	268	U	Sidechain
1	AA	271	C	Sidechain
1	AA	279	A	Sidechain
1	AA	280	C	Sidechain
1	AA	281	G	Sidechain
1	AA	282	A	Sidechain
1	AA	283	U	Sidechain
1	AA	285	C	Sidechain
1	AA	286	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	287	U	Sidechain
1	AA	288	A	Sidechain
1	AA	289	G	Sidechain
1	AA	29	U	Sidechain
1	AA	292	G	Sidechain
1	AA	293	G	Sidechain
1	AA	294	U	Sidechain
1	AA	296	U	Sidechain
1	AA	297	G	Sidechain
1	AA	298	A	Sidechain
1	AA	30	U	Sidechain
1	AA	300	A	Sidechain
1	AA	301	G	Sidechain
1	AA	305	G	Sidechain
1	AA	308	C	Sidechain
1	AA	312	C	Sidechain
1	AA	313	A	Sidechain
1	AA	314	C	Sidechain
1	AA	315	A	Sidechain
1	AA	32	A	Sidechain
1	AA	321	A	Sidechain
1	AA	323	U	Sidechain
1	AA	324	G	Sidechain
1	AA	325	A	Sidechain
1	AA	326	G	Sidechain
1	AA	328	C	Sidechain
1	AA	329	A	Sidechain
1	AA	332	G	Sidechain
1	AA	337	G	Sidechain
1	AA	338	A	Sidechain
1	AA	347	G	Sidechain
1	AA	348	G	Sidechain
1	AA	350	G	Sidechain
1	AA	351	G	Sidechain
1	AA	353	A	Sidechain
1	AA	354	G	Sidechain
1	AA	355	C	Sidechain
1	AA	357	G	Sidechain
1	AA	359	G	Sidechain
1	AA	362	G	Sidechain
1	AA	363	A	Sidechain
1	AA	365	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	366	A	Sidechain
1	AA	367	U	Sidechain
1	AA	368	U	Sidechain
1	AA	369	G	Sidechain
1	AA	371	A	Sidechain
1	AA	375	U	Sidechain
1	AA	376	G	Sidechain
1	AA	377	G	Sidechain
1	AA	378	G	Sidechain
1	AA	380	G	Sidechain
1	AA	383	A	Sidechain
1	AA	384	G	Sidechain
1	AA	387	U	Sidechain
1	AA	388	G	Sidechain
1	AA	389	A	Sidechain
1	AA	392	C	Sidechain
1	AA	393	A	Sidechain
1	AA	394	G	Sidechain
1	AA	395	C	Sidechain
1	AA	396	C	Sidechain
1	AA	399	G	Sidechain
1	AA	4	U	Sidechain
1	AA	400	C	Sidechain
1	AA	402	G	Sidechain
1	AA	403	C	Sidechain
1	AA	404	G	Sidechain
1	AA	405	U	Sidechain
1	AA	406	G	Sidechain
1	AA	407	U	Sidechain
1	AA	408	A	Sidechain
1	AA	409	U	Sidechain
1	AA	41	G	Sidechain
1	AA	410	G	Sidechain
1	AA	412	A	Sidechain
1	AA	413	G	Sidechain
1	AA	415	A	Sidechain
1	AA	416	G	Sidechain
1	AA	417	G	Sidechain
1	AA	419	C	Sidechain
1	AA	42	G	Sidechain
1	AA	425	G	Sidechain
1	AA	426	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	428	G	Sidechain
1	AA	429	U	Sidechain
1	AA	431	A	Sidechain
1	AA	434	U	Sidechain
1	AA	436	C	Sidechain
1	AA	438	U	Sidechain
1	AA	44	A	Sidechain
1	AA	441	A	Sidechain
1	AA	444	G	Sidechain
1	AA	445	G	Sidechain
1	AA	446	G	Sidechain
1	AA	447	G	Sidechain
1	AA	448	A	Sidechain
1	AA	45	G	Sidechain
1	AA	450	G	Sidechain
1	AA	454	G	Sidechain
1	AA	455	G	Sidechain
1	AA	457	G	Sidechain
1	AA	459	A	Sidechain
1	AA	46	G	Sidechain
1	AA	460	A	Sidechain
1	AA	462	G	Sidechain
1	AA	463	U	Sidechain
1	AA	464	U	Sidechain
1	AA	469	C	Sidechain
1	AA	47	C	Sidechain
1	AA	470	C	Sidechain
1	AA	474	G	Sidechain
1	AA	475	C	Sidechain
1	AA	476	U	Sidechain
1	AA	477	C	Sidechain
1	AA	48	C	Sidechain
1	AA	480	U	Sidechain
1	AA	481	G	Sidechain
1	AA	484	G	Sidechain
1	AA	485	U	Sidechain
1	AA	487	A	Sidechain
1	AA	489	C	Sidechain
1	AA	49	U	Sidechain
1	AA	490	C	Sidechain
1	AA	493	A	Sidechain
1	AA	494	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	495	A	Sidechain
1	AA	497	G	Sidechain
1	AA	498	A	Sidechain
1	AA	499	A	Sidechain
1	AA	50	A	Sidechain
1	AA	500	G	Sidechain
1	AA	502	A	Sidechain
1	AA	503	C	Sidechain
1	AA	504	C	Sidechain
1	AA	505	G	Sidechain
1	AA	506	G	Sidechain
1	AA	507	C	Sidechain
1	AA	508	U	Sidechain
1	AA	510	A	Sidechain
1	AA	511	C	Sidechain
1	AA	512	U	Sidechain
1	AA	515	G	Sidechain
1	AA	517	G	Sidechain
1	AA	518	C	Sidechain
1	AA	52	C	Sidechain
1	AA	523	A	Sidechain
1	AA	524	G	Sidechain
1	AA	525	C	Sidechain
1	AA	529	G	Sidechain
1	AA	53	A	Sidechain
1	AA	530	G	Sidechain
1	AA	531	U	Sidechain
1	AA	533	A	Sidechain
1	AA	535	A	Sidechain
1	AA	536	C	Sidechain
1	AA	538	G	Sidechain
1	AA	541	G	Sidechain
1	AA	543	U	Sidechain
1	AA	544	G	Sidechain
1	AA	546	A	Sidechain
1	AA	547	A	Sidechain
1	AA	552	U	Sidechain
1	AA	554	A	Sidechain
1	AA	555	U	Sidechain
1	AA	556	C	Sidechain
1	AA	557	G	Sidechain
1	AA	558	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	56	U	Sidechain
1	AA	561	U	Sidechain
1	AA	564	C	Sidechain
1	AA	565	U	Sidechain
1	AA	566	G	Sidechain
1	AA	567	G	Sidechain
1	AA	568	G	Sidechain
1	AA	569	C	Sidechain
1	AA	57	G	Sidechain
1	AA	570	G	Sidechain
1	AA	571	U	Sidechain
1	AA	573	A	Sidechain
1	AA	574	A	Sidechain
1	AA	575	G	Sidechain
1	AA	577	G	Sidechain
1	AA	579	A	Sidechain
1	AA	580	C	Sidechain
1	AA	581	G	Sidechain
1	AA	584	G	Sidechain
1	AA	587	G	Sidechain
1	AA	588	G	Sidechain
1	AA	59	A	Sidechain
1	AA	590	U	Sidechain
1	AA	593	U	Sidechain
1	AA	594	U	Sidechain
1	AA	595	A	Sidechain
1	AA	597	G	Sidechain
1	AA	599	C	Sidechain
1	AA	60	A	Sidechain
1	AA	603	U	Sidechain
1	AA	604	G	Sidechain
1	AA	607	A	Sidechain
1	AA	609	A	Sidechain
1	AA	61	G	Sidechain
1	AA	610	U	Sidechain
1	AA	611	C	Sidechain
1	AA	613	C	Sidechain
1	AA	615	G	Sidechain
1	AA	616	G	Sidechain
1	AA	618	C	Sidechain
1	AA	619	U	Sidechain
1	AA	620	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	621	A	Sidechain
1	AA	622	A	Sidechain
1	AA	627	G	Sidechain
1	AA	628	G	Sidechain
1	AA	63	C	Sidechain
1	AA	630	A	Sidechain
1	AA	633	G	Sidechain
1	AA	635	A	Sidechain
1	AA	636	U	Sidechain
1	AA	637	C	Sidechain
1	AA	638	U	Sidechain
1	AA	642	A	Sidechain
1	AA	646	G	Sidechain
1	AA	647	C	Sidechain
1	AA	648	A	Sidechain
1	AA	65	A	Sidechain
1	AA	650	G	Sidechain
1	AA	651	C	Sidechain
1	AA	653	U	Sidechain
1	AA	655	A	Sidechain
1	AA	656	G	Sidechain
1	AA	657	U	Sidechain
1	AA	66	A	Sidechain
1	AA	660	C	Sidechain
1	AA	661	G	Sidechain
1	AA	663	A	Sidechain
1	AA	664	G	Sidechain
1	AA	666	G	Sidechain
1	AA	667	G	Sidechain
1	AA	668	G	Sidechain
1	AA	669	G	Sidechain
1	AA	67	C	Sidechain
1	AA	673	A	Sidechain
1	AA	678	U	Sidechain
1	AA	682	G	Sidechain
1	AA	684	U	Sidechain
1	AA	685	G	Sidechain
1	AA	688	G	Sidechain
1	AA	689	C	Sidechain
1	AA	691	G	Sidechain
1	AA	697	U	Sidechain
1	AA	699	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	700	G	Sidechain
1	AA	703	G	Sidechain
1	AA	705	G	Sidechain
1	AA	707	U	Sidechain
1	AA	708	C	Sidechain
1	AA	709	U	Sidechain
1	AA	710	G	Sidechain
1	AA	712	A	Sidechain
1	AA	714	G	Sidechain
1	AA	717	U	Sidechain
1	AA	718	A	Sidechain
1	AA	719	C	Sidechain
1	AA	72	A	Sidechain
1	AA	721	G	Sidechain
1	AA	722	G	Sidechain
1	AA	723	U	Sidechain
1	AA	726	C	Sidechain
1	AA	728	A	Sidechain
1	AA	729	A	Sidechain
1	AA	730	G	Sidechain
1	AA	731	G	Sidechain
1	AA	732	C	Sidechain
1	AA	733	G	Sidechain
1	AA	734	G	Sidechain
1	AA	735	C	Sidechain
1	AA	738	C	Sidechain
1	AA	740	U	Sidechain
1	AA	742	G	Sidechain
1	AA	743	A	Sidechain
1	AA	746	A	Sidechain
1	AA	748	G	Sidechain
1	AA	749	A	Sidechain
1	AA	75	G	Sidechain
1	AA	752	G	Sidechain
1	AA	753	A	Sidechain
1	AA	757	U	Sidechain
1	AA	758	C	Sidechain
1	AA	759	A	Sidechain
1	AA	76	G	Sidechain
1	AA	760	G	Sidechain
1	AA	761	G	Sidechain
1	AA	762	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	763	G	Sidechain
1	AA	764	C	Sidechain
1	AA	767	A	Sidechain
1	AA	768	A	Sidechain
1	AA	769	G	Sidechain
1	AA	771	G	Sidechain
1	AA	772	U	Sidechain
1	AA	773	G	Sidechain
1	AA	774	G	Sidechain
1	AA	775	G	Sidechain
1	AA	776	G	Sidechain
1	AA	777	A	Sidechain
1	AA	778	G	Sidechain
1	AA	78	A	Sidechain
1	AA	780	A	Sidechain
1	AA	781	A	Sidechain
1	AA	782	A	Sidechain
1	AA	783	C	Sidechain
1	AA	785	G	Sidechain
1	AA	786	G	Sidechain
1	AA	788	U	Sidechain
1	AA	79	G	Sidechain
1	AA	790	A	Sidechain
1	AA	791	G	Sidechain
1	AA	793	U	Sidechain
1	AA	796	C	Sidechain
1	AA	797	C	Sidechain
1	AA	8	A	Sidechain
1	AA	800	G	Sidechain
1	AA	803	G	Sidechain
1	AA	804	U	Sidechain
1	AA	805	C	Sidechain
1	AA	806	C	Sidechain
1	AA	807	A	Sidechain
1	AA	808	C	Sidechain
1	AA	809	G	Sidechain
1	AA	81	A	Sidechain
1	AA	810	C	Sidechain
1	AA	811	C	Sidechain
1	AA	812	G	Sidechain
1	AA	814	A	Sidechain
1	AA	815	A	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	817	C	Sidechain
1	AA	818	G	Sidechain
1	AA	82	G	Sidechain
1	AA	822	U	Sidechain
1	AA	823	C	Sidechain
1	AA	824	G	Sidechain
1	AA	825	A	Sidechain
1	AA	827	U	Sidechain
1	AA	829	G	Sidechain
1	AA	83	C	Sidechain
1	AA	830	G	Sidechain
1	AA	831	A	Sidechain
1	AA	832	G	Sidechain
1	AA	833	G	Sidechain
1	AA	834	U	Sidechain
1	AA	835	U	Sidechain
1	AA	836	G	Sidechain
1	AA	840	C	Sidechain
1	AA	842	U	Sidechain
1	AA	843	U	Sidechain
1	AA	844	G	Sidechain
1	AA	846	G	Sidechain
1	AA	847	G	Sidechain
1	AA	849	G	Sidechain
1	AA	85	U	Sidechain
1	AA	850	U	Sidechain
1	AA	852	G	Sidechain
1	AA	854	U	Sidechain
1	AA	856	C	Sidechain
1	AA	857	C	Sidechain
1	AA	858	G	Sidechain
1	AA	859	G	Sidechain
1	AA	860	A	Sidechain
1	AA	862	C	Sidechain
1	AA	864	A	Sidechain
1	AA	865	A	Sidechain
1	AA	866	C	Sidechain
1	AA	868	C	Sidechain
1	AA	869	G	Sidechain
1	AA	87	C	Sidechain
1	AA	870	U	Sidechain
1	AA	872	A	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	873	A	Sidechain
1	AA	874	G	Sidechain
1	AA	875	U	Sidechain
1	AA	876	C	Sidechain
1	AA	877	G	Sidechain
1	AA	878	A	Sidechain
1	AA	879	C	Sidechain
1	AA	881	G	Sidechain
1	AA	882	C	Sidechain
1	AA	884	U	Sidechain
1	AA	887	G	Sidechain
1	AA	889	A	Sidechain
1	AA	89	U	Sidechain
1	AA	890	G	Sidechain
1	AA	891	U	Sidechain
1	AA	892	A	Sidechain
1	AA	894	G	Sidechain
1	AA	896	C	Sidechain
1	AA	897	C	Sidechain
1	AA	898	G	Sidechain
1	AA	899	C	Sidechain
1	AA	9	G	Sidechain
1	AA	90	C	Sidechain
1	AA	900	A	Sidechain
1	AA	901	A	Sidechain
1	AA	902	G	Sidechain
1	AA	903	G	Sidechain
1	AA	905	U	Sidechain
1	AA	906	A	Sidechain
1	AA	91	U	Sidechain
1	AA	911	U	Sidechain
1	AA	912	C	Sidechain
1	AA	913	A	Sidechain
1	AA	914	A	Sidechain
1	AA	917	G	Sidechain
1	AA	918	A	Sidechain
1	AA	921	U	Sidechain
1	AA	922	G	Sidechain
1	AA	926	G	Sidechain
1	AA	927	G	Sidechain
1	AA	929	G	Sidechain
1	AA	93	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	933	G	Sidechain
1	AA	934	C	Sidechain
1	AA	935	A	Sidechain
1	AA	937	A	Sidechain
1	AA	938	A	Sidechain
1	AA	939	G	Sidechain
1	AA	94	G	Sidechain
1	AA	940	C	Sidechain
1	AA	941	G	Sidechain
1	AA	943	U	Sidechain
1	AA	944	G	Sidechain
1	AA	945	G	Sidechain
1	AA	946	A	Sidechain
1	AA	949	A	Sidechain
1	AA	95	C	Sidechain
1	AA	950	U	Sidechain
1	AA	951	G	Sidechain
1	AA	953	G	Sidechain
1	AA	954	G	Sidechain
1	AA	956	U	Sidechain
1	AA	957	U	Sidechain
1	AA	959	A	Sidechain
1	AA	960	U	Sidechain
1	AA	961	U	Sidechain
1	AA	962	C	Sidechain
1	AA	963	G	Sidechain
1	AA	964	A	Sidechain
1	AA	965	U	Sidechain
1	AA	969	A	Sidechain
1	AA	972	C	Sidechain
1	AA	973	G	Sidechain
1	AA	974	A	Sidechain
1	AA	975	A	Sidechain
1	AA	977	A	Sidechain
1	AA	978	A	Sidechain
1	AA	979	C	Sidechain
1	AA	98	A	Sidechain
1	AA	980	C	Sidechain
1	AA	982	U	Sidechain
1	AA	983	A	Sidechain
1	AA	984	C	Sidechain
1	AA	988	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	989	U	Sidechain
1	AA	99	C	Sidechain
1	AA	990	C	Sidechain
1	AA	991	U	Sidechain
1	AA	993	G	Sidechain
1	AA	995	C	Sidechain
1	AA	996	A	Sidechain
1	AA	997	U	Sidechain
1	AA	998	C	Sidechain
1	AA	999	C	Sidechain
2	AB	1	A	Sidechain
2	AB	10	G	Sidechain
2	AB	13	C	Sidechain
2	AB	15	A	Sidechain
2	AB	19	G	Sidechain
2	AB	22	G	Sidechain
2	AB	24	G	Sidechain
2	AB	25	C	Sidechain
2	AB	3	G	Sidechain
2	AB	30	G	Sidechain
2	AB	31	U	Sidechain
2	AB	34	C	Sidechain
2	AB	35	C	Sidechain
2	AB	38	A	Sidechain
2	AB	39	A	Sidechain
2	AB	41	C	Sidechain
2	AB	42	G	Sidechain
2	AB	43	G	Sidechain
2	AB	45	U	Sidechain
2	AB	48	U	Sidechain
2	AB	50	G	Sidechain
2	AB	53	G	Sidechain
2	AB	56	C	Sidechain
2	AB	58	A	Sidechain
2	AB	59	G	Sidechain
2	AB	60	U	Sidechain
2	AB	61	C	Sidechain
2	AB	66	C	Sidechain
2	AB	68	C	Sidechain
2	AB	69	C	Sidechain
2	AB	7	G	Sidechain
2	AB	72	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
2	AB	73	G	Sidechain
2	AB	75	C	Sidechain
2	AB	76	A	Sidechain
2	AB	9	A	Sidechain
3	AC	13	A	Sidechain
3	AC	14	G	Sidechain
3	AC	15	G	Sidechain
3	AC	17	U	Sidechain
3	AC	18	A	Sidechain
3	AC	20	G	Sidechain
3	AC	21	U	Sidechain
3	AC	23	C	Sidechain
3	AC	25	U	Sidechain
3	AC	27	A	Sidechain
3	AC	28	U	Sidechain
3	AC	29	G	Sidechain
3	AC	31	U	Sidechain
3	AC	33	A	Sidechain
3	AC	34	U	Sidechain
3	AC	35	G	Sidechain
3	AC	37	G	Sidechain
3	AC	39	U	Sidechain
3	AC	43	U	Sidechain
3	AC	45	G	Sidechain
3	AC	46	C	Sidechain
3	AC	47	C	Sidechain
3	AC	48	C	Sidechain
3	AC	49	U	Sidechain
3	AC	51	C	Sidechain
3	AC	52	U	Sidechain
3	AC	53	G	Sidechain
3	AC	55	A	Sidechain
3	AC	57	C	Sidechain
3	AC	58	C	Sidechain
3	AC	59	A	Sidechain
4	AD	1	C	Sidechain
4	AD	10	G	Sidechain
4	AD	11	A	Sidechain
4	AD	12	G	Sidechain
4	AD	14	A	Sidechain
4	AD	15	G	Sidechain
4	AD	16	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
4	AD	18	U	Sidechain
4	AD	19	G	Sidechain
4	AD	2	G	Sidechain
4	AD	20	G	Sidechain
4	AD	23	G	Sidechain
4	AD	24	C	Sidechain
4	AD	26	C	Sidechain
4	AD	27	G	Sidechain
4	AD	3	C	Sidechain
4	AD	30	G	Sidechain
4	AD	31	G	Sidechain
4	AD	32	G	Sidechain
4	AD	34	U	Sidechain
4	AD	36	A	Sidechain
4	AD	37	U	Sidechain
4	AD	38	A	Sidechain
4	AD	4	G	Sidechain
4	AD	43	G	Sidechain
4	AD	44	A	Sidechain
4	AD	45	A	Sidechain
4	AD	47	A	Sidechain
4	AD	48	U	Sidechain
4	AD	49	C	Sidechain
4	AD	5	G	Sidechain
4	AD	50	G	Sidechain
4	AD	53	G	Sidechain
4	AD	54	G	Sidechain
4	AD	57	C	Sidechain
4	AD	6	G	Sidechain
4	AD	60	A	Sidechain
4	AD	62	C	Sidechain
4	AD	63	C	Sidechain
4	AD	71	G	Sidechain
4	AD	73	A	Sidechain
4	AD	74	A	Sidechain
4	AD	76	C	Sidechain
4	AD	77	A	Sidechain
5	AE	133	ALA	Mainchain
5	AE	188	THR	Mainchain
5	AE	212	TYR	Sidechain
5	AE	73	ARG	Sidechain
5	AE	94	ARG	Peptide

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
6	AF	183	TYR	Sidechain
6	AF	215	GLN	Peptide
7	AG	110	ARG	Sidechain
7	AG	134	TYR	Sidechain
7	AG	163	GLN	Peptide
7	AG	181	PHE	Sidechain
7	AG	3	TYR	Sidechain
7	AG	55	ARG	Sidechain
7	AG	80	ARG	Sidechain
8	AH	111	ARG	Sidechain
8	AH	138	ALA	Mainchain
8	AH	153	ALA	Mainchain
8	AH	49	TYR	Sidechain
8	AH	53	ARG	Sidechain
8	AH	92	ARG	Sidechain
9	AI	24	ARG	Sidechain
9	AI	25	TYR	Sidechain
9	AI	46	GLN	Peptide
9	AI	64	VAL	Peptide
9	AI	86	ARG	Sidechain
10	AJ	161	PHE	Sidechain
10	AJ	163	HIS	Sidechain
10	AJ	176	TYR	Mainchain
10	AJ	4	ARG	Sidechain
10	AJ	43	TYR	Sidechain
11	AK	100	ILE	Peptide
11	AK	44	PHE	Peptide
12	AL	108	ARG	Sidechain
12	AL	32	ARG	Sidechain
12	AL	37	TYR	Sidechain
12	AL	5	TYR	Sidechain
12	AL	79	ARG	Sidechain
12	AL	89	TYR	Sidechain
13	AM	70	HIS	Sidechain
14	AN	55	ARG	Sidechain
15	AO	109	ARG	Sidechain
15	AO	116	TYR	Peptide
15	AO	13	ARG	Sidechain
15	AO	30	ARG	Sidechain
15	AO	37	TYR	Peptide
15	AO	54	VAL	Mainchain
15	AO	65	TYR	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
16	AP	62	PHE	Sidechain
17	AQ	40	ARG	Sidechain
17	AQ	52	ARG	Sidechain
17	AQ	89	ARG	Sidechain
18	AR	41	HIS	Sidechain
18	AR	62	ARG	Sidechain
18	AR	72	LYS	Peptide,Mainchain
18	AR	76	ARG	Sidechain
19	AS	17	TYR	Sidechain
19	AS	25	ARG	Sidechain
21	AU	22	TYR	Sidechain
21	AU	3	TYR	Sidechain
21	AU	69	TYR	Sidechain
21	AU	7	ARG	Sidechain
21	AU	73	HIS	Peptide
22	AV	73	PHE	Sidechain
22	AV	82	HIS	Sidechain,Peptide
23	AW	28	ARG	Sidechain
24	AX	18	PHE	Sidechain
24	AX	37	TYR	Sidechain
24	AX	68	ARG	Sidechain
52	B1	30	ARG	Sidechain
53	B2	30	HIS	Peptide
53	B2	41	HIS	Sidechain
53	B2	63	ARG	Sidechain
53	B2	9	TYR	Sidechain
54	B3	47	TYR	Sidechain
54	B3	48	TYR	Sidechain
55	B4	27	ARG	Sidechain
55	B4	48	TYR	Sidechain
56	B5	15	SER	Peptide
57	B6	41	ARG	Sidechain
58	B7	12	ARG	Sidechain
25	BA	10	G	Sidechain
25	BA	100	G	Sidechain
25	BA	102	G	Sidechain
25	BA	106	G	Sidechain
25	BA	109	A	Sidechain
25	BA	110	C	Sidechain
25	BA	112	G	Sidechain
25	BA	113	C	Sidechain
25	BA	114	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
25	BA	117	G	Sidechain
25	BA	119	A	Sidechain
25	BA	12	C	Sidechain
25	BA	13	G	Sidechain
25	BA	14	U	Sidechain
25	BA	15	A	Sidechain
25	BA	17	C	Sidechain
25	BA	18	G	Sidechain
25	BA	19	C	Sidechain
25	BA	2	G	Sidechain
25	BA	21	G	Sidechain
25	BA	24	G	Sidechain
25	BA	25	U	Sidechain
25	BA	26	C	Sidechain
25	BA	27	C	Sidechain
25	BA	29	A	Sidechain
25	BA	30	C	Sidechain
25	BA	32	U	Sidechain
25	BA	34	A	Sidechain
25	BA	35	C	Sidechain
25	BA	38	C	Sidechain
25	BA	4	C	Sidechain
25	BA	40	U	Sidechain
25	BA	42	C	Sidechain
25	BA	43	C	Sidechain
25	BA	46	A	Sidechain
25	BA	47	C	Sidechain
25	BA	48	U	Sidechain
25	BA	49	C	Sidechain
25	BA	5	U	Sidechain
25	BA	50	A	Sidechain
25	BA	52	A	Sidechain
25	BA	57	A	Sidechain
25	BA	6	G	Sidechain
25	BA	61	G	Sidechain
25	BA	63	C	Sidechain
25	BA	64	G	Sidechain
25	BA	70	C	Sidechain
25	BA	74	U	Sidechain
25	BA	75	G	Sidechain
25	BA	78	A	Sidechain
25	BA	79	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
25	BA	81	G	Sidechain
25	BA	83	G	Sidechain
25	BA	84	G	Sidechain
25	BA	85	G	Sidechain
25	BA	86	G	Sidechain
25	BA	87	U	Sidechain
25	BA	88	C	Sidechain
25	BA	89	U	Sidechain
25	BA	9	G	Sidechain
25	BA	90	C	Sidechain
25	BA	94	A	Sidechain
25	BA	95	U	Sidechain
25	BA	96	G	Sidechain
25	BA	97	C	Sidechain
25	BA	98	G	Sidechain
26	BB	1	G	Sidechain
26	BB	10	A	Sidechain
26	BB	100	U	Sidechain
26	BB	1000	A	Sidechain
26	BB	1001	A	Sidechain
26	BB	1002	G	Sidechain
26	BB	1006	C	Sidechain
26	BB	1008	A	Sidechain
26	BB	1010	A	Sidechain
26	BB	1011	G	Sidechain
26	BB	1012	U	Sidechain
26	BB	1016	G	Sidechain
26	BB	1017	G	Sidechain
26	BB	1018	U	Sidechain
26	BB	1021	A	Sidechain
26	BB	1022	G	Sidechain
26	BB	1024	G	Sidechain
26	BB	1025	G	Sidechain
26	BB	1027	A	Sidechain
26	BB	1028	A	Sidechain
26	BB	1030	C	Sidechain
26	BB	1031	G	Sidechain
26	BB	1032	A	Sidechain
26	BB	1033	U	Sidechain
26	BB	1035	U	Sidechain
26	BB	1039	A	Sidechain
26	BB	104	A	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	1040	A	Sidechain
26	BB	1045	C	Sidechain
26	BB	1047	G	Sidechain
26	BB	1048	A	Sidechain
26	BB	1050	A	Sidechain
26	BB	1051	G	Sidechain
26	BB	1052	C	Sidechain
26	BB	1053	C	Sidechain
26	BB	1054	A	Sidechain
26	BB	1055	G	Sidechain
26	BB	1056	G	Sidechain
26	BB	1058	U	Sidechain
26	BB	1059	G	Sidechain
26	BB	106	C	Sidechain
26	BB	1060	U	Sidechain
26	BB	1061	U	Sidechain
26	BB	1062	G	Sidechain
26	BB	1065	U	Sidechain
26	BB	1066	U	Sidechain
26	BB	1067	A	Sidechain
26	BB	1068	G	Sidechain
26	BB	1069	A	Sidechain
26	BB	107	G	Sidechain
26	BB	1072	C	Sidechain
26	BB	1073	A	Sidechain
26	BB	1074	G	Sidechain
26	BB	1075	C	Sidechain
26	BB	1076	C	Sidechain
26	BB	1077	A	Sidechain
26	BB	1079	C	Sidechain
26	BB	108	G	Sidechain
26	BB	1080	A	Sidechain
26	BB	1081	U	Sidechain
26	BB	1082	U	Sidechain
26	BB	1083	U	Sidechain
26	BB	1084	A	Sidechain
26	BB	1085	A	Sidechain
26	BB	1086	A	Sidechain
26	BB	1090	A	Sidechain
26	BB	1091	G	Sidechain
26	BB	1092	C	Sidechain
26	BB	1093	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	1094	U	Sidechain
26	BB	1095	A	Sidechain
26	BB	1096	A	Sidechain
26	BB	1097	U	Sidechain
26	BB	1099	G	Sidechain
26	BB	11	C	Sidechain
26	BB	1100	C	Sidechain
26	BB	1101	U	Sidechain
26	BB	1102	C	Sidechain
26	BB	1103	A	Sidechain
26	BB	1104	C	Sidechain
26	BB	1105	U	Sidechain
26	BB	1106	G	Sidechain
26	BB	1107	G	Sidechain
26	BB	111	A	Sidechain
26	BB	1110	G	Sidechain
26	BB	1112	G	Sidechain
26	BB	1113	U	Sidechain
26	BB	1114	C	Sidechain
26	BB	1115	G	Sidechain
26	BB	1118	C	Sidechain
26	BB	1119	U	Sidechain
26	BB	112	U	Sidechain
26	BB	1121	C	Sidechain
26	BB	1122	G	Sidechain
26	BB	1123	C	Sidechain
26	BB	1124	G	Sidechain
26	BB	1125	G	Sidechain
26	BB	1127	A	Sidechain
26	BB	1129	A	Sidechain
26	BB	1130	U	Sidechain
26	BB	1132	U	Sidechain
26	BB	1133	A	Sidechain
26	BB	1134	A	Sidechain
26	BB	1135	C	Sidechain
26	BB	1136	G	Sidechain
26	BB	1137	G	Sidechain
26	BB	1138	G	Sidechain
26	BB	1139	G	Sidechain
26	BB	114	U	Sidechain
26	BB	1140	C	Sidechain
26	BB	1141	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	1144	A	Sidechain
26	BB	1145	C	Sidechain
26	BB	1146	C	Sidechain
26	BB	1148	U	Sidechain
26	BB	115	C	Sidechain
26	BB	1152	C	Sidechain
26	BB	1153	C	Sidechain
26	BB	1154	G	Sidechain
26	BB	1156	A	Sidechain
26	BB	1157	G	Sidechain
26	BB	1158	C	Sidechain
26	BB	1160	G	Sidechain
26	BB	1163	G	Sidechain
26	BB	1165	A	Sidechain
26	BB	1166	G	Sidechain
26	BB	117	G	Sidechain
26	BB	1170	C	Sidechain
26	BB	1171	G	Sidechain
26	BB	1172	C	Sidechain
26	BB	1173	U	Sidechain
26	BB	1176	U	Sidechain
26	BB	1177	G	Sidechain
26	BB	1178	C	Sidechain
26	BB	1179	G	Sidechain
26	BB	1180	U	Sidechain
26	BB	1181	U	Sidechain
26	BB	1184	U	Sidechain
26	BB	1185	G	Sidechain
26	BB	1186	G	Sidechain
26	BB	1188	U	Sidechain
26	BB	1190	G	Sidechain
26	BB	1191	G	Sidechain
26	BB	1192	G	Sidechain
26	BB	1193	G	Sidechain
26	BB	1194	A	Sidechain
26	BB	1195	G	Sidechain
26	BB	1196	C	Sidechain
26	BB	1197	G	Sidechain
26	BB	12	U	Sidechain
26	BB	120	U	Sidechain
26	BB	1201	U	Sidechain
26	BB	1202	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	1203	U	Sidechain
26	BB	1204	A	Sidechain
26	BB	1206	G	Sidechain
26	BB	1208	C	Sidechain
26	BB	1210	G	Sidechain
26	BB	1213	A	Sidechain
26	BB	1215	G	Sidechain
26	BB	1219	U	Sidechain
26	BB	122	G	Sidechain
26	BB	1220	G	Sidechain
26	BB	1222	U	Sidechain
26	BB	1224	U	Sidechain
26	BB	1226	A	Sidechain
26	BB	1227	G	Sidechain
26	BB	123	G	Sidechain
26	BB	1230	A	Sidechain
26	BB	1232	G	Sidechain
26	BB	1234	U	Sidechain
26	BB	1235	G	Sidechain
26	BB	1236	G	Sidechain
26	BB	1237	A	Sidechain
26	BB	124	G	Sidechain
26	BB	1241	A	Sidechain
26	BB	1242	U	Sidechain
26	BB	1243	C	Sidechain
26	BB	1244	A	Sidechain
26	BB	1245	G	Sidechain
26	BB	1248	G	Sidechain
26	BB	1250	G	Sidechain
26	BB	1254	A	Sidechain
26	BB	1255	U	Sidechain
26	BB	1256	G	Sidechain
26	BB	1259	G	Sidechain
26	BB	1260	A	Sidechain
26	BB	1261	C	Sidechain
26	BB	1263	U	Sidechain
26	BB	1265	A	Sidechain
26	BB	1266	G	Sidechain
26	BB	1268	A	Sidechain
26	BB	127	A	Sidechain
26	BB	1270	C	Sidechain
26	BB	1271	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	1272	A	Sidechain
26	BB	1275	A	Sidechain
26	BB	1277	G	Sidechain
26	BB	1283	G	Sidechain
26	BB	1284	A	Sidechain
26	BB	1285	A	Sidechain
26	BB	1286	A	Sidechain
26	BB	1287	A	Sidechain
26	BB	1288	G	Sidechain
26	BB	1289	C	Sidechain
26	BB	129	C	Sidechain
26	BB	1292	G	Sidechain
26	BB	1294	U	Sidechain
26	BB	1295	C	Sidechain
26	BB	1296	G	Sidechain
26	BB	1299	G	Sidechain
26	BB	13	A	Sidechain
26	BB	1300	G	Sidechain
26	BB	1302	A	Sidechain
26	BB	1305	C	Sidechain
26	BB	1310	G	Sidechain
26	BB	1311	G	Sidechain
26	BB	1313	U	Sidechain
26	BB	1315	C	Sidechain
26	BB	1317	G	Sidechain
26	BB	132	G	Sidechain
26	BB	1322	A	Sidechain
26	BB	1324	G	Sidechain
26	BB	1327	A	Sidechain
26	BB	1330	C	Sidechain
26	BB	1332	G	Sidechain
26	BB	1333	G	Sidechain
26	BB	1334	G	Sidechain
26	BB	134	G	Sidechain
26	BB	1340	U	Sidechain
26	BB	1341	G	Sidechain
26	BB	1343	G	Sidechain
26	BB	1344	U	Sidechain
26	BB	1345	C	Sidechain
26	BB	1346	G	Sidechain
26	BB	1347	A	Sidechain
26	BB	1350	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	1351	C	Sidechain
26	BB	1356	G	Sidechain
26	BB	1358	G	Sidechain
26	BB	136	G	Sidechain
26	BB	1361	G	Sidechain
26	BB	1364	G	Sidechain
26	BB	1365	A	Sidechain
26	BB	137	U	Sidechain
26	BB	1370	C	Sidechain
26	BB	1371	G	Sidechain
26	BB	1374	G	Sidechain
26	BB	1376	C	Sidechain
26	BB	1378	A	Sidechain
26	BB	1379	U	Sidechain
26	BB	138	U	Sidechain
26	BB	1380	G	Sidechain
26	BB	1383	A	Sidechain
26	BB	1385	A	Sidechain
26	BB	1387	A	Sidechain
26	BB	1388	G	Sidechain
26	BB	139	U	Sidechain
26	BB	1390	U	Sidechain
26	BB	1391	U	Sidechain
26	BB	1393	A	Sidechain
26	BB	1396	U	Sidechain
26	BB	1397	U	Sidechain
26	BB	14	A	Sidechain
26	BB	1403	A	Sidechain
26	BB	1404	C	Sidechain
26	BB	1407	G	Sidechain
26	BB	1408	G	Sidechain
26	BB	141	G	Sidechain
26	BB	1410	G	Sidechain
26	BB	1411	U	Sidechain
26	BB	1412	U	Sidechain
26	BB	1413	A	Sidechain
26	BB	1414	C	Sidechain
26	BB	1415	U	Sidechain
26	BB	1416	G	Sidechain
26	BB	1417	C	Sidechain
26	BB	1419	A	Sidechain
26	BB	142	A	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	1422	G	Sidechain
26	BB	1423	G	Sidechain
26	BB	1424	G	Sidechain
26	BB	1426	G	Sidechain
26	BB	1429	G	Sidechain
26	BB	1432	G	Sidechain
26	BB	1434	A	Sidechain
26	BB	1436	G	Sidechain
26	BB	1437	C	Sidechain
26	BB	144	A	Sidechain
26	BB	1440	U	Sidechain
26	BB	1442	U	Sidechain
26	BB	1444	G	Sidechain
26	BB	1448	G	Sidechain
26	BB	145	C	Sidechain
26	BB	1450	G	Sidechain
26	BB	1451	C	Sidechain
26	BB	1452	G	Sidechain
26	BB	1453	A	Sidechain
26	BB	1455	G	Sidechain
26	BB	1457	U	Sidechain
26	BB	1459	G	Sidechain
26	BB	146	A	Sidechain
26	BB	1460	U	Sidechain
26	BB	1461	C	Sidechain
26	BB	1462	C	Sidechain
26	BB	1463	C	Sidechain
26	BB	1464	G	Sidechain
26	BB	1467	U	Sidechain
26	BB	1468	U	Sidechain
26	BB	1469	A	Sidechain
26	BB	1470	A	Sidechain
26	BB	1475	G	Sidechain
26	BB	148	U	Sidechain
26	BB	1480	C	Sidechain
26	BB	1481	U	Sidechain
26	BB	1482	G	Sidechain
26	BB	1487	U	Sidechain
26	BB	1488	C	Sidechain
26	BB	149	A	Sidechain
26	BB	1490	A	Sidechain
26	BB	1497	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	15	G	Sidechain
26	BB	1501	G	Sidechain
26	BB	1503	A	Sidechain
26	BB	1504	A	Sidechain
26	BB	1511	G	Sidechain
26	BB	1513	U	Sidechain
26	BB	1514	G	Sidechain
26	BB	1516	G	Sidechain
26	BB	1517	G	Sidechain
26	BB	1519	G	Sidechain
26	BB	1520	U	Sidechain
26	BB	1522	A	Sidechain
26	BB	1523	U	Sidechain
26	BB	1526	C	Sidechain
26	BB	1527	G	Sidechain
26	BB	1529	G	Sidechain
26	BB	153	U	Sidechain
26	BB	1530	G	Sidechain
26	BB	1531	C	Sidechain
26	BB	1532	A	Sidechain
26	BB	1535	A	Sidechain
26	BB	1536	C	Sidechain
26	BB	154	U	Sidechain
26	BB	1540	G	Sidechain
26	BB	1541	C	Sidechain
26	BB	1542	U	Sidechain
26	BB	1543	G	Sidechain
26	BB	1545	A	Sidechain
26	BB	1547	C	Sidechain
26	BB	1550	C	Sidechain
26	BB	1552	A	Sidechain
26	BB	1554	U	Sidechain
26	BB	1558	C	Sidechain
26	BB	1560	G	Sidechain
26	BB	1565	C	Sidechain
26	BB	1567	G	Sidechain
26	BB	1568	G	Sidechain
26	BB	157	C	Sidechain
26	BB	1572	A	Sidechain
26	BB	1573	G	Sidechain
26	BB	1574	C	Sidechain
26	BB	1575	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	1576	U	Sidechain
26	BB	1578	U	Sidechain
26	BB	1580	A	Sidechain
26	BB	1581	G	Sidechain
26	BB	1582	C	Sidechain
26	BB	1583	A	Sidechain
26	BB	1584	U	Sidechain
26	BB	1585	C	Sidechain
26	BB	1586	A	Sidechain
26	BB	1587	G	Sidechain
26	BB	159	G	Sidechain
26	BB	1590	A	Sidechain
26	BB	1592	C	Sidechain
26	BB	1593	A	Sidechain
26	BB	1594	U	Sidechain
26	BB	1595	C	Sidechain
26	BB	1596	A	Sidechain
26	BB	1597	A	Sidechain
26	BB	1598	A	Sidechain
26	BB	16	C	Sidechain
26	BB	160	A	Sidechain
26	BB	1600	C	Sidechain
26	BB	1602	U	Sidechain
26	BB	1603	A	Sidechain
26	BB	1604	C	Sidechain
26	BB	1606	C	Sidechain
26	BB	1607	C	Sidechain
26	BB	1609	A	Sidechain
26	BB	161	A	Sidechain
26	BB	1612	C	Sidechain
26	BB	1613	G	Sidechain
26	BB	1619	G	Sidechain
26	BB	162	U	Sidechain
26	BB	1620	G	Sidechain
26	BB	1622	G	Sidechain
26	BB	1623	G	Sidechain
26	BB	1624	U	Sidechain
26	BB	1626	A	Sidechain
26	BB	1627	G	Sidechain
26	BB	1628	G	Sidechain
26	BB	1629	U	Sidechain
26	BB	1631	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	1632	A	Sidechain
26	BB	1634	A	Sidechain
26	BB	1635	A	Sidechain
26	BB	1636	U	Sidechain
26	BB	1637	A	Sidechain
26	BB	1639	C	Sidechain
26	BB	164	C	Sidechain
26	BB	1642	G	Sidechain
26	BB	1644	C	Sidechain
26	BB	1645	G	Sidechain
26	BB	1646	C	Sidechain
26	BB	1647	U	Sidechain
26	BB	1648	U	Sidechain
26	BB	1649	G	Sidechain
26	BB	165	A	Sidechain
26	BB	1651	G	Sidechain
26	BB	1653	G	Sidechain
26	BB	1654	A	Sidechain
26	BB	1655	A	Sidechain
26	BB	1656	C	Sidechain
26	BB	1659	G	Sidechain
26	BB	1660	G	Sidechain
26	BB	1662	U	Sidechain
26	BB	1663	G	Sidechain
26	BB	1666	G	Sidechain
26	BB	1667	G	Sidechain
26	BB	1668	A	Sidechain
26	BB	1671	U	Sidechain
26	BB	1672	A	Sidechain
26	BB	1673	G	Sidechain
26	BB	1677	A	Sidechain
26	BB	1679	A	Sidechain
26	BB	168	G	Sidechain
26	BB	1680	U	Sidechain
26	BB	1681	G	Sidechain
26	BB	1682	G	Sidechain
26	BB	1683	U	Sidechain
26	BB	1684	G	Sidechain
26	BB	1686	C	Sidechain
26	BB	1688	U	Sidechain
26	BB	169	G	Sidechain
26	BB	1693	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	1694	C	Sidechain
26	BB	1695	G	Sidechain
26	BB	1696	G	Sidechain
26	BB	1697	G	Sidechain
26	BB	1698	A	Sidechain
26	BB	1699	G	Sidechain
26	BB	17	G	Sidechain
26	BB	1701	A	Sidechain
26	BB	1702	G	Sidechain
26	BB	1705	A	Sidechain
26	BB	1706	C	Sidechain
26	BB	1707	G	Sidechain
26	BB	1708	C	Sidechain
26	BB	1709	U	Sidechain
26	BB	1710	G	Sidechain
26	BB	1714	U	Sidechain
26	BB	1715	G	Sidechain
26	BB	1716	U	Sidechain
26	BB	1718	G	Sidechain
26	BB	1719	G	Sidechain
26	BB	1720	U	Sidechain
26	BB	1721	G	Sidechain
26	BB	1723	G	Sidechain
26	BB	1724	G	Sidechain
26	BB	1727	C	Sidechain
26	BB	1734	G	Sidechain
26	BB	1735	A	Sidechain
26	BB	1736	U	Sidechain
26	BB	1737	G	Sidechain
26	BB	1738	G	Sidechain
26	BB	1739	A	Sidechain
26	BB	174	U	Sidechain
26	BB	1743	G	Sidechain
26	BB	1744	A	Sidechain
26	BB	1745	A	Sidechain
26	BB	1746	A	Sidechain
26	BB	1747	U	Sidechain
26	BB	1748	C	Sidechain
26	BB	175	G	Sidechain
26	BB	1750	G	Sidechain
26	BB	1752	C	Sidechain
26	BB	1753	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	1756	G	Sidechain
26	BB	1757	A	Sidechain
26	BB	1759	A	Sidechain
26	BB	1760	C	Sidechain
26	BB	1761	C	Sidechain
26	BB	1766	G	Sidechain
26	BB	1767	G	Sidechain
26	BB	1769	U	Sidechain
26	BB	177	G	Sidechain
26	BB	1771	C	Sidechain
26	BB	1772	A	Sidechain
26	BB	1773	A	Sidechain
26	BB	1775	U	Sidechain
26	BB	1777	U	Sidechain
26	BB	1779	U	Sidechain
26	BB	178	G	Sidechain
26	BB	1780	A	Sidechain
26	BB	1781	U	Sidechain
26	BB	1784	A	Sidechain
26	BB	1786	A	Sidechain
26	BB	1789	A	Sidechain
26	BB	179	C	Sidechain
26	BB	1790	C	Sidechain
26	BB	1792	G	Sidechain
26	BB	1793	C	Sidechain
26	BB	1794	A	Sidechain
26	BB	1796	U	Sidechain
26	BB	1797	G	Sidechain
26	BB	18	U	Sidechain
26	BB	180	G	Sidechain
26	BB	1800	C	Sidechain
26	BB	1801	A	Sidechain
26	BB	1802	A	Sidechain
26	BB	1806	C	Sidechain
26	BB	1807	G	Sidechain
26	BB	1809	A	Sidechain
26	BB	181	A	Sidechain
26	BB	1813	G	Sidechain
26	BB	1815	A	Sidechain
26	BB	1816	C	Sidechain
26	BB	1817	G	Sidechain
26	BB	1821	A	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	1822	C	Sidechain
26	BB	1824	G	Sidechain
26	BB	1826	G	Sidechain
26	BB	1827	U	Sidechain
26	BB	1828	G	Sidechain
26	BB	183	C	Sidechain
26	BB	1830	C	Sidechain
26	BB	1831	G	Sidechain
26	BB	1832	C	Sidechain
26	BB	1834	U	Sidechain
26	BB	1840	G	Sidechain
26	BB	1842	G	Sidechain
26	BB	1844	C	Sidechain
26	BB	1845	G	Sidechain
26	BB	1846	G	Sidechain
26	BB	1847	A	Sidechain
26	BB	185	G	Sidechain
26	BB	1850	G	Sidechain
26	BB	1851	U	Sidechain
26	BB	1853	A	Sidechain
26	BB	1854	A	Sidechain
26	BB	1855	U	Sidechain
26	BB	1856	U	Sidechain
26	BB	1857	G	Sidechain
26	BB	1859	U	Sidechain
26	BB	186	G	Sidechain
26	BB	1861	G	Sidechain
26	BB	1862	G	Sidechain
26	BB	1865	U	Sidechain
26	BB	1866	A	Sidechain
26	BB	1868	C	Sidechain
26	BB	1869	G	Sidechain
26	BB	1870	C	Sidechain
26	BB	1875	G	Sidechain
26	BB	1877	A	Sidechain
26	BB	1878	G	Sidechain
26	BB	188	G	Sidechain
26	BB	1880	U	Sidechain
26	BB	1882	U	Sidechain
26	BB	1884	G	Sidechain
26	BB	1886	U	Sidechain
26	BB	1888	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	1889	A	Sidechain
26	BB	189	G	Sidechain
26	BB	1890	A	Sidechain
26	BB	1891	G	Sidechain
26	BB	1893	C	Sidechain
26	BB	1895	C	Sidechain
26	BB	1896	G	Sidechain
26	BB	1897	G	Sidechain
26	BB	19	A	Sidechain
26	BB	190	A	Sidechain
26	BB	1901	A	Sidechain
26	BB	1903	G	Sidechain
26	BB	1904	G	Sidechain
26	BB	1905	C	Sidechain
26	BB	1906	G	Sidechain
26	BB	1907	G	Sidechain
26	BB	1909	C	Sidechain
26	BB	1910	G	Sidechain
26	BB	1912	A	Sidechain
26	BB	1913	A	Sidechain
26	BB	1916	A	Sidechain
26	BB	1918	A	Sidechain
26	BB	1920	C	Sidechain
26	BB	1922	G	Sidechain
26	BB	1929	G	Sidechain
26	BB	193	U	Sidechain
26	BB	1930	G	Sidechain
26	BB	1931	U	Sidechain
26	BB	1932	A	Sidechain
26	BB	1933	G	Sidechain
26	BB	1934	C	Sidechain
26	BB	1936	A	Sidechain
26	BB	1938	A	Sidechain
26	BB	1940	U	Sidechain
26	BB	1941	C	Sidechain
26	BB	1948	G	Sidechain
26	BB	1949	G	Sidechain
26	BB	1951	U	Sidechain
26	BB	1952	A	Sidechain
26	BB	1955	U	Sidechain
26	BB	1957	C	Sidechain
26	BB	1959	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	196	A	Sidechain
26	BB	1960	A	Sidechain
26	BB	1961	C	Sidechain
26	BB	1963	U	Sidechain
26	BB	1964	G	Sidechain
26	BB	1965	C	Sidechain
26	BB	1966	A	Sidechain
26	BB	1968	G	Sidechain
26	BB	1969	A	Sidechain
26	BB	197	A	Sidechain
26	BB	1970	A	Sidechain
26	BB	1971	U	Sidechain
26	BB	1973	G	Sidechain
26	BB	1974	C	Sidechain
26	BB	198	C	Sidechain
26	BB	1981	A	Sidechain
26	BB	1982	U	Sidechain
26	BB	1983	G	Sidechain
26	BB	1984	G	Sidechain
26	BB	1985	C	Sidechain
26	BB	1986	C	Sidechain
26	BB	1988	G	Sidechain
26	BB	1989	G	Sidechain
26	BB	1990	C	Sidechain
26	BB	1991	U	Sidechain
26	BB	1993	U	Sidechain
26	BB	1994	C	Sidechain
26	BB	1995	U	Sidechain
26	BB	1997	C	Sidechain
26	BB	1998	A	Sidechain
26	BB	2001	C	Sidechain
26	BB	2002	G	Sidechain
26	BB	2003	A	Sidechain
26	BB	2004	G	Sidechain
26	BB	2005	A	Sidechain
26	BB	2006	C	Sidechain
26	BB	2009	A	Sidechain
26	BB	201	C	Sidechain
26	BB	2010	G	Sidechain
26	BB	2015	A	Sidechain
26	BB	2016	U	Sidechain
26	BB	2018	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	202	U	Sidechain
26	BB	2022	U	Sidechain
26	BB	2025	C	Sidechain
26	BB	2026	U	Sidechain
26	BB	2027	G	Sidechain
26	BB	2029	G	Sidechain
26	BB	2031	A	Sidechain
26	BB	2035	G	Sidechain
26	BB	2036	C	Sidechain
26	BB	2038	G	Sidechain
26	BB	204	A	Sidechain
26	BB	2040	G	Sidechain
26	BB	2042	A	Sidechain
26	BB	2043	C	Sidechain
26	BB	2044	C	Sidechain
26	BB	2045	C	Sidechain
26	BB	2046	G	Sidechain
26	BB	2047	C	Sidechain
26	BB	2048	G	Sidechain
26	BB	2049	G	Sidechain
26	BB	205	G	Sidechain
26	BB	2050	C	Sidechain
26	BB	2051	A	Sidechain
26	BB	2052	A	Sidechain
26	BB	2054	A	Sidechain
26	BB	2056	G	Sidechain
26	BB	2057	G	Sidechain
26	BB	2059	A	Sidechain
26	BB	206	U	Sidechain
26	BB	2062	A	Sidechain
26	BB	2063	C	Sidechain
26	BB	2064	C	Sidechain
26	BB	2067	G	Sidechain
26	BB	2068	U	Sidechain
26	BB	207	A	Sidechain
26	BB	2072	C	Sidechain
26	BB	2074	U	Sidechain
26	BB	2075	U	Sidechain
26	BB	2078	C	Sidechain
26	BB	208	C	Sidechain
26	BB	2080	A	Sidechain
26	BB	2083	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	2085	U	Sidechain
26	BB	2086	U	Sidechain
26	BB	2087	G	Sidechain
26	BB	2090	A	Sidechain
26	BB	2093	G	Sidechain
26	BB	2094	A	Sidechain
26	BB	2098	U	Sidechain
26	BB	2101	A	Sidechain
26	BB	2103	C	Sidechain
26	BB	2104	C	Sidechain
26	BB	2110	G	Sidechain
26	BB	2111	U	Sidechain
26	BB	2112	G	Sidechain
26	BB	2113	U	Sidechain
26	BB	2114	A	Sidechain
26	BB	2115	G	Sidechain
26	BB	2116	G	Sidechain
26	BB	2117	A	Sidechain
26	BB	2119	A	Sidechain
26	BB	212	G	Sidechain
26	BB	2120	G	Sidechain
26	BB	2124	G	Sidechain
26	BB	2125	G	Sidechain
26	BB	2126	A	Sidechain
26	BB	2128	G	Sidechain
26	BB	2129	C	Sidechain
26	BB	2130	U	Sidechain
26	BB	2131	U	Sidechain
26	BB	2134	A	Sidechain
26	BB	2136	G	Sidechain
26	BB	2137	U	Sidechain
26	BB	2138	G	Sidechain
26	BB	214	G	Sidechain
26	BB	2141	G	Sidechain
26	BB	2144	G	Sidechain
26	BB	2147	A	Sidechain
26	BB	2149	U	Sidechain
26	BB	215	G	Sidechain
26	BB	2152	G	Sidechain
26	BB	2155	U	Sidechain
26	BB	2156	G	Sidechain
26	BB	2157	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	2158	A	Sidechain
26	BB	2161	C	Sidechain
26	BB	2162	G	Sidechain
26	BB	2163	A	Sidechain
26	BB	2167	U	Sidechain
26	BB	2169	A	Sidechain
26	BB	2172	U	Sidechain
26	BB	2174	C	Sidechain
26	BB	2175	C	Sidechain
26	BB	2176	A	Sidechain
26	BB	2178	C	Sidechain
26	BB	2179	C	Sidechain
26	BB	2186	G	Sidechain
26	BB	2187	U	Sidechain
26	BB	2188	U	Sidechain
26	BB	219	A	Sidechain
26	BB	2190	G	Sidechain
26	BB	2192	U	Sidechain
26	BB	2194	U	Sidechain
26	BB	2196	C	Sidechain
26	BB	2197	U	Sidechain
26	BB	2198	A	Sidechain
26	BB	2199	A	Sidechain
26	BB	2200	C	Sidechain
26	BB	2203	U	Sidechain
26	BB	2204	G	Sidechain
26	BB	2205	A	Sidechain
26	BB	2206	C	Sidechain
26	BB	2207	C	Sidechain
26	BB	2208	C	Sidechain
26	BB	2209	G	Sidechain
26	BB	221	A	Sidechain
26	BB	2210	U	Sidechain
26	BB	2211	A	Sidechain
26	BB	2212	A	Sidechain
26	BB	2214	C	Sidechain
26	BB	2215	C	Sidechain
26	BB	2218	G	Sidechain
26	BB	2220	U	Sidechain
26	BB	2221	G	Sidechain
26	BB	2222	C	Sidechain
26	BB	2228	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	2229	U	Sidechain
26	BB	223	A	Sidechain
26	BB	2230	G	Sidechain
26	BB	2231	U	Sidechain
26	BB	2233	U	Sidechain
26	BB	2234	G	Sidechain
26	BB	2235	G	Sidechain
26	BB	2237	G	Sidechain
26	BB	2238	G	Sidechain
26	BB	2239	G	Sidechain
26	BB	224	U	Sidechain
26	BB	2240	U	Sidechain
26	BB	2242	G	Sidechain
26	BB	2243	U	Sidechain
26	BB	2244	U	Sidechain
26	BB	2245	U	Sidechain
26	BB	2247	A	Sidechain
26	BB	2248	C	Sidechain
26	BB	2249	U	Sidechain
26	BB	2252	G	Sidechain
26	BB	2254	C	Sidechain
26	BB	2255	G	Sidechain
26	BB	2257	U	Sidechain
26	BB	226	A	Sidechain
26	BB	2260	C	Sidechain
26	BB	2261	C	Sidechain
26	BB	2262	U	Sidechain
26	BB	2267	A	Sidechain
26	BB	227	A	Sidechain
26	BB	2271	G	Sidechain
26	BB	2272	U	Sidechain
26	BB	2276	G	Sidechain
26	BB	2278	A	Sidechain
26	BB	2279	G	Sidechain
26	BB	228	C	Sidechain
26	BB	2280	G	Sidechain
26	BB	2282	G	Sidechain
26	BB	2283	C	Sidechain
26	BB	2284	A	Sidechain
26	BB	2289	G	Sidechain
26	BB	2292	U	Sidechain
26	BB	2294	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	2296	U	Sidechain
26	BB	2297	A	Sidechain
26	BB	2299	U	Sidechain
26	BB	23	G	Sidechain
26	BB	230	G	Sidechain
26	BB	2301	C	Sidechain
26	BB	2302	U	Sidechain
26	BB	2303	G	Sidechain
26	BB	2304	G	Sidechain
26	BB	2305	U	Sidechain
26	BB	2307	G	Sidechain
26	BB	2310	C	Sidechain
26	BB	2312	U	Sidechain
26	BB	2313	C	Sidechain
26	BB	2316	G	Sidechain
26	BB	2317	A	Sidechain
26	BB	2318	G	Sidechain
26	BB	2319	G	Sidechain
26	BB	2324	U	Sidechain
26	BB	2325	G	Sidechain
26	BB	2326	C	Sidechain
26	BB	2327	A	Sidechain
26	BB	2329	U	Sidechain
26	BB	233	A	Sidechain
26	BB	2330	G	Sidechain
26	BB	2333	A	Sidechain
26	BB	2335	A	Sidechain
26	BB	2336	A	Sidechain
26	BB	2337	G	Sidechain
26	BB	2339	C	Sidechain
26	BB	2340	A	Sidechain
26	BB	2341	G	Sidechain
26	BB	2342	C	Sidechain
26	BB	2343	U	Sidechain
26	BB	2344	U	Sidechain
26	BB	2345	G	Sidechain
26	BB	2347	C	Sidechain
26	BB	2349	G	Sidechain
26	BB	2353	G	Sidechain
26	BB	2354	C	Sidechain
26	BB	2355	G	Sidechain
26	BB	2356	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	2358	A	Sidechain
26	BB	2359	C	Sidechain
26	BB	2360	G	Sidechain
26	BB	2361	G	Sidechain
26	BB	2362	C	Sidechain
26	BB	2363	G	Sidechain
26	BB	2364	C	Sidechain
26	BB	2365	G	Sidechain
26	BB	2366	A	Sidechain
26	BB	2367	G	Sidechain
26	BB	237	C	Sidechain
26	BB	2372	U	Sidechain
26	BB	2375	G	Sidechain
26	BB	2376	A	Sidechain
26	BB	2379	G	Sidechain
26	BB	2380	C	Sidechain
26	BB	2382	G	Sidechain
26	BB	2384	U	Sidechain
26	BB	2385	C	Sidechain
26	BB	2386	A	Sidechain
26	BB	2387	U	Sidechain
26	BB	2388	A	Sidechain
26	BB	2389	G	Sidechain
26	BB	239	C	Sidechain
26	BB	2391	G	Sidechain
26	BB	2392	A	Sidechain
26	BB	2395	C	Sidechain
26	BB	2396	G	Sidechain
26	BB	2397	G	Sidechain
26	BB	2398	U	Sidechain
26	BB	2399	G	Sidechain
26	BB	2400	G	Sidechain
26	BB	2404	U	Sidechain
26	BB	2406	A	Sidechain
26	BB	2408	U	Sidechain
26	BB	2409	G	Sidechain
26	BB	2410	G	Sidechain
26	BB	2412	A	Sidechain
26	BB	2413	G	Sidechain
26	BB	2414	G	Sidechain
26	BB	2416	C	Sidechain
26	BB	2417	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	2418	A	Sidechain
26	BB	2419	U	Sidechain
26	BB	2420	C	Sidechain
26	BB	2422	C	Sidechain
26	BB	2423	U	Sidechain
26	BB	2426	A	Sidechain
26	BB	2427	C	Sidechain
26	BB	2428	G	Sidechain
26	BB	2433	A	Sidechain
26	BB	2435	A	Sidechain
26	BB	2436	G	Sidechain
26	BB	2439	A	Sidechain
26	BB	2441	U	Sidechain
26	BB	2442	C	Sidechain
26	BB	2444	G	Sidechain
26	BB	2446	G	Sidechain
26	BB	2447	G	Sidechain
26	BB	2448	A	Sidechain
26	BB	245	G	Sidechain
26	BB	2450	A	Sidechain
26	BB	2451	A	Sidechain
26	BB	2453	A	Sidechain
26	BB	2454	G	Sidechain
26	BB	2455	G	Sidechain
26	BB	2456	C	Sidechain
26	BB	2458	G	Sidechain
26	BB	2460	U	Sidechain
26	BB	2461	A	Sidechain
26	BB	2464	G	Sidechain
26	BB	2465	C	Sidechain
26	BB	2469	A	Sidechain
26	BB	247	G	Sidechain
26	BB	2470	G	Sidechain
26	BB	2472	G	Sidechain
26	BB	2473	U	Sidechain
26	BB	2475	C	Sidechain
26	BB	2478	A	Sidechain
26	BB	2479	U	Sidechain
26	BB	248	G	Sidechain
26	BB	2481	G	Sidechain
26	BB	2482	A	Sidechain
26	BB	2484	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	2485	G	Sidechain
26	BB	2487	G	Sidechain
26	BB	2488	G	Sidechain
26	BB	2489	U	Sidechain
26	BB	2490	G	Sidechain
26	BB	2491	U	Sidechain
26	BB	2492	U	Sidechain
26	BB	2493	U	Sidechain
26	BB	2494	G	Sidechain
26	BB	250	G	Sidechain
26	BB	2501	C	Sidechain
26	BB	2509	G	Sidechain
26	BB	251	A	Sidechain
26	BB	2510	C	Sidechain
26	BB	2514	U	Sidechain
26	BB	2517	C	Sidechain
26	BB	2518	A	Sidechain
26	BB	2520	C	Sidechain
26	BB	2521	C	Sidechain
26	BB	2522	U	Sidechain
26	BB	2523	G	Sidechain
26	BB	2524	G	Sidechain
26	BB	2526	G	Sidechain
26	BB	2529	G	Sidechain
26	BB	253	C	Sidechain
26	BB	2530	A	Sidechain
26	BB	2532	G	Sidechain
26	BB	2533	U	Sidechain
26	BB	2535	G	Sidechain
26	BB	2539	C	Sidechain
26	BB	254	G	Sidechain
26	BB	2540	C	Sidechain
26	BB	2541	A	Sidechain
26	BB	2542	A	Sidechain
26	BB	2543	G	Sidechain
26	BB	2544	G	Sidechain
26	BB	2545	G	Sidechain
26	BB	2546	U	Sidechain
26	BB	2547	A	Sidechain
26	BB	2549	G	Sidechain
26	BB	255	A	Sidechain
26	BB	2550	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	2553	G	Sidechain
26	BB	2555	U	Sidechain
26	BB	2556	C	Sidechain
26	BB	2560	A	Sidechain
26	BB	2562	U	Sidechain
26	BB	2563	U	Sidechain
26	BB	2566	A	Sidechain
26	BB	2567	G	Sidechain
26	BB	2568	U	Sidechain
26	BB	2569	G	Sidechain
26	BB	2571	U	Sidechain
26	BB	2572	A	Sidechain
26	BB	2574	G	Sidechain
26	BB	2576	G	Sidechain
26	BB	2577	A	Sidechain
26	BB	2578	G	Sidechain
26	BB	2579	C	Sidechain
26	BB	258	G	Sidechain
26	BB	2583	G	Sidechain
26	BB	2584	U	Sidechain
26	BB	2589	A	Sidechain
26	BB	2590	A	Sidechain
26	BB	2592	G	Sidechain
26	BB	2594	C	Sidechain
26	BB	2595	G	Sidechain
26	BB	2596	U	Sidechain
26	BB	2597	G	Sidechain
26	BB	2598	A	Sidechain
26	BB	2599	G	Sidechain
26	BB	260	G	Sidechain
26	BB	2601	C	Sidechain
26	BB	2604	U	Sidechain
26	BB	2607	G	Sidechain
26	BB	2608	G	Sidechain
26	BB	2609	U	Sidechain
26	BB	2611	C	Sidechain
26	BB	2614	A	Sidechain
26	BB	2615	U	Sidechain
26	BB	2616	C	Sidechain
26	BB	2617	U	Sidechain
26	BB	2620	C	Sidechain
26	BB	2622	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	2624	G	Sidechain
26	BB	2627	G	Sidechain
26	BB	263	G	Sidechain
26	BB	2630	G	Sidechain
26	BB	2633	G	Sidechain
26	BB	2634	A	Sidechain
26	BB	2635	A	Sidechain
26	BB	2636	C	Sidechain
26	BB	2637	U	Sidechain
26	BB	2638	G	Sidechain
26	BB	2639	A	Sidechain
26	BB	264	C	Sidechain
26	BB	2640	G	Sidechain
26	BB	2641	G	Sidechain
26	BB	2643	G	Sidechain
26	BB	2645	G	Sidechain
26	BB	2648	G	Sidechain
26	BB	2649	C	Sidechain
26	BB	265	A	Sidechain
26	BB	2651	C	Sidechain
26	BB	2652	C	Sidechain
26	BB	2653	U	Sidechain
26	BB	2655	G	Sidechain
26	BB	2656	U	Sidechain
26	BB	2657	A	Sidechain
26	BB	2659	G	Sidechain
26	BB	2663	G	Sidechain
26	BB	2664	G	Sidechain
26	BB	2667	C	Sidechain
26	BB	2668	G	Sidechain
26	BB	267	C	Sidechain
26	BB	2670	A	Sidechain
26	BB	2671	G	Sidechain
26	BB	2672	U	Sidechain
26	BB	2673	G	Sidechain
26	BB	2675	A	Sidechain
26	BB	2676	C	Sidechain
26	BB	2677	G	Sidechain
26	BB	2679	A	Sidechain
26	BB	2682	A	Sidechain
26	BB	2685	G	Sidechain
26	BB	2686	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	2687	U	Sidechain
26	BB	2688	G	Sidechain
26	BB	2689	U	Sidechain
26	BB	2691	C	Sidechain
26	BB	2692	G	Sidechain
26	BB	2694	G	Sidechain
26	BB	2695	U	Sidechain
26	BB	2696	U	Sidechain
26	BB	270	A	Sidechain
26	BB	2701	U	Sidechain
26	BB	2702	G	Sidechain
26	BB	2704	C	Sidechain
26	BB	2707	U	Sidechain
26	BB	2708	G	Sidechain
26	BB	2709	G	Sidechain
26	BB	271	G	Sidechain
26	BB	2711	A	Sidechain
26	BB	2712	C	Sidechain
26	BB	2713	U	Sidechain
26	BB	2716	C	Sidechain
26	BB	2718	G	Sidechain
26	BB	272	A	Sidechain
26	BB	2720	U	Sidechain
26	BB	2722	G	Sidechain
26	BB	2723	C	Sidechain
26	BB	2724	U	Sidechain
26	BB	2727	A	Sidechain
26	BB	2728	U	Sidechain
26	BB	2729	G	Sidechain
26	BB	273	G	Sidechain
26	BB	2731	G	Sidechain
26	BB	2732	G	Sidechain
26	BB	2736	A	Sidechain
26	BB	2738	A	Sidechain
26	BB	2739	U	Sidechain
26	BB	274	C	Sidechain
26	BB	2740	A	Sidechain
26	BB	2742	G	Sidechain
26	BB	2747	G	Sidechain
26	BB	2748	A	Sidechain
26	BB	2750	A	Sidechain
26	BB	2751	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	2752	C	Sidechain
26	BB	2753	A	Sidechain
26	BB	2755	C	Sidechain
26	BB	2757	A	Sidechain
26	BB	2759	G	Sidechain
26	BB	276	U	Sidechain
26	BB	2760	C	Sidechain
26	BB	2764	A	Sidechain
26	BB	2765	A	Sidechain
26	BB	2766	A	Sidechain
26	BB	2769	U	Sidechain
26	BB	277	G	Sidechain
26	BB	2770	G	Sidechain
26	BB	2771	C	Sidechain
26	BB	2775	G	Sidechain
26	BB	2779	U	Sidechain
26	BB	278	A	Sidechain
26	BB	2781	A	Sidechain
26	BB	2783	U	Sidechain
26	BB	2785	C	Sidechain
26	BB	2786	U	Sidechain
26	BB	2787	C	Sidechain
26	BB	2788	C	Sidechain
26	BB	2791	G	Sidechain
26	BB	2797	U	Sidechain
26	BB	280	U	Sidechain
26	BB	2800	A	Sidechain
26	BB	2803	G	Sidechain
26	BB	2804	U	Sidechain
26	BB	2807	U	Sidechain
26	BB	2808	G	Sidechain
26	BB	2809	A	Sidechain
26	BB	281	C	Sidechain
26	BB	2810	A	Sidechain
26	BB	2811	G	Sidechain
26	BB	2816	G	Sidechain
26	BB	2817	U	Sidechain
26	BB	2818	U	Sidechain
26	BB	2819	G	Sidechain
26	BB	2820	A	Sidechain
26	BB	2821	A	Sidechain
26	BB	2822	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	2823	A	Sidechain
26	BB	2824	C	Sidechain
26	BB	2826	A	Sidechain
26	BB	2827	C	Sidechain
26	BB	283	G	Sidechain
26	BB	2830	C	Sidechain
26	BB	2831	G	Sidechain
26	BB	2832	U	Sidechain
26	BB	2833	U	Sidechain
26	BB	2834	G	Sidechain
26	BB	2835	A	Sidechain
26	BB	2836	U	Sidechain
26	BB	2838	G	Sidechain
26	BB	2839	G	Sidechain
26	BB	2843	G	Sidechain
26	BB	2844	G	Sidechain
26	BB	2845	U	Sidechain
26	BB	2846	G	Sidechain
26	BB	285	G	Sidechain
26	BB	2851	A	Sidechain
26	BB	2853	C	Sidechain
26	BB	2854	G	Sidechain
26	BB	2855	C	Sidechain
26	BB	2856	A	Sidechain
26	BB	2857	G	Sidechain
26	BB	2858	C	Sidechain
26	BB	2859	G	Sidechain
26	BB	286	U	Sidechain
26	BB	2860	A	Sidechain
26	BB	2861	U	Sidechain
26	BB	2862	G	Sidechain
26	BB	2863	C	Sidechain
26	BB	2864	G	Sidechain
26	BB	2866	U	Sidechain
26	BB	2869	G	Sidechain
26	BB	287	G	Sidechain
26	BB	2878	U	Sidechain
26	BB	2879	A	Sidechain
26	BB	2881	U	Sidechain
26	BB	2882	A	Sidechain
26	BB	2883	A	Sidechain
26	BB	2885	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	2886	A	Sidechain
26	BB	2887	A	Sidechain
26	BB	2888	C	Sidechain
26	BB	289	G	Sidechain
26	BB	2891	U	Sidechain
26	BB	2892	G	Sidechain
26	BB	2893	A	Sidechain
26	BB	2894	G	Sidechain
26	BB	2895	G	Sidechain
26	BB	2899	A	Sidechain
26	BB	2900	A	Sidechain
26	BB	2904	U	Sidechain
26	BB	291	G	Sidechain
26	BB	294	A	Sidechain
26	BB	295	G	Sidechain
26	BB	296	U	Sidechain
26	BB	297	G	Sidechain
26	BB	298	G	Sidechain
26	BB	3	U	Sidechain
26	BB	30	G	Sidechain
26	BB	300	A	Sidechain
26	BB	301	G	Sidechain
26	BB	302	C	Sidechain
26	BB	303	G	Sidechain
26	BB	304	U	Sidechain
26	BB	307	G	Sidechain
26	BB	308	G	Sidechain
26	BB	310	A	Sidechain
26	BB	311	A	Sidechain
26	BB	312	G	Sidechain
26	BB	313	G	Sidechain
26	BB	316	C	Sidechain
26	BB	318	C	Sidechain
26	BB	32	C	Sidechain
26	BB	322	A	Sidechain
26	BB	324	A	Sidechain
26	BB	326	G	Sidechain
26	BB	327	G	Sidechain
26	BB	329	G	Sidechain
26	BB	330	A	Sidechain
26	BB	331	C	Sidechain
26	BB	335	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	336	C	Sidechain
26	BB	337	C	Sidechain
26	BB	338	G	Sidechain
26	BB	339	U	Sidechain
26	BB	34	U	Sidechain
26	BB	342	A	Sidechain
26	BB	343	C	Sidechain
26	BB	344	A	Sidechain
26	BB	345	A	Sidechain
26	BB	346	A	Sidechain
26	BB	348	A	Sidechain
26	BB	349	U	Sidechain
26	BB	35	G	Sidechain
26	BB	351	C	Sidechain
26	BB	352	A	Sidechain
26	BB	354	A	Sidechain
26	BB	355	U	Sidechain
26	BB	358	U	Sidechain
26	BB	359	G	Sidechain
26	BB	36	G	Sidechain
26	BB	360	U	Sidechain
26	BB	361	G	Sidechain
26	BB	362	A	Sidechain
26	BB	363	G	Sidechain
26	BB	364	C	Sidechain
26	BB	365	U	Sidechain
26	BB	366	C	Sidechain
26	BB	367	G	Sidechain
26	BB	368	A	Sidechain
26	BB	371	A	Sidechain
26	BB	372	G	Sidechain
26	BB	376	G	Sidechain
26	BB	38	A	Sidechain
26	BB	380	G	Sidechain
26	BB	381	G	Sidechain
26	BB	384	A	Sidechain
26	BB	387	U	Sidechain
26	BB	389	G	Sidechain
26	BB	39	G	Sidechain
26	BB	392	U	Sidechain
26	BB	394	C	Sidechain
26	BB	396	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	397	U	Sidechain
26	BB	398	C	Sidechain
26	BB	399	U	Sidechain
26	BB	400	G	Sidechain
26	BB	401	A	Sidechain
26	BB	405	U	Sidechain
26	BB	406	G	Sidechain
26	BB	407	G	Sidechain
26	BB	410	G	Sidechain
26	BB	411	G	Sidechain
26	BB	416	U	Sidechain
26	BB	417	C	Sidechain
26	BB	418	C	Sidechain
26	BB	419	U	Sidechain
26	BB	42	A	Sidechain
26	BB	421	C	Sidechain
26	BB	423	A	Sidechain
26	BB	424	G	Sidechain
26	BB	425	G	Sidechain
26	BB	427	U	Sidechain
26	BB	43	G	Sidechain
26	BB	431	U	Sidechain
26	BB	434	U	Sidechain
26	BB	436	C	Sidechain
26	BB	437	U	Sidechain
26	BB	438	G	Sidechain
26	BB	441	U	Sidechain
26	BB	442	G	Sidechain
26	BB	444	C	Sidechain
26	BB	445	C	Sidechain
26	BB	446	G	Sidechain
26	BB	447	A	Sidechain
26	BB	448	U	Sidechain
26	BB	45	G	Sidechain
26	BB	450	G	Sidechain
26	BB	451	U	Sidechain
26	BB	452	G	Sidechain
26	BB	454	A	Sidechain
26	BB	455	C	Sidechain
26	BB	456	C	Sidechain
26	BB	458	G	Sidechain
26	BB	459	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	462	C	Sidechain
26	BB	463	G	Sidechain
26	BB	464	U	Sidechain
26	BB	465	G	Sidechain
26	BB	467	G	Sidechain
26	BB	468	G	Sidechain
26	BB	469	G	Sidechain
26	BB	47	C	Sidechain
26	BB	473	G	Sidechain
26	BB	474	G	Sidechain
26	BB	475	C	Sidechain
26	BB	482	A	Sidechain
26	BB	489	G	Sidechain
26	BB	49	A	Sidechain
26	BB	492	A	Sidechain
26	BB	493	G	Sidechain
26	BB	495	G	Sidechain
26	BB	497	A	Sidechain
26	BB	498	G	Sidechain
26	BB	50	U	Sidechain
26	BB	500	G	Sidechain
26	BB	501	A	Sidechain
26	BB	502	A	Sidechain
26	BB	504	A	Sidechain
26	BB	506	G	Sidechain
26	BB	507	A	Sidechain
26	BB	51	G	Sidechain
26	BB	512	G	Sidechain
26	BB	513	A	Sidechain
26	BB	514	A	Sidechain
26	BB	515	A	Sidechain
26	BB	517	C	Sidechain
26	BB	520	G	Sidechain
26	BB	522	A	Sidechain
26	BB	523	C	Sidechain
26	BB	524	G	Sidechain
26	BB	525	U	Sidechain
26	BB	526	A	Sidechain
26	BB	527	C	Sidechain
26	BB	529	A	Sidechain
26	BB	531	C	Sidechain
26	BB	535	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	536	G	Sidechain
26	BB	537	G	Sidechain
26	BB	540	C	Sidechain
26	BB	541	A	Sidechain
26	BB	543	G	Sidechain
26	BB	544	C	Sidechain
26	BB	545	U	Sidechain
26	BB	548	G	Sidechain
26	BB	549	G	Sidechain
26	BB	55	G	Sidechain
26	BB	550	C	Sidechain
26	BB	552	U	Sidechain
26	BB	553	G	Sidechain
26	BB	556	A	Sidechain
26	BB	559	G	Sidechain
26	BB	56	A	Sidechain
26	BB	560	C	Sidechain
26	BB	561	G	Sidechain
26	BB	563	A	Sidechain
26	BB	564	C	Sidechain
26	BB	565	C	Sidechain
26	BB	567	U	Sidechain
26	BB	569	U	Sidechain
26	BB	57	C	Sidechain
26	BB	570	G	Sidechain
26	BB	572	A	Sidechain
26	BB	574	A	Sidechain
26	BB	575	A	Sidechain
26	BB	576	U	Sidechain
26	BB	578	G	Sidechain
26	BB	579	G	Sidechain
26	BB	58	G	Sidechain
26	BB	580	U	Sidechain
26	BB	581	C	Sidechain
26	BB	583	G	Sidechain
26	BB	586	A	Sidechain
26	BB	587	C	Sidechain
26	BB	588	U	Sidechain
26	BB	590	A	Sidechain
26	BB	592	A	Sidechain
26	BB	595	C	Sidechain
26	BB	598	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	60	G	Sidechain
26	BB	600	G	Sidechain
26	BB	605	G	Sidechain
26	BB	607	U	Sidechain
26	BB	608	A	Sidechain
26	BB	609	A	Sidechain
26	BB	61	C	Sidechain
26	BB	612	G	Sidechain
26	BB	613	A	Sidechain
26	BB	614	A	Sidechain
26	BB	615	U	Sidechain
26	BB	616	A	Sidechain
26	BB	619	G	Sidechain
26	BB	620	G	Sidechain
26	BB	622	G	Sidechain
26	BB	625	G	Sidechain
26	BB	627	A	Sidechain
26	BB	629	G	Sidechain
26	BB	63	A	Sidechain
26	BB	630	G	Sidechain
26	BB	631	A	Sidechain
26	BB	633	A	Sidechain
26	BB	635	C	Sidechain
26	BB	636	G	Sidechain
26	BB	637	A	Sidechain
26	BB	639	U	Sidechain
26	BB	640	C	Sidechain
26	BB	641	U	Sidechain
26	BB	643	A	Sidechain
26	BB	644	A	Sidechain
26	BB	646	U	Sidechain
26	BB	647	G	Sidechain
26	BB	65	U	Sidechain
26	BB	653	U	Sidechain
26	BB	654	A	Sidechain
26	BB	656	G	Sidechain
26	BB	658	U	Sidechain
26	BB	659	G	Sidechain
26	BB	660	C	Sidechain
26	BB	661	A	Sidechain
26	BB	662	G	Sidechain
26	BB	663	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	664	G	Sidechain
26	BB	665	U	Sidechain
26	BB	666	A	Sidechain
26	BB	668	A	Sidechain
26	BB	671	C	Sidechain
26	BB	672	C	Sidechain
26	BB	673	C	Sidechain
26	BB	674	G	Sidechain
26	BB	676	A	Sidechain
26	BB	678	C	Sidechain
26	BB	679	C	Sidechain
26	BB	68	G	Sidechain
26	BB	681	G	Sidechain
26	BB	682	G	Sidechain
26	BB	683	U	Sidechain
26	BB	684	G	Sidechain
26	BB	686	U	Sidechain
26	BB	688	U	Sidechain
26	BB	690	G	Sidechain
26	BB	691	C	Sidechain
26	BB	692	C	Sidechain
26	BB	693	A	Sidechain
26	BB	695	G	Sidechain
26	BB	696	G	Sidechain
26	BB	699	A	Sidechain
26	BB	7	G	Sidechain
26	BB	70	G	Sidechain
26	BB	700	G	Sidechain
26	BB	702	U	Sidechain
26	BB	703	U	Sidechain
26	BB	705	A	Sidechain
26	BB	707	G	Sidechain
26	BB	709	U	Sidechain
26	BB	712	G	Sidechain
26	BB	713	G	Sidechain
26	BB	714	U	Sidechain
26	BB	715	A	Sidechain
26	BB	717	C	Sidechain
26	BB	719	C	Sidechain
26	BB	720	U	Sidechain
26	BB	721	A	Sidechain
26	BB	726	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	729	G	Sidechain
26	BB	73	A	Sidechain
26	BB	730	A	Sidechain
26	BB	733	G	Sidechain
26	BB	734	A	Sidechain
26	BB	735	A	Sidechain
26	BB	736	C	Sidechain
26	BB	737	C	Sidechain
26	BB	738	G	Sidechain
26	BB	739	A	Sidechain
26	BB	74	A	Sidechain
26	BB	740	C	Sidechain
26	BB	741	U	Sidechain
26	BB	742	A	Sidechain
26	BB	748	G	Sidechain
26	BB	75	G	Sidechain
26	BB	750	A	Sidechain
26	BB	751	A	Sidechain
26	BB	752	A	Sidechain
26	BB	757	G	Sidechain
26	BB	759	G	Sidechain
26	BB	760	G	Sidechain
26	BB	761	A	Sidechain
26	BB	762	U	Sidechain
26	BB	764	A	Sidechain
26	BB	765	C	Sidechain
26	BB	766	U	Sidechain
26	BB	767	U	Sidechain
26	BB	77	G	Sidechain
26	BB	771	G	Sidechain
26	BB	774	G	Sidechain
26	BB	775	G	Sidechain
26	BB	776	G	Sidechain
26	BB	777	G	Sidechain
26	BB	778	G	Sidechain
26	BB	779	U	Sidechain
26	BB	78	U	Sidechain
26	BB	781	A	Sidechain
26	BB	783	A	Sidechain
26	BB	784	G	Sidechain
26	BB	785	G	Sidechain
26	BB	787	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	792	A	Sidechain
26	BB	794	A	Sidechain
26	BB	797	G	Sidechain
26	BB	798	G	Sidechain
26	BB	799	G	Sidechain
26	BB	8	C	Sidechain
26	BB	80	G	Sidechain
26	BB	800	A	Sidechain
26	BB	801	G	Sidechain
26	BB	802	A	Sidechain
26	BB	804	A	Sidechain
26	BB	805	G	Sidechain
26	BB	806	C	Sidechain
26	BB	807	U	Sidechain
26	BB	809	G	Sidechain
26	BB	81	G	Sidechain
26	BB	810	U	Sidechain
26	BB	811	U	Sidechain
26	BB	812	C	Sidechain
26	BB	814	C	Sidechain
26	BB	815	C	Sidechain
26	BB	818	G	Sidechain
26	BB	819	A	Sidechain
26	BB	820	A	Sidechain
26	BB	821	A	Sidechain
26	BB	823	C	Sidechain
26	BB	824	U	Sidechain
26	BB	827	U	Sidechain
26	BB	828	U	Sidechain
26	BB	829	A	Sidechain
26	BB	83	A	Sidechain
26	BB	830	G	Sidechain
26	BB	831	G	Sidechain
26	BB	832	U	Sidechain
26	BB	834	G	Sidechain
26	BB	835	C	Sidechain
26	BB	84	A	Sidechain
26	BB	840	C	Sidechain
26	BB	842	U	Sidechain
26	BB	844	A	Sidechain
26	BB	847	U	Sidechain
26	BB	848	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	849	A	Sidechain
26	BB	85	G	Sidechain
26	BB	850	U	Sidechain
26	BB	852	U	Sidechain
26	BB	855	G	Sidechain
26	BB	856	G	Sidechain
26	BB	857	G	Sidechain
26	BB	858	G	Sidechain
26	BB	859	G	Sidechain
26	BB	86	G	Sidechain
26	BB	862	G	Sidechain
26	BB	863	A	Sidechain
26	BB	864	G	Sidechain
26	BB	867	C	Sidechain
26	BB	868	U	Sidechain
26	BB	869	G	Sidechain
26	BB	87	U	Sidechain
26	BB	870	U	Sidechain
26	BB	872	U	Sidechain
26	BB	874	G	Sidechain
26	BB	875	G	Sidechain
26	BB	877	A	Sidechain
26	BB	879	G	Sidechain
26	BB	88	G	Sidechain
26	BB	880	G	Sidechain
26	BB	883	G	Sidechain
26	BB	884	U	Sidechain
26	BB	886	A	Sidechain
26	BB	887	U	Sidechain
26	BB	889	C	Sidechain
26	BB	89	A	Sidechain
26	BB	890	C	Sidechain
26	BB	891	G	Sidechain
26	BB	892	A	Sidechain
26	BB	894	U	Sidechain
26	BB	895	U	Sidechain
26	BB	896	A	Sidechain
26	BB	898	C	Sidechain
26	BB	9	G	Sidechain
26	BB	90	U	Sidechain
26	BB	904	G	Sidechain
26	BB	905	A	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	906	U	Sidechain
26	BB	907	G	Sidechain
26	BB	908	C	Sidechain
26	BB	909	A	Sidechain
26	BB	910	A	Sidechain
26	BB	912	C	Sidechain
26	BB	914	G	Sidechain
26	BB	915	C	Sidechain
26	BB	918	A	Sidechain
26	BB	92	U	Sidechain
26	BB	921	C	Sidechain
26	BB	924	G	Sidechain
26	BB	929	U	Sidechain
26	BB	93	G	Sidechain
26	BB	930	G	Sidechain
26	BB	931	U	Sidechain
26	BB	933	A	Sidechain
26	BB	934	U	Sidechain
26	BB	936	A	Sidechain
26	BB	938	G	Sidechain
26	BB	939	G	Sidechain
26	BB	94	A	Sidechain
26	BB	940	G	Sidechain
26	BB	941	A	Sidechain
26	BB	942	G	Sidechain
26	BB	944	C	Sidechain
26	BB	945	A	Sidechain
26	BB	946	C	Sidechain
26	BB	949	G	Sidechain
26	BB	950	G	Sidechain
26	BB	951	C	Sidechain
26	BB	953	G	Sidechain
26	BB	956	G	Sidechain
26	BB	958	U	Sidechain
26	BB	959	A	Sidechain
26	BB	963	U	Sidechain
26	BB	965	C	Sidechain
26	BB	966	G	Sidechain
26	BB	967	U	Sidechain
26	BB	969	G	Sidechain
26	BB	970	U	Sidechain
26	BB	971	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	974	G	Sidechain
26	BB	977	G	Sidechain
26	BB	978	G	Sidechain
26	BB	979	A	Sidechain
26	BB	98	G	Sidechain
26	BB	981	A	Sidechain
26	BB	985	C	Sidechain
26	BB	986	C	Sidechain
26	BB	987	C	Sidechain
26	BB	988	A	Sidechain
26	BB	989	G	Sidechain
26	BB	99	U	Sidechain
26	BB	990	A	Sidechain
26	BB	991	C	Sidechain
26	BB	992	C	Sidechain
26	BB	996	A	Sidechain
26	BB	997	G	Sidechain
26	BB	998	C	Sidechain
27	BC	164	ARG	Sidechain
27	BC	21	TYR	Sidechain
27	BC	60	ARG	Sidechain
28	BD	101	ARG	Peptide
28	BD	12	ARG	Sidechain
28	BD	166	ARG	Sidechain
28	BD	174	ARG	Sidechain
28	BD	176	ARG	Sidechain
28	BD	199	HIS	Sidechain
28	BD	254	LYS	Peptide
28	BD	257	ARG	Sidechain
28	BD	38	LYS	Mainchain
28	BD	77	VAL	Peptide
29	BE	113	SER	Peptide
29	BE	184	ARG	Sidechain
29	BE	32	ASN	Mainchain
29	BE	40	LEU	Peptide
29	BE	8	LYS	Peptide
30	BF	12	LEU	Mainchain
30	BF	21	ARG	Sidechain
30	BF	69	ARG	Sidechain
31	BG	101	ARG	Sidechain
31	BG	124	ARG	Sidechain
31	BG	127	TYR	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
31	BG	132	ARG	Mainchain
31	BG	149	ARG	Peptide
31	BG	177	ARG	Sidechain
31	BG	6	TYR	Sidechain
31	BG	87	LYS	Mainchain
31	BG	94	ARG	Sidechain
32	BH	148	ARG	Sidechain
32	BH	150	TYR	Sidechain
32	BH	34	ARG	Sidechain
32	BH	83	THR	Peptide
33	BI	36	ALA	Mainchain
33	BI	68	ARG	Sidechain
34	BJ	130	THR	Peptide,Mainchain
34	BJ	137	ARG	Sidechain
34	BJ	53	VAL	Peptide
34	BJ	98	PHE	Sidechain
35	BK	126	ARG	Sidechain
36	BL	116	ARG	Sidechain
36	BL	119	PHE	Sidechain
36	BL	125	TYR	Sidechain
36	BL	13	ARG	Sidechain
36	BL	37	ARG	Sidechain
36	BL	71	ASP	Mainchain
36	BL	74	TYR	Sidechain
36	BL	83	GLY	Peptide
36	BL	99	ARG	Sidechain
37	BM	17	ARG	Sidechain
37	BM	30	ARG	Sidechain
37	BM	32	TYR	Sidechain
37	BM	4	GLU	Peptide
37	BM	70	ARG	Sidechain
37	BM	78	ARG	Sidechain
37	BM	87	LEU	Mainchain
38	BN	126	ARG	Sidechain
38	BN	21	ARG	Sidechain
38	BN	45	GLY	Peptide
38	BN	58	TYR	Sidechain
38	BN	69	ARG	Sidechain
39	BO	22	GLN	Mainchain
39	BO	91	TYR	Sidechain
40	BP	112	TYR	Sidechain
40	BP	22	ARG	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
40	BP	45	ARG	Sidechain
41	BQ	10	ARG	Sidechain
41	BQ	111	ARG	Sidechain
41	BQ	64	TYR	Sidechain
41	BQ	99	TYR	Sidechain
42	BR	19	PHE	Sidechain
42	BR	98	TYR	Sidechain
43	BS	32	ARG	Sidechain
43	BS	75	TYR	Sidechain
44	BT	2	TYR	Sidechain
44	BT	5	PHE	Sidechain
45	BU	110	ARG	Sidechain
45	BU	12	SER	Peptide
45	BU	4	ILE	Peptide
45	BU	84	ARG	Sidechain
46	BV	49	LYS	Peptide
46	BV	69	ARG	Sidechain
47	BW	84	PHE	Sidechain
47	BW	86	PHE	Sidechain
48	BX	44	HIS	Sidechain
49	BY	13	ARG	Peptide
49	BY	16	GLU	Peptide,Mainchain
49	BY	17	ALA	Mainchain
49	BY	38	ARG	Sidechain
49	BY	39	GLN	Peptide
49	BY	70	VAL	Peptide
50	BZ	36	ARG	Sidechain
50	BZ	37	PHE	Sidechain

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AA	33089	0	16596	0	0
2	AB	1627	0	840	0	0
3	AC	993	0	501	0	0
4	AD	1641	0	839	0	0
5	AE	1872	0	1885	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	AF	1822	0	1913	0	0
7	AG	1643	0	1710	0	0
8	AH	1225	0	1273	0	0
9	AI	1101	0	1050	0	0
10	AJ	1400	0	1449	0	0
11	AK	979	0	1034	0	0
12	AL	1036	0	1084	0	0
13	AM	825	0	865	0	0
14	AN	965	0	997	0	0
15	AO	955	0	1019	0	0
16	AP	910	0	981	0	0
17	AQ	805	0	847	0	0
18	AR	716	0	742	0	0
19	AS	649	0	666	0	0
20	AT	672	0	716	0	0
21	AU	626	0	651	0	0
22	AV	727	0	769	0	0
23	AW	670	0	722	0	0
24	AX	590	0	631	0	0
25	BA	2566	0	1295	0	0
26	BB	62351	0	31202	0	0
27	BC	1733	0	1824	0	0
28	BD	2092	0	2170	0	0
29	BE	1565	0	1616	0	0
30	BF	1552	0	1619	0	0
31	BG	1420	0	1460	0	0
32	BH	1323	0	1374	0	0
33	BI	1111	0	1148	0	0
34	BJ	1233	0	1283	0	0
35	BK	1032	0	1088	0	0
36	BL	1129	0	1162	0	0
37	BM	947	0	1023	0	0
38	BN	1053	0	1129	0	0
39	BO	1074	0	1157	0	0
40	BP	1008	0	1045	0	0
41	BQ	900	0	935	0	0
42	BR	917	0	965	0	0
43	BS	947	0	1022	0	0
44	BT	816	0	839	0	0
45	BU	857	0	922	0	0
46	BV	787	0	846	0	0
47	BW	789	0	847	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
48	BX	753	0	780	0	0
49	BY	634	0	656	0	0
50	BZ	625	0	655	0	0
51	B0	509	0	543	0	0
52	B1	449	0	491	0	0
53	B2	549	0	552	0	0
54	B3	444	0	461	0	0
55	B4	441	0	485	0	0
56	B5	377	0	418	0	0
57	B6	504	0	574	0	0
58	B7	302	0	343	0	0
59	AB	14	0	9	0	0
60	BB	10	0	10	0	0
All	All	152351	0	103728	0	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). Clashscore could not be calculated for this entry.

There are no clashes within the asymmetric unit.

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
5	AE	238/240 (99%)	217 (91%)	14 (6%)	7 (3%)	4	29
6	AF	230/232 (99%)	217 (94%)	8 (4%)	5 (2%)	6	35
7	AG	203/205 (99%)	187 (92%)	13 (6%)	3 (2%)	10	46
8	AH	164/166 (99%)	148 (90%)	14 (8%)	2 (1%)	13	50
9	AI	133/135 (98%)	122 (92%)	10 (8%)	1 (1%)	19	60
10	AJ	176/178 (99%)	165 (94%)	9 (5%)	2 (1%)	14	52
11	AK	127/129 (98%)	119 (94%)	7 (6%)	1 (1%)	19	60

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
12	AL	127/129 (98%)	112 (88%)	12 (9%)	3 (2%)	6	33
13	AM	101/103 (98%)	90 (89%)	6 (6%)	5 (5%)	2	20
14	AN	126/128 (98%)	111 (88%)	14 (11%)	1 (1%)	19	60
15	AO	121/123 (98%)	106 (88%)	14 (12%)	1 (1%)	19	60
16	AP	115/117 (98%)	109 (95%)	5 (4%)	1 (1%)	17	57
17	AQ	98/100 (98%)	84 (86%)	7 (7%)	7 (7%)	1	14
18	AR	86/88 (98%)	81 (94%)	4 (5%)	1 (1%)	13	50
19	AS	80/82 (98%)	77 (96%)	3 (4%)	0	100	100
20	AT	81/83 (98%)	72 (89%)	8 (10%)	1 (1%)	13	50
21	AU	72/74 (97%)	61 (85%)	7 (10%)	4 (6%)	2	19
22	AV	89/91 (98%)	82 (92%)	6 (7%)	1 (1%)	14	52
23	AW	84/86 (98%)	78 (93%)	6 (7%)	0	100	100
24	AX	68/70 (97%)	61 (90%)	4 (6%)	3 (4%)	2	22
27	BC	232/234 (99%)	216 (93%)	11 (5%)	5 (2%)	6	35
28	BD	270/272 (99%)	235 (87%)	25 (9%)	10 (4%)	3	24
29	BE	207/209 (99%)	174 (84%)	26 (13%)	7 (3%)	3	26
30	BF	199/201 (99%)	174 (87%)	15 (8%)	10 (5%)	2	20
31	BG	176/178 (99%)	151 (86%)	16 (9%)	9 (5%)	2	19
32	BH	174/176 (99%)	157 (90%)	12 (7%)	5 (3%)	4	29
33	BI	147/149 (99%)	130 (88%)	12 (8%)	5 (3%)	3	26
34	BJ	162/164 (99%)	157 (97%)	4 (2%)	1 (1%)	25	66
35	BK	139/141 (99%)	134 (96%)	5 (4%)	0	100	100
36	BL	140/142 (99%)	120 (86%)	16 (11%)	4 (3%)	4	29
37	BM	121/123 (98%)	109 (90%)	8 (7%)	4 (3%)	4	26
38	BN	142/144 (99%)	124 (87%)	14 (10%)	4 (3%)	5	30
39	BO	134/136 (98%)	123 (92%)	10 (8%)	1 (1%)	22	63
40	BP	125/127 (98%)	116 (93%)	8 (6%)	1 (1%)	19	60
41	BQ	115/117 (98%)	110 (96%)	5 (4%)	0	100	100
42	BR	112/114 (98%)	98 (88%)	11 (10%)	3 (3%)	5	31
43	BS	115/117 (98%)	108 (94%)	4 (4%)	3 (3%)	5	31
44	BT	101/103 (98%)	90 (89%)	7 (7%)	4 (4%)	3	23

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
45	BU	108/110 (98%)	98 (91%)	6 (6%)	4 (4%)	3	24
46	BV	98/100 (98%)	76 (78%)	19 (19%)	3 (3%)	4	27
47	BW	101/103 (98%)	88 (87%)	10 (10%)	3 (3%)	4	28
48	BX	92/94 (98%)	87 (95%)	4 (4%)	1 (1%)	14	52
49	BY	82/84 (98%)	64 (78%)	16 (20%)	2 (2%)	6	33
50	BZ	75/77 (97%)	68 (91%)	4 (5%)	3 (4%)	3	23
51	B0	61/63 (97%)	57 (93%)	3 (5%)	1 (2%)	9	44
52	B1	56/58 (97%)	53 (95%)	3 (5%)	0	100	100
53	B2	68/70 (97%)	65 (96%)	2 (3%)	1 (2%)	10	46
54	B3	54/56 (96%)	48 (89%)	4 (7%)	2 (4%)	3	24
55	B4	52/54 (96%)	49 (94%)	1 (2%)	2 (4%)	3	24
56	B5	44/46 (96%)	40 (91%)	2 (4%)	2 (4%)	2	22
57	B6	62/64 (97%)	58 (94%)	3 (5%)	1 (2%)	9	44
58	B7	36/38 (95%)	30 (83%)	3 (8%)	3 (8%)	1	12
All	All	6319/6423 (98%)	5706 (90%)	460 (7%)	153 (2%)	9	33

All (153) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
6	AF	163	ARG
8	AH	77	ASN
13	AM	57	VAL
14	AN	52	ARG
17	AQ	2	LYS
21	AU	11	ARG
27	BC	217	THR
28	BD	94	LEU
30	BF	78	TRP
31	BG	136	ILE
33	BI	3	VAL
38	BN	19	LEU
42	BR	25	VAL
43	BS	88	GLU
45	BU	41	LYS
45	BU	65	ASP
46	BV	39	THR
46	BV	86	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
47	BW	97	SER
55	B4	35	LEU
5	AE	22	TRP
5	AE	127	LYS
6	AF	14	VAL
7	AG	47	LEU
13	AM	42	LEU
13	AM	62	ARG
13	AM	74	VAL
17	AQ	32	ASP
17	AQ	61	ASN
17	AQ	70	HIS
18	AR	87	ARG
22	AV	11	ASP
28	BD	35	LYS
28	BD	37	SER
28	BD	64	VAL
28	BD	140	VAL
28	BD	142	ASN
29	BE	119	ALA
29	BE	162	ALA
30	BF	62	GLN
30	BF	79	ARG
30	BF	188	MET
31	BG	148	VAL
36	BL	14	ASP
36	BL	81	ILE
37	BM	6	THR
37	BM	71	ARG
39	BO	36	VAL
40	BP	107	ASN
43	BS	87	VAL
44	BT	43	ASN
44	BT	91	GLN
47	BW	74	ALA
50	BZ	18	SER
50	BZ	27	ARG
53	B2	43	PHE
55	B4	52	LYS
58	B7	6	SER
5	AE	17	HIS
6	AF	145	ALA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
6	AF	179	ALA
8	AH	26	GLY
11	AK	80	PRO
12	AL	106	ASP
12	AL	122	ARG
12	AL	128	LYS
17	AQ	37	ASP
17	AQ	62	ARG
21	AU	18	GLN
24	AX	3	ILE
24	AX	9	GLU
24	AX	24	LYS
29	BE	173	GLN
30	BF	44	ARG
30	BF	68	ALA
30	BF	183	PHE
31	BG	99	PHE
33	BI	27	ARG
33	BI	93	SER
36	BL	65	THR
38	BN	36	LYS
46	BV	9	LYS
48	BX	71	LYS
51	B0	23	ARG
58	B7	16	ILE
7	AG	27	ILE
13	AM	58	ASN
17	AQ	80	ARG
20	AT	81	ALA
27	BC	159	GLY
28	BD	123	ILE
30	BF	96	VAL
31	BG	66	ILE
31	BG	132	ARG
32	BH	94	ARG
32	BH	170	THR
33	BI	113	SER
34	BJ	33	THR
38	BN	3	LEU
38	BN	30	THR
43	BS	5	ARG
45	BU	89	ALA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
49	BY	52	CYS
50	BZ	53	LYS
54	B3	2	VAL
5	AE	94	ARG
5	AE	205	ALA
7	AG	37	PRO
10	AJ	2	ARG
10	AJ	13	PRO
15	AO	43	LYS
16	AP	22	TYR
21	AU	5	ARG
21	AU	7	ARG
27	BC	55	SER
27	BC	73	VAL
28	BD	254	LYS
29	BE	109	VAL
29	BE	170	VAL
30	BF	45	ALA
30	BF	60	TRP
31	BG	145	VAL
32	BH	61	TRP
33	BI	122	LEU
37	BM	17	ARG
44	BT	101	ILE
45	BU	28	LYS
49	BY	36	ILE
54	B3	48	TYR
56	B5	7	PRO
58	B7	4	ARG
5	AE	13	VAL
6	AF	3	LYS
9	AI	54	LEU
28	BD	204	LEU
29	BE	168	GLU
32	BH	9	VAL
42	BR	35	SER
27	BC	206	GLY
31	BG	88	VAL
31	BG	103	ILE
42	BR	32	VAL
5	AE	123	GLY
36	BL	79	GLY

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
44	BT	54	VAL
28	BD	240	GLY
31	BG	84	ILE
47	BW	55	GLY
29	BE	37	VAL
56	B5	44	VAL
57	B6	31	ILE
32	BH	153	PRO
37	BM	93	GLN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
5	AE	198/198 (100%)	189 (96%)	9 (4%)	27	52
6	AF	189/189 (100%)	178 (94%)	11 (6%)	20	45
7	AG	172/172 (100%)	166 (96%)	6 (4%)	36	59
8	AH	125/125 (100%)	116 (93%)	9 (7%)	14	39
9	AI	116/116 (100%)	111 (96%)	5 (4%)	29	53
10	AJ	146/146 (100%)	133 (91%)	13 (9%)	9	30
11	AK	104/104 (100%)	97 (93%)	7 (7%)	16	41
12	AL	106/106 (100%)	99 (93%)	7 (7%)	16	41
13	AM	90/90 (100%)	86 (96%)	4 (4%)	28	53
14	AN	98/98 (100%)	95 (97%)	3 (3%)	40	62
15	AO	103/103 (100%)	98 (95%)	5 (5%)	25	50
16	AP	95/95 (100%)	94 (99%)	1 (1%)	73	84
17	AQ	83/83 (100%)	80 (96%)	3 (4%)	35	59
18	AR	76/76 (100%)	72 (95%)	4 (5%)	22	47
19	AS	65/65 (100%)	61 (94%)	4 (6%)	18	43
20	AT	77/77 (100%)	74 (96%)	3 (4%)	32	56
21	AU	64/64 (100%)	61 (95%)	3 (5%)	26	51

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
22	AV	78/78 (100%)	74 (95%)	4 (5%)	24	48
23	AW	65/65 (100%)	64 (98%)	1 (2%)	65	80
24	AX	60/60 (100%)	57 (95%)	3 (5%)	24	49
27	BC	181/181 (100%)	171 (94%)	10 (6%)	21	47
28	BD	217/217 (100%)	207 (95%)	10 (5%)	27	52
29	BE	164/164 (100%)	150 (92%)	14 (8%)	10	33
30	BF	165/165 (100%)	157 (95%)	8 (5%)	25	51
31	BG	149/149 (100%)	137 (92%)	12 (8%)	11	35
32	BH	137/137 (100%)	124 (90%)	13 (10%)	8	27
33	BI	114/114 (100%)	110 (96%)	4 (4%)	36	59
34	BJ	122/122 (100%)	118 (97%)	4 (3%)	38	61
35	BK	109/109 (100%)	107 (98%)	2 (2%)	59	77
36	BL	116/116 (100%)	109 (94%)	7 (6%)	19	44
37	BM	104/104 (100%)	100 (96%)	4 (4%)	33	57
38	BN	103/103 (100%)	100 (97%)	3 (3%)	42	64
39	BO	109/109 (100%)	103 (94%)	6 (6%)	21	47
40	BP	103/103 (100%)	99 (96%)	4 (4%)	32	56
41	BQ	87/87 (100%)	82 (94%)	5 (6%)	20	45
42	BR	99/99 (100%)	94 (95%)	5 (5%)	24	48
43	BS	89/89 (100%)	84 (94%)	5 (6%)	21	46
44	BT	84/84 (100%)	77 (92%)	7 (8%)	11	34
45	BU	93/93 (100%)	89 (96%)	4 (4%)	29	53
46	BV	84/84 (100%)	77 (92%)	7 (8%)	11	34
47	BW	84/84 (100%)	80 (95%)	4 (5%)	25	51
48	BX	78/78 (100%)	73 (94%)	5 (6%)	17	42
49	BY	62/62 (100%)	58 (94%)	4 (6%)	17	42
50	BZ	67/67 (100%)	63 (94%)	4 (6%)	19	44
51	B0	55/55 (100%)	50 (91%)	5 (9%)	9	29
52	B1	48/48 (100%)	46 (96%)	2 (4%)	30	54
53	B2	62/62 (100%)	59 (95%)	3 (5%)	25	51
54	B3	47/47 (100%)	47 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
55	B4	48/48 (100%)	45 (94%)	3 (6%)	18	43
56	B5	38/38 (100%)	35 (92%)	3 (8%)	12	35
57	B6	51/51 (100%)	50 (98%)	1 (2%)	55	74
58	B7	34/34 (100%)	34 (100%)	0	100	100
All	All	5213/5213 (100%)	4940 (95%)	273 (5%)	27	48

All (273) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
5	AE	14	HIS
5	AE	26	MET
5	AE	34	ARG
5	AE	63	LYS
5	AE	81	ASP
5	AE	125	PHE
5	AE	129	THR
5	AE	193	ASP
5	AE	198	VAL
6	AF	13	ILE
6	AF	14	VAL
6	AF	33	ASP
6	AF	48	LYS
6	AF	53	ARG
6	AF	68	HIS
6	AF	107	LYS
6	AF	109	GLU
6	AF	111	ASP
6	AF	139	ASN
6	AF	153	SER
7	AG	16	THR
7	AG	60	VAL
7	AG	119	HIS
7	AG	165	GLU
7	AG	191	SER
7	AG	204	SER
8	AH	9	GLU
8	AH	19	ARG
8	AH	33	THR
8	AH	82	HIS
8	AH	111	ARG
8	AH	125	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
8	AH	127	TYR
8	AH	148	SER
8	AH	158	LYS
9	AI	9	MET
9	AI	41	ASP
9	AI	55	HIS
9	AI	90	MET
9	AI	102	MET
10	AJ	4	ARG
10	AJ	9	ARG
10	AJ	28	ILE
10	AJ	42	VAL
10	AJ	66	GLU
10	AJ	72	VAL
10	AJ	74	VAL
10	AJ	78	ARG
10	AJ	86	VAL
10	AJ	88	VAL
10	AJ	91	ARG
10	AJ	142	ARG
10	AJ	174	LEU
11	AK	26	MET
11	AK	29	SER
11	AK	55	LYS
11	AK	70	VAL
11	AK	80	PRO
11	AK	85	TYR
11	AK	113	ARG
12	AL	4	GLN
12	AL	58	GLU
12	AL	62	LEU
12	AL	88	GLU
12	AL	96	GLU
12	AL	105	ARG
12	AL	112	ARG
13	AM	5	ARG
13	AM	7	ARG
13	AM	17	LEU
13	AM	100	ILE
14	AN	27	ASN
14	AN	95	THR
14	AN	124	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
15	AO	28	GLN
15	AO	63	THR
15	AO	87	LYS
15	AO	107	LYS
15	AO	122	LYS
16	AP	85	TYR
17	AQ	45	LEU
17	AQ	62	ARG
17	AQ	82	LYS
18	AR	24	THR
18	AR	41	HIS
18	AR	55	LEU
18	AR	73	ASP
19	AS	18	GLN
19	AS	29	ASN
19	AS	46	LYS
19	AS	52	LEU
20	AT	19	SER
20	AT	21	VAL
20	AT	25	GLU
21	AU	4	PHE
21	AU	62	ARG
21	AU	71	ASP
22	AV	1	PRO
22	AV	13	HIS
22	AV	76	THR
22	AV	79	TYR
23	AW	15	LYS
24	AX	1	PRO
24	AX	8	ASN
24	AX	20	ARG
27	BC	12	ARG
27	BC	41	SER
27	BC	57	GLN
27	BC	93	GLU
27	BC	118	PRO
27	BC	121	MET
27	BC	127	LEU
27	BC	134	ARG
27	BC	203	GLN
27	BC	226	GLN
28	BD	32	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
28	BD	92	LEU
28	BD	100	ARG
28	BD	114	GLN
28	BD	198	GLU
28	BD	200	MET
28	BD	212	TRP
28	BD	229	HIS
28	BD	239	PHE
28	BD	244	VAL
29	BE	18	ASP
29	BE	33	ARG
29	BE	38	LYS
29	BE	40	LEU
29	BE	67	HIS
29	BE	74	GLU
29	BE	92	VAL
29	BE	99	GLU
29	BE	114	LYS
29	BE	142	VAL
29	BE	168	GLU
29	BE	183	GLU
29	BE	201	LEU
29	BE	205	PRO
30	BF	13	THR
30	BF	88	ARG
30	BF	93	SER
30	BF	123	LYS
30	BF	139	LYS
30	BF	152	GLU
30	BF	163	ASN
30	BF	195	GLN
31	BG	43	ILE
31	BG	90	LEU
31	BG	91	ARG
31	BG	109	ARG
31	BG	116	LEU
31	BG	131	VAL
31	BG	134	GLN
31	BG	137	PHE
31	BG	144	LYS
31	BG	147	ARG
31	BG	151	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
31	BG	178	LYS
32	BH	28	LYS
32	BH	31	GLU
32	BH	34	ARG
32	BH	40	VAL
32	BH	68	ARG
32	BH	109	SER
32	BH	123	GLU
32	BH	126	THR
32	BH	130	ILE
32	BH	139	VAL
32	BH	147	LEU
32	BH	151	ARG
32	BH	156	TYR
33	BI	8	LYS
33	BI	28	ASN
33	BI	50	ARG
33	BI	76	GLU
34	BJ	4	LEU
34	BJ	55	ARG
34	BJ	61	ARG
34	BJ	86	GLU
35	BK	57	VAL
35	BK	129	GLU
36	BL	1	MET
36	BL	61	LYS
36	BL	62	VAL
36	BL	103	ILE
36	BL	130	HIS
36	BL	141	ASP
36	BL	142	ILE
37	BM	13	ASN
37	BM	18	ARG
37	BM	29	HIS
37	BM	99	ILE
38	BN	41	ARG
38	BN	126	ARG
38	BN	142	ILE
39	BO	10	ARG
39	BO	28	PHE
39	BO	31	PHE
39	BO	38	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
39	BO	51	ARG
39	BO	59	ARG
40	BP	18	GLN
40	BP	39	PRO
40	BP	107	ASN
40	BP	120	GLU
41	BQ	3	LYS
41	BQ	26	LEU
41	BQ	43	ASN
41	BQ	56	LYS
41	BQ	117	PHE
42	BR	7	LEU
42	BR	43	GLU
42	BR	93	LYS
42	BR	96	LEU
42	BR	98	TYR
43	BS	7	VAL
43	BS	8	ILE
43	BS	56	PHE
43	BS	91	ARG
43	BS	113	LYS
44	BT	11	GLN
44	BT	22	LEU
44	BT	38	VAL
44	BT	60	LYS
44	BT	66	HIS
44	BT	79	ARG
44	BT	84	ARG
45	BU	70	LYS
45	BU	75	PHE
45	BU	88	ARG
45	BU	95	ARG
46	BV	10	VAL
46	BV	39	THR
46	BV	61	LEU
46	BV	72	GLN
46	BV	80	TRP
46	BV	89	GLU
46	BV	100	GLU
47	BW	17	ASP
47	BW	64	ILE
47	BW	87	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
47	BW	94	PHE
48	BX	1	MET
48	BX	10	LYS
48	BX	55	GLU
48	BX	57	TYR
48	BX	70	ILE
49	BY	8	SER
49	BY	16	GLU
49	BY	59	PHE
49	BY	84	GLU
50	BZ	32	LEU
50	BZ	48	LEU
50	BZ	60	LYS
50	BZ	71	ARG
51	B0	7	ARG
51	B0	15	ASN
51	B0	24	GLU
51	B0	26	PHE
51	B0	59	GLU
52	B1	15	ARG
52	B1	41	PRO
53	B2	11	GLU
53	B2	22	MET
53	B2	64	PHE
55	B4	31	GLU
55	B4	45	HIS
55	B4	50	GLU
56	B5	3	ARG
56	B5	41	ARG
56	B5	44	VAL
57	B6	34	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	AA	1538/1542 (99%)	309 (20%)	98 (6%)
2	AB	74/76 (97%)	28 (37%)	8 (10%)
25	BA	119/120 (99%)	16 (13%)	11 (9%)

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
26	BB	2898/2904 (99%)	534 (18%)	181 (6%)
3	AC	46/47 (97%)	21 (45%)	7 (15%)
4	AD	76/77 (98%)	13 (17%)	3 (3%)
All	All	4751/4766 (99%)	921 (19%)	308 (6%)

All (921) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	AA	2	A
1	AA	3	A
1	AA	5	U
1	AA	7	A
1	AA	8	A
1	AA	9	G
1	AA	32	A
1	AA	36	C
1	AA	48	C
1	AA	52	C
1	AA	53	A
1	AA	54	C
1	AA	61	G
1	AA	83	C
1	AA	84	U
1	AA	85	U
1	AA	98	A
1	AA	108	G
1	AA	121	U
1	AA	122	G
1	AA	123	U
1	AA	129	A
1	AA	131	A
1	AA	135	C
1	AA	153	C
1	AA	164	G
1	AA	166	U
1	AA	171	A
1	AA	174	A
1	AA	182	A
1	AA	184	G
1	AA	188	C
1	AA	189	A
1	AA	197	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	AA	204	G
1	AA	205	A
1	AA	209	U
1	AA	210	C
1	AA	212	G
1	AA	225	C
1	AA	228	A
1	AA	229	U
1	AA	240	G
1	AA	244	U
1	AA	245	U
1	AA	247	G
1	AA	250	A
1	AA	251	G
1	AA	252	U
1	AA	262	A
1	AA	266	G
1	AA	267	C
1	AA	272	C
1	AA	280	C
1	AA	282	A
1	AA	289	G
1	AA	293	G
1	AA	298	A
1	AA	306	A
1	AA	307	C
1	AA	316	C
1	AA	317	U
1	AA	319	G
1	AA	328	C
1	AA	329	A
1	AA	332	G
1	AA	344	A
1	AA	352	C
1	AA	353	A
1	AA	354	G
1	AA	367	U
1	AA	372	C
1	AA	373	A
1	AA	374	A
1	AA	381	C
1	AA	382	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	AA	384	G
1	AA	389	A
1	AA	390	U
1	AA	392	C
1	AA	395	C
1	AA	398	U
1	AA	404	G
1	AA	406	G
1	AA	411	A
1	AA	413	G
1	AA	415	A
1	AA	429	U
1	AA	444	G
1	AA	453	G
1	AA	463	U
1	AA	464	U
1	AA	467	U
1	AA	468	A
1	AA	476	U
1	AA	479	U
1	AA	481	G
1	AA	485	U
1	AA	486	U
1	AA	496	A
1	AA	498	A
1	AA	505	G
1	AA	508	U
1	AA	510	A
1	AA	518	C
1	AA	527	7MG
1	AA	528	C
1	AA	531	U
1	AA	532	A
1	AA	533	A
1	AA	534	U
1	AA	547	A
1	AA	552	U
1	AA	553	A
1	AA	560	A
1	AA	561	U
1	AA	562	U
1	AA	566	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	AA	572	A
1	AA	573	A
1	AA	575	G
1	AA	576	C
1	AA	577	G
1	AA	578	C
1	AA	583	A
1	AA	588	G
1	AA	609	A
1	AA	610	U
1	AA	615	G
1	AA	631	C
1	AA	633	G
1	AA	636	U
1	AA	641	U
1	AA	642	A
1	AA	650	G
1	AA	653	U
1	AA	654	G
1	AA	687	A
1	AA	688	G
1	AA	702	A
1	AA	704	A
1	AA	718	A
1	AA	719	C
1	AA	720	C
1	AA	721	G
1	AA	724	G
1	AA	728	A
1	AA	729	A
1	AA	755	G
1	AA	760	G
1	AA	765	G
1	AA	766	A
1	AA	783	C
1	AA	790	A
1	AA	791	G
1	AA	792	A
1	AA	805	C
1	AA	810	C
1	AA	812	G
1	AA	816	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	AA	817	C
1	AA	819	A
1	AA	821	G
1	AA	828	U
1	AA	829	G
1	AA	845	A
1	AA	846	G
1	AA	870	U
1	AA	873	A
1	AA	874	G
1	AA	876	C
1	AA	890	G
1	AA	899	C
1	AA	900	A
1	AA	910	C
1	AA	914	A
1	AA	926	G
1	AA	927	G
1	AA	935	A
1	AA	938	A
1	AA	939	G
1	AA	945	G
1	AA	960	U
1	AA	961	U
1	AA	962	C
1	AA	965	U
1	AA	966	2MG
1	AA	968	A
1	AA	969	A
1	AA	970	C
1	AA	973	G
1	AA	974	A
1	AA	975	A
1	AA	977	A
1	AA	978	A
1	AA	981	U
1	AA	984	C
1	AA	992	U
1	AA	993	G
1	AA	994	A
1	AA	995	C
1	AA	1004	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	AA	1006	G
1	AA	1015	G
1	AA	1026	G
1	AA	1028	C
1	AA	1030	U
1	AA	1049	U
1	AA	1050	G
1	AA	1054	C
1	AA	1064	G
1	AA	1065	U
1	AA	1081	A
1	AA	1094	G
1	AA	1095	U
1	AA	1101	A
1	AA	1118	U
1	AA	1135	U
1	AA	1136	C
1	AA	1137	C
1	AA	1139	G
1	AA	1143	G
1	AA	1148	U
1	AA	1149	C
1	AA	1152	A
1	AA	1154	G
1	AA	1159	U
1	AA	1168	U
1	AA	1181	G
1	AA	1183	U
1	AA	1190	G
1	AA	1197	A
1	AA	1198	G
1	AA	1200	C
1	AA	1201	A
1	AA	1202	U
1	AA	1208	C
1	AA	1212	U
1	AA	1213	A
1	AA	1214	C
1	AA	1215	G
1	AA	1224	U
1	AA	1226	C
1	AA	1227	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	AA	1228	C
1	AA	1238	A
1	AA	1240	U
1	AA	1241	G
1	AA	1250	A
1	AA	1254	A
1	AA	1256	A
1	AA	1257	A
1	AA	1258	G
1	AA	1264	U
1	AA	1270	G
1	AA	1278	G
1	AA	1280	A
1	AA	1286	U
1	AA	1290	G
1	AA	1300	G
1	AA	1301	U
1	AA	1303	C
1	AA	1305	G
1	AA	1315	U
1	AA	1317	C
1	AA	1318	A
1	AA	1319	A
1	AA	1322	C
1	AA	1336	C
1	AA	1337	G
1	AA	1338	G
1	AA	1340	A
1	AA	1345	U
1	AA	1346	A
1	AA	1347	G
1	AA	1348	U
1	AA	1360	A
1	AA	1362	A
1	AA	1363	A
1	AA	1364	U
1	AA	1365	G
1	AA	1368	A
1	AA	1378	C
1	AA	1398	A
1	AA	1401	G
1	AA	1431	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	AA	1432	G
1	AA	1437	A
1	AA	1446	A
1	AA	1448	C
1	AA	1452	C
1	AA	1453	G
1	AA	1454	G
1	AA	1490	U
1	AA	1492	A
1	AA	1493	A
1	AA	1494	G
1	AA	1502	A
1	AA	1503	A
1	AA	1506	U
1	AA	1507	A
1	AA	1529	G
1	AA	1530	G
1	AA	1533	C
1	AA	1534	A
1	AA	1535	C
1	AA	1536	C
1	AA	1539	C
1	AA	1540	U
2	AB	8	4SU
2	AB	9	A
2	AB	10	G
2	AB	11	U
2	AB	15	A
2	AB	17	H2U
2	AB	18	G
2	AB	19	G
2	AB	20	H2U
2	AB	21	A
2	AB	23	A
2	AB	24	G
2	AB	34	C
2	AB	35	C
2	AB	36	A
2	AB	46	7MG
2	AB	47	U
2	AB	48	U
2	AB	49	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	AB	56	C
2	AB	58	A
2	AB	59	G
2	AB	60	U
2	AB	61	C
2	AB	65	C
2	AB	73	G
2	AB	75	C
2	AB	76	A
3	AC	15	G
3	AC	16	A
3	AC	17	U
3	AC	18	A
3	AC	22	G
3	AC	23	C
3	AC	26	U
3	AC	27	A
3	AC	28	U
3	AC	29	G
3	AC	30	U
3	AC	33	A
3	AC	34	U
3	AC	40	G
3	AC	42	U
3	AC	46	C
3	AC	47	C
3	AC	48	C
3	AC	49	U
3	AC	52	U
3	AC	54	U
4	AD	8	4SU
4	AD	9	G
4	AD	10	G
4	AD	18	U
4	AD	19	G
4	AD	22	A
4	AD	38	A
4	AD	47	A
4	AD	49	C
4	AD	50	G
4	AD	74	A
4	AD	75	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	AD	77	A
25	BA	9	G
25	BA	13	G
25	BA	14	U
25	BA	25	U
25	BA	26	C
25	BA	35	C
25	BA	41	G
25	BA	42	C
25	BA	44	G
25	BA	51	G
25	BA	58	A
25	BA	66	A
25	BA	67	G
25	BA	73	A
25	BA	88	C
25	BA	99	A
26	BB	13	A
26	BB	14	A
26	BB	18	U
26	BB	30	G
26	BB	34	U
26	BB	35	G
26	BB	42	A
26	BB	43	G
26	BB	45	G
26	BB	46	G
26	BB	49	A
26	BB	50	U
26	BB	71	A
26	BB	72	U
26	BB	75	G
26	BB	85	G
26	BB	91	A
26	BB	92	U
26	BB	95	A
26	BB	98	G
26	BB	99	U
26	BB	100	U
26	BB	103	A
26	BB	113	U
26	BB	115	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	119	A
26	BB	120	U
26	BB	128	C
26	BB	140	C
26	BB	141	G
26	BB	194	G
26	BB	196	A
26	BB	197	A
26	BB	199	A
26	BB	204	A
26	BB	205	G
26	BB	215	G
26	BB	216	A
26	BB	218	A
26	BB	222	A
26	BB	224	U
26	BB	225	C
26	BB	232	G
26	BB	242	G
26	BB	243	U
26	BB	248	G
26	BB	250	G
26	BB	255	A
26	BB	265	A
26	BB	266	G
26	BB	271	G
26	BB	277	G
26	BB	294	A
26	BB	295	G
26	BB	321	U
26	BB	322	A
26	BB	330	A
26	BB	332	A
26	BB	333	G
26	BB	338	G
26	BB	346	A
26	BB	369	U
26	BB	371	A
26	BB	372	G
26	BB	386	G
26	BB	391	A
26	BB	396	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	403	U
26	BB	404	A
26	BB	405	U
26	BB	406	G
26	BB	411	G
26	BB	418	C
26	BB	424	G
26	BB	431	U
26	BB	436	C
26	BB	443	A
26	BB	452	G
26	BB	454	A
26	BB	456	C
26	BB	472	A
26	BB	479	A
26	BB	480	A
26	BB	481	G
26	BB	484	C
26	BB	490	C
26	BB	504	A
26	BB	505	A
26	BB	508	A
26	BB	509	C
26	BB	527	C
26	BB	531	C
26	BB	532	A
26	BB	546	U
26	BB	550	C
26	BB	562	U
26	BB	563	A
26	BB	571	U
26	BB	573	U
26	BB	574	A
26	BB	575	A
26	BB	603	A
26	BB	604	G
26	BB	612	G
26	BB	615	U
26	BB	628	G
26	BB	635	C
26	BB	637	A
26	BB	642	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	644	A
26	BB	645	C
26	BB	646	U
26	BB	655	A
26	BB	656	G
26	BB	671	C
26	BB	675	A
26	BB	686	U
26	BB	696	G
26	BB	718	A
26	BB	719	C
26	BB	728	G
26	BB	730	A
26	BB	732	C
26	BB	736	C
26	BB	747	5MU
26	BB	748	G
26	BB	751	A
26	BB	752	A
26	BB	753	A
26	BB	758	C
26	BB	763	G
26	BB	764	A
26	BB	775	G
26	BB	782	A
26	BB	784	G
26	BB	786	C
26	BB	789	A
26	BB	793	A
26	BB	802	A
26	BB	805	G
26	BB	812	C
26	BB	846	U
26	BB	847	U
26	BB	848	C
26	BB	859	G
26	BB	870	U
26	BB	889	C
26	BB	894	U
26	BB	896	A
26	BB	897	C
26	BB	901	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	910	A
26	BB	915	C
26	BB	925	A
26	BB	932	U
26	BB	933	A
26	BB	938	G
26	BB	941	A
26	BB	945	A
26	BB	946	C
26	BB	961	C
26	BB	973	A
26	BB	974	G
26	BB	980	A
26	BB	981	A
26	BB	985	C
26	BB	986	C
26	BB	990	A
26	BB	995	C
26	BB	996	A
26	BB	1002	G
26	BB	1003	G
26	BB	1005	C
26	BB	1008	A
26	BB	1010	A
26	BB	1011	G
26	BB	1013	C
26	BB	1022	G
26	BB	1025	G
26	BB	1026	G
26	BB	1044	C
26	BB	1048	A
26	BB	1052	C
26	BB	1060	U
26	BB	1062	G
26	BB	1070	A
26	BB	1073	A
26	BB	1079	C
26	BB	1081	U
26	BB	1083	U
26	BB	1084	A
26	BB	1087	G
26	BB	1094	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	1095	A
26	BB	1096	A
26	BB	1097	U
26	BB	1098	A
26	BB	1104	C
26	BB	1109	C
26	BB	1110	G
26	BB	1112	G
26	BB	1123	C
26	BB	1128	G
26	BB	1129	A
26	BB	1130	U
26	BB	1132	U
26	BB	1134	A
26	BB	1135	C
26	BB	1143	A
26	BB	1156	A
26	BB	1157	G
26	BB	1158	C
26	BB	1173	U
26	BB	1177	G
26	BB	1184	U
26	BB	1204	A
26	BB	1211	C
26	BB	1236	G
26	BB	1237	A
26	BB	1238	G
26	BB	1239	G
26	BB	1241	A
26	BB	1252	G
26	BB	1253	A
26	BB	1254	A
26	BB	1255	U
26	BB	1256	G
26	BB	1266	G
26	BB	1272	A
26	BB	1273	U
26	BB	1274	A
26	BB	1275	A
26	BB	1283	G
26	BB	1300	G
26	BB	1301	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	1302	A
26	BB	1303	G
26	BB	1307	A
26	BB	1308	A
26	BB	1318	U
26	BB	1321	A
26	BB	1322	A
26	BB	1323	C
26	BB	1329	U
26	BB	1332	G
26	BB	1333	G
26	BB	1341	G
26	BB	1349	C
26	BB	1362	C
26	BB	1363	C
26	BB	1365	A
26	BB	1368	G
26	BB	1378	A
26	BB	1379	U
26	BB	1383	A
26	BB	1384	A
26	BB	1385	A
26	BB	1386	C
26	BB	1395	A
26	BB	1396	U
26	BB	1416	G
26	BB	1417	C
26	BB	1420	A
26	BB	1421	G
26	BB	1454	C
26	BB	1458	U
26	BB	1459	G
26	BB	1460	U
26	BB	1461	C
26	BB	1482	G
26	BB	1494	A
26	BB	1509	A
26	BB	1514	G
26	BB	1515	A
26	BB	1522	A
26	BB	1523	U
26	BB	1524	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	1552	A
26	BB	1558	C
26	BB	1565	C
26	BB	1567	G
26	BB	1569	A
26	BB	1578	U
26	BB	1584	U
26	BB	1585	C
26	BB	1608	A
26	BB	1609	A
26	BB	1610	A
26	BB	1612	C
26	BB	1616	A
26	BB	1617	C
26	BB	1632	A
26	BB	1633	G
26	BB	1635	A
26	BB	1636	U
26	BB	1646	C
26	BB	1647	U
26	BB	1648	U
26	BB	1649	G
26	BB	1654	A
26	BB	1669	A
26	BB	1674	G
26	BB	1675	C
26	BB	1677	A
26	BB	1713	A
26	BB	1715	G
26	BB	1724	G
26	BB	1730	C
26	BB	1753	G
26	BB	1757	A
26	BB	1758	U
26	BB	1759	A
26	BB	1760	C
26	BB	1763	G
26	BB	1764	C
26	BB	1773	A
26	BB	1781	U
26	BB	1784	A
26	BB	1785	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	1786	A
26	BB	1787	A
26	BB	1800	C
26	BB	1801	A
26	BB	1808	A
26	BB	1809	A
26	BB	1815	A
26	BB	1825	U
26	BB	1830	C
26	BB	1831	G
26	BB	1833	C
26	BB	1851	U
26	BB	1873	G
26	BB	1912	A
26	BB	1913	A
26	BB	1914	C
26	BB	1928	A
26	BB	1930	G
26	BB	1940	U
26	BB	1941	C
26	BB	1951	U
26	BB	1952	A
26	BB	1955	U
26	BB	1963	U
26	BB	1964	G
26	BB	1965	C
26	BB	1967	C
26	BB	1968	G
26	BB	1970	A
26	BB	1971	U
26	BB	1972	G
26	BB	1982	U
26	BB	1993	U
26	BB	1996	C
26	BB	1997	C
26	BB	2004	G
26	BB	2012	G
26	BB	2020	A
26	BB	2021	C
26	BB	2023	C
26	BB	2031	A
26	BB	2032	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	2034	U
26	BB	2043	C
26	BB	2055	C
26	BB	2056	G
26	BB	2058	A
26	BB	2059	A
26	BB	2061	G
26	BB	2069	7MG
26	BB	2077	A
26	BB	2084	C
26	BB	2093	G
26	BB	2095	A
26	BB	2107	G
26	BB	2111	U
26	BB	2112	G
26	BB	2113	U
26	BB	2118	U
26	BB	2119	A
26	BB	2127	G
26	BB	2128	G
26	BB	2131	U
26	BB	2132	U
26	BB	2133	G
26	BB	2134	A
26	BB	2137	U
26	BB	2143	C
26	BB	2146	C
26	BB	2147	A
26	BB	2148	G
26	BB	2154	A
26	BB	2158	A
26	BB	2198	A
26	BB	2199	A
26	BB	2204	G
26	BB	2211	A
26	BB	2212	A
26	BB	2213	U
26	BB	2214	C
26	BB	2215	C
26	BB	2224	G
26	BB	2225	A
26	BB	2237	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	2238	G
26	BB	2239	G
26	BB	2246	G
26	BB	2249	U
26	BB	2250	G
26	BB	2253	G
26	BB	2266	A
26	BB	2272	U
26	BB	2282	G
26	BB	2283	C
26	BB	2286	G
26	BB	2287	A
26	BB	2288	A
26	BB	2306	C
26	BB	2307	G
26	BB	2311	A
26	BB	2312	U
26	BB	2321	U
26	BB	2322	A
26	BB	2325	G
26	BB	2335	A
26	BB	2336	A
26	BB	2337	G
26	BB	2340	A
26	BB	2345	G
26	BB	2346	A
26	BB	2347	C
26	BB	2350	C
26	BB	2354	C
26	BB	2358	A
26	BB	2377	A
26	BB	2383	G
26	BB	2385	C
26	BB	2389	G
26	BB	2390	U
26	BB	2406	A
26	BB	2407	A
26	BB	2411	A
26	BB	2426	A
26	BB	2427	C
26	BB	2428	G
26	BB	2429	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	2432	A
26	BB	2433	A
26	BB	2435	A
26	BB	2440	C
26	BB	2441	U
26	BB	2448	A
26	BB	2449	H2U
26	BB	2450	A
26	BB	2472	G
26	BB	2476	A
26	BB	2477	U
26	BB	2478	A
26	BB	2486	C
26	BB	2491	U
26	BB	2493	U
26	BB	2494	G
26	BB	2501	C
26	BB	2502	G
26	BB	2504	PSU
26	BB	2505	G
26	BB	2515	C
26	BB	2516	A
26	BB	2518	A
26	BB	2519	U
26	BB	2530	A
26	BB	2547	A
26	BB	2566	A
26	BB	2567	G
26	BB	2572	A
26	BB	2573	C
26	BB	2581	G
26	BB	2582	G
26	BB	2585	U
26	BB	2586	U
26	BB	2587	A
26	BB	2589	A
26	BB	2590	A
26	BB	2599	G
26	BB	2603	G
26	BB	2606	C
26	BB	2609	U
26	BB	2613	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	2616	C
26	BB	2629	U
26	BB	2639	A
26	BB	2654	A
26	BB	2655	G
26	BB	2656	U
26	BB	2664	G
26	BB	2665	A
26	BB	2685	G
26	BB	2689	U
26	BB	2690	U
26	BB	2714	G
26	BB	2737	G
26	BB	2739	U
26	BB	2742	G
26	BB	2744	G
26	BB	2757	A
26	BB	2765	A
26	BB	2766	A
26	BB	2769	U
26	BB	2771	C
26	BB	2774	C
26	BB	2777	G
26	BB	2778	A
26	BB	2779	U
26	BB	2780	G
26	BB	2781	A
26	BB	2782	G
26	BB	2791	G
26	BB	2800	A
26	BB	2807	U
26	BB	2825	G
26	BB	2833	U
26	BB	2842	G
26	BB	2861	U
26	BB	2864	G
26	BB	2867	G
26	BB	2868	A
26	BB	2873	A
26	BB	2879	A
26	BB	2880	C
26	BB	2883	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	2886	A
26	BB	2889	C
26	BB	2893	A
26	BB	2895	G
26	BB	2903	U

All (308) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	AA	2	A
1	AA	5	U
1	AA	7	A
1	AA	39	G
1	AA	51	A
1	AA	84	U
1	AA	101	A
1	AA	128	G
1	AA	173	U
1	AA	178	C
1	AA	181	A
1	AA	187	G
1	AA	188	C
1	AA	204	G
1	AA	224	U
1	AA	239	U
1	AA	243	A
1	AA	244	U
1	AA	251	G
1	AA	272	C
1	AA	279	A
1	AA	306	A
1	AA	328	C
1	AA	366	A
1	AA	372	C
1	AA	381	C
1	AA	410	G
1	AA	429	U
1	AA	481	G
1	AA	485	U
1	AA	497	G
1	AA	533	A
1	AA	534	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	AA	552	U
1	AA	560	A
1	AA	562	U
1	AA	582	C
1	AA	609	A
1	AA	630	A
1	AA	700	G
1	AA	717	U
1	AA	720	C
1	AA	744	C
1	AA	764	C
1	AA	765	G
1	AA	782	A
1	AA	789	U
1	AA	815	A
1	AA	840	C
1	AA	842	U
1	AA	870	U
1	AA	899	C
1	AA	904	U
1	AA	907	A
1	AA	926	G
1	AA	931	C
1	AA	937	A
1	AA	944	G
1	AA	960	U
1	AA	965	U
1	AA	968	A
1	AA	974	A
1	AA	992	U
1	AA	993	G
1	AA	1014	A
1	AA	1028	C
1	AA	1029	U
1	AA	1049	U
1	AA	1110	A
1	AA	1129	C
1	AA	1143	G
1	AA	1167	A
1	AA	1183	U
1	AA	1201	A
1	AA	1213	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	AA	1214	C
1	AA	1226	C
1	AA	1227	A
1	AA	1240	U
1	AA	1253	G
1	AA	1302	C
1	AA	1310	G
1	AA	1313	U
1	AA	1323	G
1	AA	1336	C
1	AA	1338	G
1	AA	1346	A
1	AA	1347	G
1	AA	1362	A
1	AA	1364	U
1	AA	1375	A
1	AA	1397	C
1	AA	1452	C
1	AA	1491	G
1	AA	1502	A
1	AA	1533	C
1	AA	1534	A
1	AA	1535	C
2	AB	9	A
2	AB	17	H2U
2	AB	34	C
2	AB	38	A
2	AB	46	7MG
2	AB	58	A
2	AB	59	G
2	AB	65	C
3	AC	15	G
3	AC	16	A
3	AC	18	A
3	AC	22	G
3	AC	27	A
3	AC	39	U
3	AC	47	C
4	AD	9	G
4	AD	22	A
4	AD	38	A
25	BA	12	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
25	BA	14	U
25	BA	25	U
25	BA	34	A
25	BA	36	C
25	BA	41	G
25	BA	44	G
25	BA	57	A
25	BA	66	A
25	BA	87	U
25	BA	106	G
26	BB	13	A
26	BB	34	U
26	BB	49	A
26	BB	69	C
26	BB	71	A
26	BB	91	A
26	BB	98	G
26	BB	99	U
26	BB	114	U
26	BB	140	C
26	BB	196	A
26	BB	199	A
26	BB	219	A
26	BB	228	C
26	BB	231	A
26	BB	241	A
26	BB	242	G
26	BB	265	A
26	BB	311	A
26	BB	332	A
26	BB	345	A
26	BB	347	A
26	BB	428	A
26	BB	443	A
26	BB	445	C
26	BB	451	U
26	BB	452	G
26	BB	453	A
26	BB	463	G
26	BB	479	A
26	BB	489	G
26	BB	534	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	552	U
26	BB	561	G
26	BB	569	U
26	BB	571	U
26	BB	573	U
26	BB	575	A
26	BB	585	G
26	BB	603	A
26	BB	611	C
26	BB	620	G
26	BB	628	G
26	BB	635	C
26	BB	652	U
26	BB	680	C
26	BB	689	A
26	BB	714	U
26	BB	743	A
26	BB	751	A
26	BB	776	G
26	BB	789	A
26	BB	846	U
26	BB	847	U
26	BB	870	U
26	BB	888	C
26	BB	900	A
26	BB	941	A
26	BB	980	A
26	BB	990	A
26	BB	995	C
26	BB	1012	U
26	BB	1035	U
26	BB	1040	A
26	BB	1043	C
26	BB	1069	A
26	BB	1070	A
26	BB	1083	U
26	BB	1094	U
26	BB	1095	A
26	BB	1128	G
26	BB	1129	A
26	BB	1133	A
26	BB	1134	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	1142	A
26	BB	1157	G
26	BB	1176	U
26	BB	1210	G
26	BB	1239	G
26	BB	1254	A
26	BB	1272	A
26	BB	1288	G
26	BB	1300	G
26	BB	1307	A
26	BB	1325	U
26	BB	1329	U
26	BB	1332	G
26	BB	1349	C
26	BB	1383	A
26	BB	1386	C
26	BB	1391	U
26	BB	1395	A
26	BB	1401	G
26	BB	1451	C
26	BB	1460	U
26	BB	1608	A
26	BB	1609	A
26	BB	1616	A
26	BB	1632	A
26	BB	1634	A
26	BB	1653	G
26	BB	1682	G
26	BB	1693	U
26	BB	1697	G
26	BB	1715	G
26	BB	1723	G
26	BB	1734	G
26	BB	1761	C
26	BB	1773	A
26	BB	1784	A
26	BB	1786	A
26	BB	1828	G
26	BB	1901	A
26	BB	1912	A
26	BB	1927	A
26	BB	1939	5MU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	1940	U
26	BB	1943	U
26	BB	1953	A
26	BB	1955	U
26	BB	1963	U
26	BB	2019	A
26	BB	2021	C
26	BB	2058	A
26	BB	2068	U
26	BB	2092	U
26	BB	2106	U
26	BB	2118	U
26	BB	2147	A
26	BB	2163	A
26	BB	2198	A
26	BB	2223	G
26	BB	2225	A
26	BB	2236	U
26	BB	2238	G
26	BB	2249	U
26	BB	2252	G
26	BB	2282	G
26	BB	2286	G
26	BB	2287	A
26	BB	2306	C
26	BB	2311	A
26	BB	2321	U
26	BB	2336	A
26	BB	2374	C
26	BB	2376	A
26	BB	2385	C
26	BB	2388	A
26	BB	2406	A
26	BB	2425	A
26	BB	2427	C
26	BB	2432	A
26	BB	2434	A
26	BB	2439	A
26	BB	2440	C
26	BB	2515	C
26	BB	2526	G
26	BB	2571	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	2581	G
26	BB	2585	U
26	BB	2586	U
26	BB	2589	A
26	BB	2613	U
26	BB	2629	U
26	BB	2655	G
26	BB	2663	G
26	BB	2665	A
26	BB	2697	G
26	BB	2756	U
26	BB	2765	A
26	BB	2771	C
26	BB	2777	G
26	BB	2780	G
26	BB	2791	G
26	BB	2797	U
26	BB	2802	G
26	BB	2806	C
26	BB	2835	A
26	BB	2842	G
26	BB	2867	G
26	BB	2879	A

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

49 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	4SU	AB	8	2	18,21,22	2.03	5 (27%)	26,30,33	1.58	6 (23%)
26	2MG	BB	1835	26	18,26,27	1.76	3 (16%)	16,38,41	1.56	2 (12%)
26	PSU	BB	1911	26	18,21,22	1.76	4 (22%)	22,30,33	1.52	5 (22%)
1	PSU	AA	516	1	18,21,22	1.61	4 (22%)	22,30,33	1.90	5 (22%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
26	6MZ	BB	1618	26	18,25,26	1.94	4 (22%)	16,36,39	2.14	4 (25%)
4	4SU	AD	8	4	18,21,22	2.18	4 (22%)	26,30,33	2.45	10 (38%)
26	2MG	BB	2445	26	18,26,27	1.81	3 (16%)	16,38,41	2.29	6 (37%)
2	OMC	AB	32	2	19,22,23	1.11	3 (15%)	26,31,34	1.74	7 (26%)
2	7MG	AB	46	2	22,26,27	4.30	5 (22%)	29,39,42	1.72	3 (10%)
26	OMG	BB	2251	26	18,26,27	1.35	2 (11%)	19,38,41	1.83	6 (31%)
1	7MG	AA	527	1	22,26,27	3.40	4 (18%)	29,39,42	1.46	1 (3%)
26	OMC	BB	2498	26	19,22,23	1.15	4 (21%)	26,31,34	1.83	7 (26%)
26	2MA	BB	2503	26	17,25,26	1.74	4 (23%)	17,37,40	1.81	5 (29%)
1	5MC	AA	967	1	18,22,23	1.43	2 (11%)	26,32,35	2.06	8 (30%)
26	PSU	BB	2580	26	18,21,22	1.90	5 (27%)	22,30,33	1.83	5 (22%)
26	5MC	BB	1962	26	18,22,23	1.75	4 (22%)	26,32,35	1.60	3 (11%)
1	2MG	AA	966	1	18,26,27	1.83	4 (22%)	16,38,41	1.81	3 (18%)
26	PSU	BB	2457	26	18,21,22	1.64	4 (22%)	22,30,33	1.26	2 (9%)
2	H2U	AB	17	2	18,21,22	1.65	4 (22%)	21,30,33	1.59	6 (28%)
26	6MZ	BB	2030	26	18,25,26	1.33	2 (11%)	16,36,39	2.52	6 (37%)
26	PSU	BB	2504	26	18,21,22	1.80	3 (16%)	22,30,33	2.21	5 (22%)
2	5MU	AB	54	2	19,22,23	1.54	4 (21%)	28,32,35	2.60	8 (28%)
26	1MG	BB	745	26	18,26,27	1.69	6 (33%)	19,39,42	2.35	9 (47%)
2	PSU	AB	55	2	18,21,22	1.94	5 (27%)	22,30,33	1.65	6 (27%)
2	H2U	AB	20	2	18,21,22	1.42	4 (22%)	21,30,33	1.87	5 (23%)
4	H2U	AD	21	4	18,21,22	1.37	2 (11%)	21,30,33	2.24	5 (23%)
26	7MG	BB	2069	26	22,26,27	4.31	6 (27%)	29,39,42	1.93	6 (20%)
1	MA6	AA	1518	1	18,26,27	1.69	5 (27%)	19,38,41	1.35	4 (21%)
26	5MU	BB	747	26	19,22,23	1.64	3 (15%)	28,32,35	2.09	10 (35%)
4	OMC	AD	33	4	19,22,23	1.02	2 (10%)	26,31,34	1.72	4 (15%)
1	2MG	AA	1516	1	18,26,27	1.80	4 (22%)	16,38,41	1.43	2 (12%)
2	H2U	AB	16	2	18,21,22	1.99	4 (22%)	21,30,33	1.58	4 (19%)
26	H2U	BB	2449	26	18,21,22	1.48	4 (22%)	21,30,33	1.11	3 (14%)
26	CH	BB	2575	26	16,21,22	1.57	1 (6%)	20,30,33	1.41	3 (15%)
4	PSU	AD	56	4	18,21,22	1.94	4 (22%)	22,30,33	1.26	1 (4%)
1	2MG	AA	1207	1	18,26,27	1.95	6 (33%)	16,38,41	1.13	1 (6%)
26	OMU	BB	2552	26	19,22,23	0.97	2 (10%)	26,31,34	1.56	5 (19%)
26	5MU	BB	1939	26	19,22,23	1.33	2 (10%)	28,32,35	1.87	8 (28%)
26	PSU	BB	955	26	18,21,22	2.04	3 (16%)	22,30,33	2.17	5 (22%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
26	3TD	BB	1915	26	18,22,23	1.94	4 (22%)	22,32,35	1.71	5 (22%)
2	MIA	AB	37	2	24,31,32	3.06	4 (16%)	26,44,47	2.19	9 (34%)
1	5MC	AA	1407	1	18,22,23	1.41	3 (16%)	26,32,35	1.29	4 (15%)
1	4OC	AA	1402	1	20,23,24	1.35	3 (15%)	26,32,35	1.46	5 (19%)
1	UR3	AA	1498	1	19,22,23	1.41	3 (15%)	26,32,35	2.06	12 (46%)
26	PSU	BB	1917	26	18,21,22	1.83	4 (22%)	22,30,33	1.30	2 (9%)
4	5MU	AD	55	4	19,22,23	1.54	5 (26%)	28,32,35	1.48	5 (17%)
1	MA6	AA	1519	1	18,26,27	2.08	6 (33%)	19,38,41	2.53	5 (26%)
26	PSU	BB	2605	26	18,21,22	1.79	4 (22%)	22,30,33	2.12	5 (22%)
26	PSU	BB	746	26	18,21,22	1.76	4 (22%)	22,30,33	1.83	7 (31%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	4SU	AB	8	2	-	5/7/25/26	0/2/2/2
26	2MG	BB	1835	26	-	0/5/27/28	0/3/3/3
26	PSU	BB	1911	26	-	0/7/25/26	0/2/2/2
1	PSU	AA	516	1	-	1/7/25/26	0/2/2/2
26	6MZ	BB	1618	26	-	0/5/27/28	0/3/3/3
4	4SU	AD	8	4	-	0/7/25/26	0/2/2/2
26	2MG	BB	2445	26	-	0/5/27/28	0/3/3/3
2	OMC	AB	32	2	-	1/9/27/28	0/2/2/2
2	7MG	AB	46	2	-	0/7/37/38	0/3/3/3
26	OMG	BB	2251	26	-	0/5/27/28	0/3/3/3
1	7MG	AA	527	1	-	1/7/37/38	0/3/3/3
26	OMC	BB	2498	26	-	1/9/27/28	0/2/2/2
26	2MA	BB	2503	26	-	0/3/25/26	0/3/3/3
1	5MC	AA	967	1	-	0/7/25/26	0/2/2/2
26	PSU	BB	2580	26	-	0/7/25/26	0/2/2/2
26	5MC	BB	1962	26	-	0/7/25/26	0/2/2/2
1	2MG	AA	966	1	-	0/5/27/28	0/3/3/3
26	PSU	BB	2457	26	-	0/7/25/26	0/2/2/2
2	H2U	AB	17	2	-	2/7/38/39	0/2/2/2
26	6MZ	BB	2030	26	-	1/5/27/28	0/3/3/3
26	PSU	BB	2504	26	-	0/7/25/26	0/2/2/2
2	5MU	AB	54	2	-	0/7/25/26	0/2/2/2
26	1MG	BB	745	26	-	0/3/25/26	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PSU	AB	55	2	-	0/7/25/26	0/2/2/2
2	H2U	AB	20	2	-	0/7/38/39	0/2/2/2
4	H2U	AD	21	4	-	0/7/38/39	0/2/2/2
26	7MG	BB	2069	26	-	1/7/37/38	0/3/3/3
1	MA6	AA	1518	1	-	0/7/29/30	0/3/3/3
26	5MU	BB	747	26	-	0/7/25/26	0/2/2/2
4	OMC	AD	33	4	-	0/9/27/28	0/2/2/2
1	2MG	AA	1516	1	-	1/5/27/28	0/3/3/3
2	H2U	AB	16	2	-	0/7/38/39	0/2/2/2
26	H2U	BB	2449	26	-	0/7/38/39	0/2/2/2
26	CH	BB	2575	26	-	0/5/25/26	0/2/2/2
4	PSU	AD	56	4	-	0/7/25/26	0/2/2/2
1	2MG	AA	1207	1	-	0/5/27/28	0/3/3/3
26	OMU	BB	2552	26	-	0/9/27/28	0/2/2/2
26	5MU	BB	1939	26	-	0/7/25/26	0/2/2/2
26	PSU	BB	955	26	-	0/7/25/26	0/2/2/2
26	3TD	BB	1915	26	-	0/7/25/26	0/2/2/2
2	MIA	AB	37	2	-	1/11/33/34	0/3/3/3
1	5MC	AA	1407	1	-	0/7/25/26	0/2/2/2
1	4OC	AA	1402	1	-	0/9/29/30	0/2/2/2
1	UR3	AA	1498	1	-	1/7/25/26	0/2/2/2
26	PSU	BB	1917	26	-	1/7/25/26	0/2/2/2
4	5MU	AD	55	4	-	0/7/25/26	0/2/2/2
1	MA6	AA	1519	1	-	0/7/29/30	0/3/3/3
26	PSU	BB	2605	26	-	1/7/25/26	0/2/2/2
26	PSU	BB	746	26	-	3/7/25/26	0/2/2/2

All (184) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2069	7MG	C8-N9	-18.96	1.35	1.46
2	AB	46	7MG	C8-N9	-18.04	1.35	1.46
1	AA	527	7MG	C8-N9	-14.09	1.38	1.46
2	AB	37	MIA	C2-S10	13.92	1.87	1.75
4	AD	8	4SU	C5-C4	-6.50	1.34	1.42
2	AB	46	7MG	C5-N7	6.39	1.43	1.35
2	AB	8	4SU	C5-C4	-5.74	1.35	1.42
26	BB	955	PSU	O4'-C1'	-5.73	1.36	1.43
26	BB	2575	CH	C5-C4	5.22	1.47	1.39
2	AB	55	PSU	O4'-C1'	-5.14	1.36	1.43
26	BB	2445	2MG	C2'-C1'	-5.05	1.46	1.53
2	AB	16	H2U	C4-N3	-5.00	1.29	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1618	6MZ	O4'-C4'	-4.54	1.34	1.45
26	BB	1911	PSU	C2-N1	4.50	1.42	1.36
26	BB	2457	PSU	O4'-C4'	-4.37	1.35	1.45
26	BB	2504	PSU	C6-N1	4.33	1.43	1.36
26	BB	2605	PSU	O4'-C1'	-4.33	1.37	1.43
26	BB	1915	3TD	C10-N3	4.33	1.55	1.47
26	BB	1917	PSU	O4'-C4'	-4.32	1.35	1.45
1	AA	1519	MA6	O3'-C3'	-4.25	1.33	1.43
1	AA	966	2MG	C8-N7	-4.22	1.27	1.35
1	AA	1516	2MG	C5-C4	-4.19	1.32	1.43
26	BB	746	PSU	C4-N3	4.14	1.46	1.38
26	BB	2580	PSU	C2-N1	4.13	1.42	1.36
26	BB	1962	5MC	C6-N1	4.10	1.45	1.38
4	AD	56	PSU	C6-C5	4.04	1.40	1.35
26	BB	2580	PSU	C2-N3	4.01	1.44	1.37
26	BB	1618	6MZ	C8-N7	-4.01	1.27	1.34
26	BB	1917	PSU	C6-C5	4.00	1.40	1.35
26	BB	747	5MU	C2-N3	3.98	1.45	1.38
1	AA	1207	2MG	O4'-C1'	3.88	1.46	1.41
4	AD	56	PSU	C6-N1	3.84	1.42	1.36
1	AA	527	7MG	O2'-C2'	-3.80	1.34	1.43
26	BB	2503	2MA	C2'-C1'	3.79	1.59	1.53
26	BB	2605	PSU	C2'-C1'	3.77	1.58	1.53
26	BB	955	PSU	C2-N1	3.75	1.41	1.36
26	BB	1915	3TD	C1'-C5	3.71	1.58	1.50
1	AA	1207	2MG	C2-N1	3.70	1.42	1.36
26	BB	1911	PSU	C6-N1	3.66	1.42	1.36
2	AB	17	H2U	O5'-C5'	-3.62	1.35	1.44
1	AA	1519	MA6	C4-N3	3.58	1.40	1.35
1	AA	1518	MA6	O4'-C4'	-3.53	1.37	1.45
26	BB	1835	2MG	C5-C6	-3.53	1.40	1.47
1	AA	1498	UR3	C2-N1	3.53	1.43	1.38
1	AA	516	PSU	C2-N1	3.52	1.41	1.36
2	AB	55	PSU	C6-N1	3.51	1.42	1.36
1	AA	1519	MA6	O4'-C1'	3.44	1.45	1.41
4	AD	8	4SU	C4-S4	3.42	1.74	1.68
2	AB	17	H2U	C5-C4	3.39	1.57	1.50
4	AD	8	4SU	C2-N3	3.38	1.44	1.38
2	AB	54	5MU	C4-C5	3.37	1.50	1.44
26	BB	2069	7MG	C4-N9	-3.35	1.33	1.37
26	BB	2251	OMG	O4'-C4'	-3.34	1.37	1.45
2	AB	16	H2U	O4'-C1'	3.32	1.49	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	747	5MU	O5'-C5'	-3.28	1.36	1.44
26	BB	1962	5MC	C2-N3	3.27	1.43	1.36
1	AA	966	2MG	C6-N1	3.26	1.42	1.37
1	AA	1519	MA6	C9-N6	3.23	1.53	1.45
26	BB	1835	2MG	C2-N1	3.23	1.41	1.36
4	AD	8	4SU	C2-N1	3.21	1.43	1.38
1	AA	527	7MG	C4-N9	-3.16	1.34	1.37
26	BB	745	1MG	C2-N2	3.13	1.39	1.34
4	AD	56	PSU	C2-N1	3.13	1.41	1.36
2	AB	16	H2U	O2'-C2'	3.12	1.50	1.43
1	AA	516	PSU	O5'-C5'	-3.12	1.37	1.44
1	AA	1207	2MG	C4-N3	-3.12	1.29	1.37
26	BB	746	PSU	C2-N3	3.11	1.42	1.37
26	BB	1835	2MG	C8-N7	-3.10	1.29	1.35
26	BB	746	PSU	C6-C5	3.10	1.38	1.35
2	AB	8	4SU	C2-N1	3.07	1.43	1.38
4	AD	55	5MU	O5'-C5'	-3.06	1.37	1.44
2	AB	46	7MG	C1'-N9	3.05	1.52	1.46
4	AD	55	5MU	C5M-C5	3.03	1.58	1.50
26	BB	1618	6MZ	O5'-C5'	-3.00	1.37	1.44
1	AA	966	2MG	C2'-C1'	3.00	1.58	1.53
4	AD	21	H2U	C1'-N1	2.96	1.52	1.46
26	BB	2504	PSU	O4'-C4'	-2.96	1.38	1.45
1	AA	516	PSU	C2'-C1'	-2.95	1.49	1.53
26	BB	1917	PSU	C2-N1	2.95	1.40	1.36
2	AB	8	4SU	C5'-C4'	2.92	1.60	1.51
26	BB	1911	PSU	C1'-C5	2.92	1.56	1.50
1	AA	1407	5MC	C6-C5	2.91	1.39	1.34
26	BB	2449	H2U	C1'-N1	-2.90	1.41	1.46
26	BB	2030	6MZ	C2'-C1'	-2.88	1.49	1.53
2	AB	16	H2U	C5-C4	2.87	1.56	1.50
26	BB	2503	2MA	C8-N7	-2.85	1.30	1.35
1	AA	1516	2MG	C5-C6	-2.85	1.41	1.47
4	AD	56	PSU	C2'-C1'	2.84	1.57	1.53
26	BB	747	5MU	C3'-C2'	2.82	1.61	1.53
2	AB	17	H2U	C2-N3	-2.81	1.33	1.38
2	AB	8	4SU	C4-N3	2.80	1.40	1.37
26	BB	2552	OMU	O2'-C2'	-2.79	1.35	1.42
26	BB	2445	2MG	O5'-C5'	-2.77	1.38	1.44
1	AA	967	5MC	C3'-C4'	2.77	1.60	1.53
26	BB	2069	7MG	C5-N7	2.76	1.38	1.35
1	AA	1518	MA6	O4'-C1'	-2.73	1.37	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	AB	20	H2U	C4-N3	2.72	1.42	1.37
1	AA	527	7MG	C3'-C4'	2.72	1.59	1.53
1	AA	1518	MA6	C9-N6	2.71	1.51	1.45
26	BB	1962	5MC	C1'-N1	2.71	1.55	1.47
26	BB	2504	PSU	C2-N1	2.70	1.40	1.36
26	BB	2605	PSU	C1'-C5	2.68	1.56	1.50
26	BB	2457	PSU	C5'-C4'	2.65	1.59	1.51
1	AA	1516	2MG	C3'-C4'	-2.62	1.46	1.53
2	AB	8	4SU	C2-N3	2.61	1.42	1.38
26	BB	2069	7MG	O4'-C1'	2.60	1.48	1.42
26	BB	745	1MG	C5-C4	-2.60	1.36	1.43
1	AA	1498	UR3	C4-N3	2.59	1.46	1.40
26	BB	746	PSU	C3'-C2'	-2.58	1.46	1.53
26	BB	745	1MG	O5'-C5'	-2.57	1.38	1.44
2	AB	46	7MG	C2-N1	2.57	1.44	1.37
26	BB	2498	OMC	O4'-C1'	-2.57	1.35	1.42
26	BB	2580	PSU	C4-C5	2.57	1.51	1.44
26	BB	1939	5MU	C2-N1	2.54	1.42	1.38
26	BB	2580	PSU	O5'-C5'	-2.54	1.38	1.44
2	AB	37	MIA	C2-N1	-2.53	1.30	1.34
1	AA	1498	UR3	O2'-C2'	-2.53	1.37	1.43
1	AA	1518	MA6	C2-N3	2.53	1.36	1.32
4	AD	21	H2U	C5-C4	2.51	1.55	1.50
1	AA	1402	4OC	C2-N3	-2.51	1.31	1.36
2	AB	54	5MU	C3'-C2'	-2.50	1.46	1.53
26	BB	1915	3TD	O4'-C1'	-2.49	1.40	1.43
26	BB	955	PSU	C1'-C5	2.47	1.55	1.50
4	AD	55	5MU	O4-C4	2.46	1.28	1.23
1	AA	966	2MG	CM2-N2	2.45	1.50	1.45
26	BB	2069	7MG	O4'-C4'	-2.44	1.39	1.45
1	AA	1407	5MC	O3'-C3'	2.44	1.48	1.43
2	AB	37	MIA	C2'-C1'	2.42	1.57	1.53
26	BB	2605	PSU	C4-C5	2.41	1.51	1.44
26	BB	2449	H2U	O3'-C3'	-2.39	1.37	1.43
2	AB	55	PSU	C4-C5	2.39	1.51	1.44
26	BB	2457	PSU	C1'-C5	2.38	1.55	1.50
26	BB	2069	7MG	O5'-C5'	-2.37	1.39	1.44
1	AA	967	5MC	O5'-C5'	-2.36	1.39	1.44
4	AD	33	OMC	O4'-C4'	-2.36	1.39	1.45
26	BB	2445	2MG	C5-C4	-2.34	1.37	1.43
1	AA	1516	2MG	C6-N1	2.33	1.41	1.37
26	BB	2503	2MA	C4-N3	2.33	1.43	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	745	1MG	C2-N3	2.32	1.38	1.34
2	AB	37	MIA	C4-N3	2.32	1.39	1.35
4	AD	55	5MU	C6-C5	2.32	1.38	1.34
2	AB	20	H2U	C6-N1	2.31	1.51	1.47
26	BB	2552	OMU	C2-N3	2.30	1.42	1.38
1	AA	516	PSU	C6-N1	2.30	1.40	1.36
1	AA	1518	MA6	C10-N6	2.30	1.51	1.45
26	BB	2251	OMG	C5-C4	-2.29	1.37	1.43
1	AA	1402	4OC	CM4-N4	2.29	1.49	1.45
26	BB	2580	PSU	O4'-C1'	-2.27	1.40	1.43
26	BB	2457	PSU	C2-N1	2.24	1.39	1.36
1	AA	1207	2MG	O4'-C4'	-2.23	1.40	1.45
26	BB	2449	H2U	O4'-C4'	-2.22	1.40	1.45
1	AA	1402	4OC	C6-C5	2.22	1.40	1.35
26	BB	1939	5MU	C6-N1	2.21	1.41	1.38
26	BB	2030	6MZ	C8-N7	-2.21	1.30	1.34
26	BB	2449	H2U	C6-C5	-2.20	1.46	1.52
26	BB	2503	2MA	C2-N3	2.20	1.35	1.31
1	AA	1519	MA6	C10-N6	2.19	1.50	1.45
26	BB	1917	PSU	O4'-C1'	2.19	1.46	1.43
2	AB	55	PSU	O5'-C5'	2.18	1.50	1.44
26	BB	1915	3TD	C3'-C2'	-2.17	1.47	1.53
26	BB	1618	6MZ	O3'-C3'	-2.16	1.37	1.43
26	BB	745	1MG	C2'-C1'	2.15	1.57	1.53
26	BB	1962	5MC	C2-N1	2.14	1.44	1.40
26	BB	745	1MG	O4'-C1'	2.14	1.44	1.41
1	AA	1519	MA6	O5'-C5'	-2.12	1.39	1.44
26	BB	2498	OMC	C4-N4	2.12	1.38	1.33
2	AB	20	H2U	O2'-C2'	-2.10	1.38	1.43
26	BB	1911	PSU	O4-C4	-2.08	1.19	1.23
4	AD	33	OMC	C3'-C4'	-2.06	1.47	1.53
4	AD	55	5MU	C4-C5	2.06	1.48	1.44
2	AB	54	5MU	O5'-C5'	-2.06	1.39	1.44
1	AA	1207	2MG	C5-C6	-2.04	1.43	1.47
1	AA	1207	2MG	O5'-C5'	-2.04	1.39	1.44
2	AB	54	5MU	C2-N1	2.04	1.41	1.38
2	AB	32	OMC	C4-N4	-2.04	1.29	1.33
1	AA	1407	5MC	C2-N3	2.04	1.40	1.36
26	BB	2498	OMC	O4'-C4'	-2.03	1.40	1.45
2	AB	32	OMC	C4-N3	-2.03	1.30	1.34
2	AB	17	H2U	C2-N1	2.02	1.38	1.35
2	AB	20	H2U	C2-N1	2.02	1.38	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	AB	32	OMC	O2'-C2'	2.02	1.47	1.42
26	BB	2498	OMC	C3'-C2'	2.02	1.57	1.52
2	AB	55	PSU	C2-N1	2.01	1.39	1.36
2	AB	46	7MG	O5'-C5'	-2.00	1.39	1.44

All (253) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1519	MA6	N1-C6-N6	7.78	125.25	117.06
2	AB	46	7MG	N9-C8-N7	6.87	113.21	103.38
26	BB	2069	7MG	N9-C8-N7	6.82	113.13	103.38
26	BB	1618	6MZ	C9-N6-C6	6.37	128.36	122.87
4	AD	21	H2U	O4'-C1'-N1	6.33	117.92	109.30
4	AD	8	4SU	C6-N1-C2	-5.96	113.36	120.99
1	AA	527	7MG	N9-C8-N7	5.93	111.86	103.38
26	BB	747	5MU	C6-C5-C4	5.73	122.82	118.03
2	AB	37	MIA	C2-N3-C4	-5.64	107.55	115.32
26	BB	2504	PSU	C6-C5-C4	5.62	122.13	118.20
2	AB	37	MIA	C12-C13-C14	-5.61	116.23	127.14
26	BB	2605	PSU	C6-N1-C2	5.56	128.38	122.68
4	AD	8	4SU	C4-N3-C2	-5.45	122.05	127.34
1	AA	516	PSU	C6-C5-C4	5.42	121.99	118.20
26	BB	745	1MG	C2-N1-C6	5.40	125.34	120.95
2	AB	54	5MU	C6-C5-C4	5.38	122.53	118.03
1	AA	967	5MC	O4'-C1'-N1	5.20	120.25	108.36
2	AB	54	5MU	C5-C4-N3	-5.13	110.93	115.31
26	BB	955	PSU	O4'-C1'-C2'	5.08	112.31	105.14
26	BB	955	PSU	C6-C5-C4	5.04	121.72	118.20
2	AB	20	H2U	O4-C4-N3	4.94	128.11	120.28
26	BB	1962	5MC	CM5-C5-C6	-4.93	116.26	122.85
26	BB	2030	6MZ	C9-N6-C6	-4.92	118.63	122.87
26	BB	2445	2MG	C3'-C2'-C1'	4.92	108.39	100.98
1	AA	966	2MG	O6-C6-N1	-4.80	114.98	120.65
4	AD	33	OMC	O4'-C1'-N1	4.79	119.31	108.36
26	BB	2030	6MZ	O4'-C4'-C3'	-4.76	95.69	105.11
26	BB	2605	PSU	O2-C2-N1	4.72	127.99	122.79
26	BB	2580	PSU	C6-C5-C4	4.60	121.42	118.20
1	AA	1519	MA6	C3'-C2'-C1'	4.57	107.86	100.98
2	AB	54	5MU	O4'-C1'-N1	4.57	118.81	108.36
4	AD	21	H2U	C2'-C3'-C4'	-4.55	93.79	102.64
26	BB	2030	6MZ	O4'-C1'-C2'	-4.54	100.29	106.93
2	AB	54	5MU	N3-C2-N1	4.54	120.91	114.89

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	54	5MU	C6-N1-C2	-4.49	116.75	121.30
26	BB	2504	PSU	C5-C6-N1	-4.49	115.39	122.11
2	AB	32	OMC	O2'-C2'-C1'	4.46	117.78	109.08
26	BB	1939	5MU	C6-C5-C4	4.42	121.72	118.03
26	BB	955	PSU	C3'-C2'-C1'	-4.41	96.50	101.64
4	AD	8	4SU	O4'-C4'-C3'	4.41	113.84	105.11
1	AA	1498	UR3	O5'-C5'-C4'	4.41	123.99	108.99
2	AB	54	5MU	C5M-C5-C6	-4.37	117.01	122.85
1	AA	967	5MC	O2-C2-N1	4.29	127.76	118.89
26	BB	745	1MG	CM1-N1-C6	-4.18	111.82	117.55
26	BB	1835	2MG	O6-C6-N1	-4.16	115.74	120.65
26	BB	2605	PSU	C6-C5-C4	4.14	121.09	118.20
2	AB	54	5MU	O2-C2-N3	-4.07	113.92	121.50
26	BB	2251	OMG	O2'-C2'-C1'	4.01	117.04	109.09
26	BB	2445	2MG	C2'-C3'-C4'	-3.98	94.92	102.64
4	AD	21	H2U	N3-C2-N1	-3.92	112.51	116.65
4	AD	56	PSU	O3'-C3'-C4'	3.88	122.26	111.05
26	BB	746	PSU	C6-N1-C2	3.84	126.61	122.68
26	BB	2457	PSU	C6-C5-C4	3.83	120.88	118.20
26	BB	2503	2MA	N1-C2-N3	3.81	129.37	123.06
26	BB	2498	OMC	O3'-C3'-C4'	3.74	121.85	111.05
26	BB	1835	2MG	O6-C6-C5	3.70	131.60	124.37
26	BB	1915	3TD	O2'-C2'-C1'	-3.70	102.42	111.23
1	AA	516	PSU	C3'-C2'-C1'	3.67	105.91	101.64
26	BB	747	5MU	C2'-C3'-C4'	-3.66	95.54	102.64
26	BB	1915	3TD	O2-C2-N3	3.64	127.21	121.83
1	AA	1498	UR3	C6-N1-C2	-3.63	118.54	121.79
2	AB	16	H2U	O4'-C1'-N1	3.60	114.20	109.30
26	BB	747	5MU	C5-C6-N1	-3.60	119.63	123.34
26	BB	2580	PSU	O4'-C1'-C2'	3.59	110.21	105.14
1	AA	967	5MC	O5'-C5'-C4'	3.58	121.16	108.99
26	BB	2552	OMU	C2'-C1'-N1	-3.57	107.29	114.22
26	BB	2498	OMC	O2-C2-N3	-3.55	116.55	122.33
26	BB	2445	2MG	O4'-C4'-C3'	3.54	112.12	105.11
26	BB	2552	OMU	O4'-C1'-N1	3.53	116.43	108.36
26	BB	2251	OMG	N2-C2-N3	3.43	126.41	119.74
1	AA	516	PSU	C5-C6-N1	-3.39	117.03	122.11
2	AB	32	OMC	C4-N3-C2	3.37	125.70	120.25
4	AD	33	OMC	O2-C2-N3	-3.35	116.88	122.33
4	AD	8	4SU	C5-C4-N3	3.34	117.79	114.69
2	AB	17	H2U	N3-C2-N1	-3.31	113.15	116.65
26	BB	1939	5MU	C5-C6-N1	-3.30	119.94	123.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	AD	8	4SU	N3-C2-N1	3.30	119.27	114.89
26	BB	2504	PSU	O2'-C2'-C1'	-3.29	103.38	111.23
26	BB	2503	2MA	O4'-C1'-C2'	-3.29	102.11	106.93
26	BB	2575	CH	C5-C4-N3	3.27	119.91	118.04
4	AD	33	OMC	O4'-C1'-C2'	-3.25	100.86	106.57
26	BB	2498	OMC	C6-N1-C2	-3.23	114.89	120.49
1	AA	967	5MC	O2-C2-N3	-3.22	117.09	122.33
1	AA	1498	UR3	C3'-C2'-C1'	-3.21	95.33	101.43
4	AD	55	5MU	C3'-C2'-C1'	3.19	107.49	101.43
1	AA	1498	UR3	C2'-C3'-C4'	3.18	108.83	102.64
26	BB	955	PSU	O2-C2-N1	-3.18	119.28	122.79
2	AB	55	PSU	C6-N1-C2	3.18	125.94	122.68
26	BB	2251	OMG	O6-C6-N1	3.15	124.37	120.65
26	BB	2580	PSU	C2'-C3'-C4'	-3.13	96.56	102.64
2	AB	32	OMC	C5-C4-N3	-3.12	116.02	121.33
26	BB	746	PSU	O2-C2-N1	3.11	126.22	122.79
26	BB	1911	PSU	O4'-C4'-C5'	3.11	119.61	109.37
2	AB	55	PSU	C2'-C3'-C4'	-3.11	96.60	102.64
2	AB	37	MIA	N3-C2-N1	3.11	132.70	126.98
1	AA	967	5MC	C5-C4-N4	-3.11	116.83	121.48
26	BB	2504	PSU	C2'-C3'-C4'	-3.10	96.62	102.64
1	AA	1516	2MG	O4'-C1'-C2'	3.10	111.45	106.93
2	AB	8	4SU	C5-C4-N3	3.08	117.55	114.69
26	BB	1911	PSU	C6-N1-C2	-3.07	119.54	122.68
26	BB	2069	7MG	C6-C5-N7	-3.04	127.13	131.91
2	AB	16	H2U	C4-N3-C2	3.03	128.31	125.79
2	AB	8	4SU	C5-C4-S4	-3.03	120.57	124.47
26	BB	1911	PSU	C6-C5-C4	3.00	120.30	118.20
26	BB	745	1MG	C3'-C2'-C1'	3.00	105.49	100.98
2	AB	8	4SU	O3'-C3'-C4'	2.99	119.71	111.05
1	AA	967	5MC	C5-C4-N3	2.99	124.90	121.67
2	AB	32	OMC	C2'-C3'-C4'	-2.98	95.51	101.99
26	BB	2251	OMG	C3'-C2'-C1'	-2.96	97.32	102.89
2	AB	55	PSU	C3'-C2'-C1'	-2.96	98.19	101.64
26	BB	1939	5MU	C6-N1-C2	-2.96	118.30	121.30
2	AB	54	5MU	C1'-N1-C6	2.94	126.02	121.12
26	BB	1962	5MC	O4'-C1'-N1	2.94	115.08	108.36
2	AB	37	MIA	C12-N6-C6	2.93	126.88	122.55
4	AD	8	4SU	C3'-C2'-C1'	2.92	106.97	101.43
1	AA	1407	5MC	O3'-C3'-C2'	2.91	121.25	111.82
26	BB	1939	5MU	O4'-C1'-C2'	-2.91	100.30	106.64
26	BB	2457	PSU	C4'-O4'-C1'	2.91	115.86	108.55

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2605	PSU	C5-C6-N1	-2.90	117.75	122.11
26	BB	2552	OMU	C5-C4-N3	-2.90	110.50	114.84
26	BB	746	PSU	O4'-C1'-C2'	-2.89	101.07	105.14
26	BB	745	1MG	O4'-C1'-C2'	-2.88	102.72	106.93
1	AA	1519	MA6	O4'-C1'-C2'	-2.88	102.72	106.93
2	AB	46	7MG	O4'-C4'-C3'	2.86	110.78	105.11
4	AD	21	H2U	O2-C2-N1	2.86	126.70	123.11
4	AD	8	4SU	C6-C5-C4	2.86	122.42	119.95
4	AD	55	5MU	C5-C4-N3	-2.85	112.88	115.31
26	BB	745	1MG	C5-C6-N1	-2.84	109.63	113.90
1	AA	1498	UR3	C3U-N3-C2	2.80	122.23	117.31
2	AB	17	H2U	O4'-C1'-N1	2.80	113.12	109.30
4	AD	55	5MU	C5M-C5-C6	-2.80	119.11	122.85
26	BB	2069	7MG	O4'-C4'-C5'	2.79	118.55	109.37
1	AA	1407	5MC	O4'-C1'-N1	2.79	114.73	108.36
2	AB	17	H2U	O4'-C4'-C3'	2.77	110.60	105.11
26	BB	2445	2MG	O3'-C3'-C2'	2.77	120.78	111.82
26	BB	2504	PSU	C3'-C2'-C1'	2.77	104.86	101.64
1	AA	1516	2MG	C2'-C3'-C4'	2.75	107.98	102.64
26	BB	747	5MU	C4-N3-C2	-2.73	123.82	127.35
26	BB	2030	6MZ	C2-N1-C6	2.72	118.92	116.59
2	AB	37	MIA	C1'-N9-C4	-2.71	121.88	126.64
26	BB	2575	CH	O5'-C5'-C4'	2.71	118.20	108.99
26	BB	2498	OMC	N1-C2-N3	2.70	123.72	118.81
26	BB	2449	H2U	O4'-C1'-N1	2.70	112.97	109.30
2	AB	20	H2U	O4'-C1'-N1	2.69	112.96	109.30
26	BB	746	PSU	C3'-C2'-C1'	2.68	104.76	101.64
2	AB	20	H2U	N3-C2-N1	2.66	119.47	116.65
26	BB	2605	PSU	O3'-C3'-C2'	2.65	120.39	111.82
26	BB	2552	OMU	O4-C4-N3	2.63	123.17	119.31
2	AB	55	PSU	O4'-C1'-C2'	2.61	108.83	105.14
26	BB	2503	2MA	O3'-C3'-C4'	2.61	118.59	111.05
26	BB	745	1MG	O5'-C5'-C4'	2.61	117.86	108.99
1	AA	1498	UR3	C6-C5-C4	2.60	125.93	120.78
4	AD	8	4SU	C2'-C3'-C4'	-2.60	97.60	102.64
26	BB	1939	5MU	O4'-C1'-N1	2.59	114.29	108.36
1	AA	1519	MA6	C9-N6-C6	2.59	127.36	119.51
26	BB	745	1MG	O6-C6-N1	2.58	124.61	120.47
2	AB	17	H2U	O5'-C5'-C4'	-2.57	100.27	108.99
26	BB	2498	OMC	C1'-N1-C2	2.56	124.14	118.42
26	BB	747	5MU	O4-C4-C5	2.55	127.86	124.90
26	BB	2503	2MA	C5-C6-N1	2.55	118.42	114.02

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1407	5MC	CM5-C5-C6	-2.55	119.45	122.85
26	BB	1917	PSU	C2'-C3'-C4'	-2.55	97.70	102.64
26	BB	747	5MU	O2'-C2'-C1'	-2.54	101.51	110.02
2	AB	55	PSU	N1-C2-N3	-2.54	112.26	115.13
1	AA	1518	MA6	O3'-C3'-C2'	2.53	120.00	111.82
2	AB	16	H2U	O4'-C4'-C3'	-2.52	100.12	105.11
2	AB	37	MIA	C11-S10-C2	2.52	104.15	102.27
26	BB	1915	3TD	O2-C2-N1	-2.52	115.50	121.55
1	AA	1402	4OC	C4-N3-C2	2.52	123.55	120.12
26	BB	2449	H2U	C2'-C3'-C4'	2.52	107.53	102.64
2	AB	20	H2U	O4'-C1'-C2'	-2.51	101.16	106.64
26	BB	2498	OMC	O2'-C2'-C1'	2.50	113.97	109.08
26	BB	2069	7MG	C4-C5-N7	2.50	109.00	105.53
26	BB	1618	6MZ	O4'-C4'-C3'	2.48	110.03	105.11
1	AA	1498	UR3	O2-C2-N3	2.48	124.84	121.34
4	AD	33	OMC	C6-N1-C2	-2.48	116.19	120.49
26	BB	1911	PSU	O2-C2-N1	-2.47	120.07	122.79
1	AA	516	PSU	O2-C2-N1	2.46	125.50	122.79
1	AA	967	5MC	O4'-C4'-C5'	2.44	117.41	109.37
26	BB	747	5MU	O2-C2-N1	2.44	126.02	122.79
1	AA	966	2MG	O6-C6-C5	2.43	129.12	124.37
2	AB	16	H2U	C2'-C3'-C4'	2.40	107.31	102.64
1	AA	1402	4OC	C5-C4-N4	-2.40	117.73	122.61
2	AB	8	4SU	O4'-C4'-C3'	2.39	109.84	105.11
1	AA	1402	4OC	C1'-N1-C6	2.38	126.04	120.84
1	AA	1518	MA6	C4-C5-N7	-2.38	106.92	109.40
26	BB	2575	CH	O4'-C1'-C2'	-2.37	103.47	106.93
4	AD	55	5MU	O2'-C2'-C1'	-2.37	102.11	110.02
26	BB	1939	5MU	O3'-C3'-C4'	-2.37	104.21	111.05
1	AA	1498	UR3	C3U-N3-C4	-2.36	114.51	117.89
26	BB	2580	PSU	C5-C6-N1	-2.36	118.56	122.11
26	BB	746	PSU	N1-C2-N3	-2.35	112.47	115.13
1	AA	516	PSU	O2'-C2'-C1'	-2.35	105.63	111.23
26	BB	747	5MU	C5M-C5-C6	-2.35	119.71	122.85
26	BB	2030	6MZ	C1'-N9-C4	2.35	130.76	126.64
26	BB	745	1MG	C2'-C3'-C4'	-2.34	98.10	102.64
26	BB	1911	PSU	C5'-C4'-C3'	-2.34	106.42	115.18
26	BB	2030	6MZ	C4-C5-N7	-2.33	106.97	109.40
1	AA	1498	UR3	O2'-C2'-C1'	2.33	117.81	110.02
4	AD	55	5MU	C5M-C5-C4	2.32	121.32	118.77
2	AB	20	H2U	O4-C4-C5	-2.30	117.25	122.17
1	AA	1402	4OC	O2-C2-N3	-2.30	118.59	122.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2069	7MG	C2'-C3'-C4'	-2.28	98.20	102.64
26	BB	747	5MU	O4'-C1'-N1	2.28	113.56	108.36
26	BB	2445	2MG	O2'-C2'-C1'	-2.27	102.46	110.85
26	BB	2498	OMC	C3'-C2'-C1'	-2.27	98.62	102.89
2	AB	55	PSU	C5-C6-N1	-2.27	118.70	122.11
2	AB	8	4SU	O4'-C1'-N1	2.27	113.55	108.36
26	BB	955	PSU	C6-N1-C2	-2.26	120.37	122.68
2	AB	17	H2U	C4'-O4'-C1'	-2.26	104.49	109.47
26	BB	1962	5MC	C5-C4-N4	-2.25	118.12	121.48
1	AA	1498	UR3	O2-C2-N1	-2.23	117.49	122.72
26	BB	1618	6MZ	C2'-C3'-C4'	-2.23	98.30	102.64
1	AA	1519	MA6	C2'-C3'-C4'	-2.23	98.31	102.64
26	BB	746	PSU	C2'-C3'-C4'	-2.22	98.32	102.64
4	AD	8	4SU	C1'-N1-C2	2.22	121.59	117.57
26	BB	1915	3TD	O3'-C3'-C4'	2.21	117.44	111.05
26	BB	2552	OMU	C6-C5-C4	2.21	122.53	119.52
1	AA	1498	UR3	C1'-N1-C2	2.21	120.72	116.99
26	BB	2503	2MA	CM2-C2-N3	-2.19	112.99	119.47
1	AA	966	2MG	O5'-C5'-C4'	2.19	116.46	108.99
1	AA	1402	4OC	C2'-C3'-C4'	-2.19	97.23	101.99
2	AB	37	MIA	C3'-C2'-C1'	-2.18	97.69	100.98
2	AB	46	7MG	O2'-C2'-C3'	2.17	118.86	111.82
1	AA	1518	MA6	C9-N6-C6	2.17	126.09	119.51
26	BB	746	PSU	C6-C5-C4	2.17	119.71	118.20
26	BB	1939	5MU	C5'-C4'-C3'	-2.16	107.07	115.18
26	BB	745	1MG	O4'-C4'-C3'	2.16	109.39	105.11
26	BB	2251	OMG	O4'-C4'-C3'	-2.14	100.87	105.11
26	BB	2580	PSU	O4'-C4'-C3'	2.14	109.34	105.11
4	AD	21	H2U	O4'-C4'-C3'	-2.12	100.91	105.11
26	BB	2445	2MG	O2'-C2'-C3'	2.11	118.64	111.82
26	BB	1917	PSU	N1-C2-N3	-2.11	112.74	115.13
2	AB	8	4SU	N3-C2-N1	-2.10	112.10	114.89
26	BB	1915	3TD	O3'-C3'-C2'	-2.10	105.04	111.82
1	AA	1518	MA6	O2'-C2'-C1'	-2.07	103.21	110.85
26	BB	2449	H2U	N3-C2-N1	-2.07	114.47	116.65
1	AA	967	5MC	N1-C2-N3	-2.06	115.06	118.81
26	BB	2251	OMG	N1-C2-N3	-2.05	119.49	123.32
2	AB	32	OMC	C5-C4-N4	2.04	123.79	120.57
1	AA	1207	2MG	O2'-C2'-C1'	-2.04	103.33	110.85
2	AB	37	MIA	S10-C2-N1	-2.03	108.98	116.01
26	BB	1939	5MU	N3-C2-N1	2.03	117.59	114.89
2	AB	32	OMC	O2-C2-N1	2.03	123.09	118.89

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1498	UR3	O2'-C2'-C3'	2.03	118.39	111.82
26	BB	1618	6MZ	C3'-C2'-C1'	2.03	104.03	100.98
2	AB	37	MIA	O4'-C1'-C2'	2.02	109.88	106.93
26	BB	747	5MU	O4-C4-N3	-2.02	116.25	120.12
4	AD	8	4SU	S4-C4-N3	-2.02	118.22	120.21
1	AA	1407	5MC	C1'-N1-C6	-2.02	117.77	121.12
26	BB	2069	7MG	O5'-C5'-C4'	2.01	115.83	108.99
2	AB	32	OMC	O4'-C1'-N1	2.01	112.95	108.36
2	AB	17	H2U	C5-C4-N3	2.00	118.90	116.65

There are no chirality outliers.

All (21) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	AA	1516	2MG	N3-C2-N2-CM2
2	AB	8	4SU	C2'-C1'-N1-C2
2	AB	32	OMC	C1'-C2'-O2'-CM2
26	BB	746	PSU	C2'-C1'-C5-C4
2	AB	8	4SU	C2'-C1'-N1-C6
2	AB	37	MIA	C12-C13-C14-C15
1	AA	527	7MG	C4'-C5'-O5'-P
26	BB	2069	7MG	O4'-C4'-C5'-O5'
2	AB	17	H2U	C4'-C5'-O5'-P
2	AB	17	H2U	O4'-C4'-C5'-O5'
2	AB	8	4SU	O4'-C1'-N1-C6
2	AB	8	4SU	C4'-C5'-O5'-P
26	BB	2498	OMC	C2'-C1'-N1-C6
1	AA	516	PSU	O4'-C1'-C5-C4
26	BB	746	PSU	O4'-C1'-C5-C4
26	BB	1917	PSU	O4'-C1'-C5-C4
26	BB	2605	PSU	O4'-C1'-C5-C4
2	AB	8	4SU	O4'-C1'-N1-C2
1	AA	1498	UR3	O4'-C4'-C5'-O5'
26	BB	746	PSU	O4'-C1'-C5-C6
26	BB	2030	6MZ	O4'-C4'-C5'-O5'

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
60	FME	BB	3001	59	8,9,10	0.98	0	7,9,11	0.94	0
59	TRP	AB	101	60,2	14,15,16	2.01	4 (28%)	13,20,22	1.64	3 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
60	FME	BB	3001	59	-	1/7/9/11	-
59	TRP	AB	101	60,2	-	0/5/6/8	0/2/2/2

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
59	AB	101	TRP	OXT-C	-4.64	1.22	1.42
59	AB	101	TRP	CZ3-CE3	3.48	1.44	1.36
59	AB	101	TRP	C-CA	3.04	1.57	1.52
59	AB	101	TRP	CZ2-CE2	-2.19	1.38	1.41

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
59	AB	101	TRP	OXT-C-CA	2.45	121.20	111.52
59	AB	101	TRP	CZ2-CE2-CD2	2.43	125.20	120.76
59	AB	101	TRP	CH2-CZ2-CE2	-2.25	116.84	120.08

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
60	BB	3001	FME	O1-CN-N-CA

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
26	BB	2
1	AA	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	BB	1872:A	O3'	1873:G	P	1.76
1	AA	1017:U	O3'	1018:G	P	1.75
1	BB	600:G	O3'	601:C	P	1.75


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-5363. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 125



Y Index: 125




Z Index: 125


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 129



Y Index: 131




Z Index: 115


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.1. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 4835 nm^3 ; this corresponds to an approximate mass of 4367 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)



*Reported resolution corresponds to spatial frequency of 0.087\AA^{-1}


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-5363 and PDB model 4V6Q. Per-residue inclusion information can be found in section 3 on page 15.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.1 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.1).

9.4 Atom inclusion [i](#)



At the recommended contour level, 99% of all backbone atoms, 100% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

















































The table lists the average atom inclusion at the recommended contour level (0.1) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.9950	0.0740
AA	1.0000	0.0910
AB	0.9860	0.0530
AC	0.8950	0.0140
AD	0.9940	0.0980
AE	0.9470	0.0370
AF	0.9990	0.0630
AG	0.9990	0.0450
AH	0.9930	0.0430
AI	0.9810	0.0410
AJ	0.9910	0.0540
AK	0.9980	0.0400
AL	0.9810	0.0480
AM	1.0000	0.0220
AN	0.9930	0.0420
AO	0.9890	0.0400
AP	0.9750	0.0410
AQ	1.0000	0.0400
AR	1.0000	0.0540
AS	0.9980	0.0100
AT	1.0000	0.0560
AU	1.0000	0.0290
AV	0.9790	0.0360
AW	1.0000	0.0460
AX	1.0000	0.0290
B0	1.0000	0.0320
B1	1.0000	0.0430
B2	0.9810	0.0180
B3	1.0000	0.0280
B4	0.9980	0.0540
B5	1.0000	0.0030
B6	1.0000	0.0370
B7	1.0000	0.0320
BA	1.0000	0.1010
BB	1.0000	0.0910



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
BC	 0.9910	 0.0420
BD	 1.0000	 0.0180
BE	 0.9990	 0.0240
BF	 0.9990	 0.0650
BG	 0.9910	 0.0460
BH	 1.0000	 0.0250
BI	 0.8510	 0.0260
BJ	 0.9000	 0.0450
BK	 0.9730	 0.0380
BL	 1.0000	 0.0330
BM	 0.9960	 0.0600
BN	 0.9990	 0.0160
BO	 1.0000	 0.0440
BP	 1.0000	 0.0250
BQ	 0.9950	 0.0580
BR	 0.9980	 0.0280
BS	 0.9980	 0.0250
BT	 0.9950	 0.0480
BU	 0.9980	 0.0270
BV	 0.9990	 0.0330
BW	 1.0000	 0.0690
BX	 1.0000	 0.0740
BY	 0.9980	 0.0240
BZ	 1.0000	 0.0350