



Full wwPDB EM Validation Report ⓘ

Nov 23, 2022 – 04:22 PM JST

PDB ID : 7V8A
EMDB ID : EMD-31795
Title : Cryo-EM structure of SARS-CoV-2 S-Delta variant (B.1.617.2) in complex with Angiotensin-converting enzyme 2 (ACE2) ectodomain, three ACE2-bound form conformation 2
Authors : Yang, T.J.; Yu, P.Y.; Chang, Y.C.; Hsu, S.T.D.
Deposited on : 2021-08-22
Resolution : 2.70 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.3

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1281	
1	B	1281	
1	C	1281	
2	F	861	
2	G	861	
2	H	861	
3	D	2	
3	E	2	
3	I	2	











Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	J	2	 100%
3	K	2	 100%
3	L	2	 100%
3	M	2	 50% 50%
3	N	2	 100%
3	O	2	 100%
3	P	2	 50% 50%
3	Q	2	 100%
3	R	2	 100%
3	S	2	 100%
3	T	2	 100%
3	U	2	 50% 100%
3	V	2	 100%
3	W	2	 100%
3	X	2	 100%
3	Y	2	 50% 50%
3	Z	2	 100%
3	a	2	 100%
3	b	2	 50% 50%
3	c	2	 100%
3	d	2	 100%
3	e	2	 100%
3	f	2	 50% 100%
3	g	2	 50% 100%
3	h	2	 100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	i	2	 100%
3	j	2	 100%
3	k	2	 50% 50%
3	l	2	 100%
3	m	2	 100%
3	n	2	 50% 50%
3	o	2	 100%
3	p	2	 100%
3	q	2	 50% 50%
3	r	2	 100%

2 Entry composition i

There are 4 unique types of molecules in this entry. The entry contains 39922 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Spike glycoprotein.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	1027	8016	5113	1340	1527	36	0	0
1	B	1027	8016	5113	1340	1527	36	0	0
1	C	1027	8016	5113	1340	1527	36	0	0

There are 270 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	19	ARG	THR	variant	UNP P0DTC2
A	142	ASP	GLY	variant	UNP P0DTC2
A	156	GLY	GLU	variant	UNP P0DTC2
A	?	-	PHE	deletion	UNP P0DTC2
A	?	-	ARG	deletion	UNP P0DTC2
A	450	ARG	LEU	variant	UNP P0DTC2
A	476	LYS	THR	variant	UNP P0DTC2
A	612	GLY	ASP	variant	UNP P0DTC2
A	679	ARG	PRO	engineered mutation	UNP P0DTC2
A	680	GLY	ARG	engineered mutation	UNP P0DTC2
A	681	SER	ARG	engineered mutation	UNP P0DTC2
A	683	SER	ARG	engineered mutation	UNP P0DTC2
A	948	ASN	ASP	variant	UNP P0DTC2
A	984	PRO	LYS	engineered mutation	UNP P0DTC2
A	985	PRO	VAL	engineered mutation	UNP P0DTC2
A	1207	GLU	-	expression tag	UNP P0DTC2
A	1208	PHE	-	expression tag	UNP P0DTC2
A	1209	GLY	-	expression tag	UNP P0DTC2
A	1210	SER	-	expression tag	UNP P0DTC2
A	1211	GLY	-	expression tag	UNP P0DTC2
A	1212	GLY	-	expression tag	UNP P0DTC2
A	1213	TYR	-	expression tag	UNP P0DTC2
A	1214	ILE	-	expression tag	UNP P0DTC2
A	1215	PRO	-	expression tag	UNP P0DTC2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	1216	GLU	-	expression tag	UNP P0DTC2
A	1217	ALA	-	expression tag	UNP P0DTC2
A	1218	PRO	-	expression tag	UNP P0DTC2
A	1219	ARG	-	expression tag	UNP P0DTC2
A	1220	ASP	-	expression tag	UNP P0DTC2
A	1221	GLY	-	expression tag	UNP P0DTC2
A	1222	GLN	-	expression tag	UNP P0DTC2
A	1223	ALA	-	expression tag	UNP P0DTC2
A	1224	TYR	-	expression tag	UNP P0DTC2
A	1225	VAL	-	expression tag	UNP P0DTC2
A	1226	ARG	-	expression tag	UNP P0DTC2
A	1227	LYS	-	expression tag	UNP P0DTC2
A	1228	ASP	-	expression tag	UNP P0DTC2
A	1229	GLY	-	expression tag	UNP P0DTC2
A	1230	GLU	-	expression tag	UNP P0DTC2
A	1231	TRP	-	expression tag	UNP P0DTC2
A	1232	VAL	-	expression tag	UNP P0DTC2
A	1233	LEU	-	expression tag	UNP P0DTC2
A	1234	LEU	-	expression tag	UNP P0DTC2
A	1235	SER	-	expression tag	UNP P0DTC2
A	1236	THR	-	expression tag	UNP P0DTC2
A	1237	PHE	-	expression tag	UNP P0DTC2
A	1238	LEU	-	expression tag	UNP P0DTC2
A	1239	LYS	-	expression tag	UNP P0DTC2
A	1240	GLY	-	expression tag	UNP P0DTC2
A	1241	GLN	-	expression tag	UNP P0DTC2
A	1242	ASP	-	expression tag	UNP P0DTC2
A	1243	ASN	-	expression tag	UNP P0DTC2
A	1244	SER	-	expression tag	UNP P0DTC2
A	1245	ALA	-	expression tag	UNP P0DTC2
A	1246	ASP	-	expression tag	UNP P0DTC2
A	1247	ILE	-	expression tag	UNP P0DTC2
A	1248	GLN	-	expression tag	UNP P0DTC2
A	1249	HIS	-	expression tag	UNP P0DTC2
A	1250	SER	-	expression tag	UNP P0DTC2
A	1251	GLY	-	expression tag	UNP P0DTC2
A	1252	ARG	-	expression tag	UNP P0DTC2
A	1253	PRO	-	expression tag	UNP P0DTC2
A	1254	LEU	-	expression tag	UNP P0DTC2
A	1255	GLU	-	expression tag	UNP P0DTC2
A	1256	SER	-	expression tag	UNP P0DTC2
A	1257	ARG	-	expression tag	UNP P0DTC2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	1258	GLY	-	expression tag	UNP P0DTC2
A	1259	PRO	-	expression tag	UNP P0DTC2
A	1260	PHE	-	expression tag	UNP P0DTC2
A	1261	GLU	-	expression tag	UNP P0DTC2
A	1262	GLN	-	expression tag	UNP P0DTC2
A	1263	LYS	-	expression tag	UNP P0DTC2
A	1264	LEU	-	expression tag	UNP P0DTC2
A	1265	ILE	-	expression tag	UNP P0DTC2
A	1266	SER	-	expression tag	UNP P0DTC2
A	1267	GLU	-	expression tag	UNP P0DTC2
A	1268	GLU	-	expression tag	UNP P0DTC2
A	1269	ASP	-	expression tag	UNP P0DTC2
A	1270	LEU	-	expression tag	UNP P0DTC2
A	1271	ASN	-	expression tag	UNP P0DTC2
A	1272	MET	-	expression tag	UNP P0DTC2
A	1273	HIS	-	expression tag	UNP P0DTC2
A	1274	THR	-	expression tag	UNP P0DTC2
A	1275	GLY	-	expression tag	UNP P0DTC2
A	1276	HIS	-	expression tag	UNP P0DTC2
A	1277	HIS	-	expression tag	UNP P0DTC2
A	1278	HIS	-	expression tag	UNP P0DTC2
A	1279	HIS	-	expression tag	UNP P0DTC2
A	1280	HIS	-	expression tag	UNP P0DTC2
A	1281	HIS	-	expression tag	UNP P0DTC2
B	19	ARG	THR	variant	UNP P0DTC2
B	142	ASP	GLY	variant	UNP P0DTC2
B	156	GLY	GLU	variant	UNP P0DTC2
B	?	-	PHE	deletion	UNP P0DTC2
B	?	-	ARG	deletion	UNP P0DTC2
B	450	ARG	LEU	variant	UNP P0DTC2
B	476	LYS	THR	variant	UNP P0DTC2
B	612	GLY	ASP	variant	UNP P0DTC2
B	679	ARG	PRO	engineered mutation	UNP P0DTC2
B	680	GLY	ARG	engineered mutation	UNP P0DTC2
B	681	SER	ARG	engineered mutation	UNP P0DTC2
B	683	SER	ARG	engineered mutation	UNP P0DTC2
B	948	ASN	ASP	variant	UNP P0DTC2
B	984	PRO	LYS	engineered mutation	UNP P0DTC2
B	985	PRO	VAL	engineered mutation	UNP P0DTC2
B	1207	GLU	-	expression tag	UNP P0DTC2
B	1208	PHE	-	expression tag	UNP P0DTC2
B	1209	GLY	-	expression tag	UNP P0DTC2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	1210	SER	-	expression tag	UNP P0DTC2
B	1211	GLY	-	expression tag	UNP P0DTC2
B	1212	GLY	-	expression tag	UNP P0DTC2
B	1213	TYR	-	expression tag	UNP P0DTC2
B	1214	ILE	-	expression tag	UNP P0DTC2
B	1215	PRO	-	expression tag	UNP P0DTC2
B	1216	GLU	-	expression tag	UNP P0DTC2
B	1217	ALA	-	expression tag	UNP P0DTC2
B	1218	PRO	-	expression tag	UNP P0DTC2
B	1219	ARG	-	expression tag	UNP P0DTC2
B	1220	ASP	-	expression tag	UNP P0DTC2
B	1221	GLY	-	expression tag	UNP P0DTC2
B	1222	GLN	-	expression tag	UNP P0DTC2
B	1223	ALA	-	expression tag	UNP P0DTC2
B	1224	TYR	-	expression tag	UNP P0DTC2
B	1225	VAL	-	expression tag	UNP P0DTC2
B	1226	ARG	-	expression tag	UNP P0DTC2
B	1227	LYS	-	expression tag	UNP P0DTC2
B	1228	ASP	-	expression tag	UNP P0DTC2
B	1229	GLY	-	expression tag	UNP P0DTC2
B	1230	GLU	-	expression tag	UNP P0DTC2
B	1231	TRP	-	expression tag	UNP P0DTC2
B	1232	VAL	-	expression tag	UNP P0DTC2
B	1233	LEU	-	expression tag	UNP P0DTC2
B	1234	LEU	-	expression tag	UNP P0DTC2
B	1235	SER	-	expression tag	UNP P0DTC2
B	1236	THR	-	expression tag	UNP P0DTC2
B	1237	PHE	-	expression tag	UNP P0DTC2
B	1238	LEU	-	expression tag	UNP P0DTC2
B	1239	LYS	-	expression tag	UNP P0DTC2
B	1240	GLY	-	expression tag	UNP P0DTC2
B	1241	GLN	-	expression tag	UNP P0DTC2
B	1242	ASP	-	expression tag	UNP P0DTC2
B	1243	ASN	-	expression tag	UNP P0DTC2
B	1244	SER	-	expression tag	UNP P0DTC2
B	1245	ALA	-	expression tag	UNP P0DTC2
B	1246	ASP	-	expression tag	UNP P0DTC2
B	1247	ILE	-	expression tag	UNP P0DTC2
B	1248	GLN	-	expression tag	UNP P0DTC2
B	1249	HIS	-	expression tag	UNP P0DTC2
B	1250	SER	-	expression tag	UNP P0DTC2
B	1251	GLY	-	expression tag	UNP P0DTC2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	1252	ARG	-	expression tag	UNP P0DTC2
B	1253	PRO	-	expression tag	UNP P0DTC2
B	1254	LEU	-	expression tag	UNP P0DTC2
B	1255	GLU	-	expression tag	UNP P0DTC2
B	1256	SER	-	expression tag	UNP P0DTC2
B	1257	ARG	-	expression tag	UNP P0DTC2
B	1258	GLY	-	expression tag	UNP P0DTC2
B	1259	PRO	-	expression tag	UNP P0DTC2
B	1260	PHE	-	expression tag	UNP P0DTC2
B	1261	GLU	-	expression tag	UNP P0DTC2
B	1262	GLN	-	expression tag	UNP P0DTC2
B	1263	LYS	-	expression tag	UNP P0DTC2
B	1264	LEU	-	expression tag	UNP P0DTC2
B	1265	ILE	-	expression tag	UNP P0DTC2
B	1266	SER	-	expression tag	UNP P0DTC2
B	1267	GLU	-	expression tag	UNP P0DTC2
B	1268	GLU	-	expression tag	UNP P0DTC2
B	1269	ASP	-	expression tag	UNP P0DTC2
B	1270	LEU	-	expression tag	UNP P0DTC2
B	1271	ASN	-	expression tag	UNP P0DTC2
B	1272	MET	-	expression tag	UNP P0DTC2
B	1273	HIS	-	expression tag	UNP P0DTC2
B	1274	THR	-	expression tag	UNP P0DTC2
B	1275	GLY	-	expression tag	UNP P0DTC2
B	1276	HIS	-	expression tag	UNP P0DTC2
B	1277	HIS	-	expression tag	UNP P0DTC2
B	1278	HIS	-	expression tag	UNP P0DTC2
B	1279	HIS	-	expression tag	UNP P0DTC2
B	1280	HIS	-	expression tag	UNP P0DTC2
B	1281	HIS	-	expression tag	UNP P0DTC2
C	19	ARG	THR	variant	UNP P0DTC2
C	142	ASP	GLY	variant	UNP P0DTC2
C	156	GLY	GLU	variant	UNP P0DTC2
C	?	-	PHE	deletion	UNP P0DTC2
C	?	-	ARG	deletion	UNP P0DTC2
C	450	ARG	LEU	variant	UNP P0DTC2
C	476	LYS	THR	variant	UNP P0DTC2
C	612	GLY	ASP	variant	UNP P0DTC2
C	679	ARG	PRO	engineered mutation	UNP P0DTC2
C	680	GLY	ARG	engineered mutation	UNP P0DTC2
C	681	SER	ARG	engineered mutation	UNP P0DTC2
C	683	SER	ARG	engineered mutation	UNP P0DTC2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	948	ASN	ASP	variant	UNP P0DTC2
C	984	PRO	LYS	engineered mutation	UNP P0DTC2
C	985	PRO	VAL	engineered mutation	UNP P0DTC2
C	1207	GLU	-	expression tag	UNP P0DTC2
C	1208	PHE	-	expression tag	UNP P0DTC2
C	1209	GLY	-	expression tag	UNP P0DTC2
C	1210	SER	-	expression tag	UNP P0DTC2
C	1211	GLY	-	expression tag	UNP P0DTC2
C	1212	GLY	-	expression tag	UNP P0DTC2
C	1213	TYR	-	expression tag	UNP P0DTC2
C	1214	ILE	-	expression tag	UNP P0DTC2
C	1215	PRO	-	expression tag	UNP P0DTC2
C	1216	GLU	-	expression tag	UNP P0DTC2
C	1217	ALA	-	expression tag	UNP P0DTC2
C	1218	PRO	-	expression tag	UNP P0DTC2
C	1219	ARG	-	expression tag	UNP P0DTC2
C	1220	ASP	-	expression tag	UNP P0DTC2
C	1221	GLY	-	expression tag	UNP P0DTC2
C	1222	GLN	-	expression tag	UNP P0DTC2
C	1223	ALA	-	expression tag	UNP P0DTC2
C	1224	TYR	-	expression tag	UNP P0DTC2
C	1225	VAL	-	expression tag	UNP P0DTC2
C	1226	ARG	-	expression tag	UNP P0DTC2
C	1227	LYS	-	expression tag	UNP P0DTC2
C	1228	ASP	-	expression tag	UNP P0DTC2
C	1229	GLY	-	expression tag	UNP P0DTC2
C	1230	GLU	-	expression tag	UNP P0DTC2
C	1231	TRP	-	expression tag	UNP P0DTC2
C	1232	VAL	-	expression tag	UNP P0DTC2
C	1233	LEU	-	expression tag	UNP P0DTC2
C	1234	LEU	-	expression tag	UNP P0DTC2
C	1235	SER	-	expression tag	UNP P0DTC2
C	1236	THR	-	expression tag	UNP P0DTC2
C	1237	PHE	-	expression tag	UNP P0DTC2
C	1238	LEU	-	expression tag	UNP P0DTC2
C	1239	LYS	-	expression tag	UNP P0DTC2
C	1240	GLY	-	expression tag	UNP P0DTC2
C	1241	GLN	-	expression tag	UNP P0DTC2
C	1242	ASP	-	expression tag	UNP P0DTC2
C	1243	ASN	-	expression tag	UNP P0DTC2
C	1244	SER	-	expression tag	UNP P0DTC2
C	1245	ALA	-	expression tag	UNP P0DTC2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	1246	ASP	-	expression tag	UNP P0DTC2
C	1247	ILE	-	expression tag	UNP P0DTC2
C	1248	GLN	-	expression tag	UNP P0DTC2
C	1249	HIS	-	expression tag	UNP P0DTC2
C	1250	SER	-	expression tag	UNP P0DTC2
C	1251	GLY	-	expression tag	UNP P0DTC2
C	1252	ARG	-	expression tag	UNP P0DTC2
C	1253	PRO	-	expression tag	UNP P0DTC2
C	1254	LEU	-	expression tag	UNP P0DTC2
C	1255	GLU	-	expression tag	UNP P0DTC2
C	1256	SER	-	expression tag	UNP P0DTC2
C	1257	ARG	-	expression tag	UNP P0DTC2
C	1258	GLY	-	expression tag	UNP P0DTC2
C	1259	PRO	-	expression tag	UNP P0DTC2
C	1260	PHE	-	expression tag	UNP P0DTC2
C	1261	GLU	-	expression tag	UNP P0DTC2
C	1262	GLN	-	expression tag	UNP P0DTC2
C	1263	LYS	-	expression tag	UNP P0DTC2
C	1264	LEU	-	expression tag	UNP P0DTC2
C	1265	ILE	-	expression tag	UNP P0DTC2
C	1266	SER	-	expression tag	UNP P0DTC2
C	1267	GLU	-	expression tag	UNP P0DTC2
C	1268	GLU	-	expression tag	UNP P0DTC2
C	1269	ASP	-	expression tag	UNP P0DTC2
C	1270	LEU	-	expression tag	UNP P0DTC2
C	1271	ASN	-	expression tag	UNP P0DTC2
C	1272	MET	-	expression tag	UNP P0DTC2
C	1273	HIS	-	expression tag	UNP P0DTC2
C	1274	THR	-	expression tag	UNP P0DTC2
C	1275	GLY	-	expression tag	UNP P0DTC2
C	1276	HIS	-	expression tag	UNP P0DTC2
C	1277	HIS	-	expression tag	UNP P0DTC2
C	1278	HIS	-	expression tag	UNP P0DTC2
C	1279	HIS	-	expression tag	UNP P0DTC2
C	1280	HIS	-	expression tag	UNP P0DTC2
C	1281	HIS	-	expression tag	UNP P0DTC2

- Molecule 2 is a protein called Angiotensin-converting enzyme 2, Angiotensin-converting enzyme 2 (ACE2) ectodomain.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	F	596	4862	3111	805	917	29	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	G	596	Total	C	N	O	S	0	0
			4862	3111	805	917	29		
2	H	596	Total	C	N	O	S	0	0
			4862	3111	805	917	29		

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
3	D	2	Total	C	N	O	0	0
			28	16	2	10		
3	E	2	Total	C	N	O	0	0
			28	16	2	10		
3	I	2	Total	C	N	O	0	0
			28	16	2	10		
3	J	2	Total	C	N	O	0	0
			28	16	2	10		
3	K	2	Total	C	N	O	0	0
			28	16	2	10		
3	L	2	Total	C	N	O	0	0
			28	16	2	10		
3	M	2	Total	C	N	O	0	0
			28	16	2	10		
3	N	2	Total	C	N	O	0	0
			28	16	2	10		
3	O	2	Total	C	N	O	0	0
			28	16	2	10		
3	P	2	Total	C	N	O	0	0
			28	16	2	10		
3	Q	2	Total	C	N	O	0	0
			28	16	2	10		
3	R	2	Total	C	N	O	0	0
			28	16	2	10		
3	S	2	Total	C	N	O	0	0
			28	16	2	10		
3	T	2	Total	C	N	O	0	0
			28	16	2	10		
3	U	2	Total	C	N	O	0	0
			28	16	2	10		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
3	V	2	28	16	2	10	0	0
3	W	2	28	16	2	10	0	0
3	X	2	28	16	2	10	0	0
3	Y	2	28	16	2	10	0	0
3	Z	2	28	16	2	10	0	0
3	a	2	28	16	2	10	0	0
3	b	2	28	16	2	10	0	0
3	c	2	28	16	2	10	0	0
3	d	2	28	16	2	10	0	0
3	e	2	28	16	2	10	0	0
3	f	2	28	16	2	10	0	0
3	g	2	28	16	2	10	0	0
3	h	2	28	16	2	10	0	0
3	i	2	28	16	2	10	0	0
3	j	2	28	16	2	10	0	0
3	k	2	28	16	2	10	0	0
3	l	2	28	16	2	10	0	0
3	m	2	28	16	2	10	0	0
3	n	2	28	16	2	10	0	0
3	o	2	28	16	2	10	0	0
3	p	2	28	16	2	10	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			AltConf	Trace	
			Total	C	N			O
3	q	2	Total	C	N	O	0	0
			28	16	2	10		
3	r	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms			AltConf	
			Total	C	N		O
4	A	1	Total	C	N	O	0
			56	32	4	20	
4	A	1	Total	C	N	O	0
			56	32	4	20	
4	A	1	Total	C	N	O	0
			56	32	4	20	
4	A	1	Total	C	N	O	0
			56	32	4	20	
4	B	1	Total	C	N	O	0
			56	32	4	20	
4	B	1	Total	C	N	O	0
			56	32	4	20	
4	B	1	Total	C	N	O	0
			56	32	4	20	
4	B	1	Total	C	N	O	0
			56	32	4	20	
4	C	1	Total	C	N	O	0
			56	32	4	20	

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
4	C	1	Total	C	N	O	0
			56	32	4	20	
4	C	1	Total	C	N	O	0
			56	32	4	20	
4	C	1	Total	C	N	O	0
			56	32	4	20	
4	F	1	Total	C	N	O	0
			14	8	1	5	
4	G	1	Total	C	N	O	0
			28	16	2	10	
4	G	1	Total	C	N	O	0
			28	16	2	10	
4	H	1	Total	C	N	O	0
			14	8	1	5	


3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Spike glycoprotein





- Molecule 1: Spike glycoprotein





• Molecule 2: Angiotensin-converting enzyme 2, Angiotensin-converting enzyme 2 (ACE2) ectodomain





- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D: 100%

MGI
MGI2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E: 100%

MGI
MGI2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I: 50% 100%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  100%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:  100%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain L:  100%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M:  50% 50%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N:  100%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain O:  100%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain P:  50% 50%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Q:  100%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain R:  100%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain S:  100%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain T:  100%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain U:  50% 100%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain V:  100%

MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain W:  100%

MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain X:  100%

MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Y:  50% 50%

MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Z:  100%

MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain a:  100%

MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain b:  50% 50%

MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain c:  100%

NAG1
NAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain d:  100%

NAG1
NAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain e:  100%

NAG1
NAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain f:  50% 100%

◆
NAG1
NAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain g:  50% 100%

◆
NAG1
NAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain h:  100%

NAG1
NAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain i:  100%

MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain j:  100%

MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain k:  50% 50%

MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain l:  100%

MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain m:  100%

MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain n:  50% 50%

MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain o:  100%

MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain p:  100%


MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain q:  100%


MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain r:  100%


MAG1
MAG2

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	617671	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	1.0	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	3.910	Depositor
Minimum map value	-2.190	Depositor
Average map value	-0.001	Depositor
Map value standard deviation	0.067	Depositor
Recommended contour level	0.25	Depositor
Map size (\AA)	422.40002, 422.40002, 422.40002	wwPDB
Map dimensions	384, 384, 384	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.1, 1.1, 1.1	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.30	0/8197	0.49	0/11155
1	B	0.30	0/8197	0.49	0/11155
1	C	0.30	0/8197	0.49	0/11155
2	F	0.24	0/4999	0.43	0/6792
2	G	0.24	0/4999	0.42	0/6792
2	H	0.24	0/4999	0.42	0/6792
All	All	0.28	0/39588	0.47	0/53841

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1011/1281 (79%)	964 (95%)	46 (4%)	1 (0%)	51	78
1	B	1011/1281 (79%)	959 (95%)	52 (5%)	0	100	100
1	C	1011/1281 (79%)	964 (95%)	47 (5%)	0	100	100
2	F	594/861 (69%)	561 (94%)	33 (6%)	0	100	100
2	G	594/861 (69%)	563 (95%)	31 (5%)	0	100	100
2	H	594/861 (69%)	566 (95%)	28 (5%)	0	100	100
All	All	4815/6426 (75%)	4577 (95%)	237 (5%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	527	LYS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	898/1113 (81%)	895 (100%)	3 (0%)	92	98
1	B	898/1113 (81%)	896 (100%)	2 (0%)	93	98
1	C	898/1113 (81%)	896 (100%)	2 (0%)	93	98
2	F	526/752 (70%)	526 (100%)	0	100	100
2	G	526/752 (70%)	526 (100%)	0	100	100
2	H	526/752 (70%)	526 (100%)	0	100	100
All	All	4272/5595 (76%)	4265 (100%)	7 (0%)	93	98

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	19	ARG
1	A	21	ARG
1	A	212	ARG
1	B	212	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	344	ARG
1	C	212	ARG
1	C	344	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	701	ASN
1	B	701	ASN
2	F	137	ASN
2	F	139	GLN
2	F	531	GLN
2	G	61	ASN
2	G	531	GLN
2	H	531	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

76 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	D	1	3,1	14,14,15	0.28	0	17,19,21	0.62	0
3	NAG	D	2	3	14,14,15	0.19	0	17,19,21	0.48	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	E	1	3,1	14,14,15	0.29	0	17,19,21	0.33	0
3	NAG	E	2	3	14,14,15	0.20	0	17,19,21	0.42	0
3	NAG	I	1	3,1	14,14,15	0.26	0	17,19,21	0.51	0
3	NAG	I	2	3	14,14,15	0.21	0	17,19,21	0.47	0
3	NAG	J	1	3,1	14,14,15	0.27	0	17,19,21	0.50	0
3	NAG	J	2	3	14,14,15	0.20	0	17,19,21	0.44	0
3	NAG	K	1	3,1	14,14,15	0.25	0	17,19,21	0.40	0
3	NAG	K	2	3	14,14,15	0.19	0	17,19,21	0.39	0
3	NAG	L	1	3,1	14,14,15	0.26	0	17,19,21	0.51	0
3	NAG	L	2	3	14,14,15	0.22	0	17,19,21	0.38	0
3	NAG	M	1	3,1	14,14,15	0.43	0	17,19,21	1.27	1 (5%)
3	NAG	M	2	3	14,14,15	0.20	0	17,19,21	0.46	0
3	NAG	N	1	3,1	14,14,15	0.23	0	17,19,21	0.47	0
3	NAG	N	2	3	14,14,15	0.20	0	17,19,21	0.44	0
3	NAG	O	1	3,1	14,14,15	0.22	0	17,19,21	0.44	0
3	NAG	O	2	3	14,14,15	0.19	0	17,19,21	0.43	0
3	NAG	P	1	3,1	14,14,15	0.54	0	17,19,21	1.01	1 (5%)
3	NAG	P	2	3	14,14,15	0.19	0	17,19,21	0.55	0
3	NAG	Q	1	3,1	14,14,15	0.28	0	17,19,21	0.41	0
3	NAG	Q	2	3	14,14,15	0.19	0	17,19,21	0.39	0
3	NAG	R	1	3,1	14,14,15	0.17	0	17,19,21	0.45	0
3	NAG	R	2	3	14,14,15	0.20	0	17,19,21	0.42	0
3	NAG	S	1	3,1	14,14,15	0.31	0	17,19,21	0.65	0
3	NAG	S	2	3	14,14,15	0.21	0	17,19,21	0.39	0
3	NAG	T	1	3,1	14,14,15	0.39	0	17,19,21	0.35	0
3	NAG	T	2	3	14,14,15	0.22	0	17,19,21	0.42	0
3	NAG	U	1	3,1	14,14,15	0.21	0	17,19,21	0.46	0
3	NAG	U	2	3	14,14,15	0.23	0	17,19,21	0.47	0
3	NAG	V	1	3,1	14,14,15	0.21	0	17,19,21	0.50	0
3	NAG	V	2	3	14,14,15	0.22	0	17,19,21	0.43	0
3	NAG	W	1	3,1	14,14,15	0.24	0	17,19,21	0.37	0
3	NAG	W	2	3	14,14,15	0.19	0	17,19,21	0.41	0
3	NAG	X	1	3,1	14,14,15	0.20	0	17,19,21	0.48	0
3	NAG	X	2	3	14,14,15	0.22	0	17,19,21	0.41	0
3	NAG	Y	1	3,1	14,14,15	0.35	0	17,19,21	1.26	1 (5%)
3	NAG	Y	2	3	14,14,15	0.20	0	17,19,21	0.44	0
3	NAG	Z	1	3,1	14,14,15	0.24	0	17,19,21	0.51	0
3	NAG	Z	2	3	14,14,15	0.22	0	17,19,21	0.39	0
3	NAG	a	1	3,1	14,14,15	0.23	0	17,19,21	0.43	0
3	NAG	a	2	3	14,14,15	0.19	0	17,19,21	0.43	0
3	NAG	b	1	3,1	14,14,15	0.62	0	17,19,21	1.05	1 (5%)
3	NAG	b	2	3	14,14,15	0.24	0	17,19,21	0.53	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	c	1	3,1	14,14,15	0.25	0	17,19,21	0.43	0
3	NAG	c	2	3	14,14,15	0.18	0	17,19,21	0.39	0
3	NAG	d	1	3,1	14,14,15	0.20	0	17,19,21	0.42	0
3	NAG	d	2	3	14,14,15	0.17	0	17,19,21	0.42	0
3	NAG	e	1	3,1	14,14,15	0.38	0	17,19,21	0.66	0
3	NAG	e	2	3	14,14,15	0.22	0	17,19,21	0.40	0
3	NAG	f	1	3,1	14,14,15	0.30	0	17,19,21	0.47	0
3	NAG	f	2	3	14,14,15	0.32	0	17,19,21	0.52	0
3	NAG	g	1	3,1	14,14,15	0.35	0	17,19,21	0.44	0
3	NAG	g	2	3	14,14,15	0.19	0	17,19,21	0.45	0
3	NAG	h	1	3,1	14,14,15	0.21	0	17,19,21	0.56	0
3	NAG	h	2	3	14,14,15	0.21	0	17,19,21	0.42	0
3	NAG	i	1	3,1	14,14,15	0.20	0	17,19,21	0.46	0
3	NAG	i	2	3	14,14,15	0.21	0	17,19,21	0.48	0
3	NAG	j	1	3,1	14,14,15	0.21	0	17,19,21	0.48	0
3	NAG	j	2	3	14,14,15	0.21	0	17,19,21	0.42	0
3	NAG	k	1	3,1	14,14,15	0.45	0	17,19,21	1.26	1 (5%)
3	NAG	k	2	3	14,14,15	0.20	0	17,19,21	0.45	0
3	NAG	l	1	3,1	14,14,15	0.22	0	17,19,21	0.46	0
3	NAG	l	2	3	14,14,15	0.21	0	17,19,21	0.43	0
3	NAG	m	1	3,1	14,14,15	0.22	0	17,19,21	0.45	0
3	NAG	m	2	3	14,14,15	0.17	0	17,19,21	0.45	0
3	NAG	n	1	3,1	14,14,15	0.66	0	17,19,21	1.09	1 (5%)
3	NAG	n	2	3	14,14,15	0.22	0	17,19,21	0.56	0
3	NAG	o	1	3,1	14,14,15	0.29	0	17,19,21	0.41	0
3	NAG	o	2	3	14,14,15	0.18	0	17,19,21	0.43	0
3	NAG	p	1	3,1	14,14,15	0.17	0	17,19,21	0.44	0
3	NAG	p	2	3	14,14,15	0.20	0	17,19,21	0.41	0
3	NAG	q	1	2,3	14,14,15	0.34	0	17,19,21	0.63	1 (5%)
3	NAG	q	2	3	14,14,15	0.29	0	17,19,21	0.42	0
3	NAG	r	1	3	14,14,15	0.20	0	17,19,21	0.40	0
3	NAG	r	2	3	14,14,15	0.24	0	17,19,21	0.41	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	D	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	D	2	3	-	0/6/23/26	0/1/1/1
3	NAG	E	1	3,1	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	E	2	3	-	1/6/23/26	0/1/1/1
3	NAG	I	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	I	2	3	-	2/6/23/26	0/1/1/1
3	NAG	J	1	3,1	-	3/6/23/26	0/1/1/1
3	NAG	J	2	3	-	0/6/23/26	0/1/1/1
3	NAG	K	1	3,1	-	4/6/23/26	0/1/1/1
3	NAG	K	2	3	-	4/6/23/26	0/1/1/1
3	NAG	L	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	L	2	3	-	0/6/23/26	0/1/1/1
3	NAG	M	1	3,1	-	3/6/23/26	0/1/1/1
3	NAG	M	2	3	-	2/6/23/26	0/1/1/1
3	NAG	N	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	N	2	3	-	2/6/23/26	0/1/1/1
3	NAG	O	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	O	2	3	-	0/6/23/26	0/1/1/1
3	NAG	P	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	P	2	3	-	4/6/23/26	0/1/1/1
3	NAG	Q	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	Q	2	3	-	2/6/23/26	0/1/1/1
3	NAG	R	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	R	2	3	-	2/6/23/26	0/1/1/1
3	NAG	S	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	S	2	3	-	2/6/23/26	0/1/1/1
3	NAG	T	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	T	2	3	-	2/6/23/26	0/1/1/1
3	NAG	U	1	3,1	-	1/6/23/26	0/1/1/1
3	NAG	U	2	3	-	2/6/23/26	0/1/1/1
3	NAG	V	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	V	2	3	-	0/6/23/26	0/1/1/1
3	NAG	W	1	3,1	-	4/6/23/26	0/1/1/1
3	NAG	W	2	3	-	4/6/23/26	0/1/1/1
3	NAG	X	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	X	2	3	-	2/6/23/26	0/1/1/1
3	NAG	Y	1	3,1	-	3/6/23/26	0/1/1/1
3	NAG	Y	2	3	-	2/6/23/26	0/1/1/1
3	NAG	Z	1	3,1	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	Z	2	3	-	0/6/23/26	0/1/1/1
3	NAG	a	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	a	2	3	-	0/6/23/26	0/1/1/1
3	NAG	b	1	3,1	-	1/6/23/26	0/1/1/1
3	NAG	b	2	3	-	2/6/23/26	0/1/1/1
3	NAG	c	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	c	2	3	-	2/6/23/26	0/1/1/1
3	NAG	d	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	d	2	3	-	2/6/23/26	0/1/1/1
3	NAG	e	1	3,1	-	1/6/23/26	0/1/1/1
3	NAG	e	2	3	-	2/6/23/26	0/1/1/1
3	NAG	f	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	f	2	3	-	2/6/23/26	0/1/1/1
3	NAG	g	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	g	2	3	-	0/6/23/26	0/1/1/1
3	NAG	h	1	3,1	-	1/6/23/26	0/1/1/1
3	NAG	h	2	3	-	0/6/23/26	0/1/1/1
3	NAG	i	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	i	2	3	-	4/6/23/26	0/1/1/1
3	NAG	j	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	j	2	3	-	0/6/23/26	0/1/1/1
3	NAG	k	1	3,1	-	5/6/23/26	0/1/1/1
3	NAG	k	2	3	-	2/6/23/26	0/1/1/1
3	NAG	l	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	l	2	3	-	0/6/23/26	0/1/1/1
3	NAG	m	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	m	2	3	-	2/6/23/26	0/1/1/1
3	NAG	n	1	3,1	-	1/6/23/26	0/1/1/1
3	NAG	n	2	3	-	2/6/23/26	0/1/1/1
3	NAG	o	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	o	2	3	-	2/6/23/26	0/1/1/1
3	NAG	p	1	3,1	-	2/6/23/26	0/1/1/1
3	NAG	p	2	3	-	2/6/23/26	0/1/1/1
3	NAG	q	1	2,3	-	0/6/23/26	0/1/1/1
3	NAG	q	2	3	-	2/6/23/26	0/1/1/1
3	NAG	r	1	3	-	2/6/23/26	0/1/1/1
3	NAG	r	2	3	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	M	1	NAG	C2-N2-C7	4.36	129.11	122.90
3	Y	1	NAG	C2-N2-C7	4.35	129.09	122.90
3	k	1	NAG	C2-N2-C7	4.34	129.09	122.90
3	b	1	NAG	C1-O5-C5	3.04	116.31	112.19
3	n	1	NAG	C1-O5-C5	3.02	116.28	112.19
3	P	1	NAG	C1-O5-C5	3.01	116.27	112.19
3	q	1	NAG	C1-O5-C5	2.13	115.07	112.19

There are no chirality outliers.

All (124) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	S	2	NAG	C4-C5-C6-O6
3	U	2	NAG	C4-C5-C6-O6
3	e	2	NAG	C4-C5-C6-O6
3	I	1	NAG	O5-C5-C6-O6
3	D	1	NAG	C4-C5-C6-O6
3	S	1	NAG	C4-C5-C6-O6
3	U	2	NAG	O5-C5-C6-O6
3	T	2	NAG	C4-C5-C6-O6
3	c	2	NAG	C4-C5-C6-O6
3	o	2	NAG	C4-C5-C6-O6
3	L	1	NAG	O5-C5-C6-O6
3	q	2	NAG	O5-C5-C6-O6
3	f	2	NAG	O5-C5-C6-O6
3	K	2	NAG	O5-C5-C6-O6
3	E	1	NAG	C4-C5-C6-O6
3	R	2	NAG	O5-C5-C6-O6
3	S	2	NAG	O5-C5-C6-O6
3	b	2	NAG	O5-C5-C6-O6
3	e	2	NAG	O5-C5-C6-O6
3	f	1	NAG	O5-C5-C6-O6
3	I	2	NAG	C4-C5-C6-O6
3	D	1	NAG	O5-C5-C6-O6
3	E	1	NAG	O5-C5-C6-O6
3	O	1	NAG	O5-C5-C6-O6
3	S	1	NAG	O5-C5-C6-O6
3	X	2	NAG	O5-C5-C6-O6
3	I	1	NAG	C4-C5-C6-O6
3	i	1	NAG	C4-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	T	2	NAG	O5-C5-C6-O6
3	k	1	NAG	O5-C5-C6-O6
3	f	1	NAG	C4-C5-C6-O6
3	O	1	NAG	C4-C5-C6-O6
3	W	2	NAG	C4-C5-C6-O6
3	i	2	NAG	O5-C5-C6-O6
3	o	2	NAG	O5-C5-C6-O6
3	R	2	NAG	C4-C5-C6-O6
3	k	1	NAG	C4-C5-C6-O6
3	T	1	NAG	O5-C5-C6-O6
3	L	1	NAG	C4-C5-C6-O6
3	b	2	NAG	C4-C5-C6-O6
3	q	2	NAG	C4-C5-C6-O6
3	K	1	NAG	C8-C7-N2-C2
3	K	1	NAG	O7-C7-N2-C2
3	K	2	NAG	C8-C7-N2-C2
3	K	2	NAG	O7-C7-N2-C2
3	M	1	NAG	C8-C7-N2-C2
3	M	1	NAG	O7-C7-N2-C2
3	P	2	NAG	C8-C7-N2-C2
3	P	2	NAG	O7-C7-N2-C2
3	W	1	NAG	C8-C7-N2-C2
3	W	1	NAG	O7-C7-N2-C2
3	W	2	NAG	C8-C7-N2-C2
3	W	2	NAG	O7-C7-N2-C2
3	Y	1	NAG	C8-C7-N2-C2
3	Y	1	NAG	O7-C7-N2-C2
3	i	2	NAG	C8-C7-N2-C2
3	i	2	NAG	O7-C7-N2-C2
3	k	1	NAG	C8-C7-N2-C2
3	k	1	NAG	O7-C7-N2-C2
3	X	2	NAG	C4-C5-C6-O6
3	i	2	NAG	C4-C5-C6-O6
3	Q	2	NAG	O5-C5-C6-O6
3	c	2	NAG	O5-C5-C6-O6
3	d	1	NAG	O5-C5-C6-O6
3	a	1	NAG	C4-C5-C6-O6
3	P	2	NAG	O5-C5-C6-O6
3	Y	2	NAG	O5-C5-C6-O6
3	m	2	NAG	O5-C5-C6-O6
3	f	2	NAG	C4-C5-C6-O6
3	E	2	NAG	O5-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	R	1	NAG	O5-C5-C6-O6
3	Q	2	NAG	C4-C5-C6-O6
3	r	1	NAG	C4-C5-C6-O6
3	d	1	NAG	C4-C5-C6-O6
3	p	1	NAG	O5-C5-C6-O6
3	P	2	NAG	C4-C5-C6-O6
3	Y	2	NAG	C4-C5-C6-O6
3	m	2	NAG	C4-C5-C6-O6
3	R	1	NAG	C4-C5-C6-O6
3	I	2	NAG	O5-C5-C6-O6
3	p	1	NAG	C4-C5-C6-O6
3	i	1	NAG	O5-C5-C6-O6
3	W	2	NAG	O5-C5-C6-O6
3	a	1	NAG	O5-C5-C6-O6
3	p	2	NAG	O5-C5-C6-O6
3	m	1	NAG	C4-C5-C6-O6
3	J	1	NAG	C4-C5-C6-O6
3	d	2	NAG	C4-C5-C6-O6
3	p	2	NAG	C4-C5-C6-O6
3	k	2	NAG	C4-C5-C6-O6
3	k	2	NAG	O5-C5-C6-O6
3	r	2	NAG	O5-C5-C6-O6
3	e	1	NAG	O5-C5-C6-O6
3	r	1	NAG	O5-C5-C6-O6
3	g	1	NAG	C4-C5-C6-O6
3	K	2	NAG	C4-C5-C6-O6
3	m	1	NAG	O5-C5-C6-O6
3	J	1	NAG	O5-C5-C6-O6
3	d	2	NAG	O5-C5-C6-O6
3	K	1	NAG	C4-C5-C6-O6
3	P	1	NAG	C4-C5-C6-O6
3	M	2	NAG	C4-C5-C6-O6
3	g	1	NAG	O5-C5-C6-O6
3	V	1	NAG	C4-C5-C6-O6
3	W	1	NAG	C4-C5-C6-O6
3	J	1	NAG	C3-C2-N2-C7
3	P	1	NAG	C3-C2-N2-C7
3	V	1	NAG	C3-C2-N2-C7
3	b	1	NAG	C3-C2-N2-C7
3	h	1	NAG	C3-C2-N2-C7
3	M	2	NAG	O5-C5-C6-O6
3	T	1	NAG	C4-C5-C6-O6

Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	N	2	NAG	C4-C5-C6-O6
3	n	2	NAG	C4-C5-C6-O6
3	U	1	NAG	O5-C5-C6-O6
3	K	1	NAG	O5-C5-C6-O6
3	N	2	NAG	O5-C5-C6-O6
3	n	2	NAG	O5-C5-C6-O6
3	M	1	NAG	C3-C2-N2-C7
3	Y	1	NAG	C3-C2-N2-C7
3	k	1	NAG	C3-C2-N2-C7
3	n	1	NAG	C3-C2-N2-C7
3	r	2	NAG	C4-C5-C6-O6
3	W	1	NAG	O5-C5-C6-O6


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.














































































































5.6 Ligand geometry [i](#)

16 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	NAG	A	2004	1	14,14,15	0.24	0	17,19,21	0.49	0
4	NAG	G	2002	2	14,14,15	0.23	0	17,19,21	0.45	0
4	NAG	C	2004	1	14,14,15	0.24	0	17,19,21	0.50	0
4	NAG	B	2001	1	14,14,15	0.24	0	17,19,21	0.39	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	C	2002	1	14,14,15	0.19	0	17,19,21	0.40	0
4	NAG	F	2001	2	14,14,15	0.19	0	17,19,21	0.44	0
4	NAG	G	2001	2	14,14,15	0.20	0	17,19,21	0.40	0
4	NAG	C	2003	1	14,14,15	0.21	0	17,19,21	0.41	0
4	NAG	H	901	2	14,14,15	0.21	0	17,19,21	0.42	0
4	NAG	A	2001	1	14,14,15	0.22	0	17,19,21	0.43	0
4	NAG	A	2003	1	14,14,15	0.23	0	17,19,21	0.44	0
4	NAG	B	2002	1	14,14,15	0.23	0	17,19,21	0.40	0
4	NAG	C	2001	1	14,14,15	0.24	0	17,19,21	0.35	0
4	NAG	B	2003	1	14,14,15	0.21	0	17,19,21	0.42	0
4	NAG	B	2004	1	14,14,15	0.26	0	17,19,21	0.52	0
4	NAG	A	2002	1	14,14,15	0.18	0	17,19,21	0.40	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	A	2004	1	-	3/6/23/26	0/1/1/1
4	NAG	G	2002	2	-	2/6/23/26	0/1/1/1
4	NAG	C	2004	1	-	3/6/23/26	0/1/1/1
4	NAG	B	2001	1	-	3/6/23/26	0/1/1/1
4	NAG	C	2002	1	-	2/6/23/26	0/1/1/1
4	NAG	F	2001	2	-	0/6/23/26	0/1/1/1
4	NAG	G	2001	2	-	0/6/23/26	0/1/1/1
4	NAG	C	2003	1	-	2/6/23/26	0/1/1/1
4	NAG	H	901	2	-	2/6/23/26	0/1/1/1
4	NAG	A	2001	1	-	4/6/23/26	0/1/1/1
4	NAG	A	2003	1	-	0/6/23/26	0/1/1/1
4	NAG	B	2002	1	-	1/6/23/26	0/1/1/1
4	NAG	C	2001	1	-	2/6/23/26	0/1/1/1
4	NAG	B	2003	1	-	3/6/23/26	0/1/1/1
4	NAG	B	2004	1	-	1/6/23/26	0/1/1/1
4	NAG	A	2002	1	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (28) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	C	2002	NAG	C4-C5-C6-O6
4	C	2002	NAG	O5-C5-C6-O6
4	G	2002	NAG	C4-C5-C6-O6
4	A	2001	NAG	O5-C5-C6-O6
4	G	2002	NAG	O5-C5-C6-O6
4	A	2004	NAG	O5-C5-C6-O6
4	C	2004	NAG	O5-C5-C6-O6
4	A	2001	NAG	C4-C5-C6-O6
4	A	2001	NAG	C8-C7-N2-C2
4	A	2001	NAG	O7-C7-N2-C2
4	B	2001	NAG	C8-C7-N2-C2
4	B	2001	NAG	O7-C7-N2-C2
4	B	2003	NAG	C8-C7-N2-C2
4	B	2003	NAG	O7-C7-N2-C2
4	C	2001	NAG	C8-C7-N2-C2
4	C	2001	NAG	O7-C7-N2-C2
4	C	2003	NAG	C8-C7-N2-C2
4	C	2003	NAG	O7-C7-N2-C2
4	C	2004	NAG	C4-C5-C6-O6
4	A	2004	NAG	C4-C5-C6-O6
4	B	2002	NAG	O5-C5-C6-O6
4	H	901	NAG	C4-C5-C6-O6
4	B	2003	NAG	O5-C5-C6-O6
4	H	901	NAG	O5-C5-C6-O6
4	A	2004	NAG	C3-C2-N2-C7
4	B	2004	NAG	C3-C2-N2-C7
4	C	2004	NAG	C3-C2-N2-C7
4	B	2001	NAG	O5-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-31795. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map




The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 197



Y Index: 198




Z Index: 126

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.25. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 359 nm³; this corresponds to an approximate mass of 324 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)



*Reported resolution corresponds to spatial frequency of 0.370 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-31795 and PDB model 7V8A. Per-residue inclusion information can be found in section 3 on page 16.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.25 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.25).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 67% of all backbone atoms, 64% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary





















The table lists the average atom inclusion at the recommended contour level (0.25) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.6418	 0.3310
A	 0.9289	 0.4850
B	 0.9007	 0.4730
C	 0.9001	 0.4670
D	 0.8571	 0.3930
E	 0.7143	 0.3600
F	 0.2784	 0.0950
G	 0.1332	 0.0790
H	 0.1482	 0.0900
I	 0.2857	 0.1960
J	 0.7143	 0.3190
K	 1.0000	 0.4790
L	 0.8929	 0.4600
M	 0.8571	 0.3920
N	 1.0000	 0.5290
O	 0.9286	 0.4770
P	 0.7500	 0.3310
Q	 1.0000	 0.5550
R	 1.0000	 0.4990
S	 0.9286	 0.3680
T	 0.6429	 0.2860
U	 0.3214	 0.3020
V	 0.8214	 0.3910
W	 0.8929	 0.4800
X	 0.8571	 0.3740
Y	 0.8571	 0.3560
Z	 1.0000	 0.5370
a	 0.9286	 0.4740
b	 0.7857	 0.3490
c	 1.0000	 0.5360
d	 0.9643	 0.5100
e	 0.8214	 0.3850
f	 0.6429	 0.2300
g	 0.2857	 0.0760
h	 0.7500	 0.3340



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
i	 0.8929	 0.4620
j	 0.8571	 0.4210
k	 0.7857	 0.4010
l	 0.9643	 0.5310
m	 0.9643	 0.5000
n	 0.8571	 0.3500
o	 1.0000	 0.5480
p	 1.0000	 0.5300
q	 0.0714	 0.1960
r	 0.0714	 0.2020