



wwPDB EM Validation Summary Report ⓘ

Mar 2, 2024 – 08:00 PM EST

PDB ID : 8V9K
EMDB ID : EMD-43075
Title : Cryo-EM structure of the Mycobacterium smegmatis 70S ribosome in complex with hibernation factor Rv2629 (Balon) (Structure 5)
Authors : Rybak, M.Y.; Helena-Bueno, K.; Hill, C.H.; Melnikov, S.V.; Gagnon, M.G.
Deposited on : 2023-12-08
Resolution : 3.10 Å(reported)
Based on initial model : 5o60

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev70
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	a	1528	
2	b	277	
3	c	275	
4	d	201	
5	e	214	
6	f	96	
7	g	156	
8	h	132	


























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	i	150	 83% 16%
10	j	101	 98%
11	k	138	 83% 17%
12	l	124	 98%
13	m	124	 92% 6%
14	n	61	 98%
15	o	89	 99%
16	p	156	 71% 28%
17	q	98	 96%
18	r	84	 77% 23%
19	s	93	 88% 12%
20	t	86	 99%
21	u	33	 97%
22	v	3	 100%
23	y	76	 75% 21%
24	z	374	 97%
25	A	3164	 81% 16%
26	B	118	 86% 14%
27	C	278	 99%
28	D	217	 99%
29	E	215	 97%
30	F	187	 96%
31	G	179	 98%
32	H	151	 100%
33	I	175	 71% 28%


Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	J	142	 94% 6%
35	K	235	 43% 57%
36	L	147	 99% ..
37	M	122	 100%
38	N	147	 98% ..
39	O	137	 99% .
40	P	199	 59% 41%
41	Q	127	 99% .
42	R	113	 100%
43	S	129	 96% .
44	T	103	 97% .
45	U	153	 74% . 25%
46	V	100	 97% .
47	W	105	 92% 8%
48	X	215	 89% 11%
49	Y	88	 95% ..
50	Z	64	 98% .
51	1	77	 83% 17%
52	2	61	 97% .
53	3	75	 79% 21%
54	4	57	 95% 5%
55	5	55	 89% 11%
56	6	47	 98% .
57	7	64	 98% .
58	8	37	 100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
59	9	24	 96%

2 Entry composition

There are 60 unique types of molecules in this entry. The entry contains 153253 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S Ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
1	a	1511	32439	14448	5930	10550	1511	0	0

- Molecule 2 is a protein called 30S Ribosomal Protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	b	228	1793	1132	322	330	9	0	0

- Molecule 3 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	c	208	1660	1036	322	298	4	0	0

- Molecule 4 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	d	200	1641	1028	316	295	2	0	0

- Molecule 5 is a protein called Small ribosomal subunit protein uS5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	e	180	1296	812	245	235	4	0	0

- Molecule 6 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	f	96	771	486	138	145	2	0	0

- Molecule 7 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	g	155	1232	768	241	221	2	0	0

- Molecule 8 is a protein called Small ribosomal subunit protein uS8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	h	131	1010	633	189	187	1	0	0

- Molecule 9 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
9	i	126	994	630	194	170	0	0

- Molecule 10 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	j	99	788	495	146	144	3	0	0

- Molecule 11 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	k	115	855	528	170	156	1	0	0

- Molecule 12 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	l	122	958	594	197	165	2	0	0

- Molecule 13 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	m	116	935	572	191	169	3	0	0

- Molecule 14 is a protein called Small ribosomal subunit protein uS14B.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	n	60	Total	C	N	O	S	0	0
			477	302	97	73	5		

- Molecule 15 is a protein called Small ribosomal subunit protein uS15.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	o	88	Total	C	N	O	S	0	0
			720	449	147	124			

- Molecule 16 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	p	113	Total	C	N	O	S	0	0
			891	570	162	159			

- Molecule 17 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	q	94	Total	C	N	O	S	0	0
			748	469	142	135	2		

- Molecule 18 is a protein called Small ribosomal subunit protein bS18B.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	r	65	Total	C	N	O	S	0	0
			513	318	102	90	3		

- Molecule 19 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	s	82	Total	C	N	O	S	0	0
			650	418	122	109	1		

- Molecule 20 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	t	85	Total	C	N	O	S	0	0
			660	402	139	119			

- Molecule 21 is a protein called 30S Ribosomal Protein S22.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	u	32	Total	C	N	O	S	0	0
			280	172	71	36	1		

- Molecule 22 is a RNA chain called poly-U mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	v	3	Total	C	N	O	P	0	0
			60	27	6	24	3		

- Molecule 23 is a RNA chain called pe/E deacylated phenylalanine-tRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
23	y	74	Total	C	N	O	P	S	0	0
			1581	707	285	515	73	1		

- Molecule 24 is a protein called Ribosome hibernation factor Balon (Rv2629).

Mol	Chain	Residues	Atoms					AltConf	Trace
24	z	364	Total	C	N	O	S	0	0
			2800	1740	511	543	6		

- Molecule 25 is a RNA chain called 23S Ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	A	3081	Total	C	N	O	P	0	0
			66171	29494	12172	21424	3081		

- Molecule 26 is a RNA chain called 5S Ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	B	118	Total	C	N	O	P	0	0
			2522	1126	468	810	118		

- Molecule 27 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	C	275	Total	C	N	O	S	0	0
			2110	1298	438	370	4		

- Molecule 28 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	D	214	Total	C	N	O	S	0	0
			1587	982	310	290	5		

- Molecule 29 is a protein called Large ribosomal subunit protein uL4.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	E	209	Total	C	N	O	S	0	0
			1569	969	295	303	2		

- Molecule 30 is a protein called Large ribosomal subunit protein uL5.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	F	182	Total	C	N	O	S	0	0
			1445	907	271	261	6		

- Molecule 31 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	G	176	Total	C	N	O	S	0	0
			1348	845	249	253	1		

- Molecule 32 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	H	151	Total	C	N	O	S	0	0
			1018	635	188	194	1		

- Molecule 33 is a protein called 50S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	I	126	Total	C	N	O	S	0	0
			918	580	156	180	2		

- Molecule 34 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	J	133	Total	C	N	O	S	0	0
			990	625	175	187	3		

- Molecule 35 is a protein called Large ribosomal subunit protein uL1.

Mol	Chain	Residues	Atoms				AltConf	Trace
35	K	102	Total	C	N	O	0	0
			531	316	109	106		

- Molecule 36 is a protein called Large ribosomal subunit protein uL13.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	L	146	Total	C	N	O	S	0	0
			1130	722	207	200	1		

- Molecule 37 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	M	122	Total	C	N	O	S	0	0
			938	586	179	170	3		

- Molecule 38 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	N	145	Total	C	N	O	S	0	0
			1078	676	205	194	3		

- Molecule 39 is a protein called Large ribosomal subunit protein uL16.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	O	136	Total	C	N	O	S	0	0
			1092	690	213	187	2		

- Molecule 40 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	P	118	Total	C	N	O	S	0	0
			928	583	180	163	2		

- Molecule 41 is a protein called Large ribosomal subunit protein uL18.

Mol	Chain	Residues	Atoms				AltConf	Trace
41	Q	126	Total	C	N	O	0	0
			956	586	199	171		

- Molecule 42 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
42	R	113	907	570	171	165	1	0	0

- Molecule 43 is a protein called Large ribosomal subunit protein bL20.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
43	S	124	988	613	203	172		0	0

- Molecule 44 is a protein called Large ribosomal subunit protein bL21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
44	T	100	754	478	137	139		0	0

- Molecule 45 is a protein called Large ribosomal subunit protein uL22.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
45	U	114	873	543	171	159		0	0

- Molecule 46 is a protein called Large ribosomal subunit protein uL23.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
46	V	97	756	479	138	139		0	0

- Molecule 47 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
47	W	97	732	456	137	137	2	0	0

- Molecule 48 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
48	X	192	1428	881	255	292		0	0

- Molecule 49 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms				AltConf	Trace
49	Y	85	Total	C	N	O	0	0
			628	387	133	108		

- Molecule 50 is a protein called Large ribosomal subunit protein bL28.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	Z	63	Total	C	N	O	S	0	0
			470	283	103	80	4		

- Molecule 51 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	1	64	Total	C	N	O	S	0	0
			531	324	103	103	1		

- Molecule 52 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms				AltConf	Trace
52	2	59	Total	C	N	O	0	0
			474	292	95	87		

- Molecule 53 is a protein called Large ribosomal subunit protein bL31.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	3	59	Total	C	N	O	S	0	0
			432	269	73	85	5		

- Molecule 54 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	4	54	Total	C	N	O	S	0	0
			423	260	93	69	1		

- Molecule 55 is a protein called Large ribosomal subunit protein bL33A.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	5	49	Total	C	N	O	S	0	0
			405	248	82	71	4		

- Molecule 56 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
56	6	46	377	225	97	54	1	0	0

- Molecule 57 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
57	7	63	502	302	115	85	0	0

- Molecule 58 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
58	8	37	299	181	66	47	5	0	0

- Molecule 59 is a protein called 50S Ribosomal Protein L37.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
59	9	23	189	111	50	28	0	0


- Molecule 60 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
			Total	Zn	
60	Z	1	1	1	0
60	5	1	1	1	0


3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 16S Ribosomal RNA



• Molecule 2: 30S Ribosomal Protein S2



Chain g:  99%





- Molecule 8: Small ribosomal subunit protein uS8

Chain h:  99%



- Molecule 9: 30S ribosomal protein S9

Chain i:  83% 16%





- Molecule 10: 30S ribosomal protein S10

Chain j:  98%



- Molecule 11: 30S ribosomal protein S11

Chain k:  83% 17%




- Molecule 12: 30S ribosomal protein S12

Chain l:  98%



- Molecule 13: 30S ribosomal protein S13

Chain m:  92% 6%



- Molecule 14: Small ribosomal subunit protein uS14B

Chain n:  98%




- Molecule 15: Small ribosomal subunit protein uS15

Chain o:  99%




- Molecule 16: 30S ribosomal protein S16

Chain p:  71%





- Molecule 17: 30S ribosomal protein S17

Chain q:  96%





- Molecule 18: Small ribosomal subunit protein bS18B

Chain r:  77%



- Molecule 19: 30S ribosomal protein S19

Chain s:  88%



- Molecule 20: 30S ribosomal protein S20

Chain t:  99%



- Molecule 21: 30S Ribosomal Protein S22

Chain u:  97%




- Molecule 22: poly-U mRNA

Chain v:  100%

There are no outlier residues recorded for this chain.


- Molecule 23: pe/E deacylated phenylalanine-tRNA

Chain y:  75% 21%





- Molecule 24: Ribosome hibernation factor Balon (Rv2629)


Chain z:  97%



- Molecule 25: 23S Ribosomal RNA

Chain A:  81% 16%






• Molecule 26: 5S Ribosomal RNA




• Molecule 27: 50S ribosomal protein L2




• Molecule 28: 50S ribosomal protein L3

Chain D:  99%




- Molecule 29: Large ribosomal subunit protein uL4

Chain E:  97%




- Molecule 30: Large ribosomal subunit protein uL5

Chain F:  96%



- Molecule 31: 50S ribosomal protein L6

Chain G:  98%




- Molecule 32: 50S ribosomal protein L9

Chain H:  100%

There are no outlier residues recorded for this chain.


- Molecule 33: 50S ribosomal protein L10

Chain I:  71% 28%



- Molecule 34: 50S ribosomal protein L11

Chain J:  94% 6%



- Molecule 35: Large ribosomal subunit protein uL1

Chain K:  43% 57%




- Molecule 42: 50S ribosomal protein L19

Chain R: 100%

There are no outlier residues recorded for this chain.

- Molecule 43: Large ribosomal subunit protein bL20

Chain S: 96%




- Molecule 44: Large ribosomal subunit protein bL21

Chain T: 97%




- Molecule 45: Large ribosomal subunit protein uL22

Chain U: 74% 25%




- Molecule 46: Large ribosomal subunit protein uL23

Chain V: 97%




- Molecule 47: 50S ribosomal protein L24

Chain W: 92% 8%




- Molecule 48: 50S ribosomal protein L25

Chain X: 89% 11%



- Molecule 49: 50S ribosomal protein L27

Chain Y: 95%




- Molecule 50: Large ribosomal subunit protein bL28

Chain Z: 98%



- Molecule 51: 50S ribosomal protein L29

Chain 1: 83% 17%




- Molecule 52: 50S ribosomal protein L30

Chain 2: 97%




- Molecule 53: Large ribosomal subunit protein bL31

Chain 3: 79% 21%



- Molecule 54: 50S ribosomal protein L32

Chain 4: 95% 5%



- Molecule 55: Large ribosomal subunit protein bL33A

Chain 5: 89% 11%



- Molecule 56: 50S ribosomal protein L34

Chain 6:  98%



- Molecule 57: 50S ribosomal protein L35

Chain 7:  98%



- Molecule 58: 50S ribosomal protein L36

Chain 8:  100%

There are no outlier residues recorded for this chain.

- Molecule 59: 50S Ribosomal Protein L37

Chain 9:  96%



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	147778	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	40.18	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2300	Depositor
Magnification	96000	Depositor
Image detector	FEI FALCON III (4k x 4k)	Depositor
Maximum map value	1.418	Depositor
Minimum map value	-0.439	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.083	Depositor
Recommended contour level	0.1	Depositor
Map size (Å)	435.2, 435.2, 435.2	wwPDB
Map dimensions	512, 512, 512	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.85, 0.85, 0.85	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, 5MU, 4SU, 7MG, PSU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	a	0.24	0/36309	0.80	14/56657 (0.0%)
2	b	0.24	0/1822	0.50	1/2457 (0.0%)
3	c	0.26	0/1684	0.58	0/2261
4	d	0.27	0/1672	0.59	0/2251
5	e	0.27	0/1312	0.54	0/1772
6	f	0.25	0/782	0.57	0/1059
7	g	0.24	0/1252	0.57	0/1690
8	h	0.25	0/1025	0.55	0/1385
9	i	0.25	0/1012	0.58	0/1362
10	j	0.23	0/802	0.54	0/1086
11	k	0.25	0/873	0.52	0/1180
12	l	0.26	0/969	0.59	0/1294
13	m	0.27	0/942	0.66	0/1260
14	n	0.25	0/488	0.54	0/650
15	o	0.28	0/729	0.57	0/977
16	p	0.26	0/908	0.61	1/1226 (0.1%)
17	q	0.24	0/759	0.55	0/1016
18	r	0.25	0/518	0.55	0/693
19	s	0.24	0/668	0.50	0/901
20	t	0.26	0/663	0.61	0/882
21	u	0.24	0/280	0.64	0/359
22	v	0.18	0/65	0.76	0/98
23	y	0.23	0/1628	0.82	0/2536
24	z	0.26	0/2848	0.53	0/3874
25	A	0.29	0/74096	0.80	16/115613 (0.0%)
26	B	0.26	0/2821	0.82	1/4396 (0.0%)
27	C	0.26	0/2153	0.58	0/2895
28	D	0.27	0/1609	0.57	0/2165
29	E	0.26	0/1592	0.52	0/2153
30	F	0.26	0/1467	0.54	0/1973
31	G	0.26	0/1369	0.54	0/1848
32	H	0.24	0/1027	0.49	0/1398

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	I	0.25	0/925	0.47	0/1246
34	J	0.24	0/1006	0.46	0/1364
35	K	0.23	0/530	0.47	0/731
36	L	0.28	0/1157	0.51	1/1567 (0.1%)
37	M	0.26	0/946	0.55	0/1268
38	N	0.26	0/1091	0.54	0/1457
39	O	0.25	0/1118	0.54	0/1506
40	P	0.26	0/945	0.52	0/1267
41	Q	0.24	0/966	0.55	0/1298
42	R	0.26	0/921	0.55	0/1236
43	S	0.26	0/1000	0.52	0/1341
44	T	0.27	0/764	0.47	0/1030
45	U	0.25	0/887	0.55	0/1204
46	V	0.26	0/766	0.54	0/1030
47	W	0.25	0/738	0.52	0/987
48	X	0.24	0/1443	0.52	0/1970
49	Y	0.27	0/638	0.56	0/854
50	Z	0.26	0/478	0.57	0/641
51	1	0.23	0/534	0.55	0/713
52	2	0.24	0/477	0.56	0/640
53	3	0.26	0/441	0.47	0/597
54	4	0.25	0/427	0.60	0/572
55	5	0.25	0/413	0.55	0/553
56	6	0.25	0/380	0.67	0/500
57	7	0.24	0/507	0.60	0/672
58	8	0.24	0/303	0.57	0/401
59	9	0.22	0/191	0.62	0/247
All	All	0.27	0/166136	0.74	34/248259 (0.0%)

There are no bond length outliers.

The worst 5 of 34 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	a	506	C	N3-C2-O2	-8.76	115.77	121.90
1	a	1432	C	N3-C2-O2	-7.85	116.40	121.90
25	A	2245	C	N1-C2-O2	7.39	123.34	118.90
25	A	2245	C	C2-N1-C1'	7.30	126.83	118.80
25	A	1428	U	C2-N1-C1'	7.01	126.11	117.70

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	b	226/277 (82%)	212 (94%)	13 (6%)	1 (0%)	34	69
3	c	206/275 (75%)	192 (93%)	14 (7%)	0	100	100
4	d	198/201 (98%)	189 (96%)	9 (4%)	0	100	100
5	e	178/214 (83%)	169 (95%)	9 (5%)	0	100	100
6	f	94/96 (98%)	92 (98%)	2 (2%)	0	100	100
7	g	153/156 (98%)	149 (97%)	4 (3%)	0	100	100
8	h	129/132 (98%)	127 (98%)	2 (2%)	0	100	100
9	i	124/150 (83%)	115 (93%)	9 (7%)	0	100	100
10	j	97/101 (96%)	89 (92%)	8 (8%)	0	100	100
11	k	113/138 (82%)	104 (92%)	9 (8%)	0	100	100
12	l	120/124 (97%)	113 (94%)	7 (6%)	0	100	100
13	m	114/124 (92%)	104 (91%)	9 (8%)	1 (1%)	17	52
14	n	58/61 (95%)	51 (88%)	7 (12%)	0	100	100
15	o	86/89 (97%)	86 (100%)	0	0	100	100
16	p	111/156 (71%)	106 (96%)	5 (4%)	0	100	100
17	q	92/98 (94%)	89 (97%)	3 (3%)	0	100	100
18	r	63/84 (75%)	62 (98%)	1 (2%)	0	100	100
19	s	80/93 (86%)	78 (98%)	2 (2%)	0	100	100
20	t	83/86 (96%)	81 (98%)	2 (2%)	0	100	100
21	u	30/33 (91%)	30 (100%)	0	0	100	100
24	z	362/374 (97%)	348 (96%)	14 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
27	C	273/278 (98%)	258 (94%)	15 (6%)	0	100	100
28	D	212/217 (98%)	202 (95%)	10 (5%)	0	100	100
29	E	207/215 (96%)	202 (98%)	5 (2%)	0	100	100
30	F	180/187 (96%)	175 (97%)	5 (3%)	0	100	100
31	G	174/179 (97%)	173 (99%)	1 (1%)	0	100	100
32	H	149/151 (99%)	139 (93%)	10 (7%)	0	100	100
33	I	124/175 (71%)	120 (97%)	4 (3%)	0	100	100
34	J	131/142 (92%)	121 (92%)	10 (8%)	0	100	100
35	K	98/235 (42%)	90 (92%)	8 (8%)	0	100	100
36	L	144/147 (98%)	137 (95%)	7 (5%)	0	100	100
37	M	120/122 (98%)	119 (99%)	1 (1%)	0	100	100
38	N	143/147 (97%)	128 (90%)	15 (10%)	0	100	100
39	O	134/137 (98%)	126 (94%)	8 (6%)	0	100	100
40	P	116/199 (58%)	113 (97%)	3 (3%)	0	100	100
41	Q	124/127 (98%)	123 (99%)	1 (1%)	0	100	100
42	R	111/113 (98%)	103 (93%)	8 (7%)	0	100	100
43	S	122/129 (95%)	121 (99%)	1 (1%)	0	100	100
44	T	98/103 (95%)	95 (97%)	3 (3%)	0	100	100
45	U	112/153 (73%)	109 (97%)	3 (3%)	0	100	100
46	V	95/100 (95%)	90 (95%)	5 (5%)	0	100	100
47	W	93/105 (89%)	88 (95%)	5 (5%)	0	100	100
48	X	190/215 (88%)	184 (97%)	6 (3%)	0	100	100
49	Y	83/88 (94%)	80 (96%)	3 (4%)	0	100	100
50	Z	61/64 (95%)	59 (97%)	2 (3%)	0	100	100
51	1	62/77 (80%)	61 (98%)	1 (2%)	0	100	100
52	2	57/61 (93%)	55 (96%)	2 (4%)	0	100	100
53	3	55/75 (73%)	53 (96%)	2 (4%)	0	100	100
54	4	52/57 (91%)	52 (100%)	0	0	100	100
55	5	47/55 (86%)	46 (98%)	1 (2%)	0	100	100
56	6	44/47 (94%)	44 (100%)	0	0	100	100
57	7	61/64 (95%)	60 (98%)	1 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
58	8	35/37 (95%)	32 (91%)	3 (9%)	0	100	100
59	9	21/24 (88%)	20 (95%)	1 (5%)	0	100	100
All	All	6445/7287 (88%)	6164 (96%)	279 (4%)	2 (0%)	100	100

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	b	157	VAL
13	m	5	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	b	191/218 (88%)	190 (100%)	1 (0%)	88	94
3	c	170/212 (80%)	168 (99%)	2 (1%)	71	88
4	d	175/176 (99%)	174 (99%)	1 (1%)	86	94
5	e	127/147 (86%)	127 (100%)	0	100	100
6	f	85/85 (100%)	84 (99%)	1 (1%)	71	88
7	g	131/132 (99%)	131 (100%)	0	100	100
8	h	107/108 (99%)	107 (100%)	0	100	100
9	i	102/125 (82%)	101 (99%)	1 (1%)	76	90
10	j	89/90 (99%)	89 (100%)	0	100	100
11	k	89/105 (85%)	89 (100%)	0	100	100
12	l	103/105 (98%)	102 (99%)	1 (1%)	76	90
13	m	99/104 (95%)	98 (99%)	1 (1%)	76	90
14	n	49/50 (98%)	49 (100%)	0	100	100
15	o	76/77 (99%)	76 (100%)	0	100	100
16	p	92/118 (78%)	91 (99%)	1 (1%)	73	89
17	q	80/83 (96%)	80 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
18	r	55/72 (76%)	55 (100%)	0	100	100
19	s	70/84 (83%)	70 (100%)	0	100	100
20	t	69/70 (99%)	69 (100%)	0	100	100
21	u	30/31 (97%)	30 (100%)	0	100	100
24	z	290/298 (97%)	290 (100%)	0	100	100
27	C	215/218 (99%)	215 (100%)	0	100	100
28	D	160/163 (98%)	160 (100%)	0	100	100
29	E	169/173 (98%)	169 (100%)	0	100	100
30	F	151/156 (97%)	149 (99%)	2 (1%)	69	87
31	G	148/150 (99%)	148 (100%)	0	100	100
32	H	90/116 (78%)	90 (100%)	0	100	100
33	I	89/120 (74%)	87 (98%)	2 (2%)	52	78
34	J	102/108 (94%)	102 (100%)	0	100	100
35	K	6/184 (3%)	6 (100%)	0	100	100
36	L	119/120 (99%)	119 (100%)	0	100	100
37	M	100/100 (100%)	100 (100%)	0	100	100
38	N	112/114 (98%)	111 (99%)	1 (1%)	78	91
39	O	114/115 (99%)	114 (100%)	0	100	100
40	P	97/158 (61%)	97 (100%)	0	100	100
41	Q	93/94 (99%)	93 (100%)	0	100	100
42	R	100/100 (100%)	100 (100%)	0	100	100
43	S	97/99 (98%)	97 (100%)	0	100	100
44	T	81/83 (98%)	81 (100%)	0	100	100
45	U	90/117 (77%)	89 (99%)	1 (1%)	73	89
46	V	83/85 (98%)	83 (100%)	0	100	100
47	W	81/86 (94%)	81 (100%)	0	100	100
48	X	155/168 (92%)	155 (100%)	0	100	100
49	Y	61/63 (97%)	60 (98%)	1 (2%)	62	84
50	Z	50/51 (98%)	50 (100%)	0	100	100
51	1	58/66 (88%)	58 (100%)	0	100	100
52	2	52/54 (96%)	52 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
53	3	46/63 (73%)	46 (100%)	0	100	100
54	4	43/46 (94%)	43 (100%)	0	100	100
55	5	47/52 (90%)	47 (100%)	0	100	100
56	6	35/36 (97%)	35 (100%)	0	100	100
57	7	53/54 (98%)	53 (100%)	0	100	100
58	8	35/35 (100%)	35 (100%)	0	100	100
59	9	18/19 (95%)	18 (100%)	0	100	100
All	All	5229/5856 (89%)	5213 (100%)	16 (0%)	92	96

5 of 16 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
45	U	44	ARG
38	N	49	MET
16	p	94	LYS
33	I	122	LYS
13	m	79	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 76 such sidechains are listed below:

Mol	Chain	Res	Type
43	S	72	ASN
54	4	36	GLN
44	T	67	HIS
48	X	161	GLN
59	9	17	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	a	1510/1528 (98%)	292 (19%)	0
22	v	2/3 (66%)	0	0
23	y	72/76 (94%)	12 (16%)	0
25	A	3079/3164 (97%)	500 (16%)	13 (0%)
26	B	117/118 (99%)	15 (12%)	1 (0%)
All	All	4780/4889 (97%)	819 (17%)	14 (0%)

5 of 819 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	a	11	G
1	a	12	A
1	a	13	G
1	a	18	U
1	a	36	A

5 of 14 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
25	A	980	C
25	A	981	U
26	B	10	G
25	A	1510	A
25	A	2094	G

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

6 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
23	PSU	y	55	23	18,21,22	1.35	2 (11%)	22,30,33	1.90	3 (13%)
23	4SU	y	8	23	18,21,22	1.77	4 (22%)	26,30,33	2.14	4 (15%)
23	PSU	y	39	23	18,21,22	1.31	2 (11%)	22,30,33	2.12	3 (13%)
23	7MG	y	46	23	22,26,27	1.35	3 (13%)	29,39,42	2.62	7 (24%)
23	5MU	y	54	23	19,22,23	1.41	6 (31%)	28,32,35	1.99	6 (21%)
23	PSU	y	32	23	18,21,22	1.35	2 (11%)	22,30,33	1.89	3 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
23	PSU	y	55	23	-	0/7/25/26	0/2/2/2
23	4SU	y	8	23	-	0/7/25/26	0/2/2/2
23	PSU	y	39	23	-	0/7/25/26	0/2/2/2
23	7MG	y	46	23	-	6/7/37/38	0/3/3/3
23	5MU	y	54	23	-	0/7/25/26	0/2/2/2
23	PSU	y	32	23	-	0/7/25/26	0/2/2/2

The worst 5 of 19 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
23	y	8	4SU	C4-S4	-4.56	1.59	1.68
23	y	8	4SU	C4-N3	-3.32	1.34	1.37
23	y	55	PSU	C6-C5	3.14	1.39	1.35
23	y	46	7MG	C5-C4	3.07	1.48	1.38
23	y	32	PSU	C6-C5	3.04	1.38	1.35

The worst 5 of 26 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
23	y	46	7MG	N9-C4-N3	9.58	139.81	125.47
23	y	39	PSU	N1-C2-N3	6.61	122.62	115.13
23	y	8	4SU	C4-N3-C2	-6.53	121.00	127.34
23	y	55	PSU	N1-C2-N3	6.04	121.97	115.13
23	y	8	4SU	C5-C4-N3	6.03	120.28	114.69

There are no chirality outliers.

5 of 6 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
23	y	46	7MG	O4'-C4'-C5'-O5'
23	y	46	7MG	C3'-C4'-C5'-O5'
23	y	46	7MG	C2'-C1'-N9-C8
23	y	46	7MG	O4'-C1'-N9-C4
23	y	46	7MG	O4'-C1'-N9-C8

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-43075. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 256




Y Index: 256




Z Index: 256


6.2.2 Raw map



X Index: 256



Y Index: 256




Z Index: 256


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 233




Y Index: 278




Z Index: 219


6.3.2 Raw map



X Index: 233



Y Index: 278




Z Index: 219


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



X




Y




Z

The images above show the 3D surface view of the map at the recommended contour level 0.1. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_43075_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 2897 nm^3 ; this corresponds to an approximate mass of 2617 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.323 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.323 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.10	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.77	4.91	3.88

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.77 differs from the reported value 3.1 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-43075 and PDB model 8V9K. Per-residue inclusion information can be found in section 3 on page 15.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.1 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.1).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 98% of all backbone atoms, 98% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary



















































The table lists the average atom inclusion at the recommended contour level (0.1) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9810	 0.4610
1	 0.9920	 0.4880
2	 0.9890	 0.5390
3	 0.9950	 0.4110
4	 0.9900	 0.5400
5	 0.9950	 0.5310
6	 0.9740	 0.5480
7	 0.9850	 0.5530
8	 0.9860	 0.5330
9	 0.9780	 0.5510
A	 0.9980	 0.4950
B	 0.9990	 0.4900
C	 0.9700	 0.5390
D	 0.9900	 0.5320
E	 0.9930	 0.5210
F	 0.9850	 0.4420
G	 0.9880	 0.4800
H	 0.9190	 0.4480
I	 0.8580	 0.3500
J	 0.9930	 0.3880
K	 0.9960	 0.4240
L	 0.9860	 0.5300
M	 0.9540	 0.5260
N	 0.9880	 0.5330
O	 0.9720	 0.5280
P	 0.9910	 0.5390
Q	 0.9960	 0.4940
R	 0.9670	 0.5190
S	 0.9920	 0.5310
T	 0.9990	 0.5480
U	 0.9870	 0.5360
V	 0.9850	 0.5210
W	 0.9850	 0.4940
X	 0.9730	 0.4900
Y	 0.9840	 0.5380



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
Z	 0.9930	 0.5440
a	 0.9990	 0.4080
b	 0.1040	 0.1510
c	 0.9830	 0.3880
d	 0.9890	 0.3370
e	 0.9740	 0.4480
f	 0.9770	 0.4600
g	 0.9810	 0.3220
h	 0.9960	 0.4740
i	 0.9920	 0.3620
j	 0.9820	 0.3780
k	 0.9810	 0.4800
l	 0.9420	 0.4130
m	 0.9840	 0.3260
n	 0.9760	 0.4230
o	 0.9830	 0.4650
p	 0.9850	 0.3610
q	 0.9790	 0.4200
r	 0.9960	 0.4630
s	 0.9910	 0.3550
t	 0.9750	 0.3360
u	 0.8850	 0.4780
v	 1.0000	 0.4870
y	 0.9980	 0.4330
z	 0.9610	 0.4600