



# Full wwPDB X-ray Structure Validation Report ⓘ

Apr 16, 2024 – 04:03 AM EDT

PDB ID : 8VEX  
Title : Crystal structure of PRMT5:MEP50 in complex with MTA and oxamide compound 28  
Authors : Whittington, D.A.  
Deposited on : 2023-12-20  
Resolution : 2.79 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36.1  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.79 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3140 (2.80-2.80)
Clashscore	141614	3569 (2.80-2.80)
Ramachandran outliers	138981	3498 (2.80-2.80)
Sidechain outliers	138945	3500 (2.80-2.80)
RSRZ outliers	127900	3078 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	645	 6% 77% 19% ..
2	B	350	 11% 71% 14% 14%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	CL	A	703	-	-	X	-

## 2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 7467 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Protein arginine N-methyltransferase 5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	625	5075	3247	874	930	24	0	2	0

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-7	MET	-	initiating methionine	UNP O14744
A	-6	ASP	-	expression tag	UNP O14744
A	-5	TYR	-	expression tag	UNP O14744
A	-4	LYS	-	expression tag	UNP O14744
A	-3	ASP	-	expression tag	UNP O14744
A	-2	ASP	-	expression tag	UNP O14744
A	-1	ASP	-	expression tag	UNP O14744
A	0	ASP	-	expression tag	UNP O14744
A	1	LYS	-	expression tag	UNP O14744

- Molecule 2 is a protein called Methylosome protein 50.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	301	2278	1429	390	447	12	0	0	0

There are 9 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	-7	MET	-	initiating methionine	UNP Q9BQA1
B	-6	HIS	-	expression tag	UNP Q9BQA1
B	-5	HIS	-	expression tag	UNP Q9BQA1
B	-4	HIS	-	expression tag	UNP Q9BQA1
B	-3	HIS	-	expression tag	UNP Q9BQA1
B	-2	HIS	-	expression tag	UNP Q9BQA1
B	-1	HIS	-	expression tag	UNP Q9BQA1

*Continued on next page...*

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	0	HIS	-	expression tag	UNP Q9BQA1
B	1	HIS	-	expression tag	UNP Q9BQA1

- Molecule 3 is 5'-DEOXY-5'-METHYLTHIOADENOSINE (three-letter code: MTA) (formula: C<sub>11</sub>H<sub>15</sub>N<sub>5</sub>O<sub>3</sub>S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
3	A	1	20	11	5	3	1	0	0

- Molecule 4 is N-(6-amino-5-methylpyridin-3-yl)-2-[(2R,5S)-2-(4-hydroxyphenyl)-5-methylpiperidin-1-yl]-2-oxoacetamide (three-letter code: A1AAR) (formula: C<sub>20</sub>H<sub>24</sub>N<sub>4</sub>O<sub>3</sub>) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
4	A	1	27	20	4	3	0	0

- Molecule 5 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Cl		
5	A	2	2	2	0	0

- Molecule 6 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			6	3	3		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	54	Total	O	0	2
			54	54		
7	B	5	Total	O	0	0
			5	5		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Protein arginine N-methyltransferase 5



- Molecule 2: Methylosome protein 50





## 4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	99.47Å 136.35Å 177.69Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	45.20 – 2.79 45.19 – 2.79	Depositor EDS
% Data completeness (in resolution range)	99.4 (45.20-2.79) 99.4 (45.19-2.79)	Depositor EDS
$R_{merge}$	0.09	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.09 (at 2.81Å)	Xtrriage
Refinement program	REFMAC 5.8.0258	Depositor
R, $R_{free}$	0.226 , 0.270 0.235 , 0.276	Depositor DCC
$R_{free}$ test set	1497 reflections (4.94%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	70.0	Xtrriage
Anisotropy	0.415	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 46.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	7467	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	96.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.88% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: A1AAR, CL, GOL, MTA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.67	1/5224 (0.0%)	0.80	0/7107
2	B	0.70	0/2332	0.82	0/3185
All	All	0.68	1/7556 (0.0%)	0.81	0/10292

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	97	GLU	CD-OE1	11.21	1.38	1.25

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	125	PRO	Peptide

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5075	0	4972	90	0
2	B	2278	0	2194	28	0
3	A	20	0	15	0	0
4	A	27	0	0	2	0
5	A	2	0	0	3	0
6	A	6	0	8	0	0
7	A	54	0	0	0	0
7	B	5	0	0	0	0
All	All	7467	0	7189	115	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (115) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:220:ARG:CZ	1:A:545:ASN:O	2.20	0.90
2:B:34:ALA:O	2:B:304:THR:OG1	2.00	0.80
1:A:556:GLU:OE2	1:A:571:THR:OG1	2.00	0.78
1:A:444:GLU:OE2	4:A:702:A1AAR:N15	2.16	0.78
1:A:51:LYS:O	1:A:62:ARG:NH1	2.18	0.77
1:A:436:LEU:CD1	1:A:446:SER:HA	2.22	0.70
1:A:240:LYS:NZ	1:A:241:LYS:HE2	2.10	0.67
2:B:145:LYS:HA	2:B:169:GLN:HB2	1.81	0.63
1:A:149:SER:CB	5:A:703:CL:CL	2.84	0.63
1:A:556:GLU:OE2	1:A:568:ARG:HD3	1.98	0.63
1:A:240:LYS:HZ3	1:A:241:LYS:HE2	1.64	0.62
1:A:220:ARG:NH1	1:A:545:ASN:O	2.33	0.62
1:A:358:VAL:HA	1:A:385:ARG:HB2	1.82	0.62
2:B:221:HIS:CE1	2:B:224:GLN:HE21	2.18	0.61
1:A:437:LEU:HD22	1:A:441:ALA:HA	1.83	0.60
1:A:525:ASN:ND2	1:A:530:ILE:HG12	2.17	0.60
1:A:271:HIS:CE1	2:B:125:ASP:OD1	2.54	0.59
1:A:149:SER:HB3	5:A:703:CL:CL	2.40	0.58
1:A:240:LYS:NZ	1:A:241:LYS:CE	2.67	0.57
1:A:436:LEU:HD11	1:A:446:SER:HA	1.86	0.57
1:A:505:ARG:NH1	1:A:506:LEU:O	2.39	0.56
2:B:102:ALA:HB2	2:B:122:TYR:CD1	2.41	0.56
1:A:361:LEU:CD1	1:A:431:ILE:HB	2.36	0.56
1:A:619:ALA:HA	1:A:620:PRO:C	2.27	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:224:GLN:O	2:B:226:GLU:N	2.40	0.55
1:A:446:SER:N	1:A:447:PRO:HD2	2.22	0.54
2:B:134:LEU:HD22	2:B:180:ASP:O	2.08	0.54
1:A:553:GLY:HA3	1:A:582:ILE:HG22	1.90	0.53
1:A:436:LEU:HD12	1:A:446:SER:HG	1.73	0.53
1:A:310:SER:O	4:A:702:A1AAR:O25	2.27	0.52
1:A:333:LYS:NZ	1:A:435:GLU:OE1	2.40	0.52
1:A:544:VAL:HG12	1:A:545:ASN:N	2.25	0.52
1:A:544:VAL:CG1	1:A:545:ASN:N	2.73	0.52
1:A:67:THR:HG22	1:A:68:ARG:N	2.25	0.51
1:A:437:LEU:HD11	1:A:468:TYR:CG	2.46	0.51
1:A:319:LEU:HB2	1:A:324:TYR:CE2	2.47	0.50
1:A:545:ASN:ND2	1:A:594:GLU:HB2	2.27	0.49
2:B:35:ARG:HA	2:B:304:THR:OG1	2.12	0.49
1:A:437:LEU:HD22	1:A:441:ALA:CA	2.41	0.49
2:B:68:PRO:HG3	2:B:320:HIS:O	2.12	0.49
1:A:624:ALA:O	1:A:626:HIS:ND1	2.45	0.49
1:A:349:VAL:HG22	1:A:357:ASN:ND2	2.26	0.49
1:A:348:ARG:NH2	1:A:460:ASP:OD2	2.45	0.49
1:A:493:ASP:HB3	1:A:496:ALA:HB2	1.94	0.49
1:A:441:ALA:HB2	1:A:555:PHE:HB2	1.95	0.49
1:A:50:PHE:HB2	2:B:49:LEU:HB3	1.95	0.49
1:A:617:VAL:HB	1:A:623:SER:HB3	1.95	0.49
2:B:171:THR:HG21	2:B:216:THR:HA	1.94	0.49
1:A:149:SER:HB2	5:A:703:CL:CL	2.49	0.48
1:A:364:LEU:HB3	1:A:420:MET:CE	2.43	0.48
1:A:512:LEU:HD13	1:A:546:THR:HG21	1.96	0.48
1:A:437:LEU:O	1:A:579:TRP:HZ2	1.98	0.47
1:A:170:ASN:HD21	2:B:205:GLN:HB3	1.79	0.47
1:A:436:LEU:CD1	1:A:446:SER:CA	2.93	0.47
2:B:144:SER:OG	2:B:145:LYS:N	2.48	0.47
2:B:163:TYR:CD2	2:B:195:TRP:CZ3	3.03	0.47
2:B:206:ILE:HG22	2:B:245:THR:OG1	2.15	0.47
1:A:276:GLU:OE1	1:A:278:CYS:SG	2.65	0.47
1:A:302:LYS:O	1:A:305:GLU:OE1	2.32	0.47
1:A:593:ARG:O	1:A:596:GLN:HB2	2.15	0.47
1:A:416:VAL:HG21	1:A:423:TRP:CZ2	2.49	0.47
1:A:627:ASN:N	1:A:628:PRO:CD	2.78	0.47
2:B:175:ALA:O	2:B:220:TRP:CD1	2.68	0.47
2:B:184:LEU:HB3	2:B:218:LEU:HD13	1.96	0.47
1:A:436:LEU:HD12	1:A:446:SER:CB	2.46	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:397:ALA:O	1:A:400:THR:N	2.48	0.46
1:A:142:ILE:C	1:A:144:THR:H	2.19	0.46
1:A:576:MET:CE	1:A:579:TRP:CZ3	2.98	0.46
2:B:266:HIS:CD2	2:B:310:HIS:HB3	2.51	0.46
1:A:512:LEU:HD22	1:A:546:THR:HG21	1.99	0.45
1:A:419:ASP:HB3	1:A:422:GLU:CG	2.47	0.45
2:B:293:SER:OG	2:B:325:HIS:HE1	1.99	0.45
2:B:262:VAL:HG21	2:B:303:ALA:O	2.17	0.45
1:A:315:LEU:HD11	1:A:421:ARG:NH2	2.32	0.45
1:A:525:ASN:HD21	1:A:530:ILE:HG12	1.80	0.45
2:B:274:LEU:HD21	2:B:302:ASP:C	2.37	0.45
1:A:437:LEU:HD11	1:A:468:TYR:CD2	2.51	0.45
2:B:31:LEU:HD23	2:B:46:ALA:HB2	1.99	0.45
1:A:436:LEU:CD1	1:A:446:SER:CB	2.95	0.44
1:A:630:GLY:O	1:A:634:THR:HG23	2.17	0.44
1:A:396:ASN:O	1:A:399:VAL:HB	2.18	0.44
1:A:469:THR:OG1	1:A:520:THR:HG23	2.17	0.44
2:B:36:TYR:HD1	2:B:41:ALA:O	2.00	0.44
1:A:435:GLU:O	1:A:435:GLU:HG2	2.18	0.44
1:A:437:LEU:HD23	1:A:437:LEU:HA	1.55	0.44
1:A:186:TRP:CZ3	1:A:220:ARG:NH1	2.86	0.44
1:A:545:ASN:HD22	1:A:594:GLU:HB2	1.83	0.44
1:A:129:GLU:HA	1:A:188:TRP:CD1	2.53	0.44
2:B:293:SER:OG	2:B:325:HIS:CE1	2.71	0.44
1:A:437:LEU:O	1:A:579:TRP:CZ2	2.71	0.43
1:A:354:LYS:HG3	1:A:355:ASP:N	2.33	0.43
1:A:519:PHE:CE1	1:A:534:ARG:CB	3.01	0.43
2:B:86:LEU:CD1	2:B:96:VAL:HG22	2.49	0.43
2:B:274:LEU:CD1	2:B:274:LEU:N	2.81	0.43
2:B:92:ARG:O	2:B:108:LEU:HB2	2.18	0.43
2:B:268:VAL:O	2:B:268:VAL:HG13	2.19	0.43
1:A:339:GLN:O	1:A:342:TYR:HB3	2.18	0.43
1:A:302:LYS:C	1:A:305:GLU:OE1	2.58	0.43
1:A:17:GLY:O	1:A:265:ILE:HA	2.18	0.43
1:A:499:GLU:OE2	1:A:631:ARG:NH2	2.49	0.42
1:A:446:SER:HB2	1:A:468:TYR:OH	2.19	0.42
1:A:468:TYR:CE1	1:A:521:PHE:HB2	2.53	0.42
1:A:212:LEU:HD21	1:A:250:HIS:CD2	2.54	0.42
1:A:125:PRO:HB2	1:A:127:ASN:ND2	2.35	0.42
1:A:181:GLY:O	1:A:184:LYS:HG2	2.20	0.42
1:A:228:ALA:HA	1:A:263:GLN:O	2.20	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:333:LYS:CE	1:A:435:GLU:OE1	2.68	0.41
1:A:121:ALA:HA	1:A:150:MET:O	2.21	0.41
1:A:18:ARG:NH1	1:A:266:ILE:O	2.53	0.41
1:A:128:GLN:HG2	1:A:129:GLU:N	2.36	0.41
1:A:436:LEU:HD12	1:A:436:LEU:O	2.20	0.41
1:A:46:PHE:CD2	1:A:52:ARG:CZ	3.04	0.40
1:A:542:VAL:HG21	1:A:598:ILE:CD1	2.51	0.40
1:A:392:GLU:OE2	1:A:393:LYS:N	2.54	0.40
1:A:220:ARG:NE	1:A:545:ASN:O	2.50	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	625/645 (97%)	556 (89%)	63 (10%)	6 (1%)	15	44
2	B	299/350 (85%)	268 (90%)	27 (9%)	4 (1%)	12	36
All	All	924/995 (93%)	824 (89%)	90 (10%)	10 (1%)	14	41

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	147	ILE
1	A	441	ALA
2	B	225	SER
1	A	445	LEU
2	B	208	CYS
1	A	24	PRO
2	B	197	THR
1	A	145	GLY
1	A	496	ALA

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	630	GLY

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	560/570 (98%)	552 (99%)	8 (1%)	67	90
2	B	256/298 (86%)	253 (99%)	3 (1%)	71	92
All	All	816/868 (94%)	805 (99%)	11 (1%)	67	91

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	22	CYS
1	A	148	SER
1	A	360	VAL
1	A	434	SER
1	A	446	SER
1	A	536	CYS
1	A	577	PHE
1	A	608	SER
2	B	73	CYS
2	B	197	THR
2	B	227	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	127	ASN
1	A	131	ASN
1	A	140	ASN
1	A	271	HIS
1	A	357	ASN
1	A	359	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	545	ASN
2	B	169	GLN
2	B	223	GLN
2	B	224	GLN
2	B	325	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 2 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
6	GOL	A	705	-	5,5,5	0.10	0	5,5,5	0.26	0
4	A1AAR	A	702	-	29,29,29	0.89	2 (6%)	34,41,41	1.54	5 (14%)
3	MTA	A	701	-	19,22,22	1.11	2 (10%)	19,32,32	1.54	3 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	GOL	A	705	-	-	2/4/4/4	-
4	A1AAR	A	702	-	-	1/16/29/29	0/3/3/3
3	MTA	A	701	-	-	3/3/23/23	0/3/3/3

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	702	A1AAR	C8-C10	-2.68	1.49	1.53
3	A	701	MTA	C5-C4	2.20	1.46	1.40
4	A	702	A1AAR	C16-N17	2.19	1.39	1.34
3	A	701	MTA	C2-N3	2.09	1.35	1.32

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	702	A1AAR	C14-N15-C16	4.00	122.80	118.70
4	A	702	A1AAR	C13-C14-N15	-3.79	120.72	124.13
3	A	701	MTA	CS-S5'-C5'	3.53	107.78	101.30
3	A	701	MTA	N3-C2-N1	-3.42	123.33	128.68
4	A	702	A1AAR	C8-C10-N12	3.15	117.30	112.31
4	A	702	A1AAR	C19-C18-C16	-3.12	118.56	121.72
3	A	701	MTA	C4-C5-N7	-2.56	106.73	109.40
4	A	702	A1AAR	O11-C10-C8	-2.44	118.28	121.28

There are no chirality outliers.

All (6) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	701	MTA	C4'-C5'-S5'-CS
3	A	701	MTA	O4'-C4'-C5'-S5'
3	A	701	MTA	C3'-C4'-C5'-S5'
6	A	705	GOL	O1-C1-C2-C3
4	A	702	A1AAR	N12-C10-C8-O9
6	A	705	GOL	O1-C1-C2-O2


There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	702	A1AAR	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	625/645 (96%)	0.38	40 (6%) 19 12	64, 87, 126, 150	0
2	B	301/350 (86%)	0.76	37 (12%) 4 2	84, 108, 135, 155	0
All	All	926/995 (93%)	0.50	77 (8%) 11 6	64, 96, 132, 155	0

All (77) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	72	PHE	6.8
2	B	61	PHE	5.3
2	B	60	LEU	5.0
1	A	176	THR	4.9
1	A	175	HIS	4.9
1	A	274	GLU	4.9
2	B	59	TRP	4.3
1	A	361	LEU	4.3
1	A	273	SER	4.2
1	A	528	PRO	4.1
1	A	277	PHE	4.0
2	B	34	ALA	4.0
2	B	290	LEU	3.9
2	B	249	LEU	3.8
1	A	243	PHE	3.8
2	B	41	ALA	3.7
1	A	275	LYS	3.7
2	B	107	GLU	3.6
1	A	294	PRO	3.6
2	B	114	LEU	3.5
2	B	66	ALA	3.5
2	B	75	ALA	3.5
2	B	291	PHE	3.5
2	B	280	LEU	3.4

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
2	B	74	SER	3.4
1	A	342	TYR	3.3
2	B	73	CYS	3.3
1	A	345	LEU	3.3
1	A	177	GLU	3.2
1	A	379	ALA	3.2
2	B	40	GLY	3.1
2	B	31	LEU	3.1
2	B	44	LEU	3.1
2	B	67	ALA	3.1
1	A	276	GLU	3.1
1	A	341	ILE	2.9
2	B	94	ILE	2.9
1	A	529	MET	2.9
2	B	42	LEU	2.8
1	A	240	LYS	2.7
1	A	285	GLU	2.7
2	B	118	LYS	2.7
1	A	30	LEU	2.7
1	A	385	ARG	2.6
1	A	431	ILE	2.6
1	A	530	ILE	2.6
1	A	55	ILE	2.5
1	A	178	GLU	2.5
2	B	113	THR	2.5
1	A	380	LYS	2.5
1	A	286	TYR	2.5
1	A	73	LEU	2.4
2	B	62	LYS	2.4
1	A	282	GLN	2.4
2	B	115	ILE	2.3
2	B	43	LEU	2.3
2	B	111	ASN	2.3
1	A	36	GLN	2.3
1	A	577	PHE	2.3
1	A	358	VAL	2.3
1	A	560	TYR	2.3
1	A	349	VAL	2.2
2	B	306	SER	2.1
2	B	71	GLY	2.1
2	B	314	THR	2.1
2	B	328	PRO	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	378	ALA	2.1
2	B	289	GLU	2.1
2	B	69	ASN	2.1
2	B	235	GLY	2.1
2	B	108	LEU	2.1
1	A	248	LYS	2.1
1	A	272	HIS	2.1
2	B	270	PHE	2.1
1	A	381	GLN	2.0
1	A	339	GLN	2.0
1	A	217	VAL	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
5	CL	A	704	1/1	0.88	0.24	102,102,102,102	0
6	GOL	A	705	6/6	0.88	0.23	76,77,78,79	0
5	CL	A	703	1/1	0.93	0.27	84,84,84,84	0
4	A1AAR	A	702	27/27	0.94	0.21	65,80,88,94	0
3	MTA	A	701	20/20	0.95	0.20	56,64,72,78	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around A1AAR A 702:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.