



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 21, 2023 – 03:02 PM JST

PDB ID : 7VF4
Title : Crystal structure of Vps75 from *Candida albicans*
Authors : Wang, W.; Chen, X.; Yang, Z.; Chen, X.; Li, C.; Wang, M.
Deposited on : 2021-09-10
Resolution : 3.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1094 (3.10-3.10)
Clashscore	141614	1184 (3.10-3.10)
Ramachandran outliers	138981	1141 (3.10-3.10)
Sidechain outliers	138945	1141 (3.10-3.10)
RSRZ outliers	127900	1067 (3.10-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	235	 83% 11% 6%
1	B	235	 77% 14% 7%
1	C	235	 83% 11% 6%
1	D	235	 78% 14% 8%
1	E	235	 76% 17% 6%
1	F	235	 79% 14% 7%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	G	235	
1	H	235	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	CL	E	301	-	-	X	-

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 14715 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Vps75.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	221	Total 1853	C 1203	N 296	O 350	S 4	0	0	0
1	B	219	Total 1835	C 1191	N 292	O 348	S 4	0	0	0
1	C	222	Total 1861	C 1209	N 297	O 351	S 4	0	0	0
1	D	216	Total 1816	C 1180	N 289	O 343	S 4	0	0	0
1	E	220	Total 1844	C 1198	N 295	O 347	S 4	0	0	0
1	F	219	Total 1838	C 1192	N 291	O 351	S 4	0	0	0
1	G	219	Total 1840	C 1196	N 294	O 346	S 4	0	0	0
1	H	214	Total 1796	C 1168	N 285	O 339	S 4	0	0	0

There are 72 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	MET	-	initiating methionine	UNP A0A1D8PT39
A	227	LEU	-	expression tag	UNP A0A1D8PT39
A	228	GLU	-	expression tag	UNP A0A1D8PT39
A	229	HIS	-	expression tag	UNP A0A1D8PT39
A	230	HIS	-	expression tag	UNP A0A1D8PT39
A	231	HIS	-	expression tag	UNP A0A1D8PT39
A	232	HIS	-	expression tag	UNP A0A1D8PT39
A	233	HIS	-	expression tag	UNP A0A1D8PT39
A	234	HIS	-	expression tag	UNP A0A1D8PT39
B	0	MET	-	initiating methionine	UNP A0A1D8PT39
B	227	LEU	-	expression tag	UNP A0A1D8PT39
B	228	GLU	-	expression tag	UNP A0A1D8PT39
B	229	HIS	-	expression tag	UNP A0A1D8PT39

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	230	HIS	-	expression tag	UNP A0A1D8PT39
B	231	HIS	-	expression tag	UNP A0A1D8PT39
B	232	HIS	-	expression tag	UNP A0A1D8PT39
B	233	HIS	-	expression tag	UNP A0A1D8PT39
B	234	HIS	-	expression tag	UNP A0A1D8PT39
C	0	MET	-	initiating methionine	UNP A0A1D8PT39
C	227	LEU	-	expression tag	UNP A0A1D8PT39
C	228	GLU	-	expression tag	UNP A0A1D8PT39
C	229	HIS	-	expression tag	UNP A0A1D8PT39
C	230	HIS	-	expression tag	UNP A0A1D8PT39
C	231	HIS	-	expression tag	UNP A0A1D8PT39
C	232	HIS	-	expression tag	UNP A0A1D8PT39
C	233	HIS	-	expression tag	UNP A0A1D8PT39
C	234	HIS	-	expression tag	UNP A0A1D8PT39
D	0	MET	-	initiating methionine	UNP A0A1D8PT39
D	227	LEU	-	expression tag	UNP A0A1D8PT39
D	228	GLU	-	expression tag	UNP A0A1D8PT39
D	229	HIS	-	expression tag	UNP A0A1D8PT39
D	230	HIS	-	expression tag	UNP A0A1D8PT39
D	231	HIS	-	expression tag	UNP A0A1D8PT39
D	232	HIS	-	expression tag	UNP A0A1D8PT39
D	233	HIS	-	expression tag	UNP A0A1D8PT39
D	234	HIS	-	expression tag	UNP A0A1D8PT39
E	0	MET	-	initiating methionine	UNP A0A1D8PT39
E	227	LEU	-	expression tag	UNP A0A1D8PT39
E	228	GLU	-	expression tag	UNP A0A1D8PT39
E	229	HIS	-	expression tag	UNP A0A1D8PT39
E	230	HIS	-	expression tag	UNP A0A1D8PT39
E	231	HIS	-	expression tag	UNP A0A1D8PT39
E	232	HIS	-	expression tag	UNP A0A1D8PT39
E	233	HIS	-	expression tag	UNP A0A1D8PT39
E	234	HIS	-	expression tag	UNP A0A1D8PT39
F	0	MET	-	initiating methionine	UNP A0A1D8PT39
F	227	LEU	-	expression tag	UNP A0A1D8PT39
F	228	GLU	-	expression tag	UNP A0A1D8PT39
F	229	HIS	-	expression tag	UNP A0A1D8PT39
F	230	HIS	-	expression tag	UNP A0A1D8PT39
F	231	HIS	-	expression tag	UNP A0A1D8PT39
F	232	HIS	-	expression tag	UNP A0A1D8PT39
F	233	HIS	-	expression tag	UNP A0A1D8PT39
F	234	HIS	-	expression tag	UNP A0A1D8PT39
G	0	MET	-	initiating methionine	UNP A0A1D8PT39

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	227	LEU	-	expression tag	UNP A0A1D8PT39
G	228	GLU	-	expression tag	UNP A0A1D8PT39
G	229	HIS	-	expression tag	UNP A0A1D8PT39
G	230	HIS	-	expression tag	UNP A0A1D8PT39
G	231	HIS	-	expression tag	UNP A0A1D8PT39
G	232	HIS	-	expression tag	UNP A0A1D8PT39
G	233	HIS	-	expression tag	UNP A0A1D8PT39
G	234	HIS	-	expression tag	UNP A0A1D8PT39
H	0	MET	-	initiating methionine	UNP A0A1D8PT39
H	227	LEU	-	expression tag	UNP A0A1D8PT39
H	228	GLU	-	expression tag	UNP A0A1D8PT39
H	229	HIS	-	expression tag	UNP A0A1D8PT39
H	230	HIS	-	expression tag	UNP A0A1D8PT39
H	231	HIS	-	expression tag	UNP A0A1D8PT39
H	232	HIS	-	expression tag	UNP A0A1D8PT39
H	233	HIS	-	expression tag	UNP A0A1D8PT39
H	234	HIS	-	expression tag	UNP A0A1D8PT39

- Molecule 2 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	2	Total Cl 2 2	0	0
2	E	2	Total Cl 2 2	0	0

- Molecule 3 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	B	3	Total Na 3 3	0	0
3	C	2	Total Na 2 2	0	0
3	F	1	Total Na 1 1	0	0
3	G	1	Total Na 1 1	0	0
3	H	1	Total Na 1 1	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	4	Total O 4 4	0	0
4	B	1	Total O 1 1	0	0
4	C	4	Total O 4 4	0	0
4	D	3	Total O 3 3	0	0
4	E	1	Total O 1 1	0	0
4	F	1	Total O 1 1	0	0
4	G	4	Total O 4 4	0	0
4	H	2	Total O 2 2	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Vps75




- Molecule 1: Vps75



- Molecule 1: Vps75



- Molecule 1: Vps75



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	83.61Å 137.17Å 226.52Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	37.75 – 3.10 37.75 – 3.10	Depositor EDS
% Data completeness (in resolution range)	99.0 (37.75-3.10) 99.0 (37.75-3.10)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.96 (at 3.12Å)	Xtrriage
Refinement program	PHENIX 1.18.2_3874	Depositor
R, R_{free}	0.244 , 0.292 0.240 , 0.292	Depositor DCC
R_{free} test set	2420 reflections (5.09%)	wwPDB-VP
Wilson B-factor (Å ²)	80.2	Xtrriage
Anisotropy	0.016	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 32.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	14715	wwPDB-VP
Average B, all atoms (Å ²)	76.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.17% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NA, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.30	0/1899	0.46	0/2557
1	B	0.28	0/1880	0.44	0/2532
1	C	0.29	0/1907	0.46	0/2568
1	D	0.29	0/1860	0.44	0/2504
1	E	0.29	0/1890	0.46	0/2545
1	F	0.27	0/1883	0.43	0/2538
1	G	0.28	0/1886	0.44	0/2540
1	H	0.28	0/1841	0.44	0/2482
All	All	0.29	0/15046	0.45	0/20266

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1853	0	1839	16	0
1	B	1835	0	1812	29	0
1	C	1861	0	1850	15	0
1	D	1816	0	1798	27	0
1	E	1844	0	1833	27	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	1838	0	1809	17	0
1	G	1840	0	1830	22	0
1	H	1796	0	1773	25	0
2	A	2	0	0	1	0
2	E	2	0	0	3	0
3	B	3	0	0	0	0
3	C	2	0	0	0	0
3	F	1	0	0	0	0
3	G	1	0	0	0	0
3	H	1	0	0	0	0
4	A	4	0	0	0	0
4	B	1	0	0	0	0
4	C	4	0	0	0	0
4	D	3	0	0	1	0
4	E	1	0	0	0	0
4	F	1	0	0	0	0
4	G	4	0	0	0	0
4	H	2	0	0	0	0
All	All	14715	0	14544	166	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (166) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:128:GLN:HE21	1:F:134:ARG:HB2	1.49	0.76
1:B:111:ASN:HD21	1:B:114:ILE:HG22	1.54	0.73
1:E:164:ASP:HB2	1:E:167:ASP:HB2	1.70	0.73
1:A:193:LYS:NZ	1:C:192:GLU:OE1	2.23	0.71
1:D:69:ASP:HB3	1:E:199:ARG:HD2	1.74	0.69
1:H:88:TYR:OH	1:H:93:ASP:OD2	2.11	0.69
1:B:91:ILE:HD12	1:B:95:GLU:HA	1.77	0.66
1:C:166:LYS:NZ	1:G:63:GLU:O	2.30	0.65
1:E:121:LYS:HA	1:E:140:VAL:HG21	1.78	0.65
1:F:4:LYS:HA	1:F:8:LYS:HE3	1.79	0.65
1:A:47:ARG:HD2	1:A:86:TYR:CD1	2.31	0.65
1:E:78:TYR:OH	1:E:147:GLU:OE1	2.12	0.64
1:D:160:TYR:HE2	1:D:168:MET:HA	1.62	0.64
1:B:88:TYR:OH	1:B:93:ASP:OD2	2.16	0.62
1:D:69:ASP:O	1:E:181:LYS:NZ	2.33	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:79:LEU:HD22	1:C:82:ILE:HD11	1.82	0.61
1:A:150:LYS:HG3	1:A:151:ILE:HG23	1.81	0.61
1:A:64:ASN:OD1	1:A:67:PHE:N	2.30	0.60
1:D:65:ASP:OD1	1:E:177:ARG:NH2	2.34	0.60
1:B:100:LYS:HB2	1:B:125:ILE:HG13	1.83	0.60
1:G:47:ARG:HD2	1:G:86:TYR:CD1	2.36	0.60
1:B:160:TYR:CE2	1:B:168:MET:HA	2.38	0.59
1:D:100:LYS:NZ	1:D:133:GLU:OE2	2.34	0.59
1:H:91:ILE:HD12	1:H:95:GLU:HA	1.84	0.59
1:G:190:THR:OG1	1:G:197:GLU:OE2	2.16	0.58
1:H:160:TYR:HE2	1:H:168:MET:HA	1.69	0.58
1:B:128:GLN:N	1:B:132:ASP:O	2.34	0.58
1:H:134:ARG:HH12	1:H:192:GLU:HG2	1.69	0.58
1:D:111:ASN:HD21	1:D:113:TYR:HB2	1.70	0.57
1:H:78:TYR:OH	1:H:147:GLU:OE1	2.12	0.57
1:C:47:ARG:HD2	1:C:86:TYR:CD1	2.41	0.56
1:B:215:ASN:OD1	1:B:218:LYS:NZ	2.36	0.56
1:G:164:ASP:OD1	1:G:164:ASP:N	2.38	0.56
1:E:142:VAL:HG21	1:E:187:PHE:CG	2.41	0.56
1:F:121:LYS:HA	1:F:140:VAL:HG21	1.88	0.55
1:C:217:LEU:HD13	1:D:17:LEU:HD13	1.89	0.55
1:F:142:VAL:HG21	1:F:187:PHE:CG	2.42	0.54
1:D:96:ALA:O	4:D:301:HOH:O	2.19	0.53
1:D:111:ASN:ND2	1:D:114:ILE:H	2.07	0.53
1:B:76:LEU:HD23	1:B:79:LEU:HD12	1.91	0.53
1:B:90:PRO:HD2	1:B:101:ASP:O	2.09	0.53
1:E:177:ARG:HG2	2:E:301:CL:CL	2.46	0.53
1:E:47:ARG:HD2	1:E:86:TYR:CD1	2.44	0.52
1:A:69:ASP:HB3	1:H:199:ARG:HD3	1.91	0.52
1:A:142:VAL:HG21	1:A:187:PHE:CG	2.44	0.52
1:B:58:TYR:CD1	1:B:80:GLU:HA	2.44	0.52
1:F:100:LYS:HB2	1:F:125:ILE:HG13	1.92	0.51
1:D:108:PHE:O	1:D:116:GLU:HG3	2.09	0.51
1:E:142:VAL:HG21	1:E:187:PHE:CD2	2.46	0.51
1:E:215:ASN:HB3	1:E:218:LYS:HD2	1.92	0.51
1:E:165:LYS:HE3	1:G:129:GLU:HA	1.94	0.49
1:E:94:ASP:O	1:G:161:LYS:NZ	2.42	0.49
1:F:207:LEU:HD12	1:F:211:ASP:HB3	1.93	0.49
1:E:79:LEU:HD22	1:E:82:ILE:HD11	1.95	0.49
1:B:151:ILE:HA	1:B:175:ASN:HB3	1.94	0.49
1:A:215:ASN:HB3	1:A:218:LYS:HD2	1.95	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:76:LEU:HD12	1:H:79:LEU:HD12	1.94	0.48
1:C:134:ARG:NH2	1:C:191:GLY:O	2.45	0.48
1:F:58:TYR:CG	1:F:80:GLU:HA	2.48	0.48
1:A:142:VAL:HG21	1:A:187:PHE:CD2	2.49	0.48
1:D:111:ASN:HD22	1:D:114:ILE:H	1.60	0.48
1:F:111:ASN:HD21	1:F:114:ILE:HG23	1.78	0.48
1:B:215:ASN:HB3	1:B:218:LYS:HD2	1.94	0.48
1:D:159:LYS:O	1:D:159:LYS:HD3	2.14	0.48
1:G:58:TYR:CG	1:G:80:GLU:HA	2.49	0.48
1:D:130:ASP:N	1:D:130:ASP:OD1	2.47	0.47
1:E:58:TYR:CD1	1:E:80:GLU:HA	2.49	0.47
1:F:24:MET:O	1:F:28:GLU:HG3	2.14	0.47
1:H:190:THR:OG1	1:H:197:GLU:OE2	2.19	0.47
1:A:190:THR:OG1	1:A:197:GLU:OE2	2.23	0.47
1:D:142:VAL:HG21	1:D:187:PHE:CD2	2.49	0.47
1:G:142:VAL:HG21	1:G:187:PHE:CD2	2.49	0.47
1:H:79:LEU:HD22	1:H:82:ILE:HD11	1.96	0.47
1:B:58:TYR:CG	1:B:80:GLU:HA	2.50	0.47
1:D:76:LEU:HD22	2:E:301:CL:CL	2.52	0.47
1:G:111:ASN:HD21	1:G:114:ILE:HG23	1.80	0.47
1:B:47:ARG:HD3	1:B:86:TYR:CD1	2.51	0.46
1:D:111:ASN:ND2	1:D:113:TYR:H	2.14	0.46
1:D:111:ASN:OD1	1:D:112:PRO:HD2	2.15	0.46
1:E:151:ILE:O	1:E:179:GLY:HA3	2.16	0.46
1:C:30:GLU:OE2	1:D:34:TYR:OH	2.21	0.46
1:H:47:ARG:HD2	1:H:86:TYR:CD1	2.50	0.46
1:E:64:ASN:ND2	1:E:212:LEU:HD21	2.31	0.46
1:G:46:ARG:HD3	1:H:20:TRP:CH2	2.51	0.46
1:G:42:MET:O	1:H:20:TRP:NE1	2.46	0.45
1:D:47:ARG:HD3	1:D:86:TYR:CD1	2.51	0.45
1:F:119:ILE:HD13	1:F:142:VAL:HG22	1.97	0.45
1:D:84:ASP:HB3	1:D:107:THR:OG1	2.16	0.45
1:H:46:ARG:NH2	1:H:213:TYR:O	2.33	0.45
1:H:58:TYR:CG	1:H:80:GLU:HA	2.51	0.45
1:A:161:LYS:H	1:A:161:LYS:HG3	1.54	0.45
1:H:128:GLN:HE22	1:H:134:ARG:HE	1.65	0.45
2:A:301:CL:CL	2:A:302:CL:CL	3.09	0.45
1:B:160:TYR:OH	1:B:172:ASP:OD2	2.21	0.44
1:G:134:ARG:NH2	1:G:191:GLY:O	2.51	0.44
1:H:168:MET:HB2	1:H:173:LYS:HG3	1.98	0.44
1:B:111:ASN:ND2	1:B:114:ILE:H	2.16	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:142:VAL:HG21	1:B:187:PHE:CG	2.53	0.44
1:C:215:ASN:HB3	1:C:218:LYS:HD2	2.00	0.44
1:G:153:PRO:HB3	1:G:176:TYR:CE1	2.52	0.44
1:H:130:ASP:OD1	1:H:130:ASP:N	2.51	0.44
1:E:93:ASP:HB2	1:E:95:GLU:HG2	1.98	0.44
1:B:153:PRO:HB3	1:B:176:TYR:CE1	2.53	0.43
1:D:160:TYR:CE2	1:D:168:MET:HA	2.47	0.43
1:E:165:LYS:HB3	1:E:165:LYS:HE2	1.94	0.43
1:F:142:VAL:HG21	1:F:187:PHE:CD2	2.53	0.43
1:B:47:ARG:HG3	1:B:84:ASP:OD1	2.19	0.43
1:F:59:ILE:HD12	1:F:220:TYR:HE1	1.83	0.43
1:B:160:TYR:HE2	1:B:168:MET:HA	1.82	0.43
1:D:142:VAL:HG21	1:D:187:PHE:CG	2.53	0.43
1:E:207:LEU:HD12	1:E:211:ASP:HB3	2.00	0.43
1:A:70:TYR:CD2	1:A:204:LEU:HB2	2.53	0.43
1:C:100:LYS:HB2	1:C:125:ILE:HG13	2.00	0.43
1:E:35:ARG:NH2	2:E:302:CL:CL	2.79	0.43
1:H:50:LEU:HA	1:H:53:ILE:HD12	2.00	0.43
1:A:47:ARG:HD2	1:A:86:TYR:CG	2.53	0.43
1:G:123:PHE:CD1	1:G:137:SER:HB2	2.53	0.43
1:C:111:ASN:ND2	1:C:114:ILE:O	2.52	0.43
1:F:196:LYS:HE3	1:F:196:LYS:HB3	1.93	0.43
1:B:153:PRO:HB3	1:B:176:TYR:HE1	1.84	0.43
1:E:37:LYS:HG2	1:E:92:VAL:HA	2.01	0.43
1:G:151:ILE:O	1:G:179:GLY:HA3	2.19	0.43
1:B:142:VAL:HG21	1:B:187:PHE:CD2	2.54	0.42
1:A:64:ASN:ND2	1:A:212:LEU:HD21	2.33	0.42
1:B:111:ASN:HD21	1:B:114:ILE:H	1.66	0.42
1:H:142:VAL:HG21	1:H:187:PHE:CD2	2.54	0.42
1:B:83:ASP:OD1	1:B:107:THR:OG1	2.31	0.42
1:F:160:TYR:HE2	1:F:168:MET:HA	1.84	0.42
1:G:121:LYS:HD2	1:G:187:PHE:HA	2.01	0.42
1:D:70:TYR:HA	1:E:199:ARG:NH1	2.34	0.42
1:C:59:ILE:HD12	1:C:220:TYR:HE1	1.85	0.42
1:C:121:LYS:HA	1:C:140:VAL:HG21	2.02	0.42
1:F:47:ARG:HD3	1:F:86:TYR:CD1	2.54	0.42
1:F:151:ILE:HA	1:F:175:ASN:HB3	2.01	0.42
1:D:93:ASP:HB2	1:D:95:GLU:HG3	2.01	0.42
1:E:90:PRO:HD2	1:E:101:ASP:O	2.20	0.42
1:H:17:LEU:HD23	1:H:17:LEU:HA	1.92	0.42
1:H:111:ASN:HD21	1:H:114:ILE:HG23	1.85	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:121:LYS:HA	1:A:140:VAL:HG21	2.01	0.42
1:G:207:LEU:HD12	1:G:211:ASP:HB3	2.00	0.42
1:H:12:LEU:O	1:H:16:LYS:HG3	2.20	0.42
1:B:5:ASP:OD1	1:B:5:ASP:N	2.53	0.41
1:B:207:LEU:HD12	1:B:211:ASP:HB3	2.02	0.41
1:F:130:ASP:O	1:F:130:ASP:CG	2.58	0.41
1:H:208:LEU:O	1:H:213:TYR:HB2	2.20	0.41
1:E:130:ASP:O	1:E:130:ASP:CG	2.58	0.41
1:B:32:GLU:OE2	1:B:35:ARG:NH2	2.45	0.41
1:D:160:TYR:OH	1:D:172:ASP:OD2	2.22	0.41
1:G:108:PHE:O	1:G:116:GLU:HG3	2.21	0.41
1:G:160:TYR:CE2	1:G:168:MET:HA	2.56	0.41
1:B:84:ASP:HB3	1:B:107:THR:OG1	2.20	0.41
1:C:58:TYR:CG	1:C:80:GLU:HA	2.56	0.41
1:D:151:ILE:O	1:D:179:GLY:HA3	2.20	0.41
1:H:186:TRP:CD1	1:H:204:LEU:HD23	2.56	0.41
1:B:111:ASN:ND2	1:B:114:ILE:HG22	2.29	0.41
1:H:121:LYS:HD2	1:H:187:PHE:HA	2.03	0.41
1:D:110:LYS:HA	1:D:116:GLU:HB2	2.03	0.41
1:E:134:ARG:NH2	1:E:191:GLY:O	2.48	0.41
1:A:10:LEU:O	1:A:14:LEU:HG	2.21	0.40
1:A:32:GLU:OE2	1:A:35:ARG:NH2	2.47	0.40
1:G:215:ASN:HB3	1:G:218:LYS:HD2	2.01	0.40
1:C:142:VAL:HG21	1:C:187:PHE:CD2	2.56	0.40
1:C:157:LYS:HE3	1:C:157:LYS:HB2	1.84	0.40
1:E:23:GLU:O	1:E:27:VAL:HG23	2.21	0.40
1:G:57:TRP:CD1	1:G:84:ASP:HA	2.57	0.40
1:G:215:ASN:OD1	1:G:218:LYS:NZ	2.48	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	219/235 (93%)	214 (98%)	5 (2%)	0	100	100
1	B	215/235 (92%)	213 (99%)	2 (1%)	0	100	100
1	C	220/235 (94%)	214 (97%)	6 (3%)	0	100	100
1	D	212/235 (90%)	209 (99%)	3 (1%)	0	100	100
1	E	218/235 (93%)	213 (98%)	5 (2%)	0	100	100
1	F	215/235 (92%)	210 (98%)	5 (2%)	0	100	100
1	G	217/235 (92%)	214 (99%)	3 (1%)	0	100	100
1	H	210/235 (89%)	207 (99%)	3 (1%)	0	100	100
All	All	1726/1880 (92%)	1694 (98%)	32 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	202/216 (94%)	199 (98%)	3 (2%)	65	85
1	B	200/216 (93%)	196 (98%)	4 (2%)	55	80
1	C	203/216 (94%)	200 (98%)	3 (2%)	65	85
1	D	198/216 (92%)	195 (98%)	3 (2%)	65	85
1	E	201/216 (93%)	198 (98%)	3 (2%)	65	85
1	F	201/216 (93%)	194 (96%)	7 (4%)	36	68
1	G	201/216 (93%)	198 (98%)	3 (2%)	65	85
1	H	196/216 (91%)	193 (98%)	3 (2%)	65	85
All	All	1602/1728 (93%)	1573 (98%)	29 (2%)	59	82

All (29) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	95	GLU
1	A	130	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	161	LYS
1	B	5	ASP
1	B	128	GLN
1	B	132	ASP
1	B	160	TYR
1	C	129	GLU
1	C	135	ILE
1	C	215	ASN
1	D	128	GLN
1	D	130	ASP
1	D	132	ASP
1	E	130	ASP
1	E	150	LYS
1	E	168	MET
1	F	3	GLU
1	F	95	GLU
1	F	123	PHE
1	F	130	ASP
1	F	158	GLU
1	F	160	TYR
1	F	224	LEU
1	G	158	GLU
1	G	164	ASP
1	G	165	LYS
1	H	128	GLN
1	H	130	ASP
1	H	160	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	111	ASN
1	D	26	GLN
1	D	111	ASN
1	F	128	GLN
1	G	11	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 12 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	221/235 (94%)	-0.16	1 (0%) 91 81	34, 55, 101, 117	0
1	B	219/235 (93%)	0.15	2 (0%) 84 69	53, 91, 123, 134	0
1	C	222/235 (94%)	-0.19	1 (0%) 91 81	42, 62, 98, 120	0
1	D	216/235 (91%)	-0.08	3 (1%) 75 56	43, 68, 102, 129	0
1	E	220/235 (93%)	-0.17	2 (0%) 84 69	42, 66, 112, 124	0
1	F	219/235 (93%)	-0.06	2 (0%) 84 69	67, 90, 110, 128	0
1	G	219/235 (93%)	-0.03	5 (2%) 60 39	49, 79, 111, 121	0
1	H	214/235 (91%)	-0.02	4 (1%) 66 46	52, 82, 112, 133	0
All	All	1750/1880 (93%)	-0.07	20 (1%) 80 64	34, 75, 112, 134	0

All (20) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	170	ALA	5.4
1	A	165	LYS	4.3
1	C	96	ALA	4.0
1	G	167	ASP	3.5
1	F	157	LYS	3.4
1	E	165	LYS	2.8
1	E	9	ARG	2.7
1	G	164	ASP	2.5
1	H	160	TYR	2.4
1	G	163	LYS	2.3
1	G	95	GLU	2.3
1	D	126	VAL	2.2
1	B	159	LYS	2.2
1	F	156	ILE	2.1
1	G	217	LEU	2.1
1	D	221	ILE	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	130	ASP	2.1
1	H	158	GLU	2.0
1	H	156	ILE	2.0
1	H	172	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	CL	E	302	1/1	0.50	0.17	68,68,68,68	0
3	NA	B	301	1/1	0.82	0.28	74,74,74,74	0
3	NA	F	301	1/1	0.83	0.42	53,53,53,53	0
2	CL	E	301	1/1	0.86	0.20	71,71,71,71	0
3	NA	G	301	1/1	0.87	0.35	74,74,74,74	0
3	NA	B	303	1/1	0.90	0.43	41,41,41,41	0
2	CL	A	302	1/1	0.91	0.19	50,50,50,50	0
3	NA	C	302	1/1	0.91	0.16	46,46,46,46	0
3	NA	C	301	1/1	0.94	0.36	75,75,75,75	0
2	CL	A	301	1/1	0.94	0.12	48,48,48,48	0
3	NA	H	301	1/1	0.94	0.12	72,72,72,72	0
3	NA	B	302	1/1	0.98	0.45	50,50,50,50	0

6.5 Other polymers [i](#)

There are no such residues in this entry.