



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 28, 2024 – 02:43 pm BST

PDB ID : 2VHH
Title : Crystal structure of a pyrimidine degrading enzyme from *Drosophila melanogaster*
Authors : Lundgren, S.; Lohkamp, B.; Andersen, B.; Piskur, J.; Dobritzsch, D.
Deposited on : 2007-11-21
Resolution : 2.80 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.36.2
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.2


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3140 (2.80-2.80)
Clashscore	141614	3569 (2.80-2.80)
Ramachandran outliers	138981	3498 (2.80-2.80)
Sidechain outliers	138945	3500 (2.80-2.80)
RSRZ outliers	127900	3078 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	405	<div style="display: flex; align-items: center;"> <div style="width: 4%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 65%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 18%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 15%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">4% 65% 18% • 15%</p>
1	B	405	<div style="display: flex; align-items: center;"> <div style="width: 0%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 71%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 20%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 6%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">% 71% 20% • 6%</p>
1	C	405	<div style="display: flex; align-items: center;"> <div style="width: 0%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 73%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 19%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 6%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">% 73% 19% • 6%</p>
1	D	405	<div style="display: flex; align-items: center;"> <div style="width: 0%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 75%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 17%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 6%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">% 75% 17% • 6%</p>

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 11865 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called CG3027-PA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	345	2750	1743	485	508	14	0	0	0
1	B	379	3027	1916	530	565	16	0	0	0
1	C	382	3061	1937	536	572	16	0	1	0
1	D	379	3027	1916	530	565	16	0	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: CG3027-PA




• Molecule 1: CG3027-PA





• Molecule 1: CG3027-PA





• Molecule 1: CG3027-PA



4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	95.04Å 197.88Å 97.96Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	35.00 – 2.80 56.16 – 2.80	Depositor EDS
% Data completeness (in resolution range)	94.8 (35.00-2.80) 94.8 (56.16-2.80)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.16 (at 2.81Å)	Xtrriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.215 , 0.255 0.218 , 0.256	Depositor DCC
R_{free} test set	2237 reflections (5.09%)	wwPDB-VP
Wilson B-factor (Å ²)	41.1	Xtrriage
Anisotropy	0.159	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 23.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	0.025 for l,-k,h	Xtrriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	11865	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.58% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.49	0/2810	0.59	0/3796
1	B	0.45	0/3101	0.62	0/4197
1	C	0.43	0/3135	0.62	0/4242
1	D	0.46	0/3101	0.59	0/4197
All	All	0.46	0/12147	0.61	0/16432

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	1
1	C	0	2
1	D	0	1
All	All	0	6

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	261	ILE	Peptide
1	A	82	ILE	Peptide
1	B	261	ILE	Peptide
1	C	261	ILE	Peptide
1	C	82	ILE	Peptide
1	D	261	ILE	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2750	0	2726	53	0
1	B	3027	0	2958	56	0
1	C	3061	0	2993	51	0
1	D	3027	0	2958	41	0
All	All	11865	0	11635	183	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (183) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:82:ILE:HG12	1:A:83:VAL:H	1.32	0.95
1:C:205:ASP:OD1	1:C:301:SER:HB3	1.70	0.90
1:B:320:VAL:HG21	1:B:341:VAL:HG11	1.60	0.83
1:C:84:ILE:HB	1:C:85:PRO:HD2	1.64	0.79
1:D:84:ILE:HB	1:D:85:PRO:HD2	1.66	0.78
1:C:320:VAL:HG21	1:C:341:VAL:HG11	1.67	0.77
1:A:328:THR:HG22	1:A:329:PRO:O	1.87	0.74
1:B:84:ILE:HB	1:B:85:PRO:HD2	1.71	0.73
1:A:82:ILE:HG12	1:A:83:VAL:N	2.05	0.70
1:B:363:VAL:HG23	1:B:364:PRO:HD3	1.73	0.69
1:C:74:ARG:HB3	1:C:113:CYS:HA	1.74	0.68
1:D:320:VAL:HG21	1:D:341:VAL:HG11	1.76	0.67
1:C:200:ILE:HD13	1:C:214:GLU:HA	1.77	0.65
1:B:23:LYS:HG3	1:B:33:GLU:HB2	1.79	0.65
1:A:234:CYS:O	1:A:237:ARG:HB2	1.97	0.64
1:D:284:THR:HG22	1:D:286:PRO:HD3	1.81	0.63
1:A:273:ALA:O	1:A:284:THR:HG21	1.98	0.62
1:B:54:ASP:OD1	1:B:335:LYS:HE3	1.98	0.62
1:C:273:ALA:O	1:C:284:THR:HG21	1.98	0.62
1:A:31:GLY:HA3	1:A:326:SER:HA	1.81	0.62
1:B:280:ASN:O	1:B:358:ARG:NH1	2.33	0.62
1:C:363:VAL:HG23	1:C:364:PRO:HD3	1.81	0.62
1:C:234:CYS:O	1:C:237:ARG:HB2	2.00	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:83:VAL:HG11	1:D:96:ALA:HB1	1.82	0.61
1:C:275:ASN:HD22	1:D:275:ASN:CB	2.14	0.61
1:A:57:GLY:HA2	1:A:340:VAL:O	2.01	0.60
1:A:120:GLU:OE1	1:A:234:CYS:SG	2.59	0.60
1:C:31:GLY:HA3	1:C:326:SER:HA	1.83	0.60
1:B:31:GLY:HA3	1:B:326:SER:HA	1.85	0.59
1:C:164:ILE:HG12	1:C:184:VAL:HG22	1.86	0.58
1:D:23:LYS:HG3	1:D:33:GLU:HB2	1.86	0.58
1:D:31:GLY:HA3	1:D:326:SER:HA	1.85	0.58
1:B:200:ILE:HD13	1:B:214:GLU:HA	1.85	0.58
1:B:113:CYS:O	1:B:161:MET:HE2	2.04	0.57
1:C:275:ASN:HD22	1:D:275:ASN:HB3	1.70	0.57
1:A:82:ILE:HG13	1:A:97:ILE:HD11	1.85	0.57
1:A:200:ILE:HD13	1:A:214:GLU:HA	1.86	0.57
1:C:7:LYS:N	1:C:7:LYS:HE3	2.19	0.56
1:D:197:LYS:HG3	1:D:233:ILE:HB	1.87	0.56
1:A:84:ILE:HB	1:A:85:PRO:CD	2.35	0.56
1:A:272:GLU:HG2	1:B:275:ASN:HD21	1.71	0.55
1:A:83:VAL:HG11	1:A:96:ALA:HB1	1.89	0.55
1:A:28:ILE:HG22	1:B:266:GLU:HG2	1.87	0.55
1:A:33:GLU:H	1:A:33:GLU:CD	2.09	0.55
1:A:271:ILE:HG22	1:B:275:ASN:HD22	1.72	0.55
1:B:9:LEU:O	1:B:12:CYS:HB3	2.07	0.54
1:A:28:ILE:HD11	1:B:9:LEU:HD13	1.90	0.54
1:C:206:PHE:HE2	1:C:259:ALA:O	1.90	0.54
1:C:275:ASN:ND2	1:D:275:ASN:HB3	2.22	0.54
1:A:320:VAL:HG21	1:A:341:VAL:HG11	1.90	0.54
1:A:364:PRO:HG3	1:B:374:SER:HB2	1.90	0.53
1:C:75:VAL:HG22	1:C:341:VAL:HG13	1.89	0.53
1:C:119:GLN:OE1	1:C:289:ARG:HA	2.09	0.53
1:B:328:THR:HG22	1:B:329:PRO:O	2.08	0.53
1:D:273:ALA:HB1	1:D:284:THR:HG21	1.91	0.53
1:C:6:LEU:HB2	1:D:24:GLU:HG2	1.91	0.53
1:A:22:LEU:HA	1:A:25:VAL:HG12	1.90	0.52
1:B:89:PRO:HB2	1:B:92:LYS:HD2	1.91	0.52
1:C:57:GLY:HA2	1:C:340:VAL:O	2.09	0.52
1:A:272:GLU:HG2	1:B:275:ASN:ND2	2.25	0.52
1:B:286:PRO:HD2	1:B:319:TYR:O	2.10	0.52
1:A:9:LEU:HD13	1:B:28:ILE:HD11	1.92	0.52
1:A:164:ILE:HG12	1:A:184:VAL:HG22	1.90	0.52
1:D:8:ASN:HD21	1:D:10:ASN:HB3	1.75	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:51:ASN:HD22	1:C:51:ASN:N	2.07	0.51
1:B:148:THR:O	1:B:152:LEU:HB2	2.10	0.51
1:D:230:ALA:HB3	1:D:254:VAL:HG22	1.92	0.51
1:D:33:GLU:H	1:D:33:GLU:CD	2.15	0.50
1:B:285:VAL:HG22	1:B:320:VAL:HG22	1.94	0.50
1:B:77:ALA:HB1	1:B:287:ILE:HG12	1.93	0.50
1:B:289:ARG:HD3	1:B:293:GLU:OE2	2.12	0.50
1:C:328:THR:HG22	1:C:329:PRO:O	2.12	0.50
1:A:8:ASN:HB3	1:A:11:ASP:HB2	1.93	0.50
1:D:30:TYR:N	1:D:30:TYR:CD1	2.79	0.50
1:D:57:GLY:HA2	1:D:340:VAL:O	2.11	0.50
1:B:102:LYS:HG2	1:B:155:LEU:HD11	1.94	0.49
1:A:169:GLU:HB3	1:A:179:TRP:HB2	1.94	0.49
1:D:368:GLU:OE2	1:D:372:LYS:HE2	2.12	0.49
1:A:75:VAL:HG22	1:A:341:VAL:HG13	1.95	0.49
1:A:9:LEU:O	1:A:13:LEU:HG	2.13	0.49
1:A:363:VAL:HG23	1:A:364:PRO:HD3	1.95	0.49
1:C:268:LEU:HD22	1:D:278:ILE:HD13	1.94	0.49
1:B:368:GLU:OE2	1:B:372:LYS:HE2	2.13	0.48
1:B:247:GLY:O	1:B:358:ARG:NH2	2.46	0.48
1:B:197:LYS:HG3	1:B:233:ILE:HB	1.95	0.48
1:C:214:GLU:H	1:C:214:GLU:CD	2.17	0.48
1:C:5:GLU:O	1:C:7:LYS:HE2	2.13	0.48
1:B:30:TYR:CD1	1:B:30:TYR:N	2.81	0.48
1:C:386:THR:C	1:D:190:ARG:HH22	2.16	0.48
1:B:9:LEU:HG	1:B:13:LEU:HD21	1.96	0.48
1:D:286:PRO:HD2	1:D:319:TYR:O	2.14	0.48
1:A:237:ARG:HH12	1:A:260:THR:HG21	1.78	0.47
1:B:57:GLY:HA2	1:B:340:VAL:O	2.14	0.47
1:C:197:LYS:HG3	1:C:233:ILE:HB	1.95	0.47
1:C:277:ALA:HB2	1:C:284:THR:HB	1.96	0.47
1:D:284:THR:CG2	1:D:286:PRO:HD3	2.43	0.47
1:A:84:ILE:HB	1:A:85:PRO:HD2	1.97	0.47
1:A:273:ALA:HB1	1:A:284:THR:CG2	2.43	0.47
1:B:368:GLU:HA	1:B:368:GLU:OE1	2.15	0.47
1:C:24:GLU:O	1:C:28:ILE:HG23	2.14	0.47
1:C:252:GLU:HB3	1:C:345:LEU:HD22	1.97	0.47
1:A:277:ALA:HB2	1:A:284:THR:HB	1.96	0.47
1:B:178:ILE:O	1:B:212:TYR:HB3	2.15	0.47
1:C:180:ASN:HB2	1:C:212:TYR:CE2	2.49	0.47
1:D:77:ALA:HB1	1:D:287:ILE:HG12	1.96	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:328:THR:CG2	1:D:329:PRO:O	2.63	0.47
1:C:7:LYS:HE3	1:C:7:LYS:H	1.79	0.46
1:A:172:MET:HA	1:A:172:MET:HE2	1.97	0.46
1:B:273:ALA:HB1	1:B:284:THR:CG2	2.46	0.46
1:C:263:ARG:HD2	1:C:263:ARG:H	1.79	0.46
1:A:275:ASN:HD22	1:B:271:ILE:HG22	1.80	0.46
1:A:263:ARG:H	1:A:263:ARG:HD2	1.81	0.46
1:D:113:CYS:O	1:D:161:MET:HE2	2.16	0.45
1:B:239:HIS:HD2	1:B:241:GLN:HE22	1.63	0.45
1:C:83:VAL:HG11	1:C:96:ALA:HB1	1.98	0.45
1:A:27:ARG:NH1	1:A:28:ILE:HG23	2.32	0.45
1:A:363:VAL:CG2	1:A:364:PRO:HD3	2.47	0.45
1:D:273:ALA:HB1	1:D:284:THR:CG2	2.47	0.44
1:C:157:LYS:HG3	1:C:188:SER:O	2.17	0.44
1:C:272:GLU:HA	1:D:275:ASN:ND2	2.33	0.44
1:D:200:ILE:HD13	1:D:214:GLU:HA	2.00	0.44
1:B:273:ALA:HB1	1:B:284:THR:HG21	1.99	0.44
1:A:186:SER:HB2	1:A:192:LEU:HG	2.00	0.44
1:B:75:VAL:HG12	1:B:115:ILE:HD12	2.00	0.44
1:B:320:VAL:HG21	1:B:341:VAL:CG1	2.40	0.44
1:D:239:HIS:HD2	1:D:241:GLN:HE22	1.64	0.44
1:B:9:LEU:CD1	1:B:13:LEU:HD21	2.48	0.43
1:A:252:GLU:HB3	1:A:345:LEU:HD22	1.99	0.43
1:C:284:THR:HG23	1:C:286:PRO:HD3	2.00	0.43
1:A:113:CYS:O	1:A:161:MET:HE2	2.19	0.43
1:A:286:PRO:HD2	1:A:319:TYR:O	2.18	0.43
1:D:11:ASP:HA	1:D:14:GLU:HG2	2.00	0.43
1:B:82:ILE:HG22	1:B:97:ILE:HD11	2.01	0.43
1:C:152:LEU:HG	1:C:163:ILE:HG21	2.01	0.43
1:C:238:HIS:HD1	1:C:272:GLU:CD	2.20	0.43
1:D:290:VAL:HG22	1:D:334:ASP:HA	2.01	0.43
1:C:180:ASN:HB2	1:C:212:TYR:CZ	2.54	0.43
1:C:239:HIS:HD2	1:C:241:GLN:HE22	1.67	0.43
1:A:124:MET:SD	1:A:168:LEU:HD12	2.59	0.43
1:A:104:MET:HE1	1:A:336:ASP:HB3	2.01	0.43
1:B:273:ALA:O	1:B:284:THR:HG21	2.17	0.43
1:B:277:ALA:HB2	1:B:284:THR:HB	2.01	0.43
1:B:13:LEU:H	1:B:13:LEU:HG	1.61	0.43
1:B:256:ASN:HB3	1:B:286:PRO:HA	2.00	0.43
1:B:180:ASN:HB2	1:B:212:TYR:CE2	2.54	0.42
1:C:9:LEU:O	1:C:13:LEU:HG	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:148:THR:O	1:C:152:LEU:HB2	2.19	0.42
1:D:148:THR:O	1:D:152:LEU:HB2	2.18	0.42
1:D:214:GLU:H	1:D:214:GLU:CD	2.23	0.42
1:D:295:PHE:HB3	1:D:296:PRO:HD2	2.01	0.42
1:D:357:PHE:O	1:D:361:GLN:HG3	2.19	0.42
1:C:303:ASP:OD1	1:C:303:ASP:N	2.51	0.42
1:D:201:PRO:HB3	1:D:235:TYR:CD1	2.54	0.42
1:D:247:GLY:O	1:D:358:ARG:NH2	2.49	0.42
1:A:284:THR:HG22	1:A:286:PRO:HD3	2.01	0.42
1:A:320:VAL:H	1:A:328:THR:HB	1.85	0.42
1:B:234:CYS:O	1:B:237:ARG:HB2	2.20	0.42
1:A:23:LYS:HD3	1:A:33:GLU:HB2	2.00	0.42
1:B:202:ARG:HB2	1:C:210:THR:HA	2.01	0.42
1:C:247:GLY:O	1:C:358:ARG:NH2	2.43	0.42
1:D:178:ILE:O	1:D:212:TYR:HB3	2.20	0.42
1:D:269:TRP:CH2	1:D:288:ASN:HB2	2.55	0.42
1:A:142:GLU:OE2	1:A:172:MET:HG3	2.20	0.41
1:A:274:ARG:HD3	1:A:327:ARG:HD2	2.01	0.41
1:B:210:THR:HA	1:C:202:ARG:HB2	2.02	0.41
1:B:284:THR:CG2	1:B:286:PRO:HD3	2.50	0.41
1:C:178:ILE:O	1:C:212:TYR:HB3	2.19	0.41
1:C:214:GLU:CD	1:C:214:GLU:N	2.72	0.41
1:D:197:LYS:NZ	1:D:234:CYS:HB3	2.35	0.41
1:B:320:VAL:CG2	1:B:341:VAL:HG11	2.42	0.41
1:A:237:ARG:HH22	1:A:260:THR:HG23	1.85	0.41
1:B:119:GLN:OE1	1:B:289:ARG:HA	2.21	0.41
1:A:273:ALA:HB1	1:A:284:THR:HG21	2.02	0.41
1:B:152:LEU:HG	1:B:163:ILE:HG21	2.03	0.41
1:C:284:THR:CG2	1:C:286:PRO:HD3	2.50	0.41
1:D:328:THR:HG22	1:D:329:PRO:O	2.20	0.41
1:A:7:LYS:N	1:A:7:LYS:HD2	2.36	0.41
1:A:179:TRP:CE3	1:A:196:ARG:HD3	2.56	0.41
1:A:369:SER:HB3	1:B:245:MET:SD	2.61	0.41
1:B:106:LYS:HG3	1:B:159:TYR:OH	2.21	0.41
1:C:77:ALA:HB1	1:C:287:ILE:HG12	2.02	0.41
1:B:10:ASN:OD1	1:B:26:LYS:HE2	2.22	0.40
1:C:192:LEU:HD23	1:C:192:LEU:HA	1.90	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	337/405 (83%)	322 (96%)	15 (4%)	0	100	100
1	B	377/405 (93%)	364 (97%)	13 (3%)	0	100	100
1	C	381/405 (94%)	370 (97%)	11 (3%)	0	100	100
1	D	377/405 (93%)	366 (97%)	11 (3%)	0	100	100
All	All	1472/1620 (91%)	1422 (97%)	50 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	294/346 (85%)	267 (91%)	27 (9%)	9	27
1	B	323/346 (93%)	296 (92%)	27 (8%)	11	31
1	C	327/346 (94%)	297 (91%)	30 (9%)	9	27
1	D	323/346 (93%)	301 (93%)	22 (7%)	16	42
All	All	1267/1384 (92%)	1161 (92%)	106 (8%)	11	31

All (106) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	LYS
1	A	27	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	34	GLU
1	A	38	LEU
1	A	39	GLU
1	A	42	THR
1	A	66	GLN
1	A	75	VAL
1	A	91	GLU
1	A	92	LYS
1	A	103	THR
1	A	119	GLN
1	A	123	THR
1	A	138	GLU
1	A	145	ASN
1	A	151	MET
1	A	173	GLU
1	A	180	ASN
1	A	214	GLU
1	A	260	THR
1	A	263	ARG
1	A	282	TYR
1	A	284	THR
1	A	290	VAL
1	A	292	THR
1	A	334	ASP
1	A	341	VAL
1	B	13	LEU
1	B	23	LYS
1	B	32	VAL
1	B	33	GLU
1	B	38	LEU
1	B	39	GLU
1	B	59	ARG
1	B	61	THR
1	B	71	ARG
1	B	92	LYS
1	B	123	THR
1	B	151	MET
1	B	152	LEU
1	B	202	ARG
1	B	203	VAL
1	B	214	GLU
1	B	260	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	265	SER
1	B	282	TYR
1	B	284	THR
1	B	290	VAL
1	B	292	THR
1	B	341	VAL
1	B	363	VAL
1	B	369	SER
1	B	379	LYS
1	B	384	LYS
1	C	7	LYS
1	C	28	ILE
1	C	34	GLU
1	C	38	LEU
1	C	39	GLU
1	C	51	ASN
1	C	61	THR
1	C	68	ARG
1	C	71	ARG
1	C	74	ARG
1	C	75	VAL
1	C	92	LYS
1	C	103	THR
1	C	123	THR
1	C	151	MET
1	C	168	LEU
1	C	202	ARG
1	C	203	VAL
1	C	214	GLU
1	C	260	THR
1	C	282	TYR
1	C	284	THR
1	C	290	VAL
1	C	301	SER
1	C	328	THR
1	C	332	SER
1	C	333	ARG
1	C	341	VAL
1	C	363	VAL
1	C	386	THR
1	D	12	CYS
1	D	24	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	34	GLU
1	D	38	LEU
1	D	39	GLU
1	D	63	ARG
1	D	90	ILE
1	D	92	LYS
1	D	123	THR
1	D	151	MET
1	D	152	LEU
1	D	168	LEU
1	D	202	ARG
1	D	258	SER
1	D	261	ILE
1	D	282	TYR
1	D	284	THR
1	D	290	VAL
1	D	292	THR
1	D	328	THR
1	D	335	LYS
1	D	386	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	239	HIS
1	A	242	ASN
1	A	275	ASN
1	B	239	HIS
1	B	256	ASN
1	B	275	ASN
1	C	51	ASN
1	C	239	HIS
1	C	275	ASN
1	D	8	ASN
1	D	239	HIS
1	D	275	ASN

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	345/405 (85%)	0.04	15 (4%) 35 25	20, 33, 55, 61	0
1	B	379/405 (93%)	-0.10	4 (1%) 80 75	20, 33, 55, 61	0
1	C	382/405 (94%)	-0.18	1 (0%) 94 93	20, 33, 55, 62	0
1	D	379/405 (93%)	-0.08	5 (1%) 77 72	20, 33, 54, 61	0
All	All	1485/1620 (91%)	-0.08	25 (1%) 70 63	20, 33, 55, 62	0

All (25) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	386	THR	4.8
1	B	67	THR	4.5
1	B	386	THR	4.0
1	A	294	GLN	3.4
1	A	90	ILE	3.3
1	A	376	HIS	3.3
1	A	176	GLU	3.3
1	B	19	PRO	3.2
1	A	190	ARG	3.1
1	A	173	GLU	3.0
1	D	386	THR	2.8
1	A	386	THR	2.8
1	A	174	HIS	2.6
1	A	145	ASN	2.6
1	D	306	LYS	2.6
1	A	140	ALA	2.5
1	B	11	ASP	2.4
1	A	334	ASP	2.3
1	A	214	GLU	2.2
1	A	139	PHE	2.2
1	D	302	GLY	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	303	ASP	2.2
1	D	308	HIS	2.1
1	A	87	THR	2.1
1	A	263	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.