



## wwPDB EM Validation Summary Report ⓘ

Nov 29, 2022 – 12:50 AM JST

PDB ID : 7VH6  
EMDB ID : EMD-31988  
Title : Cryo-EM structure of the hexameric plasma membrane H<sup>+</sup>-ATPase in the active state (pH 6.0, BeF<sub>3</sub><sup>-</sup>, conformation 1, C1 symmetry)  
Authors : Zhao, P.; Zhao, C.; Chen, D.; Yun, C.; Li, H.; Bai, L.  
Deposited on : 2021-09-21  
Resolution : 3.80 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.31.3

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	918	 10% 61% 22% • 16%
1	B	918	 16% 61% 22% • 16%
1	C	918	 29% 61% 22% • 16%
1	D	918	 44% 61% 22% • 16%
1	E	918	 47% 62% 22% 16%
1	F	918	 25% 62% 21% • 16%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	BEF	A	1001	-	-	X	-
2	BEF	B	1001	-	-	X	-
2	BEF	C	1001	-	-	X	-
2	BEF	D	1001	-	-	X	-
2	BEF	E	1001	-	-	X	-
2	BEF	F	1001	-	-	X	-

## 2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 38202 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Plasma membrane ATPase 1.


Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	768	Total 5869	C 3802	N 967	O 1073	S 27	0	0
1	B	768	Total 5869	C 3802	N 967	O 1073	S 27	0	0
1	C	768	Total 5869	C 3802	N 967	O 1073	S 27	0	0
1	D	768	Total 5869	C 3802	N 967	O 1073	S 27	0	0
1	E	768	Total 5869	C 3802	N 967	O 1073	S 27	0	0
1	F	768	Total 5869	C 3802	N 967	O 1073	S 27	0	0

- Molecule 2 is BERYLLIUM TRIFLUORIDE ION (three-letter code: BEF) (formula: BeF<sub>3</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			AltConf
			Total	Be	F	
2	A	1	4	1	3	0
2	B	1	4	1	3	0
2	C	1	4	1	3	0
2	D	1	4	1	3	0
2	E	1	4	1	3	0
2	F	1	4	1	3	0

- Molecule 3 is (2S)-3-(hexadecanoyloxy)-2-[(9Z)-octadec-9-enoyloxy]propyl 2-(trimethylamm onio)ethyl phosphate (three-letter code: POV) (formula: C<sub>42</sub>H<sub>82</sub>NO<sub>8</sub>P) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
3	A	1	572	462	11	88	11	0
3	A	1	572	462	11	88	11	0
3	A	1	572	462	11	88	11	0
3	A	1	572	462	11	88	11	0
3	A	1	572	462	11	88	11	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					AltConf
3	A	1	Total	C	N	O	P	0
			572	462	11	88	11	
3	A	1	Total	C	N	O	P	0
			572	462	11	88	11	
3	A	1	Total	C	N	O	P	0
			572	462	11	88	11	
3	A	1	Total	C	N	O	P	0
			572	462	11	88	11	
3	A	1	Total	C	N	O	P	0
			572	462	11	88	11	
3	B	1	Total	C	N	O	P	0
			468	378	9	72	9	
3	B	1	Total	C	N	O	P	0
			468	378	9	72	9	
3	B	1	Total	C	N	O	P	0
			468	378	9	72	9	
3	B	1	Total	C	N	O	P	0
			468	378	9	72	9	
3	B	1	Total	C	N	O	P	0
			468	378	9	72	9	
3	B	1	Total	C	N	O	P	0
			468	378	9	72	9	
3	B	1	Total	C	N	O	P	0
			468	378	9	72	9	
3	B	1	Total	C	N	O	P	0
			468	378	9	72	9	
3	B	1	Total	C	N	O	P	0
			468	378	9	72	9	
3	C	1	Total	C	N	O	P	0
			468	378	9	72	9	
3	C	1	Total	C	N	O	P	0
			468	378	9	72	9	
3	C	1	Total	C	N	O	P	0
			468	378	9	72	9	
3	C	1	Total	C	N	O	P	0
			468	378	9	72	9	
3	C	1	Total	C	N	O	P	0
			468	378	9	72	9	
3	C	1	Total	C	N	O	P	0
			468	378	9	72	9	

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					AltConf
3	C	1	Total	C	N	O	P	0
			468	378	9	72	9	
3	C	1	Total	C	N	O	P	0
			468	378	9	72	9	
3	C	1	Total	C	N	O	P	0
			468	378	9	72	9	
3	D	1	Total	C	N	O	P	0
			520	420	10	80	10	
3	D	1	Total	C	N	O	P	0
			520	420	10	80	10	
3	D	1	Total	C	N	O	P	0
			520	420	10	80	10	
3	D	1	Total	C	N	O	P	0
			520	420	10	80	10	
3	D	1	Total	C	N	O	P	0
			520	420	10	80	10	
3	D	1	Total	C	N	O	P	0
			520	420	10	80	10	
3	D	1	Total	C	N	O	P	0
			520	420	10	80	10	
3	D	1	Total	C	N	O	P	0
			520	420	10	80	10	
3	D	1	Total	C	N	O	P	0
			520	420	10	80	10	
3	D	1	Total	C	N	O	P	0
			520	420	10	80	10	
3	E	1	Total	C	N	O	P	0
			468	378	9	72	9	
3	E	1	Total	C	N	O	P	0
			468	378	9	72	9	
3	E	1	Total	C	N	O	P	0
			468	378	9	72	9	
3	E	1	Total	C	N	O	P	0
			468	378	9	72	9	
3	E	1	Total	C	N	O	P	0
			468	378	9	72	9	
3	E	1	Total	C	N	O	P	0
			468	378	9	72	9	
3	E	1	Total	C	N	O	P	0
			468	378	9	72	9	
3	E	1	Total	C	N	O	P	0
			468	378	9	72	9	

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					AltConf
3	E	1	Total	C	N	O	P	0
			468	378	9	72	9	
3	F	1	Total	C	N	O	P	0
			468	378	9	72	9	
3	F	1	Total	C	N	O	P	0
			468	378	9	72	9	
3	F	1	Total	C	N	O	P	0
			468	378	9	72	9	
3	F	1	Total	C	N	O	P	0
			468	378	9	72	9	
3	F	1	Total	C	N	O	P	0
			468	378	9	72	9	
3	F	1	Total	C	N	O	P	0
			468	378	9	72	9	
3	F	1	Total	C	N	O	P	0
			468	378	9	72	9	
















## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	63661	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	1.6	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.060	Depositor
Minimum map value	-0.035	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.002	Depositor
Recommended contour level	0.012	Depositor
Map size ( $\text{\AA}$ )	312.0, 312.0, 312.0	wwPDB
Map dimensions	300, 300, 300	wwPDB
Map angles ( $^\circ$ )	90.0, 90.0, 90.0	wwPDB
Pixel spacing ( $\text{\AA}$ )	1.04, 1.04, 1.04	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BEF, POV

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.34	1/5989 (0.0%)	0.57	5/8141 (0.1%)
1	B	0.34	1/5989 (0.0%)	0.57	5/8141 (0.1%)
1	C	0.34	1/5989 (0.0%)	0.57	5/8141 (0.1%)
1	D	0.34	1/5989 (0.0%)	0.57	5/8141 (0.1%)
1	E	0.34	1/5989 (0.0%)	0.57	5/8141 (0.1%)
1	F	0.34	1/5989 (0.0%)	0.57	5/8141 (0.1%)
All	All	0.34	6/35934 (0.0%)	0.57	30/48846 (0.1%)

The worst 5 of 6 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	198	PRO	CG-CD	-11.21	1.13	1.50
1	F	198	PRO	CG-CD	-11.21	1.13	1.50
1	D	198	PRO	CG-CD	-11.20	1.13	1.50
1	E	198	PRO	CG-CD	-11.19	1.13	1.50
1	A	198	PRO	CG-CD	-11.19	1.13	1.50

The worst 5 of 30 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	198	PRO	N-CD-CG	-12.83	83.96	103.20
1	A	198	PRO	N-CD-CG	-12.82	83.97	103.20
1	F	198	PRO	N-CD-CG	-12.81	83.98	103.20
1	E	198	PRO	N-CD-CG	-12.81	83.99	103.20
1	B	198	PRO	N-CD-CG	-12.80	84.00	103.20

There are no chirality outliers.

There are no planarity outliers.



## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5869	0	5973	181	0
1	B	5869	0	5973	180	0
1	C	5869	0	5973	194	0
1	D	5869	0	5973	188	0
1	E	5869	0	5973	171	0
1	F	5869	0	5973	186	0
2	A	4	0	0	3	0
2	B	4	0	0	3	0
2	C	4	0	0	3	0
2	D	4	0	0	3	0
2	E	4	0	0	3	0
2	F	4	0	0	3	0
3	A	572	0	900	67	0
3	B	468	0	736	48	0
3	C	468	0	734	58	0
3	D	520	0	818	55	0
3	E	468	0	736	45	0
3	F	468	0	736	45	0
All	All	38202	0	40498	1143	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

The worst 5 of 1143 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:400:SER:O	1:C:404:LEU:HG	1.23	1.32
1:F:400:SER:O	1:F:404:LEU:HG	1.21	1.30
1:D:400:SER:O	1:D:404:LEU:HG	1.23	1.29
1:B:400:SER:O	1:B:404:LEU:HG	1.24	1.28
1:F:315:ARG:NE	3:F:1002:POV:O13	1.67	1.28

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	760/918 (83%)	734 (97%)	26 (3%)	0	100	100
1	B	760/918 (83%)	734 (97%)	26 (3%)	0	100	100
1	C	760/918 (83%)	734 (97%)	26 (3%)	0	100	100
1	D	760/918 (83%)	734 (97%)	26 (3%)	0	100	100
1	E	760/918 (83%)	734 (97%)	26 (3%)	0	100	100
1	F	760/918 (83%)	734 (97%)	26 (3%)	0	100	100
All	All	4560/5508 (83%)	4404 (97%)	156 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	622/752 (83%)	617 (99%)	5 (1%)	81	89
1	B	622/752 (83%)	615 (99%)	7 (1%)	73	85
1	C	622/752 (83%)	615 (99%)	7 (1%)	73	85
1	D	622/752 (83%)	617 (99%)	5 (1%)	81	89
1	E	622/752 (83%)	617 (99%)	5 (1%)	81	89
1	F	622/752 (83%)	616 (99%)	6 (1%)	76	86
All	All	3732/4512 (83%)	3697 (99%)	35 (1%)	79	88

5 of 35 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	E	537	ARG
1	F	386	ASN
1	F	435	LYS
1	C	386	ASN
1	B	537	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 9 such sidechains are listed below:

Mol	Chain	Res	Type
1	F	386	ASN
1	F	701	HIS
1	C	386	ASN
1	C	701	HIS
1	D	701	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

63 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	POV	C	1006	-	51,51,51	1.18	4 (7%)	57,59,59	1.22	3 (5%)
3	POV	C	1008	-	51,51,51	1.19	4 (7%)	57,59,59	1.17	3 (5%)
3	POV	E	1006	-	51,51,51	1.19	4 (7%)	57,59,59	1.17	3 (5%)
3	POV	F	1010	3	51,51,51	1.21	6 (11%)	57,59,59	1.15	2 (3%)
3	POV	D	1007	3	51,51,51	1.22	5 (9%)	57,59,59	1.24	3 (5%)
3	POV	F	1008	-	51,51,51	1.19	4 (7%)	57,59,59	1.22	3 (5%)
3	POV	B	1004	-	51,51,51	1.20	4 (7%)	57,59,59	1.20	3 (5%)
3	POV	B	1008	3	51,51,51	1.21	5 (9%)	57,59,59	1.25	3 (5%)
3	POV	D	1005	-	51,51,51	1.18	4 (7%)	57,59,59	1.18	3 (5%)
3	POV	B	1006	-	51,51,51	1.19	5 (9%)	57,59,59	1.17	3 (5%)
3	POV	C	1003	-	51,51,51	1.23	5 (9%)	57,59,59	1.17	3 (5%)
3	POV	D	1008	-	51,51,51	1.19	4 (7%)	57,59,59	1.16	2 (3%)
3	POV	C	1005	-	51,51,51	1.18	4 (7%)	57,59,59	1.18	3 (5%)
3	POV	E	1003	-	51,51,51	1.22	6 (11%)	57,59,59	1.15	3 (5%)
3	POV	E	1007	3	51,51,51	1.22	5 (9%)	57,59,59	1.25	3 (5%)
3	POV	A	1002	-	51,51,51	1.20	4 (7%)	57,59,59	1.14	2 (3%)
3	POV	C	1009	-	51,51,51	1.18	4 (7%)	57,59,59	1.19	3 (5%)
3	POV	D	1010	-	51,51,51	1.18	4 (7%)	57,59,59	1.17	3 (5%)
3	POV	A	1011	3	51,51,51	1.21	5 (9%)	57,59,59	1.14	2 (3%)
3	POV	E	1002	-	51,51,51	1.20	4 (7%)	57,59,59	1.13	2 (3%)
3	POV	C	1007	3	51,51,51	1.22	5 (9%)	57,59,59	1.26	3 (5%)
3	POV	D	1004	-	51,51,51	1.18	5 (9%)	57,59,59	1.16	2 (3%)
3	POV	E	1005	-	51,51,51	1.18	4 (7%)	57,59,59	1.17	4 (7%)
3	POV	D	1006	-	51,51,51	1.19	4 (7%)	57,59,59	1.21	2 (3%)
3	POV	A	1003	-	51,51,51	1.21	4 (7%)	57,59,59	1.20	2 (3%)
3	POV	E	1009	-	51,51,51	1.19	4 (7%)	57,59,59	1.17	3 (5%)
3	POV	C	1004	1	51,51,51	1.19	4 (7%)	57,59,59	1.12	2 (3%)
3	POV	A	1005	-	51,51,51	1.19	4 (7%)	57,59,59	1.17	3 (5%)
3	POV	A	1006	-	51,51,51	1.19	4 (7%)	57,59,59	1.18	2 (3%)
3	POV	A	1008	-	51,51,51	1.19	4 (7%)	57,59,59	1.13	2 (3%)
3	POV	A	1004	-	51,51,51	1.19	5 (9%)	57,59,59	1.10	2 (3%)
2	BEF	C	1001	-	0,3,3	-	-	-	-	-
3	POV	B	1009	-	51,51,51	1.19	4 (7%)	57,59,59	1.15	3 (5%)
3	POV	B	1007	-	51,51,51	1.19	4 (7%)	57,59,59	1.18	2 (3%)
3	POV	C	1010	3	51,51,51	1.19	5 (9%)	57,59,59	1.19	2 (3%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	POV	F	1003	-	51,51,51	1.19	4 (7%)	57,59,59	1.11	2 (3%)
3	POV	D	1003	-	51,51,51	1.24	6 (11%)	57,59,59	1.16	3 (5%)
3	POV	D	1009	-	51,51,51	1.18	4 (7%)	57,59,59	1.21	3 (5%)
3	POV	F	1004	-	51,51,51	1.19	5 (9%)	57,59,59	1.18	3 (5%)
3	POV	F	1005	-	51,51,51	1.19	4 (7%)	57,59,59	1.19	2 (3%)
3	POV	F	1002	-	51,51,51	1.20	4 (7%)	57,59,59	1.17	2 (3%)
3	POV	A	1009	-	51,51,51	1.18	4 (7%)	57,59,59	1.18	3 (5%)
3	POV	D	1002	-	51,51,51	1.20	4 (7%)	57,59,59	1.10	2 (3%)
3	POV	A	1007	3	51,51,51	1.22	5 (9%)	57,59,59	1.23	3 (5%)
2	BEF	E	1001	-	0,3,3	-	-	-	-	-
3	POV	B	1005	-	51,51,51	1.19	5 (9%)	57,59,59	1.12	2 (3%)
3	POV	B	1010	-	51,51,51	1.18	4 (7%)	57,59,59	1.18	3 (5%)
3	POV	D	1011	3	51,51,51	1.19	4 (7%)	57,59,59	1.16	2 (3%)
2	BEF	A	1001	-	0,3,3	-	-	-	-	-
3	POV	F	1006	3	51,51,51	1.23	6 (11%)	57,59,59	1.25	3 (5%)
2	BEF	B	1001	-	0,3,3	-	-	-	-	-
3	POV	E	1008	-	51,51,51	1.19	4 (7%)	57,59,59	1.14	2 (3%)
2	BEF	F	1001	-	0,3,3	-	-	-	-	-
3	POV	A	1012	-	51,51,51	1.19	4 (7%)	57,59,59	1.18	2 (3%)
3	POV	C	1002	-	51,51,51	1.20	4 (7%)	57,59,59	1.10	2 (3%)
3	POV	A	1010	-	51,51,51	1.20	4 (7%)	57,59,59	1.16	3 (5%)
3	POV	B	1003	-	51,51,51	1.19	4 (7%)	57,59,59	1.17	2 (3%)
3	POV	F	1009	-	51,51,51	1.18	4 (7%)	57,59,59	1.15	3 (5%)
3	POV	F	1007	-	51,51,51	1.20	4 (7%)	57,59,59	1.15	3 (5%)
3	POV	E	1010	3	51,51,51	1.20	5 (9%)	57,59,59	1.15	2 (3%)
2	BEF	D	1001	-	0,3,3	-	-	-	-	-
3	POV	B	1002	3	51,51,51	1.21	5 (9%)	57,59,59	1.15	2 (3%)
3	POV	E	1004	-	51,51,51	1.21	5 (9%)	57,59,59	1.07	2 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	POV	C	1006	-	-	30/55/55/55	-
3	POV	C	1008	-	-	25/55/55/55	-

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	POV	E	1006	-	-	29/55/55/55	-
3	POV	F	1010	3	-	24/55/55/55	-
3	POV	D	1007	3	-	24/55/55/55	-
3	POV	F	1008	-	-	20/55/55/55	-
3	POV	B	1004	-	-	24/55/55/55	-
3	POV	B	1008	3	-	23/55/55/55	-
3	POV	D	1005	-	-	26/55/55/55	-
3	POV	B	1006	-	-	27/55/55/55	-
3	POV	C	1003	-	-	26/55/55/55	-
3	POV	D	1008	-	-	28/55/55/55	-
3	POV	C	1005	-	-	27/55/55/55	-
3	POV	E	1003	-	-	27/55/55/55	-
3	POV	E	1007	3	-	21/55/55/55	-
3	POV	A	1002	-	-	26/55/55/55	-
3	POV	C	1009	-	-	23/55/55/55	-
3	POV	D	1010	-	-	22/55/55/55	-
3	POV	A	1011	3	-	21/55/55/55	-
3	POV	E	1002	-	-	25/55/55/55	-
3	POV	C	1007	3	-	24/55/55/55	-
3	POV	D	1004	-	-	24/55/55/55	-
3	POV	E	1005	-	-	27/55/55/55	-
3	POV	D	1006	-	-	29/55/55/55	-
3	POV	A	1003	-	-	24/55/55/55	-
3	POV	E	1009	-	-	23/55/55/55	-
3	POV	C	1004	1	-	23/55/55/55	-
3	POV	A	1005	-	-	26/55/55/55	-
3	POV	A	1006	-	-	28/55/55/55	-
3	POV	A	1008	-	-	29/55/55/55	-
3	POV	A	1004	-	-	24/55/55/55	-
3	POV	B	1009	-	-	28/55/55/55	-
3	POV	B	1007	-	-	28/55/55/55	-
3	POV	C	1010	3	-	22/55/55/55	-
3	POV	F	1003	-	-	24/55/55/55	-
3	POV	D	1003	-	-	26/55/55/55	-

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	POV	D	1009	-	-	20/55/55/55	-
3	POV	F	1004	-	-	27/55/55/55	-
3	POV	F	1005	-	-	27/55/55/55	-
3	POV	F	1002	-	-	26/55/55/55	-
3	POV	A	1009	-	-	25/55/55/55	-
3	POV	D	1002	-	-	26/55/55/55	-
3	POV	A	1007	3	-	23/55/55/55	-
3	POV	B	1005	-	-	25/55/55/55	-
3	POV	B	1010	-	-	23/55/55/55	-
3	POV	D	1011	3	-	22/55/55/55	-
3	POV	F	1006	3	-	22/55/55/55	-
3	POV	E	1008	-	-	26/55/55/55	-
3	POV	C	1002	-	-	27/55/55/55	-
3	POV	A	1012	-	-	21/55/55/55	-
3	POV	A	1010	-	-	26/55/55/55	-
3	POV	B	1003	-	-	30/55/55/55	-
3	POV	F	1009	-	-	22/55/55/55	-
3	POV	F	1007	-	-	32/55/55/55	-
3	POV	E	1010	3	-	24/55/55/55	-
3	POV	B	1002	3	-	26/55/55/55	-
3	POV	E	1004	-	-	27/55/55/55	-

The worst 5 of 252 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	F	1004	POV	O31-C31	3.83	1.44	1.33
3	D	1003	POV	O31-C31	3.81	1.44	1.33
3	D	1002	POV	O31-C31	3.79	1.44	1.33
3	C	1003	POV	O31-C31	3.78	1.44	1.33
3	A	1005	POV	O31-C31	3.78	1.44	1.33

The worst 5 of 145 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	1006	POV	O21-C21-C22	5.07	122.43	111.50
3	E	1007	POV	O21-C21-C22	4.87	122.00	111.50
3	A	1007	POV	O21-C21-C22	4.80	121.85	111.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	1007	POV	O21-C21-C22	4.78	121.81	111.50
3	C	1007	POV	O21-C21-C22	4.73	121.69	111.50

There are no chirality outliers.

5 of 1434 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	1002	POV	C1-O11-P-O14
3	A	1003	POV	C12-C11-O12-P
3	A	1004	POV	C1-O11-P-O13
3	A	1005	POV	C22-C21-O21-C2
3	A	1006	POV	C1-O11-P-O14

There are no ring outliers.

63 monomers are involved in 305 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	1006	POV	8	0
3	C	1008	POV	5	0
3	E	1006	POV	4	0
3	F	1010	POV	5	0
3	D	1007	POV	5	0
3	F	1008	POV	3	0
3	B	1004	POV	9	0
3	B	1008	POV	3	0
3	D	1005	POV	8	0
3	B	1006	POV	8	0
3	C	1003	POV	8	0
3	D	1008	POV	2	0
3	C	1005	POV	7	0
3	E	1003	POV	8	0
3	E	1007	POV	4	0
3	A	1002	POV	13	0
3	C	1009	POV	5	0
3	D	1010	POV	4	0
3	A	1011	POV	6	0
3	E	1002	POV	11	0
3	C	1007	POV	4	0
3	D	1004	POV	14	0
3	E	1005	POV	7	0
3	D	1006	POV	4	0

*Continued on next page...*





*Continued from previous page...*


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1003	POV	9	0
3	E	1009	POV	3	0
3	C	1004	POV	14	0
3	A	1005	POV	5	0
3	A	1006	POV	6	0
3	A	1008	POV	4	0
3	A	1004	POV	7	0
2	C	1001	BEF	3	0
3	B	1009	POV	2	0
3	B	1007	POV	6	0
3	C	1010	POV	4	0
3	F	1003	POV	7	0
3	D	1003	POV	8	0
3	D	1009	POV	3	0
3	F	1004	POV	8	0
3	F	1005	POV	9	0
3	F	1002	POV	10	0
3	A	1009	POV	1	0
3	D	1002	POV	11	0
3	A	1007	POV	5	0
2	E	1001	BEF	3	0
3	B	1005	POV	6	0
3	B	1010	POV	6	0
3	D	1011	POV	4	0
2	A	1001	BEF	3	0
3	F	1006	POV	4	0
2	B	1001	BEF	3	0
3	E	1008	POV	3	0
2	F	1001	BEF	3	0
3	A	1012	POV	5	0
3	C	1002	POV	12	0
3	A	1010	POV	14	0
3	B	1003	POV	10	0
3	F	1009	POV	6	0
3	F	1007	POV	4	0
3	E	1010	POV	5	0
2	D	1001	BEF	3	0
3	B	1002	POV	6	0
3	E	1004	POV	5	0




The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will




also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



































































































## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-31988. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

### 6.2 Central slices [i](#)

#### 6.2.1 Primary map



X Index: 150



Y Index: 150




Z Index: 150


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 116



Y Index: 156




Z Index: 121

The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal surface views [i](#)

### 6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.012. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

## 6.5 Mask visualisation


This section was not generated. No masks/segmentation were deposited.



## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 267 nm<sup>3</sup>; this corresponds to an approximate mass of 241 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum [i](#)



\*Reported resolution corresponds to spatial frequency of  $0.263 \text{\AA}^{-1}$


## 8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-31988 and PDB model 7VH6. Per-residue inclusion information can be found in section 3 on page 9.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.012 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.012).















## 9.4 Atom inclusion [i](#)



At the recommended contour level, 65% of all backbone atoms, 54% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.012) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.5378	 0.2890
A	 0.6943	 0.3680
B	 0.6392	 0.3170
C	 0.5325	 0.2870
D	 0.4088	 0.2460
E	 0.3855	 0.2290
F	 0.5651	 0.2870

