



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 4, 2024 – 09:29 PM EST

PDB ID : 1VJ7
Title : Crystal structure of the bifunctional catalytic fragment of RelSeq, the RelA/SpoT homolog from *Streptococcus equisimilis*.
Authors : Hogg, T.; Mechold, U.; Malke, H.; Cashel, M.; Hilgenfeld, R.
Deposited on : 2004-02-03
Resolution : 2.10 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5197 (2.10-2.10)
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)
RSRZ outliers	127900	5083 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	393	 7% 59% 20% • 13%
1	B	393	 11% 54% 21% • 13%

2 Entry composition i

There are 5 unique types of molecules in this entry. The entry contains 5424 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Bifunctional RELA/SPOT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	326	Total	C	N	O	S	0	0	0
			2653	1697	461	480	15			
1	B	310	Total	C	N	O	S	6	0	0
			2486	1592	428	454	12			

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	386	LEU	-	expression tag	UNP Q54089
A	387	GLU	-	expression tag	UNP Q54089
A	388	HIS	-	expression tag	UNP Q54089
A	389	HIS	-	expression tag	UNP Q54089
A	390	HIS	-	expression tag	UNP Q54089
A	391	HIS	-	expression tag	UNP Q54089
A	392	HIS	-	expression tag	UNP Q54089
A	393	HIS	-	expression tag	UNP Q54089
B	386	LEU	-	expression tag	UNP Q54089
B	387	GLU	-	expression tag	UNP Q54089
B	388	HIS	-	expression tag	UNP Q54089
B	389	HIS	-	expression tag	UNP Q54089
B	390	HIS	-	expression tag	UNP Q54089
B	391	HIS	-	expression tag	UNP Q54089
B	392	HIS	-	expression tag	UNP Q54089
B	393	HIS	-	expression tag	UNP Q54089

- Molecule 2 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Mn	0	0
			1	1		
2	B	1	Total	Mn	0	0
			1	1		

- Molecule 3 is GUANOSINE-5'-DIPHOSPHATE (three-letter code: GDP) (formula: $C_{10}H_{15}N_5O_{11}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
3	A	1	Total	C	N	O	P	0	0
			28	10	5	11	2		
3	B	1	Total	C	N	O	P	0	0
			28	10	5	11	2		

- Molecule 4 is GUANOSINE 5'-DIPHOSPHATE 2':3'-CYCLIC MONOPHOSPHATE (three-letter code: GPX) (formula: $C_{10}H_{14}N_5O_{13}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
4	B	1	31	10	5	13	3	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	136	Total 136	O 136	0	0
5	B	60	Total 60	O 60	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Bifunctional RELA/SPOT



- Molecule 1: Bifunctional RELA/SPOT



VAL	
GLY	
MET	
ASN	
W364	●
K365	●
K366	●
E367	
L368	●
V369	●
E370	●
LEU	
GLN	
ASP	
ALA	
SER	
ASN	
GLY	
ASP	
ALA	
VAL	
ASP	
PHE	
VAL	
ASP	
SER	
LEU	
GLU	
HIS	
HIS	
HIS	
HIS	
HIS	

4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	173.49Å 45.45Å 126.47Å 90.00° 109.83° 90.00°	Depositor
Resolution (Å)	22.70 – 2.10 22.73 – 1.90	Depositor EDS
% Data completeness (in resolution range)	98.0 (22.70-2.10) 96.0 (22.73-1.90)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.15 (at 1.90Å)	Xtrriage
Refinement program	REFMAC 5.0	Depositor
R, R_{free}	0.236 , 0.272 0.246 , 0.274	Depositor DCC
R_{free} test set	3548 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	44.7	Xtrriage
Anisotropy	0.556	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 67.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	5424	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.95% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GDP, MN, GPX

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.69	0/2704	1.17	25/3642 (0.7%)
1	B	0.54	0/2533	1.05	16/3417 (0.5%)
All	All	0.62	0/5237	1.12	41/7059 (0.6%)

There are no bond length outliers.

All (41) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	327	ARG	NE-CZ-NH2	-11.82	114.39	120.30
1	A	67	ASP	N-CA-CB	-8.36	95.56	110.60
1	A	214	ARG	NE-CZ-NH2	-8.24	116.18	120.30
1	B	100	ASP	CB-CG-OD2	7.66	125.19	118.30
1	A	327	ARG	NE-CZ-NH1	7.63	124.11	120.30
1	B	269	ARG	NE-CZ-NH2	-7.60	116.50	120.30
1	A	264	ASP	CB-CG-OD2	7.27	124.84	118.30
1	B	78	ASP	CB-CG-OD2	7.23	124.80	118.30
1	A	144	ASP	CB-CG-OD1	6.98	124.58	118.30
1	A	93	ASP	CB-CG-OD2	6.96	124.57	118.30
1	B	269	ARG	NE-CZ-NH1	6.93	123.76	120.30
1	A	67	ASP	CB-CG-OD2	6.79	124.41	118.30
1	A	33	ASP	CB-CG-OD2	6.79	124.41	118.30
1	A	67	ASP	CB-CG-OD1	-6.50	112.45	118.30
1	B	298	ASP	CB-CG-OD2	6.44	124.10	118.30
1	A	214	ARG	NE-CZ-NH1	6.30	123.45	120.30
1	B	158	ASP	CB-CG-OD2	6.21	123.89	118.30
1	A	254	ASP	CB-CG-OD2	6.04	123.73	118.30
1	B	88	ASP	CB-CG-OD2	6.00	123.70	118.30
1	A	219	ASP	CB-CG-OD2	5.81	123.53	118.30
1	B	144	ASP	CB-CG-OD1	5.79	123.51	118.30
1	A	258	ARG	NE-CZ-NH2	-5.77	117.42	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	264	ASP	CB-CG-OD2	5.72	123.45	118.30
1	A	241	ARG	NE-CZ-NH2	-5.69	117.46	120.30
1	A	88	ASP	CB-CG-OD2	5.64	123.38	118.30
1	A	250	ARG	NE-CZ-NH2	-5.55	117.53	120.30
1	A	24	ASP	CB-CG-OD2	5.47	123.23	118.30
1	A	134	ASP	CB-CG-OD1	5.47	123.22	118.30
1	B	241	ARG	NE-CZ-NH2	-5.47	117.56	120.30
1	B	187	LEU	CB-CG-CD1	5.36	120.11	111.00
1	A	298	ASP	CB-CG-OD2	5.35	123.11	118.30
1	A	220	ASP	CB-CG-OD2	5.29	123.06	118.30
1	B	264	ASP	N-CA-C	-5.26	96.79	111.00
1	B	97	ASP	CB-CG-OD2	5.26	123.03	118.30
1	B	365	ILE	N-CA-C	-5.25	96.83	111.00
1	B	266	ILE	N-CA-C	-5.18	97.01	111.00
1	B	209	GLU	N-CA-C	-5.14	97.13	111.00
1	A	128	LEU	N-CA-C	-5.13	97.16	111.00
1	A	189	ASP	CB-CG-OD1	5.10	122.89	118.30
1	A	148	ASN	N-CA-CB	-5.08	101.45	110.60
1	A	100	ASP	CB-CG-OD2	5.05	122.85	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2653	0	2677	71	2
1	B	2486	0	2482	68	1
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	28	0	12	2	0
3	B	28	0	12	0	0
4	B	31	0	10	0	0
5	A	136	0	0	4	0
5	B	60	0	0	0	0
All	All	5424	0	5193	138	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (138) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:20:MET:CE	1:A:68:ALA:HB2	1.80	1.11
1:A:292:MET:SD	1:A:316:TYR:CE1	2.44	1.10
1:B:20:MET:HE2	1:B:24:ASP:HB3	1.37	1.04
1:A:273:GLU:OE2	1:A:329:LYS:HE2	1.65	0.95
1:B:79:VAL:O	1:B:83:THR:HB	1.68	0.93
1:A:292:MET:SD	1:A:316:TYR:CZ	2.63	0.92
1:B:300:ILE:HA	1:B:309:GLN:HG3	1.54	0.88
1:A:20:MET:HE2	1:A:24:ASP:HB3	1.62	0.81
1:A:20:MET:HE1	1:A:68:ALA:HB2	1.62	0.81
1:A:152:LEU:HD11	1:A:163:ILE:HG21	1.63	0.79
1:B:365:ILE:C	1:B:367:GLU:H	1.88	0.77
1:A:20:MET:HE1	1:A:68:ALA:CB	2.16	0.76
1:A:181:SER:OG	1:A:185:TRP:CH2	2.39	0.75
1:B:51:ILE:HD13	1:B:55:ILE:HD11	1.69	0.75
1:A:231:GLU:OE1	5:A:2183:HOH:O	2.05	0.74
1:B:36:THR:OG1	1:B:51:ILE:HD12	1.88	0.73
1:A:20:MET:CE	1:A:68:ALA:CB	2.63	0.72
1:A:281:MET:HE2	1:A:285:ILE:HG13	1.70	0.72
1:A:20:MET:HE3	1:A:68:ALA:HB2	1.72	0.72
1:A:241:ARG:NH2	1:A:325:GLN:OE1	2.23	0.72
1:A:273:GLU:OE2	1:A:329:LYS:CE	2.41	0.69
1:A:181:SER:OG	1:A:185:TRP:CZ3	2.46	0.68
1:A:135:ILE:HG12	1:A:339:VAL:HG11	1.76	0.68
1:A:325:GLN:HE22	3:A:998:GDP:H1'	1.58	0.68
1:B:20:MET:CE	1:B:24:ASP:HB3	2.19	0.67
1:A:20:MET:CE	1:A:24:ASP:HB3	2.24	0.67
1:A:124:HIS:O	1:A:125:ARG:HB2	1.96	0.66
1:B:289:TRP:CD1	1:B:317:GLY:HA2	2.31	0.65
1:B:262:ILE:CG2	1:B:263:PHE:N	2.60	0.63
1:B:263:PHE:N	1:B:263:PHE:CD1	2.67	0.63
1:A:281:MET:HE2	1:A:281:MET:O	1.97	0.63
1:B:289:TRP:HD1	1:B:317:GLY:HA2	1.62	0.63
1:B:330:GLU:H	1:B:330:GLU:CD	2.02	0.62
1:B:365:ILE:O	1:B:367:GLU:N	2.33	0.62
1:B:310:SER:OG	1:B:327:ARG:HD2	2.00	0.62
1:B:330:GLU:CD	1:B:330:GLU:N	2.54	0.61
1:B:38:ALA:HB1	1:B:83:THR:HG21	1.82	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:262:ILE:HG22	1:B:263:PHE:N	2.15	0.60
1:B:288:LEU:HD23	1:B:289:TRP:CH2	2.36	0.60
1:A:271:VAL:HG12	1:A:329:LYS:HG2	1.83	0.60
1:A:229:THR:HG21	1:A:281:MET:CE	2.32	0.59
1:A:67:ASP:OD1	1:A:69:VAL:N	2.35	0.59
1:A:229:THR:HG21	1:A:281:MET:HE3	1.85	0.59
1:A:325:GLN:NE2	3:A:998:GDP:H1'	2.17	0.58
1:A:275:GLN:OE1	5:A:2236:HOH:O	2.17	0.58
1:B:278:VAL:CG1	1:B:311:ILE:HD12	2.34	0.57
1:A:20:MET:HE1	1:A:68:ALA:CA	2.34	0.57
1:B:365:ILE:C	1:B:367:GLU:N	2.58	0.57
1:B:36:THR:OG1	1:B:51:ILE:CD1	2.52	0.57
1:A:124:HIS:HB3	1:A:125:ARG:HG2	1.86	0.57
1:B:14:ALA:O	1:B:18:LYS:HD2	2.05	0.57
1:B:249:TYR:HA	1:B:252:MET:HE2	1.86	0.57
1:A:124:HIS:O	1:A:125:ARG:CB	2.52	0.56
1:B:138:ILE:CD1	1:B:364:TRP:N	2.69	0.56
1:B:266:ILE:HB	1:B:322:ILE:HD12	1.87	0.56
1:B:138:ILE:HD12	1:B:364:TRP:N	2.21	0.55
1:A:172:ALA:HB3	1:A:173:PRO:HD3	1.88	0.55
1:A:42:GLN:HE22	1:A:82:ASP:HB3	1.71	0.55
1:B:278:VAL:HG12	1:B:311:ILE:HD12	1.89	0.54
1:B:66:LEU:O	1:B:67:ASP:O	2.25	0.54
1:A:281:MET:O	1:A:285:ILE:HG13	2.08	0.53
1:A:220:ASP:OD2	1:A:224:LYS:NZ	2.38	0.53
1:A:20:MET:HE1	1:A:68:ALA:HA	1.90	0.53
1:B:207:MET:HE3	1:B:245:ILE:HD13	1.91	0.53
1:A:19:TYR:CZ	1:A:65:HIS:HA	2.44	0.53
1:B:5:ILE:N	1:B:5:ILE:HD12	2.24	0.52
1:A:203:ILE:O	1:A:207:MET:HG3	2.10	0.52
1:B:263:PHE:N	1:B:263:PHE:HD1	2.07	0.52
1:A:210:LYS:HE2	1:A:262:ILE:HD11	1.92	0.51
1:B:20:MET:HE1	1:B:68:ALA:HA	1.92	0.51
1:B:309:GLN:HG2	1:B:331:MET:SD	2.50	0.51
1:B:182:ARG:HG2	1:B:336:GLU:OE2	2.12	0.50
1:A:152:LEU:HG	1:A:160:GLN:HG2	1.93	0.50
1:B:228:TYR:CD2	1:B:288:LEU:HD11	2.46	0.50
1:B:243:LYS:HD2	1:B:248:ILE:HD11	1.93	0.50
1:A:202:LYS:CD	5:A:2142:HOH:O	2.58	0.50
1:A:197:GLU:OE2	1:B:202:LYS:NZ	2.36	0.49
1:A:271:VAL:CG1	1:A:329:LYS:HG2	2.42	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:263:PHE:HD1	1:B:263:PHE:H	1.58	0.48
1:B:229:THR:O	1:B:230:THR:C	2.52	0.48
1:A:51:ILE:O	1:A:51:ILE:HG13	2.13	0.48
1:A:145:ARG:NH2	1:A:166:GLU:OE1	2.38	0.48
1:A:184:LYS:HE2	1:A:188:GLU:OE2	2.14	0.48
1:B:328:THR:HG23	1:B:331:MET:SD	2.52	0.48
1:B:229:THR:O	1:B:232:GLN:N	2.46	0.48
1:B:228:TYR:O	1:B:232:GLN:HG2	2.13	0.47
1:A:127:MET:C	1:A:129:MET:N	2.61	0.47
1:A:101:ILE:HA	1:A:137:VAL:HG22	1.96	0.47
1:A:241:ARG:HD3	1:A:269:ARG:NH2	2.29	0.47
1:A:103:ASP:OD1	1:A:107:LYS:NZ	2.48	0.47
1:B:222:VAL:HG13	1:B:238:VAL:HG22	1.97	0.47
1:A:125:ARG:O	1:A:126:LYS:HG2	2.15	0.46
1:A:210:LYS:HE3	1:A:213:GLU:HB2	1.98	0.46
1:A:67:ASP:OD1	1:A:67:ASP:C	2.53	0.46
1:B:83:THR:HG22	1:B:85:ILE:H	1.81	0.46
1:B:262:ILE:CG2	1:B:263:PHE:H	2.29	0.46
1:B:243:LYS:NZ	1:B:265:LEU:O	2.50	0.45
1:B:251:LYS:O	1:B:263:PHE:HZ	2.00	0.45
1:B:182:ARG:HH11	1:B:182:ARG:HG3	1.81	0.45
1:A:124:HIS:N	1:A:127:MET:HB2	2.32	0.45
1:B:364:TRP:O	1:B:365:ILE:CB	2.65	0.45
1:B:9:GLY:O	1:B:13:VAL:HG23	2.17	0.44
1:B:51:ILE:O	1:B:55:ILE:HG13	2.17	0.44
1:A:292:MET:CE	1:A:295:ARG:HD2	2.47	0.44
1:A:124:HIS:C	1:A:125:ARG:HG2	2.38	0.44
1:A:292:MET:HE2	1:A:295:ARG:HD2	2.00	0.44
1:B:172:ALA:HB3	1:B:173:PRO:HD3	1.99	0.44
1:A:234:LEU:HD22	1:A:284:TYR:CE2	2.52	0.43
1:B:73:CYS:O	1:B:77:HIS:HB3	2.19	0.43
1:A:202:LYS:HD2	5:A:2142:HOH:O	2.17	0.43
1:B:207:MET:CE	1:B:245:ILE:HD13	2.48	0.43
1:A:199:GLU:OE1	1:A:202:LYS:HE3	2.18	0.43
1:B:234:LEU:HD22	1:B:272:MET:CE	2.49	0.43
1:B:235:PHE:CD1	1:B:235:PHE:N	2.87	0.43
1:B:182:ARG:HG3	1:B:182:ARG:NH1	2.34	0.43
1:A:256:LYS:HB3	1:A:257:LYS:H	1.67	0.43
1:A:133:LYS:O	1:A:134:ASP:C	2.57	0.42
1:B:228:TYR:OH	1:B:287:GLU:OE1	2.26	0.42
1:B:157:LYS:O	1:B:160:GLN:HB2	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:127:MET:HG3	1:A:130:ALA:HB3	2.02	0.42
1:A:241:ARG:CZ	1:A:325:GLN:OE1	2.67	0.42
1:A:181:SER:HB3	1:A:335:ALA:O	2.20	0.41
1:B:86:THR:O	1:B:89:ASN:HB2	2.20	0.41
1:A:20:MET:HE2	1:A:68:ALA:HB2	1.86	0.41
1:A:96:LYS:HE3	1:A:100:ASP:OD2	2.20	0.41
1:B:275:GLN:O	1:B:278:VAL:HB	2.20	0.41
1:B:25:ALA:HA	1:B:28:VAL:HG22	2.03	0.41
1:A:214:ARG:HD2	1:A:265:LEU:HB2	2.03	0.41
1:B:221:ILE:CD1	1:B:266:ILE:HD13	2.51	0.41
1:A:338:GLY:O	1:A:340:ALA:O	2.39	0.41
1:B:225:ILE:O	1:B:226:LYS:C	2.59	0.41
1:A:180:ILE:HG21	1:A:183:ILE:HD12	2.02	0.41
1:B:188:GLU:OE2	1:B:250:ARG:NH2	2.53	0.41
1:B:243:LYS:CD	1:B:248:ILE:HD11	2.50	0.41
1:A:103:ASP:OD2	1:A:107:LYS:NZ	2.49	0.41
1:B:266:ILE:CG2	1:B:268:ILE:HD11	2.52	0.40
1:A:292:MET:SD	1:A:316:TYR:CD1	3.07	0.40
1:B:265:LEU:HD12	1:B:265:LEU:HA	1.86	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:93:ASP:OD2	1:B:41:TYR:OH[3_445]	2.19	0.01
1:A:226:LYS:NZ	1:A:370:GLU:OE1[1_565]	2.19	0.01

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	318/393 (81%)	303 (95%)	14 (4%)	1 (0%)	41 41

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	B	300/393 (76%)	281 (94%)	13 (4%)	6 (2%)	7 3
All	All	618/786 (79%)	584 (94%)	27 (4%)	7 (1%)	14 9

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	67	ASP
1	B	318	PRO
1	B	365	ILE
1	B	366	LYS
1	A	67	ASP
1	B	218	VAL
1	B	369	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	282/339 (83%)	263 (93%)	19 (7%)	16 13
1	B	262/339 (77%)	243 (93%)	19 (7%)	14 11
All	All	544/678 (80%)	506 (93%)	38 (7%)	15 12

All (38) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	10	GLU
1	A	15	LEU
1	A	41	TYR
1	A	48	GLU
1	A	50	TYR
1	A	99	ARG
1	A	127	MET
1	A	128	LEU
1	A	133	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	139	LEU
1	A	148	ASN
1	A	163	ILE
1	A	165	ARG
1	A	202	LYS
1	A	231	GLU
1	A	241	ARG
1	A	256	LYS
1	A	281	MET
1	A	370	GLU
1	B	18	LYS
1	B	22	GLU
1	B	23	THR
1	B	41	TYR
1	B	51	ILE
1	B	63	ASP
1	B	65	HIS
1	B	86	THR
1	B	134	ASP
1	B	138	ILE
1	B	178	LEU
1	B	182	ARG
1	B	187	LEU
1	B	193	ARG
1	B	234	LEU
1	B	263	PHE
1	B	264	ASP
1	B	327	ARG
1	B	330	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 2 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	GDP	B	1998	-	24,30,30	1.04	1 (4%)	30,47,47	1.50	5 (16%)
4	GPX	B	1999	-	25,34,34	0.99	2 (8%)	32,55,55	1.99	10 (31%)
3	GDP	A	998	-	24,30,30	0.92	0	30,47,47	1.90	10 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GDP	B	1998	-	-	4/12/32/32	0/3/3/3
4	GPX	B	1999	-	-	5/12/42/42	0/4/4/4
3	GDP	A	998	-	-	3/12/32/32	0/3/3/3

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	1998	GDP	C6-N1	-3.05	1.33	1.37
4	B	1999	GPX	C6-N1	2.77	1.37	1.33
4	B	1999	GPX	C2-N1	2.21	1.39	1.35

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	1999	GPX	N3-C2-N1	-4.82	120.80	127.22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	1998	GDP	PA-O3A-PB	-4.66	116.83	132.83
4	B	1999	GPX	C2-N3-C4	4.64	120.66	115.36
3	A	998	GDP	C3'-C2'-C1'	4.53	107.80	100.98
3	A	998	GDP	C5-C6-N1	4.27	121.49	113.95
3	A	998	GDP	PA-O3A-PB	-3.75	119.96	132.83
4	B	1999	GPX	C5-C6-N1	-3.59	118.52	123.43
4	B	1999	GPX	C4-C5-N7	-3.50	105.75	109.40
4	B	1999	GPX	O5'-C5'-C4'	3.32	120.40	108.99
4	B	1999	GPX	O2B-PB-O3A	3.02	114.75	104.64
4	B	1999	GPX	N2-C2-N1	2.88	121.73	117.25
3	B	1998	GDP	O2'-C2'-C3'	-2.72	103.02	111.82
4	B	1999	GPX	C2-N1-C6	2.62	120.10	115.93
4	B	1999	GPX	PA-O3A-PB	-2.53	124.14	132.83
3	A	998	GDP	O6-C6-C5	-2.53	119.44	124.37
3	B	1998	GDP	C8-N7-C5	2.46	107.67	102.99
3	A	998	GDP	O3A-PB-O1B	-2.38	97.97	111.19
3	A	998	GDP	O2B-PB-O1B	2.33	119.79	110.68
3	A	998	GDP	O3'-C3'-C2'	-2.30	104.38	111.82
3	B	1998	GDP	C3'-C2'-C1'	2.26	104.39	100.98
3	A	998	GDP	C8-N7-C5	2.21	107.20	102.99
3	A	998	GDP	C2-N1-C6	-2.15	121.14	125.10
3	A	998	GDP	O2'-C2'-C3'	-2.09	105.06	111.82
3	B	1998	GDP	O2A-PA-O1A	2.04	122.32	112.24
4	B	1999	GPX	O3'-C3'-C2'	2.02	108.78	105.08

There are no chirality outliers.

All (12) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	B	1999	GPX	PA-O3A-PB-O2B
4	B	1999	GPX	C4'-C5'-O5'-PA
4	B	1999	GPX	C3'-C4'-C5'-O5'
3	B	1998	GDP	O4'-C4'-C5'-O5'
3	B	1998	GDP	C3'-C4'-C5'-O5'
3	A	998	GDP	O4'-C4'-C5'-O5'
4	B	1999	GPX	O4'-C4'-C5'-O5'
3	A	998	GDP	C3'-C4'-C5'-O5'
3	B	1998	GDP	C5'-O5'-PA-O2A
4	B	1999	GPX	PA-O3A-PB-O3B
3	B	1998	GDP	C5'-O5'-PA-O3A
3	A	998	GDP	C5'-O5'-PA-O2A



There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	998	GDP	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	326/393 (82%)	0.40	27 (8%) 11 14	22, 33, 47, 63	0
1	B	310/393 (78%)	0.60	43 (13%) 2 3	23, 33, 47, 58	1 (0%)
All	All	636/786 (80%)	0.50	70 (11%) 5 7	22, 33, 47, 63	1 (0%)

All (70) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	368	LEU	9.8
1	A	124	HIS	6.0
1	B	112	GLU	5.2
1	A	140	VAL	4.8
1	B	133	LYS	4.5
1	A	142	LEU	4.1
1	B	324	ILE	4.0
1	A	127	MET	3.9
1	B	5	ILE	3.9
1	B	111	VAL	3.9
1	A	125	ARG	3.8
1	B	364	TRP	3.8
1	B	369	VAL	3.7
1	B	230	THR	3.6
1	B	158	ASP	3.5
1	B	319	LYS	3.5
1	B	250	ARG	3.5
1	B	57	VAL	3.5
1	A	73	CYS	3.4
1	B	263	PHE	3.3
1	B	92	PHE	3.3
1	A	324	ILE	3.3
1	A	5	ILE	3.2
1	B	326	ILE	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	57	VAL	3.2
1	B	76	LEU	3.1
1	B	273	GLU	3.1
1	A	71	VAL	3.1
1	A	126	LYS	3.1
1	A	268	ILE	2.9
1	A	162	ARG	2.9
1	B	146	LEU	2.9
1	B	75	PHE	2.9
1	B	270	CYS	2.8
1	A	45	LYS	2.8
1	B	110	LYS	2.8
1	A	75	PHE	2.8
1	B	58	ALA	2.8
1	B	252	MET	2.7
1	A	326	ILE	2.7
1	B	22	GLU	2.6
1	B	370	GLU	2.6
1	B	23	THR	2.6
1	A	159	LYS	2.5
1	B	60	ILE	2.5
1	B	74	GLY	2.5
1	B	73	CYS	2.4
1	B	208	ASN	2.4
1	A	322	ILE	2.4
1	A	76	LEU	2.4
1	A	74	GLY	2.4
1	B	317	GLY	2.4
1	A	143	ALA	2.3
1	B	72	ALA	2.3
1	B	77	HIS	2.3
1	B	140	VAL	2.3
1	B	156	ARG	2.3
1	B	311	ILE	2.3
1	A	105	VAL	2.3
1	B	157	LYS	2.2
1	B	206	MET	2.2
1	B	21	ASN	2.2
1	A	270	CYS	2.2
1	A	138	ILE	2.2
1	B	187	LEU	2.2
1	A	61	LEU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	142	LEU	2.1
1	A	55	ILE	2.0
1	A	278	VAL	2.0
1	B	228	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	GDP	B	1998	28/28	0.86	0.15	34,48,71,72	0
3	GDP	A	998	28/28	0.87	0.17	29,47,68,70	0
4	GPX	B	1999	31/31	0.91	0.12	27,41,54,58	0
2	MN	A	997	1/1	0.99	0.15	30,30,30,30	0
2	MN	B	1997	1/1	1.00	0.10	32,32,32,32	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.


Electron density around GDP B 1998:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around GDP A 998:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.