



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 25, 2023 – 02:05 PM EDT

PDB ID : 5VQ3
Title : Nitrogenase Cp1 at pH 6.5
Authors : Morrison, C.N.; Spatzal, T.; Rees, D.C.
Deposited on : 2017-05-07
Resolution : 1.72 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.35.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION





The reported resolution of this entry is 1.72 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5722 (1.74-1.70)
Clashscore	141614	6152 (1.74-1.70)
Ramachandran outliers	138981	6051 (1.74-1.70)
Sidechain outliers	138945	6051 (1.74-1.70)
RSRZ outliers	127900	5629 (1.74-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	520	
1	C	520	
2	B	458	
2	D	458	

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 16027 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Nitrogenase molybdenum-iron protein alpha chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	517	Total 4108	C 2608	N 690	O 782	S 28	0	9	0
1	C	517	Total 4102	C 2605	N 689	O 780	S 28	0	8	0

- Molecule 2 is a protein called Nitrogenase molybdenum-iron protein beta chain.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	458	Total 3525	C 2239	N 581	O 684	S 21	0	1	0
2	D	458	Total 3525	C 2239	N 581	O 684	S 21	0	1	0

- Molecule 3 is 3-HYDROXY-3-CARBOXY-ADIPIC ACID (three-letter code: HCA) (formula: C₇H₁₀O₇).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			14	7	7		
3	C	1	Total	C	O	0	0
			14	7	7		

- Molecule 4 is iron-sulfur-molybdenum cluster with interstitial carbon (three-letter code: ICS) (formula: CFe_7MoS_9).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	Fe	Mo	S	0	0
			18	1	7	1	9		
4	C	1	Total	C	Fe	Mo	S	0	0
			18	1	7	1	9		

- Molecule 5 is FE(8)-S(7) CLUSTER (three-letter code: CLF) (formula: Fe_8S_7).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total Fe S 15 8 7	0	0
5	C	1	Total Fe S 15 8 7	0	0

- Molecule 6 is FE (II) ION (three-letter code: FE2) (formula: Fe).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	B	2	Total Fe 2 2	0	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	159	Total O 159 159	0	0
7	B	159	Total O 159 159	0	0
7	C	189	Total O 189 189	0	0
7	D	164	Total O 164 164	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Nitrogenase molybdenum-iron protein alpha chain



- Molecule 1: Nitrogenase molybdenum-iron protein alpha chain




- Molecule 2: Nitrogenase molybdenum-iron protein beta chain



- Molecule 2: Nitrogenase molybdenum-iron protein beta chain





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	69.48Å 147.96Å 116.69Å 90.00° 103.51° 90.00°	Depositor
Resolution (Å)	40.00 – 1.72 39.83 – 1.72	Depositor EDS
% Data completeness (in resolution range)	98.4 (40.00-1.72) 98.4 (39.83-1.72)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.90 (at 1.72Å)	Xtrriage
Refinement program	REFMAC 5.8.0151	Depositor
R, R_{free}	0.159 , 0.185 0.169 , 0.192	Depositor DCC
R_{free} test set	11876 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	19.2	Xtrriage
Anisotropy	0.830	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 37.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	16027	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.45% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ICS, FE2, HCA, CLF

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.65	0/4199	0.79	6/5674 (0.1%)
1	C	0.67	0/4193	0.77	0/5666
2	B	0.66	0/3596	0.75	0/4863
2	D	0.69	0/3596	0.77	1/4863 (0.0%)
All	All	0.67	0/15584	0.77	7/21066 (0.0%)

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	347[A]	ARG	NE-CZ-NH1	6.34	123.47	120.30
1	A	347[B]	ARG	NE-CZ-NH1	6.34	123.47	120.30
2	D	65	MET	CG-SD-CE	-6.04	90.54	100.20
1	A	109	ASP	CB-CG-OD1	5.93	123.64	118.30
1	A	347[A]	ARG	NE-CZ-NH2	-5.86	117.37	120.30
1	A	347[B]	ARG	NE-CZ-NH2	-5.86	117.37	120.30
1	A	386	ILE	CB-CA-C	-5.41	100.79	111.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4108	0	4043	47	0
1	C	4102	0	4040	64	0
2	B	3525	0	3512	7	0
2	D	3525	0	3512	13	0
3	A	14	0	6	2	0
3	C	14	0	6	1	0
4	A	18	0	0	1	0
4	C	18	0	0	0	0
5	A	15	0	0	0	0
5	C	15	0	0	0	0
6	B	2	0	0	0	0
7	A	159	0	0	6	0
7	B	159	0	0	0	0
7	C	189	0	0	8	0
7	D	164	0	0	1	0
All	All	16027	0	15119	126	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (126) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:348[B]:SER:OG	1:A:430:MET:SD	1.93	1.27
1:A:343:VAL:HG22	1:A:348[A]:SER:OG	1.37	1.20
1:C:349[B]:HIS:HA	1:C:352[B]:MET:CE	1.74	1.15
1:A:349[B]:HIS:HA	1:A:352[B]:MET:HE2	1.29	1.12
1:C:285:ASN:HD21	1:C:350[B]:THR:HB	1.07	1.11
1:C:349[B]:HIS:HA	1:C:352[B]:MET:HE2	1.22	1.11
1:A:349[A]:HIS:CG	7:A:702:HOH:O	2.13	1.00
1:A:348[B]:SER:CB	1:A:430:MET:SD	2.49	0.98
1:C:348[B]:SER:HB2	1:C:430:MET:SD	2.03	0.97
1:A:349[B]:HIS:HA	1:A:352[B]:MET:CE	1.97	0.94
1:C:348[B]:SER:CB	1:C:430:MET:SD	2.57	0.93
1:C:347[B]:ARG:HH21	1:C:347[B]:ARG:HB2	1.33	0.92
1:C:285:ASN:HD21	1:C:350[B]:THR:CB	1.83	0.90
1:C:285:ASN:ND2	1:C:350[B]:THR:HB	1.87	0.89
1:A:343:VAL:HG21	1:A:348[A]:SER:H	1.40	0.87
1:C:349[B]:HIS:NE2	1:C:433:GLU:HB3	1.90	0.87
1:C:364:VAL:HG22	1:C:439:ILE:CG2	2.09	0.83
1:A:271:GLU:OE2	1:A:378:ARG:NH1	2.10	0.83
1:C:347[B]:ARG:HH21	1:C:347[B]:ARG:CB	1.93	0.81

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:343:VAL:HG21	1:A:348[A]:SER:N	1.94	0.81
1:C:285:ASN:ND2	1:C:350[B]:THR:CG2	2.46	0.79
1:C:349[B]:HIS:CA	1:C:352[B]:MET:HE2	2.13	0.75
1:C:285:ASN:ND2	1:C:350[B]:THR:CB	2.48	0.74
1:A:348[B]:SER:HB2	1:A:430:MET:SD	2.26	0.74
1:C:348[B]:SER:HB3	1:C:430:MET:SD	2.29	0.73
1:A:430:MET:HG2	1:A:434:MET:SD	2.29	0.72
1:C:285:ASN:HB2	7:C:838:HOH:O	1.92	0.70
1:C:349[B]:HIS:HA	1:C:352[B]:MET:HE1	1.73	0.70
1:A:364:VAL:HG22	1:A:439:ILE:HG23	1.73	0.69
1:A:423:PRO:O	7:A:701:HOH:O	2.11	0.69
1:C:347[B]:ARG:HD2	7:C:719:HOH:O	1.92	0.68
1:A:284:CYS:SG	1:A:286:PHE:CD2	2.87	0.68
1:A:501:HIS:HD2	7:A:853:HOH:O	1.77	0.67
1:C:287:ILE:HD13	1:C:351[A]:TYR:CE1	2.30	0.67
1:C:351[A]:TYR:HE1	7:C:708:HOH:O	1.78	0.65
1:A:349[A]:HIS:CB	7:A:702:HOH:O	2.39	0.65
1:A:343:VAL:CG2	1:A:348[A]:SER:OG	2.31	0.64
2:B:106:CYS:HB3	2:B:141[A]:SER:OG	1.98	0.63
1:A:377:GLY:HA2	1:A:428:GLY:O	1.99	0.63
1:A:314:GLU:O	1:A:318:GLU:HG2	1.99	0.63
1:A:367:PHE:HB2	1:A:375:TYR:OH	1.98	0.63
2:D:106:CYS:HB3	2:D:141[A]:SER:OG	2.00	0.62
1:A:343:VAL:HG22	1:A:348[A]:SER:CB	2.27	0.62
1:C:341:LEU:HD21	1:C:351[B]:TYR:HB3	1.83	0.60
1:C:346[B]:SER:O	1:C:347[B]:ARG:HB2	2.02	0.59
1:C:349[B]:HIS:NE2	1:C:433:GLU:CB	2.65	0.58
1:A:343:VAL:CG2	1:A:348[A]:SER:N	2.66	0.58
1:C:377:GLY:CA	1:C:428:GLY:O	2.51	0.57
2:B:258:LYS:N	2:B:258:LYS:HD2	2.18	0.57
1:A:465:ILE:HG21	2:B:54:THR:HG23	1.86	0.57
1:C:349[B]:HIS:CE1	1:C:433:GLU:HB3	2.39	0.56
2:D:23:CYS:HB2	2:D:141[A]:SER:HB2	1.88	0.55
1:A:343:VAL:CG2	1:A:348[A]:SER:H	2.16	0.53
1:C:208:TYR:OH	1:C:305:ASP:OD2	2.25	0.51
1:C:347[B]:ARG:HG3	7:C:719:HOH:O	2.10	0.51
1:A:482:HIS:HB3	3:A:601:HCA:O6	2.11	0.50
1:A:343:VAL:HG21	1:A:346[B]:SER:O	2.11	0.50
1:C:347[B]:ARG:CG	7:C:719:HOH:O	2.60	0.50
1:C:42:ARG:HD2	1:C:389:ASP:OD2	2.11	0.49
1:C:285:ASN:ND2	1:C:350[B]:THR:HG21	2.24	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:272:MET:SD	1:C:396:ILE:HD11	2.52	0.49
2:D:4:ALA:O	2:D:6:PRO:HD3	2.13	0.49
1:A:430:MET:CG	1:A:434:MET:SD	2.99	0.49
1:C:352[B]:MET:HG2	1:C:362:SER:CB	2.42	0.48
1:A:364:VAL:HG22	1:A:439:ILE:CG2	2.41	0.48
1:A:479:LYS:HZ1	2:D:307:GLN:HE22	1.60	0.48
1:A:434:MET:CE	1:A:438:THR:HB	2.44	0.48
2:D:11:GLU:OE1	2:D:11:GLU:HA	2.14	0.48
1:C:412:ASP:OD1	1:C:413:LYS:N	2.46	0.47
1:A:367:PHE:CE2	1:A:430:MET:CE	2.98	0.47
1:A:349[A]:HIS:HB3	7:A:702:HOH:O	2.08	0.47
1:C:465:ILE:HG21	2:D:54:THR:HG23	1.96	0.47
1:A:501:HIS:CD2	7:A:853:HOH:O	2.60	0.47
1:C:430:MET:O	1:C:434:MET:HG3	2.15	0.46
1:C:501:HIS:HD2	7:C:885:HOH:O	1.96	0.46
2:D:103:HIS:ND1	7:D:601:HOH:O	1.84	0.46
1:A:434:MET:HB3	1:A:438:THR:HG21	1.97	0.46
2:B:23:CYS:HB2	2:B:141[A]:SER:HB2	1.97	0.46
1:A:240:LEU:HA	1:A:241:THR:HA	1.74	0.46
1:A:347[B]:ARG:NH1	4:A:602:ICS:S3A	2.89	0.46
1:C:347[B]:ARG:CB	1:C:347[B]:ARG:NH2	2.71	0.46
2:D:24:GLN:HA	2:D:146:HIS:HA	1.97	0.45
1:C:347[B]:ARG:CD	7:C:719:HOH:O	2.59	0.45
1:A:479:LYS:NZ	2:D:307:GLN:HE22	2.14	0.45
1:C:351[A]:TYR:CE1	7:C:708:HOH:O	2.54	0.45
1:C:482:HIS:HB3	3:C:601:HCA:O5	2.17	0.45
1:C:271:GLU:OE2	1:C:378:ARG:NH1	2.47	0.45
3:A:601:HCA:O2	3:A:601:HCA:O7	2.34	0.45
1:A:367:PHE:CE2	1:A:430:MET:HE2	2.52	0.45
1:A:259:LEU:HB3	1:A:284:CYS:HB2	1.98	0.44
1:A:434:MET:HE1	1:A:438:THR:HB	1.98	0.44
1:C:342:TYR:OH	1:C:368:GLU:HA	2.18	0.44
1:C:377:GLY:HA3	1:C:428:GLY:O	2.17	0.44
1:C:481:LEU:HD23	1:C:481:LEU:HA	1.82	0.44
1:C:341:LEU:HD21	1:C:351[B]:TYR:CB	2.46	0.44
1:C:364:VAL:HG22	1:C:439:ILE:HG22	1.98	0.44
1:C:284:CYS:HB2	1:C:295:THR:CG2	2.48	0.44
1:A:5:LEU:HD23	1:A:439:ILE:HD13	2.01	0.43
1:C:351[B]:TYR:CZ	1:C:481:LEU:HD22	2.53	0.43
1:C:352[A]:MET:C	1:C:354:MET:N	2.71	0.43
1:A:462:PHE:HB3	1:A:481:LEU:HG	2.01	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:352[B]:MET:CE	1:A:434:MET:HG2	2.49	0.43
1:A:375:TYR:O	1:A:431:MET:HB2	2.19	0.43
2:B:119:ILE:HA	2:B:122:MET:HE2	1.99	0.43
1:C:341:LEU:HD13	1:C:352[B]:MET:CG	2.49	0.42
1:C:352[B]:MET:CE	1:C:434:MET:HG2	2.49	0.42
1:C:78:GLY:HA3	2:D:23:CYS:SG	2.60	0.42
1:C:240:LEU:HA	1:C:241:THR:HA	1.75	0.42
1:C:352[B]:MET:HG2	1:C:362:SER:HB3	2.00	0.41
1:A:295:THR:O	1:A:299:MET:HG3	2.20	0.41
2:D:411:PHE:HA	2:D:412:PRO:HA	1.89	0.41
2:B:251:LYS:HG2	2:B:261:PHE:CZ	2.55	0.41
1:A:430:MET:O	1:A:434:MET:HG3	2.20	0.41
2:B:169:ASN:OD1	2:B:235:SER:HA	2.21	0.41
1:C:364:VAL:HG22	1:C:439:ILE:HG23	1.97	0.41
1:A:469:PHE:O	1:A:473:LYS:HG2	2.20	0.41
1:C:284:CYS:HB2	1:C:295:THR:HG21	2.03	0.41
1:C:53:CYS:HB3	2:D:47:GLY:HA3	2.03	0.41
1:C:222:ALA:HA	1:C:225:MET:HG2	2.03	0.41
1:C:430:MET:HG2	1:C:434:MET:SD	2.61	0.40
1:C:310:LYS:HE2	1:C:314:GLU:OE2	2.22	0.40
1:C:347[B]:ARG:HB2	1:C:347[B]:ARG:NH2	2.17	0.40
1:C:349[B]:HIS:CE1	1:C:433:GLU:CB	3.03	0.40
1:C:352[B]:MET:HE2	1:C:352[B]:MET:HB2	1.83	0.40
2:D:409:PHE:CE1	2:D:424:LYS:HD2	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	524/520 (101%)	499 (95%)	25 (5%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	523/520 (101%)	505 (97%)	17 (3%)	1 (0%)	47	30
2	B	457/458 (100%)	450 (98%)	7 (2%)	0	100	100
2	D	457/458 (100%)	450 (98%)	7 (2%)	0	100	100
All	All	1961/1956 (100%)	1904 (97%)	56 (3%)	1 (0%)	51	33

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	48	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	443/437 (101%)	434 (98%)	9 (2%)	55	37
1	C	442/437 (101%)	435 (98%)	7 (2%)	62	47
2	B	385/384 (100%)	380 (99%)	5 (1%)	69	55
2	D	385/384 (100%)	385 (100%)	0	100	100
All	All	1655/1642 (101%)	1634 (99%)	21 (1%)	69	55

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	28	LYS
1	A	30	GLU
1	A	32	THR
1	A	308	LEU
1	A	361	ASP
1	A	385	LYS
1	A	386	ILE
1	A	387	ASP
1	A	461	PHE
2	B	11	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	258	LYS
2	B	280	LEU
2	B	307	GLN
2	B	420	TYR
1	C	11	GLU
1	C	19	LYS
1	C	343	VAL
1	C	373	ASP
1	C	385	LYS
1	C	411	GLU
1	C	461	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	95	ASN
1	A	487	ASN
1	A	501	HIS
2	B	422	ASN
1	C	40	ASN
1	C	501	HIS
2	D	307	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 2 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	CLF	A	603	1,2	0,24,24	-	-	-		
4	ICS	C	602	1	18,30,30	2.53	12 (66%)	-		
5	CLF	C	603	1,2	0,24,24	-	-	-		
3	HCA	C	601	-	13,13,13	1.03	0	14,18,18	1.43	3 (21%)
4	ICS	A	602	1	18,30,30	2.66	11 (61%)	-		
3	HCA	A	601	-	13,13,13	1.12	1 (7%)	14,18,18	1.76	3 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	HCA	C	601	-	-	1/17/17/17	-
5	CLF	C	603	1,2	-	-	0/12/10/10
5	CLF	A	603	1,2	-	-	0/12/10/10
3	HCA	A	601	-	-	5/17/17/17	-

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	602	ICS	S3B-FE6	-4.72	2.20	2.32
4	A	602	ICS	S1B-FE6	-4.43	2.21	2.32
4	C	602	ICS	S2A-FE2	-3.80	2.23	2.32
4	C	602	ICS	S4B-FE7	-3.77	2.23	2.32
4	A	602	ICS	S2A-FE2	-3.74	2.23	2.32
4	A	602	ICS	S4B-FE7	-3.69	2.23	2.32
4	C	602	ICS	S1B-FE6	-3.61	2.23	2.32
4	A	602	ICS	S3B-FE7	-3.56	2.23	2.32
4	C	602	ICS	S1B-FE5	-3.52	2.23	2.32
4	C	602	ICS	S3B-FE6	-3.46	2.23	2.32
4	C	602	ICS	S4A-FE3	-3.04	2.24	2.32
4	A	602	ICS	S4B-FE5	-2.77	2.25	2.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	602	ICS	S2B-FE6	-2.65	2.18	2.24
4	A	602	ICS	S2B-FE6	-2.64	2.18	2.24
4	A	602	ICS	S4A-FE3	-2.53	2.26	2.32
4	A	602	ICS	S1B-FE5	-2.49	2.26	2.32
4	C	602	ICS	S5A-FE7	-2.44	2.19	2.24
4	A	602	ICS	S3A-FE4	-2.37	2.19	2.24
4	C	602	ICS	S2A-FE3	-2.35	2.26	2.32
4	C	602	ICS	S4A-FE4	-2.19	2.27	2.32
4	C	602	ICS	S1A-FE2	-2.14	2.27	2.32
4	C	602	ICS	S4B-FE5	-2.09	2.27	2.32
4	A	602	ICS	S1A-FE2	-2.08	2.27	2.32
3	A	601	HCA	O2-C1	-2.01	1.24	1.30

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	601	HCA	O6-C7-C3	3.99	119.98	113.05
3	C	601	HCA	O6-C7-C3	3.03	118.32	113.05
3	A	601	HCA	C4-C5-C6	2.89	119.30	112.75
3	C	601	HCA	C4-C5-C6	2.69	118.85	112.75
3	C	601	HCA	O5-C7-C3	-2.40	118.86	122.25
3	A	601	HCA	O5-C7-C3	-2.31	118.98	122.25

There are no chirality outliers.

All (6) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	601	HCA	O2-C1-C2-C3
3	A	601	HCA	C1-C2-C3-C4
3	A	601	HCA	O1-C1-C2-C3
3	C	601	HCA	C1-C2-C3-C4
3	A	601	HCA	C1-C2-C3-C7
3	A	601	HCA	C4-C5-C6-O4


There are no ring outliers.

3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	601	HCA	1	0
4	A	602	ICS	1	0
3	A	601	HCA	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	517/520 (99%)	0.18	39 (7%) 14 16	18, 28, 70, 101	0
1	C	517/520 (99%)	-0.08	17 (3%) 46 51	16, 26, 54, 83	0
2	B	458/458 (100%)	-0.28	4 (0%) 84 87	17, 24, 43, 66	0
2	D	458/458 (100%)	-0.22	6 (1%) 77 81	16, 24, 44, 74	0
All	All	1950/1956 (99%)	-0.09	66 (3%) 45 50	16, 26, 52, 101	0

All (66) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	386	ILE	6.8
1	A	381	ILE	5.9
1	A	388	ALA	5.7
1	C	386	ILE	5.3
1	C	388	ALA	4.7
1	A	382	PRO	4.6
1	A	384	ILE	4.6
1	A	32	THR	4.6
1	A	385	LYS	4.4
1	A	419	LYS	4.3
1	A	30	GLU	4.2
1	A	391	LYS	4.1
1	A	29	THR	4.1
1	A	379	GLU	3.9
1	A	383	THR	3.8
1	A	438	THR	3.7
1	A	409	ILE	3.7
1	A	387	ASP	3.7
1	A	402	GLU	3.6
1	A	412	ASP	3.5
1	A	399	THR	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	385	LYS	3.4
1	A	31	GLU	3.3
1	A	397	THR	3.3
1	C	382	PRO	3.2
1	A	380	VAL	3.2
1	A	410	PRO	3.2
1	A	420	ALA	3.1
1	A	392	ASN	3.0
1	C	383	THR	2.9
1	A	415	GLU	2.9
1	C	465	ILE	2.9
2	D	55	VAL	2.8
1	A	465	ILE	2.8
1	A	411	GLU	2.8
1	A	436	ASP	2.7
1	C	384	ILE	2.6
2	D	26	VAL	2.6
2	B	56	LEU	2.6
2	D	56	LEU	2.6
1	A	407	VAL	2.5
1	A	430	MET	2.5
1	C	306	PRO	2.5
1	A	347[A]	ARG	2.4
2	D	11	GLU	2.4
1	C	32	THR	2.3
1	A	396	ILE	2.3
1	C	30	GLU	2.3
1	A	350[A]	THR	2.2
1	C	31	GLU	2.2
2	B	26	VAL	2.2
1	A	403	GLN	2.2
1	C	380	VAL	2.2
1	C	391	LYS	2.2
2	B	55	VAL	2.2
1	C	412	ASP	2.2
1	A	56	ALA	2.1
1	A	95	ASN	2.1
1	C	419	LYS	2.1
2	D	51	TYR	2.1
2	B	456	VAL	2.1
1	A	437	GLY	2.1
1	A	416	GLU	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	411	GLU	2.0
2	D	54	THR	2.0
1	C	389	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	HCA	A	601	14/14	0.98	0.13	17,20,24,27	0
3	HCA	C	601	14/14	0.99	0.12	14,18,22,23	0
4	ICS	A	602	18/18	1.00	0.09	18,19,21,21	0
4	ICS	C	602	18/18	1.00	0.09	16,18,19,19	0
5	CLF	A	603	15/15	1.00	0.07	18,19,20,20	0
5	CLF	C	603	15/15	1.00	0.08	17,17,19,19	0
6	FE2	B	501	1/1	1.00	0.09	16,16,16,16	1
6	FE2	B	502	1/1	1.00	0.09	18,18,18,18	1

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around ICS A 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around ICS C 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.