



wwPDB EM Validation Summary Report ⓘ

Feb 26, 2024 – 10:54 PM EST

PDB ID : 6VRA
EMDB ID : EMD-21365
Title : Anthrax octamer prechannel bound to full-length edema factor
Authors : Zhou, K.; Hardenbrook, N.J.; Liu, S.; Cui, Y.X.; Krantz, B.A.; Zhou, Z.H.
Deposited on : 2020-02-07
Resolution : 3.30 Å (reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev70
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	735	
1	C	735	
1	E	735	
1	G	735	
2	B	735	
2	D	735	
2	F	735	
2	H	735	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	I	767	
3	J	767	
3	K	767	
3	L	767	

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 57744 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Protective antigen.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	541	4274	2672	736	860	6	0	0
1	C	541	4274	2672	736	860	6	0	0
1	E	541	4274	2672	736	860	6	0	0
1	G	541	4274	2672	736	860	6	0	0

There are 40 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	121	ASP	ASN	conflict	UNP P13423
A	161	LEU	ARG	conflict	UNP P13423
A	162	GLU	LYS	conflict	UNP P13423
A	163	VAL	-	insertion	UNP P13423
A	164	LEU	-	insertion	UNP P13423
A	165	PHE	-	insertion	UNP P13423
A	166	GLN	LYS	conflict	UNP P13423
A	167	GLY	ARG	conflict	UNP P13423
A	245	GLY	LYS	engineered mutation	UNP P13423
A	252	ASN	ARG	engineered mutation	UNP P13423
C	121	ASP	ASN	conflict	UNP P13423
C	161	LEU	ARG	conflict	UNP P13423
C	162	GLU	LYS	conflict	UNP P13423
C	163	VAL	-	insertion	UNP P13423
C	164	LEU	-	insertion	UNP P13423
C	165	PHE	-	insertion	UNP P13423
C	166	GLN	LYS	conflict	UNP P13423
C	167	GLY	ARG	conflict	UNP P13423
C	245	GLY	LYS	engineered mutation	UNP P13423
C	252	ASN	ARG	engineered mutation	UNP P13423
E	121	ASP	ASN	conflict	UNP P13423
E	161	LEU	ARG	conflict	UNP P13423

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	162	GLU	LYS	conflict	UNP P13423
E	163	VAL	-	insertion	UNP P13423
E	164	LEU	-	insertion	UNP P13423
E	165	PHE	-	insertion	UNP P13423
E	166	GLN	LYS	conflict	UNP P13423
E	167	GLY	ARG	conflict	UNP P13423
E	245	GLY	LYS	engineered mutation	UNP P13423
E	252	ASN	ARG	engineered mutation	UNP P13423
G	121	ASP	ASN	conflict	UNP P13423
G	161	LEU	ARG	conflict	UNP P13423
G	162	GLU	LYS	conflict	UNP P13423
G	163	VAL	-	insertion	UNP P13423
G	164	LEU	-	insertion	UNP P13423
G	165	PHE	-	insertion	UNP P13423
G	166	GLN	LYS	conflict	UNP P13423
G	167	GLY	ARG	conflict	UNP P13423
G	245	GLY	LYS	engineered mutation	UNP P13423
G	252	ASN	ARG	engineered mutation	UNP P13423

- Molecule 2 is a protein called Protective antigen.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	541	4283	2680	740	857	6	0	0
2	D	541	4283	2680	740	857	6	0	0
2	F	541	4283	2680	740	857	6	0	0
2	H	541	4283	2680	740	857	6	0	0

There are 32 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	161	LEU	ARG	conflict	UNP P13423
B	162	GLU	LYS	conflict	UNP P13423
B	163	VAL	-	insertion	UNP P13423
B	164	LEU	-	insertion	UNP P13423
B	165	PHE	-	insertion	UNP P13423
B	166	GLN	LYS	conflict	UNP P13423
B	167	GLY	ARG	conflict	UNP P13423
B	512	LYS	ASP	engineered mutation	UNP P13423

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	161	LEU	ARG	conflict	UNP P13423
D	162	GLU	LYS	conflict	UNP P13423
D	163	VAL	-	insertion	UNP P13423
D	164	LEU	-	insertion	UNP P13423
D	165	PHE	-	insertion	UNP P13423
D	166	GLN	LYS	conflict	UNP P13423
D	167	GLY	ARG	conflict	UNP P13423
D	512	LYS	ASP	engineered mutation	UNP P13423
F	161	LEU	ARG	conflict	UNP P13423
F	162	GLU	LYS	conflict	UNP P13423
F	163	VAL	-	insertion	UNP P13423
F	164	LEU	-	insertion	UNP P13423
F	165	PHE	-	insertion	UNP P13423
F	166	GLN	LYS	conflict	UNP P13423
F	167	GLY	ARG	conflict	UNP P13423
F	512	LYS	ASP	engineered mutation	UNP P13423
H	161	LEU	ARG	conflict	UNP P13423
H	162	GLU	LYS	conflict	UNP P13423
H	163	VAL	-	insertion	UNP P13423
H	164	LEU	-	insertion	UNP P13423
H	165	PHE	-	insertion	UNP P13423
H	166	GLN	LYS	conflict	UNP P13423
H	167	GLY	ARG	conflict	UNP P13423
H	512	LYS	ASP	engineered mutation	UNP P13423

- Molecule 3 is a protein called Calmodulin-sensitive adenylate cyclase.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	I	720	5875	3752	976	1141	6	0	0
3	J	720	5875	3752	976	1141	6	0	0
3	K	720	5875	3752	976	1141	6	0	0
3	L	720	5875	3752	976	1141	6	0	0

- Molecule 4 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		AltConf
			Total	Ca	
4	A	2	2	2	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		AltConf
4	B	2	Total 2	Ca 2	0
4	C	2	Total 2	Ca 2	0
4	D	2	Total 2	Ca 2	0
4	E	2	Total 2	Ca 2	0
4	F	2	Total 2	Ca 2	0
4	G	2	Total 2	Ca 2	0
4	H	2	Total 2	Ca 2	0

3 Residue-property plots [\(i\)](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Protective antigen


Chain A:



- Molecule 1: Protective antigen

Chain C:






• Molecule 1: Protective antigen




GLN	GLU	ASN	ARG	LEU	ASN	GLU	GLY	GLU	SER	SER	GLN	GLY	LEU	ALA	GLY	TYR	PHE	ASP	GLN	ALA	VAL	ASP	ASP	GLN	VAL	THR	ILE	SER	SER	THR	LYS	THR	GLY	ASP	LEU	ASN	ASN	LYS	PRO	ILE	SER	SER	LEU	LEU	GLN	VAL	ARG	LEU	GLY	LYS	GLY	THR	ASN	ASN	ILE	PRO	GLN	TYR	PHE	GLN	ARG	ALA			
ILE	TRP	SER	GLY	PHE	ILE	LYS	VAL	LYS	LYS	ASP	GLY	TYR	THR	PHE	ALA	THR	SER	ASP	GLN	VAL	VAL	ASP	ASP	GLN	GLU	VAL	THR	ILE	ASN	ASN	LYS	ALA	SER	ASN	SER	SER	LEU	ASN	ASN	LYS	PRO	ILE	ARG	LEU	LEU	GLU	LYS	GLY	LYS	GLY	THR	ARG	ASN	LEU	TYR	ILE	GLY	ILE	ILE	GLN	TYR	PHE	GLN	ARG	GLU
ASP	PRO	THR	GLY	LYS	GLY	ASP	PHE	LEU	LEU	TYR	THR	THR	ASP	SER	VAL	THR	ASP	ASN	ASN	LEU	VAL	ASP	ASP	GLN	PRO	GLU	GLU	LEU	LYS	GLN	LYS	SER	SER	ASN	ASN	LEU	GLY	VAL	VAL	PHE	LEU	PHE	GLN	GLY	LYS	GLY	THR	THR	SER	ALA	ALA	PRO	PRO	GLY	TYR	ILE	ILE	GLN	VAL	TYR	PHE	GLN	ARG	GLU	




• Molecule 1: Protective antigen




GLN	GLU	ASN	ARG	LEU	ASN	GLU	GLY	GLU	SER	SER	GLN	GLY	LEU	ALA	GLY	TYR	PHE	ASP	GLN	ALA	VAL	ASP	ASP	GLN	VAL	THR	ILE	SER	SER	THR	LYS	THR	GLY	ASP	LEU	ASN	ASN	LYS	PRO	ILE	ARG	LEU	LEU	GLU	LYS	GLY	THR	ASN	ASN	ILE	PRO	GLN	TYR	PHE	GLN	ARG	ALA							
ILE	TRP	SER	GLY	PHE	ILE	LYS	VAL	LYS	LYS	ASP	GLY	TYR	THR	PHE	ALA	THR	SER	ASP	GLN	VAL	VAL	ASP	ASP	GLN	GLU	VAL	THR	ILE	ASN	ASN	LYS	ALA	SER	ASN	SER	SER	LEU	ASN	ASN	LYS	PRO	ILE	ARG	LEU	LEU	GLU	LYS	GLY	THR	ARG	ASN	LEU	TYR	ILE	GLY	ILE	ILE	GLN	TYR	PHE	GLN	ARG	GLU	
ASP	PRO	THR	GLY	LYS	GLY	ASP	PHE	LEU	LEU	TYR	THR	THR	ASP	SER	VAL	THR	ASP	ASN	ASN	LEU	VAL	ASP	ASP	GLN	PRO	GLU	GLU	LEU	LYS	GLN	LYS	SER	SER	ASN	ASN	LEU	GLY	VAL	VAL	PHE	LEU	PHE	GLN	GLY	LYS	GLY	THR	THR	SER	ALA	ALA	PRO	PRO	GLY	TYR	ILE	ILE	GLN	VAL	TYR	PHE	GLN	ARG	GLU




• Molecule 2: Protective antigen





• Molecule 2: Protective antigen







• Molecule 2: Protective antigen






• Molecule 2: Protective antigen







● Molecule 3: Calmodulin-sensitive adenylate cyclase








• Molecule 3: Calmodulin-sensitive adenylate cyclase






• Molecule 3: Calmodulin-sensitive adenylate cyclase





● Molecule 3: Calmodulin-sensitive adenylate cyclase





4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C4	Depositor
Number of particles used	78465	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	62.9	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.157	Depositor
Minimum map value	-0.071	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.005	Depositor
Recommended contour level	0.016	Depositor
Map size (Å)	321.00003, 321.00003, 321.00003	wwPDB
Map dimensions	300, 300, 300	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.07, 1.07, 1.07	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.45	0/4346	0.60	4/5894 (0.1%)
1	C	0.45	0/4346	0.60	4/5894 (0.1%)
1	E	0.45	0/4346	0.60	4/5894 (0.1%)
1	G	0.45	0/4346	0.60	4/5894 (0.1%)
2	B	0.46	0/4355	0.55	0/5903
2	D	0.46	0/4355	0.55	0/5903
2	F	0.46	0/4355	0.55	0/5903
2	H	0.46	0/4355	0.55	0/5903
3	I	0.33	0/5980	0.56	2/8028 (0.0%)
3	J	0.33	0/5980	0.56	2/8028 (0.0%)
3	K	0.33	0/5980	0.56	2/8028 (0.0%)
3	L	0.33	0/5980	0.56	2/8028 (0.0%)
All	All	0.41	0/58724	0.57	24/79300 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	C	0	1
1	E	0	1
1	G	0	1
3	I	0	2
3	J	0	2
3	K	0	2
3	L	0	2
All	All	0	12

There are no bond length outliers.

The worst 5 of 24 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	424	GLN	O-C-N	-7.02	111.47	122.70
1	C	424	GLN	O-C-N	-7.02	111.47	122.70
1	E	424	GLN	O-C-N	-7.02	111.47	122.70
1	G	424	GLN	O-C-N	-7.02	111.47	122.70
3	I	380	LEU	CA-CB-CG	6.99	131.38	115.30

There are no chirality outliers.

5 of 12 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	198	ASN	Peptide
1	C	198	ASN	Peptide
1	E	198	ASN	Peptide
1	G	198	ASN	Peptide
3	I	156	ASP	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4274	0	4224	58	0
1	C	4274	0	4224	57	0
1	E	4274	0	4224	59	0
1	G	4274	0	4224	56	0
2	B	4283	0	4250	46	0
2	D	4283	0	4250	43	0
2	F	4283	0	4250	49	0
2	H	4283	0	4250	51	0
3	I	5875	0	5901	82	0
3	J	5875	0	5901	83	0
3	K	5875	0	5901	81	0
3	L	5875	0	5901	76	0
4	A	2	0	0	0	0
4	B	2	0	0	0	0
4	C	2	0	0	0	0
4	D	2	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	E	2	0	0	0	0
4	F	2	0	0	0	0
4	G	2	0	0	0	0
4	H	2	0	0	0	0
All	All	57744	0	57500	727	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 727 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:424:GLN:HE21	1:C:424:GLN:HA	1.36	0.91
1:A:424:GLN:HE21	1:A:424:GLN:HA	1.36	0.91
1:G:424:GLN:HE21	1:G:424:GLN:HA	1.36	0.91
1:E:424:GLN:HA	1:E:424:GLN:HE21	1.36	0.91
3:K:618:LYS:N	3:K:718:TYR:HH	1.77	0.83

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	535/735 (73%)	499 (93%)	36 (7%)	0	100	100
1	C	535/735 (73%)	499 (93%)	36 (7%)	0	100	100
1	E	535/735 (73%)	499 (93%)	36 (7%)	0	100	100
1	G	535/735 (73%)	499 (93%)	36 (7%)	0	100	100
2	B	535/735 (73%)	493 (92%)	42 (8%)	0	100	100
2	D	535/735 (73%)	493 (92%)	42 (8%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	F	535/735 (73%)	493 (92%)	42 (8%)	0	100	100
2	H	535/735 (73%)	493 (92%)	42 (8%)	0	100	100
3	I	714/767 (93%)	640 (90%)	74 (10%)	0	100	100
3	J	714/767 (93%)	640 (90%)	74 (10%)	0	100	100
3	K	714/767 (93%)	640 (90%)	74 (10%)	0	100	100
3	L	714/767 (93%)	640 (90%)	74 (10%)	0	100	100
All	All	7136/8948 (80%)	6528 (92%)	608 (8%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	482/659 (73%)	477 (99%)	5 (1%)	76	86
1	C	482/659 (73%)	477 (99%)	5 (1%)	76	86
1	E	482/659 (73%)	477 (99%)	5 (1%)	76	86
1	G	482/659 (73%)	477 (99%)	5 (1%)	76	86
2	B	483/660 (73%)	479 (99%)	4 (1%)	81	89
2	D	483/660 (73%)	479 (99%)	4 (1%)	81	89
2	F	483/660 (73%)	479 (99%)	4 (1%)	81	89
2	H	483/660 (73%)	479 (99%)	4 (1%)	81	89
3	I	652/698 (93%)	647 (99%)	5 (1%)	81	89
3	J	652/698 (93%)	647 (99%)	5 (1%)	81	89
3	K	652/698 (93%)	647 (99%)	5 (1%)	81	89
3	L	652/698 (93%)	647 (99%)	5 (1%)	81	89
All	All	6468/8068 (80%)	6412 (99%)	56 (1%)	79	87

5 of 56 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	G	425	ASP
3	L	720	LYS
2	H	516	THR
3	L	706	LYS
3	K	706	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 102 such sidechains are listed below:

Mol	Chain	Res	Type
1	G	543	GLN
2	H	693	ASN
3	L	676	ASN
1	G	588	ASN
2	H	409	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 16 ligands modelled in this entry, 16 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-21365. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 150



Y Index: 150




Z Index: 150


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 179



Y Index: 121




Z Index: 147


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.016. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 443 nm³; this corresponds to an approximate mass of 400 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)



*Reported resolution corresponds to spatial frequency of 0.303 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-21365 and PDB model 6VRA. Per-residue inclusion information can be found in section [3](#) on page [8](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.016 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.016).



























9.4 Atom inclusion [i](#)



At the recommended contour level, 81% of all backbone atoms, 75% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.016) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7490	 0.4350
A	 0.8840	 0.5000
B	 0.8820	 0.5040
C	 0.8840	 0.4980
D	 0.8820	 0.5050
E	 0.8840	 0.4990
F	 0.8820	 0.5050
G	 0.8840	 0.5000
H	 0.8820	 0.5050
I	 0.5540	 0.3380
J	 0.5540	 0.3370
K	 0.5540	 0.3360
L	 0.5540	 0.3370

