



# Full wwPDB X-ray Structure Validation Report ⓘ

May 29, 2020 – 04:37 pm BST

PDB ID : 2VU0  
Title : Biosynthetic thiolase from *Z. ramigera*. Complex of the oxidised enzyme with coenzyme A.  
Authors : Kursula, P.; Wierenga, R.K.  
Deposited on : 2008-05-19  
Resolution : 1.87 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.87 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	9470 (1.90-1.86)
Clashscore	141614	10282 (1.90-1.86)
Ramachandran outliers	138981	10152 (1.90-1.86)
Sidechain outliers	138945	10152 (1.90-1.86)
RSRZ outliers	127900	9303 (1.90-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	392	 2% 83% 14%
1	B	392	 % 86% 12%
1	C	392	 4% 83% 16%
1	D	392	 12% 82% 16%

## 2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 12643 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Acetyl-CoA acetyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	391	2864	1781	514	548	21	0	7	0
1	B	391	2869	1788	512	548	21	0	10	0
1	C	391	2828	1755	511	541	21	0	0	0
1	D	390	2821	1751	510	539	21	0	0	0

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	10	ALA	-	insertion	UNP P07097
A	129	ARG	ALA	conflict	UNP P07097
B	10	ALA	-	insertion	UNP P07097
B	129	ARG	ALA	conflict	UNP P07097
C	10	ALA	-	insertion	UNP P07097
C	129	ARG	ALA	conflict	UNP P07097
D	10	ALA	-	insertion	UNP P07097
D	129	ARG	ALA	conflict	UNP P07097

- Molecule 2 is COENZYME A (three-letter code: COA) (formula: C<sub>21</sub>H<sub>36</sub>N<sub>7</sub>O<sub>16</sub>P<sub>3</sub>S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	N	O	P			S
2	A	1	48	21	7	16	3	1	0	0
2	B	1	48	21	7	16	3	1	0	0

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	C O		
3	A	1	6	3 3	0	0

- Molecule 4 is SULFATE ION (three-letter code: SO4) (formula:  $O_4S$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0
4	B	1	Total O S 5 4 1	0	0
4	B	1	Total O S 5 4 1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	401	Total O 401 401	0	0
5	B	392	Total O 392 392	0	0
5	C	191	Total O 191 191	0	0
5	D	155	Total O 155 155	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Acetyl-CoA acetyltransferase




- Molecule 1: Acetyl-CoA acetyltransferase




- Molecule 1: Acetyl-CoA acetyltransferase



- Molecule 1: Acetyl-CoA acetyltransferase

Chain D:  12% 82% 16%



## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	84.40 Å 79.06 Å 148.80 Å 90.00° 92.66° 90.00°	Depositor
Resolution (Å)	20.00 – 1.87 19.72 – 1.87	Depositor EDS
% Data completeness (in resolution range)	97.4 (20.00-1.87) 85.4 (19.72-1.87)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	4.55 (at 1.87 Å)	Xtrriage
Refinement program	REFMAC 5.2.0019	Depositor
R, $R_{free}$	0.194 , 0.229 0.201 , 0.235	Depositor DCC
$R_{free}$ test set	7205 reflections (4.58%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	16.7	Xtrriage
Anisotropy	0.661	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 22.4	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.39$ , $\langle L^2 \rangle = 0.21$	Xtrriage
Estimated twinning fraction	0.118 for h,-k,-l	Xtrriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	12643	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	9.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.14% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: COA, GOL, CSO, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	1.04	3/2919 (0.1%)	0.95	7/3941 (0.2%)
1	B	0.99	3/2933 (0.1%)	0.91	6/3960 (0.2%)
1	C	0.61	0/2862	0.71	2/3864 (0.1%)
1	D	0.60	0/2855	0.71	1/3853 (0.0%)
All	All	0.84	6/11569 (0.1%)	0.83	16/15618 (0.1%)

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	217	GLU	CB-CG	-6.19	1.40	1.52
1	B	217	GLU	CB-CG	-6.08	1.40	1.52
1	A	97	ALA	CA-CB	5.88	1.64	1.52
1	B	97	ALA	CA-CB	5.51	1.64	1.52
1	A	37	ALA	CA-CB	5.41	1.63	1.52
1	B	217	GLU	CD-OE2	-5.15	1.20	1.25

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	367	ARG	NE-CZ-NH2	-7.55	116.53	120.30
1	B	367	ARG	NE-CZ-NH2	-6.84	116.88	120.30
1	A	371	ARG	NE-CZ-NH2	6.75	123.68	120.30
1	A	141	ASP	CB-CG-OD2	6.33	124.00	118.30
1	D	207	ARG	NE-CZ-NH1	6.28	123.44	120.30
1	A	371	ARG	NE-CZ-NH1	-5.99	117.30	120.30
1	A	339	VAL	CG1-CB-CG2	5.99	120.48	110.90
1	A	367	ARG	NE-CZ-NH1	5.74	123.17	120.30
1	B	146	ASP	CB-CG-OD1	5.33	123.10	118.30
1	C	266	ARG	NE-CZ-NH1	5.29	122.94	120.30
1	B	236	ASP	CB-CG-OD2	-5.20	113.62	118.30

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	267	ARG	NE-CZ-NH2	-5.15	117.72	120.30
1	A	141	ASP	CB-CG-OD1	-5.14	113.67	118.30
1	B	266	ARG	NE-CZ-NH1	5.13	122.86	120.30
1	B	272	LEU	CB-CG-CD1	5.08	119.63	111.00
1	C	367	ARG	NE-CZ-NH1	5.05	122.82	120.30

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2864	0	2885	49	0
1	B	2869	0	2908	42	0
1	C	2828	0	2833	42	0
1	D	2821	0	2827	55	0
2	A	48	0	32	4	0
2	B	48	0	32	5	0
3	A	6	0	8	0	0
4	A	10	0	0	1	0
4	B	10	0	0	0	0
5	A	401	0	0	8	1
5	B	392	0	0	6	0
5	C	191	0	0	3	0
5	D	155	0	0	8	0
All	All	12643	0	11525	181	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (181) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:134:MET:HE2	1:C:144:ILE:HD11	1.46	0.97
1:B:191:LYS:HB3	1:B:191:LYS:NZ	1.81	0.94

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:191:LYS:HB3	1:B:191:LYS:HZ2	1.34	0.87
1:D:144:ILE:CD1	1:D:148:LEU:HD12	2.10	0.82
1:A:230:LYS:HE3	5:A:2276:HOH:O	1.80	0.81
1:D:191:LYS:NZ	1:D:191:LYS:HB3	1.98	0.79
1:A:175:GLN:HE22	1:A:240:THR:CG2	1.96	0.78
1:D:57:VAL:HG21	1:D:350:ILE:HG22	1.66	0.78
1:D:207:ARG:HH11	1:D:207:ARG:HG2	1.47	0.76
1:D:57:VAL:HG21	1:D:350:ILE:CG2	2.16	0.74
1:B:298:LYS:HE2	1:B:301:GLU:OE1	1.90	0.72
1:B:237:LYS:HD2	1:B:237:LYS:N	2.05	0.71
1:B:29:GLU:OE1	5:B:2042:HOH:O	2.09	0.70
1:B:134:MET:CE	1:C:144:ILE:HD11	2.22	0.69
1:B:175:GLN:HE22	1:B:240[A]:THR:CG2	2.06	0.69
1:D:98:LEU:HB3	5:D:2062:HOH:O	1.93	0.68
1:A:175:GLN:HE22	1:A:240:THR:HG23	1.57	0.68
1:A:207:ARG:HH11	1:A:207:ARG:HG2	1.59	0.68
1:C:144:ILE:HD13	1:C:148:LEU:HD12	1.76	0.68
1:D:257:LEU:C	1:D:257:LEU:HD23	2.14	0.67
1:D:339:VAL:HG11	1:D:368:ARG:NH2	2.09	0.67
1:C:268:GLY:HA2	5:C:2139:HOH:O	1.97	0.64
1:D:237:LYS:HD2	1:D:237:LYS:N	2.12	0.64
1:C:191:LYS:HB3	1:C:191:LYS:NZ	2.11	0.64
1:D:191:LYS:NZ	1:D:191:LYS:CB	2.61	0.64
1:C:5:ILE:HD12	1:C:103:ILE:HG21	1.80	0.63
1:B:168:TRP:CH2	1:B:329:ASP:HB2	2.33	0.63
1:D:144:ILE:HD12	1:D:148:LEU:HD12	1.79	0.63
1:B:191:LYS:NZ	1:B:191:LYS:CB	2.58	0.62
1:C:128:LEU:HD21	1:C:137:PHE:CE2	2.34	0.62
1:C:34:VAL:HB	5:C:2013:HOH:O	1.98	0.62
1:B:144:ILE:HD13	1:B:148:LEU:HD12	1.79	0.62
1:A:168:TRP:CH2	1:A:329:ASP:HB2	2.35	0.61
1:C:258:LEU:HD22	1:C:258:LEU:N	2.15	0.61
1:A:144:ILE:HD13	1:A:148:LEU:HD12	1.83	0.61
1:A:144:ILE:CD1	1:A:148:LEU:HD12	2.31	0.60
1:A:175:GLN:HE22	1:A:240:THR:HG21	1.65	0.60
1:B:175:GLN:HE22	1:B:240[A]:THR:HG21	1.65	0.60
1:C:28:HIS:ND1	1:C:62:GLU:OE2	2.26	0.60
1:C:237:LYS:N	1:C:237:LYS:HD2	2.16	0.60
1:A:157:MET:HG3	2:A:1393:COA:S1P	2.41	0.59
1:D:144:ILE:HD13	1:D:148:LEU:HD12	1.82	0.59
1:C:175:GLN:HE22	1:C:240:THR:HG21	1.67	0.59

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:300:LEU:HD13	1:D:307:ILE:HG12	1.84	0.59
1:D:276:VAL:HG22	1:D:388:CYS:O	2.05	0.57
1:A:209:GLY:HA2	5:A:2249:HOH:O	2.03	0.57
1:B:112:VAL:HG22	1:B:257[B]:LEU:HD13	1.85	0.57
1:B:197:ASP:OD1	5:B:2225:HOH:O	2.17	0.57
1:A:78:GLN:NE2	5:A:2116:HOH:O	2.35	0.57
1:A:34[A]:VAL:HG12	1:A:255:ALA:HB3	1.86	0.56
1:D:191:LYS:HB3	1:D:191:LYS:HZ3	1.70	0.56
1:A:191:LYS:HZ3	1:A:191:LYS:CB	2.18	0.56
1:A:276[A]:VAL:HG23	1:A:388:CYS:HB2	1.88	0.56
1:A:191:LYS:HG3	5:A:2221:HOH:O	2.06	0.56
1:D:191:LYS:HZ2	1:D:191:LYS:CB	2.19	0.56
1:C:257:LEU:CD2	1:C:259:MET:HE2	2.36	0.55
1:A:297[B]:ARG:NH2	1:A:329:ASP:OD1	2.39	0.55
1:D:83:TRP:HZ2	5:D:2062:HOH:O	1.88	0.55
1:C:348:HIS:ND1	1:C:353:SER:OG	2.36	0.55
1:B:168:TRP:HH2	1:B:329:ASP:HB2	1.69	0.55
1:B:34[A]:VAL:HG12	1:B:255:ALA:HB3	1.89	0.54
1:A:168:TRP:HH2	1:A:329:ASP:HB2	1.71	0.54
1:D:8:ALA:HB3	1:D:257:LEU:HD22	1.91	0.53
1:B:206:GLY:C	1:B:207:ARG:HG2	2.28	0.53
1:C:58:LEU:O	5:C:2033:HOH:O	2.18	0.53
1:D:263:GLU:HA	1:D:266:ARG:NH1	2.24	0.53
1:D:257:LEU:HD23	1:D:258:LEU:N	2.23	0.53
1:B:134:MET:HE3	1:C:249:LEU:HD11	1.89	0.53
1:C:5:ILE:HD12	1:C:103:ILE:CG2	2.37	0.53
1:A:371:ARG:CZ	5:A:2387:HOH:O	2.57	0.53
1:A:2:THR:N	1:A:3:PRO:HD2	2.24	0.53
1:D:57:VAL:CG2	1:D:350:ILE:HG22	2.39	0.52
1:B:131:GLY:HA2	1:D:131:GLY:HA2	1.92	0.52
1:D:298:LYS:HE2	1:D:301:GLU:OE1	2.10	0.52
1:A:191:LYS:NZ	1:A:191:LYS:CB	2.72	0.52
1:A:237:LYS:H	1:A:237:LYS:HD2	1.75	0.51
1:B:227:SER:HB2	2:B:1393:COA:H2A	1.92	0.51
1:D:257:LEU:C	1:D:257:LEU:CD2	2.79	0.51
1:A:191:LYS:HZ3	1:A:191:LYS:HB2	1.76	0.51
1:C:34:VAL:HG12	1:C:255:ALA:HB3	1.92	0.51
1:B:207:ARG:NH1	5:B:2234:HOH:O	2.43	0.51
1:D:191:LYS:HZ2	1:D:191:LYS:HB3	1.72	0.51
1:B:297:ARG:NE	5:B:2318:HOH:O	2.44	0.51
1:B:330:LEU:HD12	1:B:332:TRP:CZ2	2.45	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:330:LEU:HD12	1:C:332:TRP:CZ2	2.46	0.50
1:C:175:GLN:HE22	1:C:240:THR:CG2	2.25	0.50
1:A:191:LYS:NZ	1:A:191:LYS:HB2	2.27	0.49
1:B:110:ILE:CG2	1:B:257[B]:LEU:HD11	2.42	0.49
1:D:271:PRO:HD2	1:D:392:LEU:HD12	1.94	0.49
1:D:34:VAL:HG13	1:D:255:ALA:HB3	1.95	0.48
1:D:175:GLN:NE2	1:D:240:THR:OG1	2.45	0.48
1:C:5:ILE:CD1	1:C:103:ILE:CG2	2.92	0.48
1:D:79:GLU:HB2	5:D:2056:HOH:O	2.13	0.48
1:A:298:LYS:HD2	4:A:1395:SO4:O3	2.13	0.48
1:D:57:VAL:HG21	1:D:350:ILE:HG21	1.92	0.48
1:A:176:ASP:O	1:A:180:VAL:HG23	2.14	0.47
1:B:5:ILE:N	1:B:5:ILE:HD12	2.29	0.47
1:C:5:ILE:HD11	1:C:103:ILE:HG22	1.97	0.47
1:D:258:LEU:N	1:D:258:LEU:HD22	2.29	0.47
1:A:330:LEU:HD13	1:A:332:TRP:CH2	2.50	0.47
1:A:298:LYS:HE2	1:A:301:GLU:OE1	2.15	0.47
1:A:374:LEU:HD23	1:A:374:LEU:C	2.36	0.47
1:C:258:LEU:N	1:C:258:LEU:CD2	2.78	0.47
1:C:170:LEU:HD13	1:C:324:CYS:HB2	1.97	0.47
1:B:131:GLY:HA2	1:D:131:GLY:CA	2.45	0.47
1:B:34[A]:VAL:CG1	1:B:255:ALA:HB3	2.45	0.47
1:D:284:ASP:HB3	1:D:287:VAL:HG22	1.97	0.47
1:A:108:ALA:CB	1:A:111:ILE:HD11	2.46	0.46
1:A:88:LEU:HD12	1:A:380:GLY:O	2.16	0.46
1:C:271:PRO:HD2	1:C:392:LEU:HD12	1.97	0.46
1:B:112:VAL:CG2	1:B:257[B]:LEU:HD13	2.46	0.46
1:D:168:TRP:CH2	1:D:329:ASP:HB2	2.50	0.45
1:A:316:ASN:HB3	5:A:2353:HOH:O	2.16	0.45
1:C:348:HIS:CE1	1:C:353:SER:HG	2.33	0.45
1:D:203:ILE:HD13	1:D:212:THR:OG1	2.16	0.45
1:A:276[A]:VAL:CG2	1:A:388:CYS:HB2	2.46	0.45
1:C:293:ILE:O	1:C:297:ARG:HG3	2.17	0.45
1:D:35:ILE:O	1:D:38:VAL:HG22	2.17	0.45
1:A:276[A]:VAL:HG22	1:A:388:CYS:O	2.16	0.45
1:A:78:GLN:O	1:B:282:GLY:HA3	2.17	0.45
1:C:263:GLU:HA	1:C:266:ARG:HH11	1.82	0.45
1:A:282:GLY:HA3	1:B:78:GLN:O	2.17	0.45
1:D:207:ARG:HH11	1:D:207:ARG:CG	2.24	0.45
1:A:7:ILE:HG23	1:A:256:ALA:HB1	1.99	0.44
1:A:354:GLY:HA2	1:A:377:LEU:HD11	1.99	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:257:LEU:C	1:C:258:LEU:HD22	2.37	0.44
1:B:316:ASN:HB3	5:B:2339:HOH:O	2.16	0.44
1:D:226:ASP:O	1:D:230:LYS:HG3	2.17	0.44
1:D:237:LYS:H	1:D:237:LYS:HD2	1.82	0.44
1:B:88:LEU:HD12	1:B:380:GLY:O	2.17	0.44
1:A:2:THR:N	1:A:3:PRO:CD	2.80	0.44
1:B:131:GLY:CA	1:D:131:GLY:CA	2.95	0.44
1:C:233:PRO:HB2	1:C:236:ASP:O	2.17	0.44
1:D:312:LEU:HD13	1:D:368:ARG:HD2	1.98	0.44
1:C:203:ILE:HD13	1:C:212:THR:OG1	2.18	0.43
1:D:10:ALA:HB3	1:D:363:PHE:HE1	1.82	0.43
1:D:233:PRO:HG3	5:D:2121:HOH:O	2.17	0.43
1:A:227:SER:HB2	2:A:1393:COA:H2A	2.01	0.43
1:B:39:LEU:HD23	1:B:257[B]:LEU:CD2	2.49	0.43
1:D:161:ALA:N	5:D:2084:HOH:O	2.52	0.43
1:A:12:ARG:HD2	1:A:356:ARG:HG2	2.01	0.43
1:A:237:LYS:N	1:A:237:LYS:HD2	2.34	0.43
2:B:1393:COA:CDP	5:B:2272:HOH:O	2.66	0.43
1:C:271:PRO:HG2	1:C:392:LEU:CD1	2.49	0.43
1:C:263:GLU:OE1	1:C:266:ARG:NH1	2.52	0.43
1:C:364:GLU:O	1:C:368:ARG:HG2	2.18	0.43
1:B:220:ARG:NH1	2:B:1393:COA:C6A	2.82	0.42
1:B:110:ILE:HG23	1:B:257[B]:LEU:HD11	2.01	0.42
1:B:176:ASP:O	1:B:180:VAL:HG23	2.19	0.42
1:C:180:VAL:HG21	1:C:225:LEU:HA	2.02	0.42
1:D:226:ASP:HB2	5:D:2119:HOH:O	2.18	0.42
1:B:220:ARG:NH1	2:B:1393:COA:N1A	2.68	0.42
1:B:236:ASP:O	1:B:239:GLY:N	2.52	0.42
1:D:42:ALA:CB	1:D:257:LEU:HD13	2.50	0.42
1:C:64:GLN:O	1:C:65:ASN:C	2.59	0.41
1:D:170:LEU:HD22	1:D:174:GLU:OE2	2.21	0.41
1:D:88:LEU:HB2	1:D:379:ILE:HG23	2.02	0.41
1:A:227:SER:CB	2:A:1393:COA:H2A	2.49	0.41
1:C:51:GLU:HB3	1:C:111:ILE:CD1	2.50	0.41
1:A:270:GLN:HG2	5:A:2307:HOH:O	2.20	0.41
1:D:124:HIS:HA	1:D:140:ILE:O	2.20	0.41
1:A:371:ARG:HG2	5:A:2392:HOH:O	2.18	0.41
1:C:88:LEU:HD11	1:D:64:GLN:HB3	2.02	0.41
1:C:128:LEU:HD21	1:C:137:PHE:CZ	2.56	0.41
1:A:183:GLN:HA	1:A:345:ALA:HB2	2.02	0.41
1:D:339:VAL:HG12	1:D:339:VAL:O	2.19	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:291:GLY:N	1:D:292:PRO:CD	2.84	0.41
1:B:247[B]:SER:OG	1:B:348:HIS:HB2	2.21	0.41
1:D:55:GLY:HA2	1:D:85:MET:O	2.21	0.41
1:A:291:GLY:N	1:A:292:PRO:CD	2.84	0.40
1:C:198:GLU:HB3	1:C:363:PHE:CD2	2.56	0.40
1:C:54:LEU:O	1:C:84:GLY:HA2	2.20	0.40
1:D:83:TRP:CZ2	5:D:2062:HOH:O	2.57	0.40
1:B:175:GLN:HE22	1:B:240[A]:THR:HG23	1.84	0.40
1:C:88:LEU:HD12	1:C:380:GLY:O	2.22	0.40
1:D:211:ILE:HD12	5:D:2105:HOH:O	2.21	0.40
1:A:243:ALA:CB	2:A:1393:COA:H51A	2.52	0.40
1:A:379:ILE:HB	1:A:383:MET:HB2	2.03	0.40
2:B:1393:COA:H131	2:B:1393:COA:O9P	2.22	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:2110:HOH:O	5:A:2385:HOH:O[2_655]	2.13	0.07

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	395/392 (101%)	382 (97%)	12 (3%)	1 (0%)	41	30
1	B	398/392 (102%)	388 (98%)	9 (2%)	1 (0%)	41	30
1	C	388/392 (99%)	373 (96%)	13 (3%)	2 (0%)	29	17
1	D	387/392 (99%)	377 (97%)	9 (2%)	1 (0%)	41	30
All	All	1568/1568 (100%)	1520 (97%)	43 (3%)	5 (0%)	41	30

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	350	ILE
1	C	350	ILE
1	C	4	SER
1	A	350	ILE
1	B	350	ILE

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	284/278 (102%)	268 (94%)	16 (6%)	21	10
1	B	287/278 (103%)	274 (96%)	13 (4%)	27	16
1	C	277/278 (100%)	260 (94%)	17 (6%)	18	8
1	D	276/278 (99%)	259 (94%)	17 (6%)	18	7
All	All	1124/1112 (101%)	1061 (94%)	63 (6%)	20	10

All (63) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	THR
1	A	134	MET
1	A	155	TYR
1	A	167	GLN
1	A	191	LYS
1	A	207	ARG
1	A	220	ARG
1	A	237	LYS
1	A	238	GLU
1	A	270	GLN
1	A	288	MET
1	A	298	LYS
1	A	322	GLN
1	A	332	TRP
1	A	339	VAL
1	A	392	LEU
1	B	155	TYR

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	B	167	GLN
1	B	191	LYS
1	B	207	ARG
1	B	237	LYS
1	B	238	GLU
1	B	270	GLN
1	B	272	LEU
1	B	288	MET
1	B	298	LYS
1	B	322	GLN
1	B	332	TRP
1	B	392	LEU
1	C	2	THR
1	C	39	LEU
1	C	109	SER
1	C	155	TYR
1	C	207	ARG
1	C	220	ARG
1	C	237	LYS
1	C	238	GLU
1	C	258	LEU
1	C	263	GLU
1	C	270	GLN
1	C	272	LEU
1	C	288	MET
1	C	298	LYS
1	C	322	GLN
1	C	332	TRP
1	C	358	LEU
1	D	34	VAL
1	D	39	LEU
1	D	134	MET
1	D	155	TYR
1	D	207	ARG
1	D	220	ARG
1	D	237	LYS
1	D	238	GLU
1	D	258	LEU
1	D	270	GLN
1	D	288	MET
1	D	298	LYS
1	D	307	ILE

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	322	GLN
1	D	332	TRP
1	D	353	SER
1	D	358	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	78	GLN
1	A	175	GLN
1	A	184	ASN
1	B	78	GLN
1	B	175	GLN
1	B	184	ASN
1	C	78	GLN
1	C	175	GLN
1	C	184	ASN
1	D	78	GLN
1	D	175	GLN
1	D	184	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
1	CSO	C	89	1	3,6,7	0.69	0	0,6,8	0.00	-
1	CSO	D	89	1	3,6,7	0.39	0	0,6,8	0.00	-

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	CSO	A	89	1	3,6,7	0.64	0	0,6,8	0.00	-
1	CSO	B	89	1	3,6,7	1.07	0	0,6,8	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CSO	C	89	1	-	1/1/5/7	-
1	CSO	D	89	1	-	1/1/5/7	-
1	CSO	A	89	1	-	1/1/5/7	-
1	CSO	B	89	1	-	0/1/5/7	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	C	89	CSO	N-CA-CB-SG
1	D	89	CSO	N-CA-CB-SG
1	A	89	CSO	N-CA-CB-SG

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	COA	B	1393	-	41,50,50	1.82	3 (7%)	52,75,75	1.57	6 (11%)
2	COA	A	1393	-	41,50,50	1.83	3 (7%)	52,75,75	1.20	6 (11%)
4	SO4	B	1395	-	4,4,4	0.17	0	6,6,6	0.09	0
3	GOL	A	1394	-	5,5,5	0.71	0	5,5,5	0.62	0
4	SO4	A	1395	-	4,4,4	0.16	0	6,6,6	0.52	0
4	SO4	A	1396	-	4,4,4	0.27	0	6,6,6	0.24	0
4	SO4	B	1394	-	4,4,4	0.26	0	6,6,6	0.54	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	COA	B	1393	-	-	9/44/64/64	0/3/3/3
2	COA	A	1393	-	-	5/44/64/64	0/3/3/3
3	GOL	A	1394	-	-	4/4/4/4	-

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1393	COA	O9P-C9P	9.93	1.43	1.23
2	A	1393	COA	O9P-C9P	9.67	1.42	1.23
2	A	1393	COA	C2A-N3A	3.70	1.38	1.32
2	B	1393	COA	C2A-N3A	3.43	1.37	1.32
2	A	1393	COA	C2A-N1A	2.97	1.39	1.33
2	B	1393	COA	C2A-N1A	2.60	1.38	1.33

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1393	COA	N3A-C2A-N1A	-6.37	118.72	128.68
2	A	1393	COA	N3A-C2A-N1A	-5.21	120.53	128.68
2	B	1393	COA	C1B-N9A-C4A	-4.58	118.60	126.64
2	B	1393	COA	C6P-C7P-N8P	-4.05	103.72	111.90
2	A	1393	COA	P2A-O3A-P1A	-3.14	122.06	132.83
2	B	1393	COA	CAP-C9P-N8P	-2.59	111.42	116.58

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1393	COA	C1B-N9A-C4A	-2.57	122.12	126.64
2	B	1393	COA	P2A-O3A-P1A	-2.41	124.55	132.83
2	B	1393	COA	O9P-C9P-N8P	2.19	127.70	122.99
2	A	1393	COA	C4A-C5A-N7A	-2.09	107.22	109.40
2	A	1393	COA	C6P-C5P-N4P	-2.05	112.98	116.42
2	A	1393	COA	C7P-C6P-C5P	2.04	115.75	112.36

There are no chirality outliers.

All (18) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	1393	COA	C5B-O5B-P1A-O1A
2	B	1393	COA	C5B-O5B-P1A-O2A
2	B	1393	COA	C5B-O5B-P1A-O3A
2	B	1393	COA	S1P-C2P-C3P-N4P
3	A	1394	GOL	O1-C1-C2-C3
2	A	1393	COA	CAP-C9P-N8P-C7P
3	A	1394	GOL	O1-C1-C2-O2
2	A	1393	COA	O9P-C9P-N8P-C7P
2	B	1393	COA	C4B-C5B-O5B-P1A
3	A	1394	GOL	O2-C2-C3-O3
2	B	1393	COA	CAP-C9P-N8P-C7P
2	B	1393	COA	O4B-C4B-C5B-O5B
2	A	1393	COA	O4B-C4B-C5B-O5B
3	A	1394	GOL	C1-C2-C3-O3
2	B	1393	COA	O9P-C9P-N8P-C7P
2	A	1393	COA	C5B-O5B-P1A-O1A
2	A	1393	COA	CCP-O6A-P2A-O4A
2	B	1393	COA	C3B-C4B-C5B-O5B


There are no ring outliers.

3 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	1393	COA	5	0
2	A	1393	COA	4	0
4	A	1395	SO4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will

also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	390/392 (99%)	0.14	9 (2%) 60 62	2, 6, 17, 37	0
1	B	390/392 (99%)	0.05	4 (1%) 82 83	2, 6, 16, 36	0
1	C	390/392 (99%)	0.52	15 (3%) 40 42	2, 8, 17, 33	0
1	D	389/392 (99%)	0.95	48 (12%) 4 4	2, 8, 17, 34	0
All	All	1559/1568 (99%)	0.42	76 (4%) 29 31	2, 7, 17, 37	0

All (76) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	229	ALA	8.3
1	D	232	ARG	6.4
1	D	206	GLY	6.4
1	C	208	LYS	5.9
1	D	224	THR	5.5
1	D	231	LEU	5.1
1	A	208	LYS	4.9
1	D	173	ASP	4.5
1	C	206	GLY	4.3
1	A	209	GLY	4.2
1	D	207	ARG	4.0
1	D	328	LYS	4.0
1	B	207	ARG	4.0
1	C	2	THR	3.9
1	D	228	MET	3.9
1	D	170	LEU	3.8
1	D	325	ALA	3.8
1	D	331	GLY	3.8
1	A	206	GLY	3.7
1	C	207	ARG	3.7
1	A	132	VAL	3.6

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	C	232	ARG	3.5
1	D	208	LYS	3.5
1	B	208	LYS	3.5
1	D	306	LYS	3.5
1	A	133	LYS	3.5
1	D	238	GLU	3.5
1	A	134	MET	3.4
1	C	371	ARG	3.4
1	D	332	TRP	3.4
1	A	207	ARG	3.3
1	D	382	GLY	3.3
1	D	221	HIS	3.2
1	A	2	THR	3.2
1	D	392	LEU	3.1
1	D	371	ARG	3.1
1	D	180	VAL	3.0
1	D	227	SER	2.9
1	D	219	ILE	2.9
1	D	191	LYS	2.9
1	D	241	VAL	2.8
1	C	131	GLY	2.8
1	D	329	ASP	2.8
1	D	240	THR	2.7
1	D	169	GLN	2.7
1	D	389	ILE	2.7
1	D	153	TYR	2.7
1	D	223	ALA	2.6
1	C	225	LEU	2.6
1	D	226	ASP	2.6
1	D	152	PHE	2.6
1	D	225	LEU	2.6
1	D	220	ARG	2.6
1	D	167	GLN	2.6
1	D	310	LEU	2.5
1	D	237	LYS	2.5
1	C	46	ALA	2.5
1	C	67	ALA	2.5
1	D	179	ALA	2.5
1	C	153	TYR	2.4
1	A	232	ARG	2.4
1	D	287	VAL	2.4
1	B	2	THR	2.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	281	VAL	2.4
1	D	205	LYS	2.3
1	B	232	ARG	2.2
1	C	209	GLY	2.2
1	D	326	VAL	2.1
1	D	235	PHE	2.1
1	D	236	ASP	2.1
1	C	237	LYS	2.1
1	D	367	ARG	2.1
1	D	233	PRO	2.1
1	C	180	VAL	2.0
1	D	350	ILE	2.0
1	C	3	PRO	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
1	CSO	D	89	7/8	0.86	0.11	5,9,12,14	0
1	CSO	C	89	7/8	0.91	0.08	10,11,18,19	0
1	CSO	B	89	7/8	0.96	0.10	4,6,7,21	0
1	CSO	A	89	7/8	0.97	0.09	7,8,10,18	0

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	COA	A	1393	48/48	0.59	0.26	27,50,60,62	0


*Continued on next page...*

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	COA	B	1393	48/48	0.61	0.25	28,53,69,71	0
3	GOL	A	1394	6/6	0.85	0.23	10,17,20,20	0
4	SO4	B	1395	5/5	0.89	0.19	42,43,44,45	0
4	SO4	A	1395	5/5	0.90	0.29	42,44,45,45	0
4	SO4	A	1396	5/5	0.96	0.14	27,28,30,30	0
4	SO4	B	1394	5/5	0.97	0.13	19,22,25,27	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





## 6.5 Other polymers [i](#)

There are no such residues in this entry.