



wwPDB EM Validation Summary Report ⓘ

Nov 14, 2022 – 12:18 AM EST

PDB ID : 6VZ7
EMDB ID : EMD-21486
Title : Escherichia coli transcription-translation complex C1 (TTC-C1) containing a 27 nt long mRNA spacer, NusG, and fMet-tRNAs at P-site and E-site
Authors : Molodtsov, V.; Wang, C.; Su, M.; Ebright, R.H.
Deposited on : 2020-02-27
Resolution : 7.00 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 7.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	103	100% (Poor fit) 93% (0 outliers) 7% (1 outlier)
2	1	110	100% (Poor fit) 92% (0 outliers) 8% (1 outlier)
3	2	94	100% (Poor fit) 95% (0 outliers) 5% (1 outlier)
4	3	103	100% (Poor fit) 92% (0 outliers) 8% (1 outlier)
5	4	94	100% (Poor fit) 96% (0 outliers) . (1 outlier)
6	5	27	85% (Poor fit) 63% (0 outliers) 22% (1 outlier) 15% (Not modelled)
7	6	27	100% (Poor fit) 85% (0 outliers) 15% (1 outlier)
8	7	16	100% (Poor fit) 44% (0 outliers) 44% (1 outlier) 12% (Not modelled)

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	A	76	100% 58% 38% .
9	B	76	100% 46% 49% 5%
10	AA	1341	99% 89% 8%
11	AB	112	88% 86% . 12%
12	AC	230	100% 93% 7%
12	AD	230	99% 98% ..
13	AE	1358	98% 92% 6% ..
14	AF	83	100% 99% .
15	C	66	100% 97% .
16	D	1542	99% 78% 20% ..
17	E	86	100% 94% 6%
18	F	70	100% 96% .
19	G	225	100% 96% .
20	H	557	46% 41% . . 54%
21	I	208	100% 97% .
22	J	205	100% 97% .
23	K	156	100% 95% 5%
24	L	104	100% 93% 6% .
25	M	151	100% 95% 5% .
26	N	129	100% 98% .
27	O	127	100% 95% 5%
28	P	99	100% 91% 9%
29	Q	117	100% 96% .
30	R	123	98% 93% 6% .
31	S	100	100% 96% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
32	T	88	100% 86% 14%
33	U	82	100% 94% 6%
34	V	80	100% 98% .
35	W	83	100% 95% 5%
36	X	116	100% 90% 10%
37	Y	3	100% 33% 67%
38	a	2903	99% 81% 18% .
39	b	76	100% 99% .
40	c	77	100% 95% 5%
41	d	120	100% 86% 14%
42	e	62	100% 98% .
43	f	58	100% 97% .
44	g	66	100% 91% 9%
45	h	271	100% 93% 7%
46	i	56	100% 89% 11%
47	j	209	100% 97% .
48	k	52	100% 94% 6%
49	l	201	100% 93% 7%
50	m	46	100% 93% 7%
51	n	177	100% 90% 10%
52	o	64	100% 92% 8%
53	p	175	100% 98% .
54	q	38	100% 95% 5%
55	r	149	100% 93% 7%
56	s	142	100% 96% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
57	t	123	100%
			95% 5%
58	u	144	100%
			96% .
59	v	136	100%
			96% .
60	w	119	100%
			93% 7%
61	x	116	100%
			95% 5%
62	y	114	100%
			96% .
63	z	117	100%
			97% .

2 Entry composition [i](#)

There are 65 unique types of molecules in this entry. The entry contains 299447 atoms, of which 125488 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
1	0	103	1655	516	839	153	145	2	0	0

- Molecule 2 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
2	1	110	1779	532	922	166	156	3	0	0

- Molecule 3 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
3	2	94	1557	470	811	140	134	2	0	0

- Molecule 4 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	H	N	O		
4	3	103	1632	498	844	148	142	0	0

- Molecule 5 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
5	4	94	1533	479	780	137	134	3	0	0

- Molecule 6 is a DNA chain called NT DNA.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			P
6	5	23	732	225	260	87	137	23	0	0

- Molecule 7 is a DNA chain called T DNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	P		
7	6	27	848	259	306	89	167	27	0	0

- Molecule 8 is a RNA chain called mRNA with 27 nt long spacer.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	P		
8	7	16	515	154	168	62	115	16	0	0

- Molecule 9 is a RNA chain called E-site and P-site tRNA (fMet).

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	P		
9	A	76	2446	723	826	295	527	75	0	0
9	B	76	2433	723	813	295	527	75	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	U	deletion	GB 1848954948
B	?	-	U	deletion	GB 1848954948

- Molecule 10 is a protein called DNA-directed RNA polymerase subunit beta.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
10	AA	1322	20852	6539	10427	1817	2026	43	0	0

- Molecule 11 is a protein called Transcription termination/antitermination protein NusG.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
11	AB	98	1573	505	783	139	140	6	0	0

- Molecule 12 is a protein called DNA-directed RNA polymerase subunit alpha.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
12	AC	230	3599	1112	1813	317	351	6	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
12	AD	228	3556	1100	1789	312	349	6	0	0

- Molecule 13 is a protein called DNA-directed RNA polymerase subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
13	AE	1335	20999	6526	10611	1854	1958	50	0	0

- Molecule 14 is a protein called DNA-directed RNA polymerase subunit omega.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
14	AF	83	1318	399	663	123	132	1	0	0

- Molecule 15 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
15	C	66	1103	344	559	102	97	1	0	0

- Molecule 16 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			P
16	D	1524	49126	14585	16423	6003	10591	1524	0	0

- Molecule 17 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
17	E	86	1388	414	719	138	114	3	0	0

- Molecule 18 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
18	F	70	1218	366	629	125	97	1	0	0

- Molecule 19 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
19	G	225	3545	1113	1785	316	323	8	0	0

- Molecule 20 is a protein called 30S ribosomal protein S1.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
20	H	259	3184	1073	1454	305	349	3	0	0

- Molecule 21 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
21	I	208	3346	1036	1710	307	290	3	0	0

- Molecule 22 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
22	J	205	3350	1026	1707	315	298	4	0	0

- Molecule 23 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
23	K	156	2348	717	1196	217	212	6	0	0

- Molecule 24 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
24	L	104	1694	536	846	153	152	7	0	0

- Molecule 25 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
25	M	151	2416	735	1235	227	215	4	0	0

- Molecule 26 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
26	N	129	2010	616	1031	173	184	6	0	0

- Molecule 27 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
27	O	127	2092	634	1070	206	179	3	0	0

- Molecule 28 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
28	P	99	1621	495	831	151	143	1	0	0

- Molecule 29 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
29	Q	117	1764	540	887	174	160	3	0	0

- Molecule 30 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
30	R	121	1940	580	1001	194	161	4	0	0

- Molecule 31 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
31	S	100	1649	499	844	164	139	3	0	0

- Molecule 32 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
32	T	88	1448	439	734	144	130	1	0	0

- Molecule 33 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace	
33	U	82	Total	C	H	N	O	S	0	0
			1315	406	666	128	114	1		

- Molecule 34 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace	
34	V	80	Total	C	H	N	O	S	0	0
			1339	411	691	121	113	3		

- Molecule 35 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace	
35	W	83	Total	C	H	N	O	S	0	0
			1351	424	688	126	111	2		

- Molecule 36 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace	
36	X	116	Total	C	H	N	O	S	0	0
			1864	558	964	181	158	3		

- Molecule 37 is a RNA chain called mRNA in the ribosomal RNA entrance pore.

Mol	Chain	Residues	Atoms					AltConf	Trace	
37	Y	3	Total	C	H	N	O	P	0	0
			90	27	30	6	24	3		

- Molecule 38 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace	
38	a	2880	Total	C	H	N	O	P	0	0
			92918	27587	31077	11398	19976	2880		

- Molecule 39 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace	
39	b	76	Total	C	H	N	O	S	0	0
			1181	360	599	117	104	1		

- Molecule 40 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
40	c	77	1277	388	652	129	106	2	0	0

- Molecule 41 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	P		
41	d	120	3870	1144	1301	468	837	120	0	0

- Molecule 42 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
42	e	62	1032	308	531	98	94	1	0	0

- Molecule 43 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
43	f	58	936	281	488	87	78	2	0	0

- Molecule 44 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
44	g	66	1042	323	520	99	94	6	0	0

- Molecule 45 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
45	h	271	4236	1288	2154	423	364	7	0	0

- Molecule 46 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
46	i	56	903	269	459	94	80	1	0	0

- Molecule 47 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace	
47	j	209	Total	C	H	N	O	S	0	0
			3182	979	1617	288	294	4		

- Molecule 48 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms					AltConf	Trace	
48	k	52	Total	C	H	N	O	S	0	0
			890	275	464	78	73			

- Molecule 49 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace	
49	l	201	Total	C	H	N	O	S	0	0
			3171	974	1619	283	290	5		

- Molecule 50 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace	
50	m	46	Total	C	H	N	O	S	0	0
			795	228	418	90	57	2		

- Molecule 51 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace	
51	n	177	Total	C	H	N	O	S	0	0
			2853	899	1443	249	256	6		

- Molecule 52 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace	
52	o	64	Total	C	H	N	O	S	0	0
			1076	323	572	105	74	2		

- Molecule 53 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace	
53	p	175	Total	C	H	N	O	S	0	0
			2671	826	1358	241	244	2		

- Molecule 54 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
54	q	38	645	185	343	65	48	4	0	0

- Molecule 55 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
55	r	149	2259	699	1148	197	214	1	0	0

- Molecule 56 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
56	s	142	2291	714	1162	212	199	4	0	0

- Molecule 57 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
57	t	123	1969	593	1023	181	166	6	0	0

- Molecule 58 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
58	u	144	2182	654	1129	207	190	2	0	0

- Molecule 59 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
59	v	136	2231	686	1157	205	177	6	0	0

- Molecule 60 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
60	w	119	1945	588	994	195	163	5	0	0

- Molecule 61 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	H	N	O		
61	x	116	1815	552	923	178	162	0	0

- Molecule 62 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
62	y	114	1879	574	962	179	163	1	0	0

- Molecule 63 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	H	N	O		
63	z	117	1967	604	1020	192	151	0	0

- Molecule 64 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
			Total	Mg	
64	7	1	1	1	0


- Molecule 65 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
			Total	Zn	
65	AA	2	2	2	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 50S ribosomal protein L21



- Molecule 2: 50S ribosomal protein L22





- Molecule 3: 50S ribosomal protein L23





- Molecule 4: 50S ribosomal protein L24









• Molecule 5: 50S ribosomal protein L25





• Molecule 6: NT DNA




• Molecule 7: T DNA



• Molecule 8: mRNA with 27 nt long spacer





• Molecule 9: E-site and P-site tRNA (fMet)



• Molecule 9: E-site and P-site tRNA (fMet)




• Molecule 10: DNA-directed RNA polymerase subunit beta




S1322	F1323	N1324	V1325	L1326	L1327	K1328	E1329	I1330	R1331	L1332	M1333	G1334	T1335	N1336	I1337	E1338	L1339	E1340	D1341	E1342																																									
K1262	A1263	Q1264	F1265	G1266	G1267	Q1268	R1269	F1270	L1271	E1272	M1273	E1274	V1275	M1276	A1277	L1278	E1279	A1280	Y1281	A1282	A1283	A1284	Y1285	L1286	L1287	Q1288	E1289	M1290	L1291	L1292	V1293	K1294	L1295	N1296	D1297	V1298	L1299	G1300	R1301	T1302	K1303	M1304	V1305	K1306	M1307	I1308	V1309	D1310	G1311	N1312	H1313	M1314	K1315	E1316	P1317	G1318	M1319	P1320	E1321		
G1202	D1203	L1204	P1205	L1206	S1207	G1208	Q1209	I1210	R1211	L1212	Y1213	D1214	G1215	R1216	T1217	L1218	E1219	Q1220	F1221	E1222	R1223	P1224	V1225	T1226	L1227	G1228	Y1229	M1230	M1232	L1233	K1234	L1235	N1236	H1237	L1238	V1239	D1240	D1241	K1242	M1243	H1244	A1245	R1246	S1247	T1248	G1249	S1250	Y1251	S1252	L1253	V1254	T1255	Q1256	Q1257	P1258	L1259	G1260	G1261			
R1142	E1143	F1144	I1145	Q1146	R1147	A1148	Y1149	D1150	L1151	G1152	A1153	D1154	V1155	R1156	Q1157	K1158	Y1159	D1160	L1161	S1162	T1163	F1164	S1165	D1166	E1167	E1168	V1169	M1170	R1171	L1172	A1173	E1174	M1175	L1176	R1177	K1178	M1180	P1181	I1182	L1183	T1184	P1185	V1186	F1187	D1188	G1189	A1190	K1191	E1192	A1193	E1194	I1195	K1196	E1197	L1198	L1199	K1200	L1201	L1141		
I1082	E1083	D1084	M1085	P1086	Y1087	D1088	E1089	M1090	G1091	T1092	P1093	D1094	D1095	I1096	V1097	L1098	M1099	P1100	L1101	G1102	V1103	P1104	S1105	R1106	M1107	M1108	I1109	G1110	I1111	I1112	L1113	E1114	T1115	H1116	L1117	G1118	M1119	A1120	A1121	K1122	G1123	I1124	G1125	D1126	K1127	I1128	M1129	A1130	M1131	L1132	K1133	Q1134	Q1135	Q1136	E1137	V1138	A1139	K1140	L1141		
K1022	H1023	E1024	F1025	P1026	K1027	K1028	L1029	E1030	A1031	K1032	R1033	L1034	K1035	I1036	T1037	Q1038	G1039	D1040	D1041	L1042	A1043	P1044	G1045	V1046	L1047	K1048	I1049	V1050	K1051	V1052	Y1053	L1054	A1055	V1056	K1057	R1058	R1059	I1060	Q1061	P1062	G1063	D1064	K1065	M1066	E1067	Q1068	N1069	H1070	L1071	M1072	K1073	G1074	V1075	I1076	S1077	Y1078	D1079	E1080	L1021		
E962	E963	L964	Q965	I966	L967	E968	A969	G970	L971	F972	S973	R974	I975	R976	A977	V978	L979	V980	A981	G982	G983	V984	E985	A986	E987	K988	L989	D990	K991	L992	P993	R994	D995	R996	W997	L998	E999	L1000	G1001	L1002	T1003	D1004	E1005	E1006	K1007	Q1008	N1009	Q1010	L1011	E1012	Q1013	L1014	A1015	E1016	S1017	Y1018	D1019	E1020	L1021		
L9U	ARG	ALA	ILE	PHE	GLY	GLU	LYS	S911	D912	V913	K914	D915	S916	S917	L918	R919	V920	P921	N922	G923	V924	S925	G926	T927	V928	D929	V931	Q932	F934	T935	R936	D937	G938	V939	E940	K941	D942	K943	R944	A945	L946	E947	I948	E949	E950	N951	Q952	L953	K954	Q955	A956	K957	PRO	GLU	LYS	L960	S961				
D842	T843	K844	L845	G846	P847	E848	E849	I850	T851	A852	D853	I854	P855	N856	V857	G858	E859	A860	A861	L862	S863	K864	L865	D866	E867	S868	G869	I870	V871	Y872	I873	G874	A875	E876	V877	T878	G879	G880	D881	I882	L883	V884	G885	K886	V887	T888	T889	F889	K890	G891	GLU	THR	GLN	LEU	THR	PRO	GLU	LYS	LEU	S840	R841
V782	L783	A784	D785	G786	P787	S788	T789	D790	L791	G792	E793	L794	A795	L796	G797	Q798	N799	M800	R801	V802	Y803	F804	M805	P806	W807	N808	G809	Y810	N811	F812	E813	D814	S815	I816	L817	V818	S819	E820	R821	V822	G823	Q824	E825	D826	R827	F828	T829	T830	I831	H832	I833	Q834	E835	L836	A837	C838	V839	S840	R841		
G722	V723	V724	Q725	S726	Y727	D728	A729	F730	R731	I732	V733	I734	K735	V736	N737	E738	D739	E740	M741	Y742	P743	G744	E745	A746	G747	I748	D749	I750	Y751	N752	L753	T754	K755	Y756	T757	R758	S759	N760	G761	N762	T763	C764	I765	N766	R767	M768	A769	C770	T771	S772	L773	G774	T775	P776	V777	E778	R779	G780	D781		
S862	V863	G864	A865	S866	L867	I868	P869	F870	L871	E872	H873	D874	E875	A876	N877	Q878	A879	L880	M881	G882	Y883	G884	M885	Q886	W887	Q888	A889	V890	P891	T892	L893	R894	A895	D896	K897	P898	L899	V700	G701	T702	G703	M704	E705	R706	A707	V708	A709	V710	D651	Y652	M653	D654	V714	T715	A716	V717	A718	R719	R720	G721	
E602	I603	H604	Y605	L606	S607	A608	I609	E610	E611	G612	N613	Y614	V615	I616	A617	Q618	A619	N620	S621	N622	L623	D624	E625	E626	W627	H628	F629	V630	E631	D632	L633	V634	T635	C636	R637	S638	K639	G640	E641	S642	S643	L644	F645	S646	R647	D648	Q649	V650	D651	Y652	M653	D654	V655	S656	T657	Q658	V659	V660	V661		


• Molecule 11: Transcription termination/antitermination protein NusG




• Molecule 12: DNA-directed RNA polymerase subunit alpha




• Molecule 12: DNA-directed RNA polymerase subunit alpha



• Molecule 13: DNA-directed RNA polymerase subunit







• Molecule 14: DNA-directed RNA polymerase subunit omega










• Molecule 15: 30S ribosomal protein S18










• Molecule 16: 16S rRNA





U1381	U1382	G1383	C1384	C1385	G1386	C1387	C1388	C1389	U1390	U1391	G1392	U1393	A1394	C1395	A1396	C1397	A1398	C1399	C1400	G1401	C	C1403	C1404	G1405	U1406	C	A1408	A1410	C1411	C1412	A1413	U1414	G1415	G1416	A1418	G1419	U1420	G1421	G1422	G1423	U1424	U1425	G1426	G1427	A1428	A1429	A1430	A1431	G1432	A1433	A1434	G1435	U1436	A1437	G1438	G1439	U1440					
U1321	C1322	G1323	A1324	C1325	U1326	C1327	C1328	A1329	U1330	G1331	A1332	A1333	G1334	U1335	C1336	G1337	G1338	A1339	A1340	U1341	G1342	G1343	C1344	U1345	A1346	G1347	U1348	A1349	A1350	U1351	G1352	G1353	U1354	G1355	G1356	A1357	U1358	C1359	A1360	G1361	G1362	A1363	U1364	G1365	G1366	C1367	A1368	C1369	G1370	G1371	U1372	A1373	A1374	A1375	U1376	A1377	G1378	G1379	U1380			
A1261	C1262	C1263	U1264	C1265	G1266	C1267	G1268	A1269	C1270	U1271	G1272	C1273	A1274	U1275	G1276	C1277	G1278	G1279	A1280	C1281	C1282	U1283	C1284	U1285	A1286	A1287	U1288	A1289	G1290	U1291	C1292	C1293	U1294	U1295	C1296	U1297	U1298	A1299	G1300	U1301	C1302	C1303	G1304	G1305	U1306	U1307	U1308	G1309	C1310	A1311	G1312	U1313	C1314	U1315	G1316	C1317	A1318	U1319	G1320			
A1201	U1202	C1203	A1204	U1205	G1206	C	C1208	C1209	C1210	U1211	U1212	A1213	C1214	G1215	A1216	C1217	C1218	A1219	U1220	G1221	C1222	C1223	U1224	A1225	C1226	A1227	C1228	A1229	C1230	G1231	U1232	G1233	C1234	U1235	A1236	C1237	A1238	A1239	U1240	G1241	U1242	C1243	G1244	C1245	U1246	U1247	U1248	C1249	A1250	A1251	A1252	G1253	C1314	U1315	G1255	A1256	A1257	G1258	C1259	G1260		
C1141	G1142	G1143	G1144	A1145	U1146	C1147	U1148	C1149	U1150	A1151	A1152	G1153	G1154	A1155	G1156	A1157	C1158	U1159	G1160	C1161	C1162	A1163	G1164	U1165	G1166	A1167	U1168	A1169	A1170	A1171	C1172	U1173	G1174	U1175	A1176	G1177	G1178	A1179	A1180	G1181	G1182	U1183	G1184	G1185	G1186	G1187	A1188	U1189	G1190	A1191	C1192	G1193	U1194	C1195	A1196	A1197	G1198	U1199	C1200			
A1081	A1082	U1083	G1084	U1085	U1086	G1087	G1088	G1089	U1090	U1091	A1092	A1093	G1094	U1095	C1096	C1097	C1098	G1099	C1100	A1101	A1102	C1103	G1104	U1105	G1106	C1107	G1108	C1109	A1110	A1111	C1112	C1113	U1114	U1115	U1116	A1117	U1118	C1119	C1120	U1121	U1122	U1123	G1124	U1125	G1126	G1127	C1128	A1129	U1130	G1131	C1132	G1133	U1134	U1135	C1136	C1137	G1138	U1139	C1140			
A1021	A1022	U1023	G1024	U1025	U1026	C1027	C1028	U1029	U1030	C1031	G1032	G1033	G1034	A1035	A1036	C1037	C1038	G1039	U1040	G1041	U981	U982	A983	C984	C985	U986	G987	U988	U989	C990	U991	U992	G993	A994	C995	A996	U997	C998	C999	A1000	C1001	G1002	G1003	A1004	A1005	G1006	U1007	U1008	U1009	U1010	C1011	U951	U952	G953	A954	U955	U956	U957	G1018	A1019	A959	U960
U961	C962	G963	A964	U965	C	A968	A969	C970	G971	C972	G973	A974	A975	A976	A977	A978	C979	C980	U981	U982	A983	C984	C985	U986	G987	U988	U989	C990	U991	U992	G993	A994	C995	A996	U997	C998	C999	A1000	C1001	G1002	G1003	A1004	A1005	G1006	U1007	U1008	U1009	U1010	C1011	U951	U952	G953	A954	U955	U956	U957	G1018	A1019	A959	U960		
C841	U842	U843	G844	A845	G846	G847	C848	G849	U850	G851	G852	C853	U854	U855	C856	C857	G858	G859	A860	U861	C862	U863	A864	A865	C866	G867	C868	G869	U870	U871	A872	A873	G874	U875	C876	G877	A878	C879	C880	G881	C882	C883	U884	G885	G886	G887	G888	A889	G890	U891	A892	C893	G894	G895	C896	C897	G898	C899	A900			
A781	A782	C783	A784	G785	G786	A787	U788	U789	A790	G791	A792	U793	G794	C795	C796	C797	U798	G799	U800	U801	A802	G803	U804	C805	C806	A807	C808	G809	U810	C811	G812	U813	A814	U815	A816	C817	G818	A819	U820	G821	U822	C823	G824	A825	C826	U827	U828	G829	G830	A831	G832	U833	G834	U835	G836	U837	A838	C839	C840			
G721	G722	U723	G724	G725	C726	G727	A728	U729	G730	G731	C732	G733	G734	C735	C736	C737	U738	G739	U740	G741	G742	A743	C744	G745	A746	A747	G748	A749	C750	U751	G752	A753	C754	G755	C756	U757	C758	A759	G760	G761	U762	G763	C764	G765	A766	A767	A768	U769	G770	G771	U772	G773	G774	U775	G776	A777	G778	C779	A780			
G661	U662	A663	G664	A665	G666	G667	G668	G669	G670	G671	U672	A673	A674	A675	A676	U677	U678	C679	U680	A681	G682	G683	U684	G685	A686	A687	G688	C689	G690	U691	U692	G693	A694	A695	A696	U697	G698	C699	G700	U701	A702	G703	A704	G705	A706	U707	C708	U709	G710	G711	A712	G713	G714	A715	A716	U717	A718	C719	C720			







• Molecule 17: 30S ribosomal protein S20




• Molecule 18: 30S ribosomal protein S21





• Molecule 19: 30S ribosomal protein S2






• Molecule 20: 30S ribosomal protein S1











• Molecule 26: 30S ribosomal protein S8



• Molecule 27: 30S ribosomal protein S9





• Molecule 28: 30S ribosomal protein S10





• Molecule 29: 30S ribosomal protein S11








• Molecule 30: 30S ribosomal protein S12




• Molecule 31: 30S ribosomal protein S14



• Molecule 32: 30S ribosomal protein S15




• Molecule 33: 30S ribosomal protein S16








- Molecule 34: 30S ribosomal protein S17



- Molecule 35: 30S ribosomal protein S19





- Molecule 36: 30S ribosomal protein S13



- Molecule 37: mRNA in the ribosomal RNA entrance pore



- Molecule 38: 23S rRNA



A2461	C2462	C2463	C2464	C2465	C2466	C2467	A2468	A2469	C2470	A2471	C2472	C2473	C2474	C2475	A2476	C2477	A2478	C2479	C2480	C2481	C2482	C2483	C2484	C2485	C2486	C2487	C2488	C2489	C2490	C2491	C2492	C2493	C2494	C2495	C2496	C2497	DMC	C2499	C2500	C2502	2MA	PSU	C2505	C2506	C2507	C2508	C2509	C2510	C2511	C2512	A2513	C2514	C2515	A2516	C2517	A2518	C2519	C2520	
C2521	U2522	G2523	G2524	G2525	G2526	C2527	U2528	G2529	A2530	A2531	G2532	U2533	C2534	G2535	G2536	U2537	C2538	C2539	C2540	A2541	A2542	G2543	G2544	C2545	U2546	A2547	U2548	G2549	C2550	C2551	ORU	C2553	U2554	U2555	C2556	C2557	C2558	C2559	A2560	U2561	U2562	U2563	A2564	A2566	C2567	U2568	C2569	C2570	U2571	A2572	C2573	C2574	C2575	C2576	A2577	C2578	C2579	PSU	
G2581	G2582	G2583	U2584	U2585	U2586	A2587	G2588	A2589	A2590	C2591	G2592	U2593	C2594	G2595	U2596	G2597	A2598	G2599	A2600	C2601	A2602	G2603	U2604	PSU	C2606	G2607	G2608	U2609	C2610	C2611	C2612	U2613	A2614	U2615	C2616	U2617	G2618	C2619	C2620	U2622	G2623	C2624	G2625	C2626	G2627	C2628	U2629	G2630	G2631	A2632	G2633	A2634	A2635	C2636	U2637	G2638	A2639	G2640	
G2641	G2642	G2643	G2644	G2645	G2646	G2647	G2648	G2649	U2650	C2651	C2652	U2653	A2654	G2655	U2656	A2657	C2658	G2659	A2660	G2661	A2662	G2663	G2664	A2665	C2666	G2667	G2668	A2669	C2670	G2671	U2672	G2673	G2674	A2675	C2676	G2677	G2678	A2679	U2680	C2681	A2682	C2683	U2684	G2685	G2686	U2687	G2688	U2689	U2690	C2691	G2692	G2693	A2694	A2695	U2696	G2697	U2698	C2699	A2700
U2701	G2702	C2703	C2704	A2705	A2706	U2707	G2708	G2709	C2710	A2711	C2712	U2713	G2714	C2715	C2716	C2717	G2718	G2719	U2720	A2721	G2722	C2723	U2724	A2725	A2727	U2728	G2729	C2730	G2731	C2732	A2733	A2734	G2735	A2736	G2737	A2738	U2739	A2740	C2681	A2682	C2683	U2684	G2685	G2686	U2687	G2688	U2689	U2690	C2691	G2692	G2693	A2694	A2695	U2696	G2697	U2698	C2699	A2700	
A2761	C2762	G2763	A2764	A2765	A2766	C2767	U2768	U2769	G2770	C2771	C2772	C2773	C2774	G2775	A2776	G2777	A2778	U2779	G2780	A2781	C2782	U2783	U2784	C2785	U2786	C2787	C2788	C2789	U2790	G2791	A2792	C2793	C2794	C2795	U2796	U2797	U2798	A2799	A2800	G2801	G2802	G2803	U2804	C2805	C2806	U2807	G2808	A2809	C2810	G2811	C2812	A2813	A2814	C2815	G2816	U2817	U2818	G2819	A2820
A2821	G2822	A2823	C2824	A2825	A2826	C2827	G2828	A2829	C2830	G2831	U2832	U2833	G2834	A2835	U2836	A2837	G2838	G2839	C2840	C2841	G2842	G2843	G2844	G2845	U2846	U2847	G2848	U2849	A2850	A2851	G2852	C2853	G2854	C2855	A2856	G2857	C2858	G2859	A2860	U2861	C2863	G2864	U2865	U2866	G2867	A2868	G2869	C2870	U2871	A2872	A2873	C2874	C2875	G2876	U2877	G2878	A2879	C2880	
U2881	A2882	A2883	U2884	G2885	A2886	A2887	C2888	C2889	G2890	U2891	G2892	A2893	G2894	G2895	C2896	U2897	U2898	A2899	A2900	C2901	C2902	U2903																																					

• Molecule 39: 50S ribosomal protein L27




T10	R11	M12	G13	R14	D15	S16	E17	A18	K19	R20	L21	G22	V23	K24	R25	F26	G27	G28	E29	A21	L22	N23	A24	T25	K26	R27	C28	F29	L30	P31	R32	L33	R34	S35	R36	F37	F38	W39	V40	E41	S42	E43	R44	R45	F46	U47	T48	L49	R50	V51	S52	A53	K54	G55	M56	R57	W58	V59	D60	R61	F69
E70	V71	K72	G73	P74	K75	M76	R77	K78	F79	I80	S81	I82	E83	A84	E85																																														



• Molecule 40: 50S ribosomal protein L28




S2	R3	V4	C5	Q6	V7	T8	G9	K10	R11	P12	V13	T14	G15	M16	H17	R18	S19	H20	A21	L22	N23	A24	T25	K26	R27	C28	F29	L30	P31	R32	L33	R34	S35	R36	F37	F38	W39	V40	E41	S42	E43	R44	R45	F46	U47	T48	L49	R50	V51	S52	A53	K54	G55	M56	R57	W58	V59	D60	R61
----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----




• Molecule 41: 5S rRNA






• Molecule 42: 50S ribosomal protein L29





• Molecule 43: 50S ribosomal protein L30




• Molecule 44: 50S ribosomal protein L31




• Molecule 45: 50S ribosomal protein L2








• Molecule 46: 50S ribosomal protein L32




• Molecule 47: 50S ribosomal protein L3




• Molecule 48: 50S ribosomal protein L33




• Molecule 49: 50S ribosomal protein L4




• Molecule 50: 50S ribosomal protein L34




• Molecule 51: 50S ribosomal protein L5





• Molecule 52: 50S ribosomal protein L35





• Molecule 53: 50S ribosomal protein L6





• Molecule 54: 50S ribosomal protein L36




• Molecule 55: 50S ribosomal protein L9




• Molecule 56: 50S ribosomal protein L13




• Molecule 57: 50S ribosomal protein L14




• Molecule 58: 50S ribosomal protein L15




• Molecule 59: 50S ribosomal protein L16






• Molecule 60: 50S ribosomal protein L17









• Molecule 61: 50S ribosomal protein L18



• Molecule 62: 50S ribosomal protein L19



• Molecule 63: 50S ribosomal protein L20



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	5979	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	45	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.080	Depositor
Minimum map value	-0.020	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.005	Depositor
Recommended contour level	0.5	Depositor
Map size (Å)	564.48, 564.48, 564.48	wwPDB
Map dimensions	280, 280, 280	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	2.016, 2.016, 2.016	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	0	0.38	0/829	0.67	0/1107
2	1	0.48	0/864	0.83	0/1156
3	2	0.42	0/752	0.71	0/1005
4	3	0.35	0/796	0.66	2/1062 (0.2%)
5	4	0.40	0/766	0.68	0/1025
6	5	1.13	6/528 (1.1%)	0.97	1/810 (0.1%)
7	6	1.11	4/603 (0.7%)	0.97	0/926
8	7	0.95	4/388 (1.0%)	1.04	0/604
9	A	0.39	0/1810	0.75	1/2821 (0.0%)
9	B	0.46	1/1810 (0.1%)	0.86	7/2821 (0.2%)
10	AA	0.58	2/10591 (0.0%)	0.77	19/14289 (0.1%)
11	AB	0.43	0/808	0.59	0/1088
12	AC	0.47	0/1808	0.61	1/2450 (0.0%)
12	AD	0.39	0/1789	0.56	0/2425
13	AE	0.52	3/10545 (0.0%)	0.66	5/14236 (0.0%)
14	AF	0.47	0/657	0.67	0/886
15	C	0.48	0/553	0.83	0/743
16	D	0.34	10/36610 (0.0%)	0.74	30/57091 (0.1%)
17	E	0.57	0/675	0.85	0/895
18	F	0.56	0/597	0.87	0/792
19	G	0.49	0/1791	0.71	0/2413
20	H	0.55	1/1746 (0.1%)	1.03	13/2382 (0.5%)
21	I	0.43	0/1663	0.71	0/2241
22	J	0.47	0/1665	0.73	0/2227
23	K	0.45	0/1165	0.75	0/1568
24	L	0.43	0/867	0.75	1/1171 (0.1%)
25	M	0.50	0/1195	0.81	0/1602
26	N	0.41	0/989	0.70	0/1326
27	O	0.43	0/1034	0.75	0/1375
28	P	0.43	0/800	0.75	0/1082
29	Q	0.40	0/893	0.70	0/1205
30	R	0.35	0/952	0.74	0/1274

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
31	S	0.49	0/817	0.79	0/1088
32	T	0.53	0/722	0.86	0/964
33	U	0.44	0/659	0.79	0/884
34	V	0.34	0/657	0.62	0/881
35	W	0.38	0/680	0.62	0/915
36	X	0.49	0/909	0.87	0/1215
37	Y	0.26	0/65	0.74	0/98
38	a	0.39	3/69247 (0.0%)	0.72	18/107985 (0.0%)
39	b	0.39	0/589	0.70	0/779
40	c	0.48	0/635	0.81	1/848 (0.1%)
41	d	0.30	0/2872	0.70	0/4478
42	e	0.54	0/502	0.83	0/667
43	f	0.45	0/452	0.78	0/605
44	g	0.43	0/531	0.68	0/709
45	h	0.39	0/2121	0.78	0/2852
46	i	0.40	0/450	0.79	0/599
47	j	0.44	0/1586	0.70	0/2134
48	k	0.35	0/433	0.65	0/576
49	l	0.46	0/1571	0.77	0/2113
50	m	0.53	0/380	0.99	0/498
51	n	0.49	0/1434	0.88	3/1926 (0.2%)
52	o	0.45	0/513	0.83	0/676
53	p	0.39	0/1333	0.67	0/1805
54	q	0.37	0/303	0.77	0/397
55	r	0.44	0/1122	0.69	0/1515
56	s	0.50	0/1152	0.75	0/1551
57	t	0.41	0/955	0.78	0/1279
58	u	0.40	0/1062	0.76	0/1413
59	v	0.47	0/1093	0.82	0/1460
60	w	0.52	0/964	0.87	0/1289
61	x	0.46	0/902	0.81	0/1209
62	y	0.41	0/929	0.72	1/1242 (0.1%)
63	z	0.60	0/960	0.91	0/1278
All	All	0.43	34/187139 (0.0%)	0.74	103/276026 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
9	A	0	2

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
9	B	0	2
10	AA	0	12
13	AE	0	5
14	AF	0	1
20	H	0	3
36	X	0	1
All	All	0	26

The worst 5 of 34 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
16	D	1516	G	O3'-P	-13.47	1.45	1.61
16	D	1339	A	O3'-P	10.59	1.73	1.61
10	AA	374	GLU	C-N	10.38	1.53	1.34
13	AE	88	CYS	CB-SG	-10.14	1.65	1.82
6	5	109	DT	O3'-P	8.59	1.71	1.61

The worst 5 of 103 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
16	D	1516	G	P-O3'-C3'	-18.97	96.94	119.70
16	D	1516	G	O3'-P-O5'	13.77	130.17	104.00
10	AA	1007	LYS	O-C-N	-13.02	101.87	122.70
10	AA	1250	SER	C-N-CA	11.20	149.69	121.70
38	a	2252	G	N9-C1'-C2'	-10.97	99.74	114.00

There are no chirality outliers.

5 of 26 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
9	A	19	G	Sidechain
9	A	7	G	Sidechain
10	AA	205	PRO	Peptide
10	AA	594	VAL	Peptide
10	AA	595	THR	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	0	101/103 (98%)	97 (96%)	3 (3%)	1 (1%)	15	54
2	1	108/110 (98%)	104 (96%)	4 (4%)	0	100	100
3	2	92/94 (98%)	90 (98%)	2 (2%)	0	100	100
4	3	101/103 (98%)	96 (95%)	4 (4%)	1 (1%)	15	54
5	4	92/94 (98%)	91 (99%)	1 (1%)	0	100	100
10	AA	1318/1341 (98%)	1145 (87%)	140 (11%)	33 (2%)	5	32
11	AB	94/112 (84%)	88 (94%)	6 (6%)	0	100	100
12	AC	228/230 (99%)	214 (94%)	12 (5%)	2 (1%)	17	57
12	AD	226/230 (98%)	212 (94%)	14 (6%)	0	100	100
13	AE	1329/1358 (98%)	1198 (90%)	122 (9%)	9 (1%)	22	63
14	AF	81/83 (98%)	74 (91%)	7 (9%)	0	100	100
15	C	64/66 (97%)	63 (98%)	1 (2%)	0	100	100
17	E	84/86 (98%)	83 (99%)	1 (1%)	0	100	100
18	F	68/70 (97%)	68 (100%)	0	0	100	100
19	G	223/225 (99%)	210 (94%)	13 (6%)	0	100	100
20	H	255/557 (46%)	189 (74%)	54 (21%)	12 (5%)	2	21
21	I	206/208 (99%)	196 (95%)	9 (4%)	1 (0%)	29	69
22	J	203/205 (99%)	198 (98%)	5 (2%)	0	100	100
23	K	154/156 (99%)	146 (95%)	7 (4%)	1 (1%)	25	66
24	L	102/104 (98%)	97 (95%)	4 (4%)	1 (1%)	15	54
25	M	149/151 (99%)	144 (97%)	4 (3%)	1 (1%)	22	63
26	N	127/129 (98%)	121 (95%)	5 (4%)	1 (1%)	19	60
27	O	125/127 (98%)	115 (92%)	9 (7%)	1 (1%)	19	60
28	P	97/99 (98%)	88 (91%)	8 (8%)	1 (1%)	15	54
29	Q	115/117 (98%)	104 (90%)	9 (8%)	2 (2%)	9	42

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
30	R	117/123 (95%)	116 (99%)	1 (1%)	0	100	100
31	S	98/100 (98%)	96 (98%)	2 (2%)	0	100	100
32	T	86/88 (98%)	82 (95%)	4 (5%)	0	100	100
33	U	80/82 (98%)	75 (94%)	4 (5%)	1 (1%)	12	48
34	V	78/80 (98%)	74 (95%)	4 (5%)	0	100	100
35	W	81/83 (98%)	78 (96%)	3 (4%)	0	100	100
36	X	114/116 (98%)	107 (94%)	5 (4%)	2 (2%)	8	40
39	b	74/76 (97%)	69 (93%)	5 (7%)	0	100	100
40	c	75/77 (97%)	72 (96%)	3 (4%)	0	100	100
42	e	60/62 (97%)	57 (95%)	3 (5%)	0	100	100
43	f	56/58 (97%)	53 (95%)	3 (5%)	0	100	100
44	g	64/66 (97%)	63 (98%)	1 (2%)	0	100	100
45	h	269/271 (99%)	259 (96%)	9 (3%)	1 (0%)	34	72
46	i	54/56 (96%)	51 (94%)	3 (6%)	0	100	100
47	j	207/209 (99%)	198 (96%)	9 (4%)	0	100	100
48	k	50/52 (96%)	50 (100%)	0	0	100	100
49	l	199/201 (99%)	190 (96%)	8 (4%)	1 (0%)	29	69
50	m	44/46 (96%)	43 (98%)	1 (2%)	0	100	100
51	n	175/177 (99%)	162 (93%)	11 (6%)	2 (1%)	14	52
52	o	62/64 (97%)	59 (95%)	3 (5%)	0	100	100
53	p	173/175 (99%)	161 (93%)	12 (7%)	0	100	100
54	q	36/38 (95%)	35 (97%)	1 (3%)	0	100	100
55	r	147/149 (99%)	136 (92%)	11 (8%)	0	100	100
56	s	140/142 (99%)	135 (96%)	5 (4%)	0	100	100
57	t	121/123 (98%)	111 (92%)	10 (8%)	0	100	100
58	u	142/144 (99%)	135 (95%)	7 (5%)	0	100	100
59	v	134/136 (98%)	129 (96%)	5 (4%)	0	100	100
60	w	117/119 (98%)	107 (92%)	10 (8%)	0	100	100
61	x	114/116 (98%)	108 (95%)	6 (5%)	0	100	100
62	y	112/114 (98%)	105 (94%)	7 (6%)	0	100	100
63	z	115/117 (98%)	110 (96%)	4 (4%)	1 (1%)	17	57

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	9136/9618 (95%)	8457 (93%)	604 (7%)	75 (1%)	24	60

5 of 75 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
10	AA	596	ASP
10	AA	853	ASP
10	AA	859	GLU
10	AA	862	LEU
10	AA	937	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	84/84 (100%)	78 (93%)	6 (7%)	14	39
2	1	93/93 (100%)	84 (90%)	9 (10%)	8	27
3	2	81/81 (100%)	76 (94%)	5 (6%)	18	43
4	3	84/84 (100%)	78 (93%)	6 (7%)	14	39
5	4	78/78 (100%)	74 (95%)	4 (5%)	24	48
10	AA	1140/1156 (99%)	1043 (92%)	97 (8%)	10	33
11	AB	86/98 (88%)	84 (98%)	2 (2%)	50	70
12	AC	198/198 (100%)	184 (93%)	14 (7%)	14	39
12	AD	196/198 (99%)	194 (99%)	2 (1%)	76	86
13	AE	1120/1134 (99%)	1051 (94%)	69 (6%)	18	43
14	AF	70/70 (100%)	70 (100%)	0	100	100
15	C	57/57 (100%)	55 (96%)	2 (4%)	36	59
17	E	65/65 (100%)	60 (92%)	5 (8%)	13	37
18	F	60/60 (100%)	57 (95%)	3 (5%)	24	49
19	G	187/187 (100%)	178 (95%)	9 (5%)	25	50
20	H	137/461 (30%)	128 (93%)	9 (7%)	16	41

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
21	I	171/171 (100%)	165 (96%)	6 (4%)	36	59
22	J	172/172 (100%)	165 (96%)	7 (4%)	30	55
23	K	119/119 (100%)	112 (94%)	7 (6%)	19	45
24	L	91/91 (100%)	85 (93%)	6 (7%)	16	41
25	M	124/124 (100%)	116 (94%)	8 (6%)	17	42
26	N	104/104 (100%)	102 (98%)	2 (2%)	57	75
27	O	105/105 (100%)	100 (95%)	5 (5%)	25	50
28	P	86/86 (100%)	78 (91%)	8 (9%)	9	28
29	Q	90/90 (100%)	87 (97%)	3 (3%)	38	61
30	R	101/103 (98%)	94 (93%)	7 (7%)	15	40
31	S	83/83 (100%)	79 (95%)	4 (5%)	25	50
32	T	76/76 (100%)	64 (84%)	12 (16%)	2	13
33	U	65/65 (100%)	61 (94%)	4 (6%)	18	43
34	V	74/74 (100%)	72 (97%)	2 (3%)	44	65
35	W	72/72 (100%)	68 (94%)	4 (6%)	21	46
36	X	94/94 (100%)	85 (90%)	9 (10%)	8	27
39	b	58/58 (100%)	57 (98%)	1 (2%)	60	78
40	c	67/67 (100%)	64 (96%)	3 (4%)	27	52
42	e	54/54 (100%)	53 (98%)	1 (2%)	57	75
43	f	48/48 (100%)	46 (96%)	2 (4%)	30	54
44	g	59/59 (100%)	53 (90%)	6 (10%)	7	25
45	h	216/216 (100%)	199 (92%)	17 (8%)	12	35
46	i	47/47 (100%)	41 (87%)	6 (13%)	4	18
47	j	164/164 (100%)	157 (96%)	7 (4%)	29	53
48	k	47/47 (100%)	44 (94%)	3 (6%)	17	42
49	l	165/165 (100%)	151 (92%)	14 (8%)	10	33
50	m	38/38 (100%)	35 (92%)	3 (8%)	12	35
51	n	148/148 (100%)	134 (90%)	14 (10%)	8	27
52	o	51/51 (100%)	46 (90%)	5 (10%)	8	26
53	p	136/136 (100%)	132 (97%)	4 (3%)	42	64
54	q	34/34 (100%)	32 (94%)	2 (6%)	19	45

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
55	r	114/114 (100%)	104 (91%)	10 (9%)	10	31
56	s	116/116 (100%)	110 (95%)	6 (5%)	23	48
57	t	104/104 (100%)	98 (94%)	6 (6%)	20	45
58	u	103/103 (100%)	97 (94%)	6 (6%)	20	45
59	v	109/109 (100%)	103 (94%)	6 (6%)	21	47
60	w	99/99 (100%)	91 (92%)	8 (8%)	11	35
61	x	86/86 (100%)	80 (93%)	6 (7%)	15	40
62	y	99/99 (100%)	95 (96%)	4 (4%)	31	55
63	z	89/89 (100%)	87 (98%)	2 (2%)	52	71
All	All	7614/7984 (95%)	7136 (94%)	478 (6%)	21	43

5 of 478 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
19	G	132	LYS
57	t	80	ASP
28	P	25	ILE
56	s	57	LEU
62	y	27	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
10	AA	1010	GLN
10	AA	1013	GLN
19	G	18	HIS
36	X	105	ASN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
16	D	1515/1542 (98%)	289 (19%)	35 (2%)
37	Y	2/3 (66%)	2 (100%)	0
38	a	2859/2903 (98%)	531 (18%)	0
41	d	119/120 (99%)	17 (14%)	0
8	7	15/16 (93%)	7 (46%)	0
9	A	75/76 (98%)	29 (38%)	6 (8%)

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
9	B	75/76 (98%)	35 (46%)	6 (8%)
All	All	4660/4736 (98%)	910 (19%)	47 (1%)

5 of 910 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
8	7	56	U
8	7	57	G
8	7	58	A
8	7	59	U
8	7	60	U

5 of 47 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
16	D	722	G
16	D	1211	U
16	D	793	U
16	D	1109	C
16	D	1213	A

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 3 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-21486. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 140



Y Index: 140




Z Index: 140


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 137



Y Index: 147



Z Index: 169

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)

6.4.1 Primary map

X

Y

Z

The images above show the 3D surface view of the map at the recommended contour level 0.5. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)




The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.

7.2 Volume estimate [i](#)



The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i



*Reported resolution corresponds to spatial frequency of 0.143 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-21486 and PDB model 6VZ7. Per-residue inclusion information can be found in section 3 on page 16.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.5 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.5).

9.4 Atom inclusion [i](#)



At the recommended contour level, 0% of all backbone atoms, 0% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.5) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.0000	0.0300
0	0.0000	0.0020
1	0.0000	0.0080
2	0.0000	-0.0330
3	0.0000	-0.0130
4	0.0000	-0.0030
5	0.0000	0.0950
6	0.0000	0.0900
7	0.0000	0.0580
A	0.0000	0.0900
AA	0.0000	0.0590
AB	0.0000	-0.0250
AC	0.0000	0.0180
AD	0.0000	-0.0090
AE	0.0000	0.0240
AF	0.0000	0.0100
B	0.0000	0.0390
C	0.0000	-0.0340
D	0.0000	0.0480
E	0.0000	-0.0150
F	0.0000	0.0690
G	0.0000	-0.0150
H	0.0000	0.0120
I	0.0000	-0.0090
J	0.0000	-0.0300
K	0.0000	0.0230
L	0.0000	0.0250
M	0.0000	-0.0080
N	0.0000	-0.0380
O	0.0000	-0.0220
P	0.0000	0.0170
Q	0.0000	0.0100
R	0.0000	0.0630
S	0.0000	-0.0070
T	0.0000	0.0160



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
U	0.0000	-0.0240
V	0.0000	0.0350
W	0.0000	-0.0100
X	0.0000	-0.0140
Y	0.0000	0.1350
a	0.0000	0.0430
b	0.0000	-0.0530
c	0.0000	0.0060
d	0.0000	0.0100
e	0.0000	-0.0190
f	0.0000	-0.0020
g	0.0000	0.0100
h	0.0000	0.0360
i	0.0000	-0.0340
j	0.0000	-0.0180
k	0.0000	0.0000
l	0.0000	-0.0020
m	0.0000	-0.0210
n	0.0000	0.0070
o	0.0000	-0.0420
p	0.0000	0.0130
q	0.0000	-0.0130
r	0.0000	-0.0370
s	0.0000	-0.0310
t	0.0000	0.0190
u	0.0000	-0.0080
v	0.0000	0.0330
w	0.0000	-0.0340
x	0.0000	-0.0130
y	0.0000	-0.0280
z	0.0000	-0.0350