

Full wwPDB X-ray Structure Validation Report (i)

Oct 4, 2023 – 08:50 PM EDT

PDB ID : 6VZH

Title : Structure of Human Vaccinia-related Kinase 1 (VRK1) Bound to LDSM311 Authors : dos Reis, C.V.; Dutra, L.A.; Gama, F.; Ferreira, M.; Mascarello, A.; Azevedo,

H.; Guimaraes, C.; Massirer, K.B.; Arruda, P.; Edwards, A.M.; Counago,

R.M.; Structural Genomics Consortium (SGC)

Deposited on : 2020-02-28

Resolution : 2.55 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity : FAILED

Mogul : 1.8.5 (274361), CSD as541be (2020)

Xtriage (Phenix) : 1.13

EDS : FAILED

buster-report : 1.1.7 (2018)

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)

Validation Pipeline (wwPDB-VP) : 2.35.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 2.55 Å.

There are no overall percentile quality scores available for this entry.

MolProbity and EDS failed to run properly - the sequence quality summary graphics cannot be shown.



2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 9695 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Serine/threonine-protein kinase VRK1.

Mol	Chain	Residues		Atoms					AltConf	Trace
1	Λ	317	Total	С	N	О	S	0	0	0
1	A	911	2449	1565	418	454	12	0	0	
1	В	301	Total	С	N	О	S	0	0	0
1	Б	301	2301	1478	393	419	11		0	
1	С	915	Total	С	N	О	S	0	0	0
1		315	2435	1561	410	451	13	U	U	
1	D	211	Total	С	N	О	S	0	0	0
1	D	311	2377	1533	401	432	11		U	

There are 52 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	SER	-	expression tag	UNP Q99986
A	2	MET	-	expression tag	UNP Q99986
A	34	ALA	LYS	engineered mutation	UNP Q99986
A	35	ALA	LYS	engineered mutation	UNP Q99986
A	36	ALA	GLU	engineered mutation	UNP Q99986
A	212	ALA	GLU	engineered mutation	UNP Q99986
A	214	ALA	LYS	engineered mutation	UNP Q99986
A	215	ALA	GLU	engineered mutation	UNP Q99986
A	292	ALA	GLU	engineered mutation	UNP Q99986
A	293	ALA	LYS	engineered mutation	UNP Q99986
A	295	ALA	LYS	engineered mutation	UNP Q99986
A	359	ALA	LYS	engineered mutation	UNP Q99986
A	360	ALA	LYS	engineered mutation	UNP Q99986
В	1	SER	-	expression tag	UNP Q99986
В	2	MET	-	expression tag	UNP Q99986
В	34	ALA	LYS	engineered mutation	UNP Q99986
В	35	ALA	LYS	engineered mutation	UNP Q99986
В	36	ALA	GLU	engineered mutation	UNP Q99986
В	212	ALA	GLU	engineered mutation	UNP Q99986
В	214	ALA	LYS	engineered mutation	UNP Q99986
В	215	ALA	GLU	engineered mutation	UNP Q99986

Continued on next page...



 $Continued\ from\ previous\ page...$

Chain	Residue	Modelled Modelled	Actual	Comment	Reference
В	292	ALA	GLU	engineered mutation	UNP Q99986
В	293	ALA	LYS	engineered mutation	UNP Q99986
В	295	ALA	LYS	engineered mutation	UNP Q99986
В	359	ALA	LYS	engineered mutation	UNP Q99986
В	360	ALA	LYS	engineered mutation	UNP Q99986
С	1	SER	-	expression tag	UNP Q99986
С	2	MET	-	expression tag	UNP Q99986
С	34	ALA	LYS	engineered mutation	UNP Q99986
С	35	ALA	LYS	engineered mutation	UNP Q99986
С	36	ALA	GLU	engineered mutation	UNP Q99986
С	212	ALA	GLU	engineered mutation	UNP Q99986
С	214	ALA	LYS	engineered mutation	UNP Q99986
С	215	ALA	GLU	engineered mutation	UNP Q99986
С	292	ALA	GLU	engineered mutation	UNP Q99986
С	293	ALA	LYS	engineered mutation	UNP Q99986
С	295	ALA	LYS	engineered mutation	UNP Q99986
С	359	ALA	LYS	engineered mutation	UNP Q99986
С	360	ALA	LYS	engineered mutation	UNP Q99986
D	1	SER	-	expression tag	UNP Q99986
D	2	MET	-	expression tag	UNP Q99986
D	34	ALA	LYS	engineered mutation	UNP Q99986
D	35	ALA	LYS	engineered mutation	UNP Q99986
D	36	ALA	GLU	engineered mutation	UNP Q99986
D	212	ALA	GLU	engineered mutation	UNP Q99986
D	214	ALA	LYS	engineered mutation	UNP Q99986
D	215	ALA	GLU	engineered mutation	UNP Q99986
D	292	ALA	GLU	engineered mutation	UNP Q99986
D	293	ALA	LYS	engineered mutation	UNP Q99986
D	295	ALA	LYS	engineered mutation	UNP Q99986
D	359	ALA	LYS	engineered mutation	UNP Q99986
D	360	ALA	LYS	engineered mutation	UNP Q99986

 \bullet Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: $\mathrm{O_4S}).$






Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	
2	A	1	Total O S	0	0	
	71	1	5 4 1	0	Ů	
$\frac{1}{2}$	A	1	Total O S	0	0	
	71	1	5 4 1	0		
2	В	1	Total O S	0	0	
	D	1	5 4 1	Ŭ	U	
2	В	1	Total O S	0	0	
		1	5 4 1	Ŭ		
2	В	1	Total O S	0	0	
		-	5 4 1	<u> </u>	Ü	
2	С	1	Total O S	0	0	
_		_	5 4 1		Ů	
2	$^{\rm C}$	1	Total O S	0	0	
_		_	5 4 1		Ů	
2	D	1	Total O S	0	0	
_		_	5 4 1	, ,		
2	D	1	Total O S	0	0	
		_	5 4 1			


• Molecule 3 is $(7 \{R\})-2-[[3,5-bis(fluoranyl)-4-oxidanyl-phenyl]amino]-5,7-dimethyl-8-prop-2-ynyl-7 {H}-pteridin-6-one (three-letter code: RYA) (formula: <math>C_{17}H_{15}F_2N_5O_2$) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
9	D	1	Total	С	F	N	О	0	0
9 D	1	26	17	2	5	2	0		
9	D	1	Total	С	F	N	О	0	0
)	3 D	1	26	17	2	5	2	U	0

 \bullet Molecule 4 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: $\mathrm{C_2H_6O_2}).$



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	D	1	Total C C 4 2 2	2	0	0

 \bullet Molecule 5 is water.



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	5	Total O 5 5	0	0
5	В	8	Total O 8 8	0	0
5	С	11	Total O 11 11	0	0
5	D	8	Total O 8 8	0	0

MolProbity and EDS failed to run properly - this section is therefore empty.



3 Data and refinement statistics (i)

EDS failed to run properly - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants	92.16Å 95.64Å 192.59Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 - 2.55	Depositor
% Data completeness	99.6 (20.00-2.55)	Depositor
(in resolution range)	,	-
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	1.53 (at 2.55Å)	Xtriage
Refinement program	REFMAC 5.8.0238	Depositor
R, R_{free}	0.216 , 0.251	Depositor
Wilson B-factor $(Å^2)$	58.3	Xtriage
Anisotropy	0.685	Xtriage
L-test for twinning ²	$< L > = 0.48, < L^2> = 0.31$	Xtriage
Estimated twinning fraction	0.026 for k,h,-l	Xtriage
Total number of atoms	9695	wwPDB-VP
Average B, all atoms (\mathring{A}^2)	70.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.13% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of <|L|>, $<L^2>$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



 $^{^1 {\}rm Intensities}$ estimated from amplitudes.

4 Model quality (i)

4.1 Standard geometry (i)

MolProbity failed to run properly - this section is therefore empty.

4.2 Too-close contacts (i)

MolProbity failed to run properly - this section is therefore empty.

4.3 Torsion angles (i)

4.3.1 Protein backbone (i)

MolProbity failed to run properly - this section is therefore empty.

4.3.2 Protein sidechains (i)

MolProbity failed to run properly - this section is therefore empty.

4.3.3 RNA (i)

MolProbity failed to run properly - this section is therefore empty.

4.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

4.5 Carbohydrates (i)

There are no monosaccharides in this entry.

4.6 Ligand geometry (i)

12 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond



length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Tune	Chain	Res	Link	Вс	ond leng	ths	В	ond ang	les
MIOI	Type	Chain	nes	LIIIK	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SO4	A	402	-	4,4,4	0.33	0	6,6,6	0.13	0
3	RYA	В	404	-	27,28,28	0.36	0	32,41,41	1.08	5 (15%)
3	RYA	D	404	-	27,28,28	0.35	0	32,41,41	1.12	5 (15%)
2	SO4	В	402	-	4,4,4	0.29	0	6,6,6	0.04	0
2	SO4	D	401	-	4,4,4	0.37	0	6,6,6	0.13	0
2	SO4	С	401	-	4,4,4	0.41	0	6,6,6	0.06	0
4	EDO	D	403	-	3,3,3	0.10	0	2,2,2	0.25	0
2	SO4	A	401	-	4,4,4	0.36	0	6,6,6	0.10	0
2	SO4	D	402	-	4,4,4	0.28	0	6,6,6	0.07	0
2	SO4	В	401	-	4,4,4	0.26	0	6,6,6	0.09	0
2	SO4	В	403	-	4,4,4	0.34	0	6,6,6	0.08	0
2	SO4	С	402	-	4,4,4	0.35	0	6,6,6	0.11	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	D	403	-	-	0/1/1/1	-
3	RYA	В	404	-	-	1/6/27/27	0/3/3/3
3	RYA	D	404	-	-	1/6/27/27	0/3/3/3

There are no bond length outliers.

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$Observed(^o)$	$\mathrm{Ideal}(^{o})$
3	D	404	RYA	F2-C11-C12	2.65	119.10	117.13
3	D	404	RYA	C10-C11-C12	-2.65	121.72	123.79
3	В	404	RYA	C10-C11-C12	-2.51	121.83	123.79
3	В	404	RYA	F2-C11-C12	2.37	118.89	117.13
3	В	404	RYA	C14-C13-C12	-2.35	121.95	123.79
3	D	404	RYA	C14-C13-C12	-2.22	122.05	123.79
3	D	404	RYA	F1-C13-C12	2.16	118.73	117.13
3	D	404	RYA	C17-C2-N1	-2.13	109.86	112.34
3	В	404	RYA	F1-C13-C12	2.08	118.67	117.13
3	В	404	RYA	C17-C2-N1	-2.04	109.96	112.34



There are no chirality outliers.

All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	D	404	RYA	C15-C8-N1-C3
3	В	404	RYA	C15-C8-N1-C3

There are no ring outliers.


No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









4.7 Other polymers (i)

There are no such residues in this entry.

4.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



5 Fit of model and data (i)

5.1 Protein, DNA and RNA chains (i)

EDS failed to run properly - this section is therefore empty.

5.2 Non-standard residues in protein, DNA, RNA chains (i)

EDS failed to run properly - this section is therefore empty.

5.3 Carbohydrates (i)

EDS failed to run properly - this section is therefore empty.

5.4 Ligands (i)

EDS failed to run properly - this section is therefore empty.

5.5 Other polymers (i)

EDS failed to run properly - this section is therefore empty.

