



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 4, 2023 – 11:52 PM EDT

PDB ID : 6VZI  
Title : Crystal Structure of HIV-1 CAP256 RnS-3mut-2G-SOSIP.664 Prefusion Env Trimer in Complex with Human Antibodies 3H109L and 35O22 at 3.5 Angstrom  
Authors : Lai, Y.-T.; Kwong, P.D.  
Deposited on : 2020-02-28  
Resolution : 2.72 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : **FAILED**  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtrriage (Phenix) : 1.13  
EDS : **FAILED**  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35.1

## 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.72 Å.

There are no overall percentile quality scores available for this entry.

MolProbity and EDS failed to run properly - the sequence quality summary graphics cannot be shown.

## 2 Entry composition

There are 11 unique types of molecules in this entry. The entry contains 9915 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Envelope glycoprotein gp41.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	B	120	964	620	158	178	8	0	0	0

There are 11 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	535	ASN	ILE	engineered mutation	UNP W6ICH7
B	559	PRO	ILE	engineered mutation	UNP W6ICH7
B	569	GLY	THR	engineered mutation	UNP W6ICH7
B	573	PHE	ILE	engineered mutation	UNP W6ICH7
B	588	GLU	LYS	engineered mutation	UNP W6ICH7
B	589	VAL	ASP	engineered mutation	UNP W6ICH7
B	605	CYS	THR	engineered mutation	UNP W6ICH7
B	609	PRO	TYR	engineered mutation	UNP W6ICH7
B	636	GLY	ASP	engineered mutation	UNP W6ICH7
B	651	PHE	LYS	engineered mutation	UNP W6ICH7
B	655	ILE	SER	engineered mutation	UNP W6ICH7

- Molecule 2 is a protein called 35O22 scFv heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	D	128	994	628	169	192	5	0	0	0

- Molecule 3 is a protein called 35O22 scFv light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	E	107	818	514	135	163	6	0	0	0

- Molecule 4 is a protein called Envelope glycoprotein gp160.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	G	423	3358	2116	586	630	26	0	0	0

There are 13 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
G	204	ILE	ALA	engineered mutation	UNP A0A0N9FF17
G	302	MET	ASN	engineered mutation	UNP A0A0N9FF17
G	320	LEU	THR	engineered mutation	UNP A0A0N9FF17
G	329	PRO	ALA	engineered mutation	UNP A0A0N9FF17
G	437	PRO	SER	engineered mutation	UNP A0A0N9FF17
G	442	ASN	GLU	engineered mutation	UNP A0A0N9FF17
G	501	CYS	ALA	engineered mutation	UNP A0A0N9FF17
G	508	ARG	-	expression tag	UNP A0A0N9FF17
G	509	ARG	-	expression tag	UNP A0A0N9FF17
G	510	ARG	-	expression tag	UNP A0A0N9FF17
G	511	ARG	-	expression tag	UNP A0A0N9FF17
G	512	ARG	-	expression tag	UNP A0A0N9FF17
G	513	ARG	-	expression tag	UNP A0A0N9FF17

- Molecule 5 is a protein called 3H109L Fab heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
5	H	226	1715	1093	278	338	6	0	0	0

- Molecule 6 is a protein called 3H109L Fab light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
6	L	211	1604	1009	276	312	7	0	0	0

- Molecule 7 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
7	A	6	72	40	2	30	0	0	0

- Molecule 8 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
8	C	3	Total	C	N	O	0	0	0
			39	22	2	15			
8	F	3	Total	C	N	O	0	0	0
			39	22	2	15			


- Molecule 9 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
9	I	2	Total	C	N	O	0	0	0
			28	16	2	10			
9	K	2	Total	C	N	O	0	0	0
			28	16	2	10			
9	M	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 10 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
10	J	10	Total	C	N	O	0	0	0
			116	64	2	50			

- Molecule 11 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C<sub>8</sub>H<sub>15</sub>NO<sub>6</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
11	G	1	Total	C	N	O	0	0
			14	8	1	5		
11	G	1	Total	C	N	O	0	0
			14	8	1	5		
11	G	1	Total	C	N	O	0	0
			14	8	1	5		
11	G	1	Total	C	N	O	0	0
			14	8	1	5		
11	G	1	Total	C	N	O	0	0
			14	8	1	5		
11	G	1	Total	C	N	O	0	0
			14	8	1	5		
11	G	1	Total	C	N	O	0	0
			14	8	1	5		

MolProbity and EDS failed to run properly - this section is therefore empty.

### 3 Data and refinement statistics i

EDS failed to run properly - this section is therefore incomplete.

Property	Value	Source
Space group	P 63	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	133.92Å 133.92Å 315.11Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	43.84 – 2.72	Depositor
% Data completeness (in resolution range)	36.3 (43.84-2.72)	Depositor
$R_{merge}$	0.13	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.16 (at 2.73Å)	Xtrriage
Refinement program	PHENIX 1.14_3260	Depositor
R, $R_{free}$	0.229 , 0.276	Depositor
Wilson B-factor (Å <sup>2</sup> )	28.8	Xtrriage
Anisotropy	0.100	Xtrriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.29$	Xtrriage
Estimated twinning fraction	0.075 for h,-h-k,-l	Xtrriage
Total number of atoms	9915	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	49.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.64% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 4 Model quality [i](#)

### 4.1 Standard geometry [i](#)

MolProbity failed to run properly - this section is therefore empty.

### 4.2 Too-close contacts [i](#)

MolProbity failed to run properly - this section is therefore empty.

### 4.3 Torsion angles [i](#)

#### 4.3.1 Protein backbone [i](#)

MolProbity failed to run properly - this section is therefore empty.

#### 4.3.2 Protein sidechains [i](#)

MolProbity failed to run properly - this section is therefore empty.

#### 4.3.3 RNA [i](#)

MolProbity failed to run properly - this section is therefore empty.

### 4.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 4.5 Carbohydrates [i](#)

28 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
7	NAG	A	1	4,7	14,14,15	0.22	0	17,19,21	0.57	0
7	NAG	A	2	7	14,14,15	0.44	0	17,19,21	1.25	1 (5%)
7	BMA	A	3	7	11,11,12	0.66	0	15,15,17	0.71	0
7	MAN	A	4	7	11,11,12	1.05	1 (9%)	15,15,17	1.45	3 (20%)
7	MAN	A	5	7	11,11,12	1.54	3 (27%)	15,15,17	2.36	3 (20%)
7	MAN	A	6	7	11,11,12	0.70	0	15,15,17	1.10	2 (13%)
8	NAG	C	1	8,4	14,14,15	0.39	0	17,19,21	0.49	0
8	NAG	C	2	8	14,14,15	0.27	0	17,19,21	0.88	1 (5%)
8	BMA	C	3	8	11,11,12	1.01	1 (9%)	15,15,17	1.28	2 (13%)
8	NAG	F	1	8,4	14,14,15	0.25	0	17,19,21	0.49	0
8	NAG	F	2	8	14,14,15	0.44	0	17,19,21	0.39	0
8	BMA	F	3	8	11,11,12	0.71	0	15,15,17	0.76	0
9	NAG	I	1	9,4	14,14,15	0.90	1 (7%)	17,19,21	1.10	2 (11%)
9	NAG	I	2	9	14,14,15	0.25	0	17,19,21	0.50	0
10	NAG	J	1	10,4	14,14,15	0.28	0	17,19,21	1.38	2 (11%)
10	MAN	J	10	10	11,11,12	1.09	1 (9%)	15,15,17	1.00	1 (6%)
10	NAG	J	2	10	14,14,15	0.21	0	17,19,21	0.42	0
10	BMA	J	3	10	11,11,12	0.83	1 (9%)	15,15,17	1.10	1 (6%)
10	MAN	J	4	10	11,11,12	0.77	1 (9%)	15,15,17	1.42	2 (13%)
10	MAN	J	5	10	11,11,12	0.70	0	15,15,17	1.00	2 (13%)
10	MAN	J	6	10	11,11,12	0.71	0	15,15,17	0.94	2 (13%)
10	MAN	J	7	10	11,11,12	0.88	1 (9%)	15,15,17	1.20	2 (13%)
10	MAN	J	8	10	11,11,12	0.68	0	15,15,17	1.17	2 (13%)
10	MAN	J	9	10	11,11,12	0.88	0	15,15,17	1.79	3 (20%)
9	NAG	K	1	9,4	14,14,15	0.48	0	17,19,21	0.93	1 (5%)
9	NAG	K	2	9	14,14,15	0.59	0	17,19,21	0.59	0
9	NAG	M	1	9,4	14,14,15	0.61	0	17,19,21	0.89	1 (5%)
9	NAG	M	2	9	14,14,15	0.22	0	17,19,21	0.52	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	A	1	4,7	-	0/6/23/26	0/1/1/1
7	NAG	A	2	7	-	3/6/23/26	0/1/1/1
7	BMA	A	3	7	-	2/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	MAN	A	4	7	-	0/2/19/22	0/1/1/1
7	MAN	A	5	7	-	1/2/19/22	0/1/1/1
7	MAN	A	6	7	-	0/2/19/22	0/1/1/1
8	NAG	C	1	8,4	-	1/6/23/26	0/1/1/1
8	NAG	C	2	8	-	0/6/23/26	0/1/1/1
8	BMA	C	3	8	-	0/2/19/22	0/1/1/1
8	NAG	F	1	8,4	-	0/6/23/26	0/1/1/1
8	NAG	F	2	8	-	0/6/23/26	0/1/1/1
8	BMA	F	3	8	-	2/2/19/22	0/1/1/1
9	NAG	I	1	9,4	-	4/6/23/26	0/1/1/1
9	NAG	I	2	9	-	2/6/23/26	0/1/1/1
10	NAG	J	1	10,4	-	3/6/23/26	0/1/1/1
10	MAN	J	10	10	-	2/2/19/22	0/1/1/1
10	NAG	J	2	10	-	3/6/23/26	0/1/1/1
10	BMA	J	3	10	-	0/2/19/22	0/1/1/1
10	MAN	J	4	10	-	2/2/19/22	0/1/1/1
10	MAN	J	5	10	-	0/2/19/22	0/1/1/1
10	MAN	J	6	10	-	2/2/19/22	0/1/1/1
10	MAN	J	7	10	-	0/2/19/22	0/1/1/1
10	MAN	J	8	10	-	2/2/19/22	0/1/1/1
10	MAN	J	9	10	-	0/2/19/22	1/1/1/1
9	NAG	K	1	9,4	-	0/6/23/26	0/1/1/1
9	NAG	K	2	9	-	2/6/23/26	0/1/1/1
9	NAG	M	1	9,4	-	1/6/23/26	0/1/1/1
9	NAG	M	2	9	-	2/6/23/26	0/1/1/1

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	A	5	MAN	C1-C2	3.06	1.59	1.52
7	A	5	MAN	O5-C1	2.91	1.48	1.43
9	I	1	NAG	O5-C1	-2.82	1.39	1.43
7	A	4	MAN	C1-C2	2.78	1.58	1.52
7	A	5	MAN	O5-C5	2.61	1.48	1.43
10	J	7	MAN	C1-C2	2.37	1.57	1.52
8	C	3	BMA	C4-C5	2.28	1.57	1.53
10	J	10	MAN	O5-C1	-2.19	1.40	1.43
10	J	4	MAN	C1-C2	2.18	1.57	1.52
10	J	3	BMA	O5-C1	-2.16	1.40	1.43

All (33) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	5	MAN	C1-O5-C5	8.06	123.11	112.19
10	J	9	MAN	C1-O5-C5	5.66	119.87	112.19
10	J	1	NAG	C2-N2-C7	4.42	129.20	122.90
7	A	2	NAG	C2-N2-C7	4.24	128.94	122.90
10	J	4	MAN	C1-O5-C5	4.07	117.70	112.19
7	A	4	MAN	C1-C2-C3	3.56	114.04	109.67
9	K	1	NAG	C1-O5-C5	3.10	116.39	112.19
7	A	6	MAN	C1-O5-C5	3.03	116.29	112.19
10	J	8	MAN	O2-C2-C3	-2.95	104.23	110.14
10	J	8	MAN	C1-O5-C5	2.81	115.99	112.19
8	C	3	BMA	C3-C4-C5	2.73	115.11	110.24
8	C	2	NAG	C1-O5-C5	2.63	115.76	112.19
10	J	5	MAN	O2-C2-C3	-2.49	105.16	110.14
10	J	1	NAG	C1-C2-N2	2.48	114.72	110.49
7	A	4	MAN	C1-O5-C5	2.46	115.52	112.19
10	J	3	BMA	C1-O5-C5	2.40	115.44	112.19
10	J	7	MAN	C1-O5-C5	2.36	115.40	112.19
7	A	5	MAN	O5-C1-C2	2.36	114.42	110.77
9	I	1	NAG	C1-O5-C5	2.35	115.38	112.19
10	J	4	MAN	O2-C2-C3	-2.31	105.51	110.14
10	J	10	MAN	O2-C2-C3	-2.30	105.54	110.14
7	A	5	MAN	O2-C2-C3	-2.29	105.56	110.14
10	J	5	MAN	C1-O5-C5	2.26	115.26	112.19
8	C	3	BMA	O5-C1-C2	-2.25	107.29	110.77
10	J	9	MAN	O5-C1-C2	2.25	114.25	110.77
9	M	1	NAG	C3-C4-C5	2.25	114.25	110.24
9	I	1	NAG	C3-C4-C5	2.23	114.22	110.24
7	A	6	MAN	O2-C2-C3	-2.20	105.73	110.14
10	J	6	MAN	C1-O5-C5	2.14	115.09	112.19
7	A	4	MAN	O2-C2-C3	-2.13	105.87	110.14
10	J	7	MAN	O2-C2-C3	-2.11	105.91	110.14
10	J	6	MAN	O2-C2-C3	-2.11	105.91	110.14
10	J	9	MAN	O2-C2-C3	-2.09	105.95	110.14

There are no chirality outliers.

All (34) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	A	3	BMA	O5-C5-C6-O6
10	J	10	MAN	O5-C5-C6-O6
9	M	2	NAG	C4-C5-C6-O6

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
8	F	3	BMA	O5-C5-C6-O6
7	A	3	BMA	C4-C5-C6-O6
10	J	10	MAN	C4-C5-C6-O6
9	I	1	NAG	O5-C5-C6-O6
8	F	3	BMA	C4-C5-C6-O6
7	A	2	NAG	C8-C7-N2-C2
7	A	2	NAG	O7-C7-N2-C2
9	I	1	NAG	C8-C7-N2-C2
9	I	1	NAG	O7-C7-N2-C2
10	J	1	NAG	C8-C7-N2-C2
10	J	1	NAG	O7-C7-N2-C2
10	J	8	MAN	O5-C5-C6-O6
9	I	2	NAG	O5-C5-C6-O6
9	M	2	NAG	O5-C5-C6-O6
7	A	5	MAN	O5-C5-C6-O6
10	J	6	MAN	O5-C5-C6-O6
10	J	8	MAN	C4-C5-C6-O6
9	I	1	NAG	C4-C5-C6-O6
9	K	2	NAG	O5-C5-C6-O6
10	J	4	MAN	C4-C5-C6-O6
10	J	6	MAN	C4-C5-C6-O6
10	J	4	MAN	O5-C5-C6-O6
10	J	2	NAG	C1-C2-N2-C7
8	C	1	NAG	C3-C2-N2-C7
10	J	1	NAG	C3-C2-N2-C7
9	I	2	NAG	C4-C5-C6-O6
10	J	2	NAG	C4-C5-C6-O6
9	M	1	NAG	C4-C5-C6-O6
7	A	2	NAG	C3-C2-N2-C7
9	K	2	NAG	C3-C2-N2-C7
10	J	2	NAG	O5-C5-C6-O6


All (1) ring outliers are listed below:


Mol	Chain	Res	Type	Atoms
10	J	9	MAN	C1-C2-C3-C4-C5-O5


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.














## 4.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
11	NAG	G	632	4	14,14,15	0.39	0	17,19,21	2.13	4 (23%)
11	NAG	G	633	4	14,14,15	0.36	0	17,19,21	0.48	0
11	NAG	G	628	4	14,14,15	0.31	0	17,19,21	0.55	0
11	NAG	G	631	4	14,14,15	0.27	0	17,19,21	0.41	0
11	NAG	G	611	4	14,14,15	0.86	1 (7%)	17,19,21	0.71	0
11	NAG	G	610	4	14,14,15	0.17	0	17,19,21	0.54	0
11	NAG	G	636	4	14,14,15	0.29	0	17,19,21	0.42	0
11	NAG	G	612	4	14,14,15	0.52	0	17,19,21	0.43	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
11	NAG	G	632	4	-	5/6/23/26	0/1/1/1
11	NAG	G	633	4	-	2/6/23/26	0/1/1/1
11	NAG	G	628	4	-	2/6/23/26	0/1/1/1
11	NAG	G	631	4	-	1/6/23/26	0/1/1/1
11	NAG	G	611	4	-	1/6/23/26	0/1/1/1
11	NAG	G	610	4	-	0/6/23/26	0/1/1/1
11	NAG	G	636	4	-	3/6/23/26	0/1/1/1
11	NAG	G	612	4	-	1/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	G	611	NAG	C1-C2	2.98	1.56	1.52

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	G	632	NAG	C1-O5-C5	5.97	120.28	112.19
11	G	632	NAG	C2-N2-C7	4.54	129.36	122.90
11	G	632	NAG	C3-C4-C5	3.01	115.61	110.24
11	G	632	NAG	C1-C2-N2	2.17	114.20	110.49

There are no chirality outliers.

All (15) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
11	G	632	NAG	C4-C5-C6-O6
11	G	632	NAG	O5-C5-C6-O6
11	G	632	NAG	C8-C7-N2-C2
11	G	632	NAG	O7-C7-N2-C2
11	G	636	NAG	C8-C7-N2-C2
11	G	636	NAG	O7-C7-N2-C2
11	G	628	NAG	O5-C5-C6-O6
11	G	633	NAG	O5-C5-C6-O6
11	G	633	NAG	C4-C5-C6-O6
11	G	628	NAG	C4-C5-C6-O6
11	G	612	NAG	O5-C5-C6-O6
11	G	631	NAG	O5-C5-C6-O6
11	G	611	NAG	O5-C5-C6-O6
11	G	636	NAG	O5-C5-C6-O6
11	G	632	NAG	C3-C2-N2-C7

There are no ring outliers.

No monomer is involved in short contacts.

#### 4.7 Other polymers [i](#)

There are no such residues in this entry.

#### 4.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 5 Fit of model and data [i](#)

### 5.1 Protein, DNA and RNA chains [i](#)

EDS failed to run properly - this section is therefore empty.

### 5.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS failed to run properly - this section is therefore empty.

### 5.3 Carbohydrates [i](#)

EDS failed to run properly - this section is therefore empty.

### 5.4 Ligands [i](#)

EDS failed to run properly - this section is therefore empty.

### 5.5 Other polymers [i](#)

EDS failed to run properly - this section is therefore empty.