



wwPDB EM Validation Summary Report ⓘ

Nov 14, 2022 – 03:50 AM EST

PDB ID : 6VZJ
EMDB ID : EMD-21494
Title : Escherichia coli transcription-translation complex A1 (TTC-A1) containing mRNA with a 15 nt long spacer, fMet-tRNAs at E-site and P-site, and lacking transcription factor NusG
Authors : Molodtsov, V.; Wang, C.; Su, M.; Ebright, R.H.
Deposited on : 2020-02-28
Resolution : 4.10 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 4.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	103	
2	1	110	
3	2	100	
4	3	104	
5	4	94	
6	5	36	
7	6	36	
8	7	32	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	9	165	88% 54% 33% 10%
10	A	76	95% 58% 38%
10	B	76	99% 46% 49% 5%
11	AA	1342	99% 89% 8%
12	AC	329	70% 64% 5% 30%
12	AD	329	69% 69% 31%
13	AE	1407	95% 89% 5% 5%
14	C	75	67% 85% 12%
15	D	1542	27% 78% 20%
16	E	87	76% 93% 6%
17	F	71	82% 94%
18	G	241	72% 90% 7%
19	H	557	46% 41% 54%
20	I	233	76% 86% 11%
21	J	205	84% 97%
22	K	167	50% 89% 5% 7%
23	L	135	67% 72% 23%
24	M	151	83% 95% 5%
25	N	129	69% 98%
26	O	127	84% 95% 5%
27	P	99	90% 90% 10%
28	Q	117	83% 96%
29	R	123	45% 93% 6%
30	S	101	80% 95%
31	T	89	66% 85% 13%








Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
32	U	82	88% 94% 6%
33	V	84	71% 93% 5%
34	W	83	94% 95% 5%
35	X	116	89% 90% 10%
36	Y	141	99% 69% 28%
37	Z	121	25% 12% 12% 75%
38	a	2904	25% 81% 18%
39	b	76	82% 99%
40	c	78	74% 94% 5%
41	d	120	41% 86% 14%
42	e	62	74% 98%
43	f	58	69% 97%
44	g	66	95% 91% 9%
45	h	271	71% 93% 7%
46	i	56	48% 89% 11%
47	j	209	54% 97%
48	k	55	85% 89% 5% 5%
49	l	201	70% 93% 7%
50	m	46	35% 93% 7%
51	n	177	86% 90% 10%
52	o	64	81% 92% 8%
53	p	175	87% 98%
54	q	38	71% 95% 5%
55	r	149	95% 93% 7%
56	s	142	62% 96%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
57	t	123	
58	u	144	
59	v	136	
60	w	119	
61	x	116	
62	y	114	
63	z	117	

2 Entry composition [i](#)

There are 65 unique types of molecules in this entry. The entry contains 299095 atoms, of which 123940 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
1	0	103	1655	516	839	153	145	2	0	0

- Molecule 2 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
2	1	110	1779	532	922	166	156	3	0	0

- Molecule 3 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
3	2	94	1557	470	811	140	134	2	0	0

- Molecule 4 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	H	N	O		
4	3	103	1632	498	844	148	142	0	0

- Molecule 5 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
5	4	94	1533	479	780	137	134	3	0	0

- Molecule 6 is a DNA chain called NT DNA.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			P
6	5	23	732	225	260	87	137	23	0	0

- Molecule 7 is a DNA chain called T DNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	P		
7	6	27	847	259	305	89	167	27	0	0

- Molecule 8 is a RNA chain called mRNA with 27 nt long spacer.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	P		
8	7	32	769	300	97	100	240	32	0	0

- Molecule 9 is a protein called 50S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	9	148	1117	705	196	209	7	0	0

- Molecule 10 is a RNA chain called E-site and P-site tRNA (fMet).

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	P		
10	A	76	2446	723	826	295	527	75	0	0
10	B	76	2433	723	813	295	527	75	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	U	deletion	GB 1848959854
B	?	-	U	deletion	GB 1848959854

- Molecule 11 is a protein called DNA-directed RNA polymerase subunit beta.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
11	AA	1322	20851	6539	10426	1817	2026	43	0	0

- Molecule 12 is a protein called DNA-directed RNA polymerase subunit alpha.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
12	AC	230	3599	1112	1813	317	351	6	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
12	AD	228	3556	1100	1789	312	349	6	0	0

- Molecule 13 is a protein called DNA-directed RNA polymerase subunit beta'.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
13	AE	1335	21000	6526	10612	1854	1958	50	0	0

- Molecule 14 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
14	C	66	1103	344	559	102	97	1	0	0

- Molecule 15 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			P
15	D	1524	49126	14585	16423	6003	10591	1524	0	0

- Molecule 16 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
16	E	86	1388	414	719	138	114	3	0	0

- Molecule 17 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
17	F	70	1218	366	629	125	97	1	0	0

- Molecule 18 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
18	G	225	3545	1113	1785	316	323	8	0	0

- Molecule 19 is a protein called 30S ribosomal protein S1.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
19	H	259	3184	1073	1454	305	349	3	0	0

- Molecule 20 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
20	I	208	3346	1036	1710	307	290	3	0	0

- Molecule 21 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
21	J	205	3350	1026	1707	315	298	4	0	0

- Molecule 22 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
22	K	156	2348	717	1196	217	212	6	0	0

- Molecule 23 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
23	L	104	1694	536	846	153	152	7	0	0

- Molecule 24 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
24	M	151	2416	735	1235	227	215	4	0	0

- Molecule 25 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
25	N	129	2010	616	1031	173	184	6	0	0

- Molecule 26 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
26	O	127	2092	634	1070	206	179	3	0	0

- Molecule 27 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
27	P	99	1621	495	831	151	143	1	0	0

- Molecule 28 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
28	Q	117	1764	540	887	174	160	3	0	0

- Molecule 29 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
29	R	121	1940	580	1001	194	161	4	0	0

- Molecule 30 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
30	S	100	1649	499	844	164	139	3	0	0

- Molecule 31 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
31	T	88	1448	439	734	144	130	1	0	0

- Molecule 32 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
32	U	82	1315	406	666	128	114	1	0	0

- Molecule 33 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
33	V	80	1339	411	691	121	113	3	0	0

- Molecule 34 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
34	W	83	1351	424	688	126	111	2	0	0

- Molecule 35 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
35	X	116	1864	558	964	181	158	3	0	0

- Molecule 36 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
36	Y	141	1032	651	179	196	6	0	0

- Molecule 37 is a protein called 50S ribosomal protein L7/L12.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
37	Z	30	227	144	33	47	3	0	0

- Molecule 38 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			P
38	a	2880	92918	27587	31077	11398	19976	2880	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
a	887	A	U	conflict	GB 937521852

- Molecule 39 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
39	b	76	1181	360	599	117	104	1	0	0

- Molecule 40 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
40	c	77	1277	388	652	129	106	2	0	0

- Molecule 41 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			P
41	d	120	3870	1144	1301	468	837	120	0	0

- Molecule 42 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
42	e	62	1032	308	531	98	94	1	0	0

- Molecule 43 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
43	f	58	936	281	488	87	78	2	0	0

- Molecule 44 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
44	g	66	1042	323	520	99	94	6	0	0

- Molecule 45 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
45	h	271	4236	1288	2154	423	364	7	0	0

- Molecule 46 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
46	i	56	903	269	459	94	80	1	0	0

- Molecule 47 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
47	j	209	3182	979	1617	288	294	4	0	0

- Molecule 48 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
48	k	52	890	275	464	78	73		0	0

- Molecule 49 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
49	l	201	3171	974	1619	283	290	5	0	0

- Molecule 50 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
50	m	46	795	228	418	90	57	2	0	0

- Molecule 51 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
51	n	177	2853	899	1443	249	256	6	0	0

- Molecule 52 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
52	o	64	1076	323	572	105	74	2	0	0

- Molecule 53 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
53	p	175	2671	826	1358	241	244	2	0	0

- Molecule 54 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
54	q	38	645	185	343	65	48	4	0	0

- Molecule 55 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
55	r	149	2259	699	1148	197	214	1	0	0

- Molecule 56 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
56	s	142	2291	714	1162	212	199	4	0	0

- Molecule 57 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
57	t	123	1969	593	1023	181	166	6	0	0

- Molecule 58 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
58	u	144	2182	654	1129	207	190	2	0	0

- Molecule 59 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
59	v	136	2231	686	1157	205	177	6	0	0

- Molecule 60 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
60	w	119	1945	588	994	195	163	5	0	0

- Molecule 61 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	H	N	O		
61	x	116	1815	552	923	178	162	0	0

- Molecule 62 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
62	y	114	1879	574	962	179	163	1	0	0

- Molecule 63 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	H	N	O		
63	z	117	1967	604	1020	192	151	0	0

- Molecule 64 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
64	AE	1	Total	Mg	0
			1	1	


- Molecule 65 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
65	AE	2	Total	Zn	0
			2	2	


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 50S ribosomal protein L21




- Molecule 2: 50S ribosomal protein L22




- Molecule 3: 50S ribosomal protein L23





- Molecule 4: 50S ribosomal protein L24







• Molecule 5: 50S ribosomal protein L25




• Molecule 6: NT DNA





• Molecule 7: T DNA



• Molecule 8: mRNA with 27 nt long spacer




• Molecule 9: 50S ribosomal protein L10








• Molecule 10: E-site and P-site tRNA (fMet)



• Molecule 10: E-site and P-site tRNA (fMet)





• Molecule 11: DNA-directed RNA polymerase subunit beta






S361	S421	L481	E541	D601	V661	G721	D781	R841	LEU	S961	L1021	P1081
A362	K422	G482	R542	E602	S662	G722	V782	D842	LEU	A969	K1022	I1082
L363	D423	D483	A543	I603	V663	V723	L783	T843	ARG	G970	H1023	E1083
V364	D424	L484	G544	H604	G664	V724	A784	K844	ALA	L971	E1024	D1084
E365	I425	D485	F545	Y605	A665	Q725	F785	L845	PHE	I966	F1025	M1085
I366	I426	T486	E546	L606	S666	Q726	G786	G846	GLY	L967	E1026	P1086
Y367	D427	L487	V547	S607	L667	V727	P787	P847	LYS	L968	K1027	Y1087
R368	V428	M488	R548	A608	I668	D728	S788	E848	ALA	E968	K1028	D1088
M369	M429	P489	D549	I609	P669	A729	T789	E849	S911	A969	L1029	E1089
M370	K430	Q490	V550	E610	F670	S730	D790	L850	D912	G970	E1030	N1090
R371	K431	D491	H511	E611	L671	R731	L791	T851	V913	V913	A1031	G1091
P372	L432	M492	P552	G612	E672	I732	G792	A852	K914	K914	K1032	T1092
G373	I433	I493	T553	M613	H673	V733	E793	D853	D915	D915	R1033	P1093
E374	D434	N494	H554	Y614	D674	I734	L794	L854	S916	S916	S974	I1094
P375	I435	A495	Y555	V615	D675	K735	A795	P855	S917	I975	K1035	D1095
P376	R436	K496	G556	I616	A676	V736	L796	N856	L918	L918	I1036	I1096
T377	M437	R497	R557	A617	N677	M737	G797	V857	R919	A977	T1037	Y1097
R378	G438	I498	V558	Q618	R678	E738	Q798	G858	V920	V920	Q1038	L1098
E379	K439	S499	C559	A619	A679	D739	M799	E859	P921	P921	G1039	N1099
A380	G440	A500	P560	N620	L680	E740	M800	A860	I922	I922	D1040	P1100
A381	E441	A501	I561	S621	M681	M741	R601	A861	G923	G923	D1041	L1101
S382	V442	V502	E562	N622	G682	V742	V602	L862	V924	V924	L1042	G1102
S383	D443	K503	T563	L623	A683	F743	A603	S863	S925	S925	A1043	V1103
L384	D444	E504	P564	D624	N684	G744	F904	K864	G926	G926	P1044	P1104
F385	I445	F505	E565	E225	M685	E745	M605	L865	T927	T927	E985	S1105
S386	D446	F506	G566	E226	Q686	A746	P906	D866	V928	V928	G1045	R1106
N387	H447	G507	P567	G627	R687	G747	M607	E867	I929	I929	L1047	M1107
L388	L448	S508	N568	H628	Q688	I748	N808	S868	D930	D930	K1048	N1108
F389	G449	S509	I569	F629	A689	D749	G609	L869	V931	V931	I1049	I1109
F390	A450	Q510	G570	V630	V690	I750	Y610	I870	Y932	Y932	V1050	G1110
S391	R451	L511	L571	E631	P691	Y751	M611	V871	Y933	Y933	K1051	Q1111
E392	R452	S512	I572	D632	T692	N752	F612	Y872	F934	F934	V1052	I1112
D393	I453	Q513	N573	L633	L693	L753	E613	L873	R935	R935	Y1053	L1113
R394	R454	F514	S574	V634	G694	T754	D814	G874	R936	R936	L1054	L1114
Y395	S455	M515	L575	T635	A695	K755	S615	A875	D937	D937	A1055	T1115
D396	V456	D516	S576	C636	D696	V756	L616	E876	G938	G938	V1056	H1116
L397	G457	Q517	V577	R637	K697	I757	L617	W877	V939	V939	K1057	L1117
S398	E458	N518	Y578	S638	P698	R758	V618	T878	E940	E940	R1058	G1118
A399	M459	N519	A579	K639	L699	S759	S619	G879	K941	K941	R1059	M1119
V400	A460	P520	Q580	G640	V700	M760	E820	C880	D942	D942	I1060	A1120
G401	E461	L521	T581	G641	G701	Q761	R621	D881	R943	R943	Q1061	A1121
R402	M462	S522	N582	S642	T702	N762	V622	L882	R944	R944	P1062	A1122
M403	Q463	E523	E583	S643	G703	T763	G623	L883	A945	A945	G1063	G1123
K404	F464	I524	Y584	L644	M704	C764	Q624	V884	L946	L946	D1064	I1124
F405	R465	T525	G585	F645	E705	I765	E625	G885	E947	E947	K1065	G1125
N406	V466	M526	F586	S646	R706	M766	D626	K886	I948	I948	M1066	D1126
R407	G467	K527	L587	R647	A707	Q767	R627	W887	E949	E949	A1067	K1127
S408	L468	R528	E588	D648	V708	M768	F628	T888	E950	E950	G1068	I1128
L409	V469	R529	T589	Q649	A709	P769	T629	P889	N951	N951	N1069	M1129
L410	R470	I530	P590	V650	V710	C770	T630	K890	Q952	Q952	H1070	A1130
R411	V471	S531	Y591	D651	D711	V771	I631	G891	L953	L953	G1071	M1131
E412	E472	A532	R592	Y652	S712	S772	H632	GLU	K954	K954	N1072	L1132
E413	R473	L533	K593	M653	G713	L773	I633	THR	Q955	Q955	K1073	K1133
I414	A474	G534	V594	D654	V714	G774	Q634	LEU	A956	A956	G1074	Q1134
E415	V475	P535	T595	V655	T715	E775	E635	THR	K957	K957	V1075	Q1135
G416	K476	G536	D596	S656	A716	P776	L836	PRD	K958	K958	I1076	Q1136
S417	E477	G537	G597	T657	V717	V777	A837	GLU	D959	D959	S1077	E1137
G418	R478	L538	V598	Q658	A718	E778	C838	LYS	L960	L960	K1078	V1138
I419	L479	T539	V599	Q659	K719	R779	V639				I1079	A1139
L420	S480	R540	T600	V660	R720	G780	S540				N1080	K1140



L541	L542	L543	L544	H545	A546	R547	V548	K549	V550	R551	I552	T553	E554	Y555	E556	K557	D558	A559	N560	G561	E562	L563	V564	A565	K566	T567	S568	L569	K570	D571	T572	V573	V574	G575	R576	A577	I578	L579	M580	M581	I582	V583	P584	K585	G586	L587	P588	Y589	S590	I591	V592	N593	Q594	A595	L596	G597	K598	K599	A600	
I601	S602	K603	M604	L605	N606	T607	C608	Y609	R610	I611	L612	G613	L614	K615	P616	T617	V618	I619	F620	A621	D622	Q623	I624	D684	M685	V686	T627	G628	F629	A630	Y631	A632	A633	R634	S635	G636	A637	S638	V639	G640	I641	D642	D643	D644	V645	V646	P647	E648	K649	Y650	H651	E652	L653	I654	S655	E656	A657	V658	A659	E660
V661	A662	E663	I664	Q665	Q666	Q667	F668	Q669	S670	G671	L672	V673	T674	A675	G676	E677	R678	Y679	N680	K681	D682	L683	D684	I685	M686	A687	A688	A689	N690	D691	R692	V693	G694	R695	K696	A696	M697	M698	D699	N700	L701	Q702	T703	T704	T705	V706	I707	N708	R709	D710	G711	Q712	E713	I714	K715	Q716	V717	V718	F719	N720
S721	I722	Y723	M724	M725	A726	D727	S728	G729	A730	R731	G732	S733	A734	A735	Q736	I737	R738	Q739	L740	A741	G742	M743	R744	G745	L746	M747	A748	R749	K750	D751	G752	S753	I754	I755	I756	T757	V758	I759	T760	A761	N762	F763	R764	E765	G766	L767	N768	V769	L770	Q771	F772	F773	I774	S775	T776	H777	A779	R780		
K781	G782	L783	A784	D785	T786	A787	L788	K789	T790	A791	N792	S793	G794	Y795	L796	T797	R798	R799	L800	V801	D802	L803	A804	Q805	D806	L807	V808	V809	T810	E811	D812	D813	C814	G815	G816	T816	H817	E818	G819	I820	M821	M822	T823	P824	V825	I826	E827	G828	G829	V830	V831	E832	E833	I834	L835	R836	D837	R838	V839	L840
G841	R842	V843	T844	A845	E846	D847	V848	L849	K850	P851	G852	T853	A854	D855	I856	L857	V858	P859	R860	N861	S862	L863	L864	H865	Q866	Q867	V868	C869	D870	L871	L872	E873	E874	N875	S876	V877	G878	A879	V880	K881	V882	R883	S884	V885	V886	S887	C888	D889	T890	D891	F892	G893	V894	C895	A896	H897	C898	Y899	G900	
R901	D902	L903	A904	R905	G906	H907	I908	I909	N910	K911	G912	E913	A914	I915	G916	V917	I918	A919	A920	Q921	S922	I923	G924	E925	P926	G927	T928	Q929	L930	T931	M932	R933	THR	PHE	HIS	ILE	GLY	GLY	ALA	SER	ARG	ALA	ALA	ALA	GLU	S948	S949	I950	Q951	V952	K953	N954	K955	G956	I957	I958	L960			
S961	N962	V963	K964	S965	V966	V967	N968	S969	S970	G971	K972	L973	V974	I975	T976	S977	R978	N979	T980	E981	L982	K983	L984	I985	D986	E987	F988	G989	R990	T991	K992	E993	S994	Y995	K996	V997	S998	Y999	G1000	A1001	V1002	L1003	A1004	K1005	G1006	D1007	G1008	E1009	Q1010	V1011	A1012	G1013	G1014	E1015	T1016	V1017	A1018	M1019	W1020	
D1021	P1022	H1023	T1024	M1025	P1026	V1027	I1028	L1029	E1030	V1031	S1032	G1033	F1034	V1035	R1036	F1037	T1038	D1039	M1040	L1041	D1042	G1043	Q1044	T1045	I1046	T1047	R1048	Q1049	L1050	D1051	E1052	L1053	T1054	G1055	L1056	S1057	S1058	L1059	V1060	V1061	D1062	L1063	S1064	A1065	A1066	R1067	T1068	A1069	G1070	G1071	K1072	D1073	L1074	R1075	P1076	A1077	L1078	K1079	I1080	
V1081	D1082	A1083	Q1084	G1085	N1086	D1087	V1088	L1089	I1090	P1091	G1092	T1093	D1094	M1095	P1096	A1097	Q1098	Y1099	F1100	L1101	P1102	G1103	K1104	A1105	I1106	V1107	Q1108	L1109	E1110	D1111	G1112	V1113	L1114	I1115	S1116	S1117	G1118	D1119	T1120	L1121	A1122	R1123	I1124	P1125	GLU	SER	GLY	GLY	THR	LYS	ASP	ILE	THR	G1136	G1137	L1138	P1139	R1140		
V1141	A1142	D1143	L1144	F1145	E1146	A1147	R1148	R1149	P1150	K1151	E1152	P1153	A1154	I1155	L1156	A1157	E1158	I1159	S1160	G1161	I1162	V1163	S1164	F1165	G1166	K1167	E1168	T1169	K1170	G1171	K1172	R1173	R1174	L1175	V1176	I1177	T1178	P1179	D1180	D1181	G1182	S1183	D1184	P1185	V1186	E1187	E1188	M1189	I1190	P1191	K1192	M1193	R1194	Q1195	L1196	M1197	V1198	F1199	E1200	
G1201	E1202	R1203	V1204	E1205	R1206	G1207	D1208	L1209	I1210	S1211	D1212	G1213	P1214	E1215	A1216	P1217	H1218	D1219	I1220	L1221	R1222	L1223	R1224	G1225	V1226	H1227	A1228	V1229	L1230	R1231	E1232	I1233	V1234	N1235	E1236	V1237	Q1238	D1239	V1240	Y1241	R1242	L1243	Q1244	G1245	V1246	K1247	I1248	N1249	L1250	K1251	H1252	I1253	E1254	V1255	I1256	V1257	L1258	Q1259	M1260	
L1261	R1262	K1263	A1264	T1265	I1266	V1267	M1268	A1269	G1270	S1271	S1272	D1273	F1274	L1275	E1276	G1277	E1278	I1279	V1280	E1281	Y1282	S1283	R1284	V1285	K1286	I1287	A1288	M1289	R1290	E1291	L1292	E1293	A1294	M1295	G1296	K1297	V1298	G1299	A1300	T1301	S1302	S1303	R1304	D1305	L1306	L1307	G1308	I1309	T1310	K1311	A1312	S1313	L1314	A1315	T1316	E1317	F1318	I1320		




• Molecule 14: 30S ribosomal protein S18





• Molecule 15: 16S rRNA







• Molecule 16: 30S ribosomal protein S20




• Molecule 17: 30S ribosomal protein S21




• Molecule 18: 30S ribosomal protein S2




• Molecule 19: 30S ribosomal protein S1




- Molecule 20: 30S ribosomal protein S3




- Molecule 21: 30S ribosomal protein S4







- Molecule 22: 30S ribosomal protein S5










● Molecule 23: 30S ribosomal protein S6




● Molecule 24: 30S ribosomal protein S7




● Molecule 25: 30S ribosomal protein S8





● Molecule 26: 30S ribosomal protein S9









• Molecule 27: 30S ribosomal protein S10




• Molecule 28: 30S ribosomal protein S11




• Molecule 29: 30S ribosomal protein S12






• Molecule 30: 30S ribosomal protein S14










• Molecule 31: 30S ribosomal protein S15





• Molecule 32: 30S ribosomal protein S16




• Molecule 33: 30S ribosomal protein S17




• Molecule 34: 30S ribosomal protein S19





• Molecule 35: 30S ribosomal protein S13







• Molecule 36: 50S ribosomal protein L11







• Molecule 37: 50S ribosomal protein L7/L12




LYS



• Molecule 38: 23S rRNA









• Molecule 39: 50S ribosomal protein L27




• Molecule 40: 50S ribosomal protein L28




• Molecule 41: 5S rRNA




• Molecule 42: 50S ribosomal protein L29



• Molecule 43: 50S ribosomal protein L30



• Molecule 44: 50S ribosomal protein L31





• Molecule 45: 50S ribosomal protein L2








• Molecule 46: 50S ribosomal protein L32




• Molecule 47: 50S ribosomal protein L3



• Molecule 48: 50S ribosomal protein L33




• Molecule 49: 50S ribosomal protein L4




• Molecule 50: 50S ribosomal protein L34




• Molecule 51: 50S ribosomal protein L5




• Molecule 52: 50S ribosomal protein L35




- Molecule 53: 50S ribosomal protein L6




- Molecule 54: 50S ribosomal protein L36



- Molecule 55: 50S ribosomal protein L9





- Molecule 56: 50S ribosomal protein L13










- Molecule 57: 50S ribosomal protein L14



- Molecule 58: 50S ribosomal protein L15




- Molecule 59: 50S ribosomal protein L16





- Molecule 60: 50S ribosomal protein L17









• Molecule 61: 50S ribosomal protein L18



• Molecule 62: 50S ribosomal protein L19



• Molecule 63: 50S ribosomal protein L20



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	27650	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	45	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.067	Depositor
Minimum map value	-0.032	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.005	Depositor
Recommended contour level	0.017	Depositor
Map size (Å)	532.48, 532.48, 532.48	wwPDB
Map dimensions	512, 512, 512	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.04, 1.04, 1.04	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	0	0.38	0/829	0.67	0/1107
2	1	0.49	0/864	0.82	0/1156
3	2	0.41	0/752	0.71	0/1005
4	3	0.35	0/796	0.66	2/1062 (0.2%)
5	4	0.40	0/766	0.68	0/1025
6	5	1.13	6/528 (1.1%)	0.97	1/810 (0.1%)
7	6	1.11	4/603 (0.7%)	0.97	0/926
8	7	0.57	2/747 (0.3%)	0.88	3/1160 (0.3%)
9	9	0.79	2/1131 (0.2%)	0.64	1/1524 (0.1%)
10	A	0.38	0/1810	0.75	1/2821 (0.0%)
10	B	0.46	1/1810 (0.1%)	0.86	7/2821 (0.2%)
11	AA	0.58	2/10591 (0.0%)	0.75	15/14289 (0.1%)
12	AC	0.48	0/1808	0.62	1/2450 (0.0%)
12	AD	0.39	0/1789	0.57	0/2425
13	AE	0.52	4/10545 (0.0%)	0.66	5/14236 (0.0%)
14	C	0.48	0/553	0.83	0/743
15	D	0.34	10/36610 (0.0%)	0.74	30/57091 (0.1%)
16	E	0.57	0/675	0.85	0/895
17	F	0.56	0/597	0.87	0/792
18	G	0.49	0/1791	0.71	0/2413
19	H	0.54	1/1746 (0.1%)	1.03	13/2382 (0.5%)
20	I	0.43	0/1663	0.71	0/2241
21	J	0.47	0/1665	0.73	0/2227
22	K	0.45	0/1165	0.75	0/1568
23	L	0.43	0/867	0.75	1/1171 (0.1%)
24	M	0.50	0/1195	0.81	0/1602
25	N	0.41	0/989	0.69	0/1326
26	O	0.43	0/1034	0.75	0/1375
27	P	0.43	0/800	0.75	0/1082
28	Q	0.40	0/893	0.70	0/1205
29	R	0.35	0/952	0.74	0/1274
30	S	0.49	0/817	0.79	0/1088

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
31	T	0.53	0/722	0.86	0/964
32	U	0.44	0/659	0.78	0/884
33	V	0.34	0/657	0.62	0/881
34	W	0.38	0/680	0.62	0/915
35	X	0.49	0/909	0.86	0/1215
36	Y	0.67	0/1046	0.59	0/1410
37	Z	0.69	0/227	0.57	0/304
38	a	0.38	3/69247 (0.0%)	0.72	17/107985 (0.0%)
39	b	0.39	0/589	0.71	0/779
40	c	0.48	0/635	0.82	2/848 (0.2%)
41	d	0.29	0/2872	0.70	0/4478
42	e	0.53	0/502	0.83	0/667
43	f	0.45	0/452	0.78	0/605
44	g	0.43	0/531	0.68	0/709
45	h	0.39	0/2121	0.78	0/2852
46	i	0.40	0/450	0.79	0/599
47	j	0.44	0/1586	0.69	0/2134
48	k	0.35	0/433	0.64	0/576
49	l	0.46	0/1571	0.77	0/2113
50	m	0.53	0/380	0.99	0/498
51	n	0.49	0/1434	0.88	3/1926 (0.2%)
52	o	0.45	0/513	0.83	0/676
53	p	0.39	0/1333	0.67	0/1805
54	q	0.37	0/303	0.77	0/397
55	r	0.43	0/1122	0.69	0/1515
56	s	0.50	0/1152	0.75	0/1551
57	t	0.41	0/955	0.78	0/1279
58	u	0.40	0/1062	0.76	0/1413
59	v	0.47	0/1093	0.82	0/1460
60	w	0.52	0/964	0.87	0/1289
61	x	0.46	0/902	0.81	0/1209
62	y	0.41	0/929	0.73	1/1242 (0.1%)
63	z	0.60	0/960	0.91	0/1278
All	All	0.43	35/188372 (0.0%)	0.74	103/277748 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
10	A	0	2

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
10	B	0	2
11	AA	0	10
13	AE	0	5
19	H	0	3
35	X	0	1
All	All	0	23

The worst 5 of 35 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	9	130	PRO	N-CA	13.73	1.70	1.47
15	D	1516	G	O3'-P	-13.42	1.45	1.61
15	D	1339	A	O3'-P	10.59	1.73	1.61
11	AA	374	GLU	C-N	10.44	1.54	1.34
13	AE	88	CYS	CB-SG	-10.14	1.65	1.82

The worst 5 of 103 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	D	1516	G	P-O3'-C3'	-18.99	96.91	119.70
15	D	1516	G	O3'-P-O5'	13.81	130.24	104.00
11	AA	1250	SER	C-N-CA	11.14	149.56	121.70
38	a	2252	G	N9-C1'-C2'	-10.93	99.80	114.00
15	D	1401	G	N9-C1'-C2'	-10.68	100.12	114.00

There are no chirality outliers.

5 of 23 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
10	A	19	G	Sidechain
10	A	7	G	Sidechain
11	AA	205	PRO	Peptide
11	AA	594	VAL	Peptide
11	AA	595	THR	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	0	101/103 (98%)	97 (96%)	3 (3%)	1 (1%)	15	52
2	1	108/110 (98%)	104 (96%)	4 (4%)	0	100	100
3	2	92/100 (92%)	90 (98%)	2 (2%)	0	100	100
4	3	101/104 (97%)	96 (95%)	4 (4%)	1 (1%)	15	52
5	4	92/94 (98%)	91 (99%)	1 (1%)	0	100	100
9	9	146/165 (88%)	95 (65%)	37 (25%)	14 (10%)	0	10
11	AA	1318/1342 (98%)	1150 (87%)	136 (10%)	32 (2%)	6	35
12	AC	228/329 (69%)	215 (94%)	11 (5%)	2 (1%)	17	54
12	AD	226/329 (69%)	212 (94%)	14 (6%)	0	100	100
13	AE	1329/1407 (94%)	1200 (90%)	120 (9%)	9 (1%)	22	60
14	C	64/75 (85%)	63 (98%)	1 (2%)	0	100	100
16	E	84/87 (97%)	83 (99%)	1 (1%)	0	100	100
17	F	68/71 (96%)	68 (100%)	0	0	100	100
18	G	223/241 (92%)	210 (94%)	13 (6%)	0	100	100
19	H	255/557 (46%)	188 (74%)	55 (22%)	12 (5%)	2	23
20	I	206/233 (88%)	197 (96%)	8 (4%)	1 (0%)	29	67
21	J	203/205 (99%)	198 (98%)	5 (2%)	0	100	100
22	K	154/167 (92%)	146 (95%)	7 (4%)	1 (1%)	25	63
23	L	102/135 (76%)	97 (95%)	4 (4%)	1 (1%)	15	52
24	M	149/151 (99%)	144 (97%)	4 (3%)	1 (1%)	22	60
25	N	127/129 (98%)	121 (95%)	5 (4%)	1 (1%)	19	58
26	O	125/127 (98%)	115 (92%)	9 (7%)	1 (1%)	19	58
27	P	97/99 (98%)	88 (91%)	8 (8%)	1 (1%)	15	52
28	Q	115/117 (98%)	104 (90%)	9 (8%)	2 (2%)	9	42
29	R	117/123 (95%)	116 (99%)	1 (1%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
30	S	98/101 (97%)	96 (98%)	2 (2%)	0	100	100
31	T	86/89 (97%)	82 (95%)	4 (5%)	0	100	100
32	U	80/82 (98%)	75 (94%)	4 (5%)	1 (1%)	12	47
33	V	78/84 (93%)	74 (95%)	4 (5%)	0	100	100
34	W	81/83 (98%)	78 (96%)	3 (4%)	0	100	100
35	X	114/116 (98%)	107 (94%)	5 (4%)	2 (2%)	8	40
36	Y	139/141 (99%)	102 (73%)	25 (18%)	12 (9%)	1	12
37	Z	28/121 (23%)	19 (68%)	7 (25%)	2 (7%)	1	16
39	b	74/76 (97%)	69 (93%)	5 (7%)	0	100	100
40	c	75/78 (96%)	72 (96%)	3 (4%)	0	100	100
42	e	60/62 (97%)	57 (95%)	3 (5%)	0	100	100
43	f	56/58 (97%)	53 (95%)	3 (5%)	0	100	100
44	g	64/66 (97%)	63 (98%)	1 (2%)	0	100	100
45	h	269/271 (99%)	259 (96%)	9 (3%)	1 (0%)	34	71
46	i	54/56 (96%)	51 (94%)	3 (6%)	0	100	100
47	j	207/209 (99%)	198 (96%)	9 (4%)	0	100	100
48	k	50/55 (91%)	50 (100%)	0	0	100	100
49	l	199/201 (99%)	190 (96%)	8 (4%)	1 (0%)	29	67
50	m	44/46 (96%)	43 (98%)	1 (2%)	0	100	100
51	n	175/177 (99%)	162 (93%)	11 (6%)	2 (1%)	14	50
52	o	62/64 (97%)	59 (95%)	3 (5%)	0	100	100
53	p	173/175 (99%)	161 (93%)	12 (7%)	0	100	100
54	q	36/38 (95%)	35 (97%)	1 (3%)	0	100	100
55	r	147/149 (99%)	136 (92%)	11 (8%)	0	100	100
56	s	140/142 (99%)	135 (96%)	5 (4%)	0	100	100
57	t	121/123 (98%)	111 (92%)	10 (8%)	0	100	100
58	u	142/144 (99%)	135 (95%)	7 (5%)	0	100	100
59	v	134/136 (98%)	129 (96%)	5 (4%)	0	100	100
60	w	117/119 (98%)	107 (92%)	10 (8%)	0	100	100
61	x	114/116 (98%)	108 (95%)	6 (5%)	0	100	100
62	y	112/114 (98%)	105 (94%)	7 (6%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
63	z	115/117 (98%)	110 (96%)	4 (4%)	1 (1%)	17	54
All	All	9274/10209 (91%)	8519 (92%)	653 (7%)	102 (1%)	18	50

5 of 102 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
9	9	88	HIS
11	AA	596	ASP
11	AA	853	ASP
11	AA	859	GLU
11	AA	862	LEU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	84/84 (100%)	78 (93%)	6 (7%)	14	42
2	1	93/93 (100%)	84 (90%)	9 (10%)	8	29
3	2	81/84 (96%)	76 (94%)	5 (6%)	18	46
4	3	84/85 (99%)	78 (93%)	6 (7%)	14	42
5	4	78/78 (100%)	74 (95%)	4 (5%)	24	52
9	9	112/123 (91%)	65 (58%)	47 (42%)	0	0
11	AA	1140/1157 (98%)	1039 (91%)	101 (9%)	9	34
12	AC	198/286 (69%)	182 (92%)	16 (8%)	11	38
12	AD	196/286 (68%)	194 (99%)	2 (1%)	76	85
13	AE	1120/1168 (96%)	1051 (94%)	69 (6%)	18	46
14	C	57/65 (88%)	55 (96%)	2 (4%)	36	61
16	E	65/66 (98%)	60 (92%)	5 (8%)	13	40
17	F	60/61 (98%)	57 (95%)	3 (5%)	24	52
18	G	187/199 (94%)	178 (95%)	9 (5%)	25	53
19	H	137/461 (30%)	128 (93%)	9 (7%)	16	44

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
20	I	171/190 (90%)	165 (96%)	6 (4%)	36	61
21	J	172/172 (100%)	165 (96%)	7 (4%)	30	57
22	K	119/126 (94%)	112 (94%)	7 (6%)	19	48
23	L	91/116 (78%)	85 (93%)	6 (7%)	16	44
24	M	124/124 (100%)	116 (94%)	8 (6%)	17	45
25	N	104/104 (100%)	102 (98%)	2 (2%)	57	75
26	O	105/105 (100%)	100 (95%)	5 (5%)	25	53
27	P	86/86 (100%)	77 (90%)	9 (10%)	7	27
28	Q	90/90 (100%)	87 (97%)	3 (3%)	38	62
29	R	101/103 (98%)	94 (93%)	7 (7%)	15	43
30	S	83/84 (99%)	79 (95%)	4 (5%)	25	53
31	T	76/77 (99%)	64 (84%)	12 (16%)	2	16
32	U	65/65 (100%)	61 (94%)	4 (6%)	18	46
33	V	74/78 (95%)	72 (97%)	2 (3%)	44	66
34	W	72/72 (100%)	68 (94%)	4 (6%)	21	49
35	X	94/94 (100%)	85 (90%)	9 (10%)	8	30
36	Y	109/109 (100%)	72 (66%)	37 (34%)	0	1
37	Z	26/85 (31%)	12 (46%)	14 (54%)	0	0
39	b	58/58 (100%)	57 (98%)	1 (2%)	60	78
40	c	67/68 (98%)	64 (96%)	3 (4%)	27	54
42	e	54/54 (100%)	53 (98%)	1 (2%)	57	75
43	f	48/48 (100%)	46 (96%)	2 (4%)	30	56
44	g	59/59 (100%)	53 (90%)	6 (10%)	7	28
45	h	216/216 (100%)	199 (92%)	17 (8%)	12	39
46	i	47/47 (100%)	41 (87%)	6 (13%)	4	21
47	j	164/164 (100%)	157 (96%)	7 (4%)	29	56
48	k	47/49 (96%)	44 (94%)	3 (6%)	17	45
49	l	165/165 (100%)	151 (92%)	14 (8%)	10	37
50	m	38/38 (100%)	35 (92%)	3 (8%)	12	39
51	n	148/148 (100%)	134 (90%)	14 (10%)	8	30
52	o	51/51 (100%)	46 (90%)	5 (10%)	8	29

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
53	p	136/136 (100%)	132 (97%)	4 (3%)	42	64
54	q	34/34 (100%)	32 (94%)	2 (6%)	19	48
55	r	114/114 (100%)	104 (91%)	10 (9%)	10	34
56	s	116/116 (100%)	110 (95%)	6 (5%)	23	51
57	t	104/104 (100%)	98 (94%)	6 (6%)	20	48
58	u	103/103 (100%)	97 (94%)	6 (6%)	20	48
59	v	109/109 (100%)	103 (94%)	6 (6%)	21	50
60	w	99/99 (100%)	91 (92%)	8 (8%)	11	38
61	x	86/86 (100%)	80 (93%)	6 (7%)	15	42
62	y	99/99 (100%)	95 (96%)	4 (4%)	31	57
63	z	89/89 (100%)	87 (98%)	2 (2%)	52	71
All	All	7705/8430 (91%)	7124 (92%)	581 (8%)	17	40

5 of 581 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
45	h	203	ARG
61	x	48	LEU
47	j	18	ASP
45	h	202	LEU
52	o	55	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 6 such sidechains are listed below:

Mol	Chain	Res	Type
22	K	70	ASN
35	X	105	ASN
58	u	4	ASN
11	AA	1236	ASN
9	9	103	ASN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
10	A	75/76 (98%)	29 (38%)	6 (8%)
10	B	75/76 (98%)	35 (46%)	6 (8%)

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
15	D	1515/1542 (98%)	288 (19%)	35 (2%)
38	a	2859/2904 (98%)	532 (18%)	0
41	d	119/120 (99%)	17 (14%)	0
8	7	31/32 (96%)	21 (67%)	3 (9%)
All	All	4674/4750 (98%)	922 (19%)	50 (1%)

5 of 922 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
8	7	-9	G
8	7	-8	U
8	7	-7	U
8	7	-5	U
8	7	-4	U

5 of 50 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
15	D	532	A
15	D	1109	C
15	D	1493	A
15	D	562	U
15	D	793	U

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 3 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-21494. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 256



Y Index: 256




Z Index: 256


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 240



Y Index: 231




Z Index: 248


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.017. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 887 nm^3 ; this corresponds to an approximate mass of 801 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [\(i\)](#)



*Reported resolution corresponds to spatial frequency of 0.244\AA^{-1}


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-21494 and PDB model 6VZJ. Per-residue inclusion information can be found in section 3 on page 16.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.017 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.017).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 36% of all backbone atoms, 36% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary































































The table lists the average atom inclusion at the recommended contour level (0.017) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.3561	 0.1230
0	 0.3225	 0.1140
1	 0.4282	 0.2450
2	 0.2507	 0.0600
3	 0.2307	 0.0170
4	 0.2575	 0.0510
5	 0.0021	 -0.0050
6	 0.0055	 0.0520
7	 0.0134	 0.0190
9	 0.0695	 0.0020
A	 0.1765	 0.0960
AA	 0.0017	 0.0230
AC	 0.0017	 0.0180
AD	 0.0012	 0.0130
AE	 0.0022	 0.0180
B	 0.1265	 0.0350
C	 0.2409	 0.0790
D	 0.5257	 0.1880
E	 0.2125	 0.0040
F	 0.2200	 0.1780
G	 0.2308	 0.1020
H	 0.0082	 0.0140
I	 0.2082	 0.1290
J	 0.2270	 0.1030
K	 0.4115	 0.2670
L	 0.1620	 0.0260
M	 0.1897	 0.1040
N	 0.3250	 0.1810
O	 0.2002	 0.0480
P	 0.2026	 0.0890
Q	 0.2474	 0.1310
R	 0.4365	 0.3000
S	 0.2183	 0.0610
T	 0.3145	 0.1390
U	 0.1467	 -0.0110



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
V	 0.2769	 0.1500
W	 0.0912	 0.0010
X	 0.1417	 -0.0100
Y	 0.0440	 -0.0160
Z	 0.0132	 -0.0140
a	 0.5301	 0.1630
b	 0.2332	 0.0450
c	 0.2745	 0.0890
d	 0.4496	 0.0400
e	 0.2495	 0.0100
f	 0.3326	 0.1300
g	 0.0959	 -0.0160
h	 0.3070	 0.1140
i	 0.4579	 0.2290
j	 0.3758	 0.1720
k	 0.1794	 -0.0210
l	 0.2704	 0.0700
m	 0.4845	 0.2710
n	 0.1682	 0.0010
o	 0.2444	 0.0650
p	 0.1911	 0.0070
q	 0.3185	 0.1040
r	 0.0766	 -0.0010
s	 0.3691	 0.1680
t	 0.3702	 0.2120
u	 0.2881	 0.0750
v	 0.3426	 0.1570
w	 0.3976	 0.1670
x	 0.1889	 -0.0690
y	 0.2613	 0.1010
z	 0.4504	 0.2090