

Full wwPDB X-ray Structure Validation Report (i)

Apr 21, 2024 - 05:43 am BST

PDB ID	:	2W03
Title	:	Co-complex Structure of Achromobactin Synthetase Protein D (AcsD) with
		adenosine, sulfate and citrate from Pectobacterium Chrysanthemi
Authors	:	Schmelz, S.; McMahon, S.A.; Kadi, N.; Song, L.; Oves-Costales, D.; Oke, M.;
		Liu, H.; Johnson, K.A.; Carter, L.; White, M.F.; Challis, G.L.; Naismith, J.H.
Deposited on	:	2008-08-08
Resolution	:	2.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.36.2
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36.2

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motria	Whole archive	Similar resolution
wietric	$(\# { m Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$
R_{free}	130704	3104 (3.00-2.92)
Clashscore	141614	3462 (3.00-2.92)
Ramachandran outliers	138981	3340 (3.00-2.92)
Sidechain outliers	138945	3343 (3.00-2.92)
RSRZ outliers	127900	2986 (3.00-2.92)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain				
1	А	620	% • 55%	35% • 7%			
1	В	620	^{2%} 52%	39% · 7%			

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:



Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	SO4	В	1589	-	-	Х	-



2W03

2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 9361 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
1	А	574	Total 4601	C 2926	N 834	0 821	S 20	0	0	0
1	В	577	Total 4626	C 2940	N 841	O 825	S 20	0	0	0

• Molecule 1 is a protein called ACSD.

• Molecule 2 is ADENOSINE (three-letter code: ADN) (formula: $C_{10}H_{13}N_5O_4$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	Δ	1	Total	С	Ν	0	0	0
2		I	19	10	5	4	0	0
9	В	1	Total	С	Ν	Ο	0	0
	D	T	19	10	5	4	0	0

• Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O₄S).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
3	В	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0

• Molecule 4 is CITRIC ACID (three-letter code: CIT) (formula: $C_6H_8O_7$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	В	1	Total C O 13 6 7	0	0

• Molecule 5 is water.



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	А	33	Total O 33 33	0	0
5	В	40	$\begin{array}{cc} \text{Total} & \text{O} \\ 40 & 40 \end{array}$	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: ACSD







4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1	Depositor
Cell constants	57.65Å 69.14Å 94.19Å	Depositor
a, b, c, α , β , γ	95.43° 101.45° 95.06°	Depositor
Bosolution(Å)	91.67 - 2.95	Depositor
Resolution (A)	45.95 - 2.95	EDS
% Data completeness	98.2 (91.67-2.95)	Depositor
(in resolution range)	98.2 (45.95-2.95)	EDS
R_{merge}	0.14	Depositor
R _{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.93 (at 2.96 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
B B.	0.202 , 0.267	Depositor
$\mathbf{n}, \mathbf{n}_{free}$	0.212 , 0.275	DCC
R_{free} test set	1474 reflections (5.05%)	wwPDB-VP
Wilson B-factor $(Å^2)$	40.2	Xtriage
Anisotropy	0.165	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$, $B_{sol}(Å^2)$	0.36 , 34.9	EDS
L-test for $twinning^2$	$ < L >=0.45, < L^2>=0.27$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	9361	wwPDB-VP
Average B, all atoms $(Å^2)$	20.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 6.68% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: CIT, SO4, ADN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles		
	Unain	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.73	0/4721	0.86	6/6415~(0.1%)	
1	В	0.75	0/4746	0.85	4/6448~(0.1%)	
All	All	0.74	0/9467	0.86	10/12863~(0.1%)	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	А	2	3
1	В	0	3
All	All	2	6

There are no bond length outliers.

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	А	351	ALA	N-CA-C	7.38	130.92	111.00
1	А	474	LEU	CA-CB-CG	6.88	131.12	115.30
1	В	114	LEU	CA-CB-CG	-6.61	100.10	115.30
1	В	200	LEU	CB-CG-CD1	-6.50	99.95	111.00
1	А	566	LEU	CA-CB-CG	5.57	128.12	115.30
1	А	482	ASP	N-CA-C	5.36	125.48	111.00
1	А	303	CYS	CA-CB-SG	-5.20	104.64	114.00
1	А	266	ASP	CB-CG-OD1	5.11	122.90	118.30
1	В	394	LEU	CB-CG-CD1	-5.02	102.47	111.00
1	В	387	LEU	CB-CG-CD2	-5.01	102.48	111.00

All (2) chirality outliers are listed below:



Mol	Chain	Res	Type	Atom
1	А	351	ALA	CA
1	А	482	ASP	CA

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	А	268	GLY	Peptide
1	А	300	ILE	Peptide
1	А	480	ASP	Peptide
1	В	268	GLY	Peptide
1	В	327	ASP	Peptide
1	В	97	GLN	Peptide

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	4601	0	4519	169	0
1	В	4626	0	4545	213	0
2	А	19	0	13	0	0
2	В	19	0	13	4	0
3	А	5	0	0	0	0
3	В	5	0	0	2	0
4	В	13	0	5	1	0
5	А	33	0	0	0	0
5	В	40	0	0	5	0
All	All	9361	0	9095	382	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 21.

All (382) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:124:ARG:CD	1:B:571:ALA:HA	1.67	1.23
1:B:124:ARG:HD3	1:B:571:ALA:CA	1.68	1.23
1:B:563:LYS:NZ	1:B:576:ARG:HH22	1.41	1.15



		Interatomic Clash		
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:B:503:MET:HE3	1:B:561:ALA:H	1.19	1.08	
1:A:303:CYS:SG	1:A:305:ARG:NH2	2.29	1.05	
1:B:476:ILE:HD13	1:B:492:LEU:HD13	1.32	1.04	
1:B:423:GLN:HE22	1:B:536:GLN:HG3	0.92	1.03	
1:B:423:GLN:NE2	1:B:536:GLN:HG3	1.75	1.01	
1:B:301:THR:HG21	2:B:1588:ADN:O2'	1.64	0.98	
1:B:564:THR:O	1:B:568:VAL:HG23	1.65	0.97	
1:B:563:LYS:HZ2	1:B:576:ARG:HH22	1.12	0.94	
1:B:563:LYS:NZ	1:B:576:ARG:NH2	2.13	0.94	
1:B:29:GLU:OE1	1:B:566:LEU:HB3	1.68	0.94	
1:A:134:LEU:O	1:A:138:ARG:HG2	1.73	0.88	
1:B:110:LEU:HD12	1:B:114:LEU:HD12	1.56	0.88	
1:A:476:ILE:HD12	1:A:479:ILE:HD12	1.55	0.87	
1:B:255:VAL:HA	1:B:258:LEU:HD12	1.58	0.86	
1:B:425:ARG:HH21	1:B:425:ARG:HG3	1.41	0.85	
1:B:476:ILE:HG13	1:B:479:ILE:HD12	1.58	0.85	
1:B:563:LYS:HZ2	1:B:576:ARG:NH2	1.73	0.85	
1:B:136:SER:O	1:B:140:VAL:HG23	1.79	0.83	
1:A:303:CYS:SG	1:A:305:ARG:CZ	2.67	0.83	
1:B:287:ASP:HA	1:B:374:ARG:HD2	1.61	0.83	
1:A:136:SER:O	1:A:140:VAL:HG23	1.80	0.82	
1:B:563:LYS:HZ1	1:B:576:ARG:HH22	1.25	0.82	
1:B:361:ARG:HD2	5:B:2023:HOH:O	1.81	0.80	
1:A:98:ALA:HB3	1:A:100:GLY:HA2	1.63	0.79	
1:A:181:TRP:HB2	1:A:182:PRO:HD2	1.64	0.79	
1:B:182:PRO:HB2	1:B:184:HIS:CE1	2.18	0.79	
1:B:245:GLN:OE1	1:B:296:LEU:HA	1.84	0.77	
1:B:14:SER:OG	1:B:137:GLN:NE2	2.16	0.77	
1:A:476:ILE:HD12	1:A:479:ILE:CD1	2.15	0.76	
1:B:215:ASN:HD21	1:B:320:ARG:HB2	1.51	0.75	
1:A:299:ARG:HA	1:A:303:CYS:O	1.86	0.75	
1:B:503:MET:HE3	1:B:561:ALA:N	1.98	0.75	
1:A:428:ARG:HG2	1:A:540:ILE:HG12	1.68	0.74	
1:B:299:ARG:HA	1:B:303:CYS:O	1.86	0.74	
1:B:563:LYS:HZ1	1:B:576:ARG:NH2	1.81	0.73	
1:B:444:HIS:HE1	1:B:446:GLN:HB3	1.53	0.72	
1:B:164:GLN:OE1	1:B:195:GLN:HA	1.91	0.70	
1:B:341:GLU:OE1	1:B:465:PHE:HB2	1.92	0.70	
1:B:301:THR:OG1	1:B:302:ASN:N	2.22	0.70	
1:A:160:LEU:O	1:A:164:GLN:HG3	1.91	0.70	
1:A:252:ASP:OD2	1:A:254:ARG:HB2	1.91	0.70	



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:B:185:LEU:HD21	1:B:247:GLN:HG3	1.74	0.70	
1:B:182:PRO:CB	1:B:184:HIS:CE1	2.74	0.70	
1:B:387:LEU:HD21	1:B:450:LEU:HD22	1.74	0.69	
1:B:388:PHE:CE1	1:B:514:THR:HG23	2.26	0.69	
1:B:299:ARG:HE	1:B:569:ARG:HH22	1.38	0.69	
1:B:314:SER:HB2	1:B:491:LEU:HD21	1.74	0.69	
1:A:98:ALA:HB3	1:A:100:GLY:CA	2.23	0.69	
1:B:167:TRP:O	1:B:177:LYS:HE3	1.93	0.69	
1:A:309:TRP:HA	1:A:312:LEU:HD12	1.76	0.68	
1:A:117:ALA:O	1:A:121:ILE:HD12	1.93	0.68	
1:A:204:GLU:HB3	1:A:265:ARG:HB2	1.75	0.68	
1:A:280:ILE:HG21	1:A:300:ILE:HD13	1.74	0.68	
1:B:23:LEU:O	1:B:27:ILE:HD12	1.93	0.68	
1:B:182:PRO:CB	1:B:184:HIS:HE1	2.06	0.68	
1:B:445:LEU:HD12	2:B:1588:ADN:HN62	1.58	0.68	
1:B:476:ILE:CG1	1:B:479:ILE:HD12	2.24	0.67	
1:A:297:ASN:ND2	1:A:306:LYS:HB3	2.08	0.67	
1:A:508:ILE:HD12	1:A:562:CYS:HB2	1.77	0.67	
1:A:134:LEU:HB3	1:A:138:ARG:NH1	2.10	0.67	
1:A:408:GLU:HG3	1:A:409:ALA:O	1.95	0.67	
1:B:175:ALA:HB1	1:B:178:ALA:HB2	1.77	0.66	
1:B:299:ARG:NE	1:B:569:ARG:HH22	1.94	0.66	
1:A:202:GLN:NE2	1:A:271:GLY:HA2	2.11	0.66	
1:A:568:VAL:HG21	1:A:578:ALA:HB1	1.78	0.65	
1:B:425:ARG:HG3	1:B:425:ARG:NH2	2.09	0.65	
1:A:43:ASP:OD1	1:A:44:GLU:N	2.27	0.65	
1:B:382:ILE:HD12	1:B:452:HIS:CD2	2.32	0.65	
1:A:124:ARG:NH2	1:A:571:ALA:O	2.29	0.65	
1:B:9:LEU:O	1:B:13:ILE:HG13	1.97	0.65	
1:B:108:GLU:HB3	1:B:109:PRO:HD3	1.79	0.64	
1:A:297:ASN:HD21	1:A:306:LYS:HB3	1.63	0.64	
1:A:541:GLN:NE2	1:A:552:ASP:OD1	2.31	0.64	
1:B:444:HIS:CE1	1:B:446:GLN:HB3	2.32	0.64	
1:A:11:ARG:NH1	1:A:15:GLU:OE2	2.31	0.64	
1:A:225:GLY:O	1:A:272:ARG:NH2	2.26	0.64	
1:A:148:GLY:HA2	1:A:392:VAL:HG11	1.79	0.64	
1:A:313:GLU:CD	1:A:361:ARG:HH22	2.02	0.63	
1:A:143:ILE:CD1	1:A:193:GLU:HG3	2.29	0.63	
1:A:303:CYS:SG	1:A:305:ARG:NE	2.71	0.63	
1:A:380:ARG:O	1:A:452:HIS:HD2	1.80	0.63	
1:B:476:ILE:CD1	1:B:479:ILE:HD12	2.29	0.63	



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:A:295:SER:HB3	1:A:306:LYS:HA	1.79	0.63
1:B:424:THR:HG22	1:B:428:ARG:HH21	1.63	0.62
1:B:215:ASN:ND2	1:B:320:ARG:HB2	2.13	0.62
1:A:170:HIS:HB3	1:A:173:HIS:HB2	1.81	0.62
1:B:110:LEU:CD1	1:B:114:LEU:HD12	2.29	0.61
1:B:356:ASP:O	1:B:357:SER:C	2.39	0.61
1:B:86:SER:OG	1:B:512:SER:HB2	2.00	0.61
1:A:464:ASP:OD2	1:A:466:GLU:HB3	2.00	0.61
1:A:170:HIS:HB3	1:A:173:HIS:CB	2.31	0.61
1:B:281:ARG:HD3	1:B:294:GLY:O	2.01	0.61
1:A:280:ILE:HG21	1:A:300:ILE:CD1	2.30	0.60
1:B:303:CYS:H	1:B:305:ARG:HH11	1.49	0.60
1:B:423:GLN:HE22	1:B:536:GLN:CG	1.88	0.60
1:A:143:ILE:HD13	1:A:193:GLU:HG3	1.82	0.60
1:B:357:SER:O	1:B:361:ARG:HG3	2.02	0.60
1:A:380:ARG:HG2	1:A:452:HIS:O	2.00	0.60
1:B:129:LEU:O	1:B:133:ILE:HG13	2.01	0.60
1:B:541:GLN:HA	1:B:544:LEU:HD12	1.83	0.60
1:A:180:LEU:O	1:A:298:VAL:HG13	2.01	0.59
1:B:476:ILE:CD1	1:B:479:ILE:CD1	2.80	0.59
1:B:480:ASP:OD1	1:B:480:ASP:O	2.20	0.59
1:A:430:VAL:HG21	1:A:506:LEU:HD21	1.84	0.59
1:B:424:THR:HG22	1:B:428:ARG:NH2	2.18	0.59
1:A:337:VAL:HG21	1:A:459:GLN:OE1	2.03	0.59
1:B:182:PRO:HB3	1:B:184:HIS:HE1	1.67	0.58
1:A:388:PHE:CZ	1:A:514:THR:HG23	2.38	0.58
1:B:252:ASP:HB3	1:B:255:VAL:HG23	1.85	0.58
1:A:68:LEU:HD12	1:A:72:LEU:CD2	2.33	0.58
1:A:380:ARG:O	1:A:452:HIS:CD2	2.56	0.58
1:B:233:SER:O	1:B:236:HIS:HB2	2.03	0.58
1:B:424:THR:CG2	1:B:428:ARG:HH21	2.17	0.58
1:A:222:VAL:HG12	1:A:226:PHE:HE2	1.68	0.58
1:B:308:ALA:HA	1:B:362:GLU:OE2	2.04	0.58
1:B:406:TYR:HB2	1:B:410:LEU:HD11	1.86	0.58
1:A:173:HIS:O	1:A:176:PRO:HD3	2.03	0.57
1:A:26:LEU:HD22	1:A:114:LEU:HD22	1.87	0.57
1:B:388:PHE:CZ	1:B:514:THR:HG23	2.39	0.57
1:B:94:TYR:CE1	1:B:104:CYS:HB2	2.40	0.57
1:B:98:ALA:HA	1:B:100:GLY:N	2.19	0.57
1:A:249:PHE:O	1:A:255:VAL:HG21	2.04	0.56
1:A:332:THR:HB	1:A:436:ASN:HD22	1.70	0.56



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:29:GLU:HG2	1:B:564:THR:HB	1.87	0.56
1:A:481:ASP:O	1:A:483:ILE:N	2.36	0.56
1:A:181:TRP:HB2	1:A:182:PRO:CD	2.36	0.56
1:B:157:GLN:HA	1:B:157:GLN:OE1	2.04	0.56
1:B:30:PHE:C	1:B:33:PRO:HD2	2.25	0.56
1:B:151:ARG:HG2	1:B:153:ASP:OD1	2.05	0.56
1:A:503:MET:HG2	1:A:560:VAL:HG13	1.88	0.56
1:B:110:LEU:HD12	1:B:114:LEU:CD1	2.33	0.56
1:A:9:LEU:HD11	1:B:58:ASP:HA	1.87	0.55
1:B:293:LYS:HE3	3:B:1589:SO4:O2	2.07	0.55
1:A:503:MET:CG	1:A:560:VAL:HG13	2.36	0.55
1:A:200:LEU:HD21	1:A:283:TRP:CD2	2.41	0.55
1:B:60:LYS:O	1:B:90:LEU:HD12	2.07	0.55
1:B:140:VAL:HG22	1:B:177:LYS:HG3	1.88	0.55
1:A:381:SER:HA	1:A:450:LEU:O	2.07	0.55
1:B:433:LEU:HD22	1:B:439:VAL:HB	1.89	0.55
1:B:324:GLN:O	1:B:328:GLN:HB3	2.07	0.54
1:B:481:ASP:O	1:B:483:ILE:N	2.38	0.54
1:A:354:GLU:HA	1:A:357:SER:HB3	1.89	0.54
1:A:356:ASP:O	1:A:357:SER:C	2.44	0.54
1:B:182:PRO:HB3	1:B:184:HIS:CE1	2.43	0.54
1:A:166:LEU:O	1:A:177:LYS:NZ	2.30	0.54
1:A:169:GLY:O	1:A:171:PRO:HD3	2.08	0.54
1:A:314:SER:O	1:A:318:ILE:HG12	2.08	0.54
1:B:301:THR:CG2	2:B:1588:ADN:O2'	2.47	0.54
1:A:79:ASP:HB3	1:A:90:LEU:HD11	1.89	0.54
1:B:201:HIS:HA	1:B:269:GLN:HA	1.90	0.54
1:B:266:ASP:OD1	1:B:267:LEU:O	2.25	0.54
1:B:385:GLY:HA2	1:B:445:LEU:HB3	1.89	0.54
1:B:7:ASP:HA	1:B:10:SER:OG	2.07	0.54
1:B:143:ILE:HG23	1:B:193:GLU:HB3	1.90	0.53
1:B:75:PHE:HB2	1:B:102:TRP:CH2	2.43	0.53
1:A:568:VAL:HG21	1:A:578:ALA:CB	2.38	0.53
1:B:98:ALA:HA	1:B:100:GLY:CA	2.37	0.53
1:B:249:PHE:CE1	1:B:255:VAL:HG11	2.44	0.53
1:B:226:PHE:CZ	1:B:345:VAL:HG12	2.44	0.53
1:B:15:GLU:HG2	1:B:107:PHE:CG	2.44	0.53
1:B:224:ASP:OD1	1:B:229:GLN:HB2	2.08	0.53
1:A:226:PHE:CZ	1:A:368:LEU:HG	2.44	0.53
1:B:387:LEU:CD2	1:B:450:LEU:HD22	2.38	0.53
1:A:321:LEU:CD1	1:A:478:TYR:HB3	2.39	0.53



	A h o	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:336:LEU:HD22	1:A:433:LEU:HD11	1.90	0.53
1:B:341:GLU:HB2	1:B:465:PHE:CD2	2.44	0.53
1:A:309:TRP:O	1:A:312:LEU:HB2	2.09	0.53
1:B:299:ARG:NE	1:B:569:ARG:NH2	2.57	0.53
1:B:340:ALA:O	1:B:369:ARG:HG3	2.09	0.53
1:A:279:SER:HB3	1:A:446:GLN:NE2	2.24	0.52
1:B:19:LEU:HD13	1:B:19:LEU:C	2.30	0.52
1:B:506:LEU:O	1:B:511:LEU:HD12	2.08	0.52
1:A:385:GLY:HA2	1:A:445:LEU:HB3	1.91	0.52
1:B:173:HIS:ND1	1:B:174:PRO:HD2	2.24	0.52
1:B:376:THR:O	1:B:380:ARG:NH1	2.43	0.52
1:A:25:CYS:SG	1:A:174:PRO:HD3	2.50	0.52
1:A:324:GLN:O	1:A:328:GLN:HB2	2.08	0.52
1:B:124:ARG:NH1	1:B:571:ALA:O	2.43	0.52
1:B:55:ASP:OD1	1:B:57:ALA:N	2.37	0.52
1:A:212:ILE:HG21	1:A:219:PRO:HA	1.92	0.51
1:B:526:ALA:HB3	1:B:527:PRO:CD	2.40	0.51
1:A:266:ASP:OD1	1:A:267:LEU:O	2.29	0.51
1:B:110:LEU:CD1	1:B:114:LEU:CD1	2.89	0.51
1:B:55:ASP:OD1	1:B:55:ASP:C	2.48	0.51
1:A:119:GLU:HG2	1:A:125:LYS:HA	1.91	0.51
1:A:290:TYR:HB2	1:A:368:LEU:HD22	1.92	0.51
1:B:446:GLN:HG3	2:B:1588:ADN:O4'	2.11	0.51
1:B:551:LEU:O	1:B:555:ILE:HG13	2.10	0.51
1:B:19:LEU:HD13	1:B:19:LEU:O	2.11	0.51
1:B:30:PHE:O	1:B:33:PRO:HD2	2.11	0.51
1:B:245:GLN:OE1	1:B:297:ASN:N	2.41	0.50
1:A:434:PHE:CD2	1:A:440:VAL:HG22	2.47	0.50
1:B:508:ILE:HG21	1:B:562:CYS:SG	2.51	0.50
1:A:11:ARG:HG2	1:A:15:GLU:OE2	2.12	0.50
1:A:230:GLN:O	1:A:232:ALA:N	2.44	0.50
1:A:437:HIS:O	1:A:475:GLY:HA2	2.12	0.50
1:B:179:ARG:C	1:B:180:LEU:HG	2.31	0.50
1:B:474:LEU:O	1:B:477:ARG:HG2	2.12	0.50
1:B:124:ARG:HD3	1:B:571:ALA:HA	0.74	0.49
1:B:249:PHE:O	1:B:255:VAL:HG21	2.13	0.49
1:A:184:HIS:CE1	1:A:185:LEU:CD2	2.95	0.49
1:A:242:HIS:ND1	1:A:244:VAL:HB	2.27	0.49
1:A:170:HIS:H	1:A:176:PRO:HB3	1.78	0.49
1:A:554:LEU:HD11	1:A:560:VAL:HG22	1.93	0.49
1:A:199:ALA:HA	1:A:273:VAL:HA	1.94	0.49



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:A:205:VAL:HG12	1:A:264:ILE:CG2	2.42	0.49
1:A:387:LEU:HD21	1:A:450:LEU:HD22	1.94	0.49
1:A:242:HIS:CE1	1:A:244:VAL:HB	2.47	0.49
1:B:576:ARG:HD2	1:B:577:GLN:H	1.76	0.49
1:A:284:PHE:CE1	1:A:286:ASP:OD1	2.66	0.49
1:B:442:GLU:HG3	1:B:501:ARG:HD3	1.95	0.49
1:A:526:ALA:HB3	1:A:527:PRO:HD3	1.95	0.49
1:B:401:PHE:CD2	1:B:402:LEU:HD23	2.48	0.49
1:A:50:PRO:HA	1:A:53:TYR:CE1	2.48	0.48
1:B:472:ASP:OD2	1:B:494:SER:HA	2.13	0.48
1:B:568:VAL:O	1:B:571:ALA:HB3	2.13	0.48
1:A:11:ARG:O	1:A:15:GLU:HG3	2.14	0.48
1:A:202:GLN:NE2	1:A:271:GLY:CA	2.76	0.48
1:B:541:GLN:NE2	1:B:552:ASP:OD1	2.46	0.48
1:B:272:ARG:HD3	1:B:285:ILE:HD13	1.96	0.48
1:A:24:ASN:O	1:A:28:LYS:HD2	2.13	0.48
1:A:318:ILE:O	1:A:322:PHE:HD2	1.96	0.48
1:A:126:ASN:OD1	1:A:128:GLU:HB2	2.13	0.48
1:B:129:LEU:O	1:B:129:LEU:HD12	2.12	0.48
1:A:428:ARG:HG3	1:A:540:ILE:HD11	1.96	0.48
1:B:476:ILE:HD11	1:B:479:ILE:CD1	2.43	0.48
1:B:337:VAL:HG21	1:B:459:GLN:HG2	1.95	0.48
1:A:260:ARG:O	1:A:260:ARG:HG2	2.13	0.48
1:B:111:VAL:O	1:B:112:ALA:C	2.53	0.48
1:A:79:ASP:CB	1:A:90:LEU:HD11	2.43	0.47
1:A:564:THR:HG21	1:A:581:VAL:HG13	1.95	0.47
1:B:547:PRO:O	5:B:2037:HOH:O	2.20	0.47
1:A:503:MET:HE3	1:A:561:ALA:HB2	1.95	0.47
1:A:74:LEU:C	1:A:74:LEU:HD23	2.35	0.47
1:A:511:LEU:O	1:A:512:SER:C	2.51	0.47
1:B:489:GLN:O	1:B:489:GLN:HG3	2.13	0.47
1:A:503:MET:HG2	1:A:560:VAL:CG1	2.45	0.47
1:B:170:HIS:ND1	1:B:171:PRO:HD2	2.29	0.47
1:B:228:ASP:O	1:B:231:PRO:HD2	2.14	0.47
1:A:515:ILE:HG22	1:A:516:LEU:N	2.30	0.47
1:B:226:PHE:CE2	1:B:368:LEU:HG	2.49	0.47
1:B:577:GLN:NE2	5:B:2039:HOH:O	2.46	0.47
1:A:134:LEU:HB3	1:A:138:ARG:HH12	1.79	0.47
1:A:393:ASP:OD1	1:A:395:GLN:HB2	2.15	0.47
1:A:526:ALA:HB3	1:A:527:PRO:CD	2.44	0.47
1:B:382:ILE:HD11	1:B:452:HIS:HE2	1.78	0.47



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:B:170:HIS:HB3	1:B:173:HIS:HB3	1.97	0.47	
1:B:303:CYS:H	1:B:305:ARG:NH1	2.12	0.47	
1:B:321:LEU:HD13	1:B:478:TYR:HB3	1.97	0.46	
1:A:471:THR:HG22	1:A:495:ARG:HA	1.96	0.46	
1:A:196:ALA:O	1:A:276:PRO:HD2	2.15	0.46	
1:B:68:LEU:O	1:B:70:ASP:N	2.49	0.46	
1:B:97:GLN:O	1:B:98:ALA:HB3	2.16	0.46	
1:B:576:ARG:CD	1:B:577:GLN:H	2.29	0.46	
1:A:281:ARG:NH1	1:A:293:LYS:HE2	2.31	0.45	
1:A:122:ALA:HB3	1:A:570:LEU:HD23	1.98	0.45	
1:A:154:ALA:N	1:A:155:PRO:HD2	2.32	0.45	
1:A:422:TYR:HE2	1:A:450:LEU:HD13	1.81	0.45	
1:B:258:LEU:HB3	1:B:264:ILE:HG12	1.98	0.45	
1:B:208:ASP:HB3	1:B:350:ALA:HB2	1.98	0.45	
1:B:256:GLN:HB3	1:B:260:ARG:HH22	1.82	0.45	
1:A:214:ALA:HB2	1:A:222:VAL:HG21	1.99	0.45	
1:B:116:ALA:HA	1:B:119:GLU:OE1	2.15	0.45	
1:A:184:HIS:CE1	1:A:185:LEU:HD23	2.51	0.45	
1:A:143:ILE:O	1:A:147:ASN:ND2	2.42	0.45	
1:B:32:ILE:N	1:B:33:PRO:CD	2.80	0.45	
1:B:416:LEU:HD11	1:B:528:LEU:HD13	1.97	0.45	
1:A:25:CYS:HB3	1:A:566:LEU:HD23	1.98	0.45	
1:B:382:ILE:HD12	1:B:452:HIS:HD2	1.81	0.45	
1:B:430:VAL:HG21	1:B:443:PRO:HG3	1.98	0.45	
1:A:111:VAL:HG11	1:A:133:ILE:HG21	1.99	0.44	
1:B:15:GLU:O	1:B:19:LEU:HB2	2.15	0.44	
1:A:159:TYR:O	1:A:162:SER:OG	2.32	0.44	
1:B:170:HIS:CG	1:B:173:HIS:HB2	2.52	0.44	
1:A:49:PRO:O	1:A:50:PRO:C	2.56	0.44	
1:A:321:LEU:O	1:A:325:LEU:HD12	2.17	0.44	
1:B:306:LYS:HD3	1:B:362:GLU:HG2	2.00	0.44	
1:A:416:LEU:O	1:A:420:ASP:HB2	2.17	0.44	
1:B:525:LEU:HD23	1:B:525:LEU:HA	1.59	0.44	
1:B:576:ARG:CD	1:B:577:GLN:N	2.80	0.44	
1:A:30:PHE:HD1	1:A:121:ILE:HG21	1.83	0.44	
1:A:529:MET:O	1:A:533:VAL:HG23	2.18	0.44	
1:B:134:LEU:O	1:B:138:ARG:HG3	2.16	0.44	
1:B:576:ARG:CG	1:B:577:GLN:N	2.80	0.44	
1:B:23:LEU:HD23	1:B:23:LEU:HA	1.82	0.44	
1:B:107:PHE:CE2	1:B:137:GLN:HG3	2.52	0.44	
1:A:199:ALA:HA	1:A:272:ARG:O	2.17	0.44	



	A L	Interatomic	Clash	
Atom-1	Atom-2	distance (\AA)	overlap (Å)	
1:A:230:GLN:HB3	1:A:231:PRO:HD3	1.99	0.44	
1:B:416:LEU:O	1:B:420:ASP:HB2	2.17	0.44	
1:B:496:GLU:O	1:B:500:ASN:OD1	2.35	0.44	
1:B:511:LEU:O	1:B:512:SER:C	2.56	0.44	
1:A:7:ASP:HA	1:A:10:SER:HB2	1.99	0.43	
1:A:307:ASN:O	1:A:362:GLU:HB2	2.18	0.43	
1:B:153:ASP:OD1	1:B:153:ASP:N	2.50	0.43	
1:A:399:GLN:NE2	1:A:517:ALA:O	2.52	0.43	
1:B:360:PHE:C	1:B:362:GLU:N	2.71	0.43	
1:B:412:ASP:OD1	1:B:522:ARG:NH1	2.52	0.43	
1:A:79:ASP:O	1:A:80:ARG:HB3	2.18	0.43	
1:A:70:ASP:O	1:A:71:GLN:HB2	2.17	0.43	
1:A:293:LYS:HB3	1:A:367:ILE:HB	2.00	0.43	
1:B:346:SER:HB2	1:B:361:ARG:HA	2.00	0.43	
1:A:315:THR:HG23	1:A:341:GLU:OE1	2.19	0.43	
1:A:453:GLN:O	1:A:454:GLN:HG3	2.18	0.43	
1:B:36:TYR:HB3	1:B:67:GLY:O	2.18	0.43	
1:B:74:LEU:C	1:B:74:LEU:HD23	2.39	0.43	
1:B:299:ARG:C	1:B:300:ILE:HG12	2.39	0.43	
1:B:401:PHE:HD2	1:B:402:LEU:HD23	1.84	0.43	
1:B:329:HIS:O	1:B:333:LEU:HG	2.19	0.43	
1:B:331:ASP:OD1	1:B:331:ASP:N	2.51	0.43	
1:B:503:MET:HE2	1:B:561:ALA:CB	2.48	0.43	
1:A:122:ALA:CB	1:A:570:LEU:HD23	2.49	0.43	
1:A:111:VAL:O	1:A:112:ALA:C	2.57	0.43	
1:A:345:VAL:O	1:A:345:VAL:HG13	2.18	0.42	
1:A:422:TYR:CE2	1:A:450:LEU:HD13	2.54	0.42	
1:A:309:TRP:CE2	1:A:358:HIS:CE1	3.07	0.42	
1:A:410:LEU:HB3	1:A:414:ALA:HB3	2.01	0.42	
1:A:385:GLY:CA	1:A:445:LEU:HB3	2.49	0.42	
1:B:40:GLU:O	1:B:65:MET:HG3	2.19	0.42	
1:B:82:ASP:OD2	1:B:86:SER:HB2	2.19	0.42	
1:B:83:THR:HB	1:B:584:PRO:O	2.19	0.42	
1:B:245:GLN:OE1	1:B:296:LEU:CA	2.62	0.42	
1:B:380:ARG:HG2	5:B:2029:HOH:O	2.19	0.42	
1:A:32:ILE:N	1:A:33:PRO:CD	2.83	0.42	
1:A:291:PHE:HB2	1:A:369:ARG:HB3	2.02	0.42	
1:A:476:ILE:CD1	1:A:479:ILE:CD1	2.93	0.42	
1:B:383:MET:HG2	1:B:384:ALA:N	2.33	0.42	
1:B:541:GLN:HA	1:B:544:LEU:CD1	2.47	0.42	
1:B:438:GLY:HA3	1:B:475:GLY:H	1.85	0.42	



	1	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:218:THR:O	1:A:219:PRO:C	2.56	0.42	
1:B:381:SER:HA	1:B:450:LEU:O	2.20	0.42	
4:B:1590:CIT:O1	4:B:1590:CIT:H41	2.19	0.42	
1:A:313:GLU:O	1:A:316:VAL:HB	2.19	0.42	
1:B:128:GLU:HG3	1:B:132:GLN:NE2	2.35	0.42	
1:B:146:HIS:HD2	1:B:147:ASN:ND2	2.18	0.42	
1:B:130:TYR:CE2	1:B:134:LEU:HD11	2.54	0.42	
1:A:299:ARG:HB2	1:A:299:ARG:NH1	2.35	0.41	
1:B:564:THR:CG2	1:B:581:VAL:HG22	2.50	0.41	
1:A:213:GLY:O	1:A:343:GLY:HA2	2.20	0.41	
1:A:359:TRP:O	1:A:363:GLN:HG2	2.20	0.41	
1:B:437:HIS:O	1:B:475:GLY:HA2	2.19	0.41	
1:B:16:LYS:HE3	1:B:20:HIS:CE1	2.55	0.41	
1:B:119:GLU:HG2	1:B:125:LYS:HA	2.02	0.41	
1:B:360:PHE:O	1:B:362:GLU:N	2.53	0.41	
1:A:201:HIS:HA	1:A:269:GLN:HA	2.03	0.41	
1:B:129:LEU:HD22	1:B:569:ARG:HB2	2.01	0.41	
1:B:251:GLN:NE2	5:B:2015:HOH:O	2.38	0.41	
1:B:428:ARG:O	1:B:432:SER:OG	2.25	0.41	
1:B:503:MET:CE	1:B:561:ALA:CB	2.98	0.41	
1:A:318:ILE:HG23	1:A:322:PHE:HE2	1.86	0.41	
1:A:318:ILE:CG2	1:A:322:PHE:CE2	3.04	0.41	
1:B:463:ARG:O	1:B:464:ASP:CB	2.69	0.41	
1:A:508:ILE:HD13	1:A:583:LEU:HD12	2.03	0.41	
1:A:104:CYS:HA	1:A:105:PRO:HD2	1.90	0.41	
1:A:109:PRO:O	1:A:113:ARG:HB2	2.20	0.41	
1:A:476:ILE:HD13	1:A:492:LEU:HD13	2.01	0.41	
1:B:230:GLN:O	1:B:232:ALA:N	2.54	0.41	
1:B:293:LYS:HB3	1:B:367:ILE:HB	2.01	0.41	
1:B:433:LEU:HD22	1:B:439:VAL:CB	2.50	0.41	
1:A:44:GLU:HG3	1:A:46:LYS:H	1.86	0.41	
1:A:69:PRO:HD2	1:A:121:ILE:HD11	2.02	0.41	
1:B:27:ILE:HA	1:B:31:ALA:HB3	2.03	0.41	
1:B:442:GLU:HG3	1:B:501:ARG:HH11	1.86	0.41	
1:B:199:ALA:HA	1:B:273:VAL:HA	2.02	0.41	
1:A:182:PRO:HB3	1:A:184:HIS:ND1	2.36	0.40	
1:A:541:GLN:HB2	1:A:551:LEU:CD2	2.51	0.40	
1:B:122:ALA:C	1:B:124:ARG:H	2.24	0.40	
1:B:154:ALA:N	1:B:155:PRO:CD	2.84	0.40	
1:B:534:GLN:NE2	1:B:555:ILE:O	2.54	0.40	
1:A:267:LEU:H	1:A:267:LEU:HG	1.61	0.40	



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:321:LEU:HD11	1:A:478:TYR:CB	2.51	0.40
1:A:384:ALA:O	1:A:387:LEU:N	2.54	0.40
1:B:232:ALA:HB2	1:B:238:ILE:HG13	2.03	0.40
1:B:435:PHE:HB2	1:B:544:LEU:HD22	2.03	0.40
1:B:534:GLN:HG3	1:B:587:TRP:CE2	2.56	0.40
1:A:321:LEU:HD11	1:A:478:TYR:HB3	2.04	0.40
1:B:369:ARG:NH2	3:B:1589:SO4:O2	2.53	0.40
1:A:133:ILE:HG12	1:A:174:PRO:O	2.22	0.40
1:A:442:GLU:HG3	1:A:501:ARG:HH11	1.86	0.40
1:B:78:VAL:HG11	1:B:87:GLN:HG3	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Per	$\operatorname{centiles}$
1	А	568/620~(92%)	501 (88%)	59 (10%)	8 (1%)	11	. 39
1	В	571/620~(92%)	494 (86%)	65~(11%)	12 (2%)	7	29
All	All	1139/1240~(92%)	995 (87%)	124 (11%)	20 (2%)	8	33

All (20) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	482	ASP
1	В	351	ALA
1	В	482	ASP
1	А	464	ASP
1	А	515	ILE
1	А	516	LEU
1	В	141	SER
1	В	464	ASP



Mol	Chain	\mathbf{Res}	Type
1	В	516	LEU
1	А	378	ALA
1	В	142	ALA
1	В	228	ASP
1	В	399	GLN
1	В	556	ALA
1	А	316	VAL
1	А	231	PRO
1	В	123	GLY
1	В	231	PRO
1	В	515	ILE
1	А	123	GLY

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed Rotameric Outliers		Percentiles		
1	А	485/522~(93%)	476~(98%)	9~(2%)	57 81	
1	В	487/522~(93%)	474 (97%)	13 (3%)	44 74	
All	All	972/1044~(93%)	950~(98%)	22~(2%)	50 78	

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	70	ASP
1	А	79	ASP
1	А	113	ARG
1	А	281	ARG
1	А	286	ASP
1	А	305	ARG
1	А	477	ARG
1	А	480	ASP
1	А	496	GLU
1	В	8	VAL
1	В	180	LEU



Mol	Chain	Res	Type
1	В	230	GLN
1	В	272	ARG
1	В	281	ARG
1	В	362	GLU
1	В	375	ARG
1	В	481	ASP
1	В	541	GLN
1	В	569	ARG
1	В	570	LEU
1	В	576	ARG
1	В	582	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	В	20	HIS
1	В	137	GLN
1	В	324	GLN
1	В	423	GLN
1	В	500	ASN
1	В	577	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

5 ligands are modelled in this entry.



2W03

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	True	Chain	n Dog Link		Their Deg Link Bond lengths			Bond angles		
IVIOI	туре	Chain	nes	LIIIK	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	CIT	В	1590	-	12,12,12	1.28	0	17,17,17	1.82	4 (23%)
3	SO4	А	1589	-	4,4,4	0.22	0	6,6,6	0.69	0
2	ADN	В	1588	-	18,21,21	1.11	1 (5%)	18,31,31	1.49	2 (11%)
2	ADN	А	1588	-	18,21,21	1.22	1 (5%)	18,31,31	1.35	1 (5%)
3	SO4	В	1589	-	4,4,4	0.32	0	6,6,6	0.59	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	CIT	В	1590	-	-	8/16/16/16	-
2	ADN	В	1588	-	-	2/2/22/22	0/3/3/3
2	ADN	А	1588	-	-	2/2/22/22	0/3/3/3

\mathbf{Mol}	Chain	\mathbf{Res}	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	В	1588	ADN	O4'-C1'	3.10	1.45	1.41
2	А	1588	ADN	O4'-C1'	2.99	1.45	1.41

All (2) bond length outliers are listed below:

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms		$Observed(^{o})$	$Ideal(^{o})$
2	А	1588	ADN	N3-C2-N1	-4.27	122.00	128.68
2	В	1588	ADN	N3-C2-N1	-4.04	122.36	128.68
4	В	1590	CIT	O6-C6-C3	3.96	119.93	113.05
2	В	1588	ADN	O4'-C1'-C2'	-2.88	102.72	106.93
4	В	1590	CIT	O7-C3-C6	-2.73	105.03	108.86
4	В	1590	CIT	O4-C5-O3	-2.39	117.34	123.30
4	В	1590	CIT	O2-C1-O1	-2.20	117.81	123.30



There are no chirality outliers.

Mol	Chain	\mathbf{Res}	Type	Atoms
4	В	1590	CIT	C2-C3-C4-C5
4	В	1590	CIT	O7-C3-C4-C5
4	В	1590	CIT	C6-C3-C4-C5
4	В	1590	CIT	C2-C3-C6-O5
4	В	1590	CIT	C2-C3-C6-O6
4	В	1590	CIT	O7-C3-C6-O5
4	В	1590	CIT	O7-C3-C6-O6
2	В	1588	ADN	O4'-C4'-C5'-O5'
2	А	1588	ADN	C3'-C4'-C5'-O5'
2	В	1588	ADN	C3'-C4'-C5'-O5'
2	А	1588	ADN	O4'-C4'-C5'-O5'
4	В	1590	CIT	C1-C2-C3-O7

All (12) torsion outliers are listed below:

There are no ring outliers.

3 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	В	1590	CIT	1	0
2	В	1588	ADN	4	0
3	В	1589	SO4	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed <rsrz< th=""><th>#RSRZ>2</th><th>$OWAB(Å^2)$</th><th>Q<0.9</th></rsrz<>		#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	574/620~(92%)	-0.13	4 (0%) 87 76	8, 20, 31, 38	0
1	В	577/620~(93%)	-0.05	12 (2%) 63 46	8, 20, 31, 46	2 (0%)
All	All	1151/1240~(92%)	-0.09	16 (1%) 75 59	8, 20, 31, 46	2 (0%)

All (16) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	А	482	ASP	4.6
1	В	571	ALA	4.5
1	В	69	PRO	4.0
1	В	409	ALA	3.5
1	В	352	ALA	3.0
1	В	407	GLY	2.9
1	А	69	PRO	2.7
1	В	123	GLY	2.6
1	В	98	ALA	2.6
1	В	351	ALA	2.5
1	В	354	GLU	2.4
1	В	350	ALA	2.3
1	А	458	GLN	2.3
1	В	120	HIS	2.1
1	А	230	GLN	2.1
1	В	481	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} extsf{-}\mathbf{B} extsf{-}\mathbf{factors}(\mathbf{A}^2)$	Q<0.9
2	ADN	A	1588	19/19	0.92	0.22	42,43,45,46	0
2	ADN	В	1588	19/19	0.95	0.20	30,31,36,38	0
4	CIT	В	1590	13/13	0.95	0.16	16,29,32,33	0
3	SO4	А	1589	5/5	0.97	0.16	19,24,25,25	0
3	SO4	В	1589	5/5	0.99	0.11	18,21,22,22	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







6.5 Other polymers (i)

There are no such residues in this entry.

