



wwPDB X-ray Structure Validation Summary Report

Dec 10, 2023 – 10:41 am GMT

PDB ID : 2W40
Title : Crystal structure of Plasmodium falciparum glycerol kinase with bound glycerol
Authors : Schnick, C.; Polley, S.D.; Fivelman, Q.L.; Ranford-Cartwright, L.; Wilkinson, S.R.; Brannigan, J.A.; Wilkinson, A.J.; Baker, D.A.
Deposited on : 2008-11-18
Resolution : 1.49 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the  symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.49 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2936 (1.50-1.50)
Clashscore	141614	3144 (1.50-1.50)
Ramachandran outliers	138981	3066 (1.50-1.50)
Sidechain outliers	138945	3064 (1.50-1.50)
RSRZ outliers	127900	2884 (1.50-1.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	503	 6% 86% 13% .
1	B	503	 3% 83% 15% .
1	C	503	 3% 82% 15% .
1	D	503	 4% 84% 13% .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	EDO	A	1507	-	-	X	-
2	EDO	A	1509	-	-	X	-
2	EDO	B	1514	-	-	X	-
2	EDO	B	1518	-	-	X	-
2	EDO	C	1510	-	-	X	-
2	EDO	C	1514	-	X	X	-
2	EDO	C	1520	-	-	X	-
2	EDO	D	1510	-	-	X	-
2	EDO	D	1515	-	X	X	-
3	GOL	C	1527	-	-	X	-

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 18365 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called GLYCEROL KINASE, PUTATIVE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	501	Total 4034	C 2568	N 668	O 771	S 27	11	10	0
1	B	503	Total 4030	C 2565	N 667	O 771	S 27	5	7	0
1	C	502	Total 4037	C 2569	N 669	O 773	S 26	21	9	0
1	D	503	Total 4015	C 2555	N 662	O 772	S 26	3	7	0

- Molecule 2 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
2	A	1	Total 4	C 2	O 2	0	0
2	A	1	Total 4	C 2	O 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	C	1	Total	C	O	0	0
			4	2	2		
2	C	1	Total	C	O	0	0
			4	2	2		
2	C	1	Total	C	O	0	0
			4	2	2		
2	C	1	Total	C	O	0	0
			4	2	2		
2	C	1	Total	C	O	0	0
			4	2	2		
2	C	1	Total	C	O	0	0
			4	2	2		
2	C	1	Total	C	O	0	0
			4	2	2		
2	C	1	Total	C	O	0	0
			4	2	2		
2	C	1	Total	C	O	0	0
			4	2	2		
2	C	1	Total	C	O	0	0
			4	2	2		
2	C	1	Total	C	O	0	0
			4	2	2		

Continued on next page...



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 6 3 3	0	0
3	A	1	Total C O 6 3 3	0	0
3	B	1	Total C O 6 3 3	0	0
3	B	1	Total C O 6 3 3	0	0
3	C	1	Total C O 6 3 3	0	0
3	C	1	Total C O 6 3 3	0	0
3	C	1	Total C O 6 3 3	0	0
3	C	1	Total C O 6 3 3	0	0
3	C	1	Total C O 6 3 3	0	0
3	C	1	Total C O 6 3 3	0	0
3	C	1	Total C O 6 3 3	0	0
3	D	1	Total C O 6 3 3	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	463	Total 463	O 463	0	0
4	B	492	Total 492	O 492	0	0
4	C	499	Total 499	O 499	0	0
4	D	475	Total 475	O 475	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: GLYCEROL KINASE, PUTATIVE





- Molecule 1: GLYCEROL KINASE, PUTATIVE





- Molecule 1: GLYCEROL KINASE, PUTATIVE





● Molecule 1: GLYCEROL KINASE, PUTATIVE



4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	101.92Å 100.72Å 107.81Å 90.00° 92.56° 90.00°	Depositor
Resolution (Å)	107.83 – 1.49 36.78 – 1.49	Depositor EDS
% Data completeness (in resolution range)	73.5 (107.83-1.49) 73.6 (36.78-1.49)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.66 (at 1.49Å)	Xtrriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.168 , 0.210 0.161 , 0.210	Depositor DCC
R_{free} test set	13131 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	13.0	Xtrriage
Anisotropy	0.258	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 55.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	0.000 for k,h,-l 0.000 for -k,-h,-l 0.000 for h,-k,-l	Xtrriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	18365	wwPDB-VP
Average B, all atoms (Å ²)	17.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 49.76 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 7.1291e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.28	10/4133 (0.2%)	1.07	13/5592 (0.2%)
1	B	1.34	16/4113 (0.4%)	1.11	18/5565 (0.3%)
1	C	1.36	22/4132 (0.5%)	1.11	15/5590 (0.3%)
1	D	1.30	11/4111 (0.3%)	1.10	21/5563 (0.4%)
All	All	1.32	59/16489 (0.4%)	1.10	67/22310 (0.3%)

The worst 5 of 59 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	95	LYS	CD-CE	-14.72	1.14	1.51
1	C	434	GLU	CB-CG	-13.96	1.25	1.52
1	C	68	LYS	CG-CD	-10.44	1.17	1.52
1	B	285[A]	CYS	CB-SG	-9.32	1.66	1.82
1	B	285[B]	CYS	CB-SG	-9.32	1.66	1.82

The worst 5 of 67 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	439	LYS	N-CA-CB	-9.97	92.65	110.60
1	D	91	ARG	NE-CZ-NH2	-9.65	115.47	120.30
1	D	91	ARG	NE-CZ-NH1	8.31	124.45	120.30
1	D	67	ASP	CB-CG-OD1	8.14	125.62	118.30
1	B	406	LEU	CB-CG-CD2	-7.93	97.52	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4034	0	4060	46	0
1	B	4030	0	4051	63	0
1	C	4037	0	4064	73	0
1	D	4015	0	4033	59	0
2	A	36	0	53	9	0
2	B	80	0	120	17	0
2	C	76	0	114	27	0
2	D	56	0	81	14	0
3	A	12	0	16	3	0
3	B	12	0	15	1	0
3	C	42	0	56	14	0
3	D	6	0	8	0	0
4	A	463	0	0	10	1
4	B	492	0	0	25	2
4	C	499	0	0	24	0
4	D	475	0	0	14	1
All	All	18365	0	16671	266	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

The worst 5 of 266 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:1510:EDO:C1	2:C:1510:EDO:O1	1.64	1.44
1:D:116:SER:O	2:D:1515:EDO:H12	1.31	1.27
1:D:116:SER:O	2:D:1515:EDO:C1	1.98	1.10
1:B:22[B]:GLU:OE1	4:B:2032:HOH:O	1.71	1.09
3:C:1522:GOL:H2	4:C:2429:HOH:O	1.53	1.08

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:2181:HOH:O	4:B:2203:HOH:O[1_556]	2.00	0.20
4:B:2266:HOH:O	4:D:2117:HOH:O[1_565]	2.16	0.04

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	509/503 (101%)	496 (97%)	13 (3%)	0	100	100
1	B	508/503 (101%)	495 (97%)	13 (3%)	0	100	100
1	C	509/503 (101%)	497 (98%)	12 (2%)	0	100	100
1	D	508/503 (101%)	496 (98%)	12 (2%)	0	100	100
All	All	2034/2012 (101%)	1984 (98%)	50 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	459/450 (102%)	449 (98%)	10 (2%)	52	22
1	B	457/450 (102%)	442 (97%)	15 (3%)	38	10
1	C	459/450 (102%)	444 (97%)	15 (3%)	38	10
1	D	457/450 (102%)	444 (97%)	13 (3%)	43	14
All	All	1832/1800 (102%)	1779 (97%)	53 (3%)	43	13

5 of 53 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	95	LYS
1	C	439	LYS
1	D	439	LYS
1	C	120	ASN
1	C	263	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 34 such sidechains are listed below:

Mol	Chain	Res	Type
1	D	122	ASN
1	D	125	GLN
1	D	322	ASN
1	B	322	ASN
1	B	153	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

74 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	EDO	D	1512	-	3,3,3	0.75	0	2,2,2	0.08	0
3	GOL	A	1511	-	5,5,5	0.97	0	5,5,5	0.84	0
2	EDO	B	1515	-	3,3,3	0.50	0	2,2,2	0.16	0
2	EDO	B	1509	-	3,3,3	0.30	0	2,2,2	1.71	1 (50%)
2	EDO	C	1507	-	3,3,3	0.37	0	2,2,2	0.37	0
2	EDO	D	1514	-	3,3,3	0.32	0	2,2,2	0.89	0
2	EDO	C	1505	-	3,3,3	0.41	0	2,2,2	1.09	0
2	EDO	B	1504	-	3,3,3	0.69	0	2,2,2	1.00	0
2	EDO	B	1508	-	3,3,3	0.60	0	2,2,2	0.72	0
2	EDO	B	1510	-	3,3,3	0.89	0	2,2,2	0.77	0
2	EDO	C	1518	-	3,3,3	0.24	0	2,2,2	0.71	0
2	EDO	C	1509	-	3,3,3	1.92	1 (33%)	2,2,2	2.01	1 (50%)
2	EDO	B	1521	-	3,3,3	0.55	0	2,2,2	0.31	0
2	EDO	C	1514	-	3,3,3	2.24	1 (33%)	2,2,2	2.66	2 (100%)
2	EDO	B	1503	-	3,3,3	0.42	0	2,2,2	0.64	0
2	EDO	A	1505	-	3,3,3	0.36	0	2,2,2	0.03	0
2	EDO	A	1504	-	3,3,3	0.08	0	2,2,2	0.86	0
2	EDO	B	1516	-	3,3,3	1.07	0	2,2,2	0.27	0
2	EDO	D	1513	-	3,3,3	0.40	0	2,2,2	0.67	0
2	EDO	C	1511	-	3,3,3	0.61	0	2,2,2	0.55	0
2	EDO	A	1507	-	3,3,3	1.20	0	2,2,2	1.55	0
3	GOL	C	1523	-	5,5,5	0.43	0	5,5,5	0.20	0
2	EDO	C	1517	-	3,3,3	0.48	0	2,2,2	0.39	0
3	GOL	C	1521	-	5,5,5	0.92	0	5,5,5	0.50	0
2	EDO	A	1510	-	3,3,3	0.19	0	2,2,2	0.22	0
2	EDO	C	1519	-	3,3,3	0.67	0	2,2,2	0.44	0
2	EDO	D	1507	-	3,3,3	0.89	0	2,2,2	0.91	0
2	EDO	B	1505	-	3,3,3	0.14	0	2,2,2	1.14	0
3	GOL	C	1525	-	5,5,5	0.40	0	5,5,5	1.06	0
2	EDO	C	1513	-	3,3,3	0.31	0	2,2,2	0.27	0
2	EDO	D	1511	-	3,3,3	0.39	0	2,2,2	0.24	0
3	GOL	C	1526	-	5,5,5	0.65	0	5,5,5	0.43	0
2	EDO	A	1506	-	3,3,3	0.72	0	2,2,2	0.53	0
2	EDO	D	1509	-	3,3,3	0.41	0	2,2,2	0.05	0
2	EDO	D	1504	-	3,3,3	0.52	0	2,2,2	0.80	0
2	EDO	B	1511	-	3,3,3	0.42	0	2,2,2	0.33	0
3	GOL	A	1512	-	5,5,5	0.46	0	5,5,5	0.61	0
2	EDO	D	1510	-	3,3,3	0.90	0	2,2,2	1.22	0
3	GOL	C	1524	-	5,5,5	0.68	0	5,5,5	1.87	2 (40%)
2	EDO	C	1515	-	3,3,3	0.83	0	2,2,2	0.29	0
2	EDO	C	1504	-	3,3,3	0.70	0	2,2,2	1.10	0
2	EDO	B	1502	-	3,3,3	0.57	0	2,2,2	1.01	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	EDO	B	1518	-	3,3,3	0.64	0	2,2,2	0.53	0
2	EDO	C	1512	-	3,3,3	0.38	0	2,2,2	0.25	0
2	EDO	D	1503	-	3,3,3	0.51	0	2,2,2	0.79	0
3	GOL	C	1527	-	5,5,5	0.37	0	5,5,5	1.09	0
2	EDO	B	1507	-	3,3,3	0.48	0	2,2,2	0.31	0
2	EDO	C	1510	-	3,3,3	2.60	1 (33%)	2,2,2	1.53	0
2	EDO	C	1508	-	3,3,3	0.71	0	2,2,2	0.13	0
2	EDO	B	1514	-	3,3,3	0.84	0	2,2,2	1.04	0
2	EDO	D	1502	-	3,3,3	0.62	0	2,2,2	1.06	0
2	EDO	B	1512	-	3,3,3	0.37	0	2,2,2	0.19	0
2	EDO	B	1517	-	3,3,3	0.53	0	2,2,2	0.51	0
2	EDO	C	1503	-	3,3,3	0.48	0	2,2,2	1.09	0
2	EDO	C	1506	-	3,3,3	0.61	0	2,2,2	0.65	0
2	EDO	B	1513	-	3,3,3	0.37	0	2,2,2	0.30	0
2	EDO	D	1506	-	3,3,3	0.22	0	2,2,2	0.84	0
2	EDO	D	1515	-	3,3,3	3.89	2 (66%)	2,2,2	2.14	1 (50%)
3	GOL	B	1523	-	5,5,5	1.59	1 (20%)	5,5,5	1.14	0
2	EDO	C	1516	-	3,3,3	1.07	0	2,2,2	1.40	0
3	GOL	C	1522	-	5,5,5	1.14	1 (20%)	5,5,5	1.22	0
2	EDO	D	1505	-	3,3,3	0.18	0	2,2,2	1.25	0
2	EDO	B	1506	-	3,3,3	1.03	0	2,2,2	0.78	0
2	EDO	C	1502	-	3,3,3	0.67	0	2,2,2	0.73	0
2	EDO	B	1519	-	3,3,3	0.31	0	2,2,2	0.89	0
2	EDO	A	1509	-	3,3,3	0.65	0	2,2,2	0.49	0
3	GOL	D	1516	-	5,5,5	0.86	0	5,5,5	0.86	0
2	EDO	A	1502	-	3,3,3	0.40	0	2,2,2	1.06	0
2	EDO	A	1503	-	3,3,3	0.44	0	2,2,2	0.58	0
2	EDO	D	1508	-	3,3,3	0.74	0	2,2,2	0.39	0
3	GOL	B	1522	-	5,5,5	0.71	0	5,5,5	0.50	0
2	EDO	A	1508	-	3,3,3	0.80	0	2,2,2	1.56	1 (50%)
2	EDO	B	1520	-	3,3,3	1.16	0	2,2,2	0.38	0
2	EDO	C	1520	-	3,3,3	0.38	0	2,2,2	0.19	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EDO	D	1512	-	-	1/1/1/1	-
3	GOL	A	1511	-	-	0/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EDO	B	1515	-	-	0/1/1/1	-
2	EDO	B	1509	-	-	1/1/1/1	-
2	EDO	C	1507	-	-	1/1/1/1	-
2	EDO	D	1514	-	-	0/1/1/1	-
2	EDO	C	1505	-	-	0/1/1/1	-
2	EDO	B	1504	-	-	0/1/1/1	-
2	EDO	B	1508	-	-	1/1/1/1	-
2	EDO	B	1510	-	-	0/1/1/1	-
2	EDO	C	1518	-	-	0/1/1/1	-
2	EDO	C	1509	-	-	0/1/1/1	-
2	EDO	B	1521	-	-	0/1/1/1	-
2	EDO	C	1514	-	-	1/1/1/1	-
2	EDO	B	1503	-	-	0/1/1/1	-
2	EDO	A	1505	-	-	0/1/1/1	-
2	EDO	A	1504	-	-	0/1/1/1	-
2	EDO	B	1516	-	-	0/1/1/1	-
2	EDO	D	1513	-	-	1/1/1/1	-
2	EDO	C	1511	-	-	1/1/1/1	-
2	EDO	A	1507	-	-	1/1/1/1	-
3	GOL	C	1523	-	-	3/4/4/4	-
2	EDO	C	1517	-	-	1/1/1/1	-
3	GOL	C	1521	-	-	0/4/4/4	-
2	EDO	A	1510	-	-	0/1/1/1	-
2	EDO	C	1519	-	-	0/1/1/1	-
2	EDO	D	1507	-	-	0/1/1/1	-
2	EDO	B	1505	-	-	0/1/1/1	-
3	GOL	C	1525	-	-	2/4/4/4	-
2	EDO	C	1513	-	-	0/1/1/1	-
2	EDO	D	1511	-	-	0/1/1/1	-
3	GOL	C	1526	-	-	2/4/4/4	-
2	EDO	A	1506	-	-	0/1/1/1	-
2	EDO	D	1509	-	-	0/1/1/1	-
2	EDO	D	1504	-	-	0/1/1/1	-
2	EDO	B	1511	-	-	0/1/1/1	-
3	GOL	A	1512	-	-	4/4/4/4	-
2	EDO	D	1510	-	-	1/1/1/1	-
3	GOL	C	1524	-	-	0/4/4/4	-
2	EDO	C	1515	-	-	0/1/1/1	-
2	EDO	C	1504	-	-	1/1/1/1	-
2	EDO	B	1502	-	-	0/1/1/1	-
2	EDO	B	1518	-	-	1/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EDO	C	1512	-	-	0/1/1/1	-
2	EDO	D	1503	-	-	0/1/1/1	-
3	GOL	C	1527	-	-	2/4/4/4	-
2	EDO	B	1507	-	-	1/1/1/1	-
2	EDO	C	1510	-	-	1/1/1/1	-
2	EDO	C	1508	-	-	0/1/1/1	-
2	EDO	B	1514	-	-	1/1/1/1	-
2	EDO	D	1502	-	-	0/1/1/1	-
2	EDO	B	1512	-	-	1/1/1/1	-
2	EDO	B	1517	-	-	1/1/1/1	-
2	EDO	C	1503	-	-	0/1/1/1	-
2	EDO	C	1506	-	-	1/1/1/1	-
2	EDO	B	1513	-	-	1/1/1/1	-
2	EDO	D	1506	-	-	0/1/1/1	-
2	EDO	D	1515	-	-	1/1/1/1	-
3	GOL	B	1523	-	-	4/4/4/4	-
2	EDO	C	1516	-	-	1/1/1/1	-
3	GOL	C	1522	-	-	2/4/4/4	-
2	EDO	D	1505	-	-	0/1/1/1	-
2	EDO	B	1506	-	-	0/1/1/1	-
2	EDO	C	1502	-	-	0/1/1/1	-
2	EDO	B	1519	-	-	1/1/1/1	-
2	EDO	A	1509	-	-	1/1/1/1	-
3	GOL	D	1516	-	-	0/4/4/4	-
2	EDO	A	1502	-	-	0/1/1/1	-
2	EDO	A	1503	-	-	0/1/1/1	-
2	EDO	D	1508	-	-	1/1/1/1	-
3	GOL	B	1522	-	-	0/4/4/4	-
2	EDO	A	1508	-	-	1/1/1/1	-
2	EDO	B	1520	-	-	1/1/1/1	-
2	EDO	C	1520	-	-	0/1/1/1	-

The worst 5 of 7 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	1515	EDO	O1-C1	-5.68	1.12	1.42
2	C	1510	EDO	O1-C1	4.32	1.64	1.42
2	D	1515	EDO	O2-C2	-3.59	1.23	1.42
2	C	1514	EDO	O1-C1	3.04	1.57	1.42
3	B	1523	GOL	O2-C2	2.32	1.50	1.43

The worst 5 of 8 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	1514	EDO	O2-C2-C1	2.90	132.76	111.91
3	C	1524	GOL	O2-C2-C1	-2.85	96.55	109.12
2	D	1515	EDO	O2-C2-C1	-2.73	92.28	111.91
2	C	1509	EDO	O1-C1-C2	2.61	130.67	111.91
2	C	1514	EDO	O1-C1-C2	2.40	129.18	111.91

There are no chirality outliers.

5 of 45 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	1512	GOL	O1-C1-C2-C3
3	A	1512	GOL	C1-C2-C3-O3
3	B	1523	GOL	O1-C1-C2-C3
3	B	1523	GOL	C1-C2-C3-O3
3	C	1523	GOL	O1-C1-C2-C3

There are no ring outliers.

25 monomers are involved in 85 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	1507	EDO	3	0
2	D	1514	EDO	1	0
2	B	1521	EDO	2	0
2	C	1514	EDO	6	0
2	C	1511	EDO	3	0
2	A	1507	EDO	4	0
3	C	1523	GOL	3	0
3	C	1525	GOL	2	0
3	C	1526	GOL	1	0
3	A	1512	GOL	3	0
2	D	1510	EDO	6	0
2	B	1502	EDO	2	0
2	B	1518	EDO	4	0
3	C	1527	GOL	6	0
2	C	1510	EDO	8	0
2	B	1514	EDO	6	0
2	B	1517	EDO	2	0
2	D	1515	EDO	7	0
3	B	1523	GOL	1	0
2	C	1516	EDO	3	0
3	C	1522	GOL	2	0
2	B	1519	EDO	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1509	EDO	4	0
2	A	1508	EDO	1	0
2	C	1520	EDO	4	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	501/503 (99%)	-0.09	28 (5%) 24 26	7, 14, 33, 44	4 (0%)
1	B	503/503 (100%)	-0.21	16 (3%) 47 52	6, 12, 31, 40	3 (0%)
1	C	502/503 (99%)	-0.22	14 (2%) 53 57	6, 12, 28, 40	8 (1%)
1	D	503/503 (100%)	-0.12	20 (3%) 38 42	6, 13, 32, 44	3 (0%)
All	All	2009/2012 (99%)	-0.16	78 (3%) 39 44	6, 13, 32, 44	18 (0%)

The worst 5 of 78 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	70	THR	9.0
1	B	70	THR	7.5
1	D	70	THR	6.8
1	A	70	THR	6.2
1	D	-1	GLY	4.6

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	EDO	C	1517	4/4	0.62	0.15	54,54,55,55	0
3	GOL	C	1526	6/6	0.67	0.32	32,34,36,41	0
3	GOL	C	1527	6/6	0.69	0.40	31,36,39,40	0
2	EDO	C	1519	4/4	0.71	0.20	30,32,37,41	0
2	EDO	B	1516	4/4	0.76	0.26	29,30,33,34	0
3	GOL	A	1512	6/6	0.76	0.29	48,49,51,53	0
2	EDO	D	1511	4/4	0.79	0.37	40,40,43,50	0
2	EDO	A	1509	4/4	0.79	0.29	39,45,46,46	0
2	EDO	D	1514	4/4	0.80	0.15	45,45,45,51	0
2	EDO	C	1509	4/4	0.81	0.17	24,31,31,32	0
2	EDO	B	1521	4/4	0.82	0.15	24,27,38,38	0
3	GOL	C	1523	6/6	0.82	0.29	58,60,61,61	0
3	GOL	C	1525	6/6	0.83	0.20	42,46,48,51	0
2	EDO	D	1508	4/4	0.84	0.13	33,34,36,38	0
2	EDO	A	1508	4/4	0.84	0.20	18,31,35,36	0
2	EDO	D	1513	4/4	0.84	0.16	37,38,40,47	0
3	GOL	C	1524	6/6	0.85	0.17	20,34,39,43	0
2	EDO	C	1510	4/4	0.85	0.14	11,18,24,28	0
2	EDO	B	1507	4/4	0.86	0.09	29,32,37,40	0
2	EDO	D	1512	4/4	0.86	0.13	34,36,36,38	0
2	EDO	B	1517	4/4	0.87	0.15	30,31,32,33	0
2	EDO	C	1506	4/4	0.88	0.20	38,43,44,44	0
2	EDO	C	1513	4/4	0.88	0.09	39,40,40,40	0
2	EDO	A	1504	4/4	0.88	0.13	25,30,30,35	0
2	EDO	C	1516	4/4	0.89	0.19	22,26,27,36	0
2	EDO	B	1518	4/4	0.89	0.25	35,37,41,43	0
3	GOL	B	1523	6/6	0.90	0.12	15,23,29,29	0
2	EDO	C	1503	4/4	0.90	0.08	21,24,24,25	0
2	EDO	B	1512	4/4	0.90	0.16	43,43,44,44	0
2	EDO	B	1515	4/4	0.90	0.10	36,36,37,39	0
2	EDO	B	1510	4/4	0.90	0.10	29,31,31,38	0
2	EDO	C	1511	4/4	0.90	0.22	23,31,33,35	0
2	EDO	C	1504	4/4	0.91	0.10	22,27,28,33	0
2	EDO	A	1505	4/4	0.91	0.12	22,28,31,37	0
2	EDO	B	1519	4/4	0.91	0.14	25,35,36,38	0
2	EDO	C	1515	4/4	0.92	0.11	19,25,26,32	0
2	EDO	D	1510	4/4	0.92	0.31	22,26,27,41	0
3	GOL	C	1522	6/6	0.92	0.16	15,21,23,26	0
2	EDO	C	1514	4/4	0.92	0.20	18,20,21,28	0
2	EDO	C	1507	4/4	0.93	0.10	32,33,37,40	0
2	EDO	B	1514	4/4	0.93	0.36	19,20,26,39	0
2	EDO	B	1520	4/4	0.93	0.12	17,23,23,32	0
2	EDO	A	1506	4/4	0.94	0.08	15,16,16,18	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	EDO	B	1502	4/4	0.94	0.12	18,27,28,33	0
2	EDO	B	1504	4/4	0.94	0.09	20,21,21,23	0
2	EDO	C	1520	4/4	0.94	0.30	25,26,28,32	0
2	EDO	D	1506	4/4	0.94	0.14	19,22,26,32	0
2	EDO	D	1507	4/4	0.94	0.11	17,18,20,20	0
2	EDO	B	1506	4/4	0.94	0.11	15,21,24,34	0
2	EDO	A	1507	4/4	0.94	0.33	19,25,27,40	0
2	EDO	C	1505	4/4	0.94	0.10	22,23,28,32	0
2	EDO	A	1503	4/4	0.94	0.07	18,18,20,21	0
2	EDO	B	1505	4/4	0.95	0.08	21,27,30,35	0
2	EDO	B	1511	4/4	0.95	0.11	23,32,35,38	0
2	EDO	D	1504	4/4	0.95	0.06	17,18,20,21	0
2	EDO	D	1505	4/4	0.95	0.10	25,28,30,38	0
2	EDO	B	1508	4/4	0.95	0.08	14,19,19,21	0
2	EDO	D	1515	4/4	0.96	0.19	10,16,18,18	0
2	EDO	C	1508	4/4	0.96	0.08	12,15,16,18	0
2	EDO	A	1510	4/4	0.96	0.11	15,22,23,26	0
3	GOL	C	1521	6/6	0.96	0.11	7,7,15,18	0
2	EDO	B	1509	4/4	0.96	0.17	33,34,35,36	0
2	EDO	B	1513	4/4	0.97	0.10	21,31,35,39	0
2	EDO	D	1503	4/4	0.97	0.09	14,16,21,22	0
2	EDO	B	1503	4/4	0.97	0.07	14,15,16,16	0
3	GOL	A	1511	6/6	0.97	0.12	8,9,15,21	0
2	EDO	C	1518	4/4	0.97	0.07	25,29,30,32	0
3	GOL	B	1522	6/6	0.97	0.11	7,8,14,20	0
2	EDO	A	1502	4/4	0.97	0.06	16,16,17,21	0
2	EDO	C	1512	4/4	0.98	0.11	12,19,23,28	0
2	EDO	D	1502	4/4	0.98	0.05	15,15,15,18	0
2	EDO	D	1509	4/4	0.98	0.08	13,18,19,25	0
2	EDO	C	1502	4/4	0.98	0.06	12,14,15,15	0
3	GOL	D	1516	6/6	0.98	0.09	6,8,16,22	0

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.